













11BE160MIMO_Ant6_6345_996Tone_RU68







Date: 21.JAN.2026 01:14:40



11BE160MIMO_Ant7_6345_996Tone_RU68



Date: 21.JAN.2026 01:16:14











11BE160MIMO_Ant6_6985_996Tone_RU68



Date: 21.JAN.2026 01:28:53

11BE160MIMO_Ant7_6985_996Tone_RU68



Date: 21.JAN.2026 01:30:13



<Small RU>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-11.92	0.20	-11.72	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-10.40	0.20	-10.20	≤-5.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-11.21	-0.30	-11.51	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.70	-0.30	-10.00	≤-5.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-8.54	-0.04	-8.58	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-7.03	-0.04	-7.07	≤-5.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-11.48	0.60	-10.88	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.50	0.60	-8.90	≤-5.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-11.01	-0.60	-11.61	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.31	-0.60	-9.91	≤-5.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-8.23	0.04	-8.19	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.39	0.04	-6.35	≤-5.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-11.01	0.00	-11.01	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.41	0.00	-9.41	≤-5.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-10.91	-0.40	-11.31	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.23	-0.40	-9.63	≤-5.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-7.95	-0.20	-8.15	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.31	-0.20	-6.51	≤-5.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-12.10	-0.50	-12.60	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-10.56	-0.50	-11.06	≤-5.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-12.38	-0.20	-12.58	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-10.19	-0.20	-10.39	≤-5.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-9.23	-0.35	-9.58	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-7.36	-0.35	-7.71	≤-5.00	PASS
	Ant6	7115	52Tone+26Tone	RU39+RU7	-23.62	-0.50	-24.12	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-22.08	-0.50	-22.58	≤-5.00	PASS
	Ant7	7115	52Tone+26Tone	RU39+RU7	-23.65	-0.20	-23.85	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-22.04	-0.20	-22.24	≤-5.00	PASS
	total	7115	52Tone+26Tone	RU39+RU7	-20.62	-0.35	-20.97	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-19.05	-0.35	-19.40	≤-5.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs
































<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	3*996Tone	RU4	-13.69	0.20	-13.49	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.35	0.20	-13.15	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.36	0.20	-13.16	≤-5.00	PASS
	Ant7	6105	3*996Tone	RU4	-13.57	-0.30	-13.87	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.30	-0.30	-13.60	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.61	-0.30	-13.91	≤-5.00	PASS
	total	6105	3*996Tone	RU4	-10.62	-0.04	-10.66	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.31	-0.04	-10.35	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10.47	-0.04	-10.51	≤-5.00	PASS
	Ant6	6585	3*996Tone	RU4	-13.36	0.60	-12.76	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-14.18	0.60	-13.58	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.85	0.60	-13.25	≤-5.00	PASS
	Ant7	6585	3*996Tone	RU4	-13.43	-0.60	-14.03	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.53	-0.60	-14.13	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.12	-0.60	-13.72	≤-5.00	PASS
	total	6585	3*996Tone	RU4	-10.38	0.04	-10.34	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.83	0.04	-10.79	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10.46	0.04	-10.42	≤-5.00	PASS
	Ant6	6745	3*996Tone	RU4	-14.09	0.00	-14.09	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.91	0.00	-13.91	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-14.00	0.00	-14.00	≤-5.00	PASS
	Ant7	6745	3*996Tone	RU4	-13.28	-0.40	-13.68	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.48	-0.40	-13.88	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.35	-0.40	-13.75	≤-5.00	PASS
	total	6745	3*996Tone	RU4	-10.66	-0.20	-10.86	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.68	-0.20	-10.88	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10.65	-0.20	-10.85	≤-5.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-12.37	0.00	-12.37	≤-5.00	PASS
			3*996Tone	RU1	-12.47	0.00	-12.47	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-12.29	0.00	-12.29	≤-5.00	PASS
	Ant7	6905	3*996Tone+484Tone	RU1	-11.95	-0.40	-12.35	≤-5.00	PASS
			3*996Tone	RU1	-11.86	-0.40	-12.26	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-11.63	-0.40	-12.03	≤-5.00	PASS
	total	6905	3*996Tone+484Tone	RU1	-9.14	-0.20	-9.34	≤-5.00	PASS
			3*996Tone	RU1	-9.14	-0.20	-9.34	≤-5.00	PASS






			2*996Tone+484Tone	RU7	-8.94	-0.20	-9.14	≤-5.00	PASS
11BE80MIMO	Ant6	5985	484Tone+242Tone	RU4	-9.05	0.20	-8.85	≤-5.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-7.85	-0.30	-8.15	≤-5.00	PASS
	total	5985	484Tone+242Tone	RU4	-5.40	-0.04	-5.44	≤-5.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-9.30	0.60	-8.70	≤-5.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-8.32	-0.60	-8.92	≤-5.00	PASS
	total	6465	484Tone+242Tone	RU4	-5.77	0.04	-5.73	≤-5.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-9.13	0.00	-9.13	≤-5.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-8.11	-0.40	-8.51	≤-5.00	PASS
	total	6625	484Tone+242Tone	RU4	-5.58	-0.20	-5.78	≤-5.00	PASS
	Ant6	7025	484Tone+242Tone	RU1	-8.92	-0.50	-9.42	≤-5.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-7.93	-0.20	-8.13	≤-5.00	PASS
	total	7025	484Tone+242Tone	RU1	-5.39	-0.35	-5.74	≤-5.00	PASS
11BE160MIMO	Ant6	6025	996Tone+484Tone	RU4	-11.28	0.20	-11.08	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.59	0.20	-11.39	≤-5.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-10.67	-0.30	-10.97	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.89	-0.30	-11.19	≤-5.00	PASS
	total	6025	996Tone+484Tone	RU4	-7.95	-0.04	-7.99	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-8.22	-0.04	-8.26	≤-5.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-10.80	0.60	-10.20	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.14	0.60	-10.54	≤-5.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-10.00	-0.60	-10.60	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.12	-0.60	-10.72	≤-5.00	PASS
	total	6505	996Tone+484Tone	RU4	-7.37	0.04	-7.33	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-7.59	0.04	-7.55	≤-5.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-10.64	0.00	-10.64	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.47	0.00	-10.47	≤-5.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-9.80	-0.40	-10.20	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-9.60	-0.40	-10.00	≤-5.00	PASS
	total	6665	996Tone+484Tone	RU4	-7.19	-0.20	-7.39	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-7.00	-0.20	-7.20	≤-5.00	PASS
	Ant6	6985	996Tone+484Tone242Tone	RU1	-11.09	-0.50	-11.59	≤-5.00	PASS
			996Tone+484Tone	RU1	-10.78	-0.50	-11.28	≤-5.00	PASS
	Ant7	6985	996Tone+484Tone	RU1	-9.85	-0.20	-10.05	≤-5.00	PASS
			996Tone+484Tone242Tone	RU1	-10.18	-0.20	-10.38	≤-5.00	PASS
	total	6985	996Tone+484Tone	RU1	-7.28	-0.35	-7.63	≤-5.00	PASS
			996Tone+484Tone242Tone	RU1	-7.60	-0.35	-7.95	≤-5.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs





















































































<Puncturing RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	Puncturing 80M	RU4	-14.52	0.20	-14.32	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-14.10	0.20	-13.90	≤-5.00	PASS
			Puncturing 40M	RU8	-14.55	0.20	-14.35	≤-5.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-14.18	-0.30	-14.48	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-13.80	-0.30	-14.10	≤-5.00	PASS
			Puncturing 40M	RU8	-14.35	-0.30	-14.65	≤-5.00	PASS
	total	6105	Puncturing 80M	RU4	-11.34	-0.04	-11.38	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-10.94	-0.04	-10.98	≤-5.00	PASS
			Puncturing 40M	RU8	-11.44	-0.04	-11.48	≤-5.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-13.88	0.60	-13.28	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-14.78	0.60	-14.18	≤-5.00	PASS
			Puncturing 40M	RU8	-14.03	0.60	-13.43	≤-5.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-13.85	-0.60	-14.45	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-14.15	-0.60	-14.75	≤-5.00	PASS
			Puncturing 40M	RU8	-14.00	-0.60	-14.60	≤-5.00	PASS
	total	6585	Puncturing 80M	RU4	-10.85	0.04	-10.81	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-11.44	0.04	-11.40	≤-5.00	PASS
			Puncturing 40M	RU8	-11.00	0.04	-10.96	≤-5.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-14.88	0.00	-14.88	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-14.53	0.00	-14.53	≤-5.00	PASS
			Puncturing 40M	RU8	-14.77	0.00	-14.77	≤-5.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-13.98	-0.40	-14.38	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-14.01	-0.40	-14.41	≤-5.00	PASS
			Puncturing 40M	RU8	-13.94	-0.40	-14.34	≤-5.00	PASS
	total	6745	Puncturing 80M	RU4	-11.40	-0.20	-11.60	≤-5.00	PASS
			Puncturing 80M+40M	RU6	-11.25	-0.20	-11.45	≤-5.00	PASS
			Puncturing 40M	RU8	-11.32	-0.20	-11.52	≤-5.00	PASS
	Ant6	6905	Puncturing 40M	RU1	-13.18	0.00	-13.18	≤-5.00	PASS
			Puncturing 80M	RU1	-13.35	0.00	-13.35	≤-5.00	PASS
			Puncturing 80M+40M	RU7	-13.35	0.00	-13.35	≤-5.00	PASS
	Ant7	6905	Puncturing 40M	RU1	-12.78	-0.40	-13.18	≤-5.00	PASS
			Puncturing 80M	RU1	-12.81	-0.40	-13.21	≤-5.00	PASS
			Puncturing 80M+40M	RU7	-13.10	-0.40	-13.50	≤-5.00	PASS
	total	6905	Puncturing 40M	RU1	-9.97	-0.20	-10.17	≤-5.00	PASS






			Puncturing 80M	RU1	-10.06	-0.20	-10.26	≤ -5.00	PASS
			Puncturing 80M+40M	RU7	-10.21	-0.20	-10.41	≤ -5.00	PASS
11BE80MIMO	Ant6	5985	Puncturing 20M	RU4	-11.21	0.20	-11.01	≤ -5.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-11.26	-0.30	-11.56	≤ -5.00	PASS
	total	5985	Puncturing 20M	RU4	-8.22	-0.04	-8.26	≤ -5.00	PASS
	Ant6	6465	Puncturing 20M	RU4	-12.09	0.60	-11.49	≤ -5.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-12.10	-0.60	-12.70	≤ -5.00	PASS
	total	6465	Puncturing 20M	RU4	-9.08	0.04	-9.04	≤ -5.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-11.67	0.00	-11.67	≤ -5.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-11.03	-0.40	-11.43	≤ -5.00	PASS
	total	6625	Puncturing 20M	RU4	-8.33	-0.20	-8.53	≤ -5.00	PASS
	Ant6	7025	Puncturing 20M	RU1	-11.88	-0.50	-12.38	≤ -5.00	PASS
	Ant7	7025	Puncturing 20M	RU1	-11.22	-0.20	-11.42	≤ -5.00	PASS
	total	7025	Puncturing 20M	RU1	-8.53	-0.35	-8.88	≤ -5.00	PASS
11BE160MIMO	Ant6	6025	Puncturing 40M	RU4	-11.55	0.20	-11.35	≤ -5.00	PASS
			Puncturing 20M	RU8	-12.20	0.20	-12.00	≤ -5.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-11.01	-0.30	-11.31	≤ -5.00	PASS
			Puncturing 20M	RU8	-11.65	-0.30	-11.95	≤ -5.00	PASS
	total	6025	Puncturing 40M	RU4	-8.26	-0.04	-8.30	≤ -5.00	PASS
			Puncturing 20M	RU8	-8.91	-0.04	-8.95	≤ -5.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-12.79	0.60	-12.19	≤ -5.00	PASS
			Puncturing 20M	RU8	-13.36	0.60	-12.76	≤ -5.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-11.22	-0.60	-11.82	≤ -5.00	PASS
			Puncturing 20M	RU8	-11.75	-0.60	-12.35	≤ -5.00	PASS
	total	6505	Puncturing 40M	RU4	-8.92	0.04	-8.88	≤ -5.00	PASS
			Puncturing 20M	RU8	-9.47	0.04	-9.43	≤ -5.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-11.13	0.00	-11.13	≤ -5.00	PASS
			Puncturing 20M	RU8	-11.65	0.00	-11.65	≤ -5.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-10.70	-0.40	-11.10	≤ -5.00	PASS
			Puncturing 20M	RU8	-11.26	-0.40	-11.66	≤ -5.00	PASS
	total	6665	Puncturing 40M	RU4	-7.90	-0.20	-8.10	≤ -5.00	PASS
			Puncturing 20M	RU8	-8.44	-0.20	-8.64	≤ -5.00	PASS
	Ant6	6985	Puncturing 40M	RU1	-12.04	-0.50	-12.54	≤ -5.00	PASS
			Puncturing 20M	RU1	-12.40	-0.50	-12.90	≤ -5.00	PASS
	Ant7	6985	Puncturing 20M	RU1	-11.58	-0.20	-11.78	≤ -5.00	PASS
			Puncturing 40M	RU1	-10.99	-0.20	-11.19	≤ -5.00	PASS
	total	6985	Puncturing 20M	RU1	-8.96	-0.35	-9.31	≤ -5.00	PASS
			Puncturing 40M	RU1	-8.47	-0.35	-8.82	≤ -5.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs


















































































11BE160MIMO_Ant7_6665_Puncturing 40M_RU4










Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.151	56.62	-9.34	65.96	36.60	9.55	10.47	QP
2	0.151	39.62	-16.34	55.96	19.60	9.55	10.47	Average
3	0.166	53.82	-11.34	65.16	33.80	9.55	10.47	QP
4	0.166	37.32	-17.84	55.16	17.30	9.55	10.47	Average
5	0.214	43.86	-19.19	63.05	23.80	9.58	10.48	QP
6	0.214	28.86	-24.19	53.05	8.80	9.58	10.48	Average
7	0.235	43.59	-18.67	62.26	23.50	9.61	10.48	QP
8	0.235	31.69	-20.57	52.26	11.60	9.61	10.48	Average
9	0.327	36.65	-22.88	59.53	16.49	9.67	10.49	QP
10	0.327	28.35	-21.18	49.53	8.19	9.67	10.49	Average
11	17.755	34.60	-25.40	60.00	14.20	9.87	10.53	QP
12	17.755	29.30	-20.70	50.00	8.90	9.87	10.53	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.162	54.22	-11.16	65.38	34.20	9.55	10.47	QP
2	0.162	38.92	-16.46	55.38	18.90	9.55	10.47	Average
3	0.167	52.22	-12.90	65.12	32.21	9.54	10.47	QP
4	0.167	36.32	-18.80	55.12	16.31	9.54	10.47	Average
5	0.228	41.62	-20.90	62.52	21.51	9.63	10.48	QP
6	0.228	31.32	-21.20	52.52	11.21	9.63	10.48	Average
7	0.248	42.64	-19.18	61.82	22.50	9.66	10.48	QP
8	0.248	31.64	-20.18	51.82	11.50	9.66	10.48	Average
9	2.321	36.51	-19.49	56.00	16.21	9.77	10.53	QP
10	2.321	29.61	-16.39	46.00	9.31	9.77	10.53	Average
11	2.692	37.46	-18.54	56.00	17.20	9.73	10.53	QP
12	2.692	30.56	-15.44	46.00	10.30	9.73	10.53	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake zhou	Relative Humidity :	51 ~ 53 %
		Temperature :	22 ~ 26 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	-
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	-
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	49	6195	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	93	6415	MCS0	-	-
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	-
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	-
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	91	6405	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	-
Mode 14	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	55	6225	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	87	6385	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	-
Mode 17	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	-
Mode 18	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	47	6185	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	79	6345	MCS0	Full	-
Mode 20	U-NII-6	6.425-6.525	A6+A7	802.11a	97	6435	6Mbps	-	-
Mode 21	U-NII-6	6.425-6.525	A6+A7	802.11a	105	6475	6Mbps	-	-
Mode 22	U-NII-6	6.425-6.525	A6+A7	802.11a	113	6515	6Mbps	-	-
Mode 23	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	97	6435	MCS0	-	-
Mode 24	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	105	6475	MCS0	-	-
Mode 25	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	113	6515	MCS0	-	-
Mode 26	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	99	6445	MCS0	Full	-
Mode 27	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	107	6485	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	115	6525	MCS0	-	-
Mode 29	U-NII-6	6.425-6.525	A6+A7	802.11be EHT80	103	6465	MCS0	Full	-
Mode 30	U-NII-6	6.425-6.525	A6+A7	802.11be EHT160	111	6505	MCS0	-	-
Mode 31	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	-



Mode 32	U-NII-7	6.525-6.875	A6+A7	802.11a	149	6695	6Mbps	Full	-
Mode 33	U-NII-8	6.525-7.125	A6+A7	802.11a	185	6875	6Mbps	-	-
Mode 34	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	-
Mode 35	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	149	6695	MCS0	Full	-
Mode 36	U-NII-8	6.525-7.125	A6+A7	802.11be EHT20	185	6875	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	147	6685	MCS0	Full	-
Mode 39	U-NII-8	6.525-7.125	A6+A7	802.11be EHT40	187	6885	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	6.525-7.125	A6+A7	802.11be EHT80	183	6865	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	-
Mode 44	U-NII-7	6.425-6.525	A6+A7	802.11be EHT160	175	6825	MCS0	-	-
Mode 45	U-NII-8	6.875-7.125	A6+A7	802.11a	189	6895	6Mbps	Full	-
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11a	209	6995	6Mbps	Full	-
Mode 47	U-NII-8	6.875-7.125	A6+A7	802.11a	229	7095	6Mbps	-	-
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	189	6895	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	209	6995	MCS0	Full	-
Mode 50	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	-	-
Mode 51	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	RU106/54	-
Mode 52	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	195	6925	MCS0	Full	-
Mode 53	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	211	7005	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	-	-
Mode 55	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	RU242/62	-
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	199	6945	MCS0	Full	-
Mode 57	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	-	-
Mode 58	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	RU484/66	-
Mode 59	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	-	-
Mode 60	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	RU996/68	-
Mode 61	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	-
Mode 62	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/67	-
Mode 63	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	95	6425	MCS0	-	-
Mode 64	U-NII-7	6.525-6.875	A6+A7	802.11be EHT320	159	6745	MCS0	-	-
Mode 65	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	-	-
Mode 66	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	RU996*2/67	-
Mode 67	U-NII-6	6.425-6.525	A6+A7	802.11be EHT320	127	6585	MCS0	-	-
Mode 68	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	-	-
Mode 69	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/67	-
Mode 70	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	-



Mode 71	U-NII-5	6.425-6.525	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	-
Mode 72	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	Index 39+7	-
Mode 73	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	-	MCS0	-	-
Mode 74	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 75	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 76	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 77	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 78	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 79	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 80	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	-
Mode 81	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	-
Mode 82	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 83	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 84	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 85	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 86	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 87	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 88	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 89	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 90	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484+242 ⑧	-
Mode 91	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484+242 ①	-
Mode 92	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 93	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 94	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 95	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 96	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 97	U-NII-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-
Mode 98	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	6Mbps	-	-
Mode 99	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-
Mode 100	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	RU106/54	-
Mode 101	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 39+7	-
Mode 102	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 54+4	-

**Co-location**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 103	2400-2483.5	2400-2483.5	A7	802.11be EHT20	11	2462	MCS0	Full	-
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-
	2400-2483.5	2400-2483.5	A6	Bluetooth-LE_GFSK	76	2478	2Mbps	-	-
Mode 104	2400-2483.5	2400-2483.5	A6+A7	802.11be EHT20	11	2462	MCS0	Full	-
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-
Mode 105	2400-2483.5	2400-2483.5	A6	Bluetooth-LE_GFSK	76	2478	2Mbps	-	-
	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Full	-
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-
Mode 106	2400-2483.5	2400-2483.5	A7	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	49.60	68.20	-18.60	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	36.85	54.00	-17.15	V	AVERAGE	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	45.86	54.00	-8.14	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.95	88.20	-42.25	V	PEAK	Pass	Harmonic
4	802.11be EHT20	1	5924.97	43.62	68.20	-24.58	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	1	11910.00	35.87	54.00	-18.13	H	AVERAGE	Pass	Harmonic
5	802.11be EHT20	1	5924.32	49.56	68.20	-18.64	H	AVERAGE	Pass	Band Edge
5	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	49	12390.00	44.80	74.00	-29.20	V	PEAK	Pass	Harmonic
7	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	93	12830.00	46.23	88.20	-41.97	V	PEAK	Pass	Harmonic
8	802.11be EHT40	3	5924.96	54.90	68.20	-13.30	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	3	11930.00	44.54	74.00	-29.46	V	PEAK	Pass	Harmonic
9	802.11be EHT40	3	5924.96	60.50	68.20	-7.70	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT40	51	12410.00	45.03	74.00	-28.97	V	PEAK	Pass	Harmonic
11	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT40	91	12810.00	45.67	88.20	-42.53	V	PEAK	Pass	Harmonic
12	802.11be EHT80	7	5925.00	52.36	68.20	-15.84	H	AVERAGE	Pass	Band Edge
12	802.11be EHT80	7	11970.00	44.62	74.00	-29.38	H	PEAK	Pass	Harmonic
13	802.11be EHT80	7	5925.00	63.27	68.20	-4.93	H	AVERAGE	Pass	Band Edge
13	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT80	55	12450.00	44.84	74.00	-29.16	H	PEAK	Pass	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	87	12770.00	46.07	88.20	-42.13	V	PEAK	Pass	Harmonic
16	802.11be EHT160	15	5925.00	57.94	68.20	-10.26	H	AVERAGE	Pass	Band Edge
16	802.11be EHT160	15	12050.00	45.12	74.00	-28.88	H	PEAK	Pass	Harmonic
17	802.11be EHT160	15	5916.60	56.91	68.20	-11.29	H	AVERAGE	Pass	Band Edge
17	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
18	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge



18	802.11be EHT160	47	12370.00	44.83	74.00	-29.17	V	PEAK	Pass	Harmonic
19	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT160	79	12690.00	44.60	74.00	-29.40	V	PEAK	Pass	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Band Edge
20	802.11a	97	12870.00	44.82	88.20	-43.38	H	PEAK	Pass	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Band Edge
21	802.11a	105	12950.00	47.16	88.20	-41.04	V	PEAK	Pass	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Band Edge
22	802.11a	113	13030.00	47.40	88.20	-40.80	V	PEAK	Pass	Harmonic
23	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	97	12870.00	45.42	88.20	-42.78	V	PEAK	Pass	Harmonic
24	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT20	105	12950.00	46.69	88.20	-41.51	V	PEAK	Pass	Harmonic
25	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT20	113	13030.00	47.75	88.20	-40.45	V	PEAK	Pass	Harmonic
26	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	99	12890.00	46.47	88.20	-41.73	V	PEAK	Pass	Harmonic
27	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	107	12970.00	47.02	88.20	-41.18	V	PEAK	Pass	Harmonic
28	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	115	13050.00	47.89	88.20	-40.31	V	PEAK	Pass	Harmonic
29	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	103	12930.00	45.84	88.20	-42.36	H	PEAK	Pass	Harmonic
30	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT160	111	13010.00	45.78	88.20	-42.42	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	40.41	68.20	-27.79	V	AVERAGE	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	49.94	54.00	-4.06	V	AVERAGE	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	45.31	88.20	-42.89	H	PEAK	Pass	Harmonic
34	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT20	117	13070.00	48.69	88.20	-39.51	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	13390.00	43.04	54.00	-10.96	V	AVERAGE	Pass	Harmonic
36	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	185	13750.00	45.82	88.20	-42.38	V	PEAK	Pass	Harmonic
37	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT40	123	13130.00	46.13	88.20	-42.07	V	PEAK	Pass	Harmonic



38	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT40	147	13370.00	45.48	74.00	-28.52	V	PEAK	Pass	Harmonic
39	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT40	187	13770.00	46.37	88.20	-41.83	V	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	46.25	74.00	-27.75	H	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	44.91	88.20	-43.29	H	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	44.03	88.20	-44.17	V	PEAK	Pass	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	143	13330.00	45.54	74.00	-28.46	V	PEAK	Pass	Harmonic
44	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT160	175	13650.00	45.36	88.20	-42.84	H	PEAK	Pass	Harmonic
45	802.11a	189	-	-	-	-	-	-	-	Band Edge
45	802.11a	189	13790.00	46.39	88.20	-41.81	V	PEAK	Pass	Harmonic
46	802.11a	209	-	-	-	-	-	-	-	Band Edge
46	802.11a	209	13990.00	46.01	88.20	-42.19	H	PEAK	Pass	Harmonic
47	802.11a	229	7125.00	44.44	68.20	-23.76	H	AVERAGE	Pass	Band Edge
47	802.11a	229	14190.00	46.41	88.20	-41.79	H	PEAK	Pass	Harmonic
48	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	189	13790.00	46.53	88.20	-41.67	V	PEAK	Pass	Harmonic
49	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT20	209	13990.00	45.12	88.20	-43.08	H	PEAK	Pass	Harmonic
50	802.11be EHT20	229	7132.20	44.67	68.20	-23.53	H	AVERAGE	Pass	Band Edge
50	802.11be EHT20	229	14190.00	45.97	88.20	-42.23	V	PEAK	Pass	Harmonic
51	802.11be EHT20	229	7125.48	58.75	68.20	-9.45	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
52	802.11be EHT40	195	13850.00	45.00	88.20	-43.20	H	PEAK	Pass	Harmonic
53	802.11be EHT40	211	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT40	211	14010.00	45.55	88.20	-42.65	H	PEAK	Pass	Harmonic
54	802.11be EHT40	227	7125.32	58.20	68.20	-10.00	H	AVERAGE	Pass	Band Edge
54	802.11be EHT40	227	14170.00	46.25	88.20	-41.95	V	PEAK	Pass	Harmonic
55	802.11be EHT40	227	7125.48	65.51	68.20	-2.69	H	AVERAGE	Pass	Band Edge
55	802.11be EHT40	227	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT80	199	13890.00	45.59	88.20	-42.61	V	PEAK	Pass	Harmonic
57	802.11be EHT80	215	7136.54	48.54	68.20	-19.66	H	AVERAGE	Pass	Band Edge



57	802.11be EHT80	215	14050.00	44.97	88.20	-43.23	H	PEAK	Pass	Harmonic
58	802.11be EHT80	215	7136.98	66.00	68.20	-2.20	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	207	7143.40	66.22	68.20	-1.98	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	207	13970.00	45.27	88.20	-42.93	V	PEAK	Pass	Harmonic
60	802.11be EHT160	207	7132.84	60.73	68.20	-7.47	H	AVERAGE	Pass	Band Edge
60	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5804.20	63.96	68.20	-4.24	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	12210.00	45.67	74.00	-28.33	H	PEAK	Pass	Harmonic
62	802.11be EHT320	31	5899.56	66.31	68.20	-1.89	H	AVERAGE	Pass	Band Edge
62	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	95	12850.00	46.27	88.20	-41.93	V	PEAK	Pass	Harmonic
64	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT320	159	13490.00	46.10	88.20	-42.10	H	PEAK	Pass	Harmonic
65	802.11be EHT320	63	5924.52	66.68	68.20	-1.52	H	AVERAGE	Pass	Band Edge
65	802.11be EHT320	63	12530.00	44.51	74.00	-29.49	H	PEAK	Pass	Harmonic
66	802.11be EHT320	63	5900.84	62.04	68.20	-6.16	H	AVERAGE	Pass	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT320	127	13170.00	45.24	88.20	-42.96	V	PEAK	Pass	Harmonic
68	802.11be EHT320	191	7284.28	52.70	54.00	-1.30	H	AVERAGE	Pass	Band Edge
68	802.11be EHT320	191	13810.00	46.11	88.20	-42.09	H	PEAK	Pass	Harmonic
69	802.11be EHT320	191	7269.88	47.69	54.00	-6.31	H	AVERAGE	Pass	Band Edge
69	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	1	5924.97	51.55	68.20	-16.65	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	1	5924.84	45.88	68.20	-22.32	H	AVERAGE	Pass	Band Edge
71	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	229	7125.00	51.01	68.20	-17.19	H	AVERAGE	Pass	Band Edge
72	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	229	7125.00	65.42	68.20	-2.78	H	AVERAGE	Pass	Band Edge
73	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	7	5924.20	65.69	68.20	-2.51	H	AVERAGE	Pass	Band Edge
74	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	215	7137.64	61.62	68.20	-6.58	H	AVERAGE	Pass	Band Edge
75	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	15	5925.00	58.60	68.20	-9.60	H	AVERAGE	Pass	Band Edge
76	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic



77	802.11be EHT160	207	7150.60	66.01	68.20	-2.19	H	AVERAGE	Pass	Band Edge
77	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT160	15	5912.60	56.59	68.20	-11.61	H	AVERAGE	Pass	Band Edge
78	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT160	207	7150.84	62.38	68.20	-5.82	H	AVERAGE	Pass	Band Edge
79	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT320	31	5914.92	62.35	68.20	-5.85	H	AVERAGE	Pass	Band Edge
80	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT320	191	7266.28	45.96	54.00	-8.04	H	AVERAGE	Pass	Band Edge
81	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT320	31	5913.64	64.93	68.20	-3.27	H	AVERAGE	Pass	Band Edge
82	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT320	191	7261.96	49.50	54.00	-4.50	H	AVERAGE	Pass	Band Edge
83	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	31	5894.44	64.51	68.20	-3.69	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	191	7261.96	50.15	54.00	-3.85	H	AVERAGE	Pass	Band Edge
85	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	7	5925.00	61.36	68.20	-6.84	H	AVERAGE	Pass	Band Edge
86	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT80	215	7125.10	53.99	68.20	-14.21	H	AVERAGE	Pass	Band Edge
87	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	15	5866.20	55.53	68.20	-12.67	H	AVERAGE	Pass	Band Edge
88	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	207	7130.68	66.30	68.20	-1.90	H	AVERAGE	Pass	Band Edge
89	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT160	15	5925.00	55.47	68.20	-12.73	H	AVERAGE	Pass	Band Edge
90	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT160	207	7147.48	64.47	68.20	-3.73	H	AVERAGE	Pass	Band Edge
91	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT320	31	5849.96	64.03	68.20	-4.17	H	AVERAGE	Pass	Band Edge
92	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT320	191	7270.60	49.71	54.00	-4.29	H	AVERAGE	Pass	Band Edge
93	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT320	31	5909.48	66.99	68.20	-1.21	H	AVERAGE	Pass	Band Edge
94	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT320	31	5791.08	61.06	68.20	-7.14	H	AVERAGE	Pass	Band Edge
95	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT320	191	7268.44	50.83	54.00	-3.17	H	AVERAGE	Pass	Band Edge







96	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT320	191	7288.60	52.23	54.00	-1.77	H	AVERAGE	Pass	Band Edge
97	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
98	802.11a	233	7125.01	66.48	68.20	-1.72	H	AVERAGE	Pass	Band Edge
98	802.11a	233	14230.00	47.18	88.20	-41.02	V	PEAK	Pass	Harmonic
99	802.11be EHT20	233	7125.01	66.50	68.20	-1.70	H	AVERAGE	Pass	Band Edge
99	802.11be EHT20	233	14230.00	46.48	88.20	-41.72	H	PEAK	Pass	Harmonic
100	802.11be EHT20	233	7125.01	66.36	68.20	-1.84	H	AVERAGE	Pass	Band Edge
100	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT20	233	7125.01	62.79	68.20	-5.41	H	AVERAGE	Pass	Band Edge
101	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT20	233	7125.01	66.46	68.20	-1.74	H	AVERAGE	Pass	Band Edge
102	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
103	802.11be EHT20	11	7386.00	40.37	74.00	-33.63	V	PEAK	Pass	Harmonic
	802.11be EHT20	233	14230.00	46.13	88.20	-42.07	H	PEAK	Pass	Harmonic
	Bluetooth-LE_GFSK	76	7434.00	40.90	74.00	-33.10	H	PEAK	Pass	Harmonic
104	802.11be EHT20	11	7386.00	42.23	74.00	-31.77	H	PEAK	Pass	Harmonic
	802.11be EHT20	233	14230.00	45.61	88.20	-42.59	H	PEAK	Pass	Harmonic
105	Bluetooth-LE_GFSK	76	7434.00	40.66	74.00	-33.34	V	PEAK	Pass	Harmonic
	802.11be EHT160	50	10500.00	44.25	68.20	-23.95	H	PEAK	Pass	Harmonic
	802.11be EHT20	233	14230.00	46.15	88.20	-42.05	V	PEAK	Pass	Harmonic
106	Bluetooth-LE_GFSK	39	7440.00	41.52	74.00	-32.48	V	PEAK	Pass	Harmonic
	802.11be EHT20	233	14230.00	46.32	88.20	-41.88	H	PEAK	Pass	Harmonic





Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>59.21</td><td>88.20</td><td>-28.99</td><td>49.55</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>355</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	59.21	88.20	-28.99	49.55	35.10	11.55	36.99	0.00	100	355	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.92</td><td>-----</td><td>-----</td><td>106.19</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>355</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.92	-----	-----	106.19	35.10	11.57	36.94	0.00	100	355
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.58	59.21	88.20	-28.99	49.55	35.10	11.55	36.99	0.00	100	355	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	115.92	-----	-----	106.19	35.10	11.57	36.94	0.00	100	355	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>49.60</td><td>68.20</td><td>-18.60</td><td>39.94</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>355</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	49.60	68.20	-18.60	39.94	35.10	11.55	36.99	0.00	100	355	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.30</td><td>-----</td><td>-----</td><td>97.57</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>355</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.30	-----	-----	97.57	35.10	11.57	36.94	0.00	100	355
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.97	49.60	68.20	-18.60	39.94	35.10	11.55	36.99	0.00	100	355	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	107.30	-----	-----	97.57	35.10	11.57	36.94	0.00	100	355	AVERAGE																																																																																											





Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.76</td><td>56.68</td><td>88.20</td><td>-31.52</td><td>47.02</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>250</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.76	56.68	88.20	-31.52	47.02	35.10	11.55	36.99	0.00	100	250	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.55</td><td>-----</td><td>-----</td><td>98.77</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>100</td><td>250</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.55	-----	-----	98.77	35.12	11.58	36.92	0.00	100	250
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5922.76	56.68	88.20	-31.52	47.02	35.10	11.55	36.99	0.00	100	250	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	100.55	-----	-----	98.77	35.12	11.58	36.92	0.00	100	250	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>45.86</td><td>68.20</td><td>-22.34</td><td>36.20</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>250</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	45.86	68.20	-22.34	36.20	35.10	11.55	36.99	0.00	100	250	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.44</td><td>-----</td><td>-----</td><td>90.66</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>100</td><td>250</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.44	-----	-----	90.66	35.12	11.58	36.92	0.00	100	250
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.97	45.86	68.20	-22.34	36.20	35.10	11.55	36.99	0.00	100	250	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	100.44	-----	-----	90.66	35.12	11.58	36.92	0.00	100	250	AVERAGE																																																																																											





Mode	1																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																						
ANT	A6+A7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>56.66</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.73	74.00	-28.27	56.66	38.61	16.42	65.96	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>57.12</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>36.85</td><td>54.00</td><td>-17.15</td><td>47.77</td><td>38.61</td><td>16.43</td><td>65.96</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.19	74.00	-27.81	57.12	38.61	16.42	65.96	0.00	100	360	PEAK	2	11910.00	36.85	54.00	-17.15	47.77	38.61	16.43	65.96	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11910.00	45.73	74.00	-28.27	56.66	38.61	16.42	65.96	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11910.00	46.19	74.00	-27.81	57.12	38.61	16.42	65.96	0.00	100	360	PEAK																																																																																																											
2	11910.00	36.85	54.00	-17.15	47.77	38.61	16.43	65.96	0.00	100	360	AVERAGE																																																																																																											







		2																																																																							
Mode		Harmonic																																																																							
		U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																							
ANT		A6+A7																																																																							
Pol.		Horizontal						Vertical																																																																	
Peak Avg																																																																									
																																																																									
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>54.58</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	44.07	74.00	-29.93	54.58	38.80	16.80	66.11	0.00	---	---	PEAK													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	12390.00	44.07	74.00	-29.93	54.58	38.80	16.80	66.11	0.00	---	---	PEAK																																																													
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>51.16</td><td>74.00</td><td>-22.84</td><td>61.67</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>100</td><td>57</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>56.37</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>100</td><td>57</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	51.16	74.00	-22.84	61.67	38.80	16.80	66.11	0.00	100	57	PEAK	2	12390.00	45.86	54.00	-8.14	56.37	38.80	16.80	66.11	0.00	100	57	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	12390.00	51.16	74.00	-22.84	61.67	38.80	16.80	66.11	0.00	100	57	PEAK																																																													
2	12390.00	45.86	54.00	-8.14	56.37	38.80	16.80	66.11	0.00	100	57	AVERAGE																																																													







Mode	3																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																	
ANT	A6+A7																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>45.21</td><td>88.20</td><td>-42.99</td><td>54.43</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	12830.00	45.21	88.20	-42.99	54.43	39.17	17.15	65.54	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>45.95</td><td>88.20</td><td>-42.25</td><td>55.17</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	12830.00	45.95	88.20	-42.25	55.17	39.17	17.15	65.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	12830.00	45.21	88.20	-42.99	54.43	39.17	17.15	65.54	0.00	---	---	PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	12830.00	45.95	88.20	-42.25	55.17	39.17	17.15	65.54	0.00	---	---	PEAK																																																																						
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>45.21</td><td>88.20</td><td>-42.99</td><td>54.43</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.21	88.20	-42.99	54.43	39.17	17.15	65.54	0.00	---	---	PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>45.95</td><td>88.20</td><td>-42.25</td><td>55.17</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.95	88.20	-42.25	55.17	39.17	17.15	65.54	0.00	---	---	PEAK																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	12830.00	45.21	88.20	-42.99	54.43	39.17	17.15	65.54	0.00	---	---	PEAK																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	12830.00	45.95	88.20	-42.25	55.17	39.17	17.15	65.54	0.00	---	---	PEAK																																																																						





Mode	4																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																							
ANT	A6+A7																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.22</td><td>53.82</td><td>88.20</td><td>-34.38</td><td>44.19</td><td>35.10</td><td>11.54</td><td>37.01</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.22	53.82	88.20	-34.38	44.19	35.10	11.54	37.01	0.00	100	352 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5915.22	53.82	88.20	-34.38	44.19	35.10	11.54	37.01	0.00	100	352 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.77</td><td>-----</td><td>-----</td><td>105.04</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.77	-----	-----	105.04	35.10	11.57	36.94	0.00	100	352 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	114.77	-----	-----	105.04	35.10	11.57	36.94	0.00	100	352 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>43.62</td><td>68.20</td><td>-24.58</td><td>33.96</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	43.62	68.20	-24.58	33.96	35.10	11.55	36.99	0.00	100	352 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.97	43.62	68.20	-24.58	33.96	35.10	11.55	36.99	0.00	100	352 AVERAGE																																													
A6+A7																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.21</td><td>-----</td><td>-----</td><td>96.48</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.21	-----	-----	96.48	35.10	11.57	36.94	0.00	100	352 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	106.21	-----	-----	96.48	35.10	11.57	36.94	0.00	100	352 AVERAGE																																													







Mode	4																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.24</td><td>51.29</td><td>88.20</td><td>-36.91</td><td>41.63</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	51.29	88.20	-36.91	41.63	35.10	11.55	36.99	0.00	100	250 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.83</td><td>-----</td><td>-----</td><td>99.05</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.83	-----	-----	99.05	35.12	11.58	36.92	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.24	51.29	88.20	-36.91	41.63	35.10	11.55	36.99	0.00	100	250 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	108.83	-----	-----	99.05	35.12	11.58	36.92	0.00	100	250 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>40.76</td><td>68.20</td><td>-27.44</td><td>31.10</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>250 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	40.76	68.20	-27.44	31.10	35.10	11.55	36.99	0.00	100	250 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.37</td><td>-----</td><td>-----</td><td>89.59</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>100</td><td>250 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.37	-----	-----	89.59	35.12	11.58	36.92	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	40.76	68.20	-27.44	31.10	35.10	11.55	36.99	0.00	100	250 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	99.37	-----	-----	89.59	35.12	11.58	36.92	0.00	100	250 AVERAGE																																																																																									







Mode	4																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																				
ANT	A6+A7																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>57.12</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>35.87</td><td>54.00</td><td>-18.13</td><td>46.83</td><td>38.60</td><td>16.42</td><td>65.98</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.19	74.00	-27.81	57.12	38.61	16.42	65.96	0.00	300	0 PEAK	2	11910.00	35.87	54.00	-18.13	46.83	38.60	16.42	65.98	0.00	300	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11910.00	46.19	74.00	-27.81	57.12	38.61	16.42	65.96	0.00	300	0 PEAK																																																										
2	11910.00	35.87	54.00	-18.13	46.83	38.60	16.42	65.98	0.00	300	0 AVERAGE																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>56.78</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.85	74.00	-28.15	56.78	38.61	16.42	65.96	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11910.00	45.85	74.00	-28.15	56.78	38.61	16.42	65.96	0.00	---	---	PEAK																																																									





Mode	5																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>62.00</td><td>88.20</td><td>-26.20</td><td>52.34</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	62.00	88.20	-26.20	52.34	35.10	11.55	36.99	0.00	100	352 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.15</td><td>-----</td><td>-----</td><td>107.42</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.15	-----	-----	107.42	35.10	11.57	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	62.00	88.20	-26.20	52.34	35.10	11.55	36.99	0.00	100	352 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	117.15	-----	-----	107.42	35.10	11.57	36.94	0.00	100	352 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>49.56</td><td>68.20</td><td>-18.64</td><td>39.90</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	49.56	68.20	-18.64	39.90	35.10	11.55	36.99	0.00	100	352 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.22</td><td>-----</td><td>-----</td><td>98.49</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.22	-----	-----	98.49	35.10	11.57	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.32	49.56	68.20	-18.64	39.90	35.10	11.55	36.99	0.00	100	352 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	108.22	-----	-----	98.49	35.10	11.57	36.94	0.00	100	352 AVERAGE																																																																																										





Mode	5																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.50</td><td>58.28</td><td>88.20</td><td>-29.92</td><td>48.62</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>383</td><td>17 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.50	58.28	88.20	-29.92	48.62	35.10	11.55	36.99	0.00	383	17 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.87</td><td>-----</td><td>-----</td><td>102.14</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>383</td><td>17 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.87	-----	-----	102.14	35.10	11.57	36.94	0.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.50	58.28	88.20	-29.92	48.62	35.10	11.55	36.99	0.00	383	17 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	111.87	-----	-----	102.14	35.10	11.57	36.94	0.00	383	17 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>46.55</td><td>68.20</td><td>-21.65</td><td>36.89</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>383</td><td>17 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	46.55	68.20	-21.65	36.89	35.10	11.55	36.99	0.00	383	17 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.12</td><td>-----</td><td>-----</td><td>92.39</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>383</td><td>17 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.12	-----	-----	92.39	35.10	11.57	36.94	0.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	46.55	68.20	-21.65	36.89	35.10	11.55	36.99	0.00	383	17 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	102.12	-----	-----	92.39	35.10	11.57	36.94	0.00	383	17 AVERAGE																																																																																									







Mode	6																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																																																																																								
ANT	A6+A7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>55.21</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	44.70	74.00	-29.30	55.21	38.80	16.80	66.11	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>55.31</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	44.80	74.00	-29.20	55.31	38.80	16.80	66.11	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12390.00	44.70	74.00	-29.30	55.21	38.80	16.80	66.11	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12390.00	44.80	74.00	-29.20	55.31	38.80	16.80	66.11	0.00	---	---	PEAK																																																																																													







Mode	7																																																																																																						
	Harmonic																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>46.12</td><td>88.20</td><td>-42.08</td><td>55.34</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	46.12	88.20	-42.08	55.34	39.17	17.15	65.54	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>46.23</td><td>88.20</td><td>-41.97</td><td>55.45</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 12830.00	46.23	88.20	-41.97	55.45	39.17	17.15	65.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 12830.00	46.12	88.20	-42.08	55.34	39.17	17.15	65.54	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																												
1 12830.00	46.23	88.20	-41.97	55.45	39.17	17.15	65.54	0.00	---	---	PEAK																																																																																												





		8																																																						
Mode	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																							
ANT	A6+A7																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.84</td><td>66.42</td><td>88.20</td><td>-21.78</td><td>56.76</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>107</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.84	66.42	88.20	-21.78	56.76	35.10	11.55	36.99	0.00	107	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.84	66.42	88.20	-21.78	56.76	35.10	11.55	36.99	0.00	107	0 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.99</td><td>-----</td><td>-----</td><td>104.17</td><td>35.14</td><td>11.58</td><td>36.90</td><td>0.00</td><td>107</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.99	-----	-----	104.17	35.14	11.58	36.90	0.00	107	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	113.99	-----	-----	104.17	35.14	11.58	36.90	0.00	107	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>54.90</td><td>68.20</td><td>-13.30</td><td>45.24</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>107</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	54.90	68.20	-13.30	45.24	35.10	11.55	36.99	0.00	107	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.96	54.90	68.20	-13.30	45.24	35.10	11.55	36.99	0.00	107	0 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.35</td><td>-----</td><td>-----</td><td>94.53</td><td>35.14</td><td>11.58</td><td>36.90</td><td>0.00</td><td>107</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.35	-----	-----	94.53	35.14	11.58	36.90	0.00	107	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	104.35	-----	-----	94.53	35.14	11.58	36.90	0.00	107	0 AVERAGE																																													







Mode	8																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>61.26</td><td>88.20</td><td>-26.94</td><td>51.60</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>112</td><td>253</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	61.26	88.20	-26.94	51.60	35.10	11.55	36.99	0.00	112	253	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>107.07</td><td>-----</td><td>-----</td><td>97.21</td><td>35.15</td><td>11.59</td><td>36.88</td><td>0.00</td><td>112</td><td>253</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.07	-----	-----	97.21	35.15	11.59	36.88	0.00	112	253
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.96	61.26	88.20	-26.94	51.60	35.10	11.55	36.99	0.00	112	253	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	107.07	-----	-----	97.21	35.15	11.59	36.88	0.00	112	253	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>50.24</td><td>68.20</td><td>-17.96</td><td>40.58</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>112</td><td>253</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	50.24	68.20	-17.96	40.58	35.10	11.55	36.99	0.00	112	253	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>98.11</td><td>-----</td><td>-----</td><td>88.25</td><td>35.15</td><td>11.59</td><td>36.88</td><td>0.00</td><td>112</td><td>253</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.11	-----	-----	88.25	35.15	11.59	36.88	0.00	112	253
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.96	50.24	68.20	-17.96	40.58	35.10	11.55	36.99	0.00	112	253	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	98.11	-----	-----	88.25	35.15	11.59	36.88	0.00	112	253	AVERAGE																																																																																											







Mode	8																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>54.77</td><td>38.63</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	43.91	74.00	-30.09	54.77	38.63	16.44	65.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>55.40</td><td>38.63</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	44.54	74.00	-29.46	55.40	38.63	16.44	65.93	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11930.00	43.91	74.00	-30.09	54.77	38.63	16.44	65.93	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11930.00	44.54	74.00	-29.46	55.40	38.63	16.44	65.93	0.00	---	---	PEAK																																																																																														





Mode	9																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.16</td><td>73.83</td><td>88.20</td><td>-14.37</td><td>64.17</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>357</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.16	73.83	88.20	-14.37	64.17	35.10	11.55	36.99	0.00	100	357	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>116.59</td><td>-----</td><td>-----</td><td>106.06</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>357</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	116.59	-----	-----	106.06	35.10	11.57	36.94	0.00	100	357
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5922.16	73.83	88.20	-14.37	64.17	35.10	11.55	36.99	0.00	100	357	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	116.59	-----	-----	106.06	35.10	11.57	36.94	0.00	100	357	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>60.50</td><td>68.20</td><td>-7.70</td><td>50.84</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>357</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	60.50	68.20	-7.70	50.84	35.10	11.55	36.99	0.00	100	357	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.73</td><td>-----</td><td>-----</td><td>96.00</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>357</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.73	-----	-----	96.00	35.10	11.57	36.94	0.00	100	357
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.96	60.50	68.20	-7.70	50.84	35.10	11.55	36.99	0.00	100	357	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	105.73	-----	-----	96.00	35.10	11.57	36.94	0.00	100	357	AVERAGE																																																																																											



Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																																																																		
ANT	A6+A7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.28</td><td>67.77</td><td>88.20</td><td>-20.43</td><td>58.14</td><td>35.10</td><td>11.54</td><td>37.01</td><td>0.00</td><td>24 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.28	67.77	88.20	-20.43	58.14	35.10	11.54	37.01	0.00	24 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>100.33</td><td>-----</td><td>-----</td><td>98.60</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>24 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.33	-----	-----	98.60	35.10	11.57	36.94	0.00	24 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.28	67.77	88.20	-20.43	58.14	35.10	11.54	37.01	0.00	24 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	100.33	-----	-----	98.60	35.10	11.57	36.94	0.00	24 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>44.89</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>24 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	54.55	68.20	-13.65	44.89	35.10	11.55	36.99	0.00	24 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>98.96</td><td>-----</td><td>-----</td><td>89.23</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>24 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.96	-----	-----	89.23	35.10	11.57	36.94	0.00	24 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	54.55	68.20	-13.65	44.89	35.10	11.55	36.99	0.00	24 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	98.96	-----	-----	89.23	35.10	11.57	36.94	0.00	24 AVERAGE																																																																																									



Mode	10																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>54.85</td><td>38.81</td><td>16.82</td><td>66.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	44.35	74.00	-29.65	54.85	38.81	16.82	66.13	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>55.53</td><td>38.81</td><td>16.82</td><td>66.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	45.03	74.00	-28.97	55.53	38.81	16.82	66.13	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12410.00	44.35	74.00	-29.65	54.85	38.81	16.82	66.13	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12410.00	45.03	74.00	-28.97	55.53	38.81	16.82	66.13	0.00	---	---	PEAK																																																																																														