
























<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	3*996Tone	RU4	-5.55	-0.30	-5.85	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.48	-0.30	-5.78	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.46	-0.30	-5.76	≤-1.00	PASS
	Ant7	6105	3*996Tone	RU4	-5.26	1.01	-4.25	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.34	1.01	-4.33	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.22	1.01	-4.21	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-2.39	0.40	-1.99	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.40	0.40	-2.00	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.33	0.40	-1.93	≤-1.00	PASS
	Ant6	6585	3*996Tone	RU4	-5.46	0.54	-4.92	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.43	0.54	-4.89	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.34	0.54	-4.80	≤-1.00	PASS
	Ant7	6585	3*996Tone	RU4	-5.12	0.23	-4.89	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.11	0.23	-4.88	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.25	0.23	-5.02	≤-1.00	PASS
	total	6585	3*996Tone	RU4	-2.28	0.39	-1.89	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.26	0.39	-1.87	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.28	0.39	-1.89	≤-1.00	PASS
	Ant6	6745	3*996Tone	RU4	-6.03	0.54	-5.49	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.88	0.54	-5.34	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.86	0.54	-5.32	≤-1.00	PASS
	Ant7	6745	3*996Tone	RU4	-4.99	0.23	-4.76	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.34	0.23	-5.11	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.15	0.23	-4.92	≤-1.00	PASS
	total	6745	3*996Tone	RU4	-2.47	0.39	-2.08	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.59	0.39	-2.20	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.48	0.39	-2.09	≤-1.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-5.53	0.54	-4.99	≤-1.00	PASS
			3*996Tone	RU1	-5.76	0.54	-5.22	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-5.75	0.54	-5.21	≤-1.00	PASS
	Ant7	6905	3*996Tone+484Tone	RU1	-5.22	0.23	-4.99	≤-1.00	PASS
			3*996Tone	RU1	-5.24	0.23	-5.01	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-5.55	0.23	-5.32	≤-1.00	PASS
	total	6905	3*996Tone	RU1	-2.48	0.39	-2.09	≤-1.00	PASS
			3*996Tone+484Tone	RU1	-2.36	0.39	-1.97	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-2.64	0.39	-2.25	≤-1.00	PASS
11BE80MIMO	Ant6	5985	484Tone+242Tone	RU4	-5.12	-0.30	-5.42	≤-1.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-4.79	1.01	-3.78	≤-1.00	PASS
	total	5985	484Tone+242Tone	RU4	-1.94	0.40	-1.54	≤-1.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-4.34	-0.41	-4.75	≤-1.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-3.48	0.02	-3.46	≤-1.00	PASS
	total	6465	484Tone+242Tone	RU4	-0.88	-0.19	-1.07	≤-1.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-4.97	0.54	-4.43	≤-1.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-4.09	0.23	-3.86	≤-1.00	PASS
	total	6625	484Tone+242Tone	RU4	-1.50	0.39	-1.11	≤-1.00	PASS
	Ant6	7025	484Tone+242Tone	RU1	-4.87	-0.20	-5.07	≤-1.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-4.30	0.01	-4.29	≤-1.00	PASS






	total	7025	484Tone+242Tone	RU1	-1.57	-0.09	-1.66	≤ -1.00	PASS
11BE160MIMO	Ant6	6025	996Tone+484Tone	RU4	-5.44	-0.30	-5.74	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.66	-0.30	-5.96	≤ -1.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-5.55	1.01	-4.54	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.87	1.01	-4.86	≤ -1.00	PASS
	total	6025	996Tone+484Tone	RU4	-2.48	0.40	-2.08	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-2.75	0.40	-2.35	≤ -1.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-5.36	0.54	-4.82	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.59	0.54	-5.05	≤ -1.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-4.29	0.23	-4.06	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.76	0.23	-4.53	≤ -1.00	PASS
	total	6505	996Tone+484Tone	RU4	-1.78	0.39	-1.39	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-2.14	0.39	-1.75	≤ -1.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-5.40	0.54	-4.86	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.76	0.54	-5.22	≤ -1.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-4.94	0.23	-4.71	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.36	0.23	-5.13	≤ -1.00	PASS
	total	6665	996Tone+484Tone	RU4	-2.15	0.39	-1.76	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-2.55	0.39	-2.16	≤ -1.00	PASS
	Ant6	6985	996Tone+484Tone242Tone	RU1	-5.72	-0.20	-5.92	≤ -1.00	PASS
			996Tone+484Tone	RU1	-5.10	-0.20	-5.30	≤ -1.00	PASS
	Ant7	6985	996Tone+484Tone	RU1	-4.28	0.01	-4.27	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU1	-4.82	0.01	-4.81	≤ -1.00	PASS
	total	6985	996Tone+484Tone	RU1	-1.66	-0.09	-1.75	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU1	-2.24	-0.09	-2.33	≤ -1.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.





Test Graphs




















11BE320MIMO_Ant6_6585_2*996Tone+484Tone_RU6










































































<Puncturing>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MI MO	Ant6	6105	Puncturing 80M	RU4	-6.62	-0.30	-6.92	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.12	-0.30	-7.42	≤-1.00	PASS
			Puncturing 40M	RU8	-5.76	-0.30	-6.06	≤-1.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-6.51	1.01	-5.50	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.92	1.01	-5.91	≤-1.00	PASS
			Puncturing 40M	RU8	-5.42	1.01	-4.41	≤-1.00	PASS
	total	6105	Puncturing 80M	RU4	-3.55	0.40	-3.15	≤-1.00	PASS
			Puncturing 80+40M	RU6	-4.01	0.40	-3.61	≤-1.00	PASS
			Puncturing 40M	RU8	-2.58	0.40	-2.18	≤-1.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-6.58	0.54	-6.04	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.19	0.54	-6.65	≤-1.00	PASS
			Puncturing 40M	RU8	-5.56	0.54	-5.02	≤-1.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-6.14	0.23	-5.91	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.73	0.23	-6.50	≤-1.00	PASS
			Puncturing 40M	RU8	-5.29	0.23	-5.06	≤-1.00	PASS
	total	6585	Puncturing 80M	RU4	-3.34	0.39	-2.95	≤-1.00	PASS
			Puncturing 80+40M	RU6	-3.94	0.39	-3.55	≤-1.00	PASS
			Puncturing 40M	RU8	-2.41	0.39	-2.02	≤-1.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-7.00	0.54	-6.46	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.76	0.54	-7.22	≤-1.00	PASS
			Puncturing 40M	RU8	-6.20	0.54	-5.66	≤-1.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-6.36	0.23	-6.13	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.79	0.23	-6.56	≤-1.00	PASS
			Puncturing 40M	RU8	-5.29	0.23	-5.06	≤-1.00	PASS
	total	6745	Puncturing 80M	RU4	-3.66	0.39	-3.27	≤-1.00	PASS
			Puncturing 80+40M	RU6	-4.24	0.39	-3.85	≤-1.00	PASS
			Puncturing 40M	RU8	-2.71	0.39	-2.32	≤-1.00	PASS
	Ant6	6905	Puncturing 80M	RU1	-7.10	0.54	-6.56	≤-1.00	PASS
			Puncturing 40M	RU1	-6.08	0.54	-5.54	≤-1.00	PASS
			Puncturing 80+40M	RU7	-7.96	0.54	-7.42	≤-1.00	PASS
	Ant7	6905	Puncturing 80M	RU1	-6.85	0.23	-6.62	≤-1.00	PASS
			Puncturing 40M	RU1	-5.62	0.23	-5.39	≤-1.00	PASS
			Puncturing 80+40M	RU7	-7.49	0.23	-7.26	≤-1.00	PASS
	total	6905	Puncturing 40M	RU1	-2.83	0.39	-2.44	≤-1.00	PASS
			Puncturing 80M	RU1	-3.96	0.39	-3.57	≤-1.00	PASS
			Puncturing 80+40M	RU7	-4.71	0.39	-4.32	≤-1.00	PASS
11BE80MIM O	Ant6	5985	Puncturing 20M	RU4	-6.07	-0.30	-6.37	≤-1.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-5.80	1.01	-4.79	≤-1.00	PASS
	total	5985	Puncturing 20M	RU4	-2.92	0.40	-2.52	≤-1.00	PASS
	Ant6	6465	Puncturing 20M	RU4	-5.64	-0.41	-6.05	≤-1.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-4.75	0.02	-4.73	≤-1.00	PASS
	total	6465	Puncturing 20M	RU4	-2.16	-0.19	-2.35	≤-1.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-6.11	0.54	-5.57	≤-1.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-5.24	0.23	-5.01	≤-1.00	PASS
	total	6625	Puncturing 20M	RU4	-2.64	0.39	-2.25	≤-1.00	PASS
	Ant6	7025	Puncturing 20M	RU1	-5.96	-0.20	-6.16	≤-1.00	PASS





11BE160MI MO	Ant7	7025	Puncturing 20M	RU1	-5.43	0.01	-5.42	≤-1.00	PASS
	total	7025	Puncturing 20M	RU1	-2.68	-0.09	-2.77	≤-1.00	PASS
	Ant6	6025	Puncturing 40M	RU4	-5.64	-0.30	-5.94	≤-1.00	PASS
			Puncturing 20M	RU8	-6.19	-0.30	-6.49	≤-1.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-5.75	1.01	-4.74	≤-1.00	PASS
			Puncturing 20M	RU8	-6.35	1.01	-5.34	≤-1.00	PASS
	total	6025	Puncturing 40M	RU4	-2.68	0.40	-2.28	≤-1.00	PASS
			Puncturing 20M	RU8	-3.26	0.40	-2.86	≤-1.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-5.59	0.54	-5.05	≤-1.00	PASS
			Puncturing 20M	RU8	-6.14	0.54	-5.60	≤-1.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-4.41	0.23	-4.18	≤-1.00	PASS
			Puncturing 20M	RU8	-5.08	0.23	-4.85	≤-1.00	PASS
	total	6505	Puncturing 40M	RU4	-1.95	0.39	-1.56	≤-1.00	PASS
			Puncturing 20M	RU8	-2.57	0.39	-2.18	≤-1.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-5.56	0.54	-5.02	≤-1.00	PASS
			Puncturing 20M	RU8	-6.19	0.54	-5.65	≤-1.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-5.21	0.23	-4.98	≤-1.00	PASS
			Puncturing 20M	RU8	-5.89	0.23	-5.66	≤-1.00	PASS
	total	6665	Puncturing 40M	RU4	-2.37	0.39	-1.98	≤-1.00	PASS
			Puncturing 20M	RU8	-3.03	0.39	-2.64	≤-1.00	PASS
	Ant6	6985	Puncturing 20M	RU1	-5.73	-0.20	-5.93	≤-1.00	PASS
			Puncturing 40M	RU1	-5.29	-0.20	-5.49	≤-1.00	PASS
	Ant7	6985	Puncturing 20M	RU1	-4.94	0.01	-4.93	≤-1.00	PASS
			Puncturing 40M	RU1	-4.57	0.01	-4.56	≤-1.00	PASS
	total	6985	Puncturing 20M	RU1	-2.31	-0.09	-2.40	≤-1.00	PASS
			Puncturing 40M	RU1	-1.90	-0.09	-1.99	≤-1.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs

























































































<Small RU>

Maximum power spectral density


Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-7.85	-0.30	-8.15	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-6.38	-0.30	-6.68	≤-1.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-7.06	1.01	-6.05	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.52	1.01	-4.51	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-4.43	0.40	-4.03	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.92	0.40	-2.52	≤-1.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-6.36	-0.41	-6.77	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.27	-0.41	-5.68	≤-1.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-5.62	0.02	-5.60	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.69	0.02	-4.67	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-2.96	-0.19	-3.15	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-1.96	-0.19	-2.15	≤-1.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-7.05	0.54	-6.51	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.89	0.54	-5.35	≤-1.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-6.87	0.23	-6.64	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.43	0.23	-5.20	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-3.95	0.39	-3.56	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.64	0.39	-2.25	≤-1.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-7.67	-0.20	-7.87	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-6.25	-0.20	-6.45	≤-1.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-7.76	0.01	-7.75	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-5.52	0.01	-5.51	≤-1.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-4.70	-0.09	-4.79	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-2.86	-0.09	-2.95	≤-1.00	PASS
	Ant6	7115	52Tone+26Tone	RU39+RU7	-20.89	-0.20	-21.09	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-19.55	-0.20	-19.75	≤-1.00	PASS
	Ant7	7115	52Tone+26Tone	RU39+RU7	-20.76	0.01	-20.75	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-19.35	0.01	-19.34	≤-1.00	PASS
	total	7115	52Tone+26Tone	RU39+RU7	-17.81	-0.09	-17.90	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-16.44	-0.09	-16.53	≤-1.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.






Test Graphs



































Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.152	56.82	-9.09	65.91	36.80	9.55	10.47	QP
2	0.152	38.52	-17.39	55.91	18.50	9.55	10.47	Average
3 *	0.165	57.22	-7.99	65.21	37.20	9.55	10.47	QP
4	0.165	40.62	-14.59	55.21	20.60	9.55	10.47	Average
5	0.186	47.33	-16.87	64.20	27.30	9.55	10.48	QP
6	0.186	32.23	-21.97	54.20	12.20	9.55	10.48	Average
7	0.259	46.72	-14.75	61.47	26.60	9.64	10.48	QP
8	0.259	33.42	-18.05	51.47	13.30	9.64	10.48	Average
9	0.570	34.30	-21.70	56.00	14.20	9.59	10.51	QP
10	0.570	28.30	-17.70	46.00	8.20	9.59	10.51	Average
11	2.448	32.73	-23.27	56.00	12.60	9.60	10.53	QP
12	2.448	25.43	-20.57	46.00	5.30	9.60	10.53	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.156	56.63	-9.06	65.69	36.61	9.55	10.47	QP
2	0.156	39.93	-15.76	55.69	19.91	9.55	10.47	Average
3	0.169	54.21	-10.78	64.99	34.20	9.54	10.47	QP
4	0.169	38.21	-16.78	54.99	18.20	9.54	10.47	Average
5	0.251	45.64	-16.09	61.73	25.50	9.66	10.48	QP
6	0.251	32.34	-19.39	51.73	12.20	9.66	10.48	Average
7	2.309	37.81	-18.19	56.00	17.50	9.78	10.53	QP
8	2.309	30.51	-15.49	46.00	10.20	9.78	10.53	Average
9	2.581	38.77	-17.23	56.00	18.50	9.74	10.53	QP
10	2.581	32.47	-13.53	46.00	12.20	9.74	10.53	Average
11	2.900	38.43	-17.57	56.00	18.20	9.71	10.52	QP
12	2.900	31.53	-14.47	46.00	11.30	9.71	10.52	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Maven	Relative Humidity :	41 ~ 43 %
		Temperature :	20.2 ~ 21.5 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	-
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	-
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	49	6195	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	93	6415	MCS0	-	-
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	-
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	-
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	91	6405	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	-
Mode 14	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	55	6225	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	87	6385	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	-
Mode 17	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	-
Mode 18	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	47	6185	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	79	6345	MCS0	Full	-
Mode 20	U-NII-6	6.425-6.525	A6+A7	802.11a	97	6435	6Mbps	-	-
Mode 21	U-NII-6	6.425-6.525	A6+A7	802.11a	105	6475	6Mbps	-	-
Mode 22	U-NII-6	6.425-6.525	A6+A7	802.11a	113	6515	6Mbps	-	-
Mode 23	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	97	6435	MCS0	-	-
Mode 24	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	105	6475	MCS0	-	-
Mode 25	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	113	6515	MCS0	-	-
Mode 26	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	99	6445	MCS0	Full	-
Mode 27	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	107	6485	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	115	6525	MCS0	-	-
Mode 29	U-NII-6	6.425-6.525	A6+A7	802.11be EHT80	103	6465	MCS0	Full	-
Mode 30	U-NII-6	6.425-6.525	A6+A7	802.11be EHT160	111	6505	MCS0	-	-
Mode 31	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	-
Mode 32	U-NII-7	6.525-6.875	A6+A7	802.11a	149	6695	6Mbps	Full	-
Mode 33	U-NII-7	6.525-6.875	A6+A7	802.11a	185	6875	6Mbps	-	-
Mode 34	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	-
Mode 35	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	149	6695	MCS0	Full	-
Mode 36	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	185	6875	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	147	6685	MCS0	Full	-



Mode 39	U-NII-7	6.525-7.125	A6+A7	802.11be EHT40	187	6885	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	183	6865	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	-
Mode 44	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	175	6825	MCS0	-	-
Mode 45	U-NII-8	6.875-7.125	A6+A7	802.11a	189	6895	6Mbps	Full	-
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11a	209	6995	6Mbps	Full	-
Mode 47	U-NII-8	6.875-7.125	A6+A7	802.11a	229	7095	6Mbps	-	-
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	189	6895	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	209	6995	MCS0	Full	-
Mode 50	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	-	-
Mode 51	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	RU106/54	-
Mode 52	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	195	6925	MCS0	Full	-
Mode 53	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	211	7005	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	-	-
Mode 55	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	RU242/62	-
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	199	6945	MCS0	Full	-
Mode 57	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	-	-
Mode 58	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	RU484/66	-
Mode 59	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	-	-
Mode 60	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	RU996/68	-
Mode 61	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	-
Mode 62	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/69	-
Mode 63	U-NII-5-6	5.925-6.425	A6+A7	802.11be EHT320	95	6425	MCS0	-	-
Mode 64	U-NII-7-8	6.525-6.875	A6+A7	802.11be EHT320	159	6745	MCS0	-	-
Mode 65	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	-	-
Mode 66	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	RU996*2/69	-
Mode 67	U-NII-6-7	6.425-6.875	A6+A7	802.11be EHT320	127	6585	MCS0	-	-
Mode 68	U-NII-7-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	-	-
Mode 69	U-NII-7-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/70	-
Mode 70	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	-
Mode 71	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	-
Mode 72	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	Index 39+7	-
Mode 73	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	Index 54+4	-
Mode 74	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 75	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 76	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 77	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 78	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 79	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 80	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	-
Mode 81	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	-
Mode 82	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 83	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-



Mode 84	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 85	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 86	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 87	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 88	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 89	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 90	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484+242 ⑧	-
Mode 91	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484+242 ①	-
Mode 92	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 93	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 94	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 95	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 96	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 97	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-
Mode 98	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	6Mbps	-	-
Mode 99	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-
Mode 100	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	RU106/54	-
Mode 101	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 39+7	-
Mode 102	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 54+4	-
Mode 108	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	181	6855	MCS0	Full	-
Mode 109	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	179	6845	MCS0	Full	-
Mode 110	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	167	6785	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.45	41.74	68.20	-26.46	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.75	74.00	-28.25	V	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	45.54	74.00	-28.46	V	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.75	88.20	-42.45	V	PEAK	Pass	Harmonic
4	802.11be EHT20	1	5924.97	41.72	68.20	-26.48	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	1	11910.00	35.38	54.00	-18.62	H	AVERAGE	Pass	Harmonic
5	802.11be EHT20	1	5924.97	56.32	68.20	-11.88	V	AVERAGE	Pass	Band Edge
5	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	49	12390.00	34.67	54.00	-19.33	H	AVERAGE	Pass	Harmonic
7	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	93	12830.00	46.50	88.20	-41.70	V	PEAK	Pass	Harmonic
8	802.11be EHT40	3	5924.96	53.18	68.20	-15.02	V	AVERAGE	Pass	Band Edge
8	802.11be EHT40	3	11930.00	35.11	54.00	-18.89	H	AVERAGE	Pass	Harmonic
9	802.11be EHT40	3	5924.82	54.04	68.20	-14.16	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT40	51	12410.00	45.73	74.00	-28.27	V	PEAK	Pass	Harmonic
11	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT40	91	12810.00	45.73	88.20	-42.47	V	PEAK	Pass	Harmonic
12	802.11be EHT80	7	5924.20	53.90	68.20	-14.30	V	AVERAGE	Pass	Band Edge
12	802.11be EHT80	7	11970.00	45.12	74.00	-28.88	H	PEAK	Pass	Harmonic
13	802.11be EHT80	7	5924.68	62.69	68.20	-5.51	H	AVERAGE	Pass	Band Edge
13	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT80	55	12450.00	45.56	74.00	-28.44	V	PEAK	Pass	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	87	12770.00	45.53	88.20	-42.67	V	PEAK	Pass	Harmonic
16	802.11be EHT160	15	5825.00	54.62	68.20	-13.58	H	AVERAGE	Pass	Band Edge
16	802.11be EHT160	15	12050.00	44.42	74.00	-29.58	H	PEAK	Pass	Harmonic
17	802.11be EHT160	15	5924.60	56.70	68.20	-11.50	V	AVERAGE	Pass	Band Edge
17	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
18	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT160	47	12370.00	44.48	74.00	-29.52	H	PEAK	Pass	Harmonic
19	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT160	79	12690.00	44.78	74.00	-29.22	V	PEAK	Pass	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Band Edge
20	802.11a	97	12870.00	45.97	88.20	-42.23	V	PEAK	Pass	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Band Edge
21	802.11a	105	12950.00	46.48	88.20	-41.72	V	PEAK	Pass	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Band Edge



22	802.11a	113	13030.00	47.50	88.20	-40.70	V	PEAK	Pass	Harmonic
23	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	97	12870.00	45.21	88.20	-42.99	H	PEAK	Pass	Harmonic
24	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT20	105	12950.00	46.19	88.20	-42.01	H	PEAK	Pass	Harmonic
25	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT20	113	13030.00	46.80	88.20	-41.40	V	PEAK	Pass	Harmonic
26	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	99	12890.00	45.88	88.20	-42.32	H	PEAK	Pass	Harmonic
27	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	107	12970.00	46.31	88.20	-41.89	H	PEAK	Pass	Harmonic
28	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	115	13050.00	46.70	88.20	-41.50	H	PEAK	Pass	Harmonic
29	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	103	12930.00	45.61	88.20	-42.59	V	PEAK	Pass	Harmonic
30	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT160	111	13010.00	45.71	88.20	-42.49	H	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	46.78	88.20	-41.42	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	38.87	54.00	-15.13	V	AVERAGE	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	45.86	88.20	-42.34	H	PEAK	Pass	Harmonic
34	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT20	117	13070.00	46.55	88.20	-41.65	H	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	13390.00	36.16	54.00	-17.84	V	AVERAGE	Pass	Harmonic
36	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	185	13750.00	45.00	88.20	-43.20	H	PEAK	Pass	Harmonic
37	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT40	123	13130.00	45.88	88.20	-42.32	V	PEAK	Pass	Harmonic
38	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT40	147	13370.00	35.89	54.00	-18.11	V	AVERAGE	Pass	Harmonic
39	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT40	187	13770.00	45.50	88.20	-42.70	H	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	45.41	74.00	-28.59	H	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	45.73	88.20	-42.47	V	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	44.98	88.20	-43.22	V	PEAK	Pass	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	143	13330.00	45.14	74.00	-28.86	V	PEAK	Pass	Harmonic
44	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT160	175	13650.00	46.15	88.20	-42.05	V	PEAK	Pass	Harmonic
45	802.11a	189	-	-	-	-	-	-	-	Band Edge
45	802.11a	189	13790.00	47.11	88.20	-41.09	V	PEAK	Pass	Harmonic



46	802.11a	209	-	-	-	-	-	-	-	Band Edge
46	802.11a	209	13990.00	45.38	88.20	-42.82	V	PEAK	Pass	Harmonic
47	802.11a	229	7128.04	43.36	68.20	-24.84	V	AVERAGE	Pass	Band Edge
47	802.11a	229	14190.00	45.75	88.20	-42.45	H	PEAK	Pass	Harmonic
48	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	189	13790.00	46.56	88.20	-41.64	V	PEAK	Pass	Harmonic
49	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT20	209	13990.00	45.75	88.20	-42.45	V	PEAK	Pass	Harmonic
50	802.11be EHT20	229	7128.68	48.78	68.20	-19.42	H	AVERAGE	Pass	Band Edge
50	802.11be EHT20	229	14190.00	46.04	88.20	-42.16	V	PEAK	Pass	Harmonic
51	802.11be EHT20	229	7125.00	62.31	68.20	-5.89	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
52	802.11be EHT40	195	13850.00	45.06	88.20	-43.14	V	PEAK	Pass	Harmonic
53	802.11be EHT40	211	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT40	211	14010.00	45.42	88.20	-42.78	V	PEAK	Pass	Harmonic
54	802.11be EHT40	227	7128.04	57.14	68.20	-11.06	V	AVERAGE	Pass	Band Edge
54	802.11be EHT40	227	14170.00	45.40	88.20	-42.80	H	PEAK	Pass	Harmonic
55	802.11be EHT40	227	7132.04	64.41	68.20	-3.79	V	AVERAGE	Pass	Band Edge
55	802.11be EHT40	227	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT80	199	13890.00	44.85	88.20	-43.35	V	PEAK	Pass	Harmonic
57	802.11be EHT80	215	7125.32	43.54	68.20	-24.66	V	AVERAGE	Pass	Band Edge
57	802.11be EHT80	215	14050.00	44.82	88.20	-43.38	V	PEAK	Pass	Harmonic
58	802.11be EHT80	215	7152.60	63.60	68.20	-4.60	V	AVERAGE	Pass	Band Edge
58	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	207	7131.64	61.13	68.20	-7.07	V	AVERAGE	Pass	Band Edge
59	802.11be EHT160	207	13970.00	45.20	88.20	-43.00	H	PEAK	Pass	Harmonic
60	802.11be EHT160	207	7215.40	61.26	68.20	-6.94	V	AVERAGE	Pass	Band Edge
60	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5856.04	63.82	68.20	-4.38	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	12210.00	45.24	74.00	-28.76	V	PEAK	Pass	Harmonic
62	802.11be EHT320	31	5889.96	65.44	68.20	-2.76	H	AVERAGE	Pass	Band Edge
62	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	95	12850.00	46.77	88.20	-41.43	H	PEAK	Pass	Harmonic
64	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT320	159	13490.00	46.40	88.20	-41.80	H	PEAK	Pass	Harmonic
65	802.11be EHT320	63	5922.60	62.47	68.20	-5.73	V	AVERAGE	Pass	Band Edge
65	802.11be EHT320	63	12530.00	44.53	74.00	-29.47	V	PEAK	Pass	Harmonic
66	802.11be EHT320	63	5911.08	58.28	68.20	-9.92	V	AVERAGE	Pass	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT320	127	13170.00	45.65	88.20	-42.55	H	PEAK	Pass	Harmonic
68	802.11be EHT320	191	7262.68	52.59	54.00	-1.41	H	AVERAGE	Pass	Band Edge
68	802.11be EHT320	191	13810.00	45.60	88.20	-42.60	V	PEAK	Pass	Harmonic
69	802.11be EHT320	191	7251.88	51.86	54.00	-2.14	V	AVERAGE	Pass	Band Edge







69	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	1	5924.97	49.24	68.20	-18.96	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	1	5924.97	53.73	68.20	-14.47	V	AVERAGE	Pass	Band Edge
71	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	229	7125.00	51.56	68.20	-16.64	H	AVERAGE	Pass	Band Edge
72	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	229	7125.00	62.62	68.20	-5.58	H	AVERAGE	Pass	Band Edge
73	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	7	5925.00	65.25	68.20	-2.95	H	AVERAGE	Pass	Band Edge
74	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	215	7125.54	66.33	68.20	-1.87	V	AVERAGE	Pass	Band Edge
75	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	15	5874.80	59.93	68.20	-8.27	V	AVERAGE	Pass	Band Edge
76	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT160	207	7128.76	66.28	68.20	-1.92	V	AVERAGE	Pass	Band Edge
77	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT160	15	5925.00	55.71	68.20	-12.49	H	AVERAGE	Pass	Band Edge
78	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT160	207	7125.16	67.08	68.20	-1.12	H	AVERAGE	Pass	Band Edge
79	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT320	31	5917.80	61.60	68.20	-6.60	H	AVERAGE	Pass	Band Edge
80	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT320	191	7262.68	50.80	54.00	-3.20	H	AVERAGE	Pass	Band Edge
81	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT320	31	5924.84	60.68	68.20	-7.52	H	AVERAGE	Pass	Band Edge
82	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT320	191	7255.48	48.44	54.00	-5.56	V	AVERAGE	Pass	Band Edge
83	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	31	5907.56	62.40	68.20	-5.80	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	191	7259.80	52.29	54.00	-1.71	H	AVERAGE	Pass	Band Edge
85	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	7	5925.00	61.38	68.20	-6.82	H	AVERAGE	Pass	Band Edge
86	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT80	215	7127.52	56.91	68.20	-11.29	V	AVERAGE	Pass	Band Edge
87	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	15	5925.00	56.28	68.20	-11.92	H	AVERAGE	Pass	Band Edge
88	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	207	7126.84	64.47	68.20	-3.73	V	AVERAGE	Pass	Band Edge
89	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT160	15	5873.40	56.82	68.20	-11.38	H	AVERAGE	Pass	Band Edge
90	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT160	207	7126.36	67.19	68.20	-1.01	V	AVERAGE	Pass	Band Edge
91	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT320	31	5850.28	67.04	68.20	-1.16	H	AVERAGE	Pass	Band Edge
92	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic







93	802.11be EHT320	191	7258.36	51.96	54.00	-2.04	H	AVERAGE	Pass	Band Edge
93	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT320	31	5918.76	65.98	68.20	-2.22	V	AVERAGE	Pass	Band Edge
94	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT320	31	5793.64	64.55	68.20	-3.65	V	AVERAGE	Pass	Band Edge
95	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT320	191	7272.04	52.48	54.00	-1.52	V	AVERAGE	Pass	Band Edge
96	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT320	191	7292.20	51.64	54.00	-2.36	V	AVERAGE	Pass	Band Edge
97	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
98	802.11a	233	7125.01	66.30	68.20	-1.90	H	AVERAGE	Pass	Band Edge
98	802.11a	233	14230.00	46.43	88.20	-41.77	H	PEAK	Pass	Harmonic
99	802.11be EHT20	233	7125.01	67.11	68.20	-1.09	H	AVERAGE	Pass	Band Edge
99	802.11be EHT20	233	14230.00	46.61	88.20	-41.59	V	PEAK	Pass	Harmonic
100	802.11be EHT20	233	7125.01	66.29	68.20	-1.91	H	AVERAGE	Pass	Band Edge
100	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT20	233	7125.01	66.35	68.20	-1.85	V	AVERAGE	Pass	Band Edge
101	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT20	233	7125.01	66.35	68.20	-1.85	H	AVERAGE	Pass	Band Edge
102	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
108	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
108	802.11be EHT20	181	13710.22	41.91	88.20	-46.29	V	Peak	Pass	Harmonic
109	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT40	179	13689.78	43.33	88.20	-44.87	H	Peak	Pass	Harmonic
110	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
110	802.11be EHT80	167	13569.78	42.82	88.20	-45.38	H	Peak	Pass	Harmonic





Mode	1																																																																																																					
	Band Edge																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																					
ANT	A6+A7																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5909.24</td><td>51.04</td><td>88.20</td><td>-37.16</td><td>41.42</td><td>35.10</td><td>11.54</td><td>37.02</td><td>0.00</td><td>193</td><td>35 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.24	51.04	88.20	-37.16	41.42	35.10	11.54	37.02	0.00	193	35 PEAK	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.02</td><td>-----</td><td>-----</td><td>100.24</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>193</td><td>35 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.02	-----	-----	100.24	35.12	11.58	36.92	0.00	193	35 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5909.24	51.04	88.20	-37.16	41.42	35.10	11.54	37.02	0.00	193	35 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	110.02	-----	-----	100.24	35.12	11.58	36.92	0.00	193	35 PEAK																																																																																											
Avg	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.95</td><td>40.58</td><td>68.20</td><td>-27.62</td><td>30.94</td><td>35.10</td><td>11.54</td><td>37.00</td><td>0.00</td><td>193</td><td>35 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.95	40.58	68.20	-27.62	30.94	35.10	11.54	37.00	0.00	193	35 AVERAGE	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.38</td><td>-----</td><td>-----</td><td>92.65</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>193</td><td>35 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.38	-----	-----	92.65	35.10	11.57	36.94	0.00	193	35 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5917.95	40.58	68.20	-27.62	30.94	35.10	11.54	37.00	0.00	193	35 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	102.38	-----	-----	92.65	35.10	11.57	36.94	0.00	193	35 AVERAGE																																																																																											





Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>52.51</td><td>88.20</td><td>-35.69</td><td>42.85</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>284</td><td>110</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	52.51	88.20	-35.69	42.85	35.10	11.55	36.99	0.00	284	110	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.40</td><td>-----</td><td>-----</td><td>100.62</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>284</td><td>110</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.40	-----	-----	100.62	35.12	11.58	36.92	0.00	284	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.97	52.51	88.20	-35.69	42.85	35.10	11.55	36.99	0.00	284	110	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	110.40	-----	-----	100.62	35.12	11.58	36.92	0.00	284	110	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>41.74</td><td>68.20</td><td>-26.46</td><td>32.08</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>284</td><td>110</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	41.74	68.20	-26.46	32.08	35.10	11.55	36.99	0.00	284	110	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.91</td><td>-----</td><td>-----</td><td>93.18</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>284</td><td>110</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.91	-----	-----	93.18	35.10	11.57	36.94	0.00	284	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.45	41.74	68.20	-26.46	32.08	35.10	11.55	36.99	0.00	284	110	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	102.91	-----	-----	93.18	35.10	11.57	36.94	0.00	284	110	AVERAGE																																																																																											





Mode	1																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>56.56</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.63	74.00	-28.37	56.56	38.61	16.42	65.96	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>56.68</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.75	74.00	-28.25	56.68	38.61	16.42	65.96	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.63	74.00	-28.37	56.56	38.61	16.42	65.96	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.75	74.00	-28.25	56.68	38.61	16.42	65.96	0.00	---	---	PEAK																																																																																														







Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>55.19</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	44.68	74.00	-29.32	55.19	38.80	16.80	66.11	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>56.05</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	45.54	74.00	-28.46	56.05	38.80	16.80	66.11	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12390.00	44.68	74.00	-29.32	55.19	38.80	16.80	66.11	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12390.00	45.54	74.00	-28.46	56.05	38.80	16.80	66.11	0.00	---	---	PEAK																																																																																														



Mode	3																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																					
ANT	A6+A7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>45.00</td><td>88.20</td><td>-43.20</td><td>54.22</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	45.00	88.20	-43.20	54.22	39.17	17.15	65.54	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>45.75</td><td>88.20</td><td>-42.45</td><td>54.97</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	45.75	88.20	-42.45	54.97	39.17	17.15	65.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12830.00	45.00	88.20	-43.20	54.22	39.17	17.15	65.54	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12830.00	45.75	88.20	-42.45	54.97	39.17	17.15	65.54	0.00	---	---	PEAK																																																																																											



		4																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																													
ANT		A6+A7																																																																																																													
Pol.	Horizontal											Fundamental																																																																																																			
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.19</td><td>53.67</td><td>88.20</td><td>-34.53</td><td>44.01</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	53.67	88.20	-34.53	44.01	35.10	11.55	36.99	0.00	100	36 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.40</td><td>-----</td><td>-----</td><td>100.67</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.40	-----	-----	100.67	35.10	11.57	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.19	53.67	88.20	-34.53	44.01	35.10	11.55	36.99	0.00	100	36 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	110.40	-----	-----	100.67	35.10	11.57	36.94	0.00	100	36 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>41.72</td><td>68.20</td><td>-26.48</td><td>32.06</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	41.72	68.20	-26.48	32.06	35.10	11.55	36.99	0.00	100	36 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.11</td><td>-----</td><td>-----</td><td>91.38</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.11	-----	-----	91.38	35.10	11.57	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.97	41.72	68.20	-26.48	32.06	35.10	11.55	36.99	0.00	100	36 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	101.11	-----	-----	91.38	35.10	11.57	36.94	0.00	100	36 AVERAGE																																																																																																				







		4																																																						
Mode		Band Edge																																																						
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																						
ANT		A6+A7																																																						
Pol.		Vertical																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.81</td><td>51.80</td><td>88.20</td><td>-36.40</td><td>42.15</td><td>35.10</td><td>11.55</td><td>37.00</td><td>0.00</td><td>295</td><td>100 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.81	51.80	88.20	-36.40	42.15	35.10	11.55	37.00	0.00	295
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5920.81	51.80	88.20	-36.40	42.15	35.10	11.55	37.00	0.00	295	100 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.37</td><td>-----</td><td>-----</td><td>101.64</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>295</td><td>100 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.37	-----	-----	101.64	35.10	11.57	36.94	0.00	295
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	111.37	-----	-----	101.64	35.10	11.57	36.94	0.00	295	100 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>41.46</td><td>68.20</td><td>-26.74</td><td>31.80</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>295</td><td>100 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	41.46	68.20	-26.74	31.80	35.10	11.55	36.99	0.00	295
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.97	41.46	68.20	-26.74	31.80	35.10	11.55	36.99	0.00	295	100 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.38</td><td>-----</td><td>-----</td><td>92.65</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>295</td><td>100 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.38	-----	-----	92.65	35.10	11.57	36.94	0.00	295
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	102.38	-----	-----	92.65	35.10	11.57	36.94	0.00	295	100 AVERAGE																																													







Mode	4																																																						
	Harmonic																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																						
ANT	A6+A7																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 11910.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>57.01</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2 11910.00</td><td>35.38</td><td>54.00</td><td>-18.62</td><td>46.34</td><td>38.60</td><td>16.42</td><td>65.98</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11910.00	46.08	74.00	-27.92	57.01	38.61	16.42	65.96	0.00	300	0 PEAK	2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	300	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
1 11910.00	46.08	74.00	-27.92	57.01	38.61	16.42	65.96	0.00	300	0 PEAK																																													
2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	300	0 AVERAGE																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 11910.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>56.82</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2 11910.00</td><td>35.38</td><td>54.00</td><td>-18.62</td><td>46.34</td><td>38.60</td><td>16.42</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11910.00	45.89	74.00	-28.11	56.82	38.61	16.42	65.96	0.00	---	---	2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
1 11910.00	45.89	74.00	-28.11	56.82	38.61	16.42	65.96	0.00	---	---																																													
2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	---	---																																													
Vertical																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 11910.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>56.82</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2 11910.00</td><td>35.38</td><td>54.00</td><td>-18.62</td><td>46.34</td><td>38.60</td><td>16.42</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11910.00	45.89	74.00	-28.11	56.82	38.61	16.42	65.96	0.00	---	---	2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
1 11910.00	45.89	74.00	-28.11	56.82	38.61	16.42	65.96	0.00	---	---																																													
2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	---	---																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 11910.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>56.82</td><td>38.61</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2 11910.00</td><td>35.38</td><td>54.00</td><td>-18.62</td><td>46.34</td><td>38.60</td><td>16.42</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11910.00	45.89	74.00	-28.11	56.82	38.61	16.42	65.96	0.00	---	---	2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
1 11910.00	45.89	74.00	-28.11	56.82	38.61	16.42	65.96	0.00	---	---																																													
2 11910.00	35.38	54.00	-18.62	46.34	38.60	16.42	65.98	0.00	---	---																																													





Mode	5																																																								
	Band Edge																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																								
ANT	A6+A7																																																								
Pol.	Horizontal																																																								
Peak	Fundamental																																																								
																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.76</td><td>68.25</td><td>88.20</td><td>-19.95</td><td>58.59</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>101</td><td>32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.76	68.25	88.20	-19.95	58.59	35.10	11.55	36.99	0.00	101	32 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5922.76	68.25	88.20	-19.95	58.59	35.10	11.55	36.99	0.00	101	32 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.28</td><td>53.34</td><td>68.20</td><td>-14.86</td><td>43.68</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>101</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.28	53.34	68.20	-14.86	43.68	35.10	11.55	36.99	0.00	101	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5923.28	53.34	68.20	-14.86	43.68	35.10	11.55	36.99	0.00	101	32 AVERAGE																																														
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.49</td><td>-----</td><td>-----</td><td>106.76</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>101</td><td>32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	116.49	-----	-----	106.76	35.10	11.57	36.94	0.00	101	32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5955.00	116.49	-----	-----	106.76	35.10	11.57	36.94	0.00	101	32 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.00</td><td>-----</td><td>-----</td><td>96.35</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>101</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	106.00	-----	-----	96.35	35.10	11.57	36.94	0.00	101	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5955.00	106.00	-----	-----	96.35	35.10	11.57	36.94	0.00	101	32 AVERAGE																																														





Mode	5																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.15</td><td>71.98</td><td>88.20</td><td>-16.22</td><td>62.32</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	71.98	88.20	-16.22	62.32	35.10	11.55	36.99	0.00	300	105 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>118.23</td><td>-----</td><td>-----</td><td>108.50</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	118.23	-----	-----	108.50	35.10	11.57	36.94	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.15	71.98	88.20	-16.22	62.32	35.10	11.55	36.99	0.00	300	105 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	118.23	-----	-----	108.50	35.10	11.57	36.94	0.00	300	105 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>56.32</td><td>68.20</td><td>-11.88</td><td>46.66</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>300</td><td>105 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	56.32	68.20	-11.88	46.66	35.10	11.55	36.99	0.00	300	105 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.29</td><td>-----</td><td>-----</td><td>97.56</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>300</td><td>105 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.29	-----	-----	97.56	35.10	11.57	36.94	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	56.32	68.20	-11.88	46.66	35.10	11.55	36.99	0.00	300	105 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	107.29	-----	-----	97.56	35.10	11.57	36.94	0.00	300	105 AVERAGE																																																																																										







Mode	6																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																																																																																																		
ANT	A6+A7																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12390.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>56.68</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>34.67</td><td>54.00</td><td>-19.33</td><td>45.18</td><td>38.80</td><td>16.81</td><td>66.12</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	46.17	74.00	-27.83	56.68	38.80	16.80	66.11	0.00	300	0 PEAK	2	12390.00	34.67	54.00	-19.33	45.18	38.80	16.81	66.12	0.00	300	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12390.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>55.70</td><td>38.80</td><td>16.80</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	45.19	74.00	-28.81	55.70	38.80	16.80	66.11	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	12390.00	46.17	74.00	-27.83	56.68	38.80	16.80	66.11	0.00	300	0 PEAK																																																																																																								
2	12390.00	34.67	54.00	-19.33	45.18	38.80	16.81	66.12	0.00	300	0 AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	12390.00	45.19	74.00	-28.81	55.70	38.80	16.80	66.11	0.00	---	---	PEAK																																																																																																							







		7																																																																																																																							
Mode		Harmonic																																																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																																																							
ANT		A6+A7																																																																																																																							
Pol.		Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.16</td><td>88.20</td><td>-43.04</td><td>54.38</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.16	88.20	-43.04	54.38	39.17	17.15	65.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>55.72</td><td>39.17</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.50	88.20	-41.70	55.72	39.17	17.15	65.54	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	12830.00	45.16	88.20	-43.04	54.38	39.17	17.15	65.54	0.00	---	---	PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	12830.00	46.50	88.20	-41.70	55.72	39.17	17.15	65.54	0.00	---	---	PEAK																																																																																																													





Mode	8																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																											
ANT	A6+A7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.12</td><td>60.74</td><td>88.20</td><td>-27.46</td><td>51.00</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	60.74	88.20	-27.46	51.00	35.10	11.55	36.99	0.00	100	37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>108.15</td><td>-----</td><td>-----</td><td>98.37</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	108.15	-----	-----	98.37	35.12	11.58	36.92	0.00	100	37 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.12	60.74	88.20	-27.46	51.00	35.10	11.55	36.99	0.00	100	37 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	108.15	-----	-----	98.37	35.12	11.58	36.92	0.00	100	37 PEAK																																																																																	
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.14</td><td>50.40</td><td>68.20</td><td>-17.80</td><td>40.74</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>37 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.14	50.40	68.20	-17.80	40.74	35.10	11.55	36.99	0.00	100	37 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>99.37</td><td>-----</td><td>-----</td><td>89.59</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>100</td><td>37 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.37	-----	-----	89.59	35.12	11.58	36.92	0.00	100	37 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5923.14	50.40	68.20	-17.80	40.74	35.10	11.55	36.99	0.00	100	37 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	99.37	-----	-----	89.59	35.12	11.58	36.92	0.00	100	37 AVERAGE																																																																																	







Mode	8																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.82</td><td>62.76</td><td>88.20</td><td>-25.44</td><td>53.10</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>284</td><td>111 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	62.76	88.20	-25.44	53.10	35.10	11.55	36.99	0.00	284	111 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>100.82</td><td>-----</td><td>-----</td><td>99.04</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>284</td><td>111 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.82	-----	-----	99.04	35.12	11.58	36.92	0.00	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.82	62.76	88.20	-25.44	53.10	35.10	11.55	36.99	0.00	284	111 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	100.82	-----	-----	99.04	35.12	11.58	36.92	0.00	284	111 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>53.18</td><td>68.20</td><td>-15.02</td><td>43.52</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>284</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	53.18	68.20	-15.02	43.52	35.10	11.55	36.99	0.00	284	111 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>100.60</td><td>-----</td><td>-----</td><td>90.82</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>284</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.60	-----	-----	90.82	35.12	11.58	36.92	0.00	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.96	53.18	68.20	-15.02	43.52	35.10	11.55	36.99	0.00	284	111 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	100.60	-----	-----	90.82	35.12	11.58	36.92	0.00	284	111 AVERAGE																																																																																										






		8																																																																					
Mode		Harmonic																																																																					
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																					
ANT		A6+A7																																																																					
Pol.		Horizontal																																																																					
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>57.12</td><td>38.63</td><td>16.44</td><td>65.93</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>35.11</td><td>54.00</td><td>-18.89</td><td>46.01</td><td>38.62</td><td>16.43</td><td>65.95</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	46.26	74.00	-27.74	57.12	38.63	16.44	65.93	0.00	300	0 PEAK	2	11930.00	35.11	54.00	-18.89	46.01	38.62	16.43	65.95	0.00	300	0 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11930.00	46.26	74.00	-27.74	57.12	38.63	16.44	65.93	0.00	300	0 PEAK																																																												
2	11930.00	35.11	54.00	-18.89	46.01	38.62	16.43	65.95	0.00	300	0 AVERAGE																																																												
																																																																							
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>55.69</td><td>38.63</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	44.83	74.00	-29.17	55.69	38.63	16.44	65.93	0.00	---	---	PEAK										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11930.00	44.83	74.00	-29.17	55.69	38.63	16.44	65.93	0.00	---	---	PEAK																																																											





		9																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																																																								
ANT		A6+A7																																																																																								
Pol.		Horizontal						Fundamental																																																																																		
Peak																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	69.21	88.20	-18.99	59.55	35.10	11.55	36.99	0.00	100	268 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	110.19	-----	-----	100.37	35.14	11.58	36.90	0.00	100	268 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.12	69.21	88.20	-18.99	59.55	35.10	11.55	36.99	0.00	100	268 PEAK																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5965.00	110.19	-----	-----	100.37	35.14	11.58	36.90	0.00	100	268 PEAK																																																																															
Avg																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	54.04	68.20	-14.16	44.38	35.10	11.55	36.99	0.00	100	268 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	101.37	-----	-----	91.55	35.14	11.58	36.90	0.00	100	268 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.82	54.04	68.20	-14.16	44.38	35.10	11.55	36.99	0.00	100	268 AVERAGE																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5965.00	101.37	-----	-----	91.55	35.14	11.58	36.90	0.00	100	268 AVERAGE																																																																															





		9																																																								
Mode		Band Edge																																																								
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																								
ANT		A6+A7																																																								
Pol.		Vertical																																																								
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.26</td><td>66.71</td><td>88.20</td><td>-21.49</td><td>57.05</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>300</td><td>109 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	66.71	88.20	-21.49	57.05	35.10	11.55	36.99	0.00	300	109 PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5924.26	66.71	88.20	-21.49	57.05	35.10	11.55	36.99	0.00	300	109 PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.91</td><td>-----</td><td>-----</td><td>103.13</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>300</td><td>109 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.91	-----	-----	103.13	35.12	11.58	36.92	0.00	300	109 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5965.00	112.91	-----	-----	103.13	35.12	11.58	36.92	0.00	300	109 PEAK																																															
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>53.42</td><td>68.20</td><td>-14.78</td><td>43.76</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>300</td><td>109 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	53.42	68.20	-14.78	43.76	35.10	11.55	36.99	0.00	300	109 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5924.96	53.42	68.20	-14.78	43.76	35.10	11.55	36.99	0.00	300	109 AVERAGE																																															
																																																										
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.56</td><td>-----</td><td>-----</td><td>92.78</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>300</td><td>109 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.56	-----	-----	92.78	35.12	11.58	36.92	0.00	300	109 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5965.00	102.56	-----	-----	92.78	35.12	11.58	36.92	0.00	300	109 AVERAGE																																															







Mode	10																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>55.75</td><td>38.81</td><td>16.82</td><td>66.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	45.25	74.00	-28.75	55.75	38.81	16.82	66.13	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>56.23</td><td>38.81</td><td>16.82</td><td>66.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	45.73	74.00	-28.27	56.23	38.81	16.82	66.13	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12410.00	45.25	74.00	-28.75	55.75	38.81	16.82	66.13	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12410.00	45.73	74.00	-28.27	56.23	38.81	16.82	66.13	0.00	---	---	PEAK																																																																																														







Mode	11																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz																																																																																																								
ANT	A6+A7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>45.42</td><td>88.20</td><td>-42.78</td><td>54.67</td><td>39.19</td><td>17.14</td><td>65.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	45.42	88.20	-42.78	54.67	39.19	17.14	65.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>45.73</td><td>88.20</td><td>-42.47</td><td>54.98</td><td>39.19</td><td>17.14</td><td>65.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	45.73	88.20	-42.47	54.98	39.19	17.14	65.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12810.00	45.42	88.20	-42.78	54.67	39.19	17.14	65.58	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12810.00	45.73	88.20	-42.47	54.98	39.19	17.14	65.58	0.00	---	---	PEAK																																																																																													





Mode	12																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5895.08</td><td>63.62</td><td>88.20</td><td>-24.58</td><td>54.04</td><td>35.07</td><td>11.53</td><td>37.02</td><td>0.00</td><td>100</td><td>28 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5895.08	63.62	88.20	-24.58	54.04	35.07	11.53	37.02	0.00	100	28 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.35</td><td>-----</td><td>-----</td><td>97.49</td><td>35.15</td><td>11.59</td><td>36.88</td><td>0.00</td><td>100</td><td>28 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.35	-----	-----	97.49	35.15	11.59	36.88	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5895.08	63.62	88.20	-24.58	54.04	35.07	11.53	37.02	0.00	100	28 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	107.35	-----	-----	97.49	35.15	11.59	36.88	0.00	100	28 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.56</td><td>52.45</td><td>68.20</td><td>-15.75</td><td>42.83</td><td>35.10</td><td>11.54</td><td>37.02</td><td>0.00</td><td>100</td><td>28 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.56	52.45	68.20	-15.75	42.83	35.10	11.54	37.02	0.00	100	28 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.14</td><td>-----</td><td>-----</td><td>86.32</td><td>35.14</td><td>11.58</td><td>36.90</td><td>0.00</td><td>100</td><td>28 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.14	-----	-----	86.32	35.14	11.58	36.90	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5911.56	52.45	68.20	-15.75	42.83	35.10	11.54	37.02	0.00	100	28 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	96.14	-----	-----	86.32	35.14	11.58	36.90	0.00	100	28 AVERAGE																																																																																									







		12																																																																																																
Mode		Band Edge																																																																																																
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																																
ANT		A6+A7																																																																																																
Pol.		Vertical						Fundamental																																																																																										
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.72</td><td>64.14</td><td>88.20</td><td>-24.06</td><td>54.48</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>298</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	64.14	88.20	-24.06	54.48	35.10	11.55	36.99	0.00	298	102	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>105.19</td><td>-----</td><td>-----</td><td>95.28</td><td>35.17</td><td>11.60</td><td>36.86</td><td>0.00</td><td>298</td><td>102</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	105.19	-----	-----	95.28	35.17	11.60	36.86	0.00	298	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.72	64.14	88.20	-24.06	54.48	35.10	11.55	36.99	0.00	298	102	PEAK																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	105.19	-----	-----	95.28	35.17	11.60	36.86	0.00	298	102	PEAK																																																																																						
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.20</td><td>53.90</td><td>68.20</td><td>-14.30</td><td>44.24</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>298</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	53.90	68.20	-14.30	44.24	35.10	11.55	36.99	0.00	298	102	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>96.70</td><td>-----</td><td>-----</td><td>86.79</td><td>35.17</td><td>11.60</td><td>36.86</td><td>0.00</td><td>298</td><td>102</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.70	-----	-----	86.79	35.17	11.60	36.86	0.00	298	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.20	53.90	68.20	-14.30	44.24	35.10	11.55	36.99	0.00	298	102	AVERAGE																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	96.70	-----	-----	86.79	35.17	11.60	36.86	0.00	298	102	AVERAGE																																																																																						







Mode	12																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>55.83</td><td>38.67</td><td>16.47</td><td>65.85</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.12	74.00	-28.88	55.83	38.67	16.47	65.85	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>55.08</td><td>38.67</td><td>16.47</td><td>65.85</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	44.37	74.00	-29.63	55.08	38.67	16.47	65.85	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11970.00	45.12	74.00	-28.88	55.83	38.67	16.47	65.85	0.00	---	PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11970.00	44.37	74.00	-29.63	55.08	38.67	16.47	65.85	0.00	---	PEAK																																																																																									



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_RU484/65_5985MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.80</td><td>76.55</td><td>88.20</td><td>-11.65</td><td>66.91</td><td>35.10</td><td>11.54</td><td>37.00</td><td>0.00</td><td>100</td><td>267 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.80	76.55	88.20	-11.65	66.91	35.10	11.54	37.00	0.00	100	267 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>109.31</td><td>-----</td><td>-----</td><td>99.49</td><td>35.14</td><td>11.58</td><td>36.90</td><td>0.00</td><td>100</td><td>267 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.31	-----	-----	99.49	35.14	11.58	36.90	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5917.80	76.55	88.20	-11.65	66.91	35.10	11.54	37.00	0.00	100	267 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	109.31	-----	-----	99.49	35.14	11.58	36.90	0.00	100	267 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>62.69</td><td>68.20</td><td>-5.51</td><td>53.03</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>267 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	62.69	68.20	-5.51	53.03	35.10	11.55	36.99	0.00	100	267 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.36</td><td>-----</td><td>-----</td><td>89.54</td><td>35.14</td><td>11.58</td><td>36.90</td><td>0.00</td><td>100</td><td>267 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.36	-----	-----	89.54	35.14	11.58	36.90	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.68	62.69	68.20	-5.51	53.03	35.10	11.55	36.99	0.00	100	267 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	99.36	-----	-----	89.54	35.14	11.58	36.90	0.00	100	267 AVERAGE																																																																																									



Mode	13																																																																																																							
	Band Edge																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_RU484/65_5985MHz																																																																																																							
ANT	A6+A7																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.80</td><td>75.38</td><td>88.20</td><td>-12.82</td><td>65.74</td><td>35.10</td><td>11.54</td><td>37.00</td><td>0.00</td><td>300</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.80	75.38	88.20	-12.82	65.74	35.10	11.54	37.00	0.00	300	109	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>110.13</td><td>-----</td><td>-----</td><td>100.35</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>300</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	110.13	-----	-----	100.35	35.12	11.58	36.92	0.00	300	109	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5917.80	75.38	88.20	-12.82	65.74	35.10	11.54	37.00	0.00	300	109	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5985.00	110.13	-----	-----	100.35	35.12	11.58	36.92	0.00	300	109	PEAK																																																																																												
Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.92</td><td>60.88</td><td>68.20</td><td>-7.32</td><td>51.23</td><td>35.10</td><td>11.55</td><td>37.00</td><td>0.00</td><td>300</td><td>109</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.92	60.88	68.20	-7.32	51.23	35.10	11.55	37.00	0.00	300	109	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.73</td><td>-----</td><td>-----</td><td>90.95</td><td>35.12</td><td>11.58</td><td>36.92</td><td>0.00</td><td>300</td><td>109</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.73	-----	-----	90.95	35.12	11.58	36.92	0.00	300	109	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5918.92	60.88	68.20	-7.32	51.23	35.10	11.55	37.00	0.00	300	109	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5985.00	100.73	-----	-----	90.95	35.12	11.58	36.92	0.00	300	109	AVERAGE																																																																																												