











GFSK_2M_Ant6_2404



Date: 28.JAN.2026 08:23:14


GFSK_2M_Ant7_2404




Date: 28.JAN.2026 08:35:21



GFSK_2M_Ant6_2440




GFSK_2M_Ant7_2440






GFSK_2M_Ant6_2478



GFSK_2M_Ant7_2478






Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]
GFSK_1M	Ant6	2404	1.023	2403.4805	2404.5035
	Ant7	2404	1.023	2403.4805	2404.5035
	Ant6	2440	1.019	2439.4845	2440.5035
	Ant7	2440	1.019	2439.4845	2440.5035
	Ant6	2478	1.019	2477.4845	2478.5035
	Ant7	2478	1.023	2477.4805	2478.5035
GFSK_2M	Ant6	2404	2.046	2402.9770	2405.0230
	Ant7	2404	2.042	2402.9810	2405.0230
	Ant6	2440	2.046	2438.9770	2441.0230
	Ant7	2440	2.046	2438.9770	2441.0230
	Ant6	2478	2.046	2476.9770	2479.0230
	Ant7	2478	2.046	2476.9770	2479.0230




Test Graphs






GFSK_1M_Ant6_2440



Date: 28.JAN.2026 08:18:14


GFSK_1M_Ant7_2440




Date: 28.JAN.2026 08:31:29



GFSK_1M_Ant6_2478




GFSK_1M_Ant7_2478






GFSK_2M_Ant6_2404



Date: 28.JAN.2026 08:23:24


GFSK_2M_Ant7_2404



Date: 28.JAN.2026 08:35:32




GFSK_2M_Ant6_2440



Date: 28.JAN.2026 08:25:17


GFSK_2M_Ant7_2440




Date: 28.JAN.2026 08:37:41



GFSK_2M_Ant6_2478



GFSK_2M_Ant7_2478





Maximum conducted output power

Test Result Peak

TestMode	Antenna	CH.	Peak Conducted Power (dBm)	Conducted Power Limit	DG (dBi)	EIRP Power (dBm)	EIRP Power Limit	Pass/Fail	Power Setting
GFSK_1M	Ant 6	2	7.75	30.00	0.72	8.47	36.00	Pass	9
		38	7.99	30.00	0.72	8.71	36.00	Pass	9
		76	8.44	30.00	0.72	9.16	36.00	Pass	9
GFSK_2M	Ant 6	2	7.77	30.00	0.72	8.49	36.00	Pass	9
		38	8.03	30.00	0.72	8.75	36.00	Pass	9
		76	8.49	30.00	0.72	9.21	36.00	Pass	9
GFSK_1M	Ant 7	2	7.69	30.00	1.01	8.70	36.00	Pass	9
		38	8.22	30.00	1.01	9.23	36.00	Pass	9
		76	8.41	30.00	1.01	9.42	36.00	Pass	9
GFSK_2M	Ant 7	2	7.64	30.00	1.01	8.65	36.00	Pass	9
		38	8.24	30.00	1.01	9.25	36.00	Pass	9
		76	8.45	30.00	1.01	9.46	36.00	Pass	9

Test Result Average

TestMode	Antenna	CH.	Duty Factor (dB)	Average Conducted Power (dBm)	Power Setting
GFSK_1M	Ant 6	2	0.00	7.31	9.00
		38	0.00	7.56	9.00
		76	0.00	8.03	9.00
GFSK_2M	Ant 6	2	0.00	7.38	9.00
		38	0.00	7.61	9.00
		76	0.00	8.08	9.00
GFSK_1M	Ant 7	2	0.00	7.21	9.00
		38	0.00	7.78	9.00
		76	0.00	7.97	9.00
GFSK_2M	Ant 7	2	0.00	7.26	9.00
		38	0.00	7.83	9.00
		76	0.00	8.04	9.00




Maximum power spectral density


Test Result


TestMode	Antenna	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
GFSK_1M	Ant6	2404	-10.23	≤8.00	PASS
	Ant7	2404	-9.86	≤8.00	PASS
	Ant6	2440	-10.14	≤8.00	PASS
	Ant7	2440	-9.45	≤8.00	PASS
	Ant6	2478	-9.79	≤8.00	PASS
	Ant7	2478	-9.50	≤8.00	PASS
GFSK_2M	Ant6	2404	-15.55	≤8.00	PASS
	Ant7	2404	-15.17	≤8.00	PASS
	Ant6	2440	-15.46	≤8.00	PASS
	Ant7	2440	-14.72	≤8.00	PASS
	Ant6	2478	-15.13	≤8.00	PASS
	Ant7	2478	-14.83	≤8.00	PASS






Test Graphs

















Reference level measurement


Test Result



TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm/100KHz]
GFSK_1M	Ant6	2404	2404.00	5.89
	Ant7	2404	2404.00	6.26
	Ant6	2440	2440.00	6.00
	Ant7	2440	2440.00	6.68
	Ant6	2478	2478.25	6.36
	Ant7	2478	2478.00	6.62
GFSK_2M	Ant6	2404	2403.50	3.98
	Ant7	2404	2403.51	4.31
	Ant6	2440	2439.50	4.05
	Ant7	2440	2439.51	4.73
	Ant6	2478	2477.51	4.40
	Ant7	2478	2477.51	4.70





Test Graphs

















Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq (MHz)	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
GFSK_1M	Ant6	Low	2404	5.89	-48.51	≤-14.11	PASS
	Ant7	Low	2404	6.26	-48.02	≤-13.74	PASS
	Ant6	High	2478	6.36	-47.35	≤-13.64	PASS
	Ant7	High	2478	6.62	-47.54	≤-13.38	PASS
GFSK_2M	Ant6	Low	2404	3.98	-39.38	≤-16.02	PASS
	Ant7	Low	2404	4.31	-43.87	≤-15.69	PASS
	Ant6	High	2478	4.40	-45.56	≤-15.6	PASS
	Ant7	High	2478	4.70	-45.67	≤-15.3	PASS




Test Graphs












Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
GFSK_1M	Ant6	2404	30~1000	5.89	-44.84	≤-14.11	PASS
			1000~26500	5.89	-36.05	≤-14.11	PASS
	Ant7	2404	30~1000	6.26	-44.15	≤-13.74	PASS
			1000~26500	6.26	-36.48	≤-13.74	PASS
	Ant6	2440	30~1000	6.00	-54.45	≤-14	PASS
			1000~26500	6.00	-45.79	≤-14	PASS
	Ant7	2440	30~1000	6.68	-44.84	≤-13.32	PASS
			1000~26500	6.68	-35.22	≤-13.32	PASS
	Ant6	2478	30~1000	6.36	-44.37	≤-13.64	PASS
			1000~26500	6.36	-35.89	≤-13.64	PASS
	Ant7	2478	30~1000	6.62	-44.68	≤-13.38	PASS
			1000~26500	6.62	-36.47	≤-13.38	PASS
GFSK_2M	Ant6	2404	30~1000	3.98	-44.49	≤-16.02	PASS
			1000~26500	3.98	-36.7	≤-16.02	PASS
	Ant7	2404	30~1000	4.31	-44.95	≤-15.69	PASS
			1000~26500	4.31	-36.3	≤-15.69	PASS
	Ant6	2440	30~1000	4.05	-44.62	≤-15.95	PASS
			1000~26500	4.05	-36.22	≤-15.95	PASS
	Ant7	2440	30~1000	4.73	-44.45	≤-15.27	PASS
			1000~26500	4.73	-35.92	≤-15.27	PASS
	Ant6	2478	30~1000	4.40	-44.91	≤-15.6	PASS
			1000~26500	4.40	-35.18	≤-15.6	PASS
	Ant7	2478	30~1000	4.70	-45.08	≤-15.3	PASS
			1000~26500	4.70	-34.83	≤-15.3	PASS





Test Graphs



































Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.154	48.20	-17.58	65.78	28.20	9.55	10.45	QP
2	0.154	39.70	-16.08	55.78	19.70	9.55	10.45	Average
3	0.181	41.21	-23.25	64.46	21.20	9.55	10.46	QP
4	0.181	29.81	-24.65	54.46	9.80	9.55	10.46	Average
5	0.570	36.77	-19.23	56.00	16.80	9.59	10.38	QP
6	0.570	30.87	-15.13	46.00	10.90	9.59	10.38	Average
7	2.099	40.34	-15.66	56.00	20.50	9.60	10.24	QP
8	2.099	35.04	-10.96	46.00	15.20	9.60	10.24	Average
9	2.384	43.67	-12.43	56.00	23.74	9.60	10.23	QP
10 *	2.384	38.93	-7.07	46.00	19.10	9.60	10.23	Average
11	4.926	33.35	-22.65	56.00	13.50	9.65	10.20	QP
12	4.926	26.05	-19.95	46.00	6.20	9.65	10.20	Average
13	17.291	35.96	-24.04	60.00	15.80	9.87	10.29	QP
14	17.291	29.96	-20.04	50.00	9.80	9.87	10.29	Average

Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.160	54.30	-11.17	65.47	34.30	9.55	10.45	QP
2	0.160	39.20	-16.27	55.47	19.20	9.55	10.45	Average
3	0.244	43.72	-18.23	61.95	23.60	9.65	10.47	QP
4	0.244	34.32	-17.63	51.95	14.20	9.65	10.47	Average
5	0.641	38.75	-17.25	56.00	18.60	9.79	10.36	QP
6	0.641	34.25	-11.75	46.00	14.10	9.79	10.36	Average
7	0.984	39.74	-16.26	56.00	19.51	9.96	10.27	QP
8	0.984	31.74	-14.26	46.00	11.51	9.96	10.27	Average
9	2.474	43.19	-12.81	56.00	23.20	9.76	10.23	QP
10	2.474	32.49	-13.51	46.00	12.50	9.76	10.23	Average
11	5.031	38.03	-21.97	60.00	18.20	9.63	10.20	QP
12	5.031	30.03	-19.97	50.00	10.20	9.63	10.20	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	22 ~ 23 °C
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 4	2400-2483.5	6	Bluetooth-LE_GFSK	0	2402	1Mbps	-	-
Mode 5	2400-2483.5	6	Bluetooth-LE_GFSK	19	2440	1Mbps	-	-
Mode 6	2400-2483.5	6	Bluetooth-LE_GFSK	39	2480	1Mbps	-	-
Mode 7	2400-2483.5	6	Bluetooth-LE_GFSK	0	2402	2Mbps	-	-
Mode 8	2400-2483.5	6	Bluetooth-LE_GFSK	19	2440	2Mbps	-	-
Mode 9	2400-2483.5	6	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
Mode 13	2400-2483.5	7	Bluetooth-LE_GFSK	0	2402	1Mbps	-	-
Mode 14	2400-2483.5	7	Bluetooth-LE_GFSK	19	2440	1Mbps	-	-
Mode 15	2400-2483.5	7	Bluetooth-LE_GFSK	39	2480	1Mbps	-	-
Mode 16	2400-2483.5	7	Bluetooth-LE_GFSK	0	2402	2Mbps	-	-
Mode 17	2400-2483.5	7	Bluetooth-LE_GFSK	19	2440	2Mbps	-	-
Mode 18	2400-2483.5	7	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
Mode 37	2400-2483.5	6	Bluetooth LE CS GFSK	2	2404	1Mbps	-	-
Mode 38	2400-2483.5	6	Bluetooth LE CS GFSK	38	2440	1Mbps	-	-
Mode 39	2400-2483.5	6	Bluetooth LE CS GFSK	76	2478	1Mbps	-	-
Mode 40	2400-2483.5	6	Bluetooth LE CS GFSK	2	2404	2Mbps	-	-
Mode 41	2400-2483.5	6	Bluetooth LE CS GFSK	38	2440	2Mbps	-	-
Mode 42	2400-2483.5	6	Bluetooth LE CS GFSK	76	2478	2Mbps	-	-
Mode 46	2400-2483.5	7	Bluetooth LE CS GFSK	2	2404	1Mbps	-	-
Mode 47	2400-2483.5	7	Bluetooth LE CS GFSK	38	2440	1Mbps	-	-
Mode 48	2400-2483.5	7	Bluetooth LE CS GFSK	76	2478	1Mbps	-	-
Mode 49	2400-2483.5	7	Bluetooth LE CS GFSK	2	2404	2Mbps	-	-
Mode 50	2400-2483.5	7	Bluetooth LE CS GFSK	38	2440	2Mbps	-	-
Mode 51	2400-2483.5	7	Bluetooth LE CS GFSK	76	2478	2Mbps	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
4	Bluetooth-LE_GFSK	0	2383.06	44.53	54.00	-9.47	H	AVERAGE	Pass	Band Edge
4	Bluetooth-LE_GFSK	0	4804.00	39.39	74.00	-34.61	V	PEAK	Pass	Harmonic
5	Bluetooth-LE_GFSK	19	2496.40	45.19	54.00	-8.81	H	AVERAGE	Pass	Band Edge
5	Bluetooth-LE_GFSK	19	7320.00	41.20	74.00	-32.80	V	PEAK	Pass	Harmonic
6	Bluetooth-LE_GFSK	39	2488.78	45.18	54.00	-8.82	V	AVERAGE	Pass	Band Edge
6	Bluetooth-LE_GFSK	39	7440.00	42.02	74.00	-31.98	V	PEAK	Pass	Harmonic
7	Bluetooth-LE_GFSK	0	2369.54	45.32	54.00	-8.68	V	AVERAGE	Pass	Band Edge
7	Bluetooth-LE_GFSK	0	4804.00	39.51	74.00	-34.49	H	PEAK	Pass	Harmonic
8	Bluetooth-LE_GFSK	19	2487.46	45.84	54.00	-8.16	V	AVERAGE	Pass	Band Edge
8	Bluetooth-LE_GFSK	19	7320.00	41.33	74.00	-32.67	H	PEAK	Pass	Harmonic
9	Bluetooth-LE_GFSK	39	2483.50	46.73	54.00	-7.27	H	AVERAGE	Pass	Band Edge
9	Bluetooth-LE_GFSK	39	7440.00	41.53	74.00	-32.47	H	PEAK	Pass	Harmonic
13	Bluetooth-LE_GFSK	0	2369.54	44.56	54.00	-9.44	H	AVERAGE	Pass	Band Edge
13	Bluetooth-LE_GFSK	0	7206.00	41.55	74.00	-32.45	V	PEAK	Pass	Harmonic
14	Bluetooth-LE_GFSK	19	2499.22	45.18	54.00	-8.82	V	AVERAGE	Pass	Band Edge
14	Bluetooth-LE_GFSK	19	7320.00	42.46	74.00	-31.54	H	PEAK	Pass	Harmonic
15	Bluetooth-LE_GFSK	39	2490.04	45.09	54.00	-8.91	H	AVERAGE	Pass	Band Edge
15	Bluetooth-LE_GFSK	39	7440.00	42.55	74.00	-31.45	V	PEAK	Pass	Harmonic
16	Bluetooth-LE_GFSK	0	2381.50	45.32	54.00	-8.68	H	AVERAGE	Pass	Band Edge
16	Bluetooth-LE_GFSK	0	4804.00	39.47	74.00	-34.53	H	PEAK	Pass	Harmonic
17	Bluetooth-LE_GFSK	19	2486.32	45.63	54.00	-8.37	H	AVERAGE	Pass	Band Edge
17	Bluetooth-LE_GFSK	19	7320.00	40.94	74.00	-33.06	H	PEAK	Pass	Harmonic
18	Bluetooth-LE_GFSK	39	2485.84	46.09	54.00	-7.91	H	AVERAGE	Pass	Band Edge
18	Bluetooth-LE_GFSK	39	7440.00	40.96	74.00	-33.04	V	PEAK	Pass	Harmonic
37	Bluetooth LE CS GFSK	2	2389.43	42.83	54.00	-11.17	H	AVERAGE	Pass	Band Edge
37	Bluetooth LE CS GFSK	2	4808.00	39.41	74.00	-34.59	V	PEAK	Pass	Harmonic
38	Bluetooth LE CS GFSK	38	2484.28	43.27	54.00	-10.73	H	AVERAGE	Pass	Band Edge
38	Bluetooth LE CS GFSK	38	4880.00	39.64	74.00	-34.36	H	PEAK	Pass	Harmonic
39	Bluetooth LE CS GFSK	76	2483.50	43.37	54.00	-10.63	H	AVERAGE	Pass	Band Edge
39	Bluetooth LE CS GFSK	76	4956.00	40.17	74.00	-33.83	H	PEAK	Pass	Harmonic
40	Bluetooth LE CS GFSK	2	2384.88	42.78	54.00	-11.22	V	AVERAGE	Pass	Band Edge
40	Bluetooth LE CS GFSK	2	4808.00	39.35	74.00	-34.65	V	PEAK	Pass	Harmonic
41	Bluetooth LE CS GFSK	38	2497.78	43.27	54.00	-10.73	H	AVERAGE	Pass	Band Edge
41	Bluetooth LE CS GFSK	38	4880.00	39.68	74.00	-34.32	H	PEAK	Pass	Harmonic
42	Bluetooth LE CS GFSK	76	2484.28	48.82	54.00	-5.18	H	AVERAGE	Pass	Band Edge
42	Bluetooth LE CS GFSK	76	4956.00	39.85	74.00	-34.15	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
46	Bluetooth LE CS GFSK	2	2389.82	42.77	54.00	-11.23	V	AVERAGE	Pass	Band Edge
46	Bluetooth LE CS GFSK	2	4808.00	40.88	74.00	-33.12	H	PEAK	Pass	Harmonic
47	Bluetooth LE CS GFSK	38	2497.66	43.26	54.00	-10.74	V	AVERAGE	Pass	Band Edge
47	Bluetooth LE CS GFSK	38	4880.00	39.37	74.00	-34.63	V	PEAK	Pass	Harmonic
48	Bluetooth LE CS GFSK	76	2484.10	43.30	54.00	-10.70	H	AVERAGE	Pass	Band Edge
48	Bluetooth LE CS GFSK	76	4956.00	40.18	74.00	-33.82	V	PEAK	Pass	Harmonic
49	Bluetooth LE CS GFSK	2	2388.91	42.84	54.00	-11.16	H	AVERAGE	Pass	Band Edge
49	Bluetooth LE CS GFSK	2	4808.00	39.53	74.00	-34.47	V	PEAK	Pass	Harmonic
50	Bluetooth LE CS GFSK	38	2483.98	43.28	54.00	-10.72	H	AVERAGE	Pass	Band Edge
50	Bluetooth LE CS GFSK	38	4880.00	39.66	74.00	-34.34	H	PEAK	Pass	Harmonic
51	Bluetooth LE CS GFSK	76	2484.40	44.09	54.00	-9.91	H	AVERAGE	Pass	Band Edge
51	Bluetooth LE CS GFSK	76	4956.00	39.87	74.00	-34.13	H	PEAK	Pass	Harmonic





Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																						
ANT	6																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2363.17</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>42.62</td><td>32.15</td><td>6.65</td><td>32.34</td><td>6.00</td><td>122 104 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2363.17	55.08	74.00	-18.92	42.62	32.15	6.65	32.34	6.00	122 104 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2363.17	55.08	74.00	-18.92	42.62	32.15	6.65	32.34	6.00	122 104 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.66</td><td>-----</td><td>-----</td><td>92.98</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>122 104 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.66	-----	-----	92.98	32.31	6.70	32.33	6.00	122 104 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	105.66	-----	-----	92.98	32.31	6.70	32.33	6.00	122 104 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.06</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>31.96</td><td>32.23</td><td>6.68</td><td>32.34</td><td>6.00</td><td>122 104 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.06	44.53	54.00	-9.47	31.96	32.23	6.68	32.34	6.00	122 104 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2383.06	44.53	54.00	-9.47	31.96	32.23	6.68	32.34	6.00	122 104 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.84</td><td>-----</td><td>-----</td><td>92.16</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>122 104 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.84	-----	-----	92.16	32.31	6.70	32.33	6.00	122 104 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	104.84	-----	-----	92.16	32.31	6.70	32.33	6.00	122 104 AVERAGE																																													







Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																						
ANT	6																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2377.86</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>42.43</td><td>32.21</td><td>6.67</td><td>32.34</td><td>6.00</td><td>384 300 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.86	54.97	74.00	-19.03	42.43	32.21	6.67	32.34	6.00	384 300 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2377.86	54.97	74.00	-19.03	42.43	32.21	6.67	32.34	6.00	384 300 PEAK																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>101.60</td><td>-----</td><td>-----</td><td>88.92</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>384 300 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.60	-----	-----	88.92	32.31	6.70	32.33	6.00	384 300 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	101.60	-----	-----	88.92	32.31	6.70	32.33	6.00	384 300 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>31.83</td><td>32.26</td><td>6.69</td><td>32.33</td><td>6.00</td><td>384 300 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	44.45	54.00	-9.55	31.83	32.26	6.69	32.33	6.00	384 300 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2388.91	44.45	54.00	-9.55	31.83	32.26	6.69	32.33	6.00	384 300 AVERAGE																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>100.78</td><td>-----</td><td>-----</td><td>88.10</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>384 300 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.78	-----	-----	88.10	32.31	6.70	32.33	6.00	384 300 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	100.78	-----	-----	88.10	32.31	6.70	32.33	6.00	384 300 AVERAGE																																													



Mode	4																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.35</td><td>74.00</td><td>-34.65</td><td>61.79</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.35	74.00	-34.65	61.79	34.10	9.62	66.16	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>61.83</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.39	74.00	-34.61	61.83	34.10	9.62	66.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	39.35	74.00	-34.65	61.79	34.10	9.62	66.16	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	39.39	74.00	-34.61	61.83	34.10	9.62	66.16	0.00	---	PEAK																																																																																										



Mode	5																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																						
ANT	6																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2388.13</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>42.45</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>100</td><td>289 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2388.13	55.05	74.00	-18.95	42.45	32.25	6.68	32.33	6.00	100	289 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2440.00</td><td>104.74</td><td>-----</td><td>-----</td><td>91.85</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>289 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2440.00	104.74	-----	-----	91.85	32.46	6.76	32.33	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2388.13	55.05	74.00	-18.95	42.45	32.25	6.68	32.33	6.00	100	289 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2440.00	104.74	-----	-----	91.85	32.46	6.76	32.33	6.00	100	289 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2378.77</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>31.95</td><td>32.22</td><td>6.67</td><td>32.34</td><td>6.00</td><td>100</td><td>289 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2378.77	44.50	54.00	-9.50	31.95	32.22	6.67	32.34	6.00	100	289 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2440.00</td><td>103.91</td><td>-----</td><td>-----</td><td>91.02</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>289 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2440.00	103.91	-----	-----	91.02	32.46	6.76	32.33	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2378.77	44.50	54.00	-9.50	31.95	32.22	6.67	32.34	6.00	100	289 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2440.00	103.91	-----	-----	91.02	32.46	6.76	32.33	6.00	100	289 AVERAGE																																																																																																												



Mode	5																																																						
	Band Edge - R																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																						
ANT	6																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>55.71</td><td>74.00</td><td>-18.29</td><td>42.72</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100</td><td>289</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	55.71	74.00	-18.29	42.72	32.50	6.82	32.33	6.00	100	289	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.80	55.71	74.00	-18.29	42.72	32.50	6.82	32.33	6.00	100	289	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.40</td><td>45.19</td><td>54.00</td><td>-8.81</td><td>32.18</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>100</td><td>289</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.40	45.19	54.00	-8.81	32.18	32.50	6.84	32.33	6.00	100	289	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2496.40	45.19	54.00	-8.81	32.18	32.50	6.84	32.33	6.00	100	289	AVERAGE																																											