









Test Graphs








































11BE160MIMO_Ant7_5570_996Tone+484Tone+242Tone_RU8



<Puncturing RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq(M Hz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant6	5210	Puncturing 20M	RU4	1.43	≤11.00	PASS
	Ant7	5210	Puncturing 20M	RU4	2.22	≤11.00	PASS
	total	5210	Puncturing 20M	RU4	4.85	≤11.00	PASS
	Ant6	5290	Puncturing 20M	RU1	2.19	≤11.00	PASS
	Ant7	5290	Puncturing 20M	RU1	2.02	≤11.00	PASS
	total	5290	Puncturing 20M	RU1	5.12	≤11.00	PASS
	Ant6	5530	Puncturing 20M	RU4	1.28	≤11.00	PASS
	Ant7	5530	Puncturing 20M	RU4	1.51	≤11.00	PASS
	total	5530	Puncturing 20M	RU4	4.41	≤11.00	PASS
	Ant6	5610	Puncturing 20M	RU1	1.54	≤11.00	PASS
	Ant7	5610	Puncturing 20M	RU1	1.51	≤11.00	PASS
	total	5610	Puncturing 20M	RU1	4.54	≤11.00	PASS
	Ant6	5775	Puncturing 20M	RU1	-1.19	≤30.00	PASS
				RU4	-1.6	≤30.00	PASS
	Ant7	5775	Puncturing 20M	RU1	-0.8	≤30.00	PASS
				RU4	-1.23	≤30.00	PASS
	total	5775	Puncturing 20M	RU1	2.02	≤30.00	PASS
				RU4	1.60	≤30.00	PASS
11BE160MIMO	Ant6	5250	Puncturing 40M	RU1	-2.23	≤11.00	PASS
			Puncturing 20M	RU1	-2.64	≤11.00	PASS
			Puncturing 40M	RU4	-2.31	≤11.00	PASS
			Puncturing 20M	RU8	-2.92	≤11.00	PASS
	Ant7	5250	Puncturing 40M	RU1	-1.31	≤11.00	PASS
			Puncturing 20M	RU1	-1.79	≤11.00	PASS
			Puncturing 40M	RU4	-1.41	≤11.00	PASS
			Puncturing 20M	RU8	-2.08	≤11.00	PASS
	total	5250	Puncturing 40M	RU1	1.26	≤11.00	PASS
			Puncturing 20M	RU1	0.82	≤11.00	PASS
			Puncturing 40M	RU4	1.17	≤11.00	PASS
			Puncturing 20M	RU8	0.53	≤11.00	PASS
	Ant6	5570	Puncturing 20M	RU1	-3.68	≤11.00	PASS
			Puncturing 40M	RU1	-3.33	≤11.00	PASS
			Puncturing 40M	RU4	-3.47	≤11.00	PASS
			Puncturing 20M	RU8	-4.03	≤11.00	PASS
	Ant7	5570	Puncturing 40M	RU1	-3.74	≤11.00	PASS
			Puncturing 20M	RU1	-4.13	≤11.00	PASS
			Puncturing 40M	RU4	-3.75	≤11.00	PASS
			Puncturing 20M	RU8	-4.42	≤11.00	PASS
	total	5570	Puncturing 40M	RU1	-0.52	≤11.00	PASS
			Puncturing 20M	RU1	-0.89	≤11.00	PASS
			Puncturing 40M	RU4	-0.60	≤11.00	PASS
			Puncturing 20M	RU8	-1.21	≤11.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs












































<Small RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant6	5180	52Tone+26Tone	RU38+RU1	4.2	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.93	≤11.00	PASS
	Ant7	5180	52Tone+26Tone	RU38+RU1	5.17	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.46	≤11.00	PASS
	total	5180	52Tone+26Tone	RU38+RU1	7.72	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	9.21	≤11.00	PASS
	Ant6	5320	52Tone+26Tone	RU39+RU7	4.82	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.67	≤11.00	PASS
	Ant7	5320	52Tone+26Tone	RU39+RU7	4.52	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.16	≤11.00	PASS
	total	5320	52Tone+26Tone	RU39+RU7	7.68	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	9.43	≤11.00	PASS
	Ant6	5500	52Tone+26Tone	RU38+RU1	4	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.55	≤11.00	PASS
	Ant7	5500	52Tone+26Tone	RU38+RU1	4.62	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.08	≤11.00	PASS
	total	5500	52Tone+26Tone	RU38+RU1	7.33	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	8.83	≤11.00	PASS
	Ant6	5700	52Tone+26Tone	RU39+RU7	4.18	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.73	≤11.00	PASS
	Ant7	5700	52Tone+26Tone	RU39+RU7	4.51	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.18	≤11.00	PASS
	total	5700	52Tone+26Tone	RU39+RU7	7.36	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.97	≤11.00	PASS
	Ant6	5745	52Tone+26Tone	RU38+RU1	1.79	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	3.12	≤30.00	PASS
	Ant7	5745	52Tone+26Tone	RU38+RU1	1.94	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	3.6	≤30.00	PASS
	total	5745	52Tone+26Tone	RU38+RU1	4.88	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	6.38	≤30.00	PASS
	Ant6	5825	52Tone+26Tone	RU39+RU7	0.99	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	2.43	≤30.00	PASS
	Ant7	5825	52Tone+26Tone	RU39+RU7	1.01	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	2.88	≤30.00	PASS
	total	5825	52Tone+26Tone	RU39+RU7	4.01	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	5.67	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs









































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.173	45.12	-19.69	64.81	25.09	9.55	10.48	QP
2	0.173	32.12	-22.69	54.81	12.09	9.55	10.48	Average
3	0.213	43.40	-19.70	63.10	23.30	9.62	10.48	QP
4	0.213	31.42	-21.68	53.10	11.32	9.62	10.48	Average
5	0.601	37.29	-18.71	56.00	17.00	9.78	10.51	QP
6	0.601	33.29	-12.71	46.00	13.00	9.78	10.51	Average
7	2.055	39.75	-16.25	56.00	19.40	9.81	10.54	QP
8 *	2.055	34.45	-11.55	46.00	14.10	9.81	10.54	Average
9	4.952	35.63	-20.37	56.00	15.50	9.63	10.50	QP
10	4.952	29.03	-16.97	46.00	8.90	9.63	10.50	Average
11	16.750	32.91	-27.09	60.00	12.60	9.76	10.55	QP
12	16.750	27.81	-22.19	50.00	7.50	9.76	10.55	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	46~48%
		Temperature :	26.2~27.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Full	-
Mode 5	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	RU106/53	-
Mode 6	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	44	5220	MCS0	Full	-
Mode 7	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	48	5240	MCS0	Full	-
Mode 8	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	38	5190	MCS0	Full	-
Mode 9	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	38	5190	MCS0	RU242/61	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	46	5230	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	RU484/65	-
Mode 13	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Full	-
Mode 14	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-
Mode 15	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/68	-
Mode 16	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	52	5260	6Mbps	-	-
Mode 17	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	60	5300	6Mbps	-	-
Mode 18	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	64	5320	6Mbps	-	-
Mode 19	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	52	5260	MCS0	Full	-
Mode 20	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	60	5300	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	RU106/54	-
Mode 23	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	54	5270	MCS0	Full	-
Mode 24	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	62	5310	MCS0	Full	-
Mode 25	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	62	5310	MCS0	RU242/62	-
Mode 26	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	RU484/66	-
Mode 28	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	100	5500	6Mbps	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	116	5580	6Mbps	-	-
Mode 30	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	140	5700	6Mbps	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	RU106/53	-
Mode 33	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	116	5580	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	-	-
Mode 35	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	RU106/54	-
Mode 36	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	102	5510	MCS0	Full	-



Mode 37	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	102	5510	MCS0	RU242/61	-
Mode 38	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	110	5550	MCS0	Full	-
Mode 39	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	134	5670	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	134	5670	MCS0	RU242/62	-
Mode 41	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Full	-
Mode 42	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	RU484/65	-
Mode 43	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Full	-
Mode 44	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	RU484/66	-
Mode 45	U-NII-2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Full	-
Mode 46	U-NII-2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	RU996/67	-
Mode 66	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Small RU Index 38+1	-
Mode 67	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Small RU Index 53+4	-
Mode 68	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Small RU Index 39+7	-
Mode 69	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Small RU Index 54+4	-
Mode 70	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	Small RU Index 38+1	-
Mode 71	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	Small RU Index 53+4	-
Mode 72	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	Small RU Index 39+7	-
Mode 73	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	Small RU Index 54+4	-
Mode 78	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 79	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Puncturing 20M ①	-
Mode 80	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 81	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Puncturing 20M ①	-
Mode 82	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M ④	-
Mode 83	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M ①	-
Mode 84	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M ④	-
Mode 85	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M ①	-
Mode 86	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 87	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 88	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M ①	-
Mode 89	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 92	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 93	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ①	-
Mode 94	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 95	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Large RU 484+242 ①	-
Mode 96	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ④	-
Mode 97	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ①	-
Mode 98	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ④	-
Mode 99	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ①	-
Mode 100	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484+242 ⑧	-
Mode 101	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484+242 ①	-
Mode 102	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484+242 ⑧	-
Mode 103	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484+242 ①	-
Mode 51	U-NII-3	5.725-5.85	CDD 6+7	802.11a	149	5745	6Mbps	-	-
Mode 52	U-NII-3	5.725-5.85	CDD 6+7	802.11a	157	5785	6Mbps	-	-



Mode 53	U-NII-3	5.725-5.85	CDD 6+7	802.11a	165	5825	6Mbps	-	-
Mode 54	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Full	-
Mode 55	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	157	5785	MCS0	Full	-
Mode 57	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Full	-
Mode 58	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	151	5755	MCS0	RU242/61	-
Mode 60	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	151	5755	MCS0	Full	-
Mode 61	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	159	5795	MCS0	Full	-
Mode 62	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	159	5795	MCS0	RU242/62	-
Mode 63	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Full	-
Mode 64	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	RU484/65	-
Mode 65	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	RU484/66	-
Mode 74	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Small RU Index 38+1	-
Mode 75	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Small RU Index 53+4	-
Mode 76	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Small RU Index 39+7	-
Mode 77	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Small RU Index 54+4	-
Mode 90	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M ①	-
Mode 91	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M ④	-
Mode 104	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ④	-
Mode 105	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ①	-
Mode 47	U-NII-2C	5.47-5.85	CDD 6+7	802.11a	144	5720	6Mbps	-	-
Mode 48	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT20	144	5720	MCS0	-	-
Mode 49	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT40	142	5710	MCS0	-	-
Mode 50	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT80	138	5690	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5147.80	45.04	54.00	-8.96	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.19	68.20	-22.01	V	PEAK	Pass	Harmonic
2	802.11a	44	5123.42	43.34	54.00	-10.66	H	AVERAGE	Pass	Band Edge
2	802.11a	44	10440.00	46.53	68.20	-21.67	V	PEAK	Pass	Harmonic
3	802.11a	48	5457.58	42.68	54.00	-11.32	H	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	47.50	68.20	-20.70	V	PEAK	Pass	Harmonic
4	802.11be EHT20	36	5139.60	44.47	54.00	-9.53	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	36	10360.00	46.34	68.20	-21.86	V	PEAK	Pass	Harmonic
5	802.11be EHT20	36	5149.90	45.49	54.00	-8.51	H	AVERAGE	Pass	Band Edge
5	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	44	5120.56	43.38	54.00	-10.62	H	AVERAGE	Pass	Band Edge
6	802.11be EHT20	44	10440.00	46.19	68.20	-22.01	V	PEAK	Pass	Harmonic
7	802.11be EHT20	48	5353.74	43.28	54.00	-10.72	H	AVERAGE	Pass	Band Edge
7	802.11be EHT20	48	10480.00	44.98	68.20	-23.22	V	PEAK	Pass	Harmonic
8	802.11be EHT40	38	5149.92	48.55	54.00	-5.45	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	38	10380.00	45.10	68.20	-23.10	V	PEAK	Pass	Harmonic
9	802.11be EHT40	38	5147.68	44.77	54.00	-9.23	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	46	5149.92	45.87	54.00	-8.13	H	AVERAGE	Pass	Band Edge
10	802.11be EHT40	46	10460.00	45.50	68.20	-22.70	V	PEAK	Pass	Harmonic
11	802.11be EHT80	42	5140.16	47.15	54.00	-6.85	H	AVERAGE	Pass	Band Edge
11	802.11be EHT80	42	10420.00	44.55	68.20	-23.65	V	PEAK	Pass	Harmonic
12	802.11be EHT80	42	5149.76	45.99	54.00	-8.01	H	AVERAGE	Pass	Band Edge
12	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
13	802.11be EHT160	50	5389.23	51.50	54.00	-2.50	H	AVERAGE	Pass	Band Edge
13	802.11be EHT160	50	10500.00	44.56	68.20	-23.64	H	PEAK	Pass	Harmonic
14	802.11be EHT160	50	5136.00	50.17	54.00	-3.83	H	AVERAGE	Pass	Band Edge
14	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
15	802.11be EHT160	50	5352.06	49.40	54.00	-4.60	H	AVERAGE	Pass	Band Edge
15	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
16	802.11a	52	5104.48	43.15	54.00	-10.85	H	AVERAGE	Pass	Band Edge
16	802.11a	52	10520.00	46.48	68.20	-21.72	V	PEAK	Pass	Harmonic
17	802.11a	60	5352.50	43.99	54.00	-10.01	H	AVERAGE	Pass	Band Edge
17	802.11a	60	10600.00	45.15	74.00	-28.85	V	PEAK	Pass	Harmonic
18	802.11a	64	5350.00	43.90	54.00	-10.10	H	AVERAGE	Pass	Band Edge
18	802.11a	64	10640.00	45.79	74.00	-28.21	V	PEAK	Pass	Harmonic
19	802.11be EHT20	52	5101.12	43.19	54.00	-10.81	H	AVERAGE	Pass	Band Edge
19	802.11be EHT20	52	10520.00	45.88	68.20	-22.32	V	PEAK	Pass	Harmonic
20	802.11be EHT20	60	5093.00	42.95	54.00	-11.05	H	AVERAGE	Pass	Band Edge
20	802.11be EHT20	60	10600.00	45.89	74.00	-28.11	V	PEAK	Pass	Harmonic
21	802.11be EHT20	64	5354.20	43.73	54.00	-10.27	H	AVERAGE	Pass	Band Edge
21	802.11be EHT20	64	10640.00	46.24	74.00	-27.76	V	PEAK	Pass	Harmonic
22	802.11be EHT20	64	5350.30	44.55	54.00	-9.45	H	AVERAGE	Pass	Band Edge



22	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
23	802.11be EHT40	54	5359.30	45.29	54.00	-8.71	H	AVERAGE	Pass	Band Edge
23	802.11be EHT40	54	10540.00	45.29	68.20	-22.91	V	PEAK	Pass	Harmonic
24	802.11be EHT40	62	5350.00	48.72	54.00	-5.28	H	AVERAGE	Pass	Band Edge
24	802.11be EHT40	62	10620.00	45.07	74.00	-28.93	V	PEAK	Pass	Harmonic
25	802.11be EHT40	62	5350.00	46.42	54.00	-7.58	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
26	802.11be EHT80	58	5367.90	47.86	54.00	-6.14	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	58	10580.00	43.72	68.20	-24.48	V	PEAK	Pass	Harmonic
27	802.11be EHT80	58	5385.10	45.02	54.00	-8.98	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
28	802.11a	100	5458.96	44.28	54.00	-9.72	H	AVERAGE	Pass	Band Edge
28	802.11a	100	11000.00	47.59	74.00	-26.41	V	PEAK	Pass	Harmonic
29	802.11a	116	5459.92	43.04	54.00	-10.96	H	AVERAGE	Pass	Band Edge
29	802.11a	116	11160.00	46.37	74.00	-27.63	V	PEAK	Pass	Harmonic
30	802.11a	140	5728.52	55.95	68.20	-12.25	H	PEAK	Pass	Band Edge
30	802.11a	140	11400.00	45.16	74.00	-28.84	H	PEAK	Pass	Harmonic
31	802.11be EHT20	100	5459.92	44.59	54.00	-9.41	H	AVERAGE	Pass	Band Edge
31	802.11be EHT20	100	11000.00	47.04	74.00	-26.96	V	PEAK	Pass	Harmonic
32	802.11be EHT20	100	5458.64	43.83	54.00	-10.17	H	AVERAGE	Pass	Band Edge
32	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
33	802.11be EHT20	116	5458.80	43.02	54.00	-10.98	H	AVERAGE	Pass	Band Edge
33	802.11be EHT20	116	11160.00	44.61	74.00	-29.39	V	PEAK	Pass	Harmonic
34	802.11be EHT20	140	5764.20	56.13	68.20	-12.07	V	PEAK	Pass	Band Edge
34	802.11be EHT20	140	11400.00	45.50	74.00	-28.50	H	PEAK	Pass	Harmonic
35	802.11be EHT20	140	5725.56	55.97	68.20	-12.23	H	PEAK	Pass	Band Edge
35	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
36	802.11be EHT40	102	5469.20	66.45	68.20	-1.75	H	PEAK	Pass	Band Edge
36	802.11be EHT40	102	11020.00	45.65	74.00	-28.35	V	PEAK	Pass	Harmonic
37	802.11be EHT40	102	5457.68	44.94	54.00	-9.06	H	AVERAGE	Pass	Band Edge
37	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
38	802.11be EHT40	110	5451.20	44.99	54.00	-9.01	H	AVERAGE	Pass	Band Edge
38	802.11be EHT40	110	11100.00	46.71	74.00	-27.29	V	PEAK	Pass	Harmonic
39	802.11be EHT40	134	5459.76	43.01	54.00	-10.99	H	AVERAGE	Pass	Band Edge
39	802.11be EHT40	134	11340.00	44.49	74.00	-29.51	V	PEAK	Pass	Harmonic
40	802.11be EHT40	134	5455.60	42.73	54.00	-11.27	H	AVERAGE	Pass	Band Edge
40	802.11be EHT40	134	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT80	106	5449.68	50.63	54.00	-3.37	H	AVERAGE	Pass	Band Edge
41	802.11be EHT80	106	11060.00	44.25	74.00	-29.75	V	PEAK	Pass	Harmonic
42	802.11be EHT80	106	5459.92	45.48	54.00	-8.52	H	AVERAGE	Pass	Band Edge
42	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT80	122	5446.96	43.96	54.00	-10.04	H	AVERAGE	Pass	Band Edge
43	802.11be EHT80	122	11220.00	44.22	74.00	-29.78	V	PEAK	Pass	Harmonic
44	802.11be EHT80	122	5456.40	43.54	54.00	-10.46	H	AVERAGE	Pass	Band Edge
44	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
45	802.11be EHT160	114	5391.36	49.36	54.00	-4.64	H	AVERAGE	Pass	Band Edge
45	802.11be EHT160	114	11140.00	44.24	74.00	-29.76	V	PEAK	Pass	Harmonic



46	802.11be EHT160	114	5460.00	46.99	54.00	-7.01	H	AVERAGE	Pass	Band Edge
46	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	36	5150.00	42.90	54.00	-11.10	H	AVERAGE	Pass	Band Edge
66	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	36	5149.90	43.20	54.00	-10.80	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT20	64	5350.00	44.47	54.00	-9.53	H	AVERAGE	Pass	Band Edge
68	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT20	64	5350.00	42.29	54.00	-11.71	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	100	5459.76	42.34	54.00	-11.66	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	100	5459.92	41.42	54.00	-12.58	H	AVERAGE	Pass	Band Edge
71	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	140	5726.28	55.23	68.20	-12.97	H	PEAK	Pass	Band Edge
72	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	140	5725.96	53.78	68.20	-14.42	H	PEAK	Pass	Band Edge
73	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT80	42	5149.92	49.03	54.00	-4.97	H	AVERAGE	Pass	Band Edge
78	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	58	5350.00	47.11	54.00	-6.89	H	AVERAGE	Pass	Band Edge
79	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	106	5469.68	64.48	68.20	-3.72	H	PEAK	Pass	Band Edge
80	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT80	122	5456.08	43.51	54.00	-10.49	H	AVERAGE	Pass	Band Edge
81	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	50	5135.00	51.35	54.00	-2.65	H	AVERAGE	Pass	Band Edge
82	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	50	5372.22	48.87	54.00	-5.13	H	AVERAGE	Pass	Band Edge
83	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT160	114	5466.82	63.22	68.20	-4.98	H	PEAK	Pass	Band Edge
84	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT160	114	5465.06	64.52	68.20	-3.68	H	PEAK	Pass	Band Edge
85	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT160	50	5391.33	50.18	54.00	-3.82	H	AVERAGE	Pass	Band Edge
86	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT160	50	5383.14	49.89	54.00	-4.11	H	AVERAGE	Pass	Band Edge
87	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	114	5447.90	48.79	54.00	-5.21	H	AVERAGE	Pass	Band Edge
88	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	114	5446.14	48.75	54.00	-5.25	H	AVERAGE	Pass	Band Edge
89	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT80	42	5149.92	50.89	54.00	-3.11	H	AVERAGE	Pass	Band Edge
92	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT80	58	5350.00	51.41	54.00	-2.59	H	AVERAGE	Pass	Band Edge
93	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT80	106	5454.64	46.02	54.00	-7.98	H	AVERAGE	Pass	Band Edge







94	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT80	122	5456.40	43.60	54.00	-10.40	H	AVERAGE	Pass	Band Edge
95	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT160	50	5357.73	51.10	54.00	-2.90	H	AVERAGE	Pass	Band Edge
96	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT160	50	5351.22	49.23	54.00	-4.77	H	AVERAGE	Pass	Band Edge
97	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
98	802.11be EHT160	114	5446.36	52.07	54.00	-1.93	H	AVERAGE	Pass	Band Edge
98	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
99	802.11be EHT160	114	5450.32	47.67	54.00	-6.33	H	AVERAGE	Pass	Band Edge
99	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
100	802.11be EHT160	50	5384.61	49.95	54.00	-4.05	H	AVERAGE	Pass	Band Edge
100	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT160	50	5149.75	51.27	54.00	-2.73	H	AVERAGE	Pass	Band Edge
101	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT160	114	5448.56	51.59	54.00	-2.41	H	AVERAGE	Pass	Band Edge
102	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
103	802.11be EHT160	114	5447.02	51.29	54.00	-2.71	H	AVERAGE	Pass	Band Edge
103	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
51	802.11a	149	5636.80	53.46	68.20	-14.74	H	PEAK	Pass	Band Edge
51	802.11a	149	11490.00	45.25	74.00	-28.75	V	PEAK	Pass	Harmonic
52	802.11a	157	5962.40	53.35	68.20	-14.85	H	PEAK	Pass	Band Edge
52	802.11a	157	11570.00	45.00	74.00	-29.00	H	PEAK	Pass	Harmonic
53	802.11a	165	5961.20	53.13	68.20	-15.07	V	PEAK	Pass	Band Edge
53	802.11a	165	11650.00	46.64	74.00	-27.36	V	PEAK	Pass	Harmonic
54	802.11be EHT20	149	5642.00	52.38	68.20	-15.82	V	PEAK	Pass	Band Edge
54	802.11be EHT20	149	11490.00	45.42	74.00	-28.58	V	PEAK	Pass	Harmonic
55	802.11be EHT20	149	5629.60	54.39	68.20	-13.81	V	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	157	5988.00	53.91	68.20	-14.29	H	PEAK	Pass	Band Edge
56	802.11be EHT20	157	11570.00	45.79	74.00	-28.21	V	PEAK	Pass	Harmonic
57	802.11be EHT20	165	5927.20	54.16	68.20	-14.04	H	PEAK	Pass	Band Edge
57	802.11be EHT20	165	11650.00	46.09	74.00	-27.91	V	PEAK	Pass	Harmonic
58	802.11be EHT20	165	5936.80	56.33	68.20	-11.87	H	PEAK	Pass	Band Edge
58	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT40	151	5930.70	56.59	68.20	-11.61	H	PEAK	Pass	Band Edge
59	802.11be EHT40	151	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT40	151	5615.66	54.44	68.20	-13.76	H	PEAK	Pass	Band Edge
60	802.11be EHT40	151	11510.00	45.65	74.00	-28.35	V	PEAK	Pass	Harmonic
61	802.11be EHT40	159	5926.80	54.30	68.20	-13.90	V	PEAK	Pass	Band Edge
61	802.11be EHT40	159	11590.00	44.90	74.00	-29.10	V	PEAK	Pass	Harmonic
62	802.11be EHT40	159	5961.60	56.21	68.20	-11.99	V	PEAK	Pass	Band Edge
62	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT80	155	5944.80	54.23	68.20	-13.97	H	PEAK	Pass	Band Edge
63	802.11be EHT80	155	11550.00	43.30	74.00	-30.70	V	PEAK	Pass	Harmonic
64	802.11be EHT80	155	5926.80	55.81	68.20	-12.39	H	PEAK	Pass	Band Edge
64	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic







65	802.11be EHT80	155	5945.20	56.03	68.20	-12.17	H	PEAK	Pass	Band Edge
65	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT20	149	5649.60	54.75	68.20	-13.45	H	PEAK	Pass	Band Edge
74	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT20	149	5612.80	53.68	68.20	-14.52	H	PEAK	Pass	Band Edge
75	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT20	165	5944.80	53.80	68.20	-14.40	H	PEAK	Pass	Band Edge
76	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT20	165	5950.00	53.62	68.20	-14.58	H	PEAK	Pass	Band Edge
77	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT80	155	5928.80	57.91	68.20	-10.29	H	PEAK	Pass	Band Edge
90	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT80	155	5926.40	55.99	68.20	-12.21	V	PEAK	Pass	Band Edge
91	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
104	802.11be EHT80	155	5938.00	54.35	68.20	-13.85	H	PEAK	Pass	Band Edge
104	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
105	802.11be EHT80	155	5931.60	55.32	68.20	-12.88	H	PEAK	Pass	Band Edge
105	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
47	802.11a	144	-	-	-	-	-	-	-	Band Edge
47	802.11a	144	11440.00	45.28	74.00	-28.72	V	PEAK	Pass	Harmonic
48	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	144	11440.00	45.41	74.00	-28.59	H	PEAK	Pass	Harmonic
49	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT40	142	11420.00	44.30	74.00	-29.70	V	PEAK	Pass	Harmonic
50	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
50	802.11be EHT80	138	11380.00	44.13	74.00	-29.87	H	PEAK	Pass	Harmonic





		1																																																																																						
Mode		Band Edge																																																																																						
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																						
ANT		CDD 6+7																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.50	56.58	74.00	-17.42	47.71	34.08	11.79	37.00	0.00	138 325 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.35</td><td>-----</td><td>-----</td><td>101.42</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>138 325 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.35	-----	-----	101.42	34.20	11.83	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5138.50	56.58	74.00	-17.42	47.71	34.08	11.79	37.00	0.00	138 325 PEAK																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5180.00	110.35	-----	-----	101.42	34.20	11.83	37.10	0.00	138 325 PEAK																																																																														
Avg																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.80	45.04	54.00	-8.96	36.16	34.10	11.80	37.02	0.00	138 325 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.54</td><td>-----</td><td>-----</td><td>93.59</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>138 325 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.54	-----	-----	93.59	34.23	11.83	37.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5147.80	45.04	54.00	-8.96	36.16	34.10	11.80	37.02	0.00	138 325 AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5180.00	102.54	-----	-----	93.59	34.23	11.83	37.11	0.00	138 325 AVERAGE																																																																														







Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.90</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>46.78</td><td>34.09</td><td>11.79</td><td>37.01</td><td>0.00</td><td>379 85 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.90	55.65	74.00	-18.35	46.78	34.09	11.79	37.01	0.00	379 85 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.03</td><td>-----</td><td>-----</td><td>98.08</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>379 85 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.03	-----	-----	98.08	34.23	11.83	37.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.90	55.65	74.00	-18.35	46.78	34.09	11.79	37.01	0.00	379 85 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	107.03	-----	-----	98.08	34.23	11.83	37.11	0.00	379 85 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>34.96</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>379 85 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	43.83	54.00	-10.17	34.96	34.10	11.80	37.03	0.00	379 85 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.54</td><td>-----</td><td>-----</td><td>90.59</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>379 85 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.54	-----	-----	90.59	34.23	11.83	37.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5150.00	43.83	54.00	-10.17	34.96	34.10	11.80	37.03	0.00	379 85 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	99.54	-----	-----	90.59	34.23	11.83	37.11	0.00	379 85 AVERAGE																																																																																								





		1																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.33</td><td>68.20</td><td>-22.87</td><td>58.13</td><td>37.37</td><td>16.86</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.33	68.20	-22.87	58.13	37.37	16.86	67.03	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10360.00	45.33	68.20	-22.87	58.13	37.37	16.86	67.03	0.00	---	---	PEAK																																															
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.19</td><td>68.20</td><td>-22.01</td><td>59.00</td><td>37.36</td><td>16.86</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.19	68.20	-22.01	59.00	37.36	16.86	67.03	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10360.00	46.19	68.20	-22.01	59.00	37.36	16.86	67.03	0.00	---	---	PEAK																																															







		2																																																						
Mode		Band Edge - L																																																						
		U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																						
ANT		CDD 6+7																																																						
Pol.		Horizontal					Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5051.92</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>46.69</td><td>33.90</td><td>11.70</td><td>36.93</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5051.92	55.36	74.00	-18.64	46.69	33.90	11.70	36.93	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5051.92	55.36	74.00	-18.64	46.69	33.90	11.70	36.93	0.00	100	331 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>108.34</td><td>-----</td><td>-----</td><td>99.11</td><td>34.40</td><td>11.87</td><td>37.04</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5220.00	108.34	-----	-----	99.11	34.40	11.87	37.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5220.00	108.34	-----	-----	99.11	34.40	11.87	37.04	0.00	100	331 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.42</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>34.48</td><td>34.05</td><td>11.77</td><td>36.96</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5123.42	43.34	54.00	-10.66	34.48	34.05	11.77	36.96	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5123.42	43.34	54.00	-10.66	34.48	34.05	11.77	36.96	0.00	100	331 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>101.24</td><td>-----</td><td>-----</td><td>92.00</td><td>34.37</td><td>11.86</td><td>37.07</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5220.00	101.24	-----	-----	92.00	34.37	11.86	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5220.00	101.24	-----	-----	92.00	34.37	11.86	37.07	0.00	100	331 AVERAGE																																													





Mode	2																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																								
ANT	CDD 6+7																																																								
Pol.	Horizontal										Fundamental																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.92</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>43.27</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>100</td><td>331</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.92	53.33	74.00	-20.67	43.27	34.60	11.97	36.51	0.00	100	331	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5353.92	53.33	74.00	-20.67	43.27	34.60	11.97	36.51	0.00	100	331	PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.48</td><td>42.78</td><td>54.00</td><td>-11.22</td><td>32.45</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>331</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.48	42.78	54.00	-11.22	32.45	34.68	12.09	36.44	0.00	100	331	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5454.48	42.78	54.00	-11.22	32.45	34.68	12.09	36.44	0.00	100	331	AVERAGE																																													





		2																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																										
ANT		CDD 6+7																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5044.22	53.75	74.00	-20.25	45.08	33.91	11.69	36.93	0.00	103 313 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>106.11</td><td>-----</td><td>-----</td><td>97.00</td><td>34.35</td><td>11.86</td><td>37.10</td><td>0.00</td><td>103 313 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	106.11	-----	-----	97.00	34.35	11.86	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5044.22	53.75	74.00	-20.25	45.08	33.91	11.69	36.93	0.00	103 313 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5220.00	106.11	-----	-----	97.00	34.35	11.86	37.10	0.00	103 313 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5092.84	42.96	54.00	-11.04	34.13	33.99	11.74	36.90	0.00	103 313 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>98.44</td><td>-----</td><td>-----</td><td>89.28</td><td>34.37</td><td>11.86</td><td>37.07</td><td>0.00</td><td>103 313 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	98.44	-----	-----	89.28	34.37	11.86	37.07	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5092.84	42.96	54.00	-11.04	34.13	33.99	11.74	36.90	0.00	103 313 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5220.00	98.44	-----	-----	89.28	34.37	11.86	37.07	0.00	103 313 AVERAGE																																																																																		







Mode	2																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																								
ANT	CDD 6+7																																																								
Pol.	Vertical										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.12</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>43.92</td><td>34.68</td><td>12.07</td><td>36.43</td><td>0.00</td><td>103</td><td>313</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5439.12	54.24	74.00	-19.76	43.92	34.68	12.07	36.43	0.00	103	313	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5439.12	54.24	74.00	-19.76	43.92	34.68	12.07	36.43	0.00	103	313																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>32.14</td><td>34.67</td><td>12.09</td><td>36.44</td><td>0.00</td><td>0</td><td>0</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.40	42.46	54.00	-11.54	32.14	34.67	12.09	36.44	0.00	0	0	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5456.40	42.46	54.00	-11.54	32.14	34.67	12.09	36.44	0.00	0	0																																														







Mode	2																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10440.00</td><td>45.75</td><td>68.20</td><td>-22.45</td><td>58.39</td><td>37.48</td><td>16.94</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	45.75	68.20	-22.45	58.39	37.48	16.94	67.06	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10440.00</td><td>46.53</td><td>68.20</td><td>-21.67</td><td>59.19</td><td>37.47</td><td>16.93</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	46.53	68.20	-21.67	59.19	37.47	16.93	67.06	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 10440.00	45.75	68.20	-22.45	58.39	37.48	16.94	67.06	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 10440.00	46.53	68.20	-21.67	59.19	37.47	16.93	67.06	0.00	---	---	PEAK																																																																																											





Mode	3																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.00</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>43.19</td><td>34.65</td><td>12.05</td><td>36.42</td><td>0.00</td><td>130</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.00	53.47	74.00	-20.53	43.19	34.65	12.05	36.42	0.00	130	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>109.85</td><td>-----</td><td>-----</td><td>100.44</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>130</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	109.85	-----	-----	100.44	34.47	11.88	36.94	0.00	130
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5427.00	53.47	74.00	-20.53	43.19	34.65	12.05	36.42	0.00	130	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5240.00	109.85	-----	-----	100.44	34.47	11.88	36.94	0.00	130	0 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.58</td><td>42.68</td><td>54.00</td><td>-11.32</td><td>32.35</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>130</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.58	42.68	54.00	-11.32	32.35	34.67	12.10	36.44	0.00	130	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>101.88</td><td>-----</td><td>-----</td><td>92.47</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>130</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	101.88	-----	-----	92.47	34.47	11.88	36.94	0.00	130
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.58	42.68	54.00	-11.32	32.35	34.67	12.10	36.44	0.00	130	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5240.00	101.88	-----	-----	92.47	34.47	11.88	36.94	0.00	130	0 AVERAGE																																																																																									







Mode	3																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.22</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>43.76</td><td>34.70</td><td>12.08</td><td>36.43</td><td>0.00</td><td>124</td><td>318</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.22	54.11	74.00	-19.89	43.76	34.70	12.08	36.43	0.00	124	318	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>105.37</td><td>-----</td><td>-----</td><td>95.96</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>124</td><td>318</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	105.37	-----	-----	95.96	34.47	11.88	36.94	0.00	124	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5449.22	54.11	74.00	-19.89	43.76	34.70	12.08	36.43	0.00	124	318	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5240.00	105.37	-----	-----	95.96	34.47	11.88	36.94	0.00	124	318	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>32.11</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>124</td><td>318</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	42.43	54.00	-11.57	32.11	34.66	12.10	36.44	0.00	124	318	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>98.98</td><td>-----</td><td>-----</td><td>89.57</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>124</td><td>318</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	98.98	-----	-----	89.57	34.47	11.88	36.94	0.00	124	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.12	42.43	54.00	-11.57	32.11	34.66	12.10	36.44	0.00	124	318	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5240.00	98.98	-----	-----	89.57	34.47	11.88	36.94	0.00	124	318	AVERAGE																																																																																											



Mode	3																																																																																																				
	Harmonic																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.45</td><td>68.20</td><td>-22.75</td><td>57.98</td><td>37.56</td><td>16.98</td><td>67.07</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.45	68.20	-22.75	57.98	37.56	16.98	67.07	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>47.50</td><td>68.20</td><td>-20.70</td><td>60.05</td><td>37.55</td><td>16.97</td><td>67.07</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.50	68.20	-20.70	60.05	37.55	16.97	67.07	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10480.00	45.45	68.20	-22.75	57.98	37.56	16.98	67.07	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10480.00	47.50	68.20	-20.70	60.05	37.55	16.97	67.07	0.00	---	PEAK																																																																																										



Mode	4																																																																																																								
	Band Edge																																																																																																								
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.30</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>47.71</td><td>34.07</td><td>11.78</td><td>36.99</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5133.30	56.57	74.00	-17.43	47.71	34.07	11.78	36.99	0.00	100	321	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>109.23</td><td>-----</td><td>-----</td><td>100.30</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	109.23	-----	-----	100.30	34.20	11.83	37.10	0.00	100	321
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5133.30	56.57	74.00	-17.43	47.71	34.07	11.78	36.99	0.00	100	321	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5180.00	109.23	-----	-----	100.30	34.20	11.83	37.10	0.00	100	321	PEAK																																																																																													
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5139.60</td><td>44.47</td><td>54.00</td><td>-9.53</td><td>35.60</td><td>34.00</td><td>11.79</td><td>37.00</td><td>0.00</td><td>100</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5139.60	44.47	54.00	-9.53	35.60	34.00	11.79	37.00	0.00	100	321	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.30</td><td>-----</td><td>-----</td><td>92.37</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>100</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.30	-----	-----	92.37	34.20	11.83	37.10	0.00	100	321
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5139.60	44.47	54.00	-9.53	35.60	34.00	11.79	37.00	0.00	100	321	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5180.00	101.30	-----	-----	92.37	34.20	11.83	37.10	0.00	100	321	AVERAGE																																																																																													