





11BE160MIMO_Ant6_6025_996Tone_RU67



Date: 14.OCT.2025 21:31:19


11BE160MIMO_Ant7_6025_996Tone_RU67



Date: 14.OCT.2025 21:32:36




11BE160MIMO_Ant6_6185_996Tone_RU67



Date: 14.OCT.2025 21:34:15


11BE160MIMO_Ant7_6185_996Tone_RU67



Date: 14.OCT.2025 21:35:31




11BE160MIMO_Ant6_6345_996Tone_RUS67



Date: 14.OCT.2025 21:37:32


11BE160MIMO_Ant7_6345_996Tone_RUS67




Date: 14.OCT.2025 21:39:27



11BE160MIMO_Ant6_6505_996Tone_RU67




11BE160MIMO_Ant7_6505_996Tone_RU67






11BE160MIMO_Ant6_6665_996Tone_RUS67




11BE160MIMO_Ant7_6665_996Tone_RUS67






11BE160MIMO_Ant6_6825_996Tone_RU67




11BE160MIMO_Ant7_6825_996Tone_RU67






11BE160MIMO_Ant6_6985_996Tone_RUS67



Date: 14.OCT.2025 21:59:04

11BE160MIMO_Ant7_6985_996Tone_RUS67



Date: 14.OCT.2025 22:00:26



<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-12.75	0.20	-12.55	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.97	0.20	-13.77	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.21	0.20	-13.01	≤-5.00	PASS
	Ant7	6105	3*996Tone	RU4	-13.52	-0.30	-13.82	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.07	-0.30	-13.37	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.87	-0.30	-14.17	≤-5.00	PASS
	total	6105	3*996Tone	RU4	-10.11	-0.04	-10.15	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.49	-0.04	-10.53	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10.52	-0.04	-10.56	≤-5.00	PASS
	Ant6	6585	3*996Tone	RU4	-12.82	0.60	-12.22	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-12.53	0.60	-11.93	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-12.38	0.60	-11.78	≤-5.00	PASS
	Ant7	6585	3*996Tone	RU4	-13.07	-0.60	-13.67	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.18	-0.60	-13.78	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-12.67	-0.60	-13.27	≤-5.00	PASS
	total	6585	3*996Tone	RU4	-9.93	0.04	-9.89	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-9.83	0.04	-9.79	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-9.51	0.04	-9.47	≤-5.00	PASS
	Ant6	6745	3*996Tone	RU4	-13.54	0.00	-13.54	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.62	0.00	-13.62	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.85	0.00	-13.85	≤-5.00	PASS
	Ant7	6745	3*996Tone	RU4	-13.49	-0.40	-13.89	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.56	-0.40	-13.96	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.56	-0.40	-13.96	≤-5.00	PASS
	total	6745	3*996Tone	RU4	-10.50	-0.20	-10.70	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.58	-0.20	-10.78	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10.69	-0.20	-10.89	≤-5.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-12.09	0.00	-12.09	≤-5.00	PASS
			3*996Tone	RU1	-12.41	0.00	-12.41	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-12.35	0.00	-12.35	≤-5.00	PASS
	Ant7	6905	3*996Tone+484Tone	RU1	-12.08	-0.40	-12.48	≤-5.00	PASS
			3*996Tone	RU1	-12.29	-0.40	-12.69	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-12.08	-0.40	-12.48	≤-5.00	PASS
	total	6905	3*996Tone+484Tone	RU1	-9.07	-0.20	-9.27	≤-5.00	PASS
			3*996Tone	RU1	-9.34	-0.20	-9.54	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-9.20	-0.20	-9.40	≤-5.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	-8.55	0.20	-8.35	≤-5.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-7.94	-0.30	-8.24	≤-5.00	PASS
	total	5985	484Tone+242Tone	RU4	-5.22	-0.04	-5.26	≤-5.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-9.39	0.60	-8.79	≤-5.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-8.70	-0.60	-9.30	≤-5.00	PASS




	total	6465	484Tone+242Tone	RU4	-6.02	0.04	-5.98	≤-5.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-8.64	0.00	-8.64	≤-5.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-8.13	-0.40	-8.53	≤-5.00	PASS
	total	6625	484Tone+242Tone	RU4	-5.37	-0.20	-5.57	≤-5.00	PASS
	Ant6	7025	484Tone+242Tone	RU1	-9.04	-0.50	-9.54	≤-5.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-8.59	-0.20	-8.79	≤-5.00	PASS
	total	7025	484Tone+242Tone	RU1	-5.80	-0.35	-6.15	≤-5.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-10.86	0.20	-10.66	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.57	0.20	-11.37	≤-5.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-10.12	-0.30	-10.42	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.88	-0.30	-11.18	≤-5.00	PASS
	total	6025	996Tone+484Tone	RU4	-7.46	-0.04	-7.50	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-8.20	-0.04	-8.24	≤-5.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-10.93	0.60	-10.33	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.26	0.60	-10.66	≤-5.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-11.16	-0.60	-11.76	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.35	-0.60	-11.95	≤-5.00	PASS
	total	6505	996Tone+484Tone	RU4	-8.03	0.04	-7.99	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-8.29	0.04	-8.25	≤-5.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-10.60	0.00	-10.60	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.57	0.00	-10.57	≤-5.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-10.51	-0.40	-10.91	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.48	-0.40	-10.88	≤-5.00	PASS
	total	6665	996Tone+484Tone	RU4	-7.54	-0.20	-7.74	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-7.51	-0.20	-7.71	≤-5.00	PASS
	Ant6	6985	996Tone+484Tone242Tone	RU1	-10.41	-0.50	-10.91	≤-5.00	PASS
			996Tone+484Tone	RU1	-10.26	-0.50	-10.76	≤-5.00	PASS
	Ant7	6985	996Tone+484Tone	RU1	-9.90	-0.20	-10.10	≤-5.00	PASS
			996Tone+484Tone242Tone	RU1	-10.21	-0.20	-10.41	≤-5.00	PASS
	total	6985	996Tone+484Tone	RU1	-7.07	-0.35	-7.42	≤-5.00	PASS
			996Tone+484Tone242Tone	RU1	-7.30	-0.35	-7.65	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6105_3*996Tone_RU4






11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6585_3*996Tone_RU4




11BE320MIMO_Ant6_6585_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6585_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6585_3*996Tone_RU4






11BE320MIMO_Ant7_6585_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6585_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6745_3*996Tone_RU4




11BE320MIMO_Ant6_6745_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6745_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6745_3*996Tone_RU4






11BE320MIMO_Ant7_6745_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6745_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant6_6905_3*996Tone_RU1






11BE320MIMO_Ant6_6905_2*996Tone+484Tone_RU7




11BE320MIMO_Ant7_6905_3*996Tone+484Tone_RU1






11BE320MIMO_Ant7_6905_3*996Tone_RU1




11BE320MIMO_Ant7_6905_2*996Tone+484Tone_RU7






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6465_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6465_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4






11BE80MIMO_Ant6_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant7_7025_484Tone+242Tone_RU1






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6985_996Tone+484Tone242Tone_RU1




11BE160MIMO_Ant6_6985_996Tone+484Tone_RU1






11BE160MIMO_Ant7_6985_996Tone+484Tone_RU1



11BE160MIMO_Ant7_6985_996Tone+484Tone242Tone_RU1





<Puncturing>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-13.08	0.2	-12.88	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-14.08	0.2	-13.88	≤ -5.00	PASS
			Puncturing 40M	RU8	-13.02	0.2	-12.82	≤ -5.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-13.77	-0.3	-14.07	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-13.37	-0.3	-13.67	≤ -5.00	PASS
			Puncturing 40M	RU8	-13.78	-0.3	-14.08	≤ -5.00	PASS
	total	6105	Puncturing 80M	RU4	-10.4	-0.04	-10.44	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-10.7	-0.04	-10.74	≤ -5.00	PASS
			Puncturing 40M	RU8	-10.37	-0.04	-10.41	≤ -5.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-12.47	0.6	-11.87	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-12.37	0.6	-11.77	≤ -5.00	PASS
			Puncturing 40M	RU8	-12.6	0.6	-12	≤ -5.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-12.73	-0.6	-13.33	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-12.82	-0.6	-13.42	≤ -5.00	PASS
			Puncturing 40M	RU8	-12.88	-0.6	-13.48	≤ -5.00	PASS
	total	6585	Puncturing 80M	RU4	-9.59	0.04	-9.55	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-9.58	0.04	-9.54	≤ -5.00	PASS
			Puncturing 40M	RU8	-9.73	0.04	-9.69	≤ -5.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-13.58	0	-13.58	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-13.75	0	-13.75	≤ -5.00	PASS
			Puncturing 40M	RU8	-13.52	0	-13.52	≤ -5.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-13.28	-0.4	-13.68	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-13.76	-0.4	-14.16	≤ -5.00	PASS
			Puncturing 40M	RU8	-13.33	-0.4	-13.73	≤ -5.00	PASS
	total	6745	Puncturing 80M	RU4	-10.42	-0.2	-10.62	≤ -5.00	PASS
			Puncturing 80+40M	RU6	-10.74	-0.2	-10.94	≤ -5.00	PASS
			Puncturing 40M	RU8	-10.41	-0.2	-10.61	≤ -5.00	PASS
	Ant6	6905	Puncturing 80M	RU1	-12.45	0	-12.45	≤ -5.00	PASS
			Puncturing 40M	RU1	-12.15	0	-12.15	≤ -5.00	PASS
			Puncturing 80+40M	RU7	-12.78	0	-12.78	≤ -5.00	PASS
	Ant7	6905	Puncturing 80M	RU1	-12.31	-0.4	-12.71	≤ -5.00	PASS
			Puncturing 40M	RU1	-12.16	-0.4	-12.56	≤ -5.00	PASS
			Puncturing 80+40M	RU7	-12.6	-0.4	-13	≤ -5.00	PASS
	total	6905	Puncturing 80M	RU1	-9.37	-0.2	-9.57	≤ -5.00	PASS
			Puncturing 40M	RU1	-9.14	-0.2	-9.34	≤ -5.00	PASS
			Puncturing 80+40M	RU7	-9.68	-0.2	-9.88	≤ -5.00	PASS
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU4	-9.31	0.2	-9.11	≤ -5.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-8.41	-0.3	-8.71	≤ -5.00	PASS
	total	5985	Puncturing 20M	RU4	-5.83	-0.04	-5.87	≤ -5.00	PASS




	Ant6	6465	Puncturing 20M	RU4	-8.22	0.6	-7.62	≤ -5.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-8.71	-0.6	-9.31	≤ -5.00	PASS
	total	6465	Puncturing 20M	RU4	-5.45	0.04	-5.41	≤ -5.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-8.67	0	-8.67	≤ -5.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-7.85	-0.4	-8.25	≤ -5.00	PASS
	total	6625	Puncturing 20M	RU4	-5.23	-0.2	-5.43	≤ -5.00	PASS
	Ant6	7025	Puncturing 20M	RU1	-9.04	-0.5	-9.54	≤ -5.00	PASS
	Ant7	7025	Puncturing 20M	RU1	-8.53	-0.2	-8.73	≤ -5.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU4	-11.23	0.2	-11.03	≤ -5.00	PASS
			Puncturing 20M	RU8	-11.68	0.2	-11.48	≤ -5.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-10.56	-0.3	-10.86	≤ -5.00	PASS
			Puncturing 20M	RU8	-10.86	-0.3	-11.16	≤ -5.00	PASS
	total	6025	Puncturing 40M	RU4	-7.87	-0.04	-7.91	≤ -5.00	PASS
			Puncturing 20M	RU8	-8.24	-0.04	-8.28	≤ -5.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-10.92	0.6	-10.32	≤ -5.00	PASS
			Puncturing 20M	RU8	-11.15	0.6	-10.55	≤ -5.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-10.95	-0.6	-11.55	≤ -5.00	PASS
			Puncturing 20M	RU8	-10.94	-0.6	-11.54	≤ -5.00	PASS
	total	6505	Puncturing 40M	RU4	-7.92	0.04	-7.88	≤ -5.00	PASS
			Puncturing 20M	RU8	-8.03	0.04	-7.99	≤ -5.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-10.98	0	-10.98	≤ -5.00	PASS
			Puncturing 20M	RU8	-10.99	0	-10.99	≤ -5.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-10.96	-0.4	-11.36	≤ -5.00	PASS
			Puncturing 20M	RU8	-10.88	-0.4	-11.28	≤ -5.00	PASS
	total	6665	Puncturing 40M	RU4	-7.96	-0.2	-8.16	≤ -5.00	PASS
			Puncturing 20M	RU8	-7.92	-0.2	-8.12	≤ -5.00	PASS
	Ant6	6985	Puncturing 20M	RU1	-10.42	-0.5	-10.92	≤ -5.00	PASS
			Puncturing 40M	RU1	-10.2	-0.5	-10.7	≤ -5.00	PASS
	Ant7	6985	Puncturing 20M	RU1	-10.35	-0.2	-10.55	≤ -5.00	PASS
			Puncturing 40M	RU1	-9.88	-0.2	-10.08	≤ -5.00	PASS
	total	6985	Puncturing 20M	RU1	-7.37	-0.35	-7.72	≤ -5.00	PASS
			Puncturing 40M	RU1	-7.03	-0.35	-7.38	≤ -5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8




11BE320MIMO_Ant7_6105_Puncturing 80M_RU4






11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6105_Puncturing 40M_RU8






11BE320MIMO_Ant6_6585_Puncturing 80M_RU4




11BE320MIMO_Ant6_6585_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6585_Puncturing 40M_RU8




11BE320MIMO_Ant7_6585_Puncturing 80M_RU4






11BE320MIMO_Ant7_6585_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6585_Puncturing 40M_RU8






11BE320MIMO_Ant6_6745_Puncturing 80M_RU4




11BE320MIMO_Ant6_6745_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6745_Puncturing 40M_RU8




11BE320MIMO_Ant7_6745_Puncturing 80M_RU4






11BE320MIMO_Ant7_6745_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6745_Puncturing 40M_RU8






11BE320MIMO_Ant6_6905_Puncturing 80M_RU1



Date: 29.OCT.2025 01:37:28


11BE320MIMO_Ant6_6905_Puncturing 40M_RU1




Date: 29.OCT.2025 01:34:23



11BE320MIMO_Ant6_6905_Puncturing 80+40M_RU7




11BE320MIMO_Ant7_6905_Puncturing 80M_RU1





11BE320MIMO_Ant7_6905_Puncturing 40M_RU1




11BE320MIMO_Ant7_6905_Puncturing 80+40M_RU7






11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6465_Puncturing 20M_RU4




11BE80MIMO_Ant7_6465_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4




11BE80MIMO_Ant7_6625_Puncturing 20M_RU4






11BE80MIMO_Ant6_7025_Puncturing 20M_RU1




11BE80MIMO_Ant7_7025_Puncturing 20M_RU1






11BE160MIMO_Ant6_6025_Puncturing 40M_RU4




11BE160MIMO_Ant6_6025_Puncturing 20M_RU8






11BE160MIMO_Ant7_6025_Puncturing 40M_RU4




11BE160MIMO_Ant7_6025_Puncturing 20M_RU8






11BE160MIMO_Ant6_6505_Puncturing 40M_RU4




11BE160MIMO_Ant6_6505_Puncturing 20M_RU8






11BE160MIMO_Ant7_6505_Puncturing 40M_RU4




11BE160MIMO_Ant7_6505_Puncturing 20M_RU8






11BE160MIMO_Ant6_6665_Puncturing 40M_RU4




11BE160MIMO_Ant6_6665_Puncturing 20M_RU8






11BE160MIMO_Ant7_6665_Puncturing 40M_RU4




11BE160MIMO_Ant7_6665_Puncturing 20M_RU8






11BE160MIMO_Ant6_6985_Puncturing 20M_RU1




11BE160MIMO_Ant6_6985_Puncturing 40M_RU1






11BE160MIMO_Ant7_6985_Puncturing 20M_RU1



11BE160MIMO_Ant7_6985_Puncturing 40M_RU1





<Small RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-11.14	0.20	-10.94	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.58	0.20	-9.38	≤-5.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-10.81	-0.30	-11.11	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-8.72	-0.30	-9.02	≤-5.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-7.96	-0.04	-8.00	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.12	-0.04	-6.16	≤-5.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-11.42	0.60	-10.82	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.89	0.60	-9.29	≤-5.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-11.33	-0.60	-11.93	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.79	-0.60	-10.39	≤-5.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-8.36	0.04	-8.32	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.83	0.04	-6.79	≤-5.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-11.58	0.00	-11.58	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.95	0.00	-9.95	≤-5.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-11.43	-0.40	-11.83	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.89	-0.40	-10.29	≤-5.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-8.49	-0.20	-8.69	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.91	-0.20	-7.11	≤-5.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-12.49	-0.50	-12.99	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-10.68	-0.50	-11.18	≤-5.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-12.63	-0.20	-12.83	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-10.74	-0.20	-10.94	≤-5.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-9.55	-0.35	-9.90	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-7.70	-0.35	-8.05	≤-5.00	PASS
	Ant6	7115	52Tone+26Tone	RU39+RU7	-23.51	-0.50	-24.01	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-22.26	-0.50	-22.76	≤-5.00	PASS
	Ant7	7115	52Tone+26Tone	RU39+RU7	-23.38	-0.20	-23.58	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-22.39	-0.20	-22.59	≤-5.00	PASS
	total	7115	52Tone+26Tone	RU39+RU7	-20.43	-0.35	-20.78	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-19.31	-0.35	-19.66	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant7_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant6_7115_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7115_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7115_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant7_7115_106Tone+26Tone_RU54+RU4





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.186	39.11	-25.09	64.20	28.40	0.25	10.46	QP
2	0.186	24.01	-30.19	54.20	13.30	0.25	10.46	Average
3	0.221	35.33	-27.46	62.79	24.61	0.26	10.46	QP
4	0.221	28.33	-24.46	52.79	17.61	0.26	10.46	Average
5	1.645	32.46	-23.54	56.00	21.80	0.41	10.25	QP
6	1.645	21.46	-24.54	46.00	10.80	0.41	10.25	Average
7	2.044	35.16	-20.84	56.00	24.50	0.42	10.24	QP
8	2.044	27.26	-18.74	46.00	16.60	0.42	10.24	Average
9	2.422	38.75	-17.25	56.00	28.10	0.42	10.23	QP
10 *	2.422	32.35	-13.65	46.00	21.70	0.42	10.23	Average
11	3.140	36.93	-19.07	56.00	26.30	0.41	10.22	QP
12	3.140	31.53	-14.47	46.00	20.90	0.41	10.22	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.162	54.01	-11.37	65.38	43.32	0.24	10.45	QP
2	0.162	38.89	-16.49	55.38	28.20	0.24	10.45	Average
3	0.221	45.22	-17.57	62.79	34.51	0.25	10.46	QP
4	0.221	29.52	-23.27	52.79	18.81	0.25	10.46	Average
5	0.242	45.93	-16.11	62.04	35.19	0.27	10.47	QP
6	0.242	30.03	-22.01	52.04	19.29	0.27	10.47	Average
7	0.274	39.55	-21.43	60.98	28.80	0.28	10.47	QP
8	0.274	25.05	-25.93	50.98	14.30	0.28	10.47	Average
9	2.358	36.13	-19.87	56.00	25.51	0.39	10.23	QP
10	2.358	24.32	-21.68	46.00	13.70	0.39	10.23	Average
11	4.900	34.20	-21.80	56.00	23.60	0.40	10.20	QP
12	4.900	25.80	-20.20	46.00	15.20	0.40	10.20	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake zhou	Relative Humidity :	51 ~ 53 %
		Temperature :	22 ~ 26 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	-
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	-
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	-
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	-
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	-
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	-
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	-
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/69	-
Mode 12	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	-
Mode 13	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	-
Mode 14	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	-
Mode 15	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	-
Mode 16	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	-
Mode 17	U-NII-6	6.425-6.525	A6+A7	802.11be EHT320	127	6585	MCS0	-	-
Mode 18	U-NII-8	6.875-7.125	A6+A7	802.11a	229	7095	6Mbps	-	-
Mode 19	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	-	-
Mode 20	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	RU106/54	-
Mode 21	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	-	-
Mode 22	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	RU242/62	-
Mode 23	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	-	-
Mode 24	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	RU484/66	-
Mode 25	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	-	-
Mode 26	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	RU996/68	-
Mode 27	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	-	-
Mode 28	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/70	-
Mode 29	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	-
Mode 30	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	-
Mode 31	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	Index 39+7	-
Mode 32	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	-	MCS0	-	-
Mode 33	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 34	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 35	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 36	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 37	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 38	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-



Mode 39	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	-
Mode 40	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	-
Mode 41	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 42	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 43	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 44	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 45	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 47	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 49	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484+242 ⑧	-
Mode 50	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484+242 ①	-
Mode 51	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 52	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 53	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 54	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 55	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-
Mode 57	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	6Mbps	-	-
Mode 58	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-
Mode 59	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	RU106/54	-
Mode 60	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 39+7	-
Mode 61	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 54+4	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5916.26	41.95	68.20	-26.25	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.70	74.00	-28.30	V	PEAK	Pass	Harmonic
2	802.11be EHT20	1	5917.69	41.85	68.20	-26.35	V	AVERAGE	Pass	Band Edge
2	802.11be EHT20	1	11910.00	46.11	74.00	-27.89	V	PEAK	Pass	Harmonic
3	802.11be EHT20	1	5922.63	41.84	68.20	-26.36	V	AVERAGE	Pass	Band Edge
3	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
4	802.11be EHT40	3	5924.96	43.60	68.20	-24.60	H	AVERAGE	Pass	Band Edge
4	802.11be EHT40	3	11930.00	45.43	74.00	-28.57	V	PEAK	Pass	Harmonic
5	802.11be EHT40	3	5914.32	41.87	68.20	-26.33	H	AVERAGE	Pass	Band Edge
5	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT80	7	5923.72	42.78	68.20	-25.42	V	AVERAGE	Pass	Band Edge
6	802.11be EHT80	7	11970.00	46.15	74.00	-27.85	V	PEAK	Pass	Harmonic
7	802.11be EHT80	7	5923.88	41.97	68.20	-26.23	H	AVERAGE	Pass	Band Edge
7	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
8	802.11be EHT160	15	5916.40	46.69	68.20	-21.51	V	AVERAGE	Pass	Band Edge
8	802.11be EHT160	15	12050.00	45.78	74.00	-28.22	V	PEAK	Pass	Harmonic
9	802.11be EHT160	15	5910.80	42.80	68.20	-25.40	V	AVERAGE	Pass	Band Edge
9	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT320	31	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT320	31	12210.00	46.30	74.00	-27.70	V	PEAK	Pass	Harmonic
11	802.11be EHT320	31	5915.88	42.90	68.20	-25.30	V	AVERAGE	Pass	Band Edge
11	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
12	802.11a	117	-	-	-	-	-	-	-	Band Edge
12	802.11a	117	13070.00	52.21	68.20	-15.99	V	AVERAGE	Pass	Harmonic
13	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	117	13070.00	40.62	68.20	-27.58	V	AVERAGE	Pass	Harmonic
14	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT40	123	13130.00	49.26	88.20	-38.94	V	PEAK	Pass	Harmonic
15	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	135	13250.00	45.67	74.00	-28.33	V	PEAK	Pass	Harmonic
16	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT160	143	13330.00	45.91	74.00	-28.09	V	PEAK	Pass	Harmonic
17	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT320	127	13170.00	45.82	88.20	-42.38	H	PEAK	Pass	Harmonic
18	802.11a	229	7243.56	43.48	68.20	-24.72	V	AVERAGE	Pass	Band Edge
18	802.11a	229	14190.00	48.29	68.20	-19.91	V	AVERAGE	Pass	Harmonic
19	802.11be EHT20	229	7243.56	43.50	68.20	-24.70	H	AVERAGE	Pass	Band Edge
19	802.11be EHT20	229	14190.00	44.92	68.20	-23.28	V	AVERAGE	Pass	Harmonic
20	802.11be EHT20	229	7244.84	43.49	68.20	-24.71	H	AVERAGE	Pass	Band Edge
20	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
21	802.11be EHT40	227	7245.00	43.55	68.20	-24.65	H	AVERAGE	Pass	Band Edge
21	802.11be EHT40	227	14170.00	45.83	88.20	-42.37	V	PEAK	Pass	Harmonic
22	802.11be EHT40	227	7243.72	43.50	68.20	-24.70	V	AVERAGE	Pass	Band Edge







22	802.11be EHT40	227	-	-	-	-	-	-	-	Harmonic
23	802.11be EHT80	215	7243.90	43.67	68.20	-24.53	V	AVERAGE	Pass	Band Edge
23	802.11be EHT80	215	14050.00	45.51	88.20	-42.69	H	PEAK	Pass	Harmonic
24	802.11be EHT80	215	7242.36	43.52	68.20	-24.68	H	AVERAGE	Pass	Band Edge
24	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
25	802.11be EHT160	207	7126.36	44.15	68.20	-24.05	H	AVERAGE	Pass	Band Edge
25	802.11be EHT160	207	13970.00	46.34	88.20	-41.86	H	PEAK	Pass	Harmonic
26	802.11be EHT160	207	7224.52	43.50	68.20	-24.70	V	AVERAGE	Pass	Band Edge
26	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
27	802.11be EHT320	191	7295.80	44.15	54.00	-9.85	V	AVERAGE	Pass	Band Edge
27	802.11be EHT320	191	13810.00	43.96	88.20	-44.24	H	PEAK	Pass	Harmonic
28	802.11be EHT320	191	7300.84	43.77	54.00	-10.23	V	AVERAGE	Pass	Band Edge
28	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
29	802.11be EHT20	1	5924.58	42.21	68.20	-25.99	V	AVERAGE	Pass	Band Edge
29	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
30	802.11be EHT20	1	5923.80	41.88	68.20	-26.32	V	AVERAGE	Pass	Band Edge
30	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
31	802.11be EHT20	229	7242.12	43.61	68.20	-24.59	V	AVERAGE	Pass	Band Edge
31	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
32	802.11be EHT20	229	7245.00	43.62	68.20	-24.58	V	AVERAGE	Pass	Band Edge
32	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
33	802.11be EHT80	7	5925.00	43.18	68.20	-25.02	V	AVERAGE	Pass	Band Edge
33	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
34	802.11be EHT80	215	7241.48	43.63	68.20	-24.57	H	AVERAGE	Pass	Band Edge
34	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
35	802.11be EHT160	15	5925.00	47.28	68.20	-20.92	H	AVERAGE	Pass	Band Edge
35	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
36	802.11be EHT160	207	7125.16	44.78	68.20	-23.42	V	AVERAGE	Pass	Band Edge
36	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
37	802.11be EHT160	15	5925.00	47.22	68.20	-20.98	H	AVERAGE	Pass	Band Edge
37	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
38	802.11be EHT160	207	7125.16	45.10	68.20	-23.10	H	AVERAGE	Pass	Band Edge
38	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
39	802.11be EHT320	31	5924.52	45.52	68.20	-22.68	V	AVERAGE	Pass	Band Edge
45	802.11be EHT80	7	5912.52	42.94	68.20	-25.26	V	AVERAGE	Pass	Band Edge
45	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT80	215	7244.78	43.56	68.20	-24.64	V	AVERAGE	Pass	Band Edge
46	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT160	15	5925.00	46.96	68.20	-21.24	H	AVERAGE	Pass	Band Edge
47	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT160	207	7130.92	44.26	68.20	-23.94	V	AVERAGE	Pass	Band Edge
48	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT160	15	5925.00	46.31	68.20	-21.89	H	AVERAGE	Pass	Band Edge
49	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT160	207	7129.48	43.96	68.20	-24.24	V	AVERAGE	Pass	Band Edge
50	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT320	31	5920.68	44.70	68.20	-23.50	V	AVERAGE	Pass	Band Edge







51	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT320	191	7292.92	43.86	54.00	-10.14	H	AVERAGE	Pass	Band Edge
52	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT320	31	5919.40	46.91	68.20	-21.29	V	AVERAGE	Pass	Band Edge
53	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT320	31	5797.48	46.63	68.20	-21.57	V	AVERAGE	Pass	Band Edge
54	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT320	191	7299.40	45.06	54.00	-8.94	H	AVERAGE	Pass	Band Edge
55	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT320	191	7264.84	45.19	54.00	-8.81	V	AVERAGE	Pass	Band Edge
56	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
57	802.11a	233	7125.00	65.51	68.20	-2.69	V	AVERAGE	Pass	Band Edge
57	802.11a	233	14230.00	45.87	88.20	-42.33	H	PEAK	Pass	Harmonic
58	802.11be EHT20	233	7125.00-	66.56-	68.20-	-1.64	V-	AVERAGE	Pass	Band Edge
58	802.11be EHT20	233	14230.00	46.39	88.20	-41.81	V	PEAK	Pass	Harmonic
59	802.11be EHT20	233	7125.00	66.15-	68.20-	-2.05	V-	AVERAGE	Pass	Band Edge
59	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT20	233	7125	51.22	68.20	-16.98	V	AVERAGE	Pass	Band Edge
60	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT20	233	7125.00	66.78-	68.20-	-1.42	V-	AVERAGE	Pass	Band Edge
61	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																																					
	Band Edge																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																					
ANT	A6+A7																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.51</td><td>51.49</td><td>88.20</td><td>-36.71</td><td>41.99</td><td>34.91</td><td>11.00</td><td>36.41</td><td>0.00</td><td>100</td><td>223 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5867.51	51.49	88.20	-36.71	41.99	34.91	11.00	36.41	0.00	100	223 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.09</td><td>-----</td><td>-----</td><td>87.10</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>223 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.09	-----	-----	87.10	35.10	11.03	36.34	0.00	100	223 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5867.51	51.49	88.20	-36.71	41.99	34.91	11.00	36.41	0.00	100	223 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	96.09	-----	-----	87.10	35.10	11.03	36.34	0.00	100	223 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>41.90</td><td>68.20</td><td>-26.30</td><td>32.14</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>100</td><td>223 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	41.90	68.20	-26.30	32.14	35.10	11.02	36.36	0.00	100	223 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.18</td><td>-----</td><td>-----</td><td>80.39</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>223 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.18	-----	-----	80.39	35.10	11.03	36.34	0.00	100	223 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5924.06	41.90	68.20	-26.30	32.14	35.10	11.02	36.36	0.00	100	223 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5955.00	90.18	-----	-----	80.39	35.10	11.03	36.34	0.00	100	223 AVERAGE																																																																																											







Mode	1																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5875.31</td><td>51.54</td><td>88.20</td><td>-36.66</td><td>41.99</td><td>34.95</td><td>11.00</td><td>36.40</td><td>0.00</td><td>100</td><td>265 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5875.31	51.54	88.20	-36.66	41.99	34.95	11.00	36.40	0.00	100	265 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.76</td><td>-----</td><td>-----</td><td>89.94</td><td>35.12</td><td>11.03</td><td>36.33</td><td>0.00</td><td>100</td><td>265 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.76	-----	-----	89.94	35.12	11.03	36.33	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5875.31	51.54	88.20	-36.66	41.99	34.95	11.00	36.40	0.00	100	265 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	99.76	-----	-----	89.94	35.12	11.03	36.33	0.00	100	265 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.26</td><td>41.95</td><td>68.20</td><td>-26.25</td><td>32.20</td><td>35.10</td><td>11.02</td><td>36.37</td><td>0.00</td><td>100</td><td>265 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.26	41.95	68.20	-26.25	32.20	35.10	11.02	36.37	0.00	100	265 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.57</td><td>-----</td><td>-----</td><td>82.75</td><td>35.12</td><td>11.03</td><td>36.33</td><td>0.00</td><td>100</td><td>265 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.57	-----	-----	82.75	35.12	11.03	36.33	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5916.26	41.95	68.20	-26.25	32.20	35.10	11.02	36.37	0.00	100	265 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	92.57	-----	-----	82.75	35.12	11.03	36.33	0.00	100	265 AVERAGE																																																																																										







Mode	1																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																								
ANT	A6+A7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>56.05</td><td>38.61</td><td>15.79</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	44.49	74.00	-29.51	56.05	38.61	15.79	65.96	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>57.26</td><td>38.61</td><td>15.79</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.70	74.00	-28.30	57.26	38.61	15.79	65.96	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	44.49	74.00	-29.51	56.05	38.61	15.79	65.96	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	45.70	74.00	-28.30	57.26	38.61	15.79	65.96	0.00	---	---	PEAK																																																																																													





		2																																																						
Mode		Band Edge																																																						
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																						
ANT		A6+A7																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.29</td><td>51.29</td><td>88.20</td><td>-36.91</td><td>41.89</td><td>34.83</td><td>10.99</td><td>36.42</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.29	51.29	88.20	-36.91	41.89	34.83	10.99	36.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5855.29	51.29	88.20	-36.91	41.89	34.83	10.99	36.42	0.00	100	226 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.78</td><td>-----</td><td>-----</td><td>82.99</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.78	-----	-----	82.99	35.10	11.03	36.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	92.78	-----	-----	82.99	35.10	11.03	36.34	0.00	100	226 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.13</td><td>41.79</td><td>68.20</td><td>-26.41</td><td>32.04</td><td>35.10</td><td>11.02</td><td>36.37</td><td>0.00</td><td>100</td><td>226 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.13	41.79	68.20	-26.41	32.04	35.10	11.02	36.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5916.13	41.79	68.20	-26.41	32.04	35.10	11.02	36.37	0.00	100	226 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.02</td><td>-----</td><td>-----</td><td>76.23</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>226 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.02	-----	-----	76.23	35.10	11.03	36.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	86.02	-----	-----	76.23	35.10	11.03	36.34	0.00	100	226 AVERAGE																																													







Mode	2																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5880.51</td><td>51.44</td><td>88.20</td><td>-36.76</td><td>41.86</td><td>34.98</td><td>11.00</td><td>36.40</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5880.51	51.44	88.20	-36.76	41.86	34.98	11.00	36.40	0.00	100	275 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.81</td><td>-----</td><td>-----</td><td>86.02</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.81	-----	-----	86.02	35.10	11.03	36.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5880.51	51.44	88.20	-36.76	41.86	34.98	11.00	36.40	0.00	100	275 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	95.81	-----	-----	86.02	35.10	11.03	36.34	0.00	100	275 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.69</td><td>41.85</td><td>68.20</td><td>-26.35</td><td>32.10</td><td>35.10</td><td>11.02</td><td>36.37</td><td>0.00</td><td>100</td><td>275 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.69	41.85	68.20	-26.35	32.10	35.10	11.02	36.37	0.00	100	275 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>88.70</td><td>-----</td><td>-----</td><td>78.91</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>275 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.70	-----	-----	78.91	35.10	11.03	36.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5917.69	41.85	68.20	-26.35	32.10	35.10	11.02	36.37	0.00	100	275 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	88.70	-----	-----	78.91	35.10	11.03	36.34	0.00	100	275 AVERAGE																																																																																										



Mode	2																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																					
ANT	A6+A7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11910.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>56.36</td><td>38.61</td><td>15.79</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	44.80	74.00	-29.20	56.36	38.61	15.79	65.96	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11910.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>57.67</td><td>38.61</td><td>15.79</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	46.11	74.00	-27.89	57.67	38.61	15.79	65.96	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11910.00	44.80	74.00	-29.20	56.36	38.61	15.79	65.96	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11910.00	46.11	74.00	-27.89	57.67	38.61	15.79	65.96	0.00	---	---	PEAK																																																																																											







Mode	3																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5835.92</td><td>51.73</td><td>88.20</td><td>-36.47</td><td>42.41</td><td>34.77</td><td>10.98</td><td>36.43</td><td>0.00</td><td>102</td><td>226</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5835.92	51.73	88.20	-36.47	42.41	34.77	10.98	36.43	0.00	102	226	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.25</td><td>-----</td><td>-----</td><td>83.46</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>102</td><td>226</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.25	-----	-----	83.46	35.10	11.03	36.34	0.00	102	226
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5835.92	51.73	88.20	-36.47	42.41	34.77	10.98	36.43	0.00	102	226	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	93.25	-----	-----	83.46	35.10	11.03	36.34	0.00	102	226	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>41.79</td><td>68.20</td><td>-26.41</td><td>32.03</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>102</td><td>226</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	41.79	68.20	-26.41	32.03	35.10	11.02	36.36	0.00	102	226	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.51</td><td>-----</td><td>-----</td><td>76.72</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>102</td><td>226</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.51	-----	-----	76.72	35.10	11.03	36.34	0.00	102	226
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.45	41.79	68.20	-26.41	32.03	35.10	11.02	36.36	0.00	102	226	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	86.51	-----	-----	76.72	35.10	11.03	36.34	0.00	102	226	AVERAGE																																																																																											







		3																																																						
Mode		Band Edge																																																						
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																						
ANT		A6+A7																																																						
Pol.		Fundamental																																																						
Peak	Vertical																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5834.10</td><td>51.11</td><td>88.20</td><td>-37.09</td><td>41.79</td><td>34.77</td><td>10.98</td><td>36.43</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5834.10	51.11	88.20	-37.09	41.79	34.77	10.98	36.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5834.10	51.11	88.20	-37.09	41.79	34.77	10.98	36.43	0.00	100	279 PEAK																																													
Avg	Vertical																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.63</td><td>41.84</td><td>68.20</td><td>-26.36</td><td>32.08</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.63	41.84	68.20	-26.36	32.08	35.10	11.02	36.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5922.63	41.84	68.20	-26.36	32.08	35.10	11.02	36.36	0.00	100	279 AVERAGE																																													
Peak	Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.46</td><td>-----</td><td>-----</td><td>85.67</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	95.46	-----	-----	85.67	35.10	11.03	36.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5955.00	95.46	-----	-----	85.67	35.10	11.03	36.34	0.00	100	279 PEAK																																													
Avg	Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>88.65</td><td>-----</td><td>-----</td><td>78.86</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	88.65	-----	-----	78.86	35.10	11.03	36.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5955.00	88.65	-----	-----	78.86	35.10	11.03	36.34	0.00	100	279 AVERAGE																																													





		4																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																	
ANT	A6+A7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.10</td><td>52.34</td><td>88.20</td><td>-35.86</td><td>42.59</td><td>35.10</td><td>11.02</td><td>36.37</td><td>0.00</td><td>127 232 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.10	52.34	88.20	-35.86	42.59	35.10	11.02	36.37	0.00	127 232 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>95.70</td><td>-----</td><td>-----</td><td>85.88</td><td>35.12</td><td>11.03</td><td>36.33</td><td>0.00</td><td>127 232 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.70	-----	-----	85.88	35.12	11.03	36.33	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5918.10	52.34	88.20	-35.86	42.59	35.10	11.02	36.37	0.00	127 232 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	95.70	-----	-----	85.88	35.12	11.03	36.33	0.00	127 232 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>43.60</td><td>68.20</td><td>-24.60</td><td>33.84</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>127 232 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	43.60	68.20	-24.60	33.84	35.10	11.02	36.36	0.00	127 232 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>86.89</td><td>-----</td><td>-----</td><td>77.04</td><td>35.14</td><td>11.04</td><td>36.33</td><td>0.00</td><td>127 232 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	86.89	-----	-----	77.04	35.14	11.04	36.33	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.96	43.60	68.20	-24.60	33.84	35.10	11.02	36.36	0.00	127 232 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	86.89	-----	-----	77.04	35.14	11.04	36.33	0.00	127 232 AVERAGE																																																																																								







Mode	4																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.30</td><td>51.97</td><td>88.20</td><td>-36.23</td><td>42.21</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.30	51.97	88.20	-36.23	42.21	35.10	11.02	36.36	0.00	100	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>96.66</td><td>-----</td><td>-----</td><td>86.79</td><td>35.15</td><td>11.04</td><td>36.32</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.66	-----	-----	86.79	35.15	11.04	36.32	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5922.30	51.97	88.20	-36.23	42.21	35.10	11.02	36.36	0.00	100	276 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	96.66	-----	-----	86.79	35.15	11.04	36.32	0.00	100	276 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>43.24</td><td>68.20</td><td>-24.96</td><td>33.48</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	43.24	68.20	-24.96	33.48	35.10	11.02	36.36	0.00	100	276 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>88.07</td><td>-----</td><td>-----</td><td>78.20</td><td>35.15</td><td>11.04</td><td>36.32</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	88.07	-----	-----	78.20	35.15	11.04	36.32	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.96	43.24	68.20	-24.96	33.48	35.10	11.02	36.36	0.00	100	276 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	88.07	-----	-----	78.20	35.15	11.04	36.32	0.00	100	276 AVERAGE																																																																																										







Mode	4																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																								
ANT	A6+A7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>56.60</td><td>38.63</td><td>15.81</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.11	74.00	-28.89	56.60	38.63	15.81	65.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>56.92</td><td>38.63</td><td>15.81</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.43	74.00	-28.57	56.92	38.63	15.81	65.93	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11930.00	45.11	74.00	-28.89	56.60	38.63	15.81	65.93	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11930.00	45.43	74.00	-28.57	56.92	38.63	15.81	65.93	0.00	---	---	PEAK																																																																																													







Mode	5																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.72</td><td>51.40</td><td>88.20</td><td>-36.80</td><td>41.70</td><td>35.07</td><td>11.01</td><td>36.38</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5894.72	51.40	88.20	-36.80	41.70	35.07	11.01	36.38	0.00	100	227	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>93.42</td><td>-----</td><td>-----</td><td>83.60</td><td>35.12</td><td>11.03</td><td>36.33</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	93.42	-----	-----	83.60	35.12	11.03	36.33	0.00	100	227
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5894.72	51.40	88.20	-36.80	41.70	35.07	11.01	36.38	0.00	100	227	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	93.42	-----	-----	83.60	35.12	11.03	36.33	0.00	100	227	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.32</td><td>41.87</td><td>68.20</td><td>-26.33</td><td>32.12</td><td>35.10</td><td>11.02</td><td>36.37</td><td>0.00</td><td>100</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.32	41.87	68.20	-26.33	32.12	35.10	11.02	36.37	0.00	100	227	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>84.15</td><td>-----</td><td>-----</td><td>74.33</td><td>35.12</td><td>11.03</td><td>36.33</td><td>0.00</td><td>100</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	84.15	-----	-----	74.33	35.12	11.03	36.33	0.00	100	227
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5914.32	41.87	68.20	-26.33	32.12	35.10	11.02	36.37	0.00	100	227	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	84.15	-----	-----	74.33	35.12	11.03	36.33	0.00	100	227	AVERAGE																																																																																											







Mode	5																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																																																																														
ANT	A6+A7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.00</td><td>51.53</td><td>88.20</td><td>-36.67</td><td>41.79</td><td>35.10</td><td>11.01</td><td>36.37</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.00	51.53	88.20	-36.67	41.79	35.10	11.01	36.37	0.00	100	275 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>94.77</td><td>-----</td><td>-----</td><td>84.98</td><td>35.10</td><td>11.03</td><td>36.34</td><td>0.00</td><td>100</td><td>275 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	94.77	-----	-----	84.98	35.10	11.03	36.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5911.00	51.53	88.20	-36.67	41.79	35.10	11.01	36.37	0.00	100	275 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	94.77	-----	-----	84.98	35.10	11.03	36.34	0.00	100	275 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.30</td><td>41.86</td><td>68.20</td><td>-26.34</td><td>32.11</td><td>35.10</td><td>11.02</td><td>36.37</td><td>0.00</td><td>100</td><td>275 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.30	41.86	68.20	-26.34	32.11	35.10	11.02	36.37	0.00	100	275 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.18</td><td>-----</td><td>-----</td><td>77.36</td><td>35.12</td><td>11.03</td><td>36.33</td><td>0.00</td><td>100</td><td>275 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.18	-----	-----	77.36	35.12	11.03	36.33	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5915.30	41.86	68.20	-26.34	32.11	35.10	11.02	36.37	0.00	100	275 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	87.18	-----	-----	77.36	35.12	11.03	36.33	0.00	100	275 AVERAGE																																																																																																				





Mode	6																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																																	
ANT	A6+A7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>84.27</td><td>-----</td><td>84.27</td><td>35.19</td><td>11.05</td><td>36.30</td><td>0.00</td><td>102</td><td>232 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	84.27	-----	84.27	35.19	11.05	36.30	0.00	102	232 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>84.27</td><td>-----</td><td>84.27</td><td>35.19</td><td>11.05</td><td>36.30</td><td>0.00</td><td>102</td><td>232 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	84.27	-----	84.27	35.19	11.05	36.30	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	84.27	-----	84.27	35.19	11.05	36.30	0.00	102	232 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	84.27	-----	84.27	35.19	11.05	36.30	0.00	102	232 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>75.65</td><td>-----</td><td>75.65</td><td>35.19</td><td>11.05</td><td>36.30</td><td>0.00</td><td>102</td><td>232 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	75.65	-----	75.65	35.19	11.05	36.30	0.00	102	232 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>75.65</td><td>-----</td><td>75.65</td><td>35.19</td><td>11.05</td><td>36.30</td><td>0.00</td><td>102</td><td>232 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	75.65	-----	75.65	35.19	11.05	36.30	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	75.65	-----	75.65	35.19	11.05	36.30	0.00	102	232 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	75.65	-----	75.65	35.19	11.05	36.30	0.00	102	232 AVERAGE																																																																																								







Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.72</td><td>51.87</td><td>88.20</td><td>-36.33</td><td>42.11</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>100</td><td>273 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	51.87	88.20	-36.33	42.11	35.10	11.02	36.36	0.00	100	273 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>94.36</td><td>-----</td><td>-----</td><td>84.40</td><td>35.21</td><td>11.05</td><td>36.30</td><td>0.00</td><td>100</td><td>273 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.36	-----	-----	84.40	35.21	11.05	36.30	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.72	51.87	88.20	-36.33	42.11	35.10	11.02	36.36	0.00	100	273 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	94.36	-----	-----	84.40	35.21	11.05	36.30	0.00	100	273 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.72</td><td>42.78</td><td>68.20</td><td>-25.42</td><td>33.02</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>100</td><td>273 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	42.78	68.20	-25.42	33.02	35.10	11.02	36.36	0.00	100	273 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>86.02</td><td>-----</td><td>-----</td><td>76.15</td><td>35.15</td><td>11.04</td><td>36.32</td><td>0.00</td><td>100</td><td>273 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.02	-----	-----	76.15	35.15	11.04	36.32	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.72	42.78	68.20	-25.42	33.02	35.10	11.02	36.36	0.00	100	273 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	86.02	-----	-----	76.15	35.15	11.04	36.32	0.00	100	273 AVERAGE																																																																																									



Mode	6																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>56.78</td><td>38.67</td><td>15.84</td><td>65.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	45.44	74.00	-28.56	56.78	38.67	15.84	65.85	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>57.49</td><td>38.67</td><td>15.84</td><td>65.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	46.15	74.00	-27.85	57.49	38.67	15.84	65.85	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11970.00	45.44	74.00	-28.56	56.78	38.67	15.84	65.85	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11970.00	46.15	74.00	-27.85	57.49	38.67	15.84	65.85	0.00	---	---	PEAK																																																																																														



Mode	7																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_RU484/65_5985MHz																																																						
ANT	A6+A7																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.04</td><td>52.19</td><td>88.20</td><td>-36.01</td><td>42.69</td><td>34.91</td><td>11.00</td><td>36.41</td><td>0.00</td><td>100 232 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5868.04	52.19	88.20	-36.01	42.69	34.91	11.00	36.41	0.00	100 232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5868.04	52.19	88.20	-36.01	42.69	34.91	11.00	36.41	0.00	100 232 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>95.10</td><td>-----</td><td>-----</td><td>85.23</td><td>35.15</td><td>11.04</td><td>36.32</td><td>0.00</td><td>100 232 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	95.10	-----	-----	85.23	35.15	11.04	36.32	0.00	100 232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5985.00	95.10	-----	-----	85.23	35.15	11.04	36.32	0.00	100 232 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.88</td><td>41.97</td><td>68.20</td><td>-26.23</td><td>32.21</td><td>35.10</td><td>11.02</td><td>36.36</td><td>0.00</td><td>100 232 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	41.97	68.20	-26.23	32.21	35.10	11.02	36.36	0.00	100 232 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5923.88	41.97	68.20	-26.23	32.21	35.10	11.02	36.36	0.00	100 232 AVERAGE																																													
A6+A7																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>86.63</td><td>-----</td><td>-----</td><td>76.76</td><td>35.15</td><td>11.04</td><td>36.32</td><td>0.00</td><td>100 232 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.63	-----	-----	76.76	35.15	11.04	36.32	0.00	100 232 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5985.00	86.63	-----	-----	76.76	35.15	11.04	36.32	0.00	100 232 AVERAGE																																													