









Mode	3																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.73</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>42.67</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>133</td><td>246 PEAK</td></tr><tr><td>2</td><td>2489.73</td><td>27.44</td><td>54.00</td><td>-26.56</td><td>17.88</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>133</td><td>246 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.73	52.23	74.00	-21.77	42.67	32.50	8.11	37.05	6.00	133	246 PEAK	2	2489.73	27.44	54.00	-26.56	17.88	32.50	8.11	37.05	6.00	133	246 Average	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.20</td><td>-----</td><td>-----</td><td>96.55</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>133</td><td>246 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.41</td><td>-----</td><td>-----</td><td>71.76</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>133</td><td>246 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.20	-----	-----	96.55	32.60	8.10	37.05	6.00	133	246 PEAK	2	2480.00	81.41	-----	-----	71.76	32.60	8.10	37.05	6.00	133	246 Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2489.73	52.23	74.00	-21.77	42.67	32.50	8.11	37.05	6.00	133	246 PEAK																																																																																																																		
2	2489.73	27.44	54.00	-26.56	17.88	32.50	8.11	37.05	6.00	133	246 Average																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	106.20	-----	-----	96.55	32.60	8.10	37.05	6.00	133	246 PEAK																																																																																																																		
2	2480.00	81.41	-----	-----	71.76	32.60	8.10	37.05	6.00	133	246 Average																																																																																																																		





Mode	3																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.78</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>43.18</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>355</td><td>290 PEAK</td></tr><tr><td>2</td><td>2483.78</td><td>28.00</td><td>54.00</td><td>-26.00</td><td>18.39</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>355</td><td>290 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.78	52.79	74.00	-21.21	43.18	32.56	8.10	37.05	6.00	355	290 PEAK	2	2483.78	28.00	54.00	-26.00	18.39	32.56	8.10	37.05	6.00	355	290 Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.91</td><td>-----</td><td>-----</td><td>95.26</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>355</td><td>290 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>80.12</td><td>-----</td><td>-----</td><td>70.47</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>355</td><td>290 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.91	-----	-----	95.26	32.60	8.10	37.05	6.00	355	290 PEAK	2	2480.00	80.12	-----	-----	70.47	32.60	8.10	37.05	6.00	355	290 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.78	52.79	74.00	-21.21	43.18	32.56	8.10	37.05	6.00	355	290 PEAK																																																																																																																		
2	2483.78	28.00	54.00	-26.00	18.39	32.56	8.10	37.05	6.00	355	290 Average																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	104.91	-----	-----	95.26	32.60	8.10	37.05	6.00	355	290 PEAK																																																																																																																		
2	2480.00	80.12	-----	-----	70.47	32.60	8.10	37.05	6.00	355	290 Average																																																																																																																		





Mode	3																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>61.26</td><td>33.92</td><td>11.59</td><td>65.42</td></tr><tr><td>2</td><td>7440.00</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>60.04</td><td>35.00</td><td>14.23</td><td>66.27</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.35	74.00	-32.65	61.26	33.92	11.59	65.42	2	7440.00	43.80	74.00	-30.20	60.04	35.00	14.23	66.27	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.43</td><td>33.92</td><td>11.59</td><td>65.42</td></tr><tr><td>2</td><td>7440.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>59.98</td><td>35.00</td><td>14.23</td><td>66.27</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.52	74.00	-32.48	61.43	33.92	11.59	65.42	2	7440.00	43.74	74.00	-30.26	59.98	35.00	14.23	66.27
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	4960.00	41.35	74.00	-32.65	61.26	33.92	11.59	65.42																																																																																														
2	7440.00	43.80	74.00	-30.20	60.04	35.00	14.23	66.27																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	4960.00	41.52	74.00	-32.48	61.43	33.92	11.59	65.42																																																																																														
2	7440.00	43.74	74.00	-30.26	59.98	35.00	14.23	66.27																																																																																														
	<table><tr><th>Remark</th></tr><tr><td>PEAK</td></tr><tr><td>PEAK</td></tr></table>						Remark	PEAK	PEAK	<table><tr><th>Remark</th></tr><tr><td>PEAK</td></tr><tr><td>PEAK</td></tr></table>						Remark	PEAK	PEAK																																																																																				
Remark																																																																																																						
PEAK																																																																																																						
PEAK																																																																																																						
Remark																																																																																																						
PEAK																																																																																																						
PEAK																																																																																																						





Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.96</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>42.12</td><td>32.14</td><td>7.94</td><td>37.00</td><td>6.00</td><td>265</td><td>28 PEAK</td></tr><tr><td>2</td><td>2373.96</td><td>26.44</td><td>54.00</td><td>-27.56</td><td>17.36</td><td>32.14</td><td>7.94</td><td>37.00</td><td>6.00</td><td>265</td><td>28 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.96	51.20	74.00	-22.80	42.12	32.14	7.94	37.00	6.00	265	28 PEAK	2	2373.96	26.44	54.00	-27.56	17.36	32.14	7.94	37.00	6.00	265	28 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2373.96	51.20	74.00	-22.80	42.12	32.14	7.94	37.00	6.00	265	28 PEAK																																																									
2	2373.96	26.44	54.00	-27.56	17.36	32.14	7.94	37.00	6.00	265	28 AVERAGE																																																									
																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.75</td><td>74.00</td><td>34.75</td><td>99.44</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>265</td><td>28 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.99</td><td>74.00</td><td>9.99</td><td>74.68</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>265</td><td>28 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	108.75	74.00	34.75	99.44	32.32	7.98	36.99	6.00	265	28 PEAK	2	2402.00	83.99	74.00	9.99	74.68	32.32	7.98	36.99	6.00	265	28 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2402.00	108.75	74.00	34.75	99.44	32.32	7.98	36.99	6.00	265	28 PEAK																																																									
2	2402.00	83.99	74.00	9.99	74.68	32.32	7.98	36.99	6.00	265	28 AVERAGE																																																									





Mode	4																																																																																																																										
	Band Edge																																																																																																																										
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																										
ANT	7																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>50.70</td><td>74.00</td><td>-23.30</td><td>41.50</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>388</td><td>338 PEAK</td></tr><tr><td>2</td><td>2388.91</td><td>25.94</td><td>54.00</td><td>-28.06</td><td>16.74</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>388</td><td>338 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.91	50.70	74.00	-23.30	41.50	32.23	7.96	36.99	6.00	388	338 PEAK	2	2388.91	25.94	54.00	-28.06	16.74	32.23	7.96	36.99	6.00	388	338 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.70</td><td>-----</td><td>99.39</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>388</td><td>338 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.94</td><td>-----</td><td>74.63</td><td>32.32</td><td>7.98</td><td>36.99</td><td>6.00</td><td>388</td><td>338 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	108.70	-----	99.39	32.32	7.98	36.99	6.00	388	338 PEAK	2	2402.00	83.94	-----	74.63	32.32	7.98	36.99	6.00	388	338 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	2388.91	50.70	74.00	-23.30	41.50	32.23	7.96	36.99	6.00	388	338 PEAK																																																																																																																
2	2388.91	25.94	54.00	-28.06	16.74	32.23	7.96	36.99	6.00	388	338 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	2402.00	108.70	-----	99.39	32.32	7.98	36.99	6.00	388	338 PEAK																																																																																																																	
2	2402.00	83.94	-----	74.63	32.32	7.98	36.99	6.00	388	338 AVERAGE																																																																																																																	




Mode	4																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																				
ANT	7																																																																																																				
Pol.	Horizontal										Vertical																																																																																										
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>60.72</td><td>33.99</td><td>11.38</td><td>65.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	40.76	74.00	-33.24	60.72	33.99	11.38	65.33	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>61.13</td><td>33.99</td><td>11.38</td><td>65.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	41.17	74.00	-32.83	61.13	33.99	11.38	65.33	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4004.00	40.76	74.00	-33.24	60.72	33.99	11.38	65.33	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4004.00	41.17	74.00	-32.83	61.13	33.99	11.38	65.33	0.00	---	PEAK																																																																																										



Mode	5																																																																																																					
	Band Edge - L																																																																																																					
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																					
ANT	7																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak Avg																																																																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2363.43</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>42.11</td><td>32.08</td><td>7.92</td><td>37.00</td></tr><tr><td>2</td><td>2363.43</td><td>26.35</td><td>54.00</td><td>-27.65</td><td>17.35</td><td>32.08</td><td>7.92</td><td>37.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2363.43	51.11	74.00	-22.89	42.11	32.08	7.92	37.00	2	2363.43	26.35	54.00	-27.65	17.35	32.08	7.92	37.00	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2441.00</td><td>109.33</td><td>-----</td><td>99.51</td><td>32.80</td><td>8.04</td><td>37.02</td><td>6.00</td></tr><tr><td>2</td><td>2441.00</td><td>84.57</td><td>-----</td><td>74.75</td><td>32.80</td><td>8.04</td><td>37.02</td><td>6.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2441.00	109.33	-----	99.51	32.80	8.04	37.02	6.00	2	2441.00	84.57	-----	74.75	32.80	8.04	37.02	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																														
1	2363.43	51.11	74.00	-22.89	42.11	32.08	7.92	37.00																																																																																														
2	2363.43	26.35	54.00	-27.65	17.35	32.08	7.92	37.00																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																														
1	2441.00	109.33	-----	99.51	32.80	8.04	37.02	6.00																																																																																														
2	2441.00	84.57	-----	74.75	32.80	8.04	37.02	6.00																																																																																														
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2363.43</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>42.11</td><td>32.08</td><td>7.92</td><td>37.00</td></tr><tr><td>2</td><td>2363.43</td><td>26.35</td><td>54.00</td><td>-27.65</td><td>17.35</td><td>32.08</td><td>7.92</td><td>37.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2363.43	51.11	74.00	-22.89	42.11	32.08	7.92	37.00	2	2363.43	26.35	54.00	-27.65	17.35	32.08	7.92	37.00	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2441.00</td><td>109.33</td><td>-----</td><td>99.51</td><td>32.80</td><td>8.04</td><td>37.02</td><td>6.00</td></tr><tr><td>2</td><td>2441.00</td><td>84.57</td><td>-----</td><td>74.75</td><td>32.80</td><td>8.04</td><td>37.02</td><td>6.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2441.00	109.33	-----	99.51	32.80	8.04	37.02	6.00	2	2441.00	84.57	-----	74.75	32.80	8.04	37.02	6.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																														
1	2363.43	51.11	74.00	-22.89	42.11	32.08	7.92	37.00																																																																																														
2	2363.43	26.35	54.00	-27.65	17.35	32.08	7.92	37.00																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																														
1	2441.00	109.33	-----	99.51	32.80	8.04	37.02	6.00																																																																																														
2	2441.00	84.57	-----	74.75	32.80	8.04	37.02	6.00																																																																																														




Mode	5																																																																			
	Band Edge - R																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal										Fundamental																																																									
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.90</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>42.24</td><td>32.48</td><td>8.11</td><td>37.05</td><td>6.00</td><td>262</td><td>11 PEAK</td></tr><tr><td>2</td><td>2491.90</td><td>27.02</td><td>54.00</td><td>-26.98</td><td>17.48</td><td>32.48</td><td>8.11</td><td>37.05</td><td>6.00</td><td>262</td><td>11 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.90	51.78	74.00	-22.22	42.24	32.48	8.11	37.05	6.00	262	11 PEAK	2	2491.90	27.02	54.00	-26.98	17.48	32.48	8.11	37.05	6.00	262	11 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2491.90	51.78	74.00	-22.22	42.24	32.48	8.11	37.05	6.00	262	11 PEAK																																																									
2	2491.90	27.02	54.00	-26.98	17.48	32.48	8.11	37.05	6.00	262	11 AVERAGE																																																									





Mode	5																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2356.28</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>42.45</td><td>32.04</td><td>7.91</td><td>37.00</td><td>6.00</td><td>339</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>2356.28</td><td>26.64</td><td>54.00</td><td>-27.36</td><td>17.69</td><td>32.04</td><td>7.91</td><td>37.00</td><td>6.00</td><td>339</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2356.28	51.40	74.00	-22.60	42.45	32.04	7.91	37.00	6.00	339	323	PEAK	2	2356.28	26.64	54.00	-27.36	17.69	32.04	7.91	37.00	6.00	339	323	AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>108.00</td><td>-----</td><td>-----</td><td>98.26</td><td>32.80</td><td>8.04</td><td>37.02</td><td>6.00</td><td>339</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>83.32</td><td>-----</td><td>-----</td><td>73.50</td><td>32.80</td><td>8.04</td><td>37.02</td><td>6.00</td><td>339</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	108.00	-----	-----	98.26	32.80	8.04	37.02	6.00	339	323	PEAK	2	2441.00	83.32	-----	-----	73.50	32.80	8.04	37.02	6.00	339	323	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2356.28	51.40	74.00	-22.60	42.45	32.04	7.91	37.00	6.00	339	323	PEAK																																																																																																																		
2	2356.28	26.64	54.00	-27.36	17.69	32.04	7.91	37.00	6.00	339	323	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2441.00	108.00	-----	-----	98.26	32.80	8.04	37.02	6.00	339	323	PEAK																																																																																																																		
2	2441.00	83.32	-----	-----	73.50	32.80	8.04	37.02	6.00	339	323	AVERAGE																																																																																																																		





Mode	5																																																																			
	Band Edge - R																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																			
ANT	7																																																																			
Pol.	Vertical										Fundamental																																																									
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.22</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>42.21</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>339</td><td>323 PEAK</td></tr><tr><td>2</td><td>2487.22</td><td>27.04</td><td>54.00</td><td>-26.96</td><td>17.45</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>339</td><td>323 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.22	51.80	74.00	-22.20	42.21	32.53	8.11	37.05	6.00	339	323 PEAK	2	2487.22	27.04	54.00	-26.96	17.45	32.53	8.11	37.05	6.00	339	323 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2487.22	51.80	74.00	-22.20	42.21	32.53	8.11	37.05	6.00	339	323 PEAK																																																									
2	2487.22	27.04	54.00	-26.96	17.45	32.53	8.11	37.05	6.00	339	323 AVERAGE																																																									



Mode	5																																																																				
	Harmonic																																																																				
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																				
ANT	7																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.82</td><td>74.00</td><td>-33.18</td><td>61.01</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>60.29</td><td>35.00</td><td>14.14</td><td>66.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.82	74.00	-33.18	61.01	33.90	11.48	65.57	0.00	---	---	PEAK	2	7323.00	44.22	74.00	-29.78	60.29	35.00	14.14	66.01	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4882.00	40.82	74.00	-33.18	61.01	33.90	11.48	65.57	0.00	---	---	PEAK																																																									
2	7323.00	44.22	74.00	-29.78	60.29	35.00	14.14	66.01	0.00	---	---	PEAK																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.86</td><td>74.00</td><td>-33.14</td><td>61.05</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>60.22</td><td>35.00</td><td>14.14</td><td>66.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.86	74.00	-33.14	61.05	33.90	11.48	65.57	0.00	---	---	PEAK	2	7323.00	44.15	74.00	-29.85	60.22	35.00	14.14	66.01	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4882.00	40.86	74.00	-33.14	61.05	33.90	11.48	65.57	0.00	---	---	PEAK																																																									
2	7323.00	44.15	74.00	-29.85	60.22	35.00	14.14	66.01	0.00	---	---	PEAK																																																									





Mode	6																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>44.89</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>122</td><td>19 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>29.74</td><td>54.00</td><td>-24.26</td><td>20.13</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>122</td><td>19 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	54.50	74.00	-19.50	44.89	32.56	8.10	37.05	6.00	122	19 PEAK	2	2483.54	29.74	54.00	-24.26	20.13	32.56	8.10	37.05	6.00	122	19 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2483.54	54.50	74.00	-19.50	44.89	32.56	8.10	37.05	6.00	122	19 PEAK																																																									
2	2483.54	29.74	54.00	-24.26	20.13	32.56	8.10	37.05	6.00	122	19 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.20</td><td>-----</td><td>-----</td><td>98.55</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>122</td><td>19 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.44</td><td>-----</td><td>-----</td><td>73.79</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>122</td><td>19 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.20	-----	-----	98.55	32.60	8.10	37.05	6.00	122	19 PEAK	2	2480.00	83.44	-----	-----	73.79	32.60	8.10	37.05	6.00	122	19 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	108.20	-----	-----	98.55	32.60	8.10	37.05	6.00	122	19 PEAK																																																									
2	2480.00	83.44	-----	-----	73.79	32.60	8.10	37.05	6.00	122	19 AVERAGE																																																									



Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.95</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>42.81</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>363</td><td>320 PEAK</td></tr><tr><td>2</td><td>2483.95</td><td>27.66</td><td>54.00</td><td>-26.34</td><td>18.05</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>363</td><td>320 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.95	52.42	74.00	-21.58	42.81	32.56	8.10	37.05	6.00	363	320 PEAK	2	2483.95	27.66	54.00	-26.34	18.05	32.56	8.10	37.05	6.00	363	320 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.69</td><td>-----</td><td>-----</td><td>97.04</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>363</td><td>320 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.93</td><td>-----</td><td>-----</td><td>72.28</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>363</td><td>320 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	106.69	-----	-----	97.04	32.60	8.10	37.05	6.00	363	320 PEAK	2	2480.00	81.93	-----	-----	72.28	32.60	8.10	37.05	6.00	363	320 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2483.95	52.42	74.00	-21.58	42.81	32.56	8.10	37.05	6.00	363	320 PEAK																																																																																																																			
2	2483.95	27.66	54.00	-26.34	18.05	32.56	8.10	37.05	6.00	363	320 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2480.00	106.69	-----	-----	97.04	32.60	8.10	37.05	6.00	363	320 PEAK																																																																																																																			
2	2480.00	81.93	-----	-----	72.28	32.60	8.10	37.05	6.00	363	320 AVERAGE																																																																																																																			





Mode	6																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>61.31</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.31</td><td>74.00</td><td>-30.69</td><td>59.55</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.40	74.00	-32.60	61.31	33.92	11.59	65.42	0.00	---	---	PEAK	2	7440.00	43.31	74.00	-30.69	59.55	35.00	14.23	66.27	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.95</td><td>74.00</td><td>-33.05</td><td>60.86</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>59.76</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.95	74.00	-33.05	60.86	33.92	11.59	65.42	0.00	---	---	PEAK	2	7440.00	43.52	74.00	-30.48	59.76	35.00	14.23	66.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.40	74.00	-32.60	61.31	33.92	11.59	65.42	0.00	---	---	PEAK																																																																																																																		
2	7440.00	43.31	74.00	-30.69	59.55	35.00	14.23	66.27	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.95	74.00	-33.05	60.86	33.92	11.59	65.42	0.00	---	---	PEAK																																																																																																																		
2	7440.00	43.52	74.00	-30.48	59.76	35.00	14.23	66.27	0.00	---	---	PEAK																																																																																																																		





Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line fluctuating around 48.8 dBuV/m, with two red horizontal lines indicating FCC PART 15C limits at 65.0 dBuV/m and 81.3 dBuV/m. The x-axis ranges from 18000 to 25000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.	Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line fluctuating around 48.8 dBuV/m, with two red horizontal lines indicating FCC PART 15C limits at 65.0 dBuV/m and 81.3 dBuV/m. The x-axis ranges from 18000 to 25000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.





Mode	6																																																																																																													
	30-1G																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal																																																																																																													
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>20.84</td><td>40.00</td><td>-19.16</td><td>28.69</td><td>24.69</td><td>0.36</td><td>32.90</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>86.99</td><td>18.33</td><td>40.00</td><td>-21.67</td><td>35.76</td><td>14.56</td><td>0.95</td><td>32.94</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>147.13</td><td>21.54</td><td>43.50</td><td>-21.96</td><td>35.55</td><td>17.49</td><td>1.32</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>186.66</td><td>20.47</td><td>43.50</td><td>-23.03</td><td>36.72</td><td>14.99</td><td>1.51</td><td>32.75</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>572.96</td><td>24.92</td><td>46.00</td><td>-21.08</td><td>29.44</td><td>26.36</td><td>2.61</td><td>33.49</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>822.25</td><td>27.26</td><td>46.00</td><td>-18.74</td><td>28.87</td><td>28.46</td><td>3.10</td><td>33.17</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	20.84	40.00	-19.16	28.69	24.69	0.36	32.90	0.00	--- Peak	2	86.99	18.33	40.00	-21.67	35.76	14.56	0.95	32.94	0.00	--- Peak	3	147.13	21.54	43.50	-21.96	35.55	17.49	1.32	32.82	0.00	--- Peak	4	186.66	20.47	43.50	-23.03	36.72	14.99	1.51	32.75	0.00	--- Peak	5	572.96	24.92	46.00	-21.08	29.44	26.36	2.61	33.49	0.00	--- Peak	6	822.25	27.26	46.00	-18.74	28.87	28.46	3.10	33.17	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
	1	30.97	20.84	40.00	-19.16	28.69	24.69	0.36	32.90	0.00	--- Peak																																																																																																			
	2	86.99	18.33	40.00	-21.67	35.76	14.56	0.95	32.94	0.00	--- Peak																																																																																																			
	3	147.13	21.54	43.50	-21.96	35.55	17.49	1.32	32.82	0.00	--- Peak																																																																																																			
	4	186.66	20.47	43.50	-23.03	36.72	14.99	1.51	32.75	0.00	--- Peak																																																																																																			
	5	572.96	24.92	46.00	-21.08	29.44	26.36	2.61	33.49	0.00	--- Peak																																																																																																			
6	822.25	27.26	46.00	-18.74	28.87	28.46	3.10	33.17	0.00	--- Peak																																																																																																				
Vertical																																																																																																														
																																																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.49</td><td>32.02</td><td>40.00</td><td>-7.98</td><td>51.34</td><td>12.95</td><td>0.60</td><td>32.87</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>89.66</td><td>24.65</td><td>43.50</td><td>-18.85</td><td>41.73</td><td>14.89</td><td>0.98</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>148.34</td><td>23.40</td><td>43.50</td><td>-20.10</td><td>37.44</td><td>17.45</td><td>1.32</td><td>32.81</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>249.95</td><td>19.84</td><td>46.00</td><td>-26.16</td><td>32.23</td><td>18.80</td><td>1.74</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>630.43</td><td>25.71</td><td>46.00</td><td>-20.29</td><td>29.60</td><td>26.90</td><td>2.73</td><td>33.52</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>876.57</td><td>28.34</td><td>46.00</td><td>-17.66</td><td>28.05</td><td>29.79</td><td>3.20</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	54.49	32.02	40.00	-7.98	51.34	12.95	0.60	32.87	0.00	--- Peak	2	89.66	24.65	43.50	-18.85	41.73	14.89	0.98	32.95	0.00	--- Peak	3	148.34	23.40	43.50	-20.10	37.44	17.45	1.32	32.81	0.00	--- Peak	4	249.95	19.84	46.00	-26.16	32.23	18.80	1.74	32.93	0.00	--- Peak	5	630.43	25.71	46.00	-20.29	29.60	26.90	2.73	33.52	0.00	--- Peak	6	876.57	28.34	46.00	-17.66	28.05	29.79	3.20	32.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	54.49	32.02	40.00	-7.98	51.34	12.95	0.60	32.87	0.00	--- Peak																																																																																																				
2	89.66	24.65	43.50	-18.85	41.73	14.89	0.98	32.95	0.00	--- Peak																																																																																																				
3	148.34	23.40	43.50	-20.10	37.44	17.45	1.32	32.81	0.00	--- Peak																																																																																																				
4	249.95	19.84	46.00	-26.16	32.23	18.80	1.74	32.93	0.00	--- Peak																																																																																																				
5	630.43	25.71	46.00	-20.29	29.60	26.90	2.73	33.52	0.00	--- Peak																																																																																																				
6	876.57	28.34	46.00	-17.66	28.05	29.79	3.20	32.70	0.00	--- Peak																																																																																																				





Mode	7																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_CH2_2404MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2332.36</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>41.28</td><td>31.79</td><td>7.87</td><td>37.01</td><td>6.00</td><td>100</td><td>256 PEAK</td></tr><tr><td>2</td><td>2332.36</td><td>3.66</td><td>74.00</td><td>-70.34</td><td>-4.99</td><td>31.79</td><td>7.87</td><td>37.01</td><td>6.00</td><td>100</td><td>256 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2332.36	49.93	74.00	-24.07	41.28	31.79	7.87	37.01	6.00	100	256 PEAK	2	2332.36	3.66	74.00	-70.34	-4.99	31.79	7.87	37.01	6.00	100	256 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2332.36	49.93	74.00	-24.07	41.28	31.79	7.87	37.01	6.00	100	256 PEAK																																																									
2	2332.36	3.66	74.00	-70.34	-4.99	31.79	7.87	37.01	6.00	100	256 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>106.50</td><td>-----</td><td>97.15</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>100</td><td>256 Peak</td></tr><tr><td>2</td><td>2404.00</td><td>60.23</td><td>-----</td><td>50.88</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>100</td><td>256 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	106.50	-----	97.15	32.35	7.99	36.99	6.00	100	256 Peak	2	2404.00	60.23	-----	50.88	32.35	7.99	36.99	6.00	100	256 Average		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2404.00	106.50	-----	97.15	32.35	7.99	36.99	6.00	100	256 Peak																																																										
2	2404.00	60.23	-----	50.88	32.35	7.99	36.99	6.00	100	256 Average																																																										



Mode	7																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH2_2404MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>41.18</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>381</td><td>296 PEAK</td></tr><tr><td>2</td><td>2388.26</td><td>4.11</td><td>54.00</td><td>-49.89</td><td>-5.09</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>381</td><td>296 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	50.38	74.00	-23.62	41.18	32.23	7.96	36.99	6.00	381	296 PEAK	2	2388.26	4.11	54.00	-49.89	-5.09	32.23	7.96	36.99	6.00	381	296 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2388.26	50.38	74.00	-23.62	41.18	32.23	7.96	36.99	6.00	381	296 PEAK																																																									
2	2388.26	4.11	54.00	-49.89	-5.09	32.23	7.96	36.99	6.00	381	296 Average																																																									
	Fundamental																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.44</td><td>74.00</td><td>29.44</td><td>94.09</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>381</td><td>296 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>47.82</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>381</td><td>296 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.44	74.00	29.44	94.09	32.35	7.99	36.99	6.00	381	296 PEAK	2	2404.00	57.17	74.00	-16.83	47.82	32.35	7.99	36.99	6.00	381	296 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2404.00	103.44	74.00	29.44	94.09	32.35	7.99	36.99	6.00	381	296 PEAK																																																									
2	2404.00	57.17	74.00	-16.83	47.82	32.35	7.99	36.99	6.00	381	296 Average																																																									




		7																																										
Mode		Harmonic																																										
		2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH2_2404MHz																																										
ANT		6																																										
Pol.		Horizontal																																										
Peak Avg																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4088.00	39.61	74.00	-34.39	59.59	33.98	11.38	65.34	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	4088.00	39.61	74.00	-34.39	59.59	33.98	11.38	65.34	0.00	---	PEAK																																	
		Vertical																																										
Peak Avg																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4088.00	40.04	74.00	-33.96	60.02	33.98	11.38	65.34	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	4088.00	40.04	74.00	-33.96	60.02	33.98	11.38	65.34	0.00	---	PEAK																																	



Mode	8																																																																			
	Band Edge - L																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH38_2440MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2360.57</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>40.90</td><td>32.06</td><td>7.91</td><td>37.00</td><td>6.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>2</td><td>2360.57</td><td>3.60</td><td>54.00</td><td>-50.40</td><td>-5.37</td><td>32.06</td><td>7.91</td><td>37.00</td><td>6.00</td><td>100</td><td>227 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.57	49.87	74.00	-24.13	40.90	32.06	7.91	37.00	6.00	100	227 PEAK	2	2360.57	3.60	54.00	-50.40	-5.37	32.06	7.91	37.00	6.00	100	227 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2360.57	49.87	74.00	-24.13	40.90	32.06	7.91	37.00	6.00	100	227 PEAK																																																									
2	2360.57	3.60	54.00	-50.40	-5.37	32.06	7.91	37.00	6.00	100	227 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>106.62</td><td>-----</td><td>96.82</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>60.35</td><td>-----</td><td>50.55</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>100</td><td>227 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	106.62	-----	96.82	32.78	8.04	37.02	6.00	100	227 PEAK	2	2440.00	60.35	-----	50.55	32.78	8.04	37.02	6.00	100	227 AVERAGE		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2440.00	106.62	-----	96.82	32.78	8.04	37.02	6.00	100	227 PEAK																																																										
2	2440.00	60.35	-----	50.55	32.78	8.04	37.02	6.00	100	227 AVERAGE																																																										




Mode	8																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK _CH38_2440MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.02</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>41.33</td><td>32.48</td><td>8.11</td><td>37.05</td><td>6.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>2</td><td>2492.02</td><td>4.60</td><td>54.00</td><td>-49.40</td><td>-4.94</td><td>32.48</td><td>8.11</td><td>37.05</td><td>6.00</td><td>100</td><td>227 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.02	50.87	74.00	-23.13	41.33	32.48	8.11	37.05	6.00	100	227 PEAK	2	2492.02	4.60	54.00	-49.40	-4.94	32.48	8.11	37.05	6.00	100	227 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2492.02	50.87	74.00	-23.13	41.33	32.48	8.11	37.05	6.00	100	227 PEAK																																																									
2	2492.02	4.60	54.00	-49.40	-4.94	32.48	8.11	37.05	6.00	100	227 AVERAGE																																																									





Mode	8																																																																																																																										
	Band Edge - L																																																																																																																										
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH38_2440MHz																																																																																																																										
ANT	6																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.84</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>40.69</td><td>32.13</td><td>7.93</td><td>37.00</td><td>6.00</td><td>379</td><td>21 PEAK</td></tr><tr><td>2</td><td>2370.84</td><td>3.48</td><td>54.00</td><td>-50.52</td><td>-5.58</td><td>32.13</td><td>7.93</td><td>37.00</td><td>6.00</td><td>379</td><td>21 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2370.84	49.75	74.00	-24.25	40.69	32.13	7.93	37.00	6.00	379	21 PEAK	2	2370.84	3.48	54.00	-50.52	-5.58	32.13	7.93	37.00	6.00	379	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>103.78</td><td>-----</td><td>93.98</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>379</td><td>21 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>57.51</td><td>-----</td><td>47.71</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>379</td><td>21 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	103.78	-----	93.98	32.78	8.04	37.02	6.00	379	21 PEAK	2	2440.00	57.51	-----	47.71	32.78	8.04	37.02	6.00	379	21 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	2370.84	49.75	74.00	-24.25	40.69	32.13	7.93	37.00	6.00	379	21 PEAK																																																																																																																
2	2370.84	3.48	54.00	-50.52	-5.58	32.13	7.93	37.00	6.00	379	21 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	2440.00	103.78	-----	93.98	32.78	8.04	37.02	6.00	379	21 PEAK																																																																																																																	
2	2440.00	57.51	-----	47.71	32.78	8.04	37.02	6.00	379	21 AVERAGE																																																																																																																	



Mode	8																																																										
	Band Edge - R																																																										
	2400-2483.5_ Bluetooth LE CS Tx _ASK _CH38 _2440MHz																																																										
ANT	6																																																										
Pol.	Vertical	Fundamental																																																									
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.38</td><td>51.01</td><td>74.00</td><td>-22.99</td><td>41.50</td><td>32.45</td><td>8.12</td><td>37.06</td><td>6.00</td><td>379</td><td>21 PEAK</td></tr><tr><td>2</td><td>2495.38</td><td>4.74</td><td>54.00</td><td>-49.26</td><td>-4.77</td><td>32.45</td><td>8.12</td><td>37.06</td><td>6.00</td><td>379</td><td>21 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.38	51.01	74.00	-22.99	41.50	32.45	8.12	37.06	6.00	379	21 PEAK	2	2495.38	4.74	54.00	-49.26	-4.77	32.45	8.12	37.06	6.00	379	21 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2495.38	51.01	74.00	-22.99	41.50	32.45	8.12	37.06	6.00	379	21 PEAK																																																
2	2495.38	4.74	54.00	-49.26	-4.77	32.45	8.12	37.06	6.00	379	21 AVERAGE																																																



Mode	8																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH38_2440MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>60.08</td><td>33.90</td><td>11.48</td><td>65.57</td></tr><tr><td>2</td><td>7320.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>59.22</td><td>35.00</td><td>14.14</td><td>66.00</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4880.00	39.89	74.00	-34.11	60.08	33.90	11.48	65.57	2	7320.00	43.16	74.00	-30.84	59.22	35.00	14.14	66.00	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>61.36</td><td>33.90</td><td>11.48</td><td>65.57</td></tr><tr><td>2</td><td>7320.00</td><td>42.82</td><td>74.00</td><td>-31.18</td><td>58.88</td><td>35.00</td><td>14.14</td><td>66.00</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4880.00	41.17	74.00	-32.83	61.36	33.90	11.48	65.57	2	7320.00	42.82	74.00	-31.18	58.88	35.00	14.14	66.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	4880.00	39.89	74.00	-34.11	60.08	33.90	11.48	65.57																																																																																																		
2	7320.00	43.16	74.00	-30.84	59.22	35.00	14.14	66.00																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	4880.00	41.17	74.00	-32.83	61.36	33.90	11.48	65.57																																																																																																		
2	7320.00	42.82	74.00	-31.18	58.88	35.00	14.14	66.00																																																																																																		
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>60.08</td><td>33.90</td><td>11.48</td><td>65.57</td></tr><tr><td>2</td><td>7320.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>59.22</td><td>35.00</td><td>14.14</td><td>66.00</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4880.00	39.89	74.00	-34.11	60.08	33.90	11.48	65.57	2	7320.00	43.16	74.00	-30.84	59.22	35.00	14.14	66.00	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>61.36</td><td>33.90</td><td>11.48</td><td>65.57</td></tr><tr><td>2</td><td>7320.00</td><td>42.82</td><td>74.00</td><td>-31.18</td><td>58.88</td><td>35.00</td><td>14.14</td><td>66.00</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4880.00	41.17	74.00	-32.83	61.36	33.90	11.48	65.57	2	7320.00	42.82	74.00	-31.18	58.88	35.00	14.14	66.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	4880.00	39.89	74.00	-34.11	60.08	33.90	11.48	65.57																																																																																																		
2	7320.00	43.16	74.00	-30.84	59.22	35.00	14.14	66.00																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	4880.00	41.17	74.00	-32.83	61.36	33.90	11.48	65.57																																																																																																		
2	7320.00	42.82	74.00	-31.18	58.88	35.00	14.14	66.00																																																																																																		





Mode	9																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH76_2478MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal																																																																			
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.92</td><td>50.54</td><td>74.00</td><td>-23.46</td><td>40.95</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>133</td><td>246 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>4.27</td><td>54.00</td><td>-49.73</td><td>-5.32</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>133</td><td>246 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.92	50.54	74.00	-23.46	40.95	32.53	8.11	37.05	6.00	133	246 PEAK	2	2478.00	4.27	54.00	-49.73	-5.32	32.53	8.11	37.05	6.00	133	246 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2486.92	50.54	74.00	-23.46	40.95	32.53	8.11	37.05	6.00	133	246 PEAK																																																									
2	2478.00	4.27	54.00	-49.73	-5.32	32.53	8.11	37.05	6.00	133	246 Average																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>106.32</td><td>-----</td><td>-----</td><td>96.65</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>133</td><td>246 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>60.05</td><td>-----</td><td>-----</td><td>50.38</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>133</td><td>246 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	106.32	-----	-----	96.65	32.62	8.09	37.04	6.00	133	246 PEAK	2	2478.00	60.05	-----	-----	50.38	32.62	8.09	37.04	6.00	133	246 Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2478.00	106.32	-----	-----	96.65	32.62	8.09	37.04	6.00	133	246 PEAK																																																									
2	2478.00	60.05	-----	-----	50.38	32.62	8.09	37.04	6.00	133	246 Average																																																									





Mode	9																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH76_2478MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.00</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>40.86</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>398</td><td>275 PEAK</td></tr><tr><td>2</td><td>2483.00</td><td>4.20</td><td>54.00</td><td>-49.80</td><td>-5.41</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>398</td><td>275 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.00	50.47	74.00	-23.53	40.86	32.56	8.10	37.05	6.00	398	275 PEAK	2	2483.00	4.20	54.00	-49.80	-5.41	32.56	8.10	37.05	6.00	398	275 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2483.00	50.47	74.00	-23.53	40.86	32.56	8.10	37.05	6.00	398	275 PEAK																																																									
2	2483.00	4.20	54.00	-49.80	-5.41	32.56	8.10	37.05	6.00	398	275 Average																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.14</td><td>-----</td><td>94.47</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>398</td><td>275 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>57.87</td><td>-----</td><td>48.20</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>398</td><td>275 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.14	-----	94.47	32.62	8.09	37.04	6.00	398	275 PEAK	2	2478.00	57.87	-----	48.20	32.62	8.09	37.04	6.00	398	275 Average		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2478.00	104.14	-----	94.47	32.62	8.09	37.04	6.00	398	275 PEAK																																																										
2	2478.00	57.87	-----	48.20	32.62	8.09	37.04	6.00	398	275 Average																																																										





Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH76_2478MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>60.48</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>58.79</td><td>35.00</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.55	74.00	-33.45	60.48	33.91	11.59	65.43	0.00	---	--- PEAK	2	7434.00	42.57	74.00	-31.43	58.79	35.00	14.23	66.25	0.00	---	--- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>60.18</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>59.48</td><td>35.00</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.25	74.00	-33.75	60.18	33.91	11.59	65.43	0.00	---	--- PEAK	2	7434.00	43.26	74.00	-30.74	59.48	35.00	14.23	66.25	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	40.55	74.00	-33.45	60.48	33.91	11.59	65.43	0.00	---	--- PEAK																																																																																																															
2	7434.00	42.57	74.00	-31.43	58.79	35.00	14.23	66.25	0.00	---	--- PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	40.25	74.00	-33.75	60.18	33.91	11.59	65.43	0.00	---	--- PEAK																																																																																																															
2	7434.00	43.26	74.00	-30.74	59.48	35.00	14.23	66.25	0.00	---	--- PEAK																																																																																																															





Mode	10																																																																																																																										
	Band Edge																																																																																																																										
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH2_2404MHz																																																																																																																										
ANT	7																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.88</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>41.03</td><td>32.21</td><td>7.95</td><td>36.99</td><td>6.00</td><td>100</td><td>25 PEAK</td></tr><tr><td>2</td><td>2384.88</td><td>3.93</td><td>54.00</td><td>-50.07</td><td>-5.24</td><td>32.21</td><td>7.95</td><td>36.99</td><td>6.00</td><td>100</td><td>25 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.88	50.20	74.00	-23.80	41.03	32.21	7.95	36.99	6.00	100	25 PEAK	2	2384.88	3.93	54.00	-50.07	-5.24	32.21	7.95	36.99	6.00	100	25 Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>108.55</td><td>-----</td><td>99.20</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>100</td><td>25 Peak</td></tr><tr><td>2</td><td>2404.00</td><td>62.28</td><td>-----</td><td>52.93</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>100</td><td>25 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	108.55	-----	99.20	32.35	7.99	36.99	6.00	100	25 Peak	2	2404.00	62.28	-----	52.93	32.35	7.99	36.99	6.00	100	25 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2384.88	50.20	74.00	-23.80	41.03	32.21	7.95	36.99	6.00	100	25 PEAK																																																																																																																
2	2384.88	3.93	54.00	-50.07	-5.24	32.21	7.95	36.99	6.00	100	25 Average																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2404.00	108.55	-----	99.20	32.35	7.99	36.99	6.00	100	25 Peak																																																																																																																	
2	2404.00	62.28	-----	52.93	32.35	7.99	36.99	6.00	100	25 Average																																																																																																																	



Mode	10																																																																																																																										
	Band Edge																																																																																																																										
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH2_2404MHz																																																																																																																										
ANT	7																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>50.10</td><td>74.00</td><td>-23.90</td><td>40.91</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>390</td><td>330 PEAK</td></tr><tr><td>2</td><td>2386.96</td><td>3.83</td><td>54.00</td><td>-50.17</td><td>-5.36</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>390</td><td>330 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	50.10	74.00	-23.90	40.91	32.22	7.96	36.99	6.00	390	330 PEAK	2	2386.96	3.83	54.00	-50.17	-5.36	32.22	7.96	36.99	6.00	390	330 Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>108.46</td><td>-----</td><td>99.11</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>390</td><td>330 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>62.19</td><td>-----</td><td>52.84</td><td>32.35</td><td>7.99</td><td>36.99</td><td>6.00</td><td>390</td><td>330 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	108.46	-----	99.11	32.35	7.99	36.99	6.00	390	330 PEAK	2	2404.00	62.19	-----	52.84	32.35	7.99	36.99	6.00	390	330 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2386.96	50.10	74.00	-23.90	40.91	32.22	7.96	36.99	6.00	390	330 PEAK																																																																																																																
2	2386.96	3.83	54.00	-50.17	-5.36	32.22	7.96	36.99	6.00	390	330 Average																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2404.00	108.46	-----	99.11	32.35	7.99	36.99	6.00	390	330 PEAK																																																																																																																	
2	2404.00	62.19	-----	52.84	32.35	7.99	36.99	6.00	390	330 Average																																																																																																																	




Mode	10																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH2_2404MHz																																																																																																					
ANT	7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). A vertical blue line marks the peak at 4008.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4008.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>60.16</td><td>33.98</td><td>11.38</td><td>65.34</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4008.00	40.18	74.00	-33.82	60.16	33.98	11.38	65.34	0.00	---	PEAK	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). A vertical blue line marks the peak at 4008.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4008.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>59.72</td><td>33.98</td><td>11.38</td><td>65.34</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4008.00	39.74	74.00	-34.26	59.72	33.98	11.38	65.34	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4008.00	40.18	74.00	-33.82	60.16	33.98	11.38	65.34	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4008.00	39.74	74.00	-34.26	59.72	33.98	11.38	65.34	0.00	---	PEAK																																																																																											



Mode	11																																																																			
	Band Edge - L																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH38_ 2440MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>40.66</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>300</td><td>15 PEAK</td></tr><tr><td>2</td><td>2389.04</td><td>3.59</td><td>54.00</td><td>-50.41</td><td>-5.61</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>300</td><td>15 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	49.86	74.00	-24.14	40.66	32.23	7.96	36.99	6.00	300	15 PEAK	2	2389.04	3.59	54.00	-50.41	-5.61	32.23	7.96	36.99	6.00	300	15 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2389.04	49.86	74.00	-24.14	40.66	32.23	7.96	36.99	6.00	300	15 PEAK																																																									
2	2389.04	3.59	54.00	-50.41	-5.61	32.23	7.96	36.99	6.00	300	15 AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>104.28</td><td>-----</td><td>94.48</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>300</td><td>15 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>58.01</td><td>-----</td><td>48.21</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>300</td><td>15 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	104.28	-----	94.48	32.78	8.04	37.02	6.00	300	15 PEAK	2	2440.00	58.01	-----	48.21	32.78	8.04	37.02	6.00	300	15 Average			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2440.00	104.28	-----	94.48	32.78	8.04	37.02	6.00	300	15 PEAK																																																										
2	2440.00	58.01	-----	48.21	32.78	8.04	37.02	6.00	300	15 Average																																																										




Mode	11																																																										
	Band Edge - R																																																										
	2400-2483.5_ Bluetooth LE CS Tx _ASK _CH38 _2440MHz																																																										
ANT	7																																																										
Pol.	Horizontal	Fundamental																																																									
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.38</td><td>50.28</td><td>74.00</td><td>-23.72</td><td>40.77</td><td>32.45</td><td>8.12</td><td>37.06</td><td>6.00</td><td>300</td><td>15 PEAK</td></tr><tr><td>2</td><td>2495.38</td><td>4.01</td><td>54.00</td><td>-49.99</td><td>-5.50</td><td>32.45</td><td>8.12</td><td>37.06</td><td>6.00</td><td>300</td><td>15 Average</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.38	50.28	74.00	-23.72	40.77	32.45	8.12	37.06	6.00	300	15 PEAK	2	2495.38	4.01	54.00	-49.99	-5.50	32.45	8.12	37.06	6.00	300	15 Average	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2495.38	50.28	74.00	-23.72	40.77	32.45	8.12	37.06	6.00	300	15 PEAK																																																
2	2495.38	4.01	54.00	-49.99	-5.50	32.45	8.12	37.06	6.00	300	15 Average																																																





Mode	11																																																																			
	Band Edge - L																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH38_2440MHz																																																																			
ANT	7																																																																			
Pol.	Vertical																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2332.10</td><td>50.26</td><td>74.00</td><td>-23.74</td><td>41.62</td><td>31.79</td><td>7.86</td><td>37.01</td><td>6.00</td><td>339</td><td>322 PEAK</td></tr><tr><td>2</td><td>2332.10</td><td>3.99</td><td>54.00</td><td>-50.01</td><td>-4.65</td><td>31.79</td><td>7.86</td><td>37.01</td><td>6.00</td><td>339</td><td>322 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2332.10	50.26	74.00	-23.74	41.62	31.79	7.86	37.01	6.00	339	322 PEAK	2	2332.10	3.99	54.00	-50.01	-4.65	31.79	7.86	37.01	6.00	339	322 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2332.10	50.26	74.00	-23.74	41.62	31.79	7.86	37.01	6.00	339	322 PEAK																																																									
2	2332.10	3.99	54.00	-50.01	-4.65	31.79	7.86	37.01	6.00	339	322 Average																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.95</td><td>-----</td><td>93.15</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>339</td><td>322 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>56.68</td><td>-----</td><td>46.88</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>339</td><td>322 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.95	-----	93.15	32.78	8.04	37.02	6.00	339	322 PEAK	2	2440.00	56.68	-----	46.88	32.78	8.04	37.02	6.00	339	322 Average		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2440.00	102.95	-----	93.15	32.78	8.04	37.02	6.00	339	322 PEAK																																																										
2	2440.00	56.68	-----	46.88	32.78	8.04	37.02	6.00	339	322 Average																																																										





Mode	11																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK _CH38 _2440MHz																																																																			
ANT	7																																																																			
Pol.	Vertical										Fundamental																																																									
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.88</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>41.35</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>339</td><td>322 PEAK</td></tr><tr><td>2</td><td>2487.88</td><td>4.66</td><td>54.00</td><td>-49.34</td><td>-4.92</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>339</td><td>322 Average</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.88	50.93	74.00	-23.07	41.35	32.52	8.11	37.05	6.00	339	322 PEAK	2	2487.88	4.66	54.00	-49.34	-4.92	32.52	8.11	37.05	6.00	339	322 Average	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2487.88	50.93	74.00	-23.07	41.35	32.52	8.11	37.05	6.00	339	322 PEAK																																																									
2	2487.88	4.66	54.00	-49.34	-4.92	32.52	8.11	37.05	6.00	339	322 Average																																																									




Mode	11																																																																					
	Harmonic																																																																					
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH38_2440MHz																																																																					
ANT	7																																																																					
Pol.	Horizontal											Vertical																																																										
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes two red limit lines: FCC PART 15C and FCC PART 15C (AVG). Two peaks are marked with blue vertical lines and labeled 1 and 2. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>60.60</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>59.60</td><td>35.00</td><td>14.14</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.41	74.00	-33.59	60.60	33.90	11.48	65.57	0.00	---	---	PEAK	2	7320.00	43.54	74.00	-30.46	59.60	35.00	14.14	66.00	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4880.00	40.41	74.00	-33.59	60.60	33.90	11.48	65.57	0.00	---	---	PEAK																																																										
2	7320.00	43.54	74.00	-30.46	59.60	35.00	14.14	66.00	0.00	---	---	PEAK																																																										
 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes two red limit lines: FCC PART 15C and FCC PART 15C (AVG). Two peaks are marked with blue vertical lines and labeled 1 and 2. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>40.19</td><td>74.00</td><td>-33.81</td><td>60.38</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>59.43</td><td>35.00</td><td>14.14</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.19	74.00	-33.81	60.38	33.90	11.48	65.57	0.00	---	---	PEAK	2	7320.00	43.37	74.00	-30.63	59.43	35.00	14.14	66.00	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4880.00	40.19	74.00	-33.81	60.38	33.90	11.48	65.57	0.00	---	---	PEAK																																																										
2	7320.00	43.37	74.00	-30.63	59.43	35.00	14.14	66.00	0.00	---	---	PEAK																																																										



Mode	12																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH76_2478MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.08</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>43.21</td><td>32.51</td><td>8.11</td><td>37.05</td><td>6.00</td><td>153</td><td>7 PEAK</td></tr><tr><td>2</td><td>2489.08</td><td>6.51</td><td>54.00</td><td>-47.49</td><td>-3.06</td><td>32.51</td><td>8.11</td><td>37.05</td><td>6.00</td><td>153</td><td>7 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.08	52.78	74.00	-21.22	43.21	32.51	8.11	37.05	6.00	153	7 PEAK	2	2489.08	6.51	54.00	-47.49	-3.06	32.51	8.11	37.05	6.00	153	7 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2489.08	52.78	74.00	-21.22	43.21	32.51	8.11	37.05	6.00	153	7 PEAK																																																									
2	2489.08	6.51	54.00	-47.49	-3.06	32.51	8.11	37.05	6.00	153	7 Average																																																									
																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.40</td><td>-----</td><td>-----</td><td>94.73</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>153</td><td>7 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>58.13</td><td>-----</td><td>-----</td><td>48.46</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>153</td><td>7 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.40	-----	-----	94.73	32.62	8.09	37.04	6.00	153	7 PEAK	2	2478.00	58.13	-----	-----	48.46	32.62	8.09	37.04	6.00	153	7 Average	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2478.00	104.40	-----	-----	94.73	32.62	8.09	37.04	6.00	153	7 PEAK																																																									
2	2478.00	58.13	-----	-----	48.46	32.62	8.09	37.04	6.00	153	7 Average																																																									



Mode	12																																																																	
	Band Edge																																																																	
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH76_2478MHz																																																																	
ANT	7																																																																	
Pol.	Vertical																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>42.98</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>295 360 PEAK</td></tr><tr><td>2</td><td>2483.86</td><td>6.32</td><td>54.00</td><td>-47.68</td><td>-3.29</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>295 360 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	52.59	74.00	-21.41	42.98	32.56	8.10	37.05	6.00	295 360 PEAK	2	2483.86	6.32	54.00	-47.68	-3.29	32.56	8.10	37.05	6.00	295 360 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2483.86	52.59	74.00	-21.41	42.98	32.56	8.10	37.05	6.00	295 360 PEAK																																																								
2	2483.86	6.32	54.00	-47.68	-3.29	32.56	8.10	37.05	6.00	295 360 Average																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>98.89</td><td>-----</td><td>-----</td><td>89.22</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>295 360 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>52.62</td><td>-----</td><td>-----</td><td>42.95</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>295 360 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	98.89	-----	-----	89.22	32.62	8.09	37.04	6.00	295 360 PEAK	2	2478.00	52.62	-----	-----	42.95	32.62	8.09	37.04	6.00	295 360 Average	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2478.00	98.89	-----	-----	89.22	32.62	8.09	37.04	6.00	295 360 PEAK																																																								
2	2478.00	52.62	-----	-----	42.95	32.62	8.09	37.04	6.00	295 360 Average																																																								





Mode	12																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH76_2478MHz																																																																																																					
ANT	7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4956.00</td><td>40.68</td><td>74.00</td><td>-33.32</td><td>60.61</td><td>33.91</td><td>11.59</td><td>65.43</td></tr><tr><td>2</td><td>7434.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>59.66</td><td>35.00</td><td>14.23</td><td>66.25</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4956.00	40.68	74.00	-33.32	60.61	33.91	11.59	65.43	2	7434.00	43.44	74.00	-30.56	59.66	35.00	14.23	66.25	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4956.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td>60.28</td><td>33.91</td><td>11.59</td><td>65.43</td></tr><tr><td>2</td><td>7434.00</td><td>43.04</td><td>74.00</td><td>-30.96</td><td>59.26</td><td>35.00</td><td>14.23</td><td>66.25</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4956.00	40.35	74.00	-33.65	60.28	33.91	11.59	65.43	2	7434.00	43.04	74.00	-30.96	59.26	35.00	14.23	66.25
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	4956.00	40.68	74.00	-33.32	60.61	33.91	11.59	65.43																																																																																														
2	7434.00	43.44	74.00	-30.56	59.66	35.00	14.23	66.25																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	4956.00	40.35	74.00	-33.65	60.28	33.91	11.59	65.43																																																																																														
2	7434.00	43.04	74.00	-30.96	59.26	35.00	14.23	66.25																																																																																														
<table><tr><th>Remark</th></tr><tr><td>PEAK</td></tr></table>						Remark	PEAK	<table><tr><th>Remark</th></tr><tr><td>PEAK</td></tr></table>						Remark	PEAK																																																																																							
Remark																																																																																																						
PEAK																																																																																																						
Remark																																																																																																						
PEAK																																																																																																						





Mode	12	
	18G-25G	
	2400-2483.5_ Bluetooth LE CS Tx _ASK _CH76 _2478MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)





Mode	12																																																																																																																																																																																																																
	30-1G																																																																																																																																																																																																																
	2400-2483.5_ Bluetooth LE CS Tx _ASK_ CH76_2478MHz																																																																																																																																																																																																																
ANT	7																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak																																																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.86</td><td>40.00</td><td>-19.14</td><td>28.25</td><td>25.17</td><td>0.35</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>90.87</td><td>17.65</td><td>43.50</td><td>-25.85</td><td>34.56</td><td>15.04</td><td>0.99</td><td>32.94</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>147.86</td><td>21.84</td><td>43.50</td><td>-21.66</td><td>35.87</td><td>17.47</td><td>1.32</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>196.36</td><td>20.23</td><td>43.50</td><td>-23.27</td><td>36.32</td><td>15.10</td><td>1.55</td><td>32.74</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>565.68</td><td>23.56</td><td>46.00</td><td>-22.44</td><td>27.94</td><td>26.52</td><td>2.59</td><td>33.49</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>734.95</td><td>26.68</td><td>46.00</td><td>-19.32</td><td>28.93</td><td>28.34</td><td>2.94</td><td>33.53</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	20.86	40.00	-19.14	28.25	25.17	0.35	32.91	0.00	--- Peak	2	90.87	17.65	43.50	-25.85	34.56	15.04	0.99	32.94	0.00	--- Peak	3	147.86	21.84	43.50	-21.66	35.87	17.47	1.32	32.82	0.00	--- Peak	4	196.36	20.23	43.50	-23.27	36.32	15.10	1.55	32.74	0.00	--- Peak	5	565.68	23.56	46.00	-22.44	27.94	26.52	2.59	33.49	0.00	--- Peak	6	734.95	26.68	46.00	-19.32	28.93	28.34	2.94	33.53	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.25</td><td>31.92</td><td>40.00</td><td>-8.08</td><td>51.17</td><td>13.01</td><td>0.60</td><td>32.86</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>89.41</td><td>24.91</td><td>43.50</td><td>-18.59</td><td>42.03</td><td>14.86</td><td>0.97</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>148.58</td><td>23.74</td><td>43.50</td><td>-19.76</td><td>37.79</td><td>17.44</td><td>1.32</td><td>32.81</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>249.95</td><td>20.23</td><td>46.00</td><td>-25.77</td><td>32.62</td><td>18.80</td><td>1.74</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>321.00</td><td>19.41</td><td>46.00</td><td>-26.59</td><td>30.86</td><td>19.74</td><td>1.97</td><td>33.16</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>777.14</td><td>27.68</td><td>46.00</td><td>-18.32</td><td>29.33</td><td>28.75</td><td>3.02</td><td>33.42</td><td>0.00</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	54.25	31.92	40.00	-8.08	51.17	13.01	0.60	32.86	0.00	--- Peak	2	89.41	24.91	43.50	-18.59	42.03	14.86	0.97	32.95	0.00	--- Peak	3	148.58	23.74	43.50	-19.76	37.79	17.44	1.32	32.81	0.00	--- Peak	4	249.95	20.23	46.00	-25.77	32.62	18.80	1.74	32.93	0.00	--- Peak	5	321.00	19.41	46.00	-26.59	30.86	19.74	1.97	33.16	0.00	--- Peak	6	777.14	27.68	46.00	-18.32	29.33	28.75	3.02	33.42	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																						
	1	30.00	20.86	40.00	-19.14	28.25	25.17	0.35	32.91	0.00	--- Peak																																																																																																																																																																																																						
	2	90.87	17.65	43.50	-25.85	34.56	15.04	0.99	32.94	0.00	--- Peak																																																																																																																																																																																																						
	3	147.86	21.84	43.50	-21.66	35.87	17.47	1.32	32.82	0.00	--- Peak																																																																																																																																																																																																						
	4	196.36	20.23	43.50	-23.27	36.32	15.10	1.55	32.74	0.00	--- Peak																																																																																																																																																																																																						
	5	565.68	23.56	46.00	-22.44	27.94	26.52	2.59	33.49	0.00	--- Peak																																																																																																																																																																																																						
6	734.95	26.68	46.00	-19.32	28.93	28.34	2.94	33.53	0.00	--- Peak																																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	54.25	31.92	40.00	-8.08	51.17	13.01	0.60	32.86	0.00	--- Peak																																																																																																																																																																																																							
2	89.41	24.91	43.50	-18.59	42.03	14.86	0.97	32.95	0.00	--- Peak																																																																																																																																																																																																							
3	148.58	23.74	43.50	-19.76	37.79	17.44	1.32	32.81	0.00	--- Peak																																																																																																																																																																																																							
4	249.95	20.23	46.00	-25.77	32.62	18.80	1.74	32.93	0.00	--- Peak																																																																																																																																																																																																							
5	321.00	19.41	46.00	-26.59	30.86	19.74	1.97	33.16	0.00	--- Peak																																																																																																																																																																																																							
6	777.14	27.68	46.00	-18.32	29.33	28.75	3.02	33.42	0.00	--- Peak																																																																																																																																																																																																							





Mode	13																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																			
ANT	6																																																																																																																			
Pol.	Horizontal										Fundamental																																																																																																									
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2487.37</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>46.55</td><td>32.53</td><td>8.11</td><td>37.05</td><td>250 PEAK</td></tr><tr><td>2</td><td>2487.37</td><td>31.35</td><td>54.00</td><td>-22.65</td><td>21.76</td><td>32.53</td><td>8.11</td><td>37.05</td><td>250 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2487.37	56.14	74.00	-17.86	46.55	32.53	8.11	37.05	250 PEAK	2	2487.37	31.35	54.00	-22.65	21.76	32.53	8.11	37.05	250 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2480.00</td><td>106.88</td><td>-----</td><td>97.23</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>250 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.09</td><td>-----</td><td>72.44</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>250 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2480.00	106.88	-----	97.23	32.60	8.10	37.05	6.00	250 PEAK	2	2480.00	82.09	-----	72.44	32.60	8.10	37.05	6.00	250 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																											
1	2487.37	56.14	74.00	-17.86	46.55	32.53	8.11	37.05	250 PEAK																																																																																																											
2	2487.37	31.35	54.00	-22.65	21.76	32.53	8.11	37.05	250 AVERAGE																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																											
1	2480.00	106.88	-----	97.23	32.60	8.10	37.05	6.00	250 PEAK																																																																																																											
2	2480.00	82.09	-----	72.44	32.60	8.10	37.05	6.00	250 AVERAGE																																																																																																											



Mode	13																																																																																																																																	
	Band Edge																																																																																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																																	
ANT	6																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.92</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>46.40</td><td>32.46</td><td>8.12</td><td>37.06</td><td>6.00</td><td>392</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>2493.92</td><td>31.13</td><td>54.00</td><td>-22.87</td><td>21.61</td><td>32.46</td><td>8.12</td><td>37.06</td><td>6.00</td><td>392</td><td>260</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2493.92	55.92	74.00	-18.08	46.40	32.46	8.12	37.06	6.00	392	260	PEAK	2	2493.92	31.13	54.00	-22.87	21.61	32.46	8.12	37.06	6.00	392	260	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.39</td><td>-----</td><td>-----</td><td>93.74</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>392</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.60</td><td>-----</td><td>-----</td><td>68.95</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>392</td><td>260</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	103.39	-----	-----	93.74	32.60	8.10	37.05	6.00	392	260	PEAK	2	2480.00	78.60	-----	-----	68.95	32.60	8.10	37.05	6.00	392	260	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	2493.92	55.92	74.00	-18.08	46.40	32.46	8.12	37.06	6.00	392	260	PEAK																																																																																																																						
2	2493.92	31.13	54.00	-22.87	21.61	32.46	8.12	37.06	6.00	392	260	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	2480.00	103.39	-----	-----	93.74	32.60	8.10	37.05	6.00	392	260	PEAK																																																																																																																						
2	2480.00	78.60	-----	-----	68.95	32.60	8.10	37.05	6.00	392	260	AVERAGE																																																																																																																						





Mode	13																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																													
ANT	6																																																																													
Pol.	Horizontal											Vertical																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes two red limit lines: FCC PART 15C and FCC PART 15C (AVG). Two peaks are marked with blue vertical lines and numbered 1 and 2.																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.72</td><td>74.00</td><td>-33.28</td><td>60.63</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>58.77</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4960.00	40.72	74.00	-33.28	60.63	33.92	11.59	65.42	0.00	---	---	PEAK	2	7440.00	42.53	74.00	-31.47	58.77	35.00	14.23	66.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4960.00	40.72	74.00	-33.28	60.63	33.92	11.59	65.42	0.00	---	---	PEAK																																																																		
2	7440.00	42.53	74.00	-31.47	58.77	35.00	14.23	66.27	0.00	---	---	PEAK																																																																		
 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes two red limit lines: FCC PART 15C and FCC PART 15C (AVG). Two peaks are marked with blue vertical lines and numbered 1 and 2.																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.16</td><td>74.00</td><td>-33.84</td><td>60.07</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>60.11</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4960.00	40.16	74.00	-33.84	60.07	33.92	11.59	65.42	0.00	---	---	PEAK	2	7440.00	43.87	74.00	-30.13	60.11	35.00	14.23	66.27	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4960.00	40.16	74.00	-33.84	60.07	33.92	11.59	65.42	0.00	---	---	PEAK																																																																		
2	7440.00	43.87	74.00	-30.13	60.11	35.00	14.23	66.27	0.00	---	---	PEAK																																																																		





Mode	14																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding _CH76_2478MHz																																																																																																																								
ANT	7																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2490.22</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>41.06</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>100</td><td>209</td><td>PEAK</td></tr><tr><td>2 2490.22</td><td>4.35</td><td>54.00</td><td>-49.65</td><td>-5.21</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>100</td><td>209</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2490.22	50.62	74.00	-23.38	41.06	32.50	8.11	37.05	6.00	100	209	PEAK	2 2490.22	4.35	54.00	-49.65	-5.21	32.50	8.11	37.05	6.00	100	209	AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>100.85</td><td>-----</td><td>-----</td><td>91.18</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>100</td><td>209</td><td>PEAK</td></tr><tr><td>2 2478.00</td><td>54.58</td><td>-----</td><td>-----</td><td>44.91</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>100</td><td>209</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2478.00	100.85	-----	-----	91.18	32.62	8.09	37.04	6.00	100	209	PEAK	2 2478.00	54.58	-----	-----	44.91	32.62	8.09	37.04	6.00	100	209	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 2490.22	50.62	74.00	-23.38	41.06	32.50	8.11	37.05	6.00	100	209	PEAK																																																																																																														
2 2490.22	4.35	54.00	-49.65	-5.21	32.50	8.11	37.05	6.00	100	209	AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 2478.00	100.85	-----	-----	91.18	32.62	8.09	37.04	6.00	100	209	PEAK																																																																																																														
2 2478.00	54.58	-----	-----	44.91	32.62	8.09	37.04	6.00	100	209	AVERAGE																																																																																																														




Mode	14																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding _CH76_2478MHz																																																																			
ANT	7																																																																			
Pol.	Vertical																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.44</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>40.56</td><td>32.51</td><td>8.11</td><td>37.05</td><td>6.00</td><td>360</td><td>134 PEAK</td></tr><tr><td>2</td><td>2489.44</td><td>3.86</td><td>54.00</td><td>-50.14</td><td>-5.71</td><td>32.51</td><td>8.11</td><td>37.05</td><td>6.00</td><td>360</td><td>134 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2489.44	50.13	74.00	-23.87	40.56	32.51	8.11	37.05	6.00	360	134 PEAK	2	2489.44	3.86	54.00	-50.14	-5.71	32.51	8.11	37.05	6.00	360	134 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2489.44	50.13	74.00	-23.87	40.56	32.51	8.11	37.05	6.00	360	134 PEAK																																																									
2	2489.44	3.86	54.00	-50.14	-5.71	32.51	8.11	37.05	6.00	360	134 AVERAGE																																																									
Pol.	Fundamental																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.74</td><td>-----</td><td>-----</td><td>92.07</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>360</td><td>134 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>55.47</td><td>-----</td><td>-----</td><td>45.00</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>360</td><td>134 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2478.00	101.74	-----	-----	92.07	32.62	8.09	37.04	6.00	360	134 PEAK	2	2478.00	55.47	-----	-----	45.00	32.62	8.09	37.04	6.00	360	134 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2478.00	101.74	-----	-----	92.07	32.62	8.09	37.04	6.00	360	134 PEAK																																																									
2	2478.00	55.47	-----	-----	45.00	32.62	8.09	37.04	6.00	360	134 AVERAGE																																																									




Mode	14																																																																									
	Harmonic																																																																									
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding _CH76_2478MHz																																																																									
ANT	7																																																																									
Pol.	Horizontal						Vertical																																																																			
Peak																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>4956.00</td><td>41.07</td><td>74.00</td><td>-32.93</td><td>61.00</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>59.56</td><td>35.00</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	4956.00	41.07	74.00	-32.93	61.00	33.91	11.59	65.43	0.00	---	---	PEAK	2	7434.00	43.34	74.00	-30.66	59.56	35.00	14.23	66.25	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																	
1	4956.00	41.07	74.00	-32.93	61.00	33.91	11.59	65.43	0.00	---	---	PEAK																																																														
2	7434.00	43.34	74.00	-30.66	59.56	35.00	14.23	66.25	0.00	---	---	PEAK																																																														
Peak																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>4956.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>60.35</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>59.22</td><td>35.00</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	4956.00	40.42	74.00	-33.58	60.35	33.91	11.59	65.43	0.00	---	---	PEAK	2	7434.00	43.00	74.00	-31.00	59.22	35.00	14.23	66.25	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																	
1	4956.00	40.42	74.00	-33.58	60.35	33.91	11.59	65.43	0.00	---	---	PEAK																																																														
2	7434.00	43.00	74.00	-31.00	59.22	35.00	14.23	66.25	0.00	---	---	PEAK																																																														

Appendix D. Duty Cycle Plots

3DH5 on time (One Pulse) Plot on Channel 00_Ant6




3DH5 on time (Count Pulses) Plot on Channel 00




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

3DH5 on time (One Pulse) Plot on Channel 00_Ant7




3DH5 on time (Count Pulses) Plot on Channel 00




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

BLE ASK on time (One Pulse) Plot on Channel 02_Ant 6




BLE ASK on time (Count Pulses) Plot on Channel 02




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 0.243 / 100 = 0.49 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -46.27 \text{ dB}$

BLE ASK on time (One Pulse) Plot on Channel 02_Ant 7



BLE ASK on time (Count Pulses) Plot on Channel 02



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 0.243 / 100 = 0.49 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -46.27 \text{ dB}$