





11BE40MIMO_Ant6_6885_242Tone_RU62




11BE40MIMO_Ant7_6885_242Tone_RU62






11BE40MIMO_Ant6_6925_242Tone_RU61




11BE40MIMO_Ant7_6925_242Tone_RU61






11BE40MIMO_Ant6_7005_242Tone_RU61




11BE40MIMO_Ant7_7005_242Tone_RU61






11BE40MIMO_Ant6_7085_242Tone_RU62




11BE40MIMO_Ant7_7085_242Tone_RU62






11BE80MIMO_Ant6_5985_484Tone_RU65




11BE80MIMO_Ant7_5985_484Tone_RU65






11BE80MIMO_Ant6_6225_484Tone_RU65




11BE80MIMO_Ant7_6225_484Tone_RU65






11BE80MIMO_Ant6_6385_484Tone_RU66




11BE80MIMO_Ant7_6385_484Tone_RU66






11BE80MIMO_Ant6_6465_484Tone_RU65




11BE80MIMO_Ant7_6465_484Tone_RU65






11BE80MIMO_Ant6_6545_484Tone_RU66




11BE80MIMO_Ant7_6545_484Tone_RU66






11BE80MIMO_Ant6_6625_484Tone_RU65




11BE80MIMO_Ant7_6625_484Tone_RU65






11BE80MIMO_Ant6_6705_484Tone_RU65




11BE80MIMO_Ant7_6705_484Tone_RU65






11BE80MIMO_Ant6_6785_484Tone_RU66




11BE80MIMO_Ant7_6785_484Tone_RU66






11BE80MIMO_Ant6_6865_484Tone_RU66




11BE80MIMO_Ant7_6865_484Tone_RU66






11BE80MIMO_Ant6_6945_484Tone_RU65




11BE80MIMO_Ant7_6945_484Tone_RU65






11BE80MIMO_Ant6_7025_484Tone_RU66




11BE80MIMO_Ant7_7025_484Tone_RU66






11BE160MIMO_Ant6_6025_996Tone_RU67




11BE160MIMO_Ant7_6025_996Tone_RU67






11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RUS67




11BE160MIMO_Ant7_6345_996Tone_RUS67






11BE160MIMO_Ant6_6505_996Tone_RU67




11BE160MIMO_Ant7_6505_996Tone_RU67






11BE160MIMO_Ant6_6665_996Tone_RUS67




11BE160MIMO_Ant7_6665_996Tone_RUS67






11BE160MIMO_Ant6_6825_996Tone_RU67




11BE160MIMO_Ant7_6825_996Tone_RU67






11BE160MIMO_Ant6_6985_996Tone_RUS67



11BE160MIMO_Ant7_6985_996Tone_RUS67





<Large RU> Maximum power spectral density Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-5.91	-0.30	-6.21	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.58	-0.30	-5.88	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.83	-0.30	-6.13	≤-1.00	PASS
	Ant7	6105	3*996Tone	RU4	-5.7	1.01	-4.69	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.59	1.01	-4.58	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.69	1.01	-4.68	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-2.79	0.40	-2.39	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.57	0.40	-2.17	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.75	0.40	-2.35	≤-1.00	PASS
	Ant6	6585	3*996Tone	RU4	-4.6	0.54	-4.06	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-4.75	0.54	-4.21	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.09	0.54	-4.55	≤-1.00	PASS
	Ant7	6585	3*996Tone	RU4	-4.85	0.23	-4.62	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-4.87	0.23	-4.64	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.36	0.23	-5.13	≤-1.00	PASS
	total	6585	3*996Tone	RU4	-1.71	0.39	-1.32	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-1.80	0.39	-1.41	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.21	0.39	-1.82	≤-1.00	PASS
	Ant6	6745	3*996Tone	RU4	-5.75	0.54	-5.21	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.48	0.54	-4.94	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.77	0.54	-5.23	≤-1.00	PASS
	Ant7	6745	3*996Tone	RU4	-5.71	0.23	-5.48	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.64	0.23	-5.41	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.8	0.23	-5.57	≤-1.00	PASS
	total	6745	3*996Tone	RU4	-2.72	0.39	-2.33	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.55	0.39	-2.16	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.77	0.39	-2.38	≤-1.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-6.40	0.54	-5.86	≤-1.00	PASS
			3*996Tone	RU1	-6.14	0.54	-5.60	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-5.48	0.54	-4.94	≤-1.00	PASS
	Ant7	6905	3*996Tone	RU1	-6.18	0.23	-5.95	≤-1.00	PASS
			3*996Tone+484Tone	RU1	-6.44	0.23	-6.21	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-5.42	0.23	-5.19	≤-1.00	PASS
	total	6905	3*996Tone	RU1	-3.15	0.39	-2.76	≤-1.00	PASS
			3*996Tone+484Tone	RU1	-3.41	0.39	-3.02	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-2.44	0.39	-2.05	≤-1.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	-4.99	-0.30	-5.29	≤-1.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-5.08	1.01	-4.07	≤-1.00	PASS
	total	5985	484Tone+242Tone	RU4	-2.02	0.40	-1.62	≤-1.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-4.23	-0.41	-4.64	≤-1.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-4.45	0.02	-4.43	≤-1.00	PASS
	total	6465	484Tone+242Tone	RU4	-1.33	-0.19	-1.52	≤-1.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-5.51	0.54	-4.97	≤-1.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-4.95	0.23	-4.72	≤-1.00	PASS
	total	6625	484Tone+242Tone	RU4	-2.21	0.39	-1.82	≤-1.00	PASS




	Ant6	7025	484Tone+242Tone	RU1	-4.72	-0.20	-4.92	≤-1.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-4.82	0.01	-4.81	≤-1.00	PASS
	total	7025	484Tone+242Tone	RU1	-1.76	-0.09	-1.85	≤-1.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-5.01	-0.30	-5.31	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.77	-0.30	-5.07	≤-1.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-5.09	1.01	-4.08	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.9	1.01	-3.89	≤-1.00	PASS
	total	6025	996Tone+484Tone	RU4	-2.04	0.40	-1.64	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-1.82	0.40	-1.42	≤-1.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-4.77	0.54	-4.23	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.5	0.54	-3.96	≤-1.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-4.97	0.23	-4.74	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.82	0.23	-4.59	≤-1.00	PASS
	total	6505	996Tone+484Tone	RU4	-1.86	0.39	-1.47	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-1.65	0.39	-1.26	≤-1.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-4.92	0.54	-4.38	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.05	0.54	-4.51	≤-1.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-4.78	0.23	-4.55	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.68	0.23	-4.45	≤-1.00	PASS
	total	6665	996Tone+484Tone	RU4	-1.84	0.39	-1.45	≤-1.00	PASS
			996Tone+484Tone242Tone	RU8	-1.85	0.39	-1.46	≤-1.00	PASS
	Ant6	6985	996Tone+484Tone242Tone	RU1	-4.89	-0.20	-5.09	≤-1.00	PASS
			996Tone+484Tone	RU1	-4.64	-0.20	-4.84	≤-1.00	PASS
	Ant7	6985	996Tone+484Tone	RU1	-4.69	0.01	-4.68	≤-1.00	PASS
			996Tone+484Tone242Tone	RU1	-4.84	0.01	-4.83	≤-1.00	PASS
	total	6985	996Tone+484Tone	RU1	-1.65	-0.09	-1.74	≤-1.00	PASS
			996Tone+484Tone242Tone	RU1	-1.85	-0.09	-1.94	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6105_3*996Tone_RU4






11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6585_3*996Tone_RU4




11BE320MIMO_Ant6_6585_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6585_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6585_3*996Tone_RU4






11BE320MIMO_Ant7_6585_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6585_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6745_3*996Tone_RU4




11BE320MIMO_Ant6_6745_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6745_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6745_3*996Tone_RU4






11BE320MIMO_Ant7_6745_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6745_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant6_6905_3*996Tone_RU1






11BE320MIMO_Ant6_6905_2*996Tone+484Tone_RU7




11BE320MIMO_Ant7_6905_3*996Tone_RU1






11BE320MIMO_Ant7_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant7_6905_2*996Tone+484Tone_RU7






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6465_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6465_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4






11BE80MIMO_Ant6_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant7_7025_484Tone+242Tone_RU1






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6985_996Tone+484Tone242Tone_RU1




11BE160MIMO_Ant6_6985_996Tone+484Tone_RU1






11BE160MIMO_Ant7_6985_996Tone+484Tone_RU1



11BE160MIMO_Ant7_6985_996Tone+484Tone242Tone_RU1





<Puncturing>
Maximum power spectral density
Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-6.68	-0.3	-6.98	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.17	-0.3	-7.47	≤-1.00	PASS
			Puncturing 40M	RU8	-6.05	-0.3	-6.35	≤-1.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-6.68	1.01	-5.67	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.32	1.01	-6.31	≤-1.00	PASS
			Puncturing 40M	RU8	-5.88	1.01	-4.87	≤-1.00	PASS
	total	6105	Puncturing 80M	RU4	-3.67	0.4	-3.27	≤-1.00	PASS
			Puncturing 80+40M	RU6	-4.23	0.4	-3.83	≤-1.00	PASS
			Puncturing 40M	RU8	-2.95	0.4	-2.55	≤-1.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-6.36	0.54	-5.82	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.7	0.54	-6.16	≤-1.00	PASS
			Puncturing 40M	RU8	-5.31	0.54	-4.77	≤-1.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-6.51	0.23	-6.28	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.85	0.23	-6.62	≤-1.00	PASS
			Puncturing 40M	RU8	-5.39	0.23	-5.16	≤-1.00	PASS
	total	6585	Puncturing 80M	RU4	-3.42	0.39	-3.03	≤-1.00	PASS
			Puncturing 80+40M	RU6	-3.76	0.39	-3.37	≤-1.00	PASS
			Puncturing 40M	RU8	-2.34	0.39	-1.95	≤-1.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-7.1	0.54	-6.56	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.44	0.54	-6.9	≤-1.00	PASS
			Puncturing 40M	RU8	-6.02	0.54	-5.48	≤-1.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-6.98	0.23	-6.75	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.52	0.23	-7.29	≤-1.00	PASS
			Puncturing 40M	RU8	-6.04	0.23	-5.81	≤-1.00	PASS
	total	6745	Puncturing 80M	RU4	-4.03	0.39	-3.64	≤-1.00	PASS
			Puncturing 80+40M	RU6	-4.47	0.39	-4.08	≤-1.00	PASS
			Puncturing 40M	RU8	-3.02	0.39	-2.63	≤-1.00	PASS
	Ant6	6905	Puncturing 40M	RU1	-5.67	0.54	-5.13	≤-1.00	PASS
			Puncturing 80M	RU1	-7.06	0.54	-6.52	≤-1.00	PASS
			Puncturing 80+40M	RU7	-7.87	0.54	-7.33	≤-1.00	PASS
	Ant7	6905	Puncturing 40M	RU1	-5.87	0.23	-5.64	≤-1.00	PASS
			Puncturing 80M	RU1	-7.07	0.23	-6.84	≤-1.00	PASS
			Puncturing 80+40M	RU7	-7.68	0.23	-7.45	≤-1.00	PASS
	total	6905	Puncturing 40M	RU1	-2.76	0.39	-2.37	≤-1.00	PASS
			Puncturing 80M	RU1	-4.05	0.39	-3.66	≤-1.00	PASS
			Puncturing 80+40M	RU7	-4.76	0.39	-4.37	≤-1.00	PASS
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU4	-5.55	-0.3	-5.85	≤-1.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-5.59	1.01	-4.58	≤-1.00	PASS
	total	5985	Puncturing 20M	RU4	-2.56	0.4	-2.16	≤-1.00	PASS
	Ant6	6465	Puncturing 20M	RU4	-4.88	-0.41	-5.29	≤-1.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-5.31	0.02	-5.29	≤-1.00	PASS
	total	6465	Puncturing 20M	RU4	-2.08	-0.19	-2.27	≤-1.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-6.11	0.54	-5.57	≤-1.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-5.73	0.23	-5.5	≤-1.00	PASS
	total	6625	Puncturing 20M	RU4	-2.91	0.39	-2.52	≤-1.00	PASS




	Ant6	7025	Puncturing 20M	RU1	-5.23	-0.2	-5.43	≤ -1.00	PASS
	Ant7	7025	Puncturing 20M	RU1	-5.26	0.01	-5.25	≤ -1.00	PASS
	total	7025	Puncturing 20M	RU1	-2.23	-0.09	-2.32	≤ -1.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU4	-4.61	-0.3	-4.91	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.74	-0.3	-5.04	≤ -1.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-4.68	1.01	-3.67	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.8	1.01	-3.79	≤ -1.00	PASS
	total	6025	Puncturing 40M	RU4	-1.63	0.4	-1.23	≤ -1.00	PASS
			Puncturing 20M	RU8	-1.76	0.4	-1.36	≤ -1.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-4.44	0.54	-3.9	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.51	0.54	-3.97	≤ -1.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-4.61	0.23	-4.38	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.8	0.23	-4.57	≤ -1.00	PASS
	total	6505	Puncturing 40M	RU4	-1.51	0.39	-1.12	≤ -1.00	PASS
			Puncturing 20M	RU8	-1.64	0.39	-1.25	≤ -1.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-4.98	0.54	-4.44	≤ -1.00	PASS
			Puncturing 20M	RU8	-5.07	0.54	-4.53	≤ -1.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-4.53	0.23	-4.3	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.89	0.23	-4.66	≤ -1.00	PASS
	total	6665	Puncturing 40M	RU4	-1.74	0.39	-1.35	≤ -1.00	PASS
			Puncturing 20M	RU8	-1.97	0.39	-1.58	≤ -1.00	PASS
	Ant6	6985	Puncturing 40M	RU1	-4.35	-0.2	-4.55	≤ -1.00	PASS
			Puncturing 20M	RU1	-4.36	-0.2	-4.56	≤ -1.00	PASS
	Ant7	6985	Puncturing 20M	RU1	-4.4	0.01	-4.39	≤ -1.00	PASS
			Puncturing 40M	RU1	-4.39	0.01	-4.38	≤ -1.00	PASS
	total	6985	Puncturing 20M	RU1	-1.37	-0.09	-1.46	≤ -1.00	PASS
			Puncturing 40M	RU1	-1.36	-0.09	-1.45	≤ -1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8




11BE320MIMO_Ant7_6105_Puncturing 80M_RU4






11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6105_Puncturing 40M_RU8






11BE320MIMO_Ant6_6585_Puncturing 80M_RU4




11BE320MIMO_Ant6_6585_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6585_Puncturing 40M_RU8




11BE320MIMO_Ant7_6585_Puncturing 80M_RU4






11BE320MIMO_Ant7_6585_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6585_Puncturing 40M_RU8






11BE320MIMO_Ant6_6745_Puncturing 80M_RU4




11BE320MIMO_Ant6_6745_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6745_Puncturing 40M_RU8




11BE320MIMO_Ant7_6745_Puncturing 80M_RU4






11BE320MIMO_Ant7_6745_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6745_Puncturing 40M_RU8






11BE320MIMO_Ant6_6905_Puncturing 40M_RU1




11BE320MIMO_Ant6_6905_Puncturing 80M_RU1






11BE320MIMO_Ant6_6905_Puncturing 80+40M_RU7




11BE320MIMO_Ant7_6905_Puncturing 40M_RU1






11BE320MIMO_Ant7_6905_Puncturing 80M_RU1




11BE320MIMO_Ant7_6905_Puncturing 80+40M_RU7






11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6465_Puncturing 20M_RU4




11BE80MIMO_Ant7_6465_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4




11BE80MIMO_Ant7_6625_Puncturing 20M_RU4






11BE80MIMO_Ant6_7025_Puncturing 20M_RU1




11BE80MIMO_Ant7_7025_Puncturing 20M_RU1






11BE160MIMO_Ant6_6025_Puncturing 40M_RU4




11BE160MIMO_Ant6_6025_Puncturing 20M_RU8






11BE160MIMO_Ant7_6025_Puncturing 40M_RU4




11BE160MIMO_Ant7_6025_Puncturing 20M_RU8






11BE160MIMO_Ant6_6505_Puncturing 40M_RU4




11BE160MIMO_Ant6_6505_Puncturing 20M_RU8






11BE160MIMO_Ant7_6505_Puncturing 40M_RU4




11BE160MIMO_Ant7_6505_Puncturing 20M_RU8






11BE160MIMO_Ant6_6665_Puncturing 40M_RU4




11BE160MIMO_Ant6_6665_Puncturing 20M_RU8






11BE160MIMO_Ant7_6665_Puncturing 40M_RU4




11BE160MIMO_Ant7_6665_Puncturing 20M_RU8






11BE160MIMO_Ant6_6985_Puncturing 40M_RU1




11BE160MIMO_Ant6_6985_Puncturing 20M_RU1






11BE160MIMO_Ant7_6985_Puncturing 20M_RU1



11BE160MIMO_Ant7_6985_Puncturing 40M_RU1






**<Small RU>
Maximum power spectral density
Test Result**

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-7.49	-0.3	-7.79	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.64	-0.3	-5.94	≤-1.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-7.18	1.01	-6.17	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.75	1.01	-4.74	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-4.32	0.40	-3.92	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.68	0.40	-2.28	≤-1.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-6.61	-0.41	-7.02	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.73	-0.41	-5.14	≤-1.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-7.19	0.02	-7.17	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.55	0.02	-5.53	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-3.88	-0.19	-4.07	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.11	-0.19	-2.3	≤-1.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-7.14	0.54	-6.6	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.32	0.54	-4.78	≤-1.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-7.31	0.23	-7.08	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.77	0.23	-5.54	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-4.21	0.39	-3.82	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.53	0.39	-2.14	≤-1.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-7.27	-0.20	-7.47	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-6.08	-0.20	-6.28	≤-1.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-8.17	0.01	-8.16	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-5.94	0.01	-5.93	≤-1.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-4.69	-0.09	-4.78	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-3.00	-0.09	-3.09	≤-1.00	PASS
	Ant6	7115	52Tone+26Tone	RU39+RU7	-17.10	-0.20	-17.30	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-15.68	-0.20	-15.88	≤-1.00	PASS
	Ant7	7115	52Tone+26Tone	RU39+RU7	-17.70	0.01	-17.69	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-16.07	0.01	-16.06	≤-1.00	PASS
	total	7115	52Tone+26Tone	RU39+RU7	-14.38	-0.09	-14.47	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-12.86	-0.09	-12.95	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7095_52Tone+26Tone_RU39+RU7



Date: 15.OCT.2025 20:35:59


11BE20MIMO_Ant7_7095_106Tone+26Tone_RU54+RU4




Date: 15.OCT.2025 20:37:04



11BE20MIMO_Ant6_7115_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7115_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7115_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant7_7115_106Tone+26Tone_RU54+RU4





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.168	47.00	-18.08	65.08	36.30	0.25	10.45	QP
2	0.168	30.80	-24.28	55.08	20.10	0.25	10.45	Average
3	0.182	41.91	-22.51	64.42	31.20	0.25	10.46	QP
4	0.182	27.31	-27.11	54.42	16.60	0.25	10.46	Average
5 *	0.229	46.03	-16.45	62.48	35.29	0.27	10.47	QP
6	0.229	29.63	-22.85	52.48	18.89	0.27	10.47	Average
7	2.133	36.36	-19.64	56.00	25.70	0.42	10.24	QP
8	2.133	27.86	-18.14	46.00	17.20	0.42	10.24	Average
9	2.422	36.95	-19.05	56.00	26.30	0.42	10.23	QP
10	2.422	28.85	-17.15	46.00	18.20	0.42	10.23	Average
11	2.750	35.84	-20.16	56.00	25.19	0.42	10.23	QP
12	2.750	28.44	-17.56	46.00	17.79	0.42	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.167	41.90	-23.22	65.12	31.20	0.25	10.45	QP
2	0.167	22.20	-32.92	55.12	11.50	0.25	10.45	Average
3	0.182	44.00	-20.37	64.37	33.29	0.25	10.46	QP
4	0.182	26.22	-28.15	54.37	15.51	0.25	10.46	Average
5	0.216	37.31	-25.65	62.96	26.60	0.25	10.46	QP
6	0.216	21.61	-31.35	52.96	10.90	0.25	10.46	Average
7	2.099	34.43	-21.57	56.00	23.80	0.39	10.24	QP
8	2.099	25.83	-20.17	46.00	15.20	0.39	10.24	Average
9	2.396	35.22	-20.78	56.00	24.60	0.39	10.23	QP
10 *	2.396	27.22	-18.78	46.00	16.60	0.39	10.23	Average
11	4.772	31.11	-24.89	56.00	20.51	0.40	10.20	QP
12	4.772	21.81	-24.19	46.00	11.21	0.40	10.20	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Lex Wu	Relative Humidity :	41 ~ 43 %
		Temperature :	20.2 ~ 21.5 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	-
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	-
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	49	6195	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	93	6415	MCS0	-	-
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	-
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	-
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	91	6405	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	-
Mode 14	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	55	6225	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	87	6385	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	-
Mode 17	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	-
Mode 18	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	47	6185	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	79	6345	MCS0	Full	-
Mode 20	U-NII-6	5.925-6.425	A6+A7	802.11a	97	6435	6Mbps	-	-
Mode 21	U-NII-6	6.425-6.525	A6+A7	802.11a	105	6475	6Mbps	-	-
Mode 22	U-NII-6	6.425-6.525	A6+A7	802.11a	113	6515	6Mbps	-	-
Mode 23	U-NII-6	5.925-6.425	A6+A7	802.11be EHT20	97	6435	MCS0	-	-
Mode 24	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	105	6475	MCS0	-	-
Mode 25	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	113	6515	MCS0	-	-
Mode 26	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	99	6445	MCS0	Full	-
Mode 27	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	107	6485	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	115	6525	MCS0	-	-
Mode 29	U-NII-6	6.425-6.525	A6+A7	802.11be EHT80	103	6465	MCS0	Full	-
Mode 30	U-NII-6	6.425-6.525	A6+A7	802.11be EHT160	111	6505	MCS0	-	-
Mode 31	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	-
Mode 32	U-NII-7	6.525-6.875	A6+A7	802.11a	149	6695	6Mbps	Full	-
Mode 33	U-NII-7	6.525-7.125	A6+A7	802.11a	185	6875	6Mbps	-	-
Mode 34	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	-
Mode 35	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	149	6695	MCS0	Full	-
Mode 36	U-NII-7	6.525-7.125	A6+A7	802.11be EHT20	185	6875	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	-



Mode 38	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	147	6685	MCS0	Full	-
Mode 39	U-NII-7	6.525-7.125	A6+A7	802.11be EHT40	187	6885	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	5.925-6.425	A6+A7	802.11be EHT80	183	6865	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	-
Mode 44	U-NII-7	6.425-6.525	A6+A7	802.11be EHT160	175	6825	MCS0	-	-
Mode 45	U-NII-8	6.875-7.125	A6+A7	802.11a	189	6895	6Mbps	Full	-
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11a	209	6995	6Mbps	Full	-
Mode 47	U-NII-8	5.925-6.425	A6+A7	802.11a	229	7095	6Mbps	-	-
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	189	6895	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	209	6995	MCS0	Full	-
Mode 50	U-NII-8	5.925-6.425	A6+A7	802.11be EHT20	229	7095	MCS0	-	-
Mode 51	U-NII-8	5.925-6.425	A6+A7	802.11be EHT20	229	7095	MCS0	RU106/54	-
Mode 52	U-NII-8	6.525-6.875	A6+A7	802.11be EHT40	195	6925	MCS0	Full	-
Mode 53	U-NII-8	6.525-6.875	A6+A7	802.11be EHT40	211	7005	MCS0	Full	-
Mode 54	U-NII-8	5.925-6.425	A6+A7	802.11be EHT40	227	7085	MCS0	-	-
Mode 55	U-NII-8	5.925-6.425	A6+A7	802.11be EHT40	227	7085	MCS0	RU242/62	-
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	199	6945	MCS0	Full	-
Mode 57	U-NII-8	5.925-6.425	A6+A7	802.11be EHT80	215	7025	MCS0	-	-
Mode 58	U-NII-8	5.925-6.425	A6+A7	802.11be EHT80	215	7025	MCS0	RU484/66	-
Mode 59	U-NII-8	5.925-6.425	A6+A7	802.11be EHT160	207	6985	MCS0	-	-
Mode 60	U-NII-8	5.925-6.425	A6+A7	802.11be EHT160	207	6985	MCS0	RU996/68	-
Mode 61	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	-
Mode 62	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/69	-
Mode 63	U-NII-5-6	5.925-6.425	A6+A7	802.11be EHT320	95	6425	MCS0	-	-
Mode 64	U-NII-7-8	6.525-6.875	A6+A7	802.11be EHT320	159	6745	MCS0	-	-
Mode 65	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	-	-
Mode 66	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	RU996*2/69	-
Mode 67	U-NII-6-7	6.425-6.525	A6+A7	802.11be EHT320	127	6585	MCS0	-	-
Mode 68	U-NII-7-8	5.925-6.425	A6+A7	802.11be EHT320	191	6905	MCS0	-	-
Mode 69	U-NII-7-8	5.925-6.425	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/70	-
Mode 70	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	-
Mode 71	U-NII-5	6.425-6.525	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	-
Mode 72	U-NII-8	6.425-6.525	A6+A7	802.11be EHT20	229	7095	MCS0	Index 39+7	-
Mode 73	U-NII-8	6.425-6.525	A6+A7	802.11be EHT20	229	7095	MCS0	Index 54+4	-
Mode 74	U-NII-5	6.425-6.525	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 75	U-NII-8	6.425-6.525	A6+A7	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 76	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 77	U-NII-8	6.425-6.525	A6+A7	802.11be	207	6985	MCS0	Puncturing 40M ①	-



				EHT160					
Mode 78	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 79	U-NII-8	6.425-6.525	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 80	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	-
Mode 81	U-NII-8	6.525-6.875	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	-
Mode 82	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 83	U-NII-8	6.525-6.875	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 84	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 85	U-NII-8	6.525-6.875	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 86	U-NII-5	6.525-6.875	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 87	U-NII-8	6.525-6.875	A6+A7	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 88	U-NII-5	6.525-6.875	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 89	U-NII-8	6.525-6.875	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 90	U-NII-5	6.525-6.875	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ⑧	-
Mode 91	U-NII-8	6.525-6.875	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 92	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 93	U-NII-8	6.525-6.875	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 94	U-NII-5	6.875-7.125	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 95	U-NII-5	6.875-7.125	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 96	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 97	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-
Mode 103	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	6Mbps	-	-
Mode 104	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	-
Mode 105	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	RU106/54	-
Mode 106	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 39+7	-
Mode 107	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 54+4	-
Mode 108	U-NII-8	6.875-7.125	A6+A7	802.11a	181	6855	6Mbps	-	-
Mode 109	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	181	6855	MCS0	-	-
Mode 110	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	179	6845	MCS0	-	-
Mode 111	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	167	6785	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5922.50	47.92	68.20	-20.28	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.68	74.00	-28.32	H	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	45.31	74.00	-28.69	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.91	88.20	-42.29	H	PEAK	Pass	Harmonic
4	802.11be EHT20	1	5922.63	46.68	68.20	-21.52	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	1	11910.00	45.77	74.00	-28.23	V	PEAK	Pass	Harmonic
5	802.11be EHT20	1	5924.97	51.70	68.20	-16.50	V	AVERAGE	Pass	Band Edge
5	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	49	12390.00	45.46	74.00	-28.54	V	PEAK	Pass	Harmonic
7	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	93	12830.00	46.01	88.20	-42.19	H	PEAK	Pass	Harmonic
8	802.11be EHT40	3	5917.40	46.98	68.20	-21.22	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	3	11930.00	45.21	74.00	-28.79	H	PEAK	Pass	Harmonic
9	802.11be EHT40	3	5924.40	55.97	68.20	-12.23	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT40	51	12410.00	45.06	74.00	-28.94	H	PEAK	Pass	Harmonic
11	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT40	91	12810.00	44.91	88.20	-43.29	H	PEAK	Pass	Harmonic
12	802.11be EHT80	7	5912.52	47.54	68.20	-20.66	V	AVERAGE	Pass	Band Edge
12	802.11be EHT80	7	11970.00	44.92	74.00	-29.08	H	PEAK	Pass	Harmonic
13	802.11be EHT80	7	5923.56	53.81	68.20	-14.39	H	AVERAGE	Pass	Band Edge
13	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT80	55	12450.00	44.55	74.00	-29.45	H	PEAK	Pass	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	87	12770.00	44.70	88.20	-43.50	H	PEAK	Pass	Harmonic
16	802.11be EHT160	15	5876.40	50.97	68.20	-17.23	H	AVERAGE	Pass	Band Edge
16	802.11be EHT160	15	12050.00	35.85	54.00	-18.15	V	AVERAGE	Pass	Harmonic
17	802.11be EHT160	15	5920.20	52.61	68.20	-15.59	H	AVERAGE	Pass	Band Edge
17	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
18	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT160	47	12370.00	44.86	74.00	-29.14	H	PEAK	Pass	Harmonic
19	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT160	79	12690.00	45.47	74.00	-28.53	V	PEAK	Pass	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Band Edge
20	802.11a	97	12870.00	46.47	88.20	-41.73	H	PEAK	Pass	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Band Edge
21	802.11a	105	12950.00	45.93	88.20	-42.27	H	PEAK	Pass	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Band Edge
22	802.11a	113	13030.00	45.43	88.20	-42.77	H	PEAK	Pass	Harmonic



23	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	97	12870.00	46.20	88.20	-42.00	V	PEAK	Pass	Harmonic
24	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT20	105	12950.00	45.16	88.20	-43.04	V	PEAK	Pass	Harmonic
25	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT20	113	13030.00	45.38	88.20	-42.82	H	PEAK	Pass	Harmonic
26	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	99	12890.00	45.67	88.20	-42.53	V	PEAK	Pass	Harmonic
27	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	107	12970.00	45.20	88.20	-43.00	V	PEAK	Pass	Harmonic
28	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	115	13050.00	44.62	88.20	-43.58	V	PEAK	Pass	Harmonic
29	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	103	12930.00	45.65	88.20	-42.55	V	PEAK	Pass	Harmonic
30	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT160	111	13010.00	45.59	88.20	-42.61	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	44.38	88.20	-43.82	H	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	45.33	54.00	-8.67	H	AVERAGE	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	44.55	88.20	-43.65	H	PEAK	Pass	Harmonic
34	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT20	117	13070.00	46.20	88.20	-42.00	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	13390.00	44.27	74.00	-29.73	V	PEAK	Pass	Harmonic
36	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	185	13750.00	44.31	88.20	-43.89	H	PEAK	Pass	Harmonic
37	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT40	123	13130.00	45.62	88.20	-42.58	H	PEAK	Pass	Harmonic
38	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT40	147	13370.00	44.35	74.00	-29.65	V	PEAK	Pass	Harmonic
39	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT40	187	13770.00	44.37	88.20	-43.83	H	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	44.87	74.00	-29.13	V	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	44.93	88.20	-43.27	V	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	43.80	88.20	-44.40	V	PEAK	Pass	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	143	13330.00	44.67	74.00	-29.33	V	PEAK	Pass	Harmonic
44	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT160	175	13650.00	44.54	88.20	-43.66	H	PEAK	Pass	Harmonic
45	802.11a	189	-	-	-	-	-	-	-	Band Edge
45	802.11a	189	13790.00	44.58	88.20	-43.62	H	PEAK	Pass	Harmonic
46	802.11a	209	-	-	-	-	-	-	-	Band Edge



46	802.11a	209	13990.00	44.76	88.20	-43.44	V	PEAK	Pass	Harmonic
47	802.11a	229	7125.00	48.31	68.20	-19.89	H	AVERAGE	Pass	Band Edge
47	802.11a	229	14190.00	44.95	88.20	-43.25	H	PEAK	Pass	Harmonic
48	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	189	13790.00	44.98	88.20	-43.22	H	PEAK	Pass	Harmonic
49	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT20	209	13990.00	45.73	88.20	-42.47	V	PEAK	Pass	Harmonic
50	802.11be EHT20	229	7126.44	48.37	68.20	-19.83	H	AVERAGE	Pass	Band Edge
50	802.11be EHT20	229	14190.00	48.44	88.20	-39.76	H	PEAK	Pass	Harmonic
51	802.11be EHT20	229	7130.12	63.80	68.20	-4.40	V	AVERAGE	Pass	Band Edge
51	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
52	802.11be EHT40	195	13850.00	44.76	88.20	-43.44	V	PEAK	Pass	Harmonic
53	802.11be EHT40	211	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT40	211	14010.00	44.77	88.20	-43.43	V	PEAK	Pass	Harmonic
54	802.11be EHT40	227	7125.00	48.95	68.20	-19.25	H	AVERAGE	Pass	Band Edge
54	802.11be EHT40	227	14170.00	45.40	88.20	-42.80	H	PEAK	Pass	Harmonic
55	802.11be EHT40	227	7125.00	66.80	68.20	-1.40	H	AVERAGE	Pass	Band Edge
55	802.11be EHT40	227	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT80	199	13890.00	44.55	88.20	-43.65	H	PEAK	Pass	Harmonic
57	802.11be EHT80	215	7137.20	47.89	68.20	-20.31	V	AVERAGE	Pass	Band Edge
57	802.11be EHT80	215	14050.00	44.54	88.20	-43.66	H	PEAK	Pass	Harmonic
58	802.11be EHT80	215	7127.30	52.45	68.20	-15.75	V	AVERAGE	Pass	Band Edge
58	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	207	7125.16	48.57	68.20	-19.63	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	207	13970.00	45.15	88.20	-43.05	V	PEAK	Pass	Harmonic
60	802.11be EHT160	207	7125.18	59.06	68.20	-9.14	V	AVERAGE	Pass	Band Edge
60	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5838.44	62.85	68.20	-5.35	V	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	12210.00	45.88	74.00	-28.12	V	PEAK	Pass	Harmonic
62	802.11be EHT320	31	5887.40	49.13	68.20	-19.07	V	AVERAGE	Pass	Band Edge
62	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	95	12850.00	45.50	88.20	-42.70	V	PEAK	Pass	Harmonic
64	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT320	159	13490.00	45.37	88.20	-42.83	V	PEAK	Pass	Harmonic
65	802.11be EHT320	63	5920.68	62.66	68.20	-5.54	V	AVERAGE	Pass	Band Edge
65	802.11be EHT320	63	12530.00	45.83	74.00	-28.17	V	PEAK	Pass	Harmonic
66	802.11be EHT320	63	5919.40	45.91	68.20	-22.29	V	AVERAGE	Pass	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT320	127	13170.00	45.34	88.20	-42.86	V	PEAK	Pass	Harmonic
68	802.11be EHT320	191	7296.52	52.19	54.00	-1.81	V	AVERAGE	Pass	Band Edge
68	802.11be EHT320	191	13810.00	45.20	88.20	-43.00	H	PEAK	Pass	Harmonic
69	802.11be EHT320	191	7254.76	47.31	54.00	-6.69	V	AVERAGE	Pass	Band Edge
69	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic