





11BE160MIMO_Ant6_6025_996Tone_RU67




11BE160MIMO_Ant7_6025_996Tone_RU67






11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RUS67




11BE160MIMO_Ant7_6345_996Tone_RUS67






11BE160MIMO_Ant6_6665_996Tone_RUS67



11BE160MIMO_Ant7_6665_996Tone_RUS67





In-Band Emissions Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE320 MIMO	Ant6	6105	2*996Tone	RU69	See test graph	See test graph	PASS
	Ant7	6105	2*996Tone	RU69	See test graph	See test graph	PASS
	Ant6	6265	2*996Tone	RU69	See test graph	See test graph	PASS
	Ant7	6265	2*996Tone	RU69	See test graph	See test graph	PASS
11BE20 MIMO	Ant6	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant7	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant6	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant7	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
11BE40 MIMO	Ant6	5965	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	5965	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6205	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	6205	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6405	242Tone	RU62	See test graph	See test graph	PASS



	Ant7	6405	242Tone	RU62	See test graph	See test graph	PASS
	Ant6	6565	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	6565	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6685	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	6685	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6845	242Tone	RU62	See test graph	See test graph	PASS
	Ant7	6845	242Tone	RU62	See test graph	See test graph	PASS
11BE80 MIMO	Ant6	5985	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	5985	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6225	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	6225	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6385	484Tone	RU66	See test graph	See test graph	PASS
	Ant7	6385	484Tone	RU66	See test graph	See test graph	PASS
	Ant6	6625	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	6625	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6705	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	6705	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6785	484Tone	RU66	See test graph	See test graph	PASS
	Ant7	6785	484Tone	RU66	See test graph	See test graph	PASS
11BE160 MIMO	Ant6	6025	996Tone	RU67	See test graph	See test graph	PASS
	Ant7	6025	996Tone	RU67	See test graph	See test graph	PASS
	Ant6	6185	996Tone	RU67	See test graph	See test graph	PASS
	Ant7	6185	996Tone	RU67	See test graph	See test graph	PASS
	Ant6	6345	996Tone	RUS67	See test graph	See test graph	PASS
	Ant7	6345	996Tone	RUS67	See test graph	See test graph	PASS
	Ant6	6665	996Tone	RUS67	See test graph	See test graph	PASS
	Ant7	6665	996Tone	RUS67	See test graph	See test graph	PASS




Test Graphs






11BE320MIMO_Ant6_6265_2*996Tone_RU69




11BE320MIMO_Ant7_6265_2*996Tone_RU69






11BE20MIMO_Ant6_5955_26Tone_RU0




11BE20MIMO_Ant6_5955_52Tone_RU37






11BE20MIMO_Ant6_5955_106Tone_RU53




11BE20MIMO_Ant7_5955_26Tone_RU0






11BE20MIMO_Ant7_5955_52Tone_RU37




11BE20MIMO_Ant7_5955_106Tone_RU53






11BE20MIMO_Ant6_6195_26Tone_RU0




11BE20MIMO_Ant6_6195_52Tone_RU37






11BE20MIMO_Ant6_6195_106Tone_RU53




11BE20MIMO_Ant7_6195_26Tone_RU0






11BE20MIMO_Ant7_6195_52Tone_RU37




11BE20MIMO_Ant7_6195_106Tone_RU53






11BE20MIMO_Ant6_6415_26Tone_RU8




11BE20MIMO_Ant6_6415_52Tone_RU40






11BE20MIMO_Ant6_6415_106Tone_RU54




11BE20MIMO_Ant7_6415_26Tone_RU8






11BE20MIMO_Ant7_6415_52Tone_RU40




11BE20MIMO_Ant7_6415_106Tone_RU54






11BE20MIMO_Ant6_6535_26Tone_RU0




11BE20MIMO_Ant6_6535_52Tone_RU37






11BE20MIMO_Ant6_6535_106Tone_RU53




11BE20MIMO_Ant7_6535_26Tone_RU0






11BE20MIMO_Ant7_6535_52Tone_RU37




11BE20MIMO_Ant7_6535_106Tone_RU53






11BE20MIMO_Ant6_6695_26Tone_RU0




11BE20MIMO_Ant6_6695_52Tone_RU37






11BE20MIMO_Ant6_6695_106Tone_RU53




11BE20MIMO_Ant7_6695_26Tone_RU0






11BE20MIMO_Ant7_6695_52Tone_RU37




11BE20MIMO_Ant7_6695_106Tone_RU53






11BE20MIMO_Ant6_6855_26Tone_RU8




11BE20MIMO_Ant6_6855_52Tone_RU40






11BE20MIMO_Ant6_6855_106Tone_RU54




11BE20MIMO_Ant7_6855_26Tone_RU8






11BE20MIMO_Ant7_6855_52Tone_RU40




11BE20MIMO_Ant7_6855_106Tone_RU54






11BE40MIMO_Ant6_5965_242Tone_RU61




11BE40MIMO_Ant7_5965_242Tone_RU61






11BE40MIMO_Ant6_6205_242Tone_RU61




11BE40MIMO_Ant7_6205_242Tone_RU61






11BE40MIMO_Ant6_6405_242Tone_RU62




11BE40MIMO_Ant7_6405_242Tone_RU62






11BE40MIMO_Ant6_6565_242Tone_RU61




11BE40MIMO_Ant7_6565_242Tone_RU61






11BE40MIMO_Ant6_6685_242Tone_RU61




11BE40MIMO_Ant7_6685_242Tone_RU61






11BE40MIMO_Ant6_6845_242Tone_RU62




11BE40MIMO_Ant7_6845_242Tone_RU62






11BE80MIMO_Ant6_5985_484Tone_RU65




11BE80MIMO_Ant7_5985_484Tone_RU65






11BE80MIMO_Ant6_6225_484Tone_RU65




11BE80MIMO_Ant7_6225_484Tone_RU65






11BE80MIMO_Ant6_6385_484Tone_RU66




11BE80MIMO_Ant7_6385_484Tone_RU66






11BE80MIMO_Ant6_6625_484Tone_RU65




11BE80MIMO_Ant7_6625_484Tone_RU65






11BE80MIMO_Ant6_6705_484Tone_RU65




11BE80MIMO_Ant7_6705_484Tone_RU65






11BE80MIMO_Ant6_6785_484Tone_RU66




11BE80MIMO_Ant7_6785_484Tone_RU66






11BE160MIMO_Ant6_6025_996Tone_RU67




11BE160MIMO_Ant7_6025_996Tone_RU67






11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RUS67




11BE160MIMO_Ant7_6345_996Tone_RUS67






11BE160MIMO_Ant6_6665_996Tone_RUS67



11BE160MIMO_Ant7_6665_996Tone_RUS67






<Large RU>
Maximum power spectral density
Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-5.12	-0.30	-5.42	≤17.00	PASS
			2*996Tone+484Tone	RU6	-4.71	-0.30	-5.01	≤17.00	PASS
			3*996Tone+484Tone	RU8	-5.06	-0.30	-5.36	≤17.00	PASS
	Ant7	6105	3*996Tone	RU4	-4.95	1.01	-3.94	≤17.00	PASS
			2*996Tone+484Tone	RU6	-4.45	1.01	-3.44	≤17.00	PASS
			3*996Tone+484Tone	RU8	-4.85	1.01	-3.84	≤17.00	PASS
	total	6105	3*996Tone	RU4	-2.02	3.39	1.37	≤17.00	PASS
			2*996Tone+484Tone	RU6	-1.57	3.39	1.82	≤17.00	PASS
			3*996Tone+484Tone	RU8	-1.94	3.39	1.45	≤17.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	0.52	-0.30	0.22	≤17.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	0.84	1.01	1.85	≤17.00	PASS
	total	5985	484Tone+242Tone	RU4	3.69	3.39	7.08	≤17.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-0.14	0.54	0.40	≤17.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	0.71	0.23	0.94	≤17.00	PASS
	total	6625	484Tone+242Tone	RU4	3.32	3.40	6.72	≤17.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-3.06	-0.30	-3.36	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-2.79	-0.30	-3.09	≤17.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-3.15	1.01	-2.14	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-2.82	1.01	-1.81	≤17.00	PASS
	total	6025	996Tone+484Tone	RU4	-0.09	3.39	3.30	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	0.21	3.39	3.60	≤17.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-3.73	0.54	-3.19	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-3.18	0.54	-2.64	≤17.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-3.66	0.23	-3.43	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-3.36	0.23	-3.13	≤17.00	PASS
	total	6665	996Tone+484Tone	RU4	-0.68	3.40	2.72	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-0.26	3.40	3.14	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6105_3*996Tone_RU4






11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4



11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8






<Puncturing>
Maximum power spectral density
Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-5.25	-0.30	-5.55	≤17.00	PASS
			Puncturing 80+40M	RU6	-4.84	-0.30	-5.14	≤17.00	PASS
			Puncturing 40M	RU8	-5.25	-0.30	-5.55	≤17.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-5.08	1.01	-4.07	≤17.00	PASS
			Puncturing 80+40M	RU6	-4.54	1.01	-3.53	≤17.00	PASS
			Puncturing 40M	RU8	-5.05	1.01	-4.04	≤17.00	PASS
	total	6105	Puncturing 80M	RU4	-2.15	3.39	1.24	≤17.00	PASS
			Puncturing 80+40M	RU6	-1.68	3.39	1.71	≤17.00	PASS
			Puncturing 40M	RU8	-2.14	3.39	1.25	≤17.00	PASS
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU4	0.61	-0.30	0.31	≤17.00	PASS
	Ant7	5985	Puncturing 20M	RU4	1.02	1.01	2.03	≤17.00	PASS
	total	5985	Puncturing 20M	RU4	3.83	3.39	7.22	≤17.00	PASS
	Ant6	6625	Puncturing 20M	RU4	0.26	0.54	0.80	≤17.00	PASS
	Ant7	6625	Puncturing 20M	RU4	1.13	0.23	1.36	≤17.00	PASS
	total	6625	Puncturing 20M	RU4	3.73	3.40	7.13	≤17.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU4	-3.20	-0.30	-3.50	≤17.00	PASS
			Puncturing 20M	RU8	-2.96	-0.30	-3.26	≤17.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-3.28	1.01	-2.27	≤17.00	PASS
			Puncturing 20M	RU8	-2.83	1.01	-1.82	≤17.00	PASS
	total	6025	Puncturing 40M	RU4	-0.23	3.39	3.16	≤17.00	PASS
			Puncturing 20M	RU8	0.12	3.39	3.51	≤17.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-3.75	0.54	-3.21	≤17.00	PASS
			Puncturing 20M	RU8	-3.68	0.54	-3.14	≤17.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-3.65	0.23	-3.42	≤17.00	PASS
			Puncturing 20M	RU8	-3.73	0.23	-3.50	≤17.00	PASS
	total	6665	Puncturing 40M	RU4	-0.69	3.40	2.71	≤17.00	PASS
			Puncturing 20M	RU8	-0.69	3.40	2.71	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8




11BE320MIMO_Ant7_6105_Puncturing 80M_RU4






11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6105_Puncturing 40M_RU8






11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4




11BE80MIMO_Ant7_6625_Puncturing 20M_RU4






11BE160MIMO_Ant6_6025_Puncturing 40M_RU4




11BE160MIMO_Ant6_6025_Puncturing 20M_RU8






11BE160MIMO_Ant7_6025_Puncturing 40M_RU4




11BE160MIMO_Ant7_6025_Puncturing 20M_RU8






11BE160MIMO_Ant6_6665_Puncturing 40M_RU4




11BE160MIMO_Ant6_6665_Puncturing 20M_RU8






11BE160MIMO_Ant7_6665_Puncturing 40M_RU4



11BE160MIMO_Ant7_6665_Puncturing 20M_RU8






**<Small RU>
Maximum power spectral density
Test Result**

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	3.90	-0.30	3.60	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.14	-0.30	4.84	≤17.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	3.81	1.01	4.82	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.44	1.01	6.45	≤17.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	6.87	3.39	10.26	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	8.30	3.39	11.69	≤17.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	3.96	0.54	4.50	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.67	0.54	6.21	≤17.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	3.84	0.23	4.07	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.45	0.23	5.68	≤17.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	6.91	3.40	10.31	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	8.57	3.40	11.97	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.168	47.00	-18.08	65.08	36.30	0.25	10.45	QP
2	0.168	30.80	-24.28	55.08	20.10	0.25	10.45	Average
3	0.182	41.91	-22.51	64.42	31.20	0.25	10.46	QP
4	0.182	27.31	-27.11	54.42	16.60	0.25	10.46	Average
5 *	0.229	46.03	-16.45	62.48	35.29	0.27	10.47	QP
6	0.229	29.63	-22.85	52.48	18.89	0.27	10.47	Average
7	2.133	36.36	-19.64	56.00	25.70	0.42	10.24	QP
8	2.133	27.86	-18.14	46.00	17.20	0.42	10.24	Average
9	2.422	36.95	-19.05	56.00	26.30	0.42	10.23	QP
10	2.422	28.85	-17.15	46.00	18.20	0.42	10.23	Average
11	2.750	35.84	-20.16	56.00	25.19	0.42	10.23	QP
12	2.750	28.44	-17.56	46.00	17.79	0.42	10.23	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.167	41.90	-23.22	65.12	31.20	0.25	10.45	QP
2	0.167	22.20	-32.92	55.12	11.50	0.25	10.45	Average
3	0.182	44.00	-20.37	64.37	33.29	0.25	10.46	QP
4	0.182	26.22	-28.15	54.37	15.51	0.25	10.46	Average
5	0.216	37.31	-25.65	62.96	26.60	0.25	10.46	QP
6	0.216	21.61	-31.35	52.96	10.90	0.25	10.46	Average
7	2.099	34.43	-21.57	56.00	23.80	0.39	10.24	QP
8	2.099	25.83	-20.17	46.00	15.20	0.39	10.24	Average
9	2.396	35.22	-20.78	56.00	24.60	0.39	10.23	QP
10 *	2.396	27.22	-18.78	46.00	16.60	0.39	10.23	Average
11	4.772	31.11	-24.89	56.00	20.51	0.40	10.20	QP
12	4.772	21.81	-24.19	46.00	11.21	0.40	10.20	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Lex Wu	Relative Humidity :	41 ~ 43 %
		Temperature :	20.2 ~ 21.5 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	-
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	-
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	49	6195	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	93	6415	MCS0	-	-
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	-
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	-
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	91	6405	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	-
Mode 14	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	55	6225	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	87	6385	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	-
Mode 17	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	-
Mode 18	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	47	6185	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	79	6345	MCS0	Full	-
Mode 31	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	-
Mode 32	U-NII-7	6.525-6.875	A6+A7	802.11a	149	6695	6Mbps	Full	-
Mode 33	U-NII-7	6.525-7.125	A6+A7	802.11a	185	6875	6Mbps	-	-
Mode 34	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	-
Mode 35	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	149	6695	MCS0	Full	-
Mode 36	U-NII-7	6.525-7.125	A6+A7	802.11be EHT20	185	6875	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	147	6685	MCS0	Full	-
Mode 39	U-NII-7	6.525-7.125	A6+A7	802.11be EHT40	187	6885	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	5.925-6.425	A6+A7	802.11be EHT80	183	6865	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	-
Mode 44	U-NII-7	6.425-6.525	A6+A7	802.11be EHT160	175	6825	MCS0	-	-
Mode 61	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	-
Mode 62	U-NII-5	5.925-6.425	A6+A7	802.11be	31	6105	MCS0	RU996*2/69	-



				EHT320					
Mode 63	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	95	6425	MCS0	-	-
Mode 64	U-NII-7	6.525-6.875	A6+A7	802.11be EHT320	159	6745	MCS0	-	-
Mode 65	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	-	-
Mode 66	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	RU996*2/69	-
Mode 67	U-NII-7	6.425-6.525	A6+A7	802.11be EHT320	127	6585	MCS0	-	-
Mode 68	U-NII-7	5.925-6.425	A6+A7	802.11be EHT320	191	6905	MCS0	-	-
Mode 69	U-NII-7	5.925-6.425	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/70	-
Mode 70	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	-
Mode 71	U-NII-5	6.425-6.525	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	-
Mode 74	U-NII-5	6.425-6.525	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 76	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 78	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 80	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	-
Mode 82	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 84	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 86	U-NII-5	6.525-6.875	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 88	U-NII-5	6.525-6.875	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 90	U-NII-5	6.525-6.875	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ⑧	-
Mode 92	U-NII-5	6.525-6.875	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 94	U-NII-5	6.875-7.125	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 95	U-NII-5	6.875-7.125	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5922.50	47.92	68.20	-20.28	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.68	74.00	-28.32	H	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	45.31	74.00	-28.69	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.91	88.20	-42.29	H	PEAK	Pass	Harmonic
4	802.11be EHT20	1	5922.63	46.68	68.20	-21.52	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	1	11910.00	45.77	74.00	-28.23	V	PEAK	Pass	Harmonic
5	802.11be EHT20	1	5924.97	51.70	68.20	-16.50	V	AVERAGE	Pass	Band Edge
5	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	49	12390.00	45.46	74.00	-28.54	V	PEAK	Pass	Harmonic
7	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	93	12830.00	46.01	88.20	-42.19	H	PEAK	Pass	Harmonic
8	802.11be EHT40	3	5917.40	46.98	68.20	-21.22	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	3	11930.00	45.21	74.00	-28.79	H	PEAK	Pass	Harmonic
9	802.11be EHT40	3	5924.40	55.97	68.20	-12.23	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT40	51	12410.00	45.06	74.00	-28.94	H	PEAK	Pass	Harmonic
11	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT40	91	12810.00	44.91	88.20	-43.29	H	PEAK	Pass	Harmonic
12	802.11be EHT80	7	5912.52	47.54	68.20	-20.66	V	AVERAGE	Pass	Band Edge
12	802.11be EHT80	7	11970.00	44.92	74.00	-29.08	H	PEAK	Pass	Harmonic
13	802.11be EHT80	7	5923.56	53.81	68.20	-14.39	H	AVERAGE	Pass	Band Edge
13	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT80	55	12450.00	44.55	74.00	-29.45	H	PEAK	Pass	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	87	12770.00	44.70	88.20	-43.50	H	PEAK	Pass	Harmonic
16	802.11be EHT160	15	5876.40	50.97	68.20	-17.23	H	AVERAGE	Pass	Band Edge
16	802.11be EHT160	15	12050.00	35.85	54.00	-18.15	V	AVERAGE	Pass	Harmonic
17	802.11be EHT160	15	5920.20	52.61	68.20	-15.59	H	AVERAGE	Pass	Band Edge
17	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
18	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT160	47	12370.00	44.86	74.00	-29.14	H	PEAK	Pass	Harmonic
19	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT160	79	12690.00	45.47	74.00	-28.53	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	44.38	88.20	-43.82	H	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	45.33	54.00	-8.67	H	AVERAGE	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	44.55	88.20	-43.65	H	PEAK	Pass	Harmonic



34	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT20	117	13070.00	46.20	88.20	-42.00	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	13390.00	44.27	74.00	-29.73	V	PEAK	Pass	Harmonic
36	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	185	13750.00	44.31	88.20	-43.89	H	PEAK	Pass	Harmonic
37	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT40	123	13130.00	45.62	88.20	-42.58	H	PEAK	Pass	Harmonic
38	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT40	147	13370.00	44.35	74.00	-29.65	V	PEAK	Pass	Harmonic
39	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT40	187	13770.00	44.37	88.20	-43.83	H	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	44.87	74.00	-29.13	V	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	44.93	88.20	-43.27	V	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	43.80	88.20	-44.40	V	PEAK	Pass	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	143	13330.00	44.67	74.00	-29.33	V	PEAK	Pass	Harmonic
44	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT160	175	13650.00	44.54	88.20	-43.66	H	PEAK	Pass	Harmonic
61	802.11be EHT320	31	5838.44	62.85	68.20	-5.35	V	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	12210.00	45.88	74.00	-28.12	V	PEAK	Pass	Harmonic
62	802.11be EHT320	31	5887.40	49.13	68.20	-19.07	V	AVERAGE	Pass	Band Edge
62	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	95	12850.00	45.50	88.20	-42.70	V	PEAK	Pass	Harmonic
64	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT320	159	13490.00	45.37	88.20	-42.83	V	PEAK	Pass	Harmonic
65	802.11be EHT320	63	5920.68	62.66	68.20	-5.54	V	AVERAGE	Pass	Band Edge
65	802.11be EHT320	63	12530.00	45.83	74.00	-28.17	V	PEAK	Pass	Harmonic
66	802.11be EHT320	63	5919.40	45.91	68.20	-22.29	V	AVERAGE	Pass	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT320	127	13170.00	45.34	88.20	-42.86	V	PEAK	Pass	Harmonic
68	802.11be EHT320	191	7296.52	52.19	54.00	-1.81	V	AVERAGE	Pass	Band Edge
68	802.11be EHT320	191	13810.00	45.20	88.20	-43.00	H	PEAK	Pass	Harmonic
69	802.11be EHT320	191	7254.76	47.31	54.00	-6.69	V	AVERAGE	Pass	Band Edge
69	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	1	5878.17	46.31	68.20	-21.89	V	AVERAGE	Pass	Band Edge
70	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	1	5924.97	46.47	68.20	-21.73	V	AVERAGE	Pass	Band Edge
71	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	7	5914.76	55.79	68.20	-12.41	V	AVERAGE	Pass	Band Edge
74	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	15	5913.60	57.03	68.20	-11.17	V	AVERAGE	Pass	Band Edge



76	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT160	15	5916.40	56.48	68.20	-11.72	V	AVERAGE	Pass	Band Edge
78	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT320	31	5906.92	51.58	68.20	-16.62	V	AVERAGE	Pass	Band Edge
80	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT320	31	5913.64	58.91	68.20	-9.29	V	AVERAGE	Pass	Band Edge
82	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	31	5893.80	58.02	68.20	-10.18	V	AVERAGE	Pass	Band Edge
84	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	7	5925.00	57.20	68.20	-11.00	H	AVERAGE	Pass	Band Edge
86	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	15	5921.40	45.48	68.20	-22.72	V	AVERAGE	Pass	Band Edge
88	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT160	15	5904.80	46.62	68.20	-21.58	V	AVERAGE	Pass	Band Edge
90	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT320	31	5852.52	53.69	68.20	-14.51	V	AVERAGE	Pass	Band Edge
92	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT320	31	5910.76	57.17	68.20	-11.03	V	AVERAGE	Pass	Band Edge
94	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT320	31	5787.24	57.65	68.20	-10.55	V	AVERAGE	Pass	Band Edge
95	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic



		1									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz										
ANT	A6+A7										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5825

5851.

5877.

5903.

5929.

5955

Frequency (MHz)

Site : 03CH07-KS

Condition: WiFi 6E(Peak) 3m 3117-27860 HORIZONTAL

: RBW:1000kHz VBW:3000kHz SMT:Auto

Mode : 1

Setting : 18.5

Plane : Y

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5924.84	56.91	88.20	-31.29	42.07	35.50	11.15	31.81	0.00	226 360 PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2800.

4600.

6400.

8200.

10000

Frequency (MHz)

Site : 03CH07-KS

Condition: WiFi 6E(Peak) 3m 3117-27860 HORIZONTAL

: RBW:1000kHz VBW:3000kHz SMT:Auto

Mode : 1

Setting : 18.5

Plane : Y

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5955.00	110.76	-----	95.97	35.48	11.17	31.86	0.00	226	360 PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5825

5851.

5877.

5903.

5929.

5955

Frequency (MHz)

Site : 03CH07-KS

Condition: WIFI-6E(AVG) 3m 3117-27860 HORIZONTAL

: RBW:1000kHz VBW:0.010kHz SMT:Auto

Mode : 1

Setting : 18.5

Plane : Y

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5922.50	47.92	68.20	-20.28	33.07	35.50	11.15	31.80	0.00	226 360 AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2800.

4600.

6400.

8200.

10000

Frequency (MHz)

Site : 03CH07-KS

Condition: WIFI-6E(AVG) 3m 3117-27860 HORIZONTAL

: RBW:1000kHz VBW:0.010kHz SMT:Auto





Mode : 1

Setting : 18.5



Plane : Y

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5955.00	103.51	-----	88.72	35.48	11.17	31.86	0.00	226	360 AVERAGE





		1																																																																																												
Mode	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																													
ANT	A6+A7																																																																																													
Pol.	Vertical																																																																																													
Peak	 Site : 03CH07-KS Condition: WiFi 6E(Peak) 3m 3117-27860 VERTICAL : RBW:1000kHz VBW:3000kHz SMT:Auto Mode : 1 Setting : 18.5 Plane : Y <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5866.21</td><td>57.09</td><td>88.20</td><td>-31.11</td><td>42.35</td><td>35.36</td><td>11.11</td><td>31.73</td><td>0.00</td><td>113</td><td>28 PEAK</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5866.21	57.09	88.20	-31.11	42.35	35.36	11.11	31.73	0.00	113	28 PEAK	 Site : 03CH07-KS Condition: WiFi 6E(Peak) 3m 3117-27860 VERTICAL : RBW:1000kHz VBW:3000kHz SMT:Auto Mode : 1 Setting : 18.5 Plane : Y <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.79</td><td>-----</td><td>93.02</td><td>35.46</td><td>11.18</td><td>31.87</td><td>0.00</td><td>113</td><td>28</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	107.79	-----	93.02	35.46	11.18	31.87	0.00	113	28	PEAK
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5866.21	57.09	88.20	-31.11	42.35	35.36	11.11	31.73	0.00	113	28 PEAK																																																																																			
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5955.00	107.79	-----	93.02	35.46	11.18	31.87	0.00	113	28	PEAK																																																																																			
Avg	 Site : 03CH07-KS Condition: WIFI-6E(AVG) 3m 3117-27860 VERTICAL : RBW:1000kHz VBW:0.010kHz SMT:Auto Mode : 1 Setting : 18.5 Plane : Y <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>32.03</td><td>35.50</td><td>11.15</td><td>31.81</td><td>0.00</td><td>113</td><td>28 AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5924.97	46.87	68.20	-21.33	32.03	35.50	11.15	31.81	0.00	113	28 AVERAGE	 Site : 03CH07-KS Condition: WIFI-6E(AVG) 3m 3117-27860 VERTICAL : RBW:1000kHz VBW:0.010kHz SMT:Auto Mode : 1 Setting : 18.5 Plane : Y <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.89</td><td>-----</td><td>85.10</td><td>35.48</td><td>11.17</td><td>31.86</td><td>0.00</td><td>113</td><td>28</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	99.89	-----	85.10	35.48	11.17	31.86	0.00	113	28	AVERAGE
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5924.97	46.87	68.20	-21.33	32.03	35.50	11.15	31.81	0.00	113	28 AVERAGE																																																																																			
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5955.00	99.89	-----	85.10	35.48	11.17	31.86	0.00	113	28	AVERAGE																																																																																			





		1																																																					
Mode		Harmonic																																																					
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																					
ANT		A6+A7																																																					
Pol.		Horizontal																																																					
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>49.78</td><td>38.71</td><td>18.20</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.68	74.00	-28.32	49.78	38.71	18.20	61.01	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11910.00	45.68	74.00	-28.32	49.78	38.71	18.20	61.01	0.00	--	PEAK																																												
		Vertical																																																					
																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>49.60</td><td>38.71</td><td>18.20</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.50	74.00	-28.50	49.60	38.71	18.20	61.01	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11910.00	45.50	74.00	-28.50	49.60	38.71	18.20	61.01	0.00	--	PEAK																																												



		2																																																				
Mode		Harmonic																																																				
		U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																				
ANT		A6+A7																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>48.78</td><td>38.99</td><td>18.55</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	45.31	74.00	-28.69	48.78	38.99	18.55	61.01	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12390.00	45.31	74.00	-28.69	48.78	38.99	18.55	61.01	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>48.10</td><td>38.99</td><td>18.55</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	44.63	74.00	-29.37	48.10	38.99	18.55	61.01	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12390.00	44.63	74.00	-29.37	48.10	38.99	18.55	61.01	0.00	--	PEAK																																											



Mode	3																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																
ANT	A6+A7																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.91</td><td>88.20</td><td>-42.29</td><td>49.05</td><td>39.47</td><td>18.85</td><td>61.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.91	88.20	-42.29	49.05	39.47	18.85	61.46	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.03</td><td>88.20</td><td>-43.17</td><td>48.17</td><td>39.47</td><td>18.85</td><td>61.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.03	88.20	-43.17	48.17	39.47	18.85	61.46	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	45.91	88.20	-42.29	49.05	39.47	18.85	61.46	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	45.03	88.20	-43.17	48.17	39.47	18.85	61.46	0.00	--	PEAK																																																																																						




		4																																																																																																																
Mode	Band Edge																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																																	
ANT	A6+A7																																																																																																																	
Pol.	Horizontal																																																																																																																	
Peak	Site : 03CH07-KS Condition: WiFi 6E(Peak) 3m 3117-27860 HORIZONTAL : RBW:1000kHz VBW:3000kHz SMT:Auto Mode : 4 Setting : 18.5 Plane : Y <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.24</td><td>56.25</td><td>88.20</td><td>-31.95</td><td>41.39</td><td>35.50</td><td>11.14</td><td>31.78</td><td>0.00</td><td>269</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5909.24	56.25	88.20	-31.95	41.39	35.50	11.14	31.78	0.00	269	0 PEAK	Site : 03CH07-KS Condition: WiFi 6E(Peak) 3m 3117-27860 HORIZONTAL : RBW:1000kHz VBW:3000kHz SMT:Auto Mode : 4 Setting : 18.5 Plane : Y <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.00</td><td>-----</td><td>-----</td><td>94.03</td><td>35.46</td><td>11.18</td><td>31.87</td><td>0.00</td><td>269</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	100.00	-----	-----	94.03	35.46	11.18	31.87	0.00	269	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5909.24	56.25	88.20	-31.95	41.39	35.50	11.14	31.78	0.00	269	0 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5955.00	100.00	-----	-----	94.03	35.46	11.18	31.87	0.00	269	0 PEAK																																																																																																							
Avg	Site : 03CH07-KS Condition: WiFi-6E(AVG) 3m 3117-27860 HORIZONTAL : RBW:1000kHz VBW:0.010kHz SMT:Auto Mode : 4 Setting : 18.5 Plane : Y <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.63</td><td>46.68</td><td>68.20</td><td>-21.52</td><td>31.83</td><td>35.50</td><td>11.15</td><td>31.80</td><td>0.00</td><td>269</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.63	46.68	68.20	-21.52	31.83	35.50	11.15	31.80	0.00	269	0 AVERAGE	Site : 03CH07-KS Condition: WiFi-6E(AVG) 3m 3117-27860 HORIZONTAL : RBW:1000kHz VBW:0.010kHz SMT:Auto Mode : 4 Setting : 18.5 Plane : Y <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.11</td><td>-----</td><td>-----</td><td>85.32</td><td>35.48</td><td>11.17</td><td>31.86</td><td>0.00</td><td>269</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	100.11	-----	-----	85.32	35.48	11.17	31.86	0.00	269	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5922.63	46.68	68.20	-21.52	31.83	35.50	11.15	31.80	0.00	269	0 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5955.00	100.11	-----	-----	85.32	35.48	11.17	31.86	0.00	269	0 AVERAGE																																																																																																							







		4									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz										
ANT	A6+A7										
Pol.	Vertical										
Peak											







		4																																																						
Mode		Harmonic																																																						
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																						
ANT		A6+A7																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>49.31</td><td>38.71</td><td>18.20</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.21	74.00	-28.79	49.31	38.71	18.20	61.01	0.00	--	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11910.00	45.21	74.00	-28.79	49.31	38.71	18.20	61.01	0.00	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>49.87</td><td>38.71</td><td>18.20</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.77	74.00	-28.23	49.87	38.71	18.20	61.01	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11910.00	45.77	74.00	-28.23	49.87	38.71	18.20	61.01	0.00	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>49.87</td><td>38.71</td><td>18.20</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.77	74.00	-28.23	49.87	38.71	18.20	61.01	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11910.00	45.77	74.00	-28.23	49.87	38.71	18.20	61.01	0.00	--	PEAK																																													



Mode	5																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																		
ANT	A6+A7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.67</td><td>57.53</td><td>88.20</td><td>-30.67</td><td>40.94</td><td>35.09</td><td>12.78</td><td>31.28</td><td>0.00</td><td>300</td><td>286</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	57.53	88.20	-30.67	40.94	35.09	12.78	31.28	0.00	300	286	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.96</td><td>-----</td><td>-----</td><td>98.24</td><td>35.20</td><td>12.81</td><td>31.29</td><td>0.00</td><td>300</td><td>286</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.96	-----	-----	98.24	35.20	12.81	31.29	0.00	300	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.67	57.53	88.20	-30.67	40.94	35.09	12.78	31.28	0.00	300	286	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	114.96	-----	-----	98.24	35.20	12.81	31.29	0.00	300	286	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>47.24</td><td>68.20</td><td>-20.96</td><td>30.64</td><td>35.10</td><td>12.78</td><td>31.28</td><td>0.00</td><td>300</td><td>286</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	47.24	68.20	-20.96	30.64	35.10	12.78	31.28	0.00	300	286	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.86</td><td>-----</td><td>-----</td><td>89.14</td><td>35.20</td><td>12.81</td><td>31.29</td><td>0.00</td><td>300</td><td>286</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.86	-----	-----	89.14	35.20	12.81	31.29	0.00	300	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	47.24	68.20	-20.96	30.64	35.10	12.78	31.28	0.00	300	286	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	105.86	-----	-----	89.14	35.20	12.81	31.29	0.00	300	286	AVERAGE																																																																																							




		5																																																			
Mode		Band Edge																																																			
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																			
ANT		A6+A7																																																			
Pol.		Vertical					Fundamental																																														
Peak																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.07</td><td>65.39</td><td>88.20</td><td>-22.81</td><td>48.82</td><td>35.08</td><td>12.77</td><td>31.28</td><td>0.00</td><td>209</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.07	65.39	88.20	-22.81	48.82	35.08	12.77	31.28	0.00	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5921.07	65.39	88.20	-22.81	48.82	35.08	12.77	31.28	0.00	209	0 PEAK																																										
Avg																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>51.70</td><td>68.20</td><td>-16.50</td><td>35.10</td><td>35.10</td><td>12.78</td><td>31.28</td><td>0.00</td><td>209</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	51.70	68.20	-16.50	35.10	35.10	12.78	31.28	0.00	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5924.97	51.70	68.20	-16.50	35.10	35.10	12.78	31.28	0.00	209	0 AVERAGE																																										
Peak																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>115.40</td><td>-----</td><td>-----</td><td>98.68</td><td>35.20</td><td>12.81</td><td>31.29</td><td>0.00</td><td>209</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.40	-----	-----	98.68	35.20	12.81	31.29	0.00	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5955.00	115.40	-----	-----	98.68	35.20	12.81	31.29	0.00	209	0 PEAK																																										
Avg																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.15</td><td>-----</td><td>-----</td><td>89.43</td><td>35.20</td><td>12.81</td><td>31.29</td><td>0.00</td><td>209</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.15	-----	-----	89.43	35.20	12.81	31.29	0.00	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5955.00	106.15	-----	-----	89.43	35.20	12.81	31.29	0.00	209	0 AVERAGE																																										



Mode	6																																																					
	Harmonic																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																																					
ANT	A6+A7																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>48.67</td><td>38.99</td><td>18.55</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	45.20	74.00	-28.80	48.67	38.99	18.55	61.01	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12390.00	45.20	74.00	-28.80	48.67	38.99	18.55	61.01	0.00	--	PEAK																																											
Vertical																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>48.93</td><td>38.99</td><td>18.55</td><td>61.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	45.46	74.00	-28.54	48.93	38.99	18.55	61.01	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12390.00	45.46	74.00	-28.54	48.93	38.99	18.55	61.01	0.00	--	PEAK																																											



		7																																																				
Mode		Harmonic																																																				
		U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																				
ANT		A6+A7																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.01</td><td>88.20</td><td>-42.19</td><td>49.15</td><td>39.47</td><td>18.85</td><td>61.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.01	88.20	-42.19	49.15	39.47	18.85	61.46	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12830.00	46.01	88.20	-42.19	49.15	39.47	18.85	61.46	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>44.82</td><td>88.20</td><td>-43.38</td><td>47.96</td><td>39.47</td><td>18.85</td><td>61.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	44.82	88.20	-43.38	47.96	39.47	18.85	61.46	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12830.00	44.82	88.20	-43.38	47.96	39.47	18.85	61.46	0.00	--	PEAK																																											



		8									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz										
ANT	A6+A7										
Pol.	Horizontal										
Peak	<										