





11BE80MIMO_Ant6_7025_484Tone_RU66



Date: 16.OCT.2025 22:47:45


11BE80MIMO_Ant7_7025_484Tone_RU66




Date: 16.OCT.2025 22:49:00



11BE160MIMO_Ant6_6025_996Tone_RU67




11BE160MIMO_Ant7_6025_996Tone_RU67






11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RUS67




11BE160MIMO_Ant7_6345_996Tone_RUS67






11BE160MIMO_Ant6_6505_996Tone_RU67




11BE160MIMO_Ant7_6505_996Tone_RU67






11BE160MIMO_Ant6_6665_996Tone_RUS67



Date: 16.OCT.2025 23:21:39


11BE160MIMO_Ant7_6665_996Tone_RUS67




Date: 16.OCT.2025 23:22:52



11BE160MIMO_Ant6_6825_996Tone_RU67




11BE160MIMO_Ant7_6825_996Tone_RU67






11BE160MIMO_Ant6_6985_996Tone_RUS67



11BE160MIMO_Ant7_6985_996Tone_RUS67





<Large RU>
Maximum power spectral density
Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	3*996Tone	RU4	-13.74	-0.3	-14.04	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.2	-0.3	-13.50	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.79	-0.3	-14.09	≤-5.00	PASS
	Ant7	6105	3*996Tone	RU4	-13.89	1.01	-12.88	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.99	1.01	-12.98	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.94	1.01	-12.93	≤-5.00	PASS
	total	6105	3*996Tone	RU4	-10.80	0.4	-10.40	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.57	0.4	-10.17	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10.85	0.4	-10.45	≤-5.00	PASS
	Ant6	6585	3*996Tone	RU4	-12.79	0.54	-12.25	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-12.93	0.54	-12.39	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-12.81	0.54	-12.27	≤-5.00	PASS
	Ant7	6585	3*996Tone	RU4	-13.12	0.23	-12.89	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.4	0.23	-13.17	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.17	0.23	-12.94	≤-5.00	PASS
	total	6585	3*996Tone	RU4	-9.94	0.39	-9.55	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.15	0.39	-9.76	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-9.98	0.39	-9.59	≤-5.00	PASS
	Ant6	6745	3*996Tone	RU4	-14.03	0.54	-13.49	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-14.05	0.54	-13.51	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-14.03	0.54	-13.49	≤-5.00	PASS
	Ant7	6745	3*996Tone	RU4	-14.18	0.23	-13.95	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-14.31	0.23	-14.08	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-14.17	0.23	-13.94	≤-5.00	PASS
	total	6745	3*996Tone	RU4	-11.09	0.39	-10.70	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-11.17	0.39	-10.78	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-11.09	0.39	-10.70	≤-5.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-12.1	0.54	-11.56	≤-5.00	PASS
			3*996Tone	RU1	-12.32	0.54	-11.78	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-12.52	0.54	-11.98	≤-5.00	PASS
	Ant7	6905	3*996Tone	RU1	-12.42	0.23	-12.19	≤-5.00	PASS
			3*996Tone+484Tone	RU1	-12.26	0.23	-12.03	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-12.41	0.23	-12.18	≤-5.00	PASS
	total	6905	3*996Tone+484Tone	RU1	-9.17	0.39	-8.78	≤-5.00	PASS
			3*996Tone	RU1	-9.36	0.39	-8.97	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-9.45	0.39	-9.06	≤-5.00	PASS
11BE80MIMO	Ant6	5985	484Tone+242Tone	RU4	-8.43	-0.3	-8.73	≤-5.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-9.13	1.01	-8.12	≤-5.00	PASS
	total	5985	484Tone+242Tone	RU4	-5.76	0.4	-5.36	≤-5.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-8.77	-0.41	-9.18	≤-5.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-9.02	0.02	-9.00	≤-5.00	PASS
	total	6465	484Tone+242Tone	RU4	-5.88	-0.19	-6.07	≤-5.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-9.54	0.54	-9.00	≤-5.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-8.99	0.23	-8.76	≤-5.00	PASS
	total	6625	484Tone+242Tone	RU4	-6.25	0.39	-5.86	≤-5.00	PASS




	Ant6	7025	484Tone+242Tone	RU1	-9.27	-0.2	-9.47	≤-5.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-9.23	0.01	-9.22	≤-5.00	PASS
	total	7025	484Tone+242Tone	RU1	-6.24	-0.09	-6.33	≤-5.00	PASS
11BE160MIMO	Ant6	6025	996Tone+484Tone	RU4	-10.68	-0.3	-10.98	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.45	-0.3	-11.75	≤-5.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-11.3	1.01	-10.29	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.13	1.01	-10.12	≤-5.00	PASS
	total	6025	996Tone+484Tone	RU4	-7.97	0.4	-7.57	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-8.28	0.4	-7.88	≤-5.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-9.54	0.54	-9.00	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-9.93	0.54	-9.39	≤-5.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-9.9	0.23	-9.67	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.16	0.23	-9.93	≤-5.00	PASS
	total	6505	996Tone+484Tone	RU4	-6.71	0.39	-6.32	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-7.03	0.39	-6.64	≤-5.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-10.64	0.54	-10.10	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.96	0.54	-10.42	≤-5.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-10.59	0.23	-10.36	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.96	0.23	-10.73	≤-5.00	PASS
	total	6665	996Tone+484Tone	RU4	-7.60	0.39	-7.21	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-7.95	0.39	-7.56	≤-5.00	PASS
	Ant6	6985	996Tone+484Tone242Tone	RU1	-10.25	-0.2	-10.45	≤-5.00	PASS
			996Tone+484Tone	RU1	-10.04	-0.2	-10.24	≤-5.00	PASS
	Ant7	6985	996Tone+484Tone	RU1	-10.12	0.01	-10.11	≤-5.00	PASS
			996Tone+484Tone242Tone	RU1	-10.2	0.01	-10.19	≤-5.00	PASS
	total	6985	996Tone+484Tone	RU1	-7.07	-0.09	-7.16	≤-5.00	PASS
			996Tone+484Tone242Tone	RU1	-7.21	-0.09	-7.30	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6105_3*996Tone_RU4






11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6585_3*996Tone_RU4




11BE320MIMO_Ant6_6585_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6585_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6585_3*996Tone_RU4






11BE320MIMO_Ant7_6585_2*996Tone+484Tone_RU6



Date: 17.OCT.2025 11:48:51


11BE320MIMO_Ant7_6585_3*996Tone+484Tone_RU8




Date: 17.OCT.2025 12:14:34



11BE320MIMO_Ant6_6745_3*996Tone_RU4




11BE320MIMO_Ant6_6745_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6745_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6745_3*996Tone_RU4






11BE320MIMO_Ant7_6745_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6745_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant6_6905_3*996Tone_RU1






11BE320MIMO_Ant6_6905_2*996Tone+484Tone_RU7




11BE320MIMO_Ant7_6905_3*996Tone_RU1






11BE320MIMO_Ant7_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant7_6905_2*996Tone+484Tone_RU7






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6465_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6465_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4



Date: 17.OCT.2025 10:32:28


11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4




Date: 17.OCT.2025 10:32:55



11BE80MIMO_Ant6_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant7_7025_484Tone+242Tone_RU1






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6985_996Tone+484Tone242Tone_RU1




11BE160MIMO_Ant6_6985_996Tone+484Tone_RU1






11BE160MIMO_Ant7_6985_996Tone+484Tone_RU1



11BE160MIMO_Ant7_6985_996Tone+484Tone242Tone_RU1





<Puncturing>
Maximum power spectral density
Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-14.00	-0.30	-14.30	≤-5.00	PASS
			Puncturing 80+40M	RU6	-13.51	-0.30	-13.81	≤-5.00	PASS
			Puncturing 40M	RU8	-14.01	-0.30	-14.31	≤-5.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-14.20	1.01	-13.19	≤-5.00	PASS
			Puncturing 80+40M	RU6	-14.23	1.01	-13.22	≤-5.00	PASS
			Puncturing 40M	RU8	-14.17	1.01	-13.16	≤-5.00	PASS
	total	6105	Puncturing 80M	RU4	-11.09	0.40	-10.69	≤-5.00	PASS
			Puncturing 80+40M	RU6	-10.84	0.40	-10.44	≤-5.00	PASS
			Puncturing 40M	RU8	-11.08	0.40	-10.68	≤-5.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-12.94	0.54	-12.40	≤-5.00	PASS
			Puncturing 80+40M	RU6	-13.19	0.54	-12.65	≤-5.00	PASS
			Puncturing 40M	RU8	-13.00	0.54	-12.46	≤-5.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-13.35	0.23	-13.12	≤-5.00	PASS
			Puncturing 80+40M	RU6	-13.52	0.23	-13.29	≤-5.00	PASS
			Puncturing 40M	RU8	-13.34	0.23	-13.11	≤-5.00	PASS
	total	6585	Puncturing 80M	RU4	-10.13	0.39	-9.74	≤-5.00	PASS
			Puncturing 80+40M	RU6	-10.34	0.39	-9.95	≤-5.00	PASS
			Puncturing 40M	RU8	-10.16	0.39	-9.77	≤-5.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-14.25	0.54	-13.71	≤-5.00	PASS
			Puncturing 80+40M	RU6	-14.31	0.54	-13.77	≤-5.00	PASS
			Puncturing 40M	RU8	-14.34	0.54	-13.80	≤-5.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-14.20	0.23	-13.97	≤-5.00	PASS
			Puncturing 80+40M	RU6	-14.50	0.23	-14.27	≤-5.00	PASS
			Puncturing 40M	RU8	-14.46	0.23	-14.23	≤-5.00	PASS
	total	6745	Puncturing 80M	RU4	-11.21	0.39	-10.82	≤-5.00	PASS
			Puncturing 80+40M	RU6	-11.39	0.39	-11.00	≤-5.00	PASS
			Puncturing 40M	RU8	-11.39	0.39	-11.00	≤-5.00	PASS
	Ant6	6905	Puncturing 80M	RU1	-12.81	0.54	-12.27	≤-5.00	PASS
			Puncturing 40M	RU1	-12.59	0.54	-12.05	≤-5.00	PASS
			Puncturing 80+40M	RU7	-13.26	0.54	-12.72	≤-5.00	PASS
	Ant7	6905	Puncturing 40M	RU1	-12.76	0.23	-12.53	≤-5.00	PASS
			Puncturing 80M	RU1	-12.87	0.23	-12.64	≤-5.00	PASS
			Puncturing 80+40M	RU7	-13.18	0.23	-12.95	≤-5.00	PASS
	total	6905	Puncturing 80M	RU1	-9.83	0.39	-9.44	≤-5.00	PASS
			Puncturing 40M	RU1	-9.66	0.39	-9.27	≤-5.00	PASS
			Puncturing 80+40M	RU7	-10.21	0.39	-9.82	≤-5.00	PASS
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU4	-10.70	-0.30	-11.00	≤-5.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-9.58	1.01	-8.57	≤-5.00	PASS
	total	5985	Puncturing 20M	RU4	-7.09	0.40	-6.69	≤-5.00	PASS
	Ant6	6465	Puncturing 20M	RU4	-9.56	-0.41	-9.97	≤-5.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-10.28	0.02	-10.26	≤-5.00	PASS
	total	6465	Puncturing 20M	RU4	-6.89	-0.19	-7.08	≤-5.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-10.23	0.54	-9.69	≤-5.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-10.19	0.23	-9.96	≤-5.00	PASS
	total	6625	Puncturing 20M	RU4	-7.20	0.39	-6.81	≤-5.00	PASS




	Ant6	7025	Puncturing 20M	RU1	-10.34	-0.20	-10.54	≤-5.00	PASS
	Ant7	7025	Puncturing 20M	RU1	-10.21	0.01	-10.20	≤-5.00	PASS
	total	7025	Puncturing 20M	RU1	-7.26	-0.09	-7.35	≤-5.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU4	-10.78	-0.30	-11.08	≤-5.00	PASS
			Puncturing 20M	RU8	-11.44	-0.30	-11.74	≤-5.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-11.41	1.01	-10.40	≤-5.00	PASS
			Puncturing 20M	RU8	-11.12	1.01	-10.11	≤-5.00	PASS
	total	6025	Puncturing 40M	RU4	-8.07	0.40	-7.67	≤-5.00	PASS
			Puncturing 20M	RU8	-8.27	0.40	-7.87	≤-5.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-9.82	0.54	-9.28	≤-5.00	PASS
			Puncturing 20M	RU8	-10.01	0.54	-9.47	≤-5.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-10.16	0.23	-9.93	≤-5.00	PASS
			Puncturing 20M	RU8	-10.15	0.23	-9.92	≤-5.00	PASS
	total	6505	Puncturing 40M	RU4	-6.98	0.39	-6.59	≤-5.00	PASS
			Puncturing 20M	RU8	-7.07	0.39	-6.68	≤-5.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-10.87	0.54	-10.33	≤-5.00	PASS
			Puncturing 20M	RU8	-11.08	0.54	-10.54	≤-5.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-10.81	0.23	-10.58	≤-5.00	PASS
			Puncturing 20M	RU8	-10.95	0.23	-10.72	≤-5.00	PASS
	total	6665	Puncturing 40M	RU4	-7.83	0.39	-7.44	≤-5.00	PASS
			Puncturing 20M	RU8	-8.00	0.39	-7.61	≤-5.00	PASS
	Ant6	6985	Puncturing 40M	RU1	-10.34	-0.20	-10.54	≤-5.00	PASS
			Puncturing 20M	RU1	-9.89	-0.20	-10.09	≤-5.00	PASS
	Ant7	6985	Puncturing 20M	RU1	-10.14	0.01	-10.13	≤-5.00	PASS
			Puncturing 40M	RU1	-10.50	0.01	-10.49	≤-5.00	PASS
	total	6985	Puncturing 20M	RU1	-7.00	-0.09	-7.09	≤-5.00	PASS
			Puncturing 40M	RU1	-7.41	-0.09	-7.50	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8




11BE320MIMO_Ant7_6105_Puncturing 80M_RU4






11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6105_Puncturing 40M_RU8






11BE320MIMO_Ant6_6585_Puncturing 80M_RU4




11BE320MIMO_Ant6_6585_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6585_Puncturing 40M_RU8




11BE320MIMO_Ant7_6585_Puncturing 80M_RU4






11BE320MIMO_Ant7_6585_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6585_Puncturing 40M_RU8






11BE320MIMO_Ant6_6745_Puncturing 80M_RU4




11BE320MIMO_Ant6_6745_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6745_Puncturing 40M_RU8



Date: 17.OCT.2025 10:04:46


11BE320MIMO_Ant7_6745_Puncturing 80M_RU4




Date: 17.OCT.2025 10:06:30



11BE320MIMO_Ant7_6745_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6745_Puncturing 40M_RU8






11BE320MIMO_Ant6_6905_Puncturing 80M_RU1




11BE320MIMO_Ant6_6905_Puncturing 40M_RU1






11BE320MIMO_Ant6_6905_Puncturing 80+40M_RU7




11BE320MIMO_Ant7_6905_Puncturing 40M_RU1






11BE320MIMO_Ant7_6905_Puncturing 80M_RU1




11BE320MIMO_Ant7_6905_Puncturing 80+40M_RU7






11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6465_Puncturing 20M_RU4




11BE80MIMO_Ant7_6465_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4




11BE80MIMO_Ant7_6625_Puncturing 20M_RU4






11BE80MIMO_Ant6_7025_Puncturing 20M_RU1



Date: 17.OCT.2025 07:04:47


11BE80MIMO_Ant7_7025_Puncturing 20M_RU1




Date: 17.OCT.2025 07:05:17



11BE160MIMO_Ant6_6025_Puncturing 40M_RU4




11BE160MIMO_Ant6_6025_Puncturing 20M_RU8






11BE160MIMO_Ant7_6025_Puncturing 40M_RU4




11BE160MIMO_Ant7_6025_Puncturing 20M_RU8






11BE160MIMO_Ant6_6505_Puncturing 40M_RU4




11BE160MIMO_Ant6_6505_Puncturing 20M_RU8






11BE160MIMO_Ant7_6505_Puncturing 40M_RU4




11BE160MIMO_Ant7_6505_Puncturing 20M_RU8






11BE160MIMO_Ant6_6665_Puncturing 40M_RU4




11BE160MIMO_Ant6_6665_Puncturing 20M_RU8






11BE160MIMO_Ant7_6665_Puncturing 40M_RU4




11BE160MIMO_Ant7_6665_Puncturing 20M_RU8






11BE160MIMO_Ant6_6985_Puncturing 40M_RU1




11BE160MIMO_Ant6_6985_Puncturing 20M_RU1






11BE160MIMO_Ant7_6985_Puncturing 20M_RU1



11BE160MIMO_Ant7_6985_Puncturing 40M_RU1






**<Small RU>
Maximum power spectral density
Test Result**

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-11.72	-0.30	-12.02	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-10.15	-0.30	-10.45	≤-5.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-11.5	1.01	-10.49	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-10.01	1.01	-9.00	≤-5.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-8.60	0.40	-8.20	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-7.07	0.40	-6.67	≤-5.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-10.66	-0.41	-11.07	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.07	-0.41	-9.48	≤-5.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-11.18	0.02	-11.16	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.58	0.02	-9.56	≤-5.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-7.90	-0.19	-8.09	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.31	-0.19	-6.50	≤-5.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-12.1	0.54	-11.56	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-10.49	0.54	-9.95	≤-5.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-12.27	0.23	-12.04	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-10.63	0.23	-10.40	≤-5.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-9.17	0.39	-8.78	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-7.55	0.39	-7.16	≤-5.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-12.43	-0.20	-12.63	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-10.62	-0.20	-10.82	≤-5.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-13.27	0.01	-13.26	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-11.65	0.01	-11.64	≤-5.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-9.82	-0.09	-9.91	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-8.09	-0.09	-8.18	≤-5.00	PASS
	Ant6	7115	52Tone+26Tone	RU39+RU7	-17.70	-0.20	-17.90	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-19.22	-0.20	-19.42	≤-5.00	PASS
	Ant7	7115	52Tone+26Tone	RU39+RU7	-18.58	0.01	-18.57	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-19.49	0.01	-19.48	≤-5.00	PASS
	total	7115	52Tone+26Tone	RU39+RU7	-15.11	-0.09	-15.20	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-16.34	-0.09	-16.43	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant6_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant7_7095_106Tone+26Tone_RU54+RU4





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.168	47.00	-18.08	65.08	36.30	0.25	10.45	QP
2	0.168	30.80	-24.28	55.08	20.10	0.25	10.45	Average
3	0.182	41.91	-22.51	64.42	31.20	0.25	10.46	QP
4	0.182	27.31	-27.11	54.42	16.60	0.25	10.46	Average
5 *	0.229	46.03	-16.45	62.48	35.29	0.27	10.47	QP
6	0.229	29.63	-22.85	52.48	18.89	0.27	10.47	Average
7	2.133	36.36	-19.64	56.00	25.70	0.42	10.24	QP
8	2.133	27.86	-18.14	46.00	17.20	0.42	10.24	Average
9	2.422	36.95	-19.05	56.00	26.30	0.42	10.23	QP
10	2.422	28.85	-17.15	46.00	18.20	0.42	10.23	Average
11	2.750	35.84	-20.16	56.00	25.19	0.42	10.23	QP
12	2.750	28.44	-17.56	46.00	17.79	0.42	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.167	41.90	-23.22	65.12	31.20	0.25	10.45	QP
2	0.167	22.20	-32.92	55.12	11.50	0.25	10.45	Average
3	0.182	44.00	-20.37	64.37	33.29	0.25	10.46	QP
4	0.182	26.22	-28.15	54.37	15.51	0.25	10.46	Average
5	0.216	37.31	-25.65	62.96	26.60	0.25	10.46	QP
6	0.216	21.61	-31.35	52.96	10.90	0.25	10.46	Average
7	2.099	34.43	-21.57	56.00	23.80	0.39	10.24	QP
8	2.099	25.83	-20.17	46.00	15.20	0.39	10.24	Average
9	2.396	35.22	-20.78	56.00	24.60	0.39	10.23	QP
10 *	2.396	27.22	-18.78	46.00	16.60	0.39	10.23	Average
11	4.772	31.11	-24.89	56.00	20.51	0.40	10.20	QP
12	4.772	21.81	-24.19	46.00	11.21	0.40	10.20	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Chris	Relative Humidity :	52 ~ 56 %
		Temperature :	22 ~ 25 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11ax HE20	1	5955	MCS0	-	-
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11ax HE40	3	5965	MCS0	-	-
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11ax HE40	3	5965	MCS0	RU242/61	-
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11ax HE80	7	5985	MCS0	Full	-
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11ax HE80	7	5985	MCS0	RU484/65	-
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11ax HE160	15	6025	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11ax HE160	15	6025	MCS0	RU996/67	-
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11ax HE320	31	6105	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11ax HE320	31	6105	MCS0	RU996*2/69	-
Mode 12	U-NII-5	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	-
Mode 13	U-NII-5	6.525-6.875	A6+A7	802.11ax HE20	117	6535	MCS0	Full	-
Mode 14	U-NII-5	6.525-6.875	A6+A7	802.11ax HE40	123	6565	MCS0	Full	-
Mode 15	U-NII-5	6.525-6.875	A6+A7	802.11ax HE80	135	6625	MCS0	Full	-
Mode 16	U-NII-5	6.525-6.875	A6+A7	802.11ax HE160	143	6665	MCS0	Full	-
Mode 17	U-NII-5	6.425-6.525	A6+A7	802.11ax HE320	127	6585	MCS0	-	-
Mode 18	U-NII-8	6.875-7.125	A6+A7	802.11a	229	7095	6Mbps	-	-
Mode 19	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	229	7095	MCS0	-	-
Mode 20	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 21	U-NII-8	6.875-7.125	A6+A7	802.11ax HE40	227	7085	MCS0	-	-
Mode 22	U-NII-8	6.875-7.125	A6+A7	802.11ax HE40	227	7085	MCS0	RU242/62	-
Mode 23	U-NII-8	6.875-7.125	A6+A7	802.11ax HE80	215	7025	MCS0	-	-
Mode 24	U-NII-8	6.875-7.125	A6+A7	802.11ax HE80	215	7025	MCS0	RU484/66	-
Mode 25	U-NII-8	6.875-7.125	A6+A7	802.11ax HE160	207	6985	MCS0	-	-
Mode 26	U-NII-8	6.875-7.125	A6+A7	802.11ax HE160	207	6985	MCS0	RU996/68	-
Mode 27	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	-	-
Mode 28	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	RU996*2/70	-
Mode 29	U-NII-5	5.925-6.425	A6+A7	802.11ax HE20	1	5955	MCS0	Index 38+1	-
Mode 30	U-NII-5	6.425-6.525	A6+A7	802.11ax HE20	1	5955	MCS0	Index 53+4	-
Mode 31	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	229	7095	MCS0	Index 39+7	-
Mode 32	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	229	7095	MCS0	Index 54+4	-
Mode 33	U-NII-5	6.425-6.525	A6+A7	802.11ax HE80	7	5985	MCS0	Puncturing 20M ④	-
Mode 34	U-NII-8	6.875-7.125	A6+A7	802.11ax HE80	215	7025	MCS0	Puncturing 20M ①	-
Mode 35	U-NII-5	6.425-6.525	A6+A7	802.11ax HE160	15	6025	MCS0	Puncturing 40M ④	-
Mode 36	U-NII-8	6.875-7.125	A6+A7	802.11ax HE160	207	6985	MCS0	Puncturing 40M ①	-
Mode 37	U-NII-5	6.425-6.525	A6+A7	802.11ax HE160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 38	U-NII-8	6.875-7.125	A6+A7	802.11ax HE160	207	6985	MCS0	Puncturing 20M ①	-



Mode 39	U-NII-5	6.525-6.875	A6+A7	802.11ax HE320	31	6105	MCS0	Puncturing 80M +40M ⑥	-
Mode 40	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	Puncturing 80M+40M ⑦	-
Mode 41	U-NII-5	6.525-6.875	A6+A7	802.11ax HE320	31	6105	MCS0	Puncturing 80M ④	-
Mode 42	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	Puncturing 80M ①	-
Mode 43	U-NII-5	6.525-6.875	A6+A7	802.11ax HE320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 44	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	Puncturing 40M ①	-
Mode 45	U-NII-5	6.525-6.875	A6+A7	802.11ax HE80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11ax HE80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 47	U-NII-5	6.525-6.875	A6+A7	802.11ax HE160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11ax HE160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 49	U-NII-5	6.525-6.875	A6+A7	802.11ax HE160	15	6025	MCS0	Large RU 996+484+242 ⑧	-
Mode 50	U-NII-8	6.875-7.125	A6+A7	802.11ax HE160	207	6985	MCS0	Large RU 996+484+242 ①	-
Mode 51	U-NII-5	6.525-6.875	A6+A7	802.11ax HE320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 52	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 53	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 54	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 55	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11ax HE320	191	6905	MCS0	Large RU 996*3+484 ①	-
Mode 57	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	6Mbps	-	-
Mode 58	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	233	7115	MCS0	-	-
Mode 59	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	233	7115	MCS0	RU106/54	-
Mode 60	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	233	7115	MCS0	Index 39+7	-
Mode 61	U-NII-8	6.875-7.125	A6+A7	802.11ax HE20	233	7115	MCS0	Index 54+4	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	48.73	68.20	-19.47	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.46	74.00	-27.54	H	PEAK	Pass	Harmonic
2	802.11ax HE20	1	5924.97	43.36	68.20	-24.84	H	AVERAGE	Pass	Band Edge
2	802.11ax HE20	1	11910.00	45.79	74.00	-28.21	V	PEAK	Pass	Harmonic
3	802.11ax HE20	1	5924.84	41.25	68.20	-26.95	H	AVERAGE	Pass	Band Edge
3	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
4	802.11ax HE40	3	5924.96	53.53	68.20	-14.67	H	AVERAGE	Pass	Band Edge
4	802.11ax HE40	3	11930.00	45.46	74.00	-28.54	H	PEAK	Pass	Harmonic
5	802.11ax HE40	3	5923.56	45.44	68.20	-22.76	H	AVERAGE	Pass	Band Edge
5	802.11ax HE40	3	-	-	-	-	-	-	-	Harmonic
6	802.11ax HE80	7	5924.84	39.58	68.20	-28.62	H	AVERAGE	Pass	Band Edge
6	802.11ax HE80	7	11970.00	45.16	74.00	-28.84	H	PEAK	Pass	Harmonic
7	802.11ax HE80	7	5917.00	42.92	68.20	-25.28	H	AVERAGE	Pass	Band Edge
7	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE160	15	5917.80	43.44	68.20	-24.76	H	AVERAGE	Pass	Band Edge
8	802.11ax HE160	15	12050.00	44.90	74.00	-29.10	H	PEAK	Pass	Harmonic
9	802.11ax HE160	15	5914.40	50.69	68.20	-17.51	H	AVERAGE	Pass	Band Edge
9	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE320	31	5787.56	41.47	68.20	-26.73	H	AVERAGE	Pass	Band Edge
10	802.11ax HE320	31	12210.00	45.39	74.00	-28.61	H	PEAK	Pass	Harmonic
11	802.11ax HE320	31	5898.60	55.19	68.20	-13.01	H	AVERAGE	Pass	Band Edge
11	802.11ax HE320	31	-	-	-	-	-	-	-	Harmonic
12	802.11a	117	-	-	-	-	-	-	-	Band Edge
12	802.11a	117	13070.00	47.04	88.20	-41.16	H	PEAK	Pass	Harmonic
13	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	117	13070.00	47.52	88.20	-40.68	H	PEAK	Pass	Harmonic
14	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE40	123	13130.00	46.07	88.20	-42.13	V	PEAK	Pass	Harmonic
15	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	135	13250.00	46.01	74.00	-27.99	V	PEAK	Pass	Harmonic
16	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE160	143	13330.00	46.49	74.00	-27.51	V	PEAK	Pass	Harmonic
17	802.11ax HE320	127	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE320	127	13170.00	46.69	88.20	-41.51	V	PEAK	Pass	Harmonic
18	802.11a	229	-	-	-	-	-	-	-	Band Edge
18	802.11a	229	14190.00	46.60	88.20	-41.60	H	PEAK	Pass	Harmonic
19	802.11ax HE20	229	7219.08	40.15	68.20	-28.05	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	229	14190.00	46.39	88.20	-41.81	V	PEAK	Pass	Harmonic
20	802.11ax HE20	229	7125.00	43.00	68.20	-25.20	V	AVERAGE	Pass	Band Edge
20	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE40	227	7202.44	40.22	68.20	-27.98	H	AVERAGE	Pass	Band Edge
21	802.11ax HE40	227	14170.00	46.25	88.20	-41.95	H	PEAK	Pass	Harmonic
22	802.11ax HE40	227	7125.00	52.70	68.20	-15.50	H	AVERAGE	Pass	Band Edge
22	802.11ax HE40	227	-	-	-	-	-	-	-	Harmonic







23	802.11ax HE80	215	7239.94	40.32	68.20	-27.88	H	AVERAGE	Pass	Band Edge
23	802.11ax HE80	215	14050.00	45.99	88.20	-42.21	V	PEAK	Pass	Harmonic
24	802.11ax HE80	215	7126.64	46.22	68.20	-21.98	H	AVERAGE	Pass	Band Edge
24	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE160	207	7182.28	40.78	68.20	-27.42	H	AVERAGE	Pass	Band Edge
25	802.11ax HE160	207	13970.00	45.29	88.20	-42.91	H	PEAK	Pass	Harmonic
26	802.11ax HE160	207	7141.96	52.11	68.20	-16.09	H	AVERAGE	Pass	Band Edge
26	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE320	191	7251.16	40.87	54.00	-13.13	H	AVERAGE	Pass	Band Edge
27	802.11ax HE320	191	13810.00	46.18	88.20	-42.02	V	PEAK	Pass	Harmonic
28	802.11ax HE320	191	7253.32	47.27	54.00	-6.73	H	AVERAGE	Pass	Band Edge
28	802.11ax HE320	191	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	1	5924.97	42.78	68.20	-25.42	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	1	5924.84	41.06	68.20	-27.14	H	AVERAGE	Pass	Band Edge
30	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	229	7125.00	45.25	68.20	-22.95	H	AVERAGE	Pass	Band Edge
31	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	229	7125.00	45.13	68.20	-23.07	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE80	7	5923.56	48.69	68.20	-19.51	H	AVERAGE	Pass	Band Edge
33	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
34	802.11ax HE80	215	7125.10	52.88	68.20	-15.32	H	AVERAGE	Pass	Band Edge
34	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE160	15	5923.80	51.67	68.20	-16.53	H	AVERAGE	Pass	Band Edge
35	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE160	207	7156.84	54.28	68.20	-13.92	H	AVERAGE	Pass	Band Edge
36	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
37	802.11ax HE160	15	5882.20	47.06	68.20	-21.14	H	AVERAGE	Pass	Band Edge
37	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
38	802.11ax HE160	207	7133.56	55.43	68.20	-12.77	H	AVERAGE	Pass	Band Edge
38	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
39	802.11ax HE320	31	5913.64	41.13	68.20	-27.07	H	AVERAGE	Pass	Band Edge
39	802.11ax HE320	31	-	-	-	-	-	-	-	Harmonic
40	802.11ax HE320	191	7253.32	41.61	54.00	-12.39	H	AVERAGE	Pass	Band Edge
40	802.11ax HE320	191	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE320	31	5924.20	40.50	68.20	-27.70	H	AVERAGE	Pass	Band Edge
41	802.11ax HE320	31	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE320	191	7252.60	40.38	54.00	-13.62	H	AVERAGE	Pass	Band Edge
42	802.11ax HE320	191	-	-	-	-	-	-	-	Harmonic
43	802.11ax HE320	31	5924.84	40.82	68.20	-27.38	H	AVERAGE	Pass	Band Edge
43	802.11ax HE320	31	-	-	-	-	-	-	-	Harmonic
44	802.11ax HE320	191	7251.16	40.61	54.00	-13.39	H	AVERAGE	Pass	Band Edge
44	802.11ax HE320	191	-	-	-	-	-	-	-	Harmonic
45	802.11ax HE80	7	5925.00	39.86	68.20	-28.34	H	AVERAGE	Pass	Band Edge
45	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
46	802.11ax HE80	215	7178.56	40.43	68.20	-27.77	H	AVERAGE	Pass	Band Edge







46	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE160	15	5908.00	42.71	68.20	-25.49	H	AVERAGE	Pass	Band Edge
47	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE160	207	7135.48	40.98	68.20	-27.22	H	AVERAGE	Pass	Band Edge
48	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
49	802.11ax HE160	15	5901.20	44.24	68.20	-23.96	H	AVERAGE	Pass	Band Edge
49	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE160	207	7215.40	40.91	68.20	-27.29	H	AVERAGE	Pass	Band Edge
50	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE320	31	5914.60	39.75	68.20	-28.45	H	AVERAGE	Pass	Band Edge
51	802.11ax HE320	31	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE320	191	7250.44	40.57	54.00	-13.43	H	AVERAGE	Pass	Band Edge
52	802.11ax HE320	191	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE320	31	5912.68	42.73	68.20	-25.47	H	AVERAGE	Pass	Band Edge
53	802.11ax HE320	31	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE320	31	5787.56	45.39	68.20	-22.81	H	AVERAGE	Pass	Band Edge
54	802.11ax HE320	31	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE320	191	7251.16	40.65	54.00	-13.35	H	AVERAGE	Pass	Band Edge
55	802.11ax HE320	191	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE320	191	7250.44	40.85	54.00	-13.15	H	AVERAGE	Pass	Band Edge
56	802.11ax HE320	191	-	-	-	-	-	-	-	Harmonic
57	802.11a	233	7125.01	62.69	68.20	-5.51	H	AVERAGE	Pass	Band Edge
57	802.11a	233	14230.00	46.90	88.20	-41.30	V	PEAK	Pass	Harmonic
58	802.11ax HE20	233	7125.01	66.64	68.20	-1.56	H	AVERAGE	Pass	Band Edge
58	802.11ax HE20	233	14230.00	47.28	88.20	-40.92	V	PEAK	Pass	Harmonic
59	802.11ax HE20	233	7125.01	66.29	68.20	-1.91	H	AVERAGE	Pass	Band Edge
59	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	233	7125.01	58.29	68.20	-9.91	H	AVERAGE	Pass	Band Edge
60	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	233	7125.01	66.35	68.20	-1.85	H	AVERAGE	Pass	Band Edge
61	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.19</td><td>59.43</td><td>88.20</td><td>-28.77</td><td>50.24</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	59.43	88.20	-28.77	50.24	35.30	11.55	37.66	0.00	164	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>113.31</td><td>-----</td><td>-----</td><td>103.96</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.31	-----	-----	103.96	35.40	11.57	37.62	0.00	164	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.19	59.43	88.20	-28.77	50.24	35.30	11.55	37.66	0.00	164	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	113.31	-----	-----	103.96	35.40	11.57	37.62	0.00	164	360	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>48.73</td><td>68.20</td><td>-19.47</td><td>39.54</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>164</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	48.73	68.20	-19.47	39.54	35.30	11.55	37.66	0.00	164	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>104.19</td><td>-----</td><td>-----</td><td>94.84</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>164</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.19	-----	-----	94.84	35.40	11.57	37.62	0.00	164	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.97	48.73	68.20	-19.47	39.54	35.30	11.55	37.66	0.00	164	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	104.19	-----	-----	94.84	35.40	11.57	37.62	0.00	164	360	AVERAGE																																																																																											







Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>45.14</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>26 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	54.33	88.20	-33.87	45.14	35.30	11.55	37.66	0.00	100	26 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>100.01</td><td>-----</td><td>-----</td><td>98.57</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>100</td><td>26 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.01	-----	-----	98.57	35.47	11.58	37.61	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.45	54.33	88.20	-33.87	45.14	35.30	11.55	37.66	0.00	100	26 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	100.01	-----	-----	98.57	35.47	11.58	37.61	0.00	100	26 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>44.91</td><td>68.20</td><td>-23.29</td><td>35.72</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>26 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	44.91	68.20	-23.29	35.72	35.30	11.55	37.66	0.00	100	26 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.10</td><td>-----</td><td>-----</td><td>89.66</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>100</td><td>26 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.10	-----	-----	89.66	35.47	11.58	37.61	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	44.91	68.20	-23.29	35.72	35.30	11.55	37.66	0.00	100	26 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	99.10	-----	-----	89.66	35.47	11.58	37.61	0.00	100	26 AVERAGE																																																																																									







		1																																																									
Mode		Harmonic																																																									
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																									
ANT		A6+A7																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>56.99</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.46	74.00	-27.54	56.99	39.01	16.42	65.96	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	46.46	74.00	-27.54	56.99	39.01	16.42	65.96	0.00	---	---	PEAK																																															
		Vertical																																																									
																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>56.30</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.77	74.00	-28.23	56.30	39.01	16.42	65.96	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	45.77	74.00	-28.23	56.30	39.01	16.42	65.96	0.00	---	---	PEAK																																															





Mode	2																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																											
ANT	A6+A7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.72</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>45.01</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>207</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.72	54.19	88.20	-34.01	45.01	35.29	11.55	37.66	0.00	207	0 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.99</td><td>-----</td><td>-----</td><td>101.64</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>207</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.99	-----	-----	101.64	35.40	11.57	37.62	0.00	207	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5921.72	54.19	88.20	-34.01	45.01	35.29	11.55	37.66	0.00	207	0 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	110.99	-----	-----	101.64	35.40	11.57	37.62	0.00	207	0 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>34.17</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>207</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	43.36	68.20	-24.84	34.17	35.30	11.55	37.66	0.00	207	0 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.12</td><td>-----</td><td>-----</td><td>91.77</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>207</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.12	-----	-----	91.77	35.40	11.57	37.62	0.00	207	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.97	43.36	68.20	-24.84	34.17	35.30	11.55	37.66	0.00	207	0 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	101.12	-----	-----	91.77	35.40	11.57	37.62	0.00	207	0 AVERAGE																																																																																	







		2																																																																																												
Mode		Band Edge																																																																																												
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																												
ANT		A6+A7																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5871.02	51.85	88.20	-36.35	42.94	35.14	11.51	37.74	0.00	169	312 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.55</td><td>-----</td><td>-----</td><td>99.11</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>169</td><td>312 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.55	-----	-----	99.11	35.47	11.58	37.61	0.00	169
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5871.02	51.85	88.20	-36.35	42.94	35.14	11.51	37.74	0.00	169	312 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	108.55	-----	-----	99.11	35.47	11.58	37.61	0.00	169	312 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	41.23	68.20	-26.97	32.04	35.30	11.55	37.66	0.00	169	312 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.10</td><td>-----</td><td>-----</td><td>88.66</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>169</td><td>312 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.10	-----	-----	88.66	35.47	11.58	37.61	0.00	169
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5924.32	41.23	68.20	-26.97	32.04	35.30	11.55	37.66	0.00	169	312 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	98.10	-----	-----	88.66	35.47	11.58	37.61	0.00	169	312 AVERAGE																																																																																			







Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																																								
ANT	A6+A7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>56.07</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.54	74.00	-28.46	56.07	39.01	16.42	65.96	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>56.32</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.79	74.00	-28.21	56.32	39.01	16.42	65.96	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	45.54	74.00	-28.46	56.07	39.01	16.42	65.96	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	45.79	74.00	-28.21	56.32	39.01	16.42	65.96	0.00	---	---	PEAK																																																																																													







Mode	3																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																																				
ANT	A6+A7																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.78</td><td>51.53</td><td>88.20</td><td>-36.67</td><td>42.70</td><td>35.10</td><td>11.49</td><td>37.76</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5851.78	51.53	88.20	-36.67	42.70	35.10	11.49	37.76	0.00	171	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.14</td><td>-----</td><td>-----</td><td>104.79</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	114.14	-----	-----	104.79	35.40	11.57	37.62	0.00	171	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5851.78	51.53	88.20	-36.67	42.70	35.10	11.49	37.76	0.00	171	360	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5955.00	114.14	-----	-----	104.79	35.40	11.57	37.62	0.00	171	360	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>41.25</td><td>68.20</td><td>-26.95</td><td>32.06</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>171</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.84	41.25	68.20	-26.95	32.06	35.30	11.55	37.66	0.00	171	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.00</td><td>-----</td><td>-----</td><td>95.73</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>171</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	105.00	-----	-----	95.73	35.40	11.57	37.62	0.00	171	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5924.84	41.25	68.20	-26.95	32.06	35.30	11.55	37.66	0.00	171	360	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5955.00	105.00	-----	-----	95.73	35.40	11.57	37.62	0.00	171	360	AVERAGE																																																																																																									







		3																																																																																												
Mode		Band Edge																																																																																												
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																												
ANT		A6+A7																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5867.12	50.48	88.20	-37.72	41.59	35.13	11.50	37.74	0.00	100	312 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.85</td><td>-----</td><td>-----</td><td>101.50</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.85	-----	-----	101.50	35.40	11.57	37.62	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5867.12	50.48	88.20	-37.72	41.59	35.13	11.50	37.74	0.00	100	312 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	110.85	-----	-----	101.50	35.40	11.57	37.62	0.00	100	312 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	39.76	68.20	-28.44	30.57	35.30	11.55	37.66	0.00	100	312 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.84</td><td>-----</td><td>-----</td><td>91.49</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.84	-----	-----	91.49	35.40	11.57	37.62	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5924.71	39.76	68.20	-28.44	30.57	35.30	11.55	37.66	0.00	100	312 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	100.84	-----	-----	91.49	35.40	11.57	37.62	0.00	100	312 AVERAGE																																																																																			





Mode	4																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																							
ANT	A6+A7																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.16</td><td>64.59</td><td>88.20</td><td>-23.61</td><td>55.41</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>161</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.16	64.59	88.20	-23.61	55.41	35.29	11.55	37.66	0.00	161	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5922.16	64.59	88.20	-23.61	55.41	35.29	11.55	37.66	0.00	161	0 PEAK																																													
Avg																																																								
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>53.53</td><td>68.20</td><td>-14.67</td><td>44.34</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>161</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	53.53	68.20	-14.67	44.34	35.30	11.55	37.66	0.00	161	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.96	53.53	68.20	-14.67	44.34	35.30	11.55	37.66	0.00	161	0 AVERAGE																																													
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>98.70</td><td>-----</td><td>-----</td><td>89.26</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>161</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.70	-----	-----	89.26	35.47	11.58	37.61	0.00	161	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	98.70	-----	-----	89.26	35.47	11.58	37.61	0.00	161	0 AVERAGE																																													







Mode	4																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																									
ANT	A6+A7																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.86</td><td>62.83</td><td>88.20</td><td>-25.37</td><td>53.65</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>198 314 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.86	62.83	88.20	-25.37	53.65	35.29	11.55	37.66	0.00	198 314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>106.26</td><td>-----</td><td>-----</td><td>96.82</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>198 314 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	106.26	-----	-----	96.82	35.47	11.58	37.61	0.00	198 314 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5922.86	62.83	88.20	-25.37	53.65	35.29	11.55	37.66	0.00	198 314 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5965.00	106.26	-----	-----	96.82	35.47	11.58	37.61	0.00	198 314 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.82</td><td>52.04</td><td>68.20</td><td>-16.16</td><td>42.85</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>198 314 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	52.04	68.20	-16.16	42.85	35.30	11.55	37.66	0.00	198 314 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>95.96</td><td>-----</td><td>-----</td><td>86.44</td><td>35.54</td><td>11.58</td><td>37.60</td><td>0.00</td><td>198 314 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.96	-----	-----	86.44	35.54	11.58	37.60	0.00	198 314 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.82	52.04	68.20	-16.16	42.85	35.30	11.55	37.66	0.00	198 314 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5965.00	95.96	-----	-----	86.44	35.54	11.58	37.60	0.00	198 314 AVERAGE																																																																																







Mode	4																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																								
ANT	A6+A7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>55.92</td><td>39.03</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.46	74.00	-28.54	55.92	39.03	16.44	65.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>55.28</td><td>39.03</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	44.82	74.00	-29.18	55.28	39.03	16.44	65.93	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11930.00	45.46	74.00	-28.54	55.92	39.03	16.44	65.93	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11930.00	44.82	74.00	-29.18	55.28	39.03	16.44	65.93	0.00	---	---	PEAK																																																																																													







Mode	5																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_RU242/61_5965MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.00</td><td>56.06</td><td>88.20</td><td>-32.14</td><td>46.88</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.00	56.06	88.20	-32.14	46.88	35.29	11.55	37.66	0.00	162	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>111.11</td><td>-----</td><td>-----</td><td>101.67</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	111.11	-----	-----	101.67	35.47	11.58	37.61	0.00	162
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.00	56.06	88.20	-32.14	46.88	35.29	11.55	37.66	0.00	162	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	111.11	-----	-----	101.67	35.47	11.58	37.61	0.00	162	0 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.56</td><td>45.44</td><td>68.20</td><td>-22.76</td><td>36.26</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>162</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	45.44	68.20	-22.76	36.26	35.29	11.55	37.66	0.00	162	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>101.82</td><td>-----</td><td>-----</td><td>92.38</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>162</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	101.82	-----	-----	92.38	35.47	11.58	37.61	0.00	162
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.56	45.44	68.20	-22.76	36.26	35.29	11.55	37.66	0.00	162	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	101.82	-----	-----	92.38	35.47	11.58	37.61	0.00	162	0 AVERAGE																																																																																										







Mode	5																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_RU242/61_5965MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.04</td><td>54.15</td><td>88.20</td><td>-34.05</td><td>44.98</td><td>35.28</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>315</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.04	54.15	88.20	-34.05	44.98	35.28	11.55	37.66	0.00	100	315	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>100.39</td><td>-----</td><td>-----</td><td>98.95</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>100</td><td>315</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.39	-----	-----	98.95	35.47	11.58	37.61	0.00	100	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5921.04	54.15	88.20	-34.05	44.98	35.28	11.55	37.66	0.00	100	315	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	100.39	-----	-----	98.95	35.47	11.58	37.61	0.00	100	315	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>34.17</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>315</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	43.36	68.20	-24.84	34.17	35.30	11.55	37.66	0.00	100	315	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>97.82</td><td>-----</td><td>-----</td><td>88.38</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>100</td><td>315</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	97.82	-----	-----	88.38	35.47	11.58	37.61	0.00	100	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.96	43.36	68.20	-24.84	34.17	35.30	11.55	37.66	0.00	100	315	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	97.82	-----	-----	88.38	35.47	11.58	37.61	0.00	100	315	AVERAGE																																																																																											





Mode	6																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.72</td><td>49.72</td><td>88.20</td><td>-38.48</td><td>40.56</td><td>35.28</td><td>11.55</td><td>37.67</td><td>0.00</td><td>179</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.72	49.72	88.20	-38.48	40.56	35.28	11.55	37.67	0.00	179	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>96.04</td><td>-----</td><td>-----</td><td>86.32</td><td>35.69</td><td>11.60</td><td>37.57</td><td>0.00</td><td>179</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.04	-----	-----	86.32	35.69	11.60	37.57	0.00	179
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5919.72	49.72	88.20	-38.48	40.56	35.28	11.55	37.67	0.00	179	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5985.00	96.04	-----	-----	86.32	35.69	11.60	37.57	0.00	179	0 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>39.58</td><td>68.20</td><td>-28.62</td><td>30.39</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>179</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	39.58	68.20	-28.62	30.39	35.30	11.55	37.66	0.00	179	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>86.01</td><td>-----</td><td>-----</td><td>76.29</td><td>35.69</td><td>11.60</td><td>37.57</td><td>0.00</td><td>179</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.01	-----	-----	76.29	35.69	11.60	37.57	0.00	179
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.84	39.58	68.20	-28.62	30.39	35.30	11.55	37.66	0.00	179	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5985.00	86.01	-----	-----	76.29	35.69	11.60	37.57	0.00	179	0 AVERAGE																																																																																										







Mode	6																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																	
ANT	A6+A7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.24</td><td>50.18</td><td>88.20</td><td>-38.02</td><td>41.05</td><td>35.26</td><td>11.54</td><td>37.67</td><td>0.00</td><td>106 316 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.24	50.18	88.20	-38.02	41.05	35.26	11.54	37.67	0.00	106 316 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.69</td><td>-----</td><td>-----</td><td>82.88</td><td>35.76</td><td>11.61</td><td>37.56</td><td>0.00</td><td>106 316 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.69	-----	-----	82.88	35.76	11.61	37.56	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5915.24	50.18	88.20	-38.02	41.05	35.26	11.54	37.67	0.00	106 316 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	92.69	-----	-----	82.88	35.76	11.61	37.56	0.00	106 316 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>38.76</td><td>68.20</td><td>-29.44</td><td>29.57</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>106 316 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	38.76	68.20	-29.44	29.57	35.30	11.55	37.66	0.00	106 316 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>82.75</td><td>-----</td><td>-----</td><td>73.03</td><td>35.69</td><td>11.60</td><td>37.57</td><td>0.00</td><td>106 316 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	82.75	-----	-----	73.03	35.69	11.60	37.57	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5925.00	38.76	68.20	-29.44	29.57	35.30	11.55	37.66	0.00	106 316 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	82.75	-----	-----	73.03	35.69	11.60	37.57	0.00	106 316 AVERAGE																																																																																								



Mode	6																																																																																																				
	Harmonic																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>55.47</td><td>39.07</td><td>16.47</td><td>65.85</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.16	74.00	-28.84	55.47	39.07	16.47	65.85	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>54.67</td><td>39.07</td><td>16.47</td><td>65.85</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	44.36	74.00	-29.64	54.67	39.07	16.47	65.85	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11970.00	45.16	74.00	-28.84	55.47	39.07	16.47	65.85	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11970.00	44.36	74.00	-29.64	54.67	39.07	16.47	65.85	0.00	---	PEAK																																																																																										



		7																																																						
Mode		Band Edge																																																						
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_RU484/65_5985MHz																																																						
ANT		A6+A7																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.08</td><td>54.71</td><td>88.20</td><td>-33.49</td><td>45.58</td><td>35.26</td><td>11.54</td><td>37.67</td><td>0.00</td><td>208</td><td>0 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.08	54.71	88.20	-33.49	45.58	35.26	11.54	37.67	0.00	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5915.08	54.71	88.20	-33.49	45.58	35.26	11.54	37.67	0.00	208	0 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>109.50</td><td>-----</td><td>-----</td><td>100.15</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>208</td><td>0 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.50	-----	-----	100.15	35.40	11.57	37.62	0.00	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5985.00	109.50	-----	-----	100.15	35.40	11.57	37.62	0.00	208	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.00</td><td>42.92</td><td>68.20</td><td>-25.28</td><td>33.78</td><td>35.27</td><td>11.54</td><td>37.67</td><td>0.00</td><td>208</td><td>0 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.00	42.92	68.20	-25.28	33.78	35.27	11.54	37.67	0.00	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5917.00	42.92	68.20	-25.28	33.78	35.27	11.54	37.67	0.00	208	0 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>98.04</td><td>-----</td><td>-----</td><td>88.69</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>208</td><td>0 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	98.04	-----	-----	88.69	35.40	11.57	37.62	0.00	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5985.00	98.04	-----	-----	88.69	35.40	11.57	37.62	0.00	208	0 AVERAGE																																													