









Mode	47																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>58.12</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	47.40	74.00	-26.60	58.12	38.04	17.83	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>56.96</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.24	74.00	-27.76	56.96	38.04	17.83	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	47.40	74.00	-26.60	58.12	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	46.24	74.00	-27.76	56.96	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																														





		48																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.85_802.11be EHT20_CH144_5720MHz																																																										
ANT		CDD 6+7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>57.41</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.69	74.00	-27.31	57.41	38.04	17.83	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11440.00	46.69	74.00	-27.31	57.41	38.04	17.83	66.59	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>57.00</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.28	74.00	-27.72	57.00	38.04	17.83	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11440.00	46.28	74.00	-27.72	57.00	38.04	17.83	66.59	0.00	---	---	PEAK																																																






		49																																																																																																		
Mode		Harmonic																																																																																																		
		U-NII-2C_5.47-5.85_802.11be EHT40_CH142_5710MHz																																																																																																		
ANT		CDD 6+7																																																																																																		
Pol.		Horizontal					Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>57.02</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	46.26	74.00	-27.74	57.02	38.02	17.81	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>56.05</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.29	74.00	-28.71	56.05	38.02	17.81	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11420.00	46.26	74.00	-27.74	57.02	38.02	17.81	66.59	0.00	---	PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11420.00	45.29	74.00	-28.71	56.05	38.02	17.81	66.59	0.00	---	PEAK																																																																																									






		50																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.47-5.85_802.11be EHT80_CH138_5690MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>56.93</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	46.11	74.00	-27.89	56.93	37.98	17.79	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11380.00	46.11	74.00	-27.89	56.93	37.98	17.79	66.59	0.00	---	---	PEAK																																															
																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>55.53</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	44.71	74.00	-29.29	55.53	37.98	17.79	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11380.00	44.71	74.00	-29.29	55.53	37.98	17.79	66.59	0.00	---	---	PEAK																																															





	51																																																																																																																																														
Mode	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	CDD 6+7																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.40</td><td>54.42</td><td>68.20</td><td>-13.78</td><td>43.87</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>53.18</td><td>68.20</td><td>-15.02</td><td>42.64</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>56.24</td><td>105.30</td><td>-49.06</td><td>45.59</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.33</td><td>110.90</td><td>-56.57</td><td>43.66</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.40	54.42	68.20	-13.78	43.87	34.50	12.34	36.29	0.00	176	360	PEAK	2	5658.00	53.18	68.20	-15.02	42.64	34.50	12.35	36.31	0.00	176	360	PEAK	3	5700.00	56.24	105.30	-49.06	45.59	34.60	12.40	36.35	0.00	176	360	PEAK	4	5720.00	54.33	110.90	-56.57	43.66	34.64	12.42	36.39	0.00	176	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.15</td><td>-----</td><td>-----</td><td>101.45</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.15	-----	-----	101.45	34.69	12.44	36.43	0.00	176	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5628.40	54.42	68.20	-13.78	43.87	34.50	12.34	36.29	0.00	176	360	PEAK																																																																																																																																			
2	5658.00	53.18	68.20	-15.02	42.64	34.50	12.35	36.31	0.00	176	360	PEAK																																																																																																																																			
3	5700.00	56.24	105.30	-49.06	45.59	34.60	12.40	36.35	0.00	176	360	PEAK																																																																																																																																			
4	5720.00	54.33	110.90	-56.57	43.66	34.64	12.42	36.39	0.00	176	360	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	112.15	-----	-----	101.45	34.69	12.44	36.43	0.00	176	360	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.91</td><td>-----</td><td>-----</td><td>93.21</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>176</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.91	-----	-----	93.21	34.69	12.44	36.43	0.00	176	360	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	103.91	-----	-----	93.21	34.69	12.44	36.43	0.00	176	360	AVERAGE																																																																																																																																			






Mode	51																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	CDD 6+7																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.60</td><td>54.49</td><td>68.20</td><td>-13.71</td><td>43.94</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>303</td><td>225</td><td>PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>52.23</td><td>68.80</td><td>-16.57</td><td>41.68</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>303</td><td>225</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>53.81</td><td>105.41</td><td>-51.60</td><td>43.16</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>303</td><td>225</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.77</td><td>110.90</td><td>-57.13</td><td>43.10</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>303</td><td>225</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.60	54.49	68.20	-13.71	43.94	34.50	12.35	36.30	0.00	303	225	PEAK	2	5658.80	52.23	68.80	-16.57	41.68	34.50	12.36	36.31	0.00	303	225	PEAK	3	5700.40	53.81	105.41	-51.60	43.16	34.60	12.40	36.35	0.00	303	225	PEAK	4	5720.00	53.77	110.90	-57.13	43.10	34.64	12.42	36.39	0.00	303	225	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.47</td><td>-----</td><td>-----</td><td>96.77</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>303</td><td>225</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.47	-----	-----	96.77	34.69	12.44	36.43	0.00	303	225	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5645.60	54.49	68.20	-13.71	43.94	34.50	12.35	36.30	0.00	303	225	PEAK																																																																																																																																			
2	5658.80	52.23	68.80	-16.57	41.68	34.50	12.36	36.31	0.00	303	225	PEAK																																																																																																																																			
3	5700.40	53.81	105.41	-51.60	43.16	34.60	12.40	36.35	0.00	303	225	PEAK																																																																																																																																			
4	5720.00	53.77	110.90	-57.13	43.10	34.64	12.42	36.39	0.00	303	225	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	107.47	-----	-----	96.77	34.69	12.44	36.43	0.00	303	225	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.80</td><td>-----</td><td>-----</td><td>88.10</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>303</td><td>225</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.80	-----	-----	88.10	34.69	12.44	36.43	0.00	303	225	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	98.80	-----	-----	88.10	34.69	12.44	36.43	0.00	303	225	AVERAGE																																																																																																																																			




Mode	51																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>57.68</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	47.05	74.00	-26.95	57.68	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>57.08</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.45	74.00	-27.55	57.08	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	47.05	74.00	-26.95	57.68	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	46.45	74.00	-27.55	57.08	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														






Mode	52																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.00</td><td>54.47</td><td>68.20</td><td>-13.73</td><td>43.92</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr><tr><td>2 5658.80</td><td>54.20</td><td>68.80</td><td>-14.60</td><td>43.65</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr><tr><td>3 5781.20</td><td>56.19</td><td>105.64</td><td>-49.45</td><td>45.54</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr><tr><td>4 5720.00</td><td>52.11</td><td>110.90</td><td>-58.79</td><td>41.44</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5622.00	54.47	68.20	-13.73	43.92	34.50	12.33	36.28	0.00	212	0 PEAK	2 5658.80	54.20	68.80	-14.60	43.65	34.50	12.36	36.31	0.00	212	0 PEAK	3 5781.20	56.19	105.64	-49.45	45.54	34.60	12.40	36.35	0.00	212	0 PEAK	4 5720.00	52.11	110.90	-58.79	41.44	34.64	12.42	36.39	0.00	212	0 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>113.05</td><td>-----</td><td>-----</td><td>102.15</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5785.00	113.05	-----	-----	102.15	34.93	12.48	36.51	0.00	212	0 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5622.00	54.47	68.20	-13.73	43.92	34.50	12.33	36.28	0.00	212	0 PEAK																																																																																																				
2 5658.80	54.20	68.80	-14.60	43.65	34.50	12.36	36.31	0.00	212	0 PEAK																																																																																																				
3 5781.20	56.19	105.64	-49.45	45.54	34.60	12.40	36.35	0.00	212	0 PEAK																																																																																																				
4 5720.00	52.11	110.90	-58.79	41.44	34.64	12.42	36.39	0.00	212	0 PEAK																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5785.00	113.05	-----	-----	102.15	34.93	12.48	36.51	0.00	212	0 PEAK																																																																																																				
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>103.87</td><td>-----</td><td>-----</td><td>93.01</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>212</td><td>0 AVERAGE</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5785.00	103.87	-----	-----	93.01	34.89	12.47	36.50	0.00	212	0 AVERAGE																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5785.00	103.87	-----	-----	93.01	34.89	12.47	36.50	0.00	212	0 AVERAGE																																																																																																				




Mode	52																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.00</td><td>53.10</td><td>111.36</td><td>-58.26</td><td>42.05</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>54.30</td><td>105.58</td><td>-51.28</td><td>43.17</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.55</td><td>68.64</td><td>-15.09</td><td>42.41</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>45.49</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.00	53.10	111.36	-58.26	42.05	35.12	12.56	36.63	0.00	212	0 PEAK	2	5874.00	54.30	105.58	-51.28	43.17	35.20	12.59	36.66	0.00	212	0 PEAK	3	5924.40	53.55	68.64	-15.09	42.41	35.30	12.66	36.82	0.00	212	0 PEAK	4	5933.60	56.60	68.20	-11.60	45.49	35.30	12.67	36.86	0.00	212	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5854.00	53.10	111.36	-58.26	42.05	35.12	12.56	36.63	0.00	212	0 PEAK																																																																								
2	5874.00	54.30	105.58	-51.28	43.17	35.20	12.59	36.66	0.00	212	0 PEAK																																																																								
3	5924.40	53.55	68.64	-15.09	42.41	35.30	12.66	36.82	0.00	212	0 PEAK																																																																								
4	5933.60	56.60	68.20	-11.60	45.49	35.30	12.67	36.86	0.00	212	0 PEAK																																																																								





Mode	52																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Vertical																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.20</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>44.13</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>52.59</td><td>69.09</td><td>-16.50</td><td>42.04</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>54.32</td><td>105.41</td><td>-51.09</td><td>43.67</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.83</td><td>110.90</td><td>-61.07</td><td>39.16</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.20	54.68	68.20	-13.52	44.13	34.50	12.34	36.29	0.00	300	100	PEAK	2	5651.20	52.59	69.09	-16.50	42.04	34.50	12.36	36.31	0.00	300	100	PEAK	3	5700.40	54.32	105.41	-51.09	43.67	34.60	12.40	36.35	0.00	300	100	PEAK	4	5720.00	49.83	110.90	-61.07	39.16	34.64	12.42	36.39	0.00	300	100	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5635.20	54.68	68.20	-13.52	44.13	34.50	12.34	36.29	0.00	300	100	PEAK																																																																																				
2	5651.20	52.59	69.09	-16.50	42.04	34.50	12.36	36.31	0.00	300	100	PEAK																																																																																				
3	5700.40	54.32	105.41	-51.09	43.67	34.60	12.40	36.35	0.00	300	100	PEAK																																																																																				
4	5720.00	49.83	110.90	-61.07	39.16	34.64	12.42	36.39	0.00	300	100	PEAK																																																																																				
Fundamental																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>107.22</td><td>-----</td><td>-----</td><td>96.36</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	107.22	-----	-----	96.36	34.89	12.47	36.50	0.00	300	100	PEAK																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5785.00	107.22	-----	-----	96.36	34.89	12.47	36.50	0.00	300	100	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>98.41</td><td>-----</td><td>-----</td><td>87.55</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>300</td><td>100</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	98.41	-----	-----	87.55	34.89	12.47	36.50	0.00	300	100	AVERAGE																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5785.00	98.41	-----	-----	87.55	34.89	12.47	36.50	0.00	300	100	AVERAGE																																																																																				






Mode	52																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.78</td><td>111.36</td><td>-57.58</td><td>42.73</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>55.64</td><td>106.59</td><td>-50.95</td><td>44.53</td><td>35.18</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.45</td><td>68.94</td><td>-14.49</td><td>43.31</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>54.86</td><td>68.20</td><td>-13.34</td><td>43.76</td><td>35.30</td><td>12.67</td><td>36.87</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.78	111.36	-57.58	42.73	35.12	12.56	36.63	0.00	300	100	PEAK	2	5870.40	55.64	106.59	-50.95	44.53	35.18	12.59	36.66	0.00	300	100	PEAK	3	5924.00	54.45	68.94	-14.49	43.31	35.30	12.66	36.82	0.00	300	100	PEAK	4	5934.00	54.86	68.20	-13.34	43.76	35.30	12.67	36.87	0.00	300	100	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	53.78	111.36	-57.58	42.73	35.12	12.56	36.63	0.00	300	100	PEAK																																																																																				
2	5870.40	55.64	106.59	-50.95	44.53	35.18	12.59	36.66	0.00	300	100	PEAK																																																																																				
3	5924.00	54.45	68.94	-14.49	43.31	35.30	12.66	36.82	0.00	300	100	PEAK																																																																																				
4	5934.00	54.86	68.20	-13.34	43.76	35.30	12.67	36.87	0.00	300	100	PEAK																																																																																				






		52																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																										
ANT		CDD 6+7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>57.60</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	47.16	74.00	-26.84	57.60	38.17	17.92	66.53	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	47.16	74.00	-26.84	57.60	38.17	17.92	66.53	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>56.61</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.17	74.00	-27.83	56.61	38.17	17.92	66.53	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	46.17	74.00	-27.83	56.61	38.17	17.92	66.53	0.00	---	---	PEAK																																																





	53																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>55.49</td><td>112.27</td><td>-56.78</td><td>44.44</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr><tr><td>2 5874.80</td><td>56.06</td><td>105.36</td><td>-49.30</td><td>44.93</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr><tr><td>3 5923.20</td><td>54.22</td><td>69.53</td><td>-15.31</td><td>43.07</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr><tr><td>4 5942.80</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>44.87</td><td>35.30</td><td>12.68</td><td>36.90</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5854.40	55.49	112.27	-56.78	44.44	35.12	12.56	36.63	0.00	211	360 PEAK	2 5874.80	56.06	105.36	-49.30	44.93	35.20	12.59	36.66	0.00	211	360 PEAK	3 5923.20	54.22	69.53	-15.31	43.07	35.30	12.66	36.81	0.00	211	360 PEAK	4 5942.80	55.95	68.20	-12.25	44.87	35.30	12.68	36.90	0.00	211	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>111.94</td><td>-----</td><td>-----</td><td>100.93</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	111.94	-----	-----	100.93	35.06	12.53	36.58	0.00	211	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5854.40	55.49	112.27	-56.78	44.44	35.12	12.56	36.63	0.00	211	360 PEAK																																																																																																				
2 5874.80	56.06	105.36	-49.30	44.93	35.20	12.59	36.66	0.00	211	360 PEAK																																																																																																				
3 5923.20	54.22	69.53	-15.31	43.07	35.30	12.66	36.81	0.00	211	360 PEAK																																																																																																				
4 5942.80	55.95	68.20	-12.25	44.87	35.30	12.68	36.90	0.00	211	360 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5825.00	111.94	-----	-----	100.93	35.06	12.53	36.58	0.00	211	360 PEAK																																																																																																				
Avg	Blank																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.63</td><td>-----</td><td>-----</td><td>92.62</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>211</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	103.63	-----	-----	92.62	35.06	12.53	36.58	0.00	211	360 AVERAGE																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5825.00	103.63	-----	-----	92.62	35.06	12.53	36.58	0.00	211	360 AVERAGE																																																																																																				






	53																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>51.96</td><td>111.36</td><td>-59.40</td><td>40.91</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>55.45</td><td>106.03</td><td>-50.58</td><td>44.33</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.12</td><td>68.64</td><td>-15.52</td><td>41.98</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr><tr><td>4</td><td>5946.80</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>44.74</td><td>35.30</td><td>12.69</td><td>36.92</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	51.96	111.36	-59.40	40.91	35.12	12.56	36.63	0.00	300	99 PEAK	2	5872.40	55.45	106.03	-50.58	44.33	35.19	12.59	36.66	0.00	300	99 PEAK	3	5924.40	53.12	68.64	-15.52	41.98	35.30	12.66	36.82	0.00	300	99 PEAK	4	5946.80	55.81	68.20	-12.39	44.74	35.30	12.69	36.92	0.00	300	99 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.32</td><td>-----</td><td>-----</td><td>95.31</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.32	-----	-----	95.31	35.06	12.53	36.58	0.00	300	99 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	51.96	111.36	-59.40	40.91	35.12	12.56	36.63	0.00	300	99 PEAK																																																																																																																															
2	5872.40	55.45	106.03	-50.58	44.33	35.19	12.59	36.66	0.00	300	99 PEAK																																																																																																																															
3	5924.40	53.12	68.64	-15.52	41.98	35.30	12.66	36.82	0.00	300	99 PEAK																																																																																																																															
4	5946.80	55.81	68.20	-12.39	44.74	35.30	12.69	36.92	0.00	300	99 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	106.32	-----	-----	95.31	35.06	12.53	36.58	0.00	300	99 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.58</td><td>-----</td><td>-----</td><td>86.57</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>300</td><td>99 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.58	-----	-----	86.57	35.06	12.53	36.58	0.00	300	99 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	97.58	-----	-----	86.57	35.06	12.53	36.58	0.00	300	99 AVERAGE																																																																																																																															






Mode	53																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>57.57</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	47.38	74.00	-26.62	57.57	38.30	17.98	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>56.76</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.57	74.00	-27.43	56.76	38.30	17.98	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	47.38	74.00	-26.62	57.57	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	46.57	74.00	-27.43	56.76	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																														





Mode	54																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.40</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>45.40</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>172 360 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>54.36</td><td>69.99</td><td>-15.63</td><td>43.81</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>172 360 PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>56.45</td><td>106.76</td><td>-50.31</td><td>45.80</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>172 360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.72</td><td>110.90</td><td>-55.18</td><td>45.05</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>172 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5610.40	55.95	68.20	-12.25	45.40	34.50	12.32	36.27	0.00	172 360 PEAK	2	5652.40	54.36	69.99	-15.63	43.81	34.50	12.36	36.31	0.00	172 360 PEAK	3	5705.20	56.45	106.76	-50.31	45.80	34.61	12.40	36.36	0.00	172 360 PEAK	4	5720.00	55.72	110.90	-55.18	45.05	34.64	12.42	36.39	0.00	172 360 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.00</td><td>-----</td><td>-----</td><td>100.38</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>172 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	111.00	-----	-----	100.38	34.68	12.44	36.42	0.00	172 360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5610.40	55.95	68.20	-12.25	45.40	34.50	12.32	36.27	0.00	172 360 PEAK																																																																																																				
2	5652.40	54.36	69.99	-15.63	43.81	34.50	12.36	36.31	0.00	172 360 PEAK																																																																																																				
3	5705.20	56.45	106.76	-50.31	45.80	34.61	12.40	36.36	0.00	172 360 PEAK																																																																																																				
4	5720.00	55.72	110.90	-55.18	45.05	34.64	12.42	36.39	0.00	172 360 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	111.00	-----	-----	100.38	34.68	12.44	36.42	0.00	172 360 PEAK																																																																																																				
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.66</td><td>-----</td><td>-----</td><td>91.96</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>172 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	102.66	-----	-----	91.96	34.68	12.44	36.42	0.00	172 360 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	102.66	-----	-----	91.96	34.68	12.44	36.42	0.00	172 360 AVERAGE																																																																																																				






	54																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.00</td><td>54.25</td><td>68.20</td><td>-13.95</td><td>43.70</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>276</td><td>134 PEAK</td></tr><tr><td>2 5650.00</td><td>52.54</td><td>68.20</td><td>-15.66</td><td>42.00</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>276</td><td>134 PEAK</td></tr><tr><td>3 5703.20</td><td>54.22</td><td>106.20</td><td>-51.98</td><td>43.57</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>276</td><td>134 PEAK</td></tr><tr><td>4 5720.00</td><td>52.05</td><td>110.90</td><td>-58.85</td><td>41.38</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>276</td><td>134 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.00	54.25	68.20	-13.95	43.70	34.50	12.35	36.30	0.00	276	134 PEAK	2 5650.00	52.54	68.20	-15.66	42.00	34.50	12.35	36.31	0.00	276	134 PEAK	3 5703.20	54.22	106.20	-51.98	43.57	34.61	12.40	36.36	0.00	276	134 PEAK	4 5720.00	52.05	110.90	-58.85	41.38	34.64	12.42	36.39	0.00	276	134 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>107.13</td><td>-----</td><td>-----</td><td>96.41</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>276</td><td>134 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.13	-----	-----	96.41	34.71	12.45	36.44	0.00	276
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5640.00	54.25	68.20	-13.95	43.70	34.50	12.35	36.30	0.00	276	134 PEAK																																																																																																																									
2 5650.00	52.54	68.20	-15.66	42.00	34.50	12.35	36.31	0.00	276	134 PEAK																																																																																																																									
3 5703.20	54.22	106.20	-51.98	43.57	34.61	12.40	36.36	0.00	276	134 PEAK																																																																																																																									
4 5720.00	52.05	110.90	-58.85	41.38	34.64	12.42	36.39	0.00	276	134 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	107.13	-----	-----	96.41	34.71	12.45	36.44	0.00	276	134 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.40</td><td>-----</td><td>-----</td><td>87.68</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>276</td><td>134 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.40	-----	-----	87.68	34.71	12.45	36.44	0.00	276	134 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	98.40	-----	-----	87.68	34.71	12.45	36.44	0.00	276	134 AVERAGE																																																																																																																									






Mode	54																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>56.71</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.08	74.00	-27.92	56.71	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>56.03</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.40	74.00	-28.60	56.03	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	46.08	74.00	-27.92	56.71	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	45.40	74.00	-28.60	56.03	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														






Mode	55																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5637.20</td><td>56.31</td><td>68.20</td><td>-11.89</td><td>45.76</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>173</td><td>360 PEAK</td></tr><tr><td>2 5650.40</td><td>52.82</td><td>68.50</td><td>-15.68</td><td>42.27</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>173</td><td>360 PEAK</td></tr><tr><td>3 5700.40</td><td>55.27</td><td>107.65</td><td>-52.38</td><td>44.61</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>173</td><td>360 PEAK</td></tr><tr><td>4 5720.00</td><td>53.12</td><td>110.90</td><td>-57.78</td><td>42.45</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>173</td><td>360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5637.20	56.31	68.20	-11.89	45.76	34.50	12.34	36.29	0.00	173	360 PEAK	2 5650.40	52.82	68.50	-15.68	42.27	34.50	12.36	36.31	0.00	173	360 PEAK	3 5700.40	55.27	107.65	-52.38	44.61	34.62	12.41	36.37	0.00	173	360 PEAK	4 5720.00	53.12	110.90	-57.78	42.45	34.64	12.42	36.39	0.00	173	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5637.20	56.31	68.20	-11.89	45.76	34.50	12.34	36.29	0.00	173	360 PEAK																																																																														
2 5650.40	52.82	68.50	-15.68	42.27	34.50	12.36	36.31	0.00	173	360 PEAK																																																																														
3 5700.40	55.27	107.65	-52.38	44.61	34.62	12.41	36.37	0.00	173	360 PEAK																																																																														
4 5720.00	53.12	110.90	-57.78	42.45	34.64	12.42	36.39	0.00	173	360 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>112.89</td><td>-----</td><td>-----</td><td>102.19</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>173</td><td>360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	112.89	-----	-----	102.19	34.68	12.44	36.42	0.00	173	360 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	112.89	-----	-----	102.19	34.68	12.44	36.42	0.00	173	360 PEAK																																																																														
Blank																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>104.74</td><td>-----</td><td>-----</td><td>94.04</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>173</td><td>360 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	104.74	-----	-----	94.04	34.68	12.44	36.42	0.00	173	360 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	104.74	-----	-----	94.04	34.68	12.44	36.42	0.00	173	360 AVERAGE																																																																														
Avg																																																																																								




Mode	55																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>55.44</td><td>68.20</td><td>-12.76</td><td>44.89</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>2</td><td>5653.60</td><td>54.96</td><td>70.88</td><td>-15.92</td><td>44.40</td><td>34.51</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>52.62</td><td>105.41</td><td>-52.79</td><td>41.97</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.36</td><td>111.81</td><td>-60.45</td><td>40.69</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.20	55.44	68.20	-12.76	44.89	34.50	12.34	36.29	0.00	100	10 PEAK	2	5653.60	54.96	70.88	-15.92	44.40	34.51	12.36	36.31	0.00	100	10 PEAK	3	5700.40	52.62	105.41	-52.79	41.97	34.60	12.40	36.35	0.00	100	10 PEAK	4	5720.40	51.36	111.81	-60.45	40.69	34.64	12.42	36.39	0.00	100	10 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.16</td><td>-----</td><td>-----</td><td>98.46</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.16	-----	-----	98.46	34.68	12.44	36.42	0.00	100	10 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5631.20	55.44	68.20	-12.76	44.89	34.50	12.34	36.29	0.00	100	10 PEAK																																																																																																																														
2	5653.60	54.96	70.88	-15.92	44.40	34.51	12.36	36.31	0.00	100	10 PEAK																																																																																																																														
3	5700.40	52.62	105.41	-52.79	41.97	34.60	12.40	36.35	0.00	100	10 PEAK																																																																																																																														
4	5720.40	51.36	111.81	-60.45	40.69	34.64	12.42	36.39	0.00	100	10 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	109.16	-----	-----	98.46	34.68	12.44	36.42	0.00	100	10 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.21</td><td>-----</td><td>-----</td><td>89.51</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>10 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.21	-----	-----	89.51	34.68	12.44	36.42	0.00	100	10 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	100.21	-----	-----	89.51	34.68	12.44	36.42	0.00	100	10 AVERAGE																																																																																																																														






Mode	56																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																														
ANT	CDD 6+7																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.20</td><td>53.82</td><td>68.20</td><td>-14.38</td><td>43.27</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>53.67</td><td>69.09</td><td>-15.42</td><td>43.12</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>55.07</td><td>105.52</td><td>-50.45</td><td>44.42</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.37</td><td>110.90</td><td>-57.53</td><td>42.70</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.20	53.82	68.20	-14.38	43.27	34.50	12.35	36.30	0.00	173	360	PEAK	2	5651.20	53.67	69.09	-15.42	43.12	34.50	12.36	36.31	0.00	173	360	PEAK	3	5700.80	55.07	105.52	-50.45	44.42	34.60	12.40	36.35	0.00	173	360	PEAK	4	5720.00	53.37	110.90	-57.53	42.70	34.64	12.42	36.39	0.00	173	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>111.71</td><td>-----</td><td>-----</td><td>100.87</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	111.71	-----	-----	100.87	34.86	12.47	36.49	0.00	173	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5645.20	53.82	68.20	-14.38	43.27	34.50	12.35	36.30	0.00	173	360	PEAK																																																																																																																																			
2	5651.20	53.67	69.09	-15.42	43.12	34.50	12.36	36.31	0.00	173	360	PEAK																																																																																																																																			
3	5700.80	55.07	105.52	-50.45	44.42	34.60	12.40	36.35	0.00	173	360	PEAK																																																																																																																																			
4	5720.00	53.37	110.90	-57.53	42.70	34.64	12.42	36.39	0.00	173	360	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5785.00	111.71	-----	-----	100.87	34.86	12.47	36.49	0.00	173	360	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>102.79</td><td>-----</td><td>-----</td><td>91.93</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>173</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	102.79	-----	-----	91.93	34.89	12.47	36.50	0.00	173	360	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5785.00	102.79	-----	-----	91.93	34.89	12.47	36.50	0.00	173	360	AVERAGE																																																																																																																																			




Mode	56																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																						
ANT	CDD 6+7																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.80</td><td>53.64</td><td>111.36</td><td>-57.72</td><td>42.59</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>54.14</td><td>105.80</td><td>-51.66</td><td>43.02</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.61</td><td>68.64</td><td>-16.03</td><td>41.47</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5932.40</td><td>55.34</td><td>68.20</td><td>-12.86</td><td>44.23</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>173</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.80	53.64	111.36	-57.72	42.59	35.12	12.56	36.63	0.00	173	360	PEAK	2	5873.20	54.14	105.80	-51.66	43.02	35.19	12.59	36.66	0.00	173	360	PEAK	3	5924.40	52.61	68.64	-16.03	41.47	35.30	12.66	36.82	0.00	173	360	PEAK	4	5932.40	55.34	68.20	-12.86	44.23	35.30	12.67	36.86	0.00	173	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5854.80	53.64	111.36	-57.72	42.59	35.12	12.56	36.63	0.00	173	360	PEAK																																																																											
2	5873.20	54.14	105.80	-51.66	43.02	35.19	12.59	36.66	0.00	173	360	PEAK																																																																											
3	5924.40	52.61	68.64	-16.03	41.47	35.30	12.66	36.82	0.00	173	360	PEAK																																																																											
4	5932.40	55.34	68.20	-12.86	44.23	35.30	12.67	36.86	0.00	173	360	PEAK																																																																											



Mode	56																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5614.00</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>43.81</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>2 5651.20</td><td>51.53</td><td>69.09</td><td>-17.56</td><td>40.98</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>3 5704.40</td><td>54.45</td><td>106.53</td><td>-52.08</td><td>43.80</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>4 5720.00</td><td>50.45</td><td>110.90</td><td>-60.45</td><td>39.78</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5614.00	54.36	68.20	-13.84	43.81	34.50	12.32	36.27	0.00	100	10 PEAK	2 5651.20	51.53	69.09	-17.56	40.98	34.50	12.36	36.31	0.00	100	10 PEAK	3 5704.40	54.45	106.53	-52.08	43.80	34.61	12.40	36.36	0.00	100	10 PEAK	4 5720.00	50.45	110.90	-60.45	39.78	34.64	12.42	36.39	0.00	100	10 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>105.72</td><td>-----</td><td>-----</td><td>94.86</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	105.72	-----	-----	94.86	34.89	12.47	36.50	0.00	100	10 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5614.00	54.36	68.20	-13.84	43.81	34.50	12.32	36.27	0.00	100	10 PEAK																																																																																																																										
2 5651.20	51.53	69.09	-17.56	40.98	34.50	12.36	36.31	0.00	100	10 PEAK																																																																																																																										
3 5704.40	54.45	106.53	-52.08	43.80	34.61	12.40	36.36	0.00	100	10 PEAK																																																																																																																										
4 5720.00	50.45	110.90	-60.45	39.78	34.64	12.42	36.39	0.00	100	10 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	105.72	-----	-----	94.86	34.89	12.47	36.50	0.00	100	10 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>97.49</td><td>-----</td><td>-----</td><td>86.63</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>100</td><td>10 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	97.49	-----	-----	86.63	34.89	12.47	36.50	0.00	100	10 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	97.49	-----	-----	86.63	34.89	12.47	36.50	0.00	100	10 AVERAGE																																																																																																																										






Mode	56																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5854.00</td><td>52.59</td><td>111.36</td><td>-58.77</td><td>41.54</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>55.38</td><td>106.25</td><td>-50.87</td><td>44.26</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>55.01</td><td>70.71</td><td>-15.70</td><td>43.87</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>55.83</td><td>68.20</td><td>-12.37</td><td>44.70</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>100</td><td>10 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5854.00	52.59	111.36	-58.77	41.54	35.12	12.56	36.63	0.00	100	10 PEAK	2	5871.60	55.38	106.25	-50.87	44.26	35.19	12.59	36.66	0.00	100	10 PEAK	3	5921.60	55.01	70.71	-15.70	43.87	35.30	12.65	36.81	0.00	100	10 PEAK	4	5925.60	55.83	68.20	-12.37	44.70	35.30	12.66	36.83	0.00	100	10 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1	5854.00	52.59	111.36	-58.77	41.54	35.12	12.56	36.63	0.00	100	10 PEAK																																																																																	
2	5871.60	55.38	106.25	-50.87	44.26	35.19	12.59	36.66	0.00	100	10 PEAK																																																																																	
3	5921.60	55.01	70.71	-15.70	43.87	35.30	12.65	36.81	0.00	100	10 PEAK																																																																																	
4	5925.60	55.83	68.20	-12.37	44.70	35.30	12.66	36.83	0.00	100	10 PEAK																																																																																	






		56																																																									
Mode		Harmonic																																																									
		U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>57.08</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.64	74.00	-27.36	57.08	38.17	17.92	66.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11570.00	46.64	74.00	-27.36	57.08	38.17	17.92	66.53	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>57.08</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.64	74.00	-27.36	57.08	38.17	17.92	66.53	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11570.00	46.64	74.00	-27.36	57.08	38.17	17.92	66.53	0.00	---	---	PEAK																																															
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>56.79</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.35	74.00	-27.65	56.79	38.17	17.92	66.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11570.00	46.35	74.00	-27.65	56.79	38.17	17.92	66.53	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>56.79</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.35	74.00	-27.65	56.79	38.17	17.92	66.53	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11570.00	46.35	74.00	-27.65	56.79	38.17	17.92	66.53	0.00	---	---	PEAK																																															





Mode	57																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																															
ANT	CDD 6+7																																																																																																																																															
Pol.	Horizontal										Fundamental																																																																																																																																					
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>56.11</td><td>111.36</td><td>-55.25</td><td>45.06</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>209</td><td>360 PEAK</td></tr><tr><td>2 5874.40</td><td>54.48</td><td>105.47</td><td>-50.99</td><td>43.35</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>209</td><td>360 PEAK</td></tr><tr><td>3 5924.80</td><td>54.13</td><td>68.35</td><td>-14.22</td><td>42.99</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>209</td><td>360 PEAK</td></tr><tr><td>4 5938.00</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>44.50</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>209</td><td>360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	56.11	111.36	-55.25	45.06	35.12	12.56	36.63	0.00	209	360 PEAK	2 5874.40	54.48	105.47	-50.99	43.35	35.20	12.59	36.66	0.00	209	360 PEAK	3 5924.80	54.13	68.35	-14.22	42.99	35.30	12.66	36.82	0.00	209	360 PEAK	4 5938.00	55.60	68.20	-12.60	44.50	35.30	12.68	36.88	0.00	209	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>111.54</td><td>-----</td><td>-----</td><td>100.53</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>209</td><td>360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5825.00	111.54	-----	-----	100.53	35.06	12.53	36.58	0.00	209	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 5854.00	56.11	111.36	-55.25	45.06	35.12	12.56	36.63	0.00	209	360 PEAK																																																																																																																																						
2 5874.40	54.48	105.47	-50.99	43.35	35.20	12.59	36.66	0.00	209	360 PEAK																																																																																																																																						
3 5924.80	54.13	68.35	-14.22	42.99	35.30	12.66	36.82	0.00	209	360 PEAK																																																																																																																																						
4 5938.00	55.60	68.20	-12.60	44.50	35.30	12.68	36.88	0.00	209	360 PEAK																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1 5825.00	111.54	-----	-----	100.53	35.06	12.53	36.58	0.00	209	360 PEAK																																																																																																																																						
Avg	Blank																																																																																																																																															
											<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.35</td><td>-----</td><td>-----</td><td>91.34</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>209</td><td>360 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5825.00	102.35	-----	-----	91.34	35.06	12.53	36.58	0.00	209	360 AVERAGE																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1 5825.00	102.35	-----	-----	91.34	35.06	12.53	36.58	0.00	209	360 AVERAGE																																																																																																																																						






Mode	57																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.32</td><td>111.36</td><td>-58.04</td><td>42.27</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>251 126 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>54.36</td><td>105.69</td><td>-51.33</td><td>43.24</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>251 126 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.00</td><td>68.64</td><td>-15.84</td><td>41.66</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>251 126 PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>56.51</td><td>68.20</td><td>-11.69</td><td>45.44</td><td>35.30</td><td>12.69</td><td>36.92</td><td>0.00</td><td>251 126 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.32	111.36	-58.04	42.27	35.12	12.56	36.63	0.00	251 126 PEAK	2	5873.60	54.36	105.69	-51.33	43.24	35.19	12.59	36.66	0.00	251 126 PEAK	3	5924.40	52.00	68.64	-15.84	41.66	35.30	12.66	36.82	0.00	251 126 PEAK	4	5945.60	56.51	68.20	-11.69	45.44	35.30	12.69	36.92	0.00	251 126 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.39</td><td>-----</td><td>-----</td><td>96.40</td><td>35.04</td><td>12.51</td><td>36.56</td><td>0.00</td><td>251 126 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.39	-----	-----	96.40	35.04	12.51	36.56	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5854.00	53.32	111.36	-58.04	42.27	35.12	12.56	36.63	0.00	251 126 PEAK																																																																																																																									
2	5873.60	54.36	105.69	-51.33	43.24	35.19	12.59	36.66	0.00	251 126 PEAK																																																																																																																									
3	5924.40	52.00	68.64	-15.84	41.66	35.30	12.66	36.82	0.00	251 126 PEAK																																																																																																																									
4	5945.60	56.51	68.20	-11.69	45.44	35.30	12.69	36.92	0.00	251 126 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5825.00	107.39	-----	-----	96.40	35.04	12.51	36.56	0.00	251 126 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.76</td><td>-----</td><td>-----</td><td>86.77</td><td>35.04</td><td>12.51</td><td>36.56</td><td>0.00</td><td>251 126 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.76	-----	-----	86.77	35.04	12.51	36.56	0.00	251 126 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5825.00	97.76	-----	-----	86.77	35.04	12.51	36.56	0.00	251 126 AVERAGE																																																																																																																									







Mode	57																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>56.77</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.58	74.00	-27.42	56.77	38.30	17.98	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>57.24</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	47.05	74.00	-26.95	57.24	38.30	17.98	66.47	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	46.58	74.00	-27.42	56.77	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	47.05	74.00	-26.95	57.24	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																													





Mode	58																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																																																																															
ANT	CDD 6+7																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.03</td><td>111.36</td><td>-57.33</td><td>42.98</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>209</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.83</td><td>105.36</td><td>-49.53</td><td>44.70</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>209</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.63</td><td>68.35</td><td>-13.72</td><td>43.49</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>209</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5930.40</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>45.91</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>209</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.03	111.36	-57.33	42.98	35.12	12.56	36.63	0.00	209	360	PEAK	2	5874.00	55.83	105.36	-49.53	44.70	35.20	12.59	36.66	0.00	209	360	PEAK	3	5924.00	54.63	68.35	-13.72	43.49	35.30	12.66	36.82	0.00	209	360	PEAK	4	5930.40	57.03	68.20	-11.17	45.91	35.30	12.67	36.85	0.00	209	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.09</td><td>-----</td><td>-----</td><td>103.08</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>209</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.09	-----	-----	103.08	35.06	12.53	36.58	0.00	209	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5854.00	54.03	111.36	-57.33	42.98	35.12	12.56	36.63	0.00	209	360	PEAK																																																																																																																																				
2	5874.00	55.83	105.36	-49.53	44.70	35.20	12.59	36.66	0.00	209	360	PEAK																																																																																																																																				
3	5924.00	54.63	68.35	-13.72	43.49	35.30	12.66	36.82	0.00	209	360	PEAK																																																																																																																																				
4	5930.40	57.03	68.20	-11.17	45.91	35.30	12.67	36.85	0.00	209	360	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	114.09	-----	-----	103.08	35.06	12.53	36.58	0.00	209	360	PEAK																																																																																																																																				
Avg	Blank																																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.91</td><td>-----</td><td>-----</td><td>93.09</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>209</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.91	-----	-----	93.09	35.07	12.54	36.59	0.00	209	360	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	104.91	-----	-----	93.09	35.07	12.54	36.59	0.00	209	360	AVERAGE																																																																																																																																				




Mode	58																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.14</td><td>111.36</td><td>-59.22</td><td>41.09</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>53.15</td><td>105.36</td><td>-52.21</td><td>42.02</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>53.95</td><td>69.83</td><td>-15.88</td><td>42.80</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>55.62</td><td>68.20</td><td>-12.58</td><td>44.50</td><td>35.30</td><td>12.66</td><td>36.84</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.14	111.36	-59.22	41.09	35.12	12.56	36.63	0.00	300	125 PEAK	2	5874.00	53.15	105.36	-52.21	42.02	35.20	12.59	36.66	0.00	300	125 PEAK	3	5922.00	53.95	69.83	-15.88	42.80	35.30	12.66	36.81	0.00	300	125 PEAK	4	5929.60	55.62	68.20	-12.58	44.50	35.30	12.66	36.84	0.00	300	125 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	52.14	111.36	-59.22	41.09	35.12	12.56	36.63	0.00	300	125 PEAK																																																																																	
2	5874.00	53.15	105.36	-52.21	42.02	35.20	12.59	36.66	0.00	300	125 PEAK																																																																																	
3	5922.00	53.95	69.83	-15.88	42.80	35.30	12.66	36.81	0.00	300	125 PEAK																																																																																	
4	5929.60	55.62	68.20	-12.58	44.50	35.30	12.66	36.84	0.00	300	125 PEAK																																																																																	
Fundamental																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.23</td><td>-----</td><td>-----</td><td>96.22</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.23	-----	-----	96.22	35.06	12.53	36.58	0.00	300	125 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	107.23	-----	-----	96.22	35.06	12.53	36.58	0.00	300	125 PEAK																																																																																	
Avg																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.72</td><td>-----</td><td>-----</td><td>87.71</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>300</td><td>125 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.72	-----	-----	87.71	35.06	12.53	36.58	0.00	300	125 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	98.72	-----	-----	87.71	35.06	12.53	36.58	0.00	300	125 AVERAGE																																																																																	
Blank																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.72</td><td>-----</td><td>-----</td><td>87.71</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>300</td><td>125 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.72	-----	-----	87.71	35.06	12.53	36.58	0.00	300	125 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	98.72	-----	-----	87.71	35.06	12.53	36.58	0.00	300	125 AVERAGE																																																																																	






Mode	59																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Horizontal																																																																																															
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.04</td><td>55.91</td><td>68.20</td><td>-12.29</td><td>45.36</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>53.99</td><td>68.25</td><td>-14.26</td><td>43.44</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5718.73</td><td>60.89</td><td>110.54</td><td>-49.65</td><td>50.21</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>64.08</td><td>112.60</td><td>-48.52</td><td>53.41</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.04	55.91	68.20	-12.29	45.36	34.50	12.35	36.30	0.00	176	360	PEAK	2	5650.07	53.99	68.25	-14.26	43.44	34.50	12.36	36.31	0.00	176	360	PEAK	3	5718.73	60.89	110.54	-49.65	50.21	34.64	12.42	36.38	0.00	176	360	PEAK	4	5720.75	64.08	112.60	-48.52	53.41	34.64	12.42	36.39	0.00	176	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5646.04	55.91	68.20	-12.29	45.36	34.50	12.35	36.30	0.00	176	360	PEAK																																																																																				
2	5650.07	53.99	68.25	-14.26	43.44	34.50	12.36	36.31	0.00	176	360	PEAK																																																																																				
3	5718.73	60.89	110.54	-49.65	50.21	34.64	12.42	36.38	0.00	176	360	PEAK																																																																																				
4	5720.75	64.08	112.60	-48.52	53.41	34.64	12.42	36.39	0.00	176	360	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>110.47</td><td>-----</td><td>-----</td><td>99.75</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	110.47	-----	-----	99.75	34.71	12.45	36.44	0.00	176	360	PEAK																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5755.00	110.47	-----	-----	99.75	34.71	12.45	36.44	0.00	176	360	PEAK																																																																																				




Mode	59																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>54.60</td><td>112.15</td><td>-57.55</td><td>43.55</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>176 360 PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>56.07</td><td>105.59</td><td>-49.52</td><td>44.94</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>176 360 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>53.37</td><td>68.31</td><td>-14.94</td><td>42.23</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>176 360 PEAK</td></tr><tr><td>4</td><td>5939.67</td><td>56.30</td><td>68.20</td><td>-11.90</td><td>45.21</td><td>35.30</td><td>12.68</td><td>36.89</td><td>0.00</td><td>176 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	54.60	112.15	-57.55	43.55	35.12	12.56	36.63	0.00	176 360 PEAK	2	5873.95	56.07	105.59	-49.52	44.94	35.20	12.59	36.66	0.00	176 360 PEAK	3	5924.85	53.37	68.31	-14.94	42.23	35.30	12.66	36.82	0.00	176 360 PEAK	4	5939.67	56.30	68.20	-11.90	45.21	35.30	12.68	36.89	0.00	176 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.45	54.60	112.15	-57.55	43.55	35.12	12.56	36.63	0.00	176 360 PEAK																																																																														
2	5873.95	56.07	105.59	-49.52	44.94	35.20	12.59	36.66	0.00	176 360 PEAK																																																																														
3	5924.85	53.37	68.31	-14.94	42.23	35.30	12.66	36.82	0.00	176 360 PEAK																																																																														
4	5939.67	56.30	68.20	-11.90	45.21	35.30	12.68	36.89	0.00	176 360 PEAK																																																																														






	59																																																																																																																																														
Mode	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																																																																														
ANT	CDD 6+7																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.19</td><td>55.04</td><td>68.20</td><td>-13.16</td><td>44.49</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>300</td><td>226</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>52.07</td><td>68.36</td><td>-16.29</td><td>41.52</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>300</td><td>226</td><td>PEAK</td></tr><tr><td>3</td><td>5703.39</td><td>54.07</td><td>106.25</td><td>-52.18</td><td>43.42</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>300</td><td>226</td><td>PEAK</td></tr><tr><td>4</td><td>5721.06</td><td>59.55</td><td>113.31</td><td>-53.76</td><td>48.88</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>226</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.19	55.04	68.20	-13.16	44.49	34.50	12.34	36.29	0.00	300	226	PEAK	2	5650.22	52.07	68.36	-16.29	41.52	34.50	12.36	36.31	0.00	300	226	PEAK	3	5703.39	54.07	106.25	-52.18	43.42	34.61	12.40	36.36	0.00	300	226	PEAK	4	5721.06	59.55	113.31	-53.76	48.88	34.64	12.42	36.39	0.00	300	226	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>105.26</td><td>-----</td><td>-----</td><td>94.56</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>300</td><td>226</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.26	-----	-----	94.56	34.69	12.44	36.43	0.00	300	226	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5635.19	55.04	68.20	-13.16	44.49	34.50	12.34	36.29	0.00	300	226	PEAK																																																																																																																																			
2	5650.22	52.07	68.36	-16.29	41.52	34.50	12.36	36.31	0.00	300	226	PEAK																																																																																																																																			
3	5703.39	54.07	106.25	-52.18	43.42	34.61	12.40	36.36	0.00	300	226	PEAK																																																																																																																																			
4	5721.06	59.55	113.31	-53.76	48.88	34.64	12.42	36.39	0.00	300	226	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	105.26	-----	-----	94.56	34.69	12.44	36.43	0.00	300	226	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>96.48</td><td>-----</td><td>-----</td><td>85.78</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>300</td><td>226</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.48	-----	-----	85.78	34.69	12.44	36.43	0.00	300	226	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	96.48	-----	-----	85.78	34.69	12.44	36.43	0.00	300	226	AVERAGE																																																																																																																																			




Mode	59																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.87</td><td>54.02</td><td>113.49</td><td>-59.47</td><td>42.97</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>226 PEAK</td></tr><tr><td>2</td><td>5871.61</td><td>55.03</td><td>106.25</td><td>-51.22</td><td>43.91</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>226 PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>54.71</td><td>69.18</td><td>-14.47</td><td>43.57</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>300</td><td>226 PEAK</td></tr><tr><td>4</td><td>5947.66</td><td>54.48</td><td>68.20</td><td>-13.72</td><td>43.41</td><td>35.30</td><td>12.69</td><td>36.92</td><td>0.00</td><td>300</td><td>226 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.87	54.02	113.49	-59.47	42.97	35.12	12.56	36.63	0.00	300	226 PEAK	2	5871.61	55.03	106.25	-51.22	43.91	35.19	12.59	36.66	0.00	300	226 PEAK	3	5923.68	54.71	69.18	-14.47	43.57	35.30	12.66	36.82	0.00	300	226 PEAK	4	5947.66	54.48	68.20	-13.72	43.41	35.30	12.69	36.92	0.00	300	226 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5853.87	54.02	113.49	-59.47	42.97	35.12	12.56	36.63	0.00	300	226 PEAK																																																																																	
2	5871.61	55.03	106.25	-51.22	43.91	35.19	12.59	36.66	0.00	300	226 PEAK																																																																																	
3	5923.68	54.71	69.18	-14.47	43.57	35.30	12.66	36.82	0.00	300	226 PEAK																																																																																	
4	5947.66	54.48	68.20	-13.72	43.41	35.30	12.69	36.92	0.00	300	226 PEAK																																																																																	






		60																																																																																									
Mode		Band Edge - L																																																																																									
		U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																									
ANT		CDD 6+7																																																																																									
Pol.		Horizontal																																																																																									
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.12</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>45.32</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>54.32</td><td>68.25</td><td>-13.93</td><td>43.77</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr><tr><td>3</td><td>5717.96</td><td>62.64</td><td>110.33</td><td>-47.69</td><td>51.96</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>62.61</td><td>112.25</td><td>-49.64</td><td>51.94</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.12	55.87	68.20	-12.33	45.32	34.50	12.35	36.30	0.00	215	0 PEAK	2	5650.07	54.32	68.25	-13.93	43.77	34.50	12.36	36.31	0.00	215	0 PEAK	3	5717.96	62.64	110.33	-47.69	51.96	34.64	12.42	36.38	0.00	215	0 PEAK	4	5720.59	62.61	112.25	-49.64	51.94	34.64	12.42	36.39	0.00	215
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5647.12	55.87	68.20	-12.33	45.32	34.50	12.35	36.30	0.00	215	0 PEAK																																																																																
2	5650.07	54.32	68.25	-13.93	43.77	34.50	12.36	36.31	0.00	215	0 PEAK																																																																																
3	5717.96	62.64	110.33	-47.69	51.96	34.64	12.42	36.38	0.00	215	0 PEAK																																																																																
4	5720.59	62.61	112.25	-49.64	51.94	34.64	12.42	36.39	0.00	215	0 PEAK																																																																																
Fundamental																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.63</td><td>-----</td><td>-----</td><td>98.88</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.63	-----	-----	98.88	34.75	12.45	36.45	0.00	215	0 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5755.00	109.63	-----	-----	98.88	34.75	12.45	36.45	0.00	215	0 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.80</td><td>-----</td><td>-----</td><td>90.03</td><td>34.78</td><td>12.46</td><td>36.47</td><td>0.00</td><td>215</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.80	-----	-----	90.03	34.78	12.46	36.47	0.00	215	0 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5755.00	100.80	-----	-----	90.03	34.78	12.46	36.47	0.00	215	0 AVERAGE																																																																																




Mode	60																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>54.99</td><td>111.71</td><td>-56.72</td><td>43.94</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>55.80</td><td>105.70</td><td>-49.90</td><td>44.68</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.41</td><td>68.60</td><td>-14.19</td><td>43.27</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr><tr><td>4</td><td>5937.52</td><td>55.74</td><td>68.20</td><td>-12.46</td><td>44.64</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	54.99	111.71	-56.72	43.94	35.12	12.56	36.63	0.00	215	0 PEAK	2	5873.56	55.80	105.70	-49.90	44.68	35.19	12.59	36.66	0.00	215	0 PEAK	3	5924.46	54.41	68.60	-14.19	43.27	35.30	12.66	36.82	0.00	215	0 PEAK	4	5937.52	55.74	68.20	-12.46	44.64	35.30	12.68	36.88	0.00	215	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.65	54.99	111.71	-56.72	43.94	35.12	12.56	36.63	0.00	215	0 PEAK																																																																																	
2	5873.56	55.80	105.70	-49.90	44.68	35.19	12.59	36.66	0.00	215	0 PEAK																																																																																	
3	5924.46	54.41	68.60	-14.19	43.27	35.30	12.66	36.82	0.00	215	0 PEAK																																																																																	
4	5937.52	55.74	68.20	-12.46	44.64	35.30	12.68	36.88	0.00	215	0 PEAK																																																																																	





	60																																																																																																																		
Mode	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.17</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>45.00</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>52.28</td><td>68.25</td><td>-15.97</td><td>41.73</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr><tr><td>3</td><td>5701.68</td><td>53.67</td><td>105.77</td><td>-52.10</td><td>43.02</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>56.57</td><td>111.54</td><td>-54.97</td><td>45.90</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5633.17	55.63	68.20	-12.57	45.00	34.50	12.34	36.29	0.00	300	132 PEAK	2	5650.07	52.28	68.25	-15.97	41.73	34.50	12.36	36.31	0.00	300	132 PEAK	3	5701.68	53.67	105.77	-52.10	43.02	34.60	12.40	36.35	0.00	300	132 PEAK	4	5720.28	56.57	111.54	-54.97	45.90	34.64	12.42	36.39	0.00	300	132 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.36</td><td>-----</td><td>-----</td><td>95.61</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	106.36	-----	-----	95.61	34.75	12.45	36.45	0.00	300	132 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5633.17	55.63	68.20	-12.57	45.00	34.50	12.34	36.29	0.00	300	132 PEAK																																																																																																								
2	5650.07	52.28	68.25	-15.97	41.73	34.50	12.36	36.31	0.00	300	132 PEAK																																																																																																								
3	5701.68	53.67	105.77	-52.10	43.02	34.60	12.40	36.35	0.00	300	132 PEAK																																																																																																								
4	5720.28	56.57	111.54	-54.97	45.90	34.64	12.42	36.39	0.00	300	132 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5755.00	106.36	-----	-----	95.61	34.75	12.45	36.45	0.00	300	132 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.75</td><td>-----</td><td>-----</td><td>85.98</td><td>34.78</td><td>12.46</td><td>36.47</td><td>0.00</td><td>300</td><td>132 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	96.75	-----	-----	85.98	34.78	12.46	36.47	0.00	300	132 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5755.00	96.75	-----	-----	85.98	34.78	12.46	36.47	0.00	300	132 AVERAGE																																																																																																								






Mode	60																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>55.79</td><td>112.15</td><td>-56.36</td><td>44.74</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr><tr><td>2</td><td>5873.76</td><td>53.96</td><td>105.65</td><td>-51.69</td><td>42.83</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>53.34</td><td>68.46</td><td>-15.12</td><td>42.20</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr><tr><td>4</td><td>5937.52</td><td>55.24</td><td>68.20</td><td>-12.96</td><td>44.14</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>300</td><td>132 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	55.79	112.15	-56.36	44.74	35.12	12.56	36.63	0.00	300	132 PEAK	2	5873.76	53.96	105.65	-51.69	42.83	35.20	12.59	36.66	0.00	300	132 PEAK	3	5924.65	53.34	68.46	-15.12	42.20	35.30	12.66	36.82	0.00	300	132 PEAK	4	5937.52	55.24	68.20	-12.96	44.14	35.30	12.68	36.88	0.00	300	132 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.45	55.79	112.15	-56.36	44.74	35.12	12.56	36.63	0.00	300	132 PEAK																																																																																	
2	5873.76	53.96	105.65	-51.69	42.83	35.20	12.59	36.66	0.00	300	132 PEAK																																																																																	
3	5924.65	53.34	68.46	-15.12	42.20	35.30	12.66	36.82	0.00	300	132 PEAK																																																																																	
4	5937.52	55.24	68.20	-12.96	44.14	35.30	12.68	36.88	0.00	300	132 PEAK																																																																																	




Mode	60																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>57.08</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.50	74.00	-27.50	57.08	38.11	17.88	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>56.69</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.11	74.00	-27.89	56.69	38.11	17.88	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	46.50	74.00	-27.50	57.08	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	46.11	74.00	-27.89	56.69	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																														



Mode	61																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.00</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>45.31</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>212</td><td>360 PEAK</td></tr><tr><td>2 5650.00</td><td>53.44</td><td>68.20</td><td>-14.76</td><td>42.90</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>212</td><td>360 PEAK</td></tr><tr><td>3 5700.40</td><td>55.32</td><td>105.41</td><td>-50.09</td><td>44.67</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>212</td><td>360 PEAK</td></tr><tr><td>4 5720.80</td><td>54.44</td><td>112.72</td><td>-58.28</td><td>43.77</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>212</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.00	55.86	68.20	-12.34	45.31	34.50	12.35	36.30	0.00	212	360 PEAK	2 5650.00	53.44	68.20	-14.76	42.90	34.50	12.35	36.31	0.00	212	360 PEAK	3 5700.40	55.32	105.41	-50.09	44.67	34.60	12.40	36.35	0.00	212	360 PEAK	4 5720.80	54.44	112.72	-58.28	43.77	34.64	12.42	36.39	0.00	212	360 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>110.47</td><td>-----</td><td>-----</td><td>99.61</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>212</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	110.47	-----	-----	99.61	34.89	12.47	36.50	0.00	212	360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5640.00	55.86	68.20	-12.34	45.31	34.50	12.35	36.30	0.00	212	360 PEAK																																																																																																																										
2 5650.00	53.44	68.20	-14.76	42.90	34.50	12.35	36.31	0.00	212	360 PEAK																																																																																																																										
3 5700.40	55.32	105.41	-50.09	44.67	34.60	12.40	36.35	0.00	212	360 PEAK																																																																																																																										
4 5720.80	54.44	112.72	-58.28	43.77	34.64	12.42	36.39	0.00	212	360 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	110.47	-----	-----	99.61	34.89	12.47	36.50	0.00	212	360 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.85</td><td>-----</td><td>-----</td><td>89.99</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>212</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	100.85	-----	-----	89.99	34.89	12.47	36.50	0.00	212	360 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	100.85	-----	-----	89.99	34.89	12.47	36.50	0.00	212	360 AVERAGE																																																																																																																										




Mode	61																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>56.94</td><td>111.36</td><td>-54.42</td><td>45.89</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>212 360° PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>55.14</td><td>105.36</td><td>-50.22</td><td>44.01</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>212 360° PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.24</td><td>68.64</td><td>-14.40</td><td>43.10</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>212 360° PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>45.62</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>212 360° PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	56.94	111.36	-54.42	45.89	35.12	12.56	36.63	0.00	212 360° PEAK	2	5874.80	55.14	105.36	-50.22	44.01	35.20	12.59	36.66	0.00	212 360° PEAK	3	5924.40	54.24	68.64	-14.40	43.10	35.30	12.66	36.82	0.00	212 360° PEAK	4	5931.60	56.74	68.20	-11.46	45.62	35.30	12.67	36.85	0.00	212 360° PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	56.94	111.36	-54.42	45.89	35.12	12.56	36.63	0.00	212 360° PEAK																																																																														
2	5874.80	55.14	105.36	-50.22	44.01	35.20	12.59	36.66	0.00	212 360° PEAK																																																																														
3	5924.40	54.24	68.64	-14.40	43.10	35.30	12.66	36.82	0.00	212 360° PEAK																																																																														
4	5931.60	56.74	68.20	-11.46	45.62	35.30	12.67	36.85	0.00	212 360° PEAK																																																																														





Mode	61																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5626.40</td><td>54.31</td><td>68.20</td><td>-13.89</td><td>43.76</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>259</td><td>127 PEAK</td></tr><tr><td>2 5650.40</td><td>52.14</td><td>68.50</td><td>-16.36</td><td>41.59</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>259</td><td>127 PEAK</td></tr><tr><td>3 5702.00</td><td>53.76</td><td>105.86</td><td>-52.10</td><td>43.11</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>259</td><td>127 PEAK</td></tr><tr><td>4 5720.40</td><td>51.50</td><td>111.81</td><td>-60.31</td><td>40.83</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>259</td><td>127 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5626.40	54.31	68.20	-13.89	43.76	34.50	12.33	36.28	0.00	259	127 PEAK	2 5650.40	52.14	68.50	-16.36	41.59	34.50	12.36	36.31	0.00	259	127 PEAK	3 5702.00	53.76	105.86	-52.10	43.11	34.60	12.40	36.35	0.00	259	127 PEAK	4 5720.40	51.50	111.81	-60.31	40.83	34.64	12.42	36.39	0.00	259	127 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>106.22</td><td>-----</td><td>-----</td><td>95.32</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>259</td><td>127 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	106.22	-----	-----	95.32	34.93	12.48	36.51	0.00	259	127 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5626.40	54.31	68.20	-13.89	43.76	34.50	12.33	36.28	0.00	259	127 PEAK																																																																																																																										
2 5650.40	52.14	68.50	-16.36	41.59	34.50	12.36	36.31	0.00	259	127 PEAK																																																																																																																										
3 5702.00	53.76	105.86	-52.10	43.11	34.60	12.40	36.35	0.00	259	127 PEAK																																																																																																																										
4 5720.40	51.50	111.81	-60.31	40.83	34.64	12.42	36.39	0.00	259	127 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	106.22	-----	-----	95.32	34.93	12.48	36.51	0.00	259	127 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>97.19</td><td>-----</td><td>-----</td><td>86.29</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>259</td><td>127 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	97.19	-----	-----	86.29	34.93	12.48	36.51	0.00	259	127 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	97.19	-----	-----	86.29	34.93	12.48	36.51	0.00	259	127 AVERAGE																																																																																																																										






Mode	61																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																						
ANT	CDD 6+7																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>52.98</td><td>111.36</td><td>-58.38</td><td>41.93</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>259</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>54.81</td><td>106.25</td><td>-51.44</td><td>43.69</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>259</td><td>127</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.40</td><td>68.35</td><td>-15.95</td><td>41.26</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>259</td><td>127</td><td>PEAK</td></tr><tr><td>4</td><td>5957.20</td><td>56.46</td><td>68.20</td><td>-11.74</td><td>45.43</td><td>35.30</td><td>12.70</td><td>36.97</td><td>0.00</td><td>259</td><td>127</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	52.98	111.36	-58.38	41.93	35.12	12.56	36.63	0.00	259	127	PEAK	2	5871.60	54.81	106.25	-51.44	43.69	35.19	12.59	36.66	0.00	259	127	PEAK	3	5924.80	52.40	68.35	-15.95	41.26	35.30	12.66	36.82	0.00	259	127	PEAK	4	5957.20	56.46	68.20	-11.74	45.43	35.30	12.70	36.97	0.00	259	127	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	52.98	111.36	-58.38	41.93	35.12	12.56	36.63	0.00	259	127	PEAK																																																																											
2	5871.60	54.81	106.25	-51.44	43.69	35.19	12.59	36.66	0.00	259	127	PEAK																																																																											
3	5924.80	52.40	68.35	-15.95	41.26	35.30	12.66	36.82	0.00	259	127	PEAK																																																																											
4	5957.20	56.46	68.20	-11.74	45.43	35.30	12.70	36.97	0.00	259	127	PEAK																																																																											




Mode	61																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>56.74</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.34	74.00	-27.66	56.74	38.19	17.93	66.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>56.22</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.82	74.00	-28.18	56.22	38.19	17.93	66.52	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11590.00	46.34	74.00	-27.66	56.74	38.19	17.93	66.52	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11590.00	45.82	74.00	-28.18	56.22	38.19	17.93	66.52	0.00	---	---	PEAK																																																																																														






Mode	62																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5643.60</td><td>55.79</td><td>68.20</td><td>-12.41</td><td>45.24</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>52.04</td><td>68.80</td><td>-16.76</td><td>41.49</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5783.60</td><td>54.79</td><td>106.31</td><td>-51.52</td><td>44.14</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.55</td><td>110.90</td><td>-57.35</td><td>42.88</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5643.60	55.79	68.20	-12.41	45.24	34.50	12.35	36.30	0.00	212	360	PEAK	2	5658.80	52.04	68.80	-16.76	41.49	34.50	12.36	36.31	0.00	212	360	PEAK	3	5783.60	54.79	106.31	-51.52	44.14	34.61	12.40	36.36	0.00	212	360	PEAK	4	5720.00	53.55	110.90	-57.35	42.88	34.64	12.42	36.39	0.00	212	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.09</td><td>-----</td><td>-----</td><td>96.23</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	107.09	-----	-----	96.23	34.89	12.47	36.50	0.00	212	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
1	5643.60	55.79	68.20	-12.41	45.24	34.50	12.35	36.30	0.00	212	360	PEAK																																																																																																											
2	5658.80	52.04	68.80	-16.76	41.49	34.50	12.36	36.31	0.00	212	360	PEAK																																																																																																											
3	5783.60	54.79	106.31	-51.52	44.14	34.61	12.40	36.36	0.00	212	360	PEAK																																																																																																											
4	5720.00	53.55	110.90	-57.35	42.88	34.64	12.42	36.39	0.00	212	360	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
1	5795.00	107.09	-----	-----	96.23	34.89	12.47	36.50	0.00	212	360	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.12</td><td>-----</td><td>-----</td><td>87.26</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>212</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	98.12	-----	-----	87.26	34.89	12.47	36.50	0.00	212	360	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
1	5795.00	98.12	-----	-----	87.26	34.89	12.47	36.50	0.00	212	360	AVERAGE																																																																																																											




Mode	62																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.80</td><td>54.22</td><td>111.36</td><td>-57.14</td><td>43.17</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>56.61</td><td>106.92</td><td>-50.31</td><td>45.50</td><td>35.18</td><td>12.58</td><td>36.65</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.48</td><td>68.35</td><td>-13.87</td><td>43.34</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>55.77</td><td>68.20</td><td>-12.43</td><td>44.64</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>212</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.80	54.22	111.36	-57.14	43.17	35.12	12.56	36.63	0.00	212	360	PEAK	2	5869.20	56.61	106.92	-50.31	45.50	35.18	12.58	36.65	0.00	212	360	PEAK	3	5924.80	54.48	68.35	-13.87	43.34	35.30	12.66	36.82	0.00	212	360	PEAK	4	5926.40	55.77	68.20	-12.43	44.64	35.30	12.66	36.83	0.00	212	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																								
1	5854.80	54.22	111.36	-57.14	43.17	35.12	12.56	36.63	0.00	212	360	PEAK																																																																																				
2	5869.20	56.61	106.92	-50.31	45.50	35.18	12.58	36.65	0.00	212	360	PEAK																																																																																				
3	5924.80	54.48	68.35	-13.87	43.34	35.30	12.66	36.82	0.00	212	360	PEAK																																																																																				
4	5926.40	55.77	68.20	-12.43	44.64	35.30	12.66	36.83	0.00	212	360	PEAK																																																																																				






Mode	62																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5628.80</td><td>54.04</td><td>68.20</td><td>-14.16</td><td>43.49</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>2 5658.80</td><td>52.28</td><td>68.80</td><td>-16.52</td><td>41.73</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>3 5782.40</td><td>53.23</td><td>105.97</td><td>-52.74</td><td>42.58</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>4 5720.80</td><td>52.17</td><td>112.72</td><td>-60.55</td><td>41.50</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5628.80	54.04	68.20	-14.16	43.49	34.50	12.34	36.29	0.00	300	105 PEAK	2 5658.80	52.28	68.80	-16.52	41.73	34.50	12.36	36.31	0.00	300	105 PEAK	3 5782.40	53.23	105.97	-52.74	42.58	34.60	12.40	36.35	0.00	300	105 PEAK	4 5720.80	52.17	112.72	-60.55	41.50	34.64	12.42	36.39	0.00	300	105 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>101.20</td><td>-----</td><td>-----</td><td>90.30</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	101.20	-----	-----	90.30	34.93	12.48	36.51	0.00	300	105 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5628.80	54.04	68.20	-14.16	43.49	34.50	12.34	36.29	0.00	300	105 PEAK																																																																																																																										
2 5658.80	52.28	68.80	-16.52	41.73	34.50	12.36	36.31	0.00	300	105 PEAK																																																																																																																										
3 5782.40	53.23	105.97	-52.74	42.58	34.60	12.40	36.35	0.00	300	105 PEAK																																																																																																																										
4 5720.80	52.17	112.72	-60.55	41.50	34.64	12.42	36.39	0.00	300	105 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	101.20	-----	-----	90.30	34.93	12.48	36.51	0.00	300	105 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>92.82</td><td>-----</td><td>-----</td><td>81.96</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>300</td><td>105 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	92.82	-----	-----	81.96	34.89	12.47	36.50	0.00	300	105 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	92.82	-----	-----	81.96	34.89	12.47	36.50	0.00	300	105 AVERAGE																																																																																																																										




Mode	62																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.40</td><td>53.22</td><td>112.27</td><td>-59.05</td><td>42.17</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>54.99</td><td>105.69</td><td>-50.70</td><td>43.87</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>54.31</td><td>69.53</td><td>-15.22</td><td>43.16</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>44.25</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.40	53.22	112.27	-59.05	42.17	35.12	12.56	36.63	0.00	300	105 PEAK	2	5873.60	54.99	105.69	-50.70	43.87	35.19	12.59	36.66	0.00	300	105 PEAK	3	5923.20	54.31	69.53	-15.22	43.16	35.30	12.66	36.81	0.00	300	105 PEAK	4	5948.00	55.31	68.20	-12.89	44.25	35.30	12.69	36.93	0.00	300	105 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5854.40	53.22	112.27	-59.05	42.17	35.12	12.56	36.63	0.00	300	105 PEAK																																																																								
2	5873.60	54.99	105.69	-50.70	43.87	35.19	12.59	36.66	0.00	300	105 PEAK																																																																								
3	5923.20	54.31	69.53	-15.22	43.16	35.30	12.66	36.81	0.00	300	105 PEAK																																																																								
4	5948.00	55.31	68.20	-12.89	44.25	35.30	12.69	36.93	0.00	300	105 PEAK																																																																								






Mode	63																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.40</td><td>56.83</td><td>68.20</td><td>-11.37</td><td>46.28</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>54.68</td><td>69.09</td><td>-14.41</td><td>44.13</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>57.62</td><td>105.75</td><td>-48.13</td><td>46.97</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.58</td><td>110.90</td><td>-50.32</td><td>49.91</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.40	56.83	68.20	-11.37	46.28	34.50	12.33	36.28	0.00	211	360 PEAK	2	5651.20	54.68	69.09	-14.41	44.13	34.50	12.36	36.31	0.00	211	360 PEAK	3	5701.60	57.62	105.75	-48.13	46.97	34.60	12.40	36.35	0.00	211	360 PEAK	4	5720.00	60.58	110.90	-50.32	49.91	34.64	12.42	36.39	0.00	211	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>107.74</td><td>-----</td><td>-----</td><td>96.84</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>211</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	107.74	-----	-----	96.84	34.93	12.48	36.51	0.00	211	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5622.40	56.83	68.20	-11.37	46.28	34.50	12.33	36.28	0.00	211	360 PEAK																																																																																																																															
2	5651.20	54.68	69.09	-14.41	44.13	34.50	12.36	36.31	0.00	211	360 PEAK																																																																																																																															
3	5701.60	57.62	105.75	-48.13	46.97	34.60	12.40	36.35	0.00	211	360 PEAK																																																																																																																															
4	5720.00	60.58	110.90	-50.32	49.91	34.64	12.42	36.39	0.00	211	360 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	107.74	-----	-----	96.84	34.93	12.48	36.51	0.00	211	360 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.25</td><td>-----</td><td>-----</td><td>86.39</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>211</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.25	-----	-----	86.39	34.89	12.47	36.50	0.00	211	360 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	97.25	-----	-----	86.39	34.89	12.47	36.50	0.00	211	360 AVERAGE																																																																																																																															




Mode	63																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																														
ANT	CDD 6+7																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.97</td><td>111.36</td><td>-57.39</td><td>42.92</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>211 360 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.53</td><td>105.36</td><td>-49.83</td><td>44.40</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>211 360 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.81</td><td>68.35</td><td>-14.54</td><td>42.67</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>211 360 PEAK</td></tr><tr><td>4</td><td>5942.00</td><td>57.07</td><td>68.20</td><td>-11.13</td><td>45.99</td><td>35.30</td><td>12.68</td><td>36.90</td><td>0.00</td><td>211 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.97	111.36	-57.39	42.92	35.12	12.56	36.63	0.00	211 360 PEAK	2	5874.00	55.53	105.36	-49.83	44.40	35.20	12.59	36.66	0.00	211 360 PEAK	3	5924.00	53.81	68.35	-14.54	42.67	35.30	12.66	36.82	0.00	211 360 PEAK	4	5942.00	57.07	68.20	-11.13	45.99	35.30	12.68	36.90	0.00	211 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.00	53.97	111.36	-57.39	42.92	35.12	12.56	36.63	0.00	211 360 PEAK																																																																					
2	5874.00	55.53	105.36	-49.83	44.40	35.20	12.59	36.66	0.00	211 360 PEAK																																																																					
3	5924.00	53.81	68.35	-14.54	42.67	35.30	12.66	36.82	0.00	211 360 PEAK																																																																					
4	5942.00	57.07	68.20	-11.13	45.99	35.30	12.68	36.90	0.00	211 360 PEAK																																																																					





Mode	63																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5637.20</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>43.72</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>2 5658.00</td><td>51.43</td><td>68.20</td><td>-16.77</td><td>40.89</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>3 5700.80</td><td>54.93</td><td>105.52</td><td>-50.59</td><td>44.28</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>4 5720.40</td><td>53.94</td><td>111.81</td><td>-57.87</td><td>43.27</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5637.20	54.27	68.20	-13.93	43.72	34.50	12.34	36.29	0.00	100	37 PEAK	2 5658.00	51.43	68.20	-16.77	40.89	34.50	12.35	36.31	0.00	100	37 PEAK	3 5700.80	54.93	105.52	-50.59	44.28	34.60	12.40	36.35	0.00	100	37 PEAK	4 5720.40	53.94	111.81	-57.87	43.27	34.64	12.42	36.39	0.00	100	37 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>101.69</td><td>-----</td><td>-----</td><td>90.85</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	101.69	-----	-----	90.85	34.86	12.47	36.49	0.00	100	37 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5637.20	54.27	68.20	-13.93	43.72	34.50	12.34	36.29	0.00	100	37 PEAK																																																																																																																										
2 5658.00	51.43	68.20	-16.77	40.89	34.50	12.35	36.31	0.00	100	37 PEAK																																																																																																																										
3 5700.80	54.93	105.52	-50.59	44.28	34.60	12.40	36.35	0.00	100	37 PEAK																																																																																																																										
4 5720.40	53.94	111.81	-57.87	43.27	34.64	12.42	36.39	0.00	100	37 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	101.69	-----	-----	90.85	34.86	12.47	36.49	0.00	100	37 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-3(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.98</td><td>-----</td><td>-----</td><td>82.14</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>100</td><td>37 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.98	-----	-----	82.14	34.86	12.47	36.49	0.00	100	37 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	92.98	-----	-----	82.14	34.86	12.47	36.49	0.00	100	37 AVERAGE																																																																																																																										





Mode	63																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 5854.80</td><td>52.25</td><td>111.36</td><td>-59.11</td><td>41.20</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>2 5866.80</td><td>55.74</td><td>107.59</td><td>-51.85</td><td>44.64</td><td>35.17</td><td>12.58</td><td>36.65</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>3 5924.80</td><td>54.32</td><td>68.35</td><td>-14.03</td><td>43.18</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>4 5941.60</td><td>56.94</td><td>68.20</td><td>-11.26</td><td>45.86</td><td>35.30</td><td>12.68</td><td>36.90</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5854.80	52.25	111.36	-59.11	41.20	35.12	12.56	36.63	0.00	100	37 PEAK	2 5866.80	55.74	107.59	-51.85	44.64	35.17	12.58	36.65	0.00	100	37 PEAK	3 5924.80	54.32	68.35	-14.03	43.18	35.30	12.66	36.82	0.00	100	37 PEAK	4 5941.60	56.94	68.20	-11.26	45.86	35.30	12.68	36.90	0.00	100	37 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																
1 5854.80	52.25	111.36	-59.11	41.20	35.12	12.56	36.63	0.00	100	37 PEAK																																																																														
2 5866.80	55.74	107.59	-51.85	44.64	35.17	12.58	36.65	0.00	100	37 PEAK																																																																														
3 5924.80	54.32	68.35	-14.03	43.18	35.30	12.66	36.82	0.00	100	37 PEAK																																																																														
4 5941.60	56.94	68.20	-11.26	45.86	35.30	12.68	36.90	0.00	100	37 PEAK																																																																														



		63																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																										
ANT		CDD 6+7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>56.71</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.23	74.00	-27.77	56.71	38.15	17.91	66.54	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11550.00	46.23	74.00	-27.77	56.71	38.15	17.91	66.54	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>56.08</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.60	74.00	-28.40	56.08	38.15	17.91	66.54	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11550.00	45.60	74.00	-28.40	56.08	38.15	17.91	66.54	0.00	---	---	PEAK																																																






Mode	63	
	18G-40G	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz	
ANT	CDD 6+7	
Pol.	Horizontal	Vertical
Peak Avg	 The Horizontal polarization spectrum plot shows Level (dBuV/m) on the y-axis (0 to 120) and Frequency (MHz) on the x-axis (18000 to 40000). A red line represents the U-NII-3 signal, showing a stepped profile with levels around 75 dBuV/m. A blue line represents the U-NII-3(AVG) signal, showing a noisy baseline around 45 dBuV/m. A dashed red line is also present at approximately 55 dBuV/m.	 The Vertical polarization spectrum plot shows Level (dBuV/m) on the y-axis (0 to 120) and Frequency (MHz) on the x-axis (18000 to 40000). A red line represents the U-NII-3 signal, showing a stepped profile with levels around 75 dBuV/m. A blue line represents the U-NII-3(AVG) signal, showing a noisy baseline around 45 dBuV/m. A dashed red line is also present at approximately 55 dBuV/m.




Mode	63																																																																																																													
	30-1G																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Horizontal																																																																																																													
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.18</td><td>20.31</td><td>40.00</td><td>-19.69</td><td>28.70</td><td>24.13</td><td>0.38</td><td>32.90</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>147.13</td><td>21.56</td><td>43.50</td><td>-21.94</td><td>35.57</td><td>17.49</td><td>1.32</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>189.32</td><td>21.28</td><td>43.50</td><td>-22.22</td><td>37.53</td><td>14.90</td><td>1.52</td><td>32.75</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>246.07</td><td>19.15</td><td>46.00</td><td>-26.85</td><td>32.05</td><td>18.28</td><td>1.73</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>571.02</td><td>24.16</td><td>46.00</td><td>-21.84</td><td>28.62</td><td>26.42</td><td>2.61</td><td>33.49</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>850.86</td><td>28.37</td><td>46.00</td><td>-17.63</td><td>28.51</td><td>29.66</td><td>3.15</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	32.18	20.31	40.00	-19.69	28.70	24.13	0.38	32.90	0.00	--- Peak	2	147.13	21.56	43.50	-21.94	35.57	17.49	1.32	32.82	0.00	--- Peak	3	189.32	21.28	43.50	-22.22	37.53	14.90	1.52	32.75	0.00	--- Peak	4	246.07	19.15	46.00	-26.85	32.05	18.28	1.73	32.91	0.00	--- Peak	5	571.02	24.16	46.00	-21.84	28.62	26.42	2.61	33.49	0.00	--- Peak	6	850.86	28.37	46.00	-17.63	28.51	29.66	3.15	32.95	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	32.18	20.31	40.00	-19.69	28.70	24.13	0.38	32.90	0.00	--- Peak																																																																																																				
2	147.13	21.56	43.50	-21.94	35.57	17.49	1.32	32.82	0.00	--- Peak																																																																																																				
3	189.32	21.28	43.50	-22.22	37.53	14.90	1.52	32.75	0.00	--- Peak																																																																																																				
4	246.07	19.15	46.00	-26.85	32.05	18.28	1.73	32.91	0.00	--- Peak																																																																																																				
5	571.02	24.16	46.00	-21.84	28.62	26.42	2.61	33.49	0.00	--- Peak																																																																																																				
6	850.86	28.37	46.00	-17.63	28.51	29.66	3.15	32.95	0.00	--- Peak																																																																																																				
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>53.28</td><td>31.67</td><td>40.00</td><td>-8.33</td><td>50.61</td><td>13.31</td><td>0.59</td><td>32.84</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>72.92</td><td>23.00</td><td>40.00</td><td>-17.00</td><td>42.30</td><td>12.83</td><td>0.80</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>147.61</td><td>24.21</td><td>43.50</td><td>-19.29</td><td>38.23</td><td>17.48</td><td>1.32</td><td>32.82</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>249.95</td><td>18.82</td><td>46.00</td><td>-27.18</td><td>31.21</td><td>18.80</td><td>1.74</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>557.92</td><td>23.76</td><td>46.00</td><td>-22.24</td><td>28.29</td><td>26.37</td><td>2.58</td><td>33.48</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>794.85</td><td>26.95</td><td>46.00</td><td>-19.05</td><td>28.61</td><td>28.65</td><td>3.05</td><td>33.36</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	53.28	31.67	40.00	-8.33	50.61	13.31	0.59	32.84	0.00	--- Peak	2	72.92	23.00	40.00	-17.00	42.30	12.83	0.80	32.93	0.00	--- Peak	3	147.61	24.21	43.50	-19.29	38.23	17.48	1.32	32.82	0.00	--- Peak	4	249.95	18.82	46.00	-27.18	31.21	18.80	1.74	32.93	0.00	--- Peak	5	557.92	23.76	46.00	-22.24	28.29	26.37	2.58	33.48	0.00	--- Peak	6	794.85	26.95	46.00	-19.05	28.61	28.65	3.05	33.36	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	53.28	31.67	40.00	-8.33	50.61	13.31	0.59	32.84	0.00	--- Peak																																																																																																				
2	72.92	23.00	40.00	-17.00	42.30	12.83	0.80	32.93	0.00	--- Peak																																																																																																				
3	147.61	24.21	43.50	-19.29	38.23	17.48	1.32	32.82	0.00	--- Peak																																																																																																				
4	249.95	18.82	46.00	-27.18	31.21	18.80	1.74	32.93	0.00	--- Peak																																																																																																				
5	557.92	23.76	46.00	-22.24	28.29	26.37	2.58	33.48	0.00	--- Peak																																																																																																				
6	794.85	26.95	46.00	-19.05	28.61	28.65	3.05	33.36	0.00	--- Peak																																																																																																				






Mode	64																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5684.00</td><td>55.28</td><td>68.20</td><td>-12.92</td><td>44.73</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>215</td><td>360 PEAK</td></tr><tr><td>2 5658.40</td><td>53.21</td><td>68.50</td><td>-15.29</td><td>42.66</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>215</td><td>360 PEAK</td></tr><tr><td>3 5784.00</td><td>56.48</td><td>106.42</td><td>-49.94</td><td>45.83</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>215</td><td>360 PEAK</td></tr><tr><td>4 5723.60</td><td>63.43</td><td>119.11</td><td>-55.68</td><td>52.75</td><td>34.65</td><td>12.42</td><td>36.39</td><td>0.00</td><td>215</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5684.00	55.28	68.20	-12.92	44.73	34.50	12.31	36.26	0.00	215	360 PEAK	2 5658.40	53.21	68.50	-15.29	42.66	34.50	12.36	36.31	0.00	215	360 PEAK	3 5784.00	56.48	106.42	-49.94	45.83	34.61	12.40	36.36	0.00	215	360 PEAK	4 5723.60	63.43	119.11	-55.68	52.75	34.65	12.42	36.39	0.00	215	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>107.47</td><td>-----</td><td>-----</td><td>96.67</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>215</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	107.47	-----	-----	96.67	34.82	12.46	36.48	0.00	215	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5684.00	55.28	68.20	-12.92	44.73	34.50	12.31	36.26	0.00	215	360 PEAK																																																																																																																										
2 5658.40	53.21	68.50	-15.29	42.66	34.50	12.36	36.31	0.00	215	360 PEAK																																																																																																																										
3 5784.00	56.48	106.42	-49.94	45.83	34.61	12.40	36.36	0.00	215	360 PEAK																																																																																																																										
4 5723.60	63.43	119.11	-55.68	52.75	34.65	12.42	36.39	0.00	215	360 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	107.47	-----	-----	96.67	34.82	12.46	36.48	0.00	215	360 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>97.95</td><td>-----</td><td>-----</td><td>87.25</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>215</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	97.95	-----	-----	87.25	34.69	12.44	36.43	0.00	215	360 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	97.95	-----	-----	87.25	34.69	12.44	36.43	0.00	215	360 AVERAGE																																																																																																																										




Mode	64																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>52.56</td><td>111.36</td><td>-58.00</td><td>41.51</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>215</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>56.14</td><td>106.70</td><td>-50.56</td><td>45.04</td><td>35.18</td><td>12.58</td><td>36.66</td><td>0.00</td><td>215</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.54</td><td>68.94</td><td>-15.40</td><td>42.40</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>215</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>55.44</td><td>68.20</td><td>-12.76</td><td>44.33</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>215</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.56	111.36	-58.00	41.51	35.12	12.56	36.63	0.00	215	360	PEAK	2	5870.00	56.14	106.70	-50.56	45.04	35.18	12.58	36.66	0.00	215	360	PEAK	3	5924.00	53.54	68.94	-15.40	42.40	35.30	12.66	36.82	0.00	215	360	PEAK	4	5932.00	55.44	68.20	-12.76	44.33	35.30	12.67	36.86	0.00	215	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	52.56	111.36	-58.00	41.51	35.12	12.56	36.63	0.00	215	360	PEAK																																																																																				
2	5870.00	56.14	106.70	-50.56	45.04	35.18	12.58	36.66	0.00	215	360	PEAK																																																																																				
3	5924.00	53.54	68.94	-15.40	42.40	35.30	12.66	36.82	0.00	215	360	PEAK																																																																																				
4	5932.00	55.44	68.20	-12.76	44.33	35.30	12.67	36.86	0.00	215	360	PEAK																																																																																				






Mode	64																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																																																																							
ANT	CDD 6+7																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.40</td><td>54.22</td><td>68.20</td><td>-13.98</td><td>43.67</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>258</td><td>123 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>52.91</td><td>68.20</td><td>-15.29</td><td>42.37</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>258</td><td>123 PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>53.30</td><td>106.09</td><td>-52.79</td><td>42.65</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>258</td><td>123 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>56.21</td><td>114.55</td><td>-58.34</td><td>45.54</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>258</td><td>123 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.40	54.22	68.20	-13.98	43.67	34.50	12.33	36.28	0.00	258	123 PEAK	2	5658.00	52.91	68.20	-15.29	42.37	34.50	12.35	36.31	0.00	258	123 PEAK	3	5702.80	53.30	106.09	-52.79	42.65	34.61	12.40	36.36	0.00	258	123 PEAK	4	5721.60	56.21	114.55	-58.34	45.54	34.64	12.42	36.39	0.00	258	123 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.09</td><td>-----</td><td>-----</td><td>93.39</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>258</td><td>123 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	104.09	-----	-----	93.39	34.69	12.44	36.43	0.00	258
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5624.40	54.22	68.20	-13.98	43.67	34.50	12.33	36.28	0.00	258	123 PEAK																																																																																																																													
2	5658.00	52.91	68.20	-15.29	42.37	34.50	12.35	36.31	0.00	258	123 PEAK																																																																																																																													
3	5702.80	53.30	106.09	-52.79	42.65	34.61	12.40	36.36	0.00	258	123 PEAK																																																																																																																													
4	5721.60	56.21	114.55	-58.34	45.54	34.64	12.42	36.39	0.00	258	123 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	104.09	-----	-----	93.39	34.69	12.44	36.43	0.00	258	123 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.53</td><td>-----</td><td>-----</td><td>83.73</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>258</td><td>123 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	94.53	-----	-----	83.73	34.82	12.46	36.48	0.00	258	123 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	94.53	-----	-----	83.73	34.82	12.46	36.48	0.00	258	123 AVERAGE																																																																																																																													




Mode	64																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.68</td><td>111.36</td><td>-57.68</td><td>42.63</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>258</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>54.89</td><td>105.36</td><td>-50.47</td><td>43.76</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>258</td><td>123</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.87</td><td>68.64</td><td>-15.77</td><td>41.73</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>258</td><td>123</td><td>PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>54.71</td><td>68.20</td><td>-13.49</td><td>43.60</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>258</td><td>123</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	53.68	111.36	-57.68	42.63	35.12	12.56	36.63	0.00	258	123	PEAK	2	5874.80	54.89	105.36	-50.47	43.76	35.20	12.59	36.66	0.00	258	123	PEAK	3	5924.40	52.87	68.64	-15.77	41.73	35.30	12.66	36.82	0.00	258	123	PEAK	4	5933.60	54.71	68.20	-13.49	43.60	35.30	12.67	36.86	0.00	258	123	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.80	53.68	111.36	-57.68	42.63	35.12	12.56	36.63	0.00	258	123	PEAK																																																																																				
2	5874.80	54.89	105.36	-50.47	43.76	35.20	12.59	36.66	0.00	258	123	PEAK																																																																																				
3	5924.40	52.87	68.64	-15.77	41.73	35.30	12.66	36.82	0.00	258	123	PEAK																																																																																				
4	5933.60	54.71	68.20	-13.49	43.60	35.30	12.67	36.86	0.00	258	123	PEAK																																																																																				






Mode	65																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line and a blue measured signal line. Three peaks are labeled with numbers 1, 2, and 3. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.00</td><td>55.71</td><td>68.20</td><td>-12.49</td><td>45.16</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>213</td><td>360 PEAK</td></tr><tr><td>2 5650.00</td><td>52.66</td><td>68.20</td><td>-15.54</td><td>42.12</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>213</td><td>360 PEAK</td></tr><tr><td>3 5700.00</td><td>53.60</td><td>105.30</td><td>-51.70</td><td>42.95</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>213</td><td>360 PEAK</td></tr><tr><td>4 5720.00</td><td>52.68</td><td>110.90</td><td>-58.22</td><td>42.01</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>213</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5602.00	55.71	68.20	-12.49	45.16	34.50	12.31	36.26	0.00	213	360 PEAK	2 5650.00	52.66	68.20	-15.54	42.12	34.50	12.35	36.31	0.00	213	360 PEAK	3 5700.00	53.60	105.30	-51.70	42.95	34.60	12.40	36.35	0.00	213	360 PEAK	4 5720.00	52.68	110.90	-58.22	42.01	34.64	12.42	36.39	0.00	213	360 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue measured signal line. A single peak is labeled with number 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>107.03</td><td>-----</td><td>-----</td><td>96.06</td><td>35.01</td><td>12.50</td><td>36.54</td><td>0.00</td><td>213</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5775.00	107.03	-----	-----	96.06	35.01	12.50	36.54	0.00	213	360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5602.00	55.71	68.20	-12.49	45.16	34.50	12.31	36.26	0.00	213	360 PEAK																																																																																																				
2 5650.00	52.66	68.20	-15.54	42.12	34.50	12.35	36.31	0.00	213	360 PEAK																																																																																																				
3 5700.00	53.60	105.30	-51.70	42.95	34.60	12.40	36.35	0.00	213	360 PEAK																																																																																																				
4 5720.00	52.68	110.90	-58.22	42.01	34.64	12.42	36.39	0.00	213	360 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5775.00	107.03	-----	-----	96.06	35.01	12.50	36.54	0.00	213	360 PEAK																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue measured signal line. A single peak is labeled with number 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>98.08</td><td>-----</td><td>-----</td><td>87.18</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>213</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5775.00	98.08	-----	-----	87.18	34.93	12.48	36.51	0.00	213	360 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5775.00	98.08	-----	-----	87.18	34.93	12.48	36.51	0.00	213	360 AVERAGE																																																																																																				




Mode	65																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.52</td><td>111.36</td><td>-57.84</td><td>42.47</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>213 360 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>53.53</td><td>105.80</td><td>-52.27</td><td>42.41</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>213 360 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>56.09</td><td>69.83</td><td>-13.74</td><td>44.94</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>213 360 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>44.09</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>213 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	53.52	111.36	-57.84	42.47	35.12	12.56	36.63	0.00	213 360 PEAK	2	5873.20	53.53	105.80	-52.27	42.41	35.19	12.59	36.66	0.00	213 360 PEAK	3	5922.80	56.09	69.83	-13.74	44.94	35.30	12.66	36.81	0.00	213 360 PEAK	4	5926.40	55.22	68.20	-12.98	44.09	35.30	12.66	36.83	0.00	213 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	53.52	111.36	-57.84	42.47	35.12	12.56	36.63	0.00	213 360 PEAK																																																																														
2	5873.20	53.53	105.80	-52.27	42.41	35.19	12.59	36.66	0.00	213 360 PEAK																																																																														
3	5922.80	56.09	69.83	-13.74	44.94	35.30	12.66	36.81	0.00	213 360 PEAK																																																																														
4	5926.40	55.22	68.20	-12.98	44.09	35.30	12.66	36.83	0.00	213 360 PEAK																																																																														



Mode	65																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5614.40</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>44.40</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr><tr><td>2 5658.00</td><td>52.36</td><td>68.20</td><td>-15.84</td><td>41.82</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr><tr><td>3 5704.40</td><td>53.91</td><td>106.53</td><td>-52.62</td><td>43.26</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr><tr><td>4 5721.20</td><td>53.26</td><td>113.64</td><td>-60.38</td><td>42.59</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5614.40	54.95	68.20	-13.25	44.40	34.50	12.32	36.27	0.00	300	17 PEAK	2 5658.00	52.36	68.20	-15.84	41.82	34.50	12.35	36.31	0.00	300	17 PEAK	3 5704.40	53.91	106.53	-52.62	43.26	34.61	12.40	36.36	0.00	300	17 PEAK	4 5721.20	53.26	113.64	-60.38	42.59	34.64	12.42	36.39	0.00	300	17 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>102.35</td><td>-----</td><td>-----</td><td>91.51</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	102.35	-----	-----	91.51	34.86	12.47	36.49	0.00	300	17 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5614.40	54.95	68.20	-13.25	44.40	34.50	12.32	36.27	0.00	300	17 PEAK																																																																																																																										
2 5658.00	52.36	68.20	-15.84	41.82	34.50	12.35	36.31	0.00	300	17 PEAK																																																																																																																										
3 5704.40	53.91	106.53	-52.62	43.26	34.61	12.40	36.36	0.00	300	17 PEAK																																																																																																																										
4 5721.20	53.26	113.64	-60.38	42.59	34.64	12.42	36.39	0.00	300	17 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	102.35	-----	-----	91.51	34.86	12.47	36.49	0.00	300	17 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-3(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.55</td><td>-----</td><td>-----</td><td>81.71</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>300</td><td>17 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.55	-----	-----	81.71	34.86	12.47	36.49	0.00	300	17 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	92.55	-----	-----	81.71	34.86	12.47	36.49	0.00	300	17 AVERAGE																																																																																																																										







Mode	65																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>52.70</td><td>111.36</td><td>-58.66</td><td>41.65</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>54.03</td><td>105.47</td><td>-51.44</td><td>42.90</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.54</td><td>68.94</td><td>-15.40</td><td>42.40</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr><tr><td>4</td><td>5949.20</td><td>54.69</td><td>68.20</td><td>-13.51</td><td>43.63</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>300</td><td>17 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	52.70	111.36	-58.66	41.65	35.12	12.56	36.63	0.00	300	17 PEAK	2	5874.40	54.03	105.47	-51.44	42.90	35.20	12.59	36.66	0.00	300	17 PEAK	3	5924.00	53.54	68.94	-15.40	42.40	35.30	12.66	36.82	0.00	300	17 PEAK	4	5949.20	54.69	68.20	-13.51	43.63	35.30	12.69	36.93	0.00	300	17 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.00	52.70	111.36	-58.66	41.65	35.12	12.56	36.63	0.00	300	17 PEAK																																																																								
2	5874.40	54.03	105.47	-51.44	42.90	35.20	12.59	36.66	0.00	300	17 PEAK																																																																								
3	5924.00	53.54	68.94	-15.40	42.40	35.30	12.66	36.82	0.00	300	17 PEAK																																																																								
4	5949.20	54.69	68.20	-13.51	43.63	35.30	12.69	36.93	0.00	300	17 PEAK																																																																								







Mode	66																																																					
	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 38+1_5180MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.70</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>47.24</td><td>34.08</td><td>11.79</td><td>37.00</td><td>0.00</td><td>111 38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.70	56.11	74.00	-17.89	47.24	34.08	11.79	37.00	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5138.70	56.11	74.00	-17.89	47.24	34.08	11.79	37.00	0.00	111 38 PEAK																																												
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.53</td><td>-----</td><td>-----</td><td>104.60</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>111 38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.53	-----	-----	104.60	34.20	11.83	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	113.53	-----	-----	104.60	34.20	11.83	37.10	0.00	111 38 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.20</td><td>44.65</td><td>54.00</td><td>-9.35</td><td>35.80</td><td>34.01</td><td>11.75</td><td>36.91</td><td>0.00</td><td>111 38 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.20	44.65	54.00	-9.35	35.80	34.01	11.75	36.91	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5103.20	44.65	54.00	-9.35	35.80	34.01	11.75	36.91	0.00	111 38 AVERAGE																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.85</td><td>-----</td><td>-----</td><td>96.92</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>111 38 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.85	-----	-----	96.92	34.20	11.83	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	105.85	-----	-----	96.92	34.20	11.83	37.10	0.00	111 38 AVERAGE																																												







Mode	66																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 38+1_5180MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.60</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>45.59</td><td>34.06</td><td>11.78</td><td>36.97</td><td>0.00</td><td>287 78 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.60	54.46	74.00	-19.54	45.59	34.06	11.78	36.97	0.00	287 78 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5127.60	54.46	74.00	-19.54	45.59	34.06	11.78	36.97	0.00	287 78 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.53</td><td>-----</td><td>-----</td><td>102.60</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>287 78 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.53	-----	-----	102.60	34.20	11.83	37.10	0.00	287 78 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	111.53	-----	-----	102.60	34.20	11.83	37.10	0.00	287 78 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.00</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>34.55</td><td>34.06</td><td>11.78</td><td>36.98</td><td>0.00</td><td>287 78 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.00	43.41	54.00	-10.59	34.55	34.06	11.78	36.98	0.00	287 78 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5130.00	43.41	54.00	-10.59	34.55	34.06	11.78	36.98	0.00	287 78 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.54</td><td>-----</td><td>-----</td><td>94.61</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>287 78 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.54	-----	-----	94.61	34.20	11.83	37.10	0.00	287 78 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	103.54	-----	-----	94.61	34.20	11.83	37.10	0.00	287 78 AVERAGE																																													







	67																																																																																																			
Mode	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 53+4_5180MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.50</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>47.34</td><td>34.08</td><td>11.79</td><td>37.01</td><td>0.00</td><td>112</td><td>40 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.50	56.20	74.00	-17.80	47.34	34.08	11.79	37.01	0.00	112	40 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.06</td><td>-----</td><td>-----</td><td>102.13</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>112</td><td>40 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.06	-----	-----	102.13	34.20	11.83	37.10	0.00	112
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5141.50	56.20	74.00	-17.80	47.34	34.08	11.79	37.01	0.00	112	40 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	111.06	-----	-----	102.13	34.20	11.83	37.10	0.00	112	40 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>36.24</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>112</td><td>40 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	45.11	54.00	-8.89	36.24	34.10	11.80	37.03	0.00	112	40 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.57</td><td>-----</td><td>-----</td><td>94.64</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>112</td><td>40 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.57	-----	-----	94.64	34.20	11.83	37.10	0.00	112
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5150.00	45.11	54.00	-8.89	36.24	34.10	11.80	37.03	0.00	112	40 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	103.57	-----	-----	94.64	34.20	11.83	37.10	0.00	112	40 AVERAGE																																																																																									



Mode	67																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 53+4_5180MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.90</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>45.93</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>318 103 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.90	54.80	74.00	-19.20	45.93	34.09	11.80	37.02	0.00	318 103 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5145.90	54.80	74.00	-19.20	45.93	34.09	11.80	37.02	0.00	318 103 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.39</td><td>-----</td><td>-----</td><td>101.46</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>318 103 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.39	-----	-----	101.46	34.20	11.83	37.10	0.00	318 103 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	110.39	-----	-----	101.46	34.20	11.83	37.10	0.00	318 103 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>34.99</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>318 103 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	43.86	54.00	-10.14	34.99	34.10	11.80	37.03	0.00	318 103 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5150.00	43.86	54.00	-10.14	34.99	34.10	11.80	37.03	0.00	318 103 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.60</td><td>-----</td><td>-----</td><td>92.68</td><td>34.18</td><td>11.82</td><td>37.08</td><td>0.00</td><td>318 103 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.60	-----	-----	92.68	34.18	11.82	37.08	0.00	318 103 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	101.60	-----	-----	92.68	34.18	11.82	37.08	0.00	318 103 AVERAGE																																													







Mode	68																																																							
	Band Edge																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 39+7_5320MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.40</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>45.22</td><td>34.60</td><td>11.90</td><td>36.50</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.40	55.30	74.00	-18.70	45.22	34.60	11.90	36.50	0.00	100	2 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.40	55.30	74.00	-18.70	45.22	34.60	11.90	36.50	0.00	100	2 PEAK																																													
Avg																																																								
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.80</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>36.22</td><td>34.60</td><td>12.01</td><td>36.41</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.80	46.42	54.00	-7.58	36.22	34.60	12.01	36.41	0.00	100	2 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5396.80	46.42	54.00	-7.58	36.22	34.60	12.01	36.41	0.00	100	2 AVERAGE																																													
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.41</td><td>-----</td><td>-----</td><td>97.44</td><td>34.60</td><td>11.95</td><td>36.58</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.41	-----	-----	97.44	34.60	11.95	36.58	0.00	100	2 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5320.00	107.41	-----	-----	97.44	34.60	11.95	36.58	0.00	100	2 AVERAGE																																													







Mode	68																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 39+7_5320MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.20</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>45.16</td><td>34.60</td><td>11.98</td><td>36.48</td><td>0.00</td><td>318</td><td>128</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.20	55.26	74.00	-18.74	45.16	34.60	11.98	36.48	0.00	318	128	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.29</td><td>-----</td><td>-----</td><td>101.32</td><td>34.60</td><td>11.95</td><td>36.58</td><td>0.00</td><td>318</td><td>128</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.29	-----	-----	101.32	34.60	11.95	36.58	0.00	318	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5368.20	55.26	74.00	-18.74	45.16	34.60	11.98	36.48	0.00	318	128	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	111.29	-----	-----	101.32	34.60	11.95	36.58	0.00	318	128	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.10</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>33.28</td><td>34.60</td><td>11.99</td><td>36.46</td><td>0.00</td><td>318</td><td>128</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.10	43.41	54.00	-10.59	33.28	34.60	11.99	36.46	0.00	318	128	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.62</td><td>-----</td><td>-----</td><td>92.65</td><td>34.60</td><td>11.95</td><td>36.58</td><td>0.00</td><td>318</td><td>128</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.62	-----	-----	92.65	34.60	11.95	36.58	0.00	318	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5373.10	43.41	54.00	-10.59	33.28	34.60	11.99	36.46	0.00	318	128	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	102.62	-----	-----	92.65	34.60	11.95	36.58	0.00	318	128	AVERAGE																																																																																											







Mode	69																																																							
	Band Edge																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 54+4_5320MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.30</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>45.94</td><td>34.60</td><td>11.98</td><td>36.50</td><td>0.00</td><td>100</td><td>1 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.30	56.02	74.00	-17.98	45.94	34.60	11.98	36.50	0.00	100	1 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5358.30	56.02	74.00	-17.98	45.94	34.60	11.98	36.50	0.00	100	1 PEAK																																													
Avg																																																								
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>34.66</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>1 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	44.71	54.00	-9.29	34.66	34.60	11.97	36.52	0.00	100	1 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.10	44.71	54.00	-9.29	34.66	34.60	11.97	36.52	0.00	100	1 AVERAGE																																													
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.03</td><td>-----</td><td>-----</td><td>95.06</td><td>34.60</td><td>11.95</td><td>36.58</td><td>0.00</td><td>100</td><td>1 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.03	-----	-----	95.06	34.60	11.95	36.58	0.00	100	1 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5320.00	105.03	-----	-----	95.06	34.60	11.95	36.58	0.00	100	1 AVERAGE																																													







Mode	69																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 54+4_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.30</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>43.89</td><td>34.60</td><td>11.98</td><td>36.48</td><td>0.00</td><td>316 127 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.30	53.99	74.00	-20.01	43.89	34.60	11.98	36.48	0.00	316 127 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.30	53.99	74.00	-20.01	43.89	34.60	11.98	36.48	0.00	316 127 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.94</td><td>-----</td><td>-----</td><td>97.94</td><td>34.60</td><td>11.96</td><td>36.56</td><td>0.00</td><td>316 127 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.94	-----	-----	97.94	34.60	11.96	36.56	0.00	316 127 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	107.94	-----	-----	97.94	34.60	11.96	36.56	0.00	316 127 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.20</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>32.86</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>316 127 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.20	42.91	54.00	-11.09	32.86	34.60	11.97	36.52	0.00	316 127 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.20	42.91	54.00	-11.09	32.86	34.60	11.97	36.52	0.00	316 127 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.05</td><td>-----</td><td>-----</td><td>90.08</td><td>34.60</td><td>11.95</td><td>36.58</td><td>0.00</td><td>316 127 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.05	-----	-----	90.08	34.60	11.95	36.58	0.00	316 127 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	100.05	-----	-----	90.08	34.60	11.95	36.58	0.00	316 127 AVERAGE																																													







		70																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 38+1_5500MHz																																																																																																								
ANT		CDD 6+7																																																																																																								
Pol.		Fundamental																																																																																																								
Peak	Horizontal	Fundamental																																																																																																								
	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.48</td><td>56.26</td><td>74.00</td><td>-17.74</td><td>45.93</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>183</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>59.10</td><td>68.20</td><td>-9.10</td><td>48.81</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>183</td><td>360</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.48	56.26	74.00	-17.74	45.93	34.67	12.10	36.44	0.00	183	360	PEAK	2	5466.48	59.10	68.20	-9.10	48.81	34.63	12.11	36.45	0.00	183	360	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>115.48</td><td>-----</td><td>-----</td><td>105.28</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>183</td><td>360</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	115.48	-----	-----	105.28	34.52	12.15	36.47	0.00	183	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5458.48	56.26	74.00	-17.74	45.93	34.67	12.10	36.44	0.00	183	360	PEAK																																																																																														
2	5466.48	59.10	68.20	-9.10	48.81	34.63	12.11	36.45	0.00	183	360	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5500.00	115.48	-----	-----	105.28	34.52	12.15	36.47	0.00	183	360	PEAK																																																																																														
Avg	Horizontal	Fundamental																																																																																																								
	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>34.79</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>183</td><td>360</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.76	45.11	54.00	-8.89	34.79	34.66	12.10	36.44	0.00	183	360	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.59</td><td>-----</td><td>-----</td><td>97.39</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>183</td><td>360</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	107.59	-----	-----	97.39	34.52	12.15	36.47	0.00	183	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5459.76	45.11	54.00	-8.89	34.79	34.66	12.10	36.44	0.00	183	360	AVERAGE																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5500.00	107.59	-----	-----	97.39	34.52	12.15	36.47	0.00	183	360	AVERAGE																																																																																														







Mode	70																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 38+1_5500MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.56</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>44.61</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>280 127 PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>53.34</td><td>68.20</td><td>-14.86</td><td>43.05</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>280 127 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.56	54.95	74.00	-19.05	44.61	34.69	12.08	36.43	0.00	280 127 PEAK	2	5468.08	53.34	68.20	-14.86	43.05	34.63	12.11	36.45	0.00	280 127 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>112.59</td><td>-----</td><td>-----</td><td>102.39</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>280 127 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.59	-----	-----	102.39	34.52	12.15	36.47	0.00	280 127 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5444.56	54.95	74.00	-19.05	44.61	34.69	12.08	36.43	0.00	280 127 PEAK																																																																																											
2	5468.08	53.34	68.20	-14.86	43.05	34.63	12.11	36.45	0.00	280 127 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	112.59	-----	-----	102.39	34.52	12.15	36.47	0.00	280 127 PEAK																																																																																											
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>33.26</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>280 127 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	43.58	54.00	-10.42	33.26	34.66	12.10	36.44	0.00	280 127 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.42</td><td>-----</td><td>-----</td><td>94.22</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>280 127 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.42	-----	-----	94.22	34.52	12.15	36.47	0.00	280 127 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.60	43.58	54.00	-10.42	33.26	34.66	12.10	36.44	0.00	280 127 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	104.42	-----	-----	94.22	34.52	12.15	36.47	0.00	280 127 AVERAGE																																																																																											






Mode	71																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 53+4_5500MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.00</td><td>55.28</td><td>74.00</td><td>-18.72</td><td>44.95</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>183</td><td>360 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>62.67</td><td>68.20</td><td>-5.53</td><td>52.39</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>183</td><td>360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.00	55.28	74.00	-18.72	44.95	34.68	12.09	36.44	0.00	183	360 PEAK	2	5469.04	62.67	68.20	-5.53	52.39	34.62	12.11	36.45	0.00	183	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5454.00	55.28	74.00	-18.72	44.95	34.68	12.09	36.44	0.00	183	360 PEAK																																																									
2	5469.04	62.67	68.20	-5.53	52.39	34.62	12.11	36.45	0.00	183	360 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>115.64</td><td>-----</td><td>-----</td><td>105.44</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>183</td><td>360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	115.64	-----	-----	105.44	34.52	12.15	36.47	0.00	183	360 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	115.64	-----	-----	105.44	34.52	12.15	36.47	0.00	183	360 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>33.89</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>183</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.76	44.21	54.00	-9.79	33.89	34.66	12.10	36.44	0.00	183	360 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5459.76	44.21	54.00	-9.79	33.89	34.66	12.10	36.44	0.00	183	360 AVERAGE																																																									
AVERAGE																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.19</td><td>-----</td><td>-----</td><td>94.99</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>183</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	105.19	-----	-----	94.99	34.52	12.15	36.47	0.00	183	360 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	105.19	-----	-----	94.99	34.52	12.15	36.47	0.00	183	360 AVERAGE																																																									






		71																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 53+4_5500MHz																																																																																																	
ANT		CDD 6+7																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.72	54.37	74.00	-19.63	44.06	34.67	12.07	36.43	0.00	282 126 PEAK	2	5466.00	53.22	68.20	-14.98	42.92	34.64	12.11	36.45	0.00	282 126 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.73	-----	-----	100.53	34.52	12.15	36.47	0.00	282 126 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5436.72	54.37	74.00	-19.63	44.06	34.67	12.07	36.43	0.00	282 126 PEAK																																																																																									
2	5466.00	53.22	68.20	-14.98	42.92	34.64	12.11	36.45	0.00	282 126 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	110.73	-----	-----	100.53	34.52	12.15	36.47	0.00	282 126 PEAK																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.34	54.00	-10.66	33.02	34.66	12.10	36.44	0.00	282 126 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.09	-----	-----	91.09	34.52	12.15	36.47	0.00	282 126 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5459.92	43.34	54.00	-10.66	33.02	34.66	12.10	36.44	0.00	282 126 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	102.09	-----	-----	91.09	34.52	12.15	36.47	0.00	282 126 AVERAGE																																																																																									






Mode	72																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 39+7_5700MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.84</td><td>57.95</td><td>68.20</td><td>-10.25</td><td>47.28</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>216</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.84	57.95	68.20	-10.25	47.28	34.65	12.42	36.40	0.00	216	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>114.69</td><td>-----</td><td>-----</td><td>104.04</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>216</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	114.69	-----	-----	104.04	34.61	12.40	36.36	0.00	216
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5726.84	57.95	68.20	-10.25	47.28	34.65	12.42	36.40	0.00	216	360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	114.69	-----	-----	104.04	34.61	12.40	36.36	0.00	216	360 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.94</td><td>-----</td><td>-----</td><td>96.29</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>216</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.94	-----	-----	96.29	34.61	12.40	36.36	0.00	216	360 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	106.94	-----	-----	96.29	34.61	12.40	36.36	0.00	216	360 AVERAGE																																																																																									






Mode	72																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 39+7_5700MHz																																																																																																							
ANT	CDD 6+7																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.16</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>45.31</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>308</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	55.98	68.20	-12.22	45.31	34.65	12.42	36.40	0.00	308	136	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.47</td><td>-----</td><td>-----</td><td>100.82</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>308</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	111.47	-----	-----	100.82	34.61	12.40	36.36	0.00	308	136
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5725.16	55.98	68.20	-12.22	45.31	34.65	12.42	36.40	0.00	308	136	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	111.47	-----	-----	100.82	34.61	12.40	36.36	0.00	308	136	PEAK																																																																																												
Avg	Blank																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.94</td><td>-----</td><td>-----</td><td>91.29</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>308</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.94	-----	-----	91.29	34.61	12.40	36.36	0.00	308	136	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	101.94	-----	-----	91.29	34.61	12.40	36.36	0.00	308	136	AVERAGE																																																																																												






Mode	73																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 54+4_5700MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.16</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>45.58</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>216</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	56.25	68.20	-11.95	45.58	34.65	12.42	36.40	0.00	216	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>113.32</td><td>-----</td><td>-----</td><td>102.66</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>216</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	113.32	-----	-----	102.66	34.62	12.41	36.37	0.00	216
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.16	56.25	68.20	-11.95	45.58	34.65	12.42	36.40	0.00	216	360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	113.32	-----	-----	102.66	34.62	12.41	36.37	0.00	216	360 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.61</td><td>-----</td><td>-----</td><td>93.95</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>216</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.61	-----	-----	93.95	34.62	12.41	36.37	0.00	216	360 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	104.61	-----	-----	93.95	34.62	12.41	36.37	0.00	216	360 AVERAGE																																																																																									







Mode	73																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 54+4_5700MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.00</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>44.42</td><td>34.66</td><td>12.43</td><td>36.40</td><td>0.00</td><td>306</td><td>130 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.00	55.11	68.20	-13.09	44.42	34.66	12.43	36.40	0.00	306	130 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.06</td><td>-----</td><td>-----</td><td>98.41</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>306</td><td>130 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.06	-----	-----	98.41	34.61	12.40	36.36	0.00	306
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5729.00	55.11	68.20	-13.09	44.42	34.66	12.43	36.40	0.00	306	130 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	109.06	-----	-----	98.41	34.61	12.40	36.36	0.00	306	130 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.94</td><td>-----</td><td>-----</td><td>89.29</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>306</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.94	-----	-----	89.29	34.61	12.40	36.36	0.00	306	130 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	99.94	-----	-----	89.29	34.61	12.40	36.36	0.00	306	130 AVERAGE																																																																																									






	74																																																																																																																	
Mode	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 38+1_5745MHz																																																																																																																	
ANT	CDD 6+7																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5635.60</td><td>55.49</td><td>68.20</td><td>-12.71</td><td>44.94</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>170</td><td>360 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>53.80</td><td>68.20</td><td>-14.40</td><td>43.26</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>170</td><td>360 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>55.04</td><td>105.97</td><td>-50.93</td><td>44.39</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>170</td><td>360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.23</td><td>110.90</td><td>-55.67</td><td>44.56</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>170</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5635.60	55.49	68.20	-12.71	44.94	34.50	12.34	36.29	0.00	170	360 PEAK	2	5658.00	53.80	68.20	-14.40	43.26	34.50	12.35	36.31	0.00	170	360 PEAK	3	5702.40	55.04	105.97	-50.93	44.39	34.60	12.40	36.35	0.00	170	360 PEAK	4	5720.00	55.23	110.90	-55.67	44.56	34.64	12.42	36.39	0.00	170	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.38</td><td>-----</td><td>-----</td><td>104.68</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>170</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	115.38	-----	-----	104.68	34.68	12.44	36.42	0.00	170
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5635.60	55.49	68.20	-12.71	44.94	34.50	12.34	36.29	0.00	170	360 PEAK																																																																																																							
2	5658.00	53.80	68.20	-14.40	43.26	34.50	12.35	36.31	0.00	170	360 PEAK																																																																																																							
3	5702.40	55.04	105.97	-50.93	44.39	34.60	12.40	36.35	0.00	170	360 PEAK																																																																																																							
4	5720.00	55.23	110.90	-55.67	44.56	34.64	12.42	36.39	0.00	170	360 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	115.38	-----	-----	104.68	34.68	12.44	36.42	0.00	170	360 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.90</td><td>-----</td><td>-----</td><td>96.20</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>170</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	106.90	-----	-----	96.20	34.68	12.44	36.42	0.00	170	360 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	106.90	-----	-----	96.20	34.68	12.44	36.42	0.00	170	360 AVERAGE																																																																																																							







	74																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 38+1_5745MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.00</td><td>54.83</td><td>68.20</td><td>-13.37</td><td>44.28</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>286</td><td>219 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.62</td><td>68.80</td><td>-17.18</td><td>41.07</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>286</td><td>219 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>54.11</td><td>105.75</td><td>-51.64</td><td>43.46</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>286</td><td>219 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.80</td><td>110.90</td><td>-58.10</td><td>42.13</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>286</td><td>219 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.00	54.83	68.20	-13.37	44.28	34.50	12.32	36.27	0.00	286	219 PEAK	2	5650.00	51.62	68.80	-17.18	41.07	34.50	12.36	36.31	0.00	286	219 PEAK	3	5701.60	54.11	105.75	-51.64	43.46	34.60	12.40	36.35	0.00	286	219 PEAK	4	5720.00	52.80	110.90	-58.10	42.13	34.64	12.42	36.39	0.00	286	219 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.68</td><td>-----</td><td>-----</td><td>98.98</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>286</td><td>219 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.68	-----	-----	98.98	34.68	12.44	36.42	0.00	286
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5614.00	54.83	68.20	-13.37	44.28	34.50	12.32	36.27	0.00	286	219 PEAK																																																																																																																														
2	5650.00	51.62	68.80	-17.18	41.07	34.50	12.36	36.31	0.00	286	219 PEAK																																																																																																																														
3	5701.60	54.11	105.75	-51.64	43.46	34.60	12.40	36.35	0.00	286	219 PEAK																																																																																																																														
4	5720.00	52.80	110.90	-58.10	42.13	34.64	12.42	36.39	0.00	286	219 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	109.68	-----	-----	98.98	34.68	12.44	36.42	0.00	286	219 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.24</td><td>-----</td><td>-----</td><td>90.54</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>286</td><td>219 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.24	-----	-----	90.54	34.68	12.44	36.42	0.00	286	219 AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	101.24	-----	-----	90.54	34.68	12.44	36.42	0.00	286	219 AVERAGE																																																																																																																														






	75																																																																																																																		
Mode	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 53+4_5745MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5689.60</td><td>53.61</td><td>68.20</td><td>-14.59</td><td>43.06</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>171</td><td>0 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>50.49</td><td>68.20</td><td>-17.71</td><td>39.95</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>171</td><td>0 PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>59.26</td><td>110.23</td><td>-50.97</td><td>48.58</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>171</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.43</td><td>110.90</td><td>-52.47</td><td>47.76</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>171</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5689.60	53.61	68.20	-14.59	43.06	34.50	12.32	36.27	0.00	171	0 PEAK	2	5658.00	50.49	68.20	-17.71	39.95	34.50	12.35	36.31	0.00	171	0 PEAK	3	5717.60	59.26	110.23	-50.97	48.58	34.64	12.42	36.38	0.00	171	0 PEAK	4	5720.00	58.43	110.90	-52.47	47.76	34.64	12.42	36.39	0.00	171	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.87</td><td>-----</td><td>-----</td><td>101.17</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>171</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	111.87	-----	-----	101.17	34.68	12.44	36.42	0.00	171	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5689.60	53.61	68.20	-14.59	43.06	34.50	12.32	36.27	0.00	171	0 PEAK																																																																																																								
2	5658.00	50.49	68.20	-17.71	39.95	34.50	12.35	36.31	0.00	171	0 PEAK																																																																																																								
3	5717.60	59.26	110.23	-50.97	48.58	34.64	12.42	36.38	0.00	171	0 PEAK																																																																																																								
4	5720.00	58.43	110.90	-52.47	47.76	34.64	12.42	36.39	0.00	171	0 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	111.87	-----	-----	101.17	34.68	12.44	36.42	0.00	171	0 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.96</td><td>-----</td><td>-----</td><td>94.27</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>171</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	104.96	-----	-----	94.27	34.67	12.43	36.41	0.00	171	0 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	104.96	-----	-----	94.27	34.67	12.43	36.41	0.00	171	0 AVERAGE																																																																																																								







	75																																																																																																																																	
Mode	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 53+4_5745MHz																																																																																																																																	
ANT	CDD 6+7																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak																																																																																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	52.30	68.20	-15.90	41.75	34.50	12.35	36.30	0.00	300	217 PEAK	2	5650.40	49.41	68.50	-19.09	38.86	34.50	12.36	36.31	0.00	300	217 PEAK	3	5703.60	52.16	106.31	-54.15	41.51	34.61	12.40	36.36	0.00	300	217 PEAK	4	5720.40	54.45	111.81	-57.36	43.78	34.64	12.42	36.39	0.00	300	217 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.43</td><td>-----</td><td>-----</td><td>96.73</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>300</td><td>217 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.43	-----	-----	96.73	34.68	12.44	36.42	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5644.00	52.30	68.20	-15.90	41.75	34.50	12.35	36.30	0.00	300	217 PEAK																																																																																																																							
2	5650.40	49.41	68.50	-19.09	38.86	34.50	12.36	36.31	0.00	300	217 PEAK																																																																																																																							
3	5703.60	52.16	106.31	-54.15	41.51	34.61	12.40	36.36	0.00	300	217 PEAK																																																																																																																							
4	5720.40	54.45	111.81	-57.36	43.78	34.64	12.42	36.39	0.00	300	217 PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5745.00	107.43	-----	-----	96.73	34.68	12.44	36.42	0.00	300	217 PEAK																																																																																																																							
Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.04</td><td>-----</td><td>-----</td><td>88.34</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>300</td><td>217 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.04	-----	-----	88.34	34.68	12.44	36.42	0.00	300	217 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.04</td><td>-----</td><td>-----</td><td>88.34</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>300</td><td>217 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.04	-----	-----	88.34	34.68	12.44	36.42	0.00	300	217 AVERAGE																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5745.00	99.04	-----	-----	88.34	34.68	12.44	36.42	0.00	300	217 AVERAGE																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5745.00	99.04	-----	-----	88.34	34.68	12.44	36.42	0.00	300	217 AVERAGE																																																																																																																							
	Blank																																																																																																																																	






Mode	76																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 39+7_5825MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.31</td><td>111.36</td><td>-57.05</td><td>43.26</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>207</td><td>0 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>53.46</td><td>105.92</td><td>-52.46</td><td>42.34</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>207</td><td>0 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.11</td><td>69.23</td><td>-16.12</td><td>41.97</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>207</td><td>0 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>54.46</td><td>68.20</td><td>-13.74</td><td>43.34</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>207</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.31	111.36	-57.05	43.26	35.12	12.56	36.63	0.00	207	0 PEAK	2	5872.00	53.46	105.92	-52.46	42.34	35.19	12.59	36.66	0.00	207	0 PEAK	3	5923.60	53.11	69.23	-16.12	41.97	35.30	12.66	36.82	0.00	207	0 PEAK	4	5930.00	54.46	68.20	-13.74	43.34	35.30	12.67	36.85	0.00	207	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.47</td><td>-----</td><td>-----</td><td>103.46</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>207</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.47	-----	-----	103.46	35.06	12.53	36.58	0.00	207	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	54.31	111.36	-57.05	43.26	35.12	12.56	36.63	0.00	207	0 PEAK																																																																																																																															
2	5872.00	53.46	105.92	-52.46	42.34	35.19	12.59	36.66	0.00	207	0 PEAK																																																																																																																															
3	5923.60	53.11	69.23	-16.12	41.97	35.30	12.66	36.82	0.00	207	0 PEAK																																																																																																																															
4	5930.00	54.46	68.20	-13.74	43.34	35.30	12.67	36.85	0.00	207	0 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	114.47	-----	-----	103.46	35.06	12.53	36.58	0.00	207	0 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.28</td><td>-----</td><td>-----</td><td>95.27</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>207</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.28	-----	-----	95.27	35.06	12.53	36.58	0.00	207	0 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	106.28	-----	-----	95.27	35.06	12.53	36.58	0.00	207	0 AVERAGE																																																																																																																															






Mode	76																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 39+7_5825MHz																																																																																																																																	
ANT	CDD 6+7																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.90</td><td>111.36</td><td>-58.46</td><td>41.85</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>274 190 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>52.11</td><td>105.80</td><td>-53.69</td><td>40.99</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>274 190 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>52.01</td><td>69.23</td><td>-17.22</td><td>40.87</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>274 190 PEAK</td></tr><tr><td>4</td><td>5932.80</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>42.16</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>274 190 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.90	111.36	-58.46	41.85	35.12	12.56	36.63	0.00	274 190 PEAK	2	5873.20	52.11	105.80	-53.69	40.99	35.19	12.59	36.66	0.00	274 190 PEAK	3	5923.60	52.01	69.23	-17.22	40.87	35.30	12.66	36.82	0.00	274 190 PEAK	4	5932.80	53.27	68.20	-14.93	42.16	35.30	12.67	36.86	0.00	274 190 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.59</td><td>-----</td><td>-----</td><td>98.58</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>274 190 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.59	-----	-----	98.58	35.06	12.53	36.58	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5854.00	52.90	111.36	-58.46	41.85	35.12	12.56	36.63	0.00	274 190 PEAK																																																																																																																								
2	5873.20	52.11	105.80	-53.69	40.99	35.19	12.59	36.66	0.00	274 190 PEAK																																																																																																																								
3	5923.60	52.01	69.23	-17.22	40.87	35.30	12.66	36.82	0.00	274 190 PEAK																																																																																																																								
4	5932.80	53.27	68.20	-14.93	42.16	35.30	12.67	36.86	0.00	274 190 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	109.59	-----	-----	98.58	35.06	12.53	36.58	0.00	274 190 PEAK																																																																																																																								
Avg																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.50</td><td>-----</td><td>-----</td><td>89.49</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>274 190 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.50	-----	-----	89.49	35.06	12.53	36.58	0.00	274 190 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.50</td><td>-----</td><td>-----</td><td>89.49</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>274 190 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.50	-----	-----	89.49	35.06	12.53	36.58	0.00	274 190 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	100.50	-----	-----	89.49	35.06	12.53	36.58	0.00	274 190 AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	100.50	-----	-----	89.49	35.06	12.53	36.58	0.00	274 190 AVERAGE																																																																																																																								







		77																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 54+4_5825MHz																																																																																						
ANT	CDD 6+7																																																																																						
Pol.	Horizontal																																																																																						
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.80</td><td>54.01</td><td>111.36</td><td>-57.35</td><td>42.96</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>178</td><td>0 PEAK</td></tr><tr><td>2 5874.80</td><td>52.71</td><td>105.36</td><td>-52.65</td><td>41.58</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>178</td><td>0 PEAK</td></tr><tr><td>3 5923.60</td><td>53.00</td><td>69.23</td><td>-16.23</td><td>41.86</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>178</td><td>0 PEAK</td></tr><tr><td>4 5984.40</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>42.45</td><td>35.30</td><td>12.74</td><td>37.09</td><td>0.00</td><td>178</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	54.01	111.36	-57.35	42.96	35.12	12.56	36.63	0.00	178	0 PEAK	2 5874.80	52.71	105.36	-52.65	41.58	35.20	12.59	36.66	0.00	178	0 PEAK	3 5923.60	53.00	69.23	-16.23	41.86	35.30	12.66	36.82	0.00	178	0 PEAK	4 5984.40	53.40	68.20	-14.80	42.45	35.30	12.74	37.09	0.00	178
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5854.80	54.01	111.36	-57.35	42.96	35.12	12.56	36.63	0.00	178	0 PEAK																																																																													
2 5874.80	52.71	105.36	-52.65	41.58	35.20	12.59	36.66	0.00	178	0 PEAK																																																																													
3 5923.60	53.00	69.23	-16.23	41.86	35.30	12.66	36.82	0.00	178	0 PEAK																																																																													
4 5984.40	53.40	68.20	-14.80	42.45	35.30	12.74	37.09	0.00	178	0 PEAK																																																																													
Fundamental																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>111.88</td><td>-----</td><td>-----</td><td>100.87</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>178</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	111.88	-----	-----	100.87	35.06	12.53	36.58	0.00	178	0 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	111.88	-----	-----	100.87	35.06	12.53	36.58	0.00	178	0 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>103.38</td><td>-----</td><td>-----</td><td>92.36</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>178</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.38	-----	-----	92.36	35.07	12.54	36.59	0.00	178	0 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	103.38	-----	-----	92.36	35.07	12.54	36.59	0.00	178	0 AVERAGE																																																																													





	77																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 54+4_5825MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>50.32</td><td>111.36</td><td>-61.04</td><td>39.27</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>308</td><td>129 PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>52.56</td><td>106.47</td><td>-53.91</td><td>41.45</td><td>35.18</td><td>12.59</td><td>36.66</td><td>0.00</td><td>308</td><td>129 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>52.88</td><td>69.23</td><td>-16.35</td><td>41.74</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>308</td><td>129 PEAK</td></tr><tr><td>4</td><td>5934.40</td><td>53.14</td><td>68.20</td><td>-15.06</td><td>42.03</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>308</td><td>129 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	50.32	111.36	-61.04	39.27	35.12	12.56	36.63	0.00	308	129 PEAK	2	5870.80	52.56	106.47	-53.91	41.45	35.18	12.59	36.66	0.00	308	129 PEAK	3	5923.60	52.88	69.23	-16.35	41.74	35.30	12.66	36.82	0.00	308	129 PEAK	4	5934.40	53.14	68.20	-15.06	42.03	35.30	12.67	36.86	0.00	308	129 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.52</td><td>-----</td><td>-----</td><td>97.51</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>308</td><td>129 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.52	-----	-----	97.51	35.06	12.53	36.58	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	50.32	111.36	-61.04	39.27	35.12	12.56	36.63	0.00	308	129 PEAK																																																																																																																														
2	5870.80	52.56	106.47	-53.91	41.45	35.18	12.59	36.66	0.00	308	129 PEAK																																																																																																																														
3	5923.60	52.88	69.23	-16.35	41.74	35.30	12.66	36.82	0.00	308	129 PEAK																																																																																																																														
4	5934.40	53.14	68.20	-15.06	42.03	35.30	12.67	36.86	0.00	308	129 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	108.52	-----	-----	97.51	35.06	12.53	36.58	0.00	308	129 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.40</td><td>-----</td><td>-----</td><td>87.39</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>308</td><td>129 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.40	-----	-----	87.39	35.06	12.53	36.58	0.00	308	129 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	98.40	-----	-----	87.39	35.06	12.53	36.58	0.00	308	129 AVERAGE																																																																																																																														







Mode	78																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ① 5210MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.56</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>47.07</td><td>34.09</td><td>11.79</td><td>37.01</td><td>0.00</td><td>115 345 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.56	55.94	74.00	-18.06	47.07	34.09	11.79	37.01	0.00	115 345 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5142.56	55.94	74.00	-18.06	47.07	34.09	11.79	37.01	0.00	115 345 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>105.62</td><td>-----</td><td>-----</td><td>96.64</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>115 345 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	105.62	-----	-----	96.64	34.28	11.84	37.14	0.00	115 345 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	105.62	-----	-----	96.64	34.28	11.84	37.14	0.00	115 345 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>36.28</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>115 345 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	45.15	54.00	-8.85	36.28	34.10	11.80	37.03	0.00	115 345 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.60	45.15	54.00	-8.85	36.28	34.10	11.80	37.03	0.00	115 345 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.84</td><td>-----</td><td>-----</td><td>87.86</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>115 345 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.84	-----	-----	87.86	34.28	11.84	37.14	0.00	115 345 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	96.84	-----	-----	87.86	34.28	11.84	37.14	0.00	115 345 AVERAGE																																													





Mode	78																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④ 5210MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5307.76</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>44.56</td><td>34.60</td><td>12.00</td><td>36.43</td><td>0.00</td><td>115</td><td>345</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5307.76	54.73	74.00	-19.27	44.56	34.60	12.00	36.43	0.00	115	345	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5307.76	54.73	74.00	-19.27	44.56	34.60	12.00	36.43	0.00	115	345	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.46</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>33.09</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>115</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.46	43.18	54.00	-10.82	33.09	34.60	11.98	36.49	0.00	115	345	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5363.46	43.18	54.00	-10.82	33.09	34.60	11.98	36.49	0.00	115	345	AVERAGE																																												







		78																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ①5210MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.60</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>45.84</td><td>34.03</td><td>11.76</td><td>36.94</td><td>0.00</td><td>397</td><td>81 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.60	54.69	74.00	-19.31	45.84	34.03	11.76	36.94	0.00	397
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5113.60	54.69	74.00	-19.31	45.84	34.03	11.76	36.94	0.00	397	81 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>103.11</td><td>-----</td><td>-----</td><td>94.13</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>397</td><td>81 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	103.11	-----	-----	94.13	34.28	11.84	37.14	0.00	397
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	103.11	-----	-----	94.13	34.28	11.84	37.14	0.00	397	81 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.60</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>34.46</td><td>34.00</td><td>11.75</td><td>36.90</td><td>0.00</td><td>397</td><td>81 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.60	43.31	54.00	-10.69	34.46	34.00	11.75	36.90	0.00	397
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5101.60	43.31	54.00	-10.69	34.46	34.00	11.75	36.90	0.00	397	81 AVERAGE																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>93.71</td><td>-----</td><td>-----</td><td>84.73</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>397</td><td>81 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.71	-----	-----	84.73	34.28	11.84	37.14	0.00	397
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	93.71	-----	-----	84.73	34.28	11.84	37.14	0.00	397	81 AVERAGE																																												





Mode	78																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ①5210MHz																																														
ANT	CDD 6+7																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>43.14</td><td>34.60</td><td>11.99</td><td>36.46</td><td>0.00</td><td>397</td><td>81 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.00	53.27	74.00	-20.73	43.14	34.60	11.99	36.46	0.00	397	81 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5373.00	53.27	74.00	-20.73	43.14	34.60	11.99	36.46	0.00	397	81 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.58</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>32.28</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>397</td><td>81 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.58	42.33	54.00	-11.67	32.28	34.60	11.97	36.52	0.00	397	81 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5351.58	42.33	54.00	-11.67	32.28	34.60	11.97	36.52	0.00	397	81 AVERAGE																																				







Mode	79																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.84</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>47.34</td><td>34.05</td><td>11.77</td><td>36.96</td><td>0.00</td><td>175</td><td>36 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.84	56.20	74.00	-17.80	47.34	34.05	11.77	36.96	0.00	175	36 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>107.58</td><td>-----</td><td>-----</td><td>97.92</td><td>34.54</td><td>11.91</td><td>36.79</td><td>0.00</td><td>175</td><td>36 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	107.58	-----	-----	97.92	34.54	11.91	36.79	0.00	175
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5123.84	56.20	74.00	-17.80	47.34	34.05	11.77	36.96	0.00	175	36 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	107.58	-----	-----	97.92	34.54	11.91	36.79	0.00	175	36 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.32</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>35.83</td><td>34.01</td><td>11.75</td><td>36.91</td><td>0.00</td><td>175</td><td>36 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.32	44.68	54.00	-9.32	35.83	34.01	11.75	36.91	0.00	175	36 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.39</td><td>-----</td><td>-----</td><td>88.53</td><td>34.59</td><td>11.93</td><td>36.66</td><td>0.00</td><td>175</td><td>36 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.39	-----	-----	88.53	34.59	11.93	36.66	0.00	175
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5104.32	44.68	54.00	-9.32	35.83	34.01	11.75	36.91	0.00	175	36 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	98.39	-----	-----	88.53	34.59	11.93	36.66	0.00	175	36 AVERAGE																																																																																									





Mode	79																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ① 5290MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.20</td><td>58.60</td><td>74.00</td><td>-15.40</td><td>48.54</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>175</td><td>36</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.20	58.60	74.00	-15.40	48.54	34.60	11.97	36.51	0.00	175	36	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.20	58.60	74.00	-15.40	48.54	34.60	11.97	36.51	0.00	175	36	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>48.16</td><td>54.00</td><td>-5.84</td><td>38.11</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>175</td><td>36</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	48.16	54.00	-5.84	38.11	34.60	11.97	36.52	0.00	175	36	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.20	48.16	54.00	-5.84	38.11	34.60	11.97	36.52	0.00	175	36	AVERAGE																																											



Mode	79																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.20</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>46.02</td><td>34.05</td><td>11.78</td><td>36.97</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.20	54.88	74.00	-19.12	46.02	34.05	11.78	36.97	0.00	304	102	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>104.30</td><td>-----</td><td>-----</td><td>94.44</td><td>34.59</td><td>11.93</td><td>36.66</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	104.30	-----	-----	94.44	34.59	11.93	36.66	0.00	304	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5127.20	54.88	74.00	-19.12	46.02	34.05	11.78	36.97	0.00	304	102	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	104.30	-----	-----	94.44	34.59	11.93	36.66	0.00	304	102	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.48</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>34.58</td><td>34.07</td><td>11.79</td><td>36.99</td><td>0.00</td><td>304</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.48	43.45	54.00	-10.55	34.58	34.07	11.79	36.99	0.00	304	102	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.64</td><td>-----</td><td>-----</td><td>84.75</td><td>34.60</td><td>11.93</td><td>36.64</td><td>0.00</td><td>304</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.64	-----	-----	84.75	34.60	11.93	36.64	0.00	304	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5136.48	43.45	54.00	-10.55	34.58	34.07	11.79	36.99	0.00	304	102	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	94.64	-----	-----	84.75	34.60	11.93	36.64	0.00	304	102	AVERAGE																																																																																											



Mode	79																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ① 5290MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>45.97</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	56.02	74.00	-17.98	45.97	34.60	11.97	36.52	0.00	304	102	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.40	56.02	74.00	-17.98	45.97	34.60	11.97	36.52	0.00	304	102	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.50</td><td>43.94</td><td>54.00</td><td>-10.06</td><td>33.88</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>304</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.50	43.94	54.00	-10.06	33.88	34.60	11.97	36.51	0.00	304	102	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.50	43.94	54.00	-10.06	33.88	34.60	11.97	36.51	0.00	304	102	AVERAGE																																												







Mode	80																																																																		
	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M ①5530MHz																																																																		
ANT	CDD 6+7																																																																		
Pol.	Horizontal						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.00</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>47.19</td><td>34.70</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>56.98</td><td>68.20</td><td>-11.22</td><td>46.69</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	57.54	74.00	-16.46	47.19	34.70	12.09	36.44	0.00	100	40 PEAK	2	5468.40	56.98	68.20	-11.22	46.69	34.63	12.11	36.45	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5450.00	57.54	74.00	-16.46	47.19	34.70	12.09	36.44	0.00	100	40 PEAK																																																								
2	5468.40	56.98	68.20	-11.22	46.69	34.63	12.11	36.45	0.00	100	40 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.04</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>35.01</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.04	45.35	54.00	-8.65	35.01	34.69	12.09	36.44	0.00	100	40 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5453.04	45.35	54.00	-8.65	35.01	34.69	12.09	36.44	0.00	100	40 AVERAGE																																																								
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>107.18</td><td>-----</td><td>-----</td><td>96.96</td><td>34.46</td><td>12.19</td><td>36.43</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	107.18	-----	-----	96.96	34.46	12.19	36.43	0.00	100	40 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	107.18	-----	-----	96.96	34.46	12.19	36.43	0.00	100	40 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.13</td><td>-----</td><td>-----</td><td>87.90</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>100</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.13	-----	-----	87.90	34.45	12.20	36.42	0.00	100	40 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	98.13	-----	-----	87.90	34.45	12.20	36.42	0.00	100	40 AVERAGE																																																								



Mode	80																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M ①5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.24</td><td>55.01</td><td>68.20</td><td>-13.19</td><td>44.24</td><td>34.77</td><td>12.46</td><td>36.46</td><td>0.00</td><td>100</td><td>40</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.24	55.01	68.20	-13.19	44.24	34.77	12.46	36.46	0.00	100	40	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5761.24	55.01	68.20	-13.19	44.24	34.77	12.46	36.46	0.00	100	40	PEAK																																												







Mode	80																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M ①5530MHz																																																																																																											
ANT	CDD 6+7																																																																																																											
Pol.	Vertical					Fundamental																																																																																																						
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.80</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>44.38</td><td>34.60</td><td>11.99</td><td>36.47</td><td>0.00</td><td>270 74 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>54.87</td><td>68.20</td><td>-13.33</td><td>44.57</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>270 74 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.80	54.50	74.00	-19.50	44.38	34.60	11.99	36.47	0.00	270 74 PEAK	2	5466.00	54.87	68.20	-13.33	44.57	34.64	12.11	36.45	0.00	270 74 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>103.68</td><td>-----</td><td>-----</td><td>93.48</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>270 74 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.68	-----	-----	93.48	34.49	12.17	36.46	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5370.80	54.50	74.00	-19.50	44.38	34.60	11.99	36.47	0.00	270 74 PEAK																																																																																																		
2	5466.00	54.87	68.20	-13.33	44.57	34.64	12.11	36.45	0.00	270 74 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	103.68	-----	-----	93.48	34.49	12.17	36.46	0.00	270 74 PEAK																																																																																																		
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.36</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>32.80</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>270 74 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	43.14	54.00	-10.86	32.80	34.69	12.09	36.44	0.00	270 74 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.15</td><td>-----</td><td>-----</td><td>83.92</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>270 74 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.15	-----	-----	83.92	34.45	12.20	36.42	0.00	270 74 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5453.36	43.14	54.00	-10.86	32.80	34.69	12.09	36.44	0.00	270 74 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	94.15	-----	-----	83.92	34.45	12.20	36.42	0.00	270 74 AVERAGE																																																																																																		




Mode	80																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M ①5530MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.12</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>43.98</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>270</td><td>74 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.12	54.68	68.20	-13.52	43.98	34.69	12.44	36.43	0.00	270	74 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5744.12	54.68	68.20	-13.52	43.98	34.69	12.44	36.43	0.00	270	74 PEAK																																											







Mode	81																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M ①_5610MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5405.04</td><td>55.27</td><td>74.00</td><td>-18.73</td><td>45.04</td><td>34.61</td><td>12.02</td><td>36.40</td><td>0.00</td><td>100</td><td>9 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>53.29</td><td>68.20</td><td>-14.91</td><td>43.01</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>9 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.04	55.27	74.00	-18.73	45.04	34.61	12.02	36.40	0.00	100	9 PEAK	2	5469.04	53.29	68.20	-14.91	43.01	34.62	12.11	36.45	0.00	100	9 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.91</td><td>-----</td><td>-----</td><td>96.36</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>9 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	106.91	-----	-----	96.36	34.50	12.34	36.29	0.00	100	9 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5405.04	55.27	74.00	-18.73	45.04	34.61	12.02	36.40	0.00	100	9 PEAK																																																																																																						
2	5469.04	53.29	68.20	-14.91	43.01	34.62	12.11	36.45	0.00	100	9 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	106.91	-----	-----	96.36	34.50	12.34	36.29	0.00	100	9 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.04</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>33.43</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100</td><td>9 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.04	43.77	54.00	-10.23	33.43	34.69	12.08	36.43	0.00	100	9 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>96.65</td><td>-----</td><td>-----</td><td>86.13</td><td>34.49</td><td>12.30</td><td>36.27</td><td>0.00</td><td>100</td><td>9 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.65	-----	-----	86.13	34.49	12.30	36.27	0.00	100	9 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5445.04	43.77	54.00	-10.23	33.43	34.69	12.08	36.43	0.00	100	9 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	96.65	-----	-----	86.13	34.49	12.30	36.27	0.00	100	9 AVERAGE																																																																																																						




Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M ①_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.44</td><td>55.26</td><td>68.20</td><td>-12.94</td><td>44.56</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.44	55.26	68.20	-12.94	44.56	34.69	12.44	36.43	0.00	100	9	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.44	55.26	68.20	-12.94	44.56	34.69	12.44	36.43	0.00	100	9	PEAK																																												







Mode	81																																																																																																																																						
	Band Edge - L																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M ①_5610MHz																																																																																																																																						
ANT	CDD 6+7																																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.24</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>43.92</td><td>34.68</td><td>12.07</td><td>36.43</td><td>0.00</td><td>276</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5462.16</td><td>54.49</td><td>68.20</td><td>-13.71</td><td>44.18</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>276</td><td>100</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5440.24	54.24	74.00	-19.76	43.92	34.68	12.07	36.43	0.00	276	100	PEAK	2	5462.16	54.49	68.20	-13.71	44.18	34.65	12.10	36.44	0.00	276	100	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.07</td><td>-----</td><td>-----</td><td>93.52</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>276</td><td>100</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	104.07	-----	-----	93.52	34.50	12.33	36.28	0.00	276	100	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5440.24	54.24	74.00	-19.76	43.92	34.68	12.07	36.43	0.00	276	100	PEAK																																																																																																																											
2	5462.16	54.49	68.20	-13.71	44.18	34.65	12.10	36.44	0.00	276	100	PEAK																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5610.00	104.07	-----	-----	93.52	34.50	12.33	36.28	0.00	276	100	PEAK																																																																																																																											
Avg																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>33.04</td><td>34.67</td><td>12.09</td><td>36.44</td><td>0.00</td><td>276</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.40	43.36	54.00	-10.64	33.04	34.67	12.09	36.44	0.00	276	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.01</td><td>-----</td><td>-----</td><td>84.46</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>276</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	95.01	-----	-----	84.46	34.50	12.31	36.26	0.00	276	100	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5456.40	43.36	54.00	-10.64	33.04	34.67	12.09	36.44	0.00	276	100	AVERAGE																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5610.00	95.01	-----	-----	84.46	34.50	12.31	36.26	0.00	276	100	AVERAGE																																																																																																																											





Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M ①_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.00</td><td>55.57</td><td>68.20</td><td>-12.63</td><td>44.79</td><td>34.78</td><td>12.46</td><td>36.46</td><td>0.00</td><td>276</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.00	55.57	68.20	-12.63	44.79	34.78	12.46	36.46	0.00	276	100	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5763.00	55.57	68.20	-12.63	44.79	34.78	12.46	36.46	0.00	276	100	PEAK																																												







Mode	82																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Puncturing 40M ①5250MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5094.00</td><td>60.35</td><td>74.00</td><td>-13.65</td><td>51.52</td><td>33.99</td><td>11.74</td><td>36.90</td><td>0.00</td><td>146</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5094.00	60.35	74.00	-13.65	51.52	33.99	11.74	36.90	0.00	146	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>104.34</td><td>-----</td><td>-----</td><td>94.82</td><td>34.51</td><td>11.89</td><td>36.88</td><td>0.00</td><td>146</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	104.34	-----	-----	94.82	34.51	11.89	36.88	0.00	146	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5094.00	60.35	74.00	-13.65	51.52	33.99	11.74	36.90	0.00	146	360	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5250.00	104.34	-----	-----	94.82	34.51	11.89	36.88	0.00	146	360	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.75</td><td>49.80</td><td>54.00</td><td>-4.20</td><td>40.94</td><td>34.07</td><td>11.78</td><td>36.99</td><td>0.00</td><td>146</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.75	49.80	54.00	-4.20	40.94	34.07	11.78	36.99	0.00	146	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>94.71</td><td>-----</td><td>-----</td><td>85.19</td><td>34.51</td><td>11.89</td><td>36.88</td><td>0.00</td><td>146</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.71	-----	-----	85.19	34.51	11.89	36.88	0.00	146	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5133.75	49.80	54.00	-4.20	40.94	34.07	11.78	36.99	0.00	146	360	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5250.00	94.71	-----	-----	85.19	34.51	11.89	36.88	0.00	146	360	AVERAGE																																																																																																							





Mode	82																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Puncturing 40M ①5250MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.12</td><td>59.21</td><td>74.00</td><td>-14.79</td><td>49.09</td><td>34.60</td><td>11.99</td><td>36.47</td><td>0.00</td><td>146</td><td>360</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.12	59.21	74.00	-14.79	49.09	34.60	11.99	36.47	0.00	146	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5370.12	59.21	74.00	-14.79	49.09	34.60	11.99	36.47	0.00	146	360	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.75</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>38.32</td><td>34.60</td><td>11.99</td><td>36.47</td><td>0.00</td><td>146</td><td>360</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.75	48.44	54.00	-5.56	38.32	34.60	11.99	36.47	0.00	146	360	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5370.75	48.44	54.00	-5.56	38.32	34.60	11.99	36.47	0.00	146	360	AVERAGE																																											







Mode	82																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Puncturing 40M ①5250MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.25</td><td>62.69</td><td>74.00</td><td>-11.31</td><td>53.83</td><td>34.05</td><td>11.78</td><td>36.97</td><td>0.00</td><td>293 80 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.25	62.69	74.00	-11.31	53.83	34.05	11.78	36.97	0.00	293 80 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>101.35</td><td>-----</td><td>-----</td><td>91.54</td><td>34.58</td><td>11.92</td><td>36.69</td><td>0.00</td><td>293 80 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.35	-----	-----	91.54	34.58	11.92	36.69	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5126.25	62.69	74.00	-11.31	53.83	34.05	11.78	36.97	0.00	293 80 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	101.35	-----	-----	91.54	34.58	11.92	36.69	0.00	293 80 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.00</td><td>49.48</td><td>54.00</td><td>-4.52</td><td>40.62</td><td>34.05</td><td>11.78</td><td>36.97</td><td>0.00</td><td>293 80 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.00	49.48	54.00	-4.52	40.62	34.05	11.78	36.97	0.00	293 80 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.58</td><td>-----</td><td>-----</td><td>81.97</td><td>34.53</td><td>11.90</td><td>36.82</td><td>0.00</td><td>293 80 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.58	-----	-----	81.97	34.53	11.90	36.82	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5127.00	49.48	54.00	-4.52	40.62	34.05	11.78	36.97	0.00	293 80 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	91.58	-----	-----	81.97	34.53	11.90	36.82	0.00	293 80 AVERAGE																																																																																									



Mode	82																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Puncturing 40M 5250MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.72</td><td>54.87</td><td>74.00</td><td>-19.13</td><td>44.78</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>293</td><td>80</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.72	54.87	74.00	-19.13	44.78	34.60	11.98	36.49	0.00	293	80	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5361.72	54.87	74.00	-19.13	44.78	34.60	11.98	36.49	0.00	293	80	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5365.92</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>34.60</td><td>34.60</td><td>11.98</td><td>36.48</td><td>0.00</td><td>293</td><td>80</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5365.92	44.70	54.00	-9.30	34.60	34.60	11.98	36.48	0.00	293	80	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5365.92	44.70	54.00	-9.30	34.60	34.60	11.98	36.48	0.00	293	80	AVERAGE																																											



Mode	83																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Puncturing 40M ①_5250MHz																																																																																																																								
ANT	CDD 6+7																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.25</td><td>57.56</td><td>74.00</td><td>-16.44</td><td>48.70</td><td>34.06</td><td>11.78</td><td>36.98</td><td>0.00</td><td>108</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5129.25	57.56	74.00	-16.44	48.70	34.06	11.78	36.98	0.00	108	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>104.11</td><td>-----</td><td>-----</td><td>94.76</td><td>34.44</td><td>11.88</td><td>36.97</td><td>0.00</td><td>108</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	104.11	-----	-----	94.76	34.44	11.88	36.97	0.00	108	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5129.25	57.56	74.00	-16.44	48.70	34.06	11.78	36.98	0.00	108	360	PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5250.00	104.11	-----	-----	94.76	34.44	11.88	36.97	0.00	108	360	PEAK																																																																																																													
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.25</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>38.35</td><td>34.08</td><td>11.79</td><td>37.01</td><td>0.00</td><td>108</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5141.25	47.21	54.00	-6.79	38.35	34.08	11.79	37.01	0.00	108	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>94.81</td><td>-----</td><td>-----</td><td>85.46</td><td>34.44</td><td>11.88</td><td>36.97</td><td>0.00</td><td>108</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	94.81	-----	-----	85.46	34.44	11.88	36.97	0.00	108	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5141.25	47.21	54.00	-6.79	38.35	34.08	11.79	37.01	0.00	108	360	AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5250.00	94.81	-----	-----	85.46	34.44	11.88	36.97	0.00	108	360	AVERAGE																																																																																																													