Mode	7	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5117.25 58.50 74.00 -15.50 42.84 34.33 10.61 29.28 0.00 100 193 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5240.00 110.30 68.30 42.00 94.52 34.50 10.69 29.41 0.00 100 193 PEAK 2 5240.00 100.77 ------ ------ 84.98 34.50 10.69 29.40 0.00 100 193 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.21 47.79 54.00 -6.21 32.08 34.40 10.62 29.31 0.00 100 193 AVERAGE	Blank

Mode	7	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5396.10 57.15 74.00 -16.85 41.33 34.50 10.89 29.57 0.00 100 193 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.18 46.54 54.00 -7.46 30.73 34.50 10.84 29.53 0.00 100 193 AVERAGE	Blank

Mode	7	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5081.01 58.15 74.00 -15.85 42.55 34.26 10.59 29.25 0.00 300 28 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5240.00 106.97 68.30 38.67 91.19 34.50 10.69 29.41 0.00 300 28 PEAK 2 5240.00 96.34 ------ ------ 80.55 34.50 10.69 29.40 0.00 300 28 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5082.93 47.07 54.00 -6.93 31.46 34.27 10.59 29.25 0.00 300 28 AVERAGE	Blank

Mode	7	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5436.36 55.79 74.00 -18.21 39.93 34.52 10.94 29.60 0.00 300 28 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.99 45.14 54.00 -8.86 29.25 34.53 10.98 29.62 0.00 300 28 AVERAGE	Blank

Mode	7	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10480.00 45.25 68.30 -23.05 58.44 37.53 15.62 66.34 0.00 100 286 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10480.00 44.90 68.30 -23.40 58.09 37.53 15.62 66.34 0.00 300 202 PEAK

Mode	8	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5147.04 64.74 74.00 -9.26 49.04 34.39 10.62 29.31 0.00 200 254 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 103.18 68.20 34.98 87.40 34.50 10.64 29.36 0.00 200 254 PEAK 2 5190.00 93.21 ------ ------ 77.44 34.49 10.64 29.36 0.00 200 254 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.21 51.39 54.00 -2.61 35.68 34.40 10.62 29.31 0.00 200 254 AVERAGE	Blank

Mode	8	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5408.52 56.62 74.00 -17.38 40.80 34.50 10.90 29.58 0.00 200 254 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5356.34 46.28 54.00 -7.72 30.47 34.50 10.84 29.53 0.00 200 254 AVERAGE	Blank

Mode	8	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.37 67.37 74.00 -6.63 51.66 34.40 10.62 29.31 0.00 175 150 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5190.00 105.52 68.30 37.22 89.75 34.48 10.64 29.35 0.00 175 150 PEAK 2 5190.00 94.04 ------ ------ 78.27 34.48 10.64 29.35 0.00 175 150 AVERAGE
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.91 52.83 54.00 -1.17 37.12 34.40 10.62 29.31 0.00 175 150 AVERAGE	Blank

Mode	8	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5409.33 56.93 74.00 -17.07 41.11 34.50 10.90 29.58 0.00 175 150 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5368.87 45.98 54.00 -8.02 30.17 34.50 10.85 29.54 0.00 175 150 AVERAGE	Blank

Mode	8	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 44.33 68.30 -23.97 57.80 37.42 15.57 66.46 0.00 300 237 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 44.45 68.30 -23.85 57.92 37.42 15.57 66.46 0.00 300 153 PEAK

Mode	9	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5010.24 59.64 74.00 -14.36 44.17 34.12 10.56 29.21 0.00 100 51 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 101.67 68.30 33.37 85.88 34.50 10.68 29.39 0.00 100 51 PEAK 2 5230.00 90.87 ------ ------ 75.08 34.50 10.69 29.40 0.00 100 51 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5049.56 49.53 54.00 -4.47 33.98 34.20 10.58 29.23 0.00 100 51 AVERAGE	Blank

Mode	9	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5364.21 56.26 74.00 -17.74 40.44 34.50 10.85 29.53 0.00 100 51 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.20 45.97 54.00 -8.03 30.08 34.53 10.98 29.62 0.00 100 51 AVERAGE	Blank

Mode	9	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5086.14 60.30 74.00 -13.70 44.69 34.27 10.59 29.25 0.00 256 47 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 104.77 68.30 36.47 88.98 34.50 10.66 29.37 0.00 256 47 PEAK 2 5230.00 94.15 ------ ------ 78.37 34.50 10.67 29.39 0.00 256 47 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.98 48.33 54.00 -5.67 32.62 34.40 10.62 29.31 0.00 256 47 AVERAGE	Blank

Mode	9	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5434.59 56.67 74.00 -17.33 40.81 34.52 10.94 29.60 0.00 256 47 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.47 46.25 54.00 -7.75 30.44 34.50 10.84 29.53 0.00 256 47 AVERAGE	Blank

Mode	9	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 45.18 68.30 -23.12 58.42 37.51 15.61 66.36 0.00 300 23 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 45.53 68.30 -22.77 58.77 37.51 15.61 66.36 0.00 300 202 PEAK

Mode	10	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.16 62.97 74.00 -11.03 47.26 34.40 10.62 29.31 0.00 200 204 PEAK	 Freq Level Limit Line Margin Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 103.20 68.30 34.90 87.42 34.50 10.65 29.37 0.00 200 204 PEAK 2 5210.00 93.62 ------ ------ 77.83 34.50 10.67 29.38 0.00 200 204 AVERAGE
Avg	 Freq Level Limit Line Margin Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.21 51.93 54.00 -2.07 36.22 34.40 10.62 29.31 0.00 200 204 AVERAGE	Blank

Mode	10	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5422.13 57.99 74.00 -16.01 42.15 34.51 10.92 29.59 0.00 200 204 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5358.13 47.86 54.00 -6.14 32.05 34.50 10.84 29.53 0.00 200 204 AVERAGE	

Mode	10	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5140.18 64.93 74.00 -9.07 49.23 34.38 10.62 29.30 0.00 100 148 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 102.77 68.30 34.47 87.02 34.46 10.63 29.34 0.00 100 148 PEAK 2 5210.00 90.44 ------ ------ 74.69 34.46 10.63 29.34 0.00 100 148 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.21 51.88 54.00 -2.12 36.17 34.40 10.62 29.31 0.00 100 148 AVERAGE	Blank

Mode	10	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5362.88 57.48 74.00 -16.52 41.66 34.50 10.85 29.53 0.00 100 148 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5406.13 46.77 54.00 -7.23 30.94 34.50 10.90 29.57 0.00 100 148 AVERAGE	Blank

Mode	10	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10420.00 46.27 68.30 -22.03 59.63 37.46 15.59 66.41 0.00 300 321 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10420.00 45.89 68.30 -22.41 59.25 37.46 15.59 66.41 0.00 100 114 PEAK

Mode	11	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5078.14 58.11 74.00 -15.89 42.51 34.26 10.59 29.25 0.00 100 186 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 108.43 68.30 40.13 92.64 34.50 10.72 29.43 0.00 100 186 PEAK 2 5260.00 99.85 ------ ------ 84.06 34.50 10.72 29.43 0.00 100 186 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.48 47.29 54.00 -6.71 31.59 34.39 10.62 29.31 0.00 100 186 AVERAGE	Blank

Mode	11	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5357.31 56.30 74.00 -17.70 40.49 34.50 10.84 29.53 0.00 100 186 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.91 46.55 54.00 -7.45 30.74 34.50 10.83 29.52 0.00 100 186 AVERAGE	Blank

Mode	11	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5037.06 58.69 74.00 -15.31 43.17 34.17 10.57 29.22 0.00 137 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 101.85 68.30 33.55 86.05 34.50 10.72 29.42 0.00 137 0 PEAK 2 5260.00 93.47 ------ ------ 77.67 34.50 10.72 29.42 0.00 137 0 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5078.61 47.18 54.00 -6.82 31.58 34.26 10.59 29.25 0.00 137 0 AVERAGE	Blank

Mode	11	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5435.71 56.63 74.00 -17.37 40.77 34.52 10.94 29.60 0.00 137 0 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5455.31 45.60 54.00 -8.40 29.71 34.53 10.97 29.61 0.00 137 0 AVERAGE	Blank

Mode	11	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 44.65 68.30 -23.65 57.73 37.57 15.64 66.29 0.00 100 331 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 44.76 68.30 -23.54 57.84 37.57 15.64 66.29 0.00 100 85 PEAK

Mode	12
	Band Edge - L
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5072.46 58.63 74.00 -15.37 43.04 34.24 10.59 29.24 0.00 241 47 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5300.00 97.90 68.30 29.60 82.10 34.50 10.77 29.47 0.00 241 47 PEAK 2 5300.00 89.60 ------ ------ 73.80 34.50 10.77 29.47 0.00 241 47 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5118.96 47.16 54.00 -6.84 31.49 34.34 10.61 29.28 0.00 241 47 AVERAGE	Blank

Mode	12	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5388.24 56.24 74.00 -17.76 40.42 34.50 10.88 29.56 0.00 241 47 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5359.61 45.50 54.00 -8.50 29.69 34.50 10.84 29.53 0.00 241 47 AVERAGE	Blank

Mode	12	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5141.16 58.91 74.00 -15.09 43.21 34.38 10.62 29.30 0.00 116 125 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5300.00 99.93 68.30 31.63 84.13 34.50 10.77 29.47 0.00 116 125 PEAK 2 5300.00 92.32 ------ ------ 76.52 34.50 10.77 29.47 0.00 116 125 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5070.66 47.04 54.00 -6.96 31.45 34.24 10.59 29.24 0.00 116 125 AVERAGE	Blank

Mode	12	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5446.81 57.40 74.00 -16.60 41.53 34.52 10.96 29.61 0.00 116 125 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5374.01 45.48 54.00 -8.52 29.66 34.50 10.86 29.54 0.00 116 125 AVERAGE	Blank

Mode	12	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10600.00 44.65 74.00 -29.35 57.51 37.66 15.68 66.20 0.00 144 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10600.00 45.10 74.00 -28.90 57.96 37.66 15.68 66.20 0.00 300 258 PEAK

Mode	13	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.17 62.02 74.00 -11.98 46.21 34.50 10.83 29.52 0.00 312 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 113.62 68.30 45.32 97.82 34.50 10.79 29.49 0.00 312 360 PEAK 2 5320.00 103.69 ------ ------ 87.89 34.50 10.79 29.49 0.00 312 360 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.01 50.94 54.00 -3.06 35.13 34.50 10.83 29.52 0.00 312 360 AVERAGE	Blank

Mode	13	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.72 57.32 74.00 -16.68 41.51 34.50 10.83 29.52 0.00 200 163 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 106.70 68.30 38.40 90.90 34.50 10.79 29.49 0.00 200 163 PEAK 2 5320.00 96.92 ------ ------ 81.12 34.50 10.79 29.49 0.00 200 163 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.31 47.67 54.00 -6.33 31.86 34.50 10.83 29.52 0.00 200 163 AVERAGE	Blank

Mode	13	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 44.98 74.00 -29.02 57.72 37.70 15.71 66.15 0.00 100 50 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 45.03 74.00 -28.97 57.77 37.70 15.71 66.15 0.00 100 176 PEAK

Mode	14	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5108.56 58.59 74.00 -15.41 42.94 34.32 10.60 29.27 0.00 100 185 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 110.66 68.30 42.36 94.87 34.50 10.72 29.43 0.00 100 185 PEAK 2 5260.00 100.98 ------ ------ 85.19 34.50 10.72 29.43 0.00 100 185 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5134.56 47.42 54.00 -6.58 31.73 34.37 10.61 29.29 0.00 100 185 AVERAGE	Blank

Mode	14	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5418.11 56.22 74.00 -17.78 40.37 34.51 10.92 29.58 0.00 100 185 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.11 46.34 54.00 -7.66 30.53 34.50 10.83 29.52 0.00 100 185 AVERAGE	Blank

Mode	14	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5135.08 58.58 74.00 -15.42 42.90 34.37 10.61 29.30 0.00 200 142 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 107.63 68.30 39.33 91.84 34.50 10.72 29.43 0.00 200 142 PEAK 2 5260.00 97.74 ------ ------ 81.95 34.50 10.72 29.43 0.00 200 142 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5078.36 47.48 54.00 -6.52 31.88 34.26 10.59 29.25 0.00 200 142 AVERAGE	Blank

Mode	14	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5410.71 55.82 74.00 -18.18 39.98 34.51 10.91 29.58 0.00 200 142 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.71 45.57 54.00 -8.43 29.76 34.50 10.83 29.52 0.00 200 142 AVERAGE	Blank

Mode	14	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 44.27 68.30 -24.03 57.35 37.57 15.64 66.29 0.00 100 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10520.00 44.46 68.30 -23.84 57.54 37.57 15.64 66.29 0.00 300 228 PEAK

Mode	15	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5108.46 58.43 74.00 -15.57 42.78 34.32 10.60 29.27 0.00 100 58 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5300.00 104.47 68.30 36.17 88.67 34.50 10.77 29.47 0.00 100 58 PEAK 2 5300.00 94.74 ------ ------ 78.94 34.50 10.77 29.47 0.00 100 58 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5116.86 47.56 54.00 -6.44 31.90 34.33 10.61 29.28 0.00 100 58 AVERAGE	Blank

Mode	15	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5429.05 56.68 74.00 -17.32 40.83 34.51 10.93 29.59 0.00 100 58 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.97 45.71 54.00 -8.29 29.90 34.50 10.83 29.52 0.00 100 58 AVERAGE	Blank

Mode	15	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5079.96 58.63 74.00 -15.37 43.03 34.26 10.59 29.25 0.00 300 258 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5300.00 105.30 68.30 37.00 89.50 34.50 10.77 29.47 0.00 300 258 PEAK 2 5300.00 95.23 ------ ------ 79.43 34.50 10.77 29.47 0.00 300 258 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5053.86 46.88 54.00 -7.12 31.32 34.21 10.58 29.23 0.00 300 258 AVERAGE	Blank

Mode	15	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5383.29 57.30 74.00 -16.70 41.48 34.50 10.87 29.55 0.00 300 258 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.93 46.22 54.00 -7.78 30.41 34.50 10.83 29.52 0.00 300 258 AVERAGE	Blank

Mode	15	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10600.00 44.59 74.00 -29.41 57.45 37.66 15.68 66.20 0.00 300 3 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10600.00 44.16 74.00 -29.84 57.02 37.66 15.68 66.20 0.00 299 360 PEAK

Mode	16	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.83 61.47 74.00 -12.53 45.66 34.50 10.83 29.52 0.00 310 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 113.28 68.30 44.98 97.47 34.50 10.80 29.49 0.00 310 0 PEAK 2 5320.00 103.16 ------ ------ 87.36 34.50 10.79 29.49 0.00 310 0 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.18 50.82 54.00 -3.18 35.01 34.50 10.83 29.52 0.00 310 0 AVERAGE	Blank

Mode	16	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.88 58.79 74.00 -15.21 42.98 34.50 10.83 29.52 0.00 100 149 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 106.89 68.30 38.59 91.09 34.50 10.79 29.49 0.00 100 149 PEAK 2 5320.00 97.06 ------ ------ 81.26 34.50 10.79 29.49 0.00 100 149 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.02 47.97 54.00 -6.03 32.16 34.50 10.83 29.52 0.00 100 149 AVERAGE	Blank

Mode	16	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 44.59 74.00 -29.41 57.33 37.70 15.71 66.15 0.00 300 267 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10640.00 44.77 74.00 -29.23 57.51 37.70 15.71 66.15 0.00 300 33 PEAK

Mode	17	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20 RU106/54_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5372.16 56.36 74.00 -17.64 40.54 34.50 10.86 29.54 0.00 145 211 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 105.13 68.30 36.83 89.33 34.50 10.79 29.49 0.00 145 211 PEAK 2 5320.00 81.00 ------ ------ 65.20 34.50 10.79 29.49 0.00 145 211 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.01 47.04 54.00 -6.96 31.23 34.50 10.83 29.52 0.00 145 211 AVERAGE	Blank

Mode	17	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20 RU106/54_CH64_5320MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5411.35 56.42 74.00 -17.58 40.58 34.51 10.91 29.58 0.00 259 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 101.34 68.30 33.04 85.54 34.50 10.79 29.49 0.00 259 0 PEAK 2 5320.00 76.10 ------ ------ 60.30 34.50 10.79 29.49 0.00 259 0 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.01 45.49 54.00 -8.51 29.68 34.50 10.83 29.52 0.00 259 0 AVERAGE	Blank

Mode	18	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5072.23 58.65 74.00 -15.35 43.06 34.24 10.59 29.24 0.00 206 342 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 109.97 68.30 41.67 94.18 34.50 10.71 29.42 0.00 206 342 PEAK 2 5270.00 98.48 ------ ------ 82.69 34.50 10.72 29.43 0.00 206 342 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.34 48.25 54.00 -5.75 32.54 34.40 10.62 29.31 0.00 206 342 AVERAGE	Blank

Mode	18	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.70 59.07 74.00 -14.93 43.20 34.52 10.96 29.61 0.00 206 342 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.66 47.96 54.00 -6.04 32.15 34.50 10.83 29.52 0.00 206 342 AVERAGE	Blank

Mode	18	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5084.65 59.86 74.00 -14.14 44.25 34.27 10.59 29.25 0.00 100 149 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 103.94 68.30 35.64 88.15 34.50 10.73 29.44 0.00 100 149 PEAK 2 5270.00 93.62 ------ ------ 77.83 34.50 10.71 29.42 0.00 100 149 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5088.15 48.00 54.00 -6.00 32.37 34.28 10.60 29.25 0.00 100 149 AVERAGE	Blank

Mode	18	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5359.02 56.85 74.00 -17.15 41.84 34.50 10.84 29.53 0.00 100 149 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 46.07 54.00 -7.93 30.26 34.50 10.83 29.52 0.00 100 149 AVERAGE	Blank

Mode	18	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 44.90 68.30 -23.40 57.93 37.59 15.65 66.27 0.00 100 266 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 44.69 68.30 -23.61 57.72 37.59 15.65 66.27 0.00 176 0 PEAK

Mode	19	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5142.46 58.61 74.00 -15.39 42.91 34.38 10.62 29.30 0.00 262 163 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 107.82 68.30 39.52 92.02 34.50 10.78 29.48 0.00 262 163 PEAK 2 5310.00 98.22 ------ ------ 82.42 34.50 10.79 29.49 0.00 262 163 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5143.08 48.30 54.00 -5.70 32.59 34.39 10.62 29.30 0.00 262 163 AVERAGE	Blank

Mode	19	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.03 63.22 74.00 -10.78 47.41 34.50 10.83 29.52 0.00 262 163 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.58 52.77 54.00 -1.23 36.96 34.50 10.83 29.52 0.00 262 163 AVERAGE	Blank

Mode	19	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5103.40 59.29 74.00 -14.71 43.64 34.31 10.60 29.26 0.00 300 252 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 100.18 68.30 31.88 84.37 34.50 10.78 29.47 0.00 300 252 PEAK 2 5310.00 89.00 ------ ------ 73.20 34.50 10.78 29.48 0.00 300 252 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5126.65 47.94 54.00 -6.06 32.27 34.35 10.61 29.29 0.00 300 252 AVERAGE	Blank

Mode	19	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.78 59.60 74.00 -14.40 43.79 34.50 10.83 29.52 0.00 300 252 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.63 48.56 54.00 -5.44 32.75 34.50 10.83 29.52 0.00 300 252 AVERAGE	Blank

Mode	19	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 44.90 74.00 -29.10 57.70 37.68 15.69 66.17 0.00 237 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 45.48 74.00 -28.52 58.28 37.68 15.69 66.17 0.00 179 0 PEAK

Mode	20	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5034.67 59.73 74.00 -14.27 44.21 34.17 10.57 29.22 0.00 267 343 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 104.73 68.30 36.43 88.93 34.50 10.75 29.45 0.00 267 343 PEAK 2 5290.00 95.20 ------ ------ 79.41 34.50 10.74 29.45 0.00 267 343 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5113.83 49.13 54.00 -4.87 33.46 34.33 10.61 29.27 0.00 267 343 AVERAGE	Blank

Mode	20	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5367.44 64.04 74.00 -9.96 48.23 34.50 10.85 29.54 0.00 267 343 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.01 52.63 54.00 -1.37 36.82 34.50 10.83 29.52 0.00 267 343 AVERAGE	Peak

Mode	20	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5074.10 57.59 74.00 -16.41 41.99 34.25 10.59 29.24 0.00 222 346 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 92.07 68.30 23.77 76.27 34.50 10.75 29.45 0.00 222 346 PEAK 2 5290.00 82.52 ------ ------ 66.73 34.50 10.72 29.43 0.00 222 346 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5071.50 47.65 54.00 -6.35 32.06 34.24 10.59 29.24 0.00 222 346 AVERAGE	Blank

Mode	20	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5429.83 57.16 74.00 -16.84 41.31 34.51 10.93 29.59 0.00 222 346 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5353.16 45.88 54.00 -8.12 30.07 34.50 10.83 29.52 0.00 222 346 AVERAGE	Blank

Mode	20	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 45.17 68.30 -23.13 58.08 37.64 15.67 66.22 0.00 141 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 44.68 68.30 -23.62 57.59 37.64 15.67 66.22 0.00 300 359 PEAK

Mode	21	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5451.89 60.75 74.00 -13.25 44.08 35.31 10.97 29.61 0.00 342 360 PEAK 2 5468.40 61.01 68.30 -7.29 44.32 35.32 10.99 29.62 0.00 342 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 111.78 68.30 43.48 95.04 35.35 11.04 29.65 0.00 342 360 PEAK 2 5500.00 103.57 ------ ------ 86.83 35.35 11.04 29.65 0.00 342 360 AVERAGE
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.99 49.19 54.00 -4.81 32.51 35.32 10.98 29.62 0.00 342 360 AVERAGE	Blank

Mode	21	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5429.33 57.80 74.00 -16.20 41.17 35.29 10.93 29.59 0.00 395 117 PEAK 2 5465.92 58.43 68.30 -9.87 41.74 35.32 10.99 29.62 0.00 395 117 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 107.22 68.30 38.92 90.48 35.35 11.04 29.65 0.00 395 117 PEAK 2 5500.00 97.19 ------ ------ 80.45 35.35 11.04 29.65 0.00 395 117 AVERAGE
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.97 47.25 54.00 -6.75 30.57 35.32 10.98 29.62 0.00 395 117 AVERAGE	Blank

Mode	21	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 44.84 74.00 -29.16 56.57 38.10 15.90 65.73 0.00 300 358 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 45.23 74.00 -28.77 56.96 38.10 15.90 65.73 0.00 300 132 PEAK

Mode	22	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.60 57.50 74.00 -16.50 41.62 34.53 10.97 29.62 0.00 130 208 PEAK 2 5460.98 55.87 68.30 -12.43 39.98 34.53 10.98 29.62 0.00 130 208 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5580.00 107.31 68.30 39.01 91.30 34.59 11.16 29.74 0.00 130 208 PEAK 2 5580.00 98.65 ------ ------ 82.64 34.59 11.16 29.74 0.00 130 208 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.53 46.08 54.00 -7.92 30.19 34.53 10.98 29.62 0.00 130 208 AVERAGE	Blank

Mode	22	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5748.45 57.67 68.30 -10.63 41.24 34.89 11.33 29.79 0.00 130 208 PEAK	Blank

Mode	22	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5384.16 57.53 74.00 -16.47 41.71 34.50 10.87 29.55 0.00 100 247 PEAK 2 5460.06 56.45 68.30 -11.85 40.56 34.53 10.98 29.62 0.00 100 247 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5580.00 108.04 68.30 39.74 92.03 34.59 11.16 29.74 0.00 100 247 PEAK 2 5580.00 99.98 ------ ------ 83.97 34.59 11.16 29.74 0.00 100 247 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.63 46.13 54.00 -7.87 30.24 34.53 10.97 29.61 0.00 100 247 AVERAGE	Blank

Mode	22	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.86 57.26 68.30 -11.04 40.84 34.88 11.33 29.79 0.00 100 247 PEAK	Blank

Mode	22	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 44.59 74.00 -29.41 56.05 38.20 15.98 65.64 0.00 100 54 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 44.32 74.00 -29.68 55.78 38.20 15.98 65.64 0.00 100 84 PEAK

Mode	23	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5747.68 57.50 68.30 -10.80 41.08 34.88 11.33 29.79 0.00 345 123 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 101.90 68.30 33.60 85.64 34.78 11.28 29.80 0.00 345 123 PEAK 2 5700.00 91.66 ------ ------ 75.40 34.78 11.28 29.80 0.00 345 123 AVERAGE

Mode	23	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.19 62.18 68.30 -6.12 45.82 34.84 11.31 29.79 0.00 400 108 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 108.72 68.30 40.42 92.45 34.79 11.28 29.80 0.00 400 108 PEAK 2 5700.00 99.11 ------ ------ 82.85 34.78 11.28 29.80 0.00 400 108 AVERAGE

Mode	23	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 46.26 74.00 -27.74 57.33 38.34 16.10 65.51 0.00 300 85 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 45.08 74.00 -28.92 56.15 38.34 16.10 65.51 0.00 263 360 PEAK

Mode	24	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.50 60.98 74.00 -13.02 44.31 35.32 10.97 29.62 0.00 125 360 PEAK 2 5468.20 67.07 68.30 -1.23 50.38 35.32 10.99 29.62 0.00 125 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 114.32 68.30 46.02 97.58 35.35 11.04 29.65 0.00 125 360 PEAK 2 5500.00 105.40 ------ ------ 88.66 35.35 11.04 29.65 0.00 125 360 AVERAGE
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.15 51.37 54.00 -2.63 34.69 35.32 10.98 29.62 0.00 125 360 AVERAGE	Blank

Mode	24	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.40 59.16 74.00 -14.84 42.49 35.31 10.97 29.61 0.00 199 360 PEAK 2 5467.90 60.78 68.30 -7.52 44.09 35.32 10.99 29.62 0.00 199 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 109.29 68.30 40.99 92.55 35.35 11.04 29.65 0.00 199 360 PEAK 2 5500.00 99.97 ------ ------ 83.23 35.35 11.04 29.65 0.00 199 360 AVERAGE
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.20 48.20 54.00 -5.80 31.52 35.32 10.98 29.62 0.00 199 360 AVERAGE	Blank

Mode	24	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 45.52 74.00 -28.48 57.25 38.10 15.90 65.73 0.00 100 99 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 44.60 74.00 -29.40 56.33 38.10 15.90 65.73 0.00 100 360 PEAK

Mode	25	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20 RU106/53_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5411.73 59.50 74.00 -14.50 43.66 34.51 10.91 29.58 0.00 152 182 PEAK 2 5465.43 57.87 68.30 -10.43 41.97 34.53 10.99 29.62 0.00 152 182 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 101.40 68.30 33.10 85.46 34.55 11.04 29.65 0.00 152 182 PEAK 2 5500.00 80.74 ------ ------ 64.80 34.55 11.04 29.65 0.00 152 182 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.87 46.80 54.00 -7.20 30.91 34.53 10.98 29.62 0.00 152 182 AVERAGE	Blank

Mode	25	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20 RU106/53_CH100_5500MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.23 56.69 74.00 -17.31 40.88 34.50 10.86 29.55 0.00 373 45 PEAK 2 5460.78 56.94 68.30 -11.36 41.05 34.53 10.98 29.62 0.00 373 45 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 102.89 68.30 34.59 86.95 34.55 11.04 29.65 0.00 373 45 PEAK 2 5500.00 79.38 ------ ------ 63.44 34.55 11.04 29.65 0.00 373 45 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.83 46.54 54.00 -7.46 30.65 34.53 10.98 29.62 0.00 373 45 AVERAGE	Blank

Mode	26	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5438.21 58.36 74.00 -15.64 42.49 34.52 10.95 29.60 0.00 100 213 PEAK 2 5464.66 55.97 68.30 -12.33 40.07 34.53 10.99 29.62 0.00 100 213 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5580.00 109.76 68.30 41.46 93.75 34.59 11.16 29.74 0.00 100 213 PEAK 2 5580.00 98.85 ------ ------ 82.84 34.59 11.16 29.74 0.00 100 213 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.91 46.38 54.00 -7.62 30.49 34.53 10.98 29.62 0.00 100 213 AVERAGE	Blank

Mode	26	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5756.40 58.14 68.30 -10.16 41.68 34.90 11.34 29.78 0.00 100 213 PEAK	Blank

Mode	26	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5405.55 57.67 74.00 -16.33 41.84 34.50 10.90 29.57 0.00 100 261 PEAK 2 5466.96 56.66 68.30 -11.64 40.76 34.53 10.99 29.62 0.00 100 261 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5580.00 109.60 68.30 41.30 93.59 34.59 11.16 29.74 0.00 100 261 PEAK 2 5580.00 99.76 ------ ------ 83.75 34.59 11.16 29.74 0.00 100 261 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5449.71 45.96 54.00 -8.04 30.09 34.52 10.96 29.61 0.00 100 261 AVERAGE	Blank

Mode	26	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Level Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5736.79 57.95 68.30 -10.35 41.56 34.86 11.32 29.79 0.00 100 261 PEAK	Blank

Mode	26	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 44.99 74.00 -29.01 56.45 38.20 15.98 65.64 0.00 300 16 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 45.45 74.00 -28.55 56.91 38.20 15.98 65.64 0.00 100 56 PEAK

Mode	27	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.71 58.81 68.30 -9.49 42.45 34.84 11.31 29.79 0.00 365 135 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 102.37 68.30 34.07 86.11 34.78 11.28 29.80 0.00 365 135 PEAK 2 5700.00 93.17 ------ ------ 76.90 34.79 11.28 29.80 0.00 365 135 AVERAGE

Mode	27	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.95 65.73 68.30 -2.57 49.37 34.84 11.31 29.79 0.00 400 116 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 108.03 68.30 39.73 91.77 34.78 11.28 29.80 0.00 400 116 PEAK 2 5700.00 98.89 ------ ------ 82.63 34.78 11.28 29.80 0.00 400 116 AVERAGE

Mode	27	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 45.90 74.00 -28.10 56.97 38.34 16.10 65.51 0.00 136 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 45.52 74.00 -28.48 56.59 38.34 16.10 65.51 0.00 100 360 PEAK

Mode	28	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20 RU106/54_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.81 58.64 68.30 -9.66 42.28 34.84 11.31 29.79 0.00 100 207 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 101.86 68.30 33.56 85.60 34.78 11.28 29.80 0.00 100 173 PEAK 2 5700.00 78.53 ------ ------ 62.27 34.78 11.28 29.80 0.00 100 173 AVERAGE

Mode	28	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20 RU106/54_CH140_5700MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.98 58.43 68.30 -9.87 42.07 34.84 11.31 29.79 0.00 311 19 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 104.83 68.30 36.53 88.57 34.78 11.28 29.80 0.00 311 19 PEAK 2 5700.00 80.01 ------ ------ 63.75 34.78 11.28 29.80 0.00 311 19 AVERAGE

Mode	29	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.21 61.61 74.00 -12.39 45.72 34.53 10.98 29.62 0.00 100 286 PEAK 2 5469.77 67.13 68.30 -1.17 51.24 34.53 10.99 29.63 0.00 100 286 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 105.12 68.30 36.82 89.16 34.56 11.07 29.67 0.00 100 286 PEAK 2 5510.00 94.74 ------ ------ 78.80 34.55 11.05 29.66 0.00 100 286 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5460.00 50.09 54.00 -3.91 34.20 34.53 10.98 29.62 0.00 100 286 AVERAGE	Blank

Mode	29	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5744.74 57.41 68.30 -10.89 40.99 34.88 11.33 29.79 0.00 100 286 PEAK	Blank

Mode	29	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.69 57.21 74.00 -16.79 41.32 34.53 10.98 29.62 0.00 372 134 PEAK 2 5462.25 63.87 68.30 -4.43 47.98 34.53 10.98 29.62 0.00 372 134 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 102.77 68.30 34.47 86.81 34.56 11.06 29.66 0.00 372 134 PEAK 2 5510.00 91.12 ------ ------ 75.18 34.55 11.05 29.66 0.00 372 134 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5460.00 47.61 54.00 -6.39 31.72 34.53 10.98 29.62 0.00 372 134 AVERAGE	Blank

Mode	29	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5735.05 57.24 68.30 -11.06 40.85 34.86 11.32 29.79 0.00 372 134 PEAK	Blank

Mode	29	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 45.69 74.00 -28.31 57.39 38.11 15.91 65.72 0.00 300 114 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 44.60 74.00 -29.40 56.30 38.11 15.91 65.72 0.00 259 360 PEAK

Mode	30	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5358.91 59.06 74.00 -14.94 43.25 34.50 10.84 29.53 0.00 100 195 PEAK 2 5465.11 58.61 68.30 -9.69 42.71 34.53 10.99 29.62 0.00 100 195 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 106.73 68.30 38.43 90.75 34.57 11.11 29.70 0.00 100 195 PEAK 2 5550.00 95.80 ------ ------ 79.81 34.58 11.12 29.71 0.00 100 195 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5369.31 47.53 54.00 -6.47 31.72 34.50 10.85 29.54 0.00 100 195 AVERAGE	Blank

Mode	30	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5754.37 58.24 68.30 -10.06 41.78 34.90 11.34 29.78 0.00 100 195 PEAK	Blank

Mode	30	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5363.71 59.88 74.00 -14.12 44.06 34.50 10.85 29.53 0.00 300 294 PEAK 2 5467.51 58.12 68.30 -10.18 42.22 34.53 10.99 29.62 0.00 300 294 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 104.13 68.30 35.83 88.16 34.57 11.09 29.69 0.00 300 294 PEAK 2 5550.00 93.03 ------ ------ 77.06 34.57 11.09 29.69 0.00 300 294 AVERAGE
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5374.11 48.51 54.00 -5.49 32.69 34.50 10.86 29.54 0.00 300 294 AVERAGE	Blank

Mode	30	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5759.10 56.65 68.30 -11.65 40.17 34.91 11.35 29.78 0.00 300 294 PEAK	Blank

Mode	30	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 46.28 74.00 -27.72 57.44 38.56 15.95 65.67 0.00 100 251 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 45.91 74.00 -28.09 57.07 38.56 15.95 65.67 0.00 300 189 PEAK

Mode	31	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5447.77 57.04 74.00 -16.96 41.17 34.52 10.96 29.61 0.00 385 360 PEAK 2 5463.77 58.49 68.30 -9.81 42.59 34.53 10.99 29.62 0.00 385 360 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 106.34 68.30 38.04 90.17 34.71 11.25 29.79 0.00 385 360 PEAK 2 5670.00 94.93 ------ ------ 78.77 34.70 11.24 29.78 0.00 385 360 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.93 47.92 54.00 -6.08 32.03 34.53 10.98 29.62 0.00 385 360 AVERAGE	Blank

Mode	31	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.06 61.30 68.30 -7.00 44.94 34.84 11.31 29.79 0.00 385 360 PEAK	Blank

Mode	31	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5446.49 57.17 74.00 -16.83 41.30 34.52 10.96 29.61 0.00 326 130 PEAK 2 5463.13 56.98 68.30 -11.32 41.09 34.53 10.98 29.62 0.00 326 130 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 106.81 68.30 38.51 90.63 34.72 11.25 29.79 0.00 326 130 PEAK 2 5670.00 95.91 ------ ------ 79.73 34.72 11.25 29.79 0.00 326 130 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.25 46.94 54.00 -7.06 31.05 34.53 10.98 29.62 0.00 326 130 AVERAGE	Blank

Mode	31	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5731.52 63.29 68.30 -5.01 46.92 34.85 11.31 29.79 0.00 326 130 PEAK	Blank

Mode	31	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 44.86 74.00 -29.14 56.03 38.30 16.07 65.54 0.00 100 67 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 46.64 74.00 -27.36 57.81 38.30 16.07 65.54 0.00 100 49 PEAK

Mode	32
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.74 63.10 74.00 -10.90 47.21 34.53 10.98 29.62 0.00 100 288 PEAK 2 5464.94 67.29 68.30 -1.01 51.39 34.53 10.99 29.62 0.00 100 288 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 102.96 68.30 34.66 87.01 34.56 11.07 29.68 0.00 100 288 PEAK 2 5530.00 90.94 ------ ------ 74.98 34.56 11.07 29.67 0.00 100 288 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.99 51.39 54.00 -2.61 35.50 34.53 10.98 29.62 0.00 100 288 AVERAGE	Blank

Mode	32	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5751.50 58.62 68.30 -9.68 42.17 34.89 11.34 29.78 0.00 100 288 PEAK	Blank

Mode	32	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.74 64.03 74.00 -9.97 48.16 34.52 10.96 29.61 0.00 328 133 PEAK 2 5466.38 66.62 68.30 -1.68 50.72 34.53 10.99 29.62 0.00 328 133 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 99.44 68.30 31.14 83.49 34.56 11.06 29.67 0.00 328 133 PEAK 2 5530.00 88.57 ------ ------ 72.61 34.56 11.07 29.67 0.00 328 133 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.54 52.50 54.00 -1.50 36.61 34.53 10.98 29.62 0.00 328 133 AVERAGE	Blank

Mode	32	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5758.55 58.69 68.30 -9.61 42.22 34.91 11.34 29.78 0.00 328 133 PEAK	Blank

Mode	32	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 44.94 74.00 -29.06 56.57 38.14 15.93 65.70 0.00 300 196 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 45.36 74.00 -28.64 56.99 38.14 15.93 65.70 0.00 300 49 PEAK

Mode	33	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5403.74 59.72 74.00 -14.28 43.89 34.50 10.90 29.57 0.00 100 222 PEAK 2 5460.80 58.07 68.30 -10.23 42.18 34.53 10.98 29.62 0.00 100 222 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 103.97 68.30 35.67 87.88 34.65 11.21 29.77 0.00 100 222 PEAK 2 5610.00 93.19 ------ ------ 77.16 34.60 11.19 29.76 0.00 100 222 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5415.24 49.91 54.00 -4.09 34.07 34.51 10.91 29.58 0.00 100 222 AVERAGE	Blank

Mode	33	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Level Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5741.16 59.97 68.30 -8.33 43.56 34.87 11.33 29.79 0.00 100 222 PEAK	Blank

Mode	33	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5383.40 62.02 74.00 -11.98 46.20 34.50 10.87 29.55 0.00 300 292 PEAK 2 5468.54 58.23 68.30 -10.07 42.33 34.53 10.99 29.62 0.00 300 292 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 100.60 68.30 32.30 84.59 34.59 11.16 29.74 0.00 300 292 PEAK 2 5610.00 88.19 ------ ------ 72.18 34.59 11.15 29.73 0.00 300 292 AVERAGE
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5395.26 50.88 54.00 -3.12 35.07 34.50 10.88 29.57 0.00 300 292 AVERAGE	Blank

Mode	33	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Level Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5747.97 58.49 68.30 -9.81 42.06 34.89 11.33 29.79 0.00 300 292 PEAK	Blank

Mode	33	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 45.01 74.00 -28.99 56.38 38.23 16.01 65.61 0.00 100 349 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 45.05 74.00 -28.95 56.42 38.23 16.01 65.61 0.00 177 0 PEAK

Mode	34	
	Band Edge	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5720.00 108.55 68.30 40.25 92.21 34.83 11.30 29.79 0.00 100 257 PEAK 2 5720.00 100.40 ------ ------ 84.06 34.83 11.30 29.79 0.00 100 257 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5720.00 110.78 68.30 42.48 94.45 34.82 11.30 29.79 0.00 100 123 PEAK 2 5720.00 102.54 ------ ------ 86.21 34.82 11.30 29.79 0.00 100 123 AVERAGE

Mode	34	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 45.51 74.00 -28.49 56.51 38.36 16.12 65.48 0.00 300 88 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 44.98 74.00 -29.02 55.98 38.36 16.12 65.48 0.00 300 307 PEAK

Mode	35	
	Band Edge	
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5720.00 110.80 68.30 42.50 94.47 34.82 11.30 29.79 0.00 100 123 PEAK 2 5720.00 100.23 ------ ------ 83.92 34.81 11.30 29.80 0.00 100 123 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5720.00 108.74 68.30 40.44 92.40 34.83 11.30 29.79 0.00 100 258 PEAK 2 5720.00 97.69 ------ ------ 81.36 34.82 11.30 29.79 0.00 100 258 AVERAGE

Mode	35	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 45.55 74.00 -28.45 56.55 38.36 16.12 65.48 0.00 100 255 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 45.33 74.00 -28.67 56.33 38.36 16.12 65.48 0.00 100 345 PEAK

Mode	36	
	Band Edge	
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5710.00 109.61 68.30 41.31 93.35 34.78 11.28 29.80 0.00 100 119 PEAK 2 5710.00 98.60 ------ ------ 82.29 34.81 11.30 29.80 0.00 100 119 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5710.00 107.14 68.30 38.84 90.87 34.79 11.28 29.80 0.00 100 257 PEAK 2 5710.00 95.98 ------ ------ 79.70 34.79 11.29 29.80 0.00 100 257 AVERAGE

Mode	36	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.17 74.00 -27.83 57.20 38.35 16.11 65.49 0.00 300 239 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 45.12 74.00 -28.88 56.15 38.35 16.11 65.49 0.00 119 0 PEAK

Mode	37	
	Band Edge	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5690.00 105.35 68.30 37.05 89.14 34.74 11.26 29.79 0.00 101 120 PEAK 2 5690.00 95.56 ------ ------ 79.35 34.74 11.26 29.79 0.00 101 120 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5690.00 103.59 68.30 35.29 87.38 34.74 11.26 29.79 0.00 100 249 PEAK 2 5690.00 93.15 ------ ------ 76.88 34.79 11.28 29.80 0.00 100 249 AVERAGE

Mode	37	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 44.83 74.00 -29.17 55.93 38.33 16.09 65.52 0.00 100 175 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 45.51 74.00 -28.49 56.61 38.33 16.09 65.52 0.00 300 173 PEAK

Mode	38	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5624.87	58.76	68.30	-9.54	42.68	34.64	11.21	29.77	0.00	311	0	PEAK
2	5650.54	56.48	68.70	-12.22	40.33	34.69	11.24	29.78	0.00	311	0	PEAK
3	5700.85	57.72	105.54	-47.82	41.46	34.78	11.28	29.80	0.00	311	0	PEAK
4	5720.00	60.66	110.90	-50.24	44.33	34.82	11.30	29.79	0.00	311	0	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5745.00	110.09	122.30	-12.21	93.67	34.88	11.33	29.79	0.00	311	0	PEAK
2	5745.00	101.53	------	------	85.11	34.88	11.33	29.79	0.00	311	0	AVERAGE

Mode	38	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5639.23 57.35 68.30 -10.95 41.23 34.67 11.23 29.78 0.00 307 328 PEAK 2 5650.10 53.99 68.38 -14.39 37.84 34.69 11.24 29.78 0.00 307 328 PEAK 3 5714.19 60.89 109.28 -48.39 44.58 34.81 11.30 29.80 0.00 307 328 PEAK 4 5720.57 61.34 112.20 -50.86 45.00 34.83 11.30 29.79 0.00 307 328 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 105.53 122.30 -16.77 89.11 34.88 11.33 29.79 0.00 307 328 PEAK 2 5745.00 98.08 ------ ------ 81.66 34.88 11.33 29.79 0.00 307 328 AVERAGE

Mode	38	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 45.54 74.00 -28.46 56.46 38.39 16.15 65.46 0.00 100 76 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 45.22 74.00 -28.78 56.14 38.39 16.15 65.46 0.00 100 300 PEAK

Mode	39
	Band Edge - L
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5648.01 57.13 68.30 -11.17 40.99 34.69 11.23 29.78 0.00 300 360 PEAK 2 5651.34 56.71 69.30 -12.59 40.56 34.69 11.24 29.78 0.00 300 360 PEAK 3 5700.74 57.08 105.51 -48.43 40.82 34.78 11.28 29.80 0.00 300 360 PEAK 4 5720.16 57.03 111.27 -54.24 40.70 34.82 11.30 29.79 0.00 300 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 110.76 122.30 -11.54 94.18 34.97 11.38 29.77 0.00 300 360 PEAK 2 5785.00 102.11 ------ ------ 85.53 34.97 11.38 29.77 0.00 300 360 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.87 55.67 111.19 -55.52 38.95 35.08 11.43 29.79 0.00 300 360 PEAK 2 5873.03 59.42 105.85 -46.43 42.66 35.11 11.44 29.79 0.00 300 360 PEAK 3 5924.68 55.64 68.54 -12.90 38.80 35.19 11.47 29.82 0.00 300 360 PEAK 4 5927.98 57.94 68.30 -10.36 41.10 35.19 11.48 29.83 0.00 300 360 PEAK	Blank

Mode	39	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5635.06 57.16 68.30 -11.14 41.05 34.66 11.22 29.77 0.00 300 173 PEAK 2 5650.60 56.08 68.75 -12.67 39.93 34.69 11.24 29.78 0.00 300 173 PEAK 3 5702.96 56.65 106.13 -49.48 40.38 34.79 11.28 29.80 0.00 300 173 PEAK 4 5720.35 57.73 111.70 -53.97 41.40 34.82 11.30 29.79 0.00 300 173 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 108.03 122.30 -14.27 91.47 34.96 11.37 29.77 0.00 300 173 PEAK 2 5785.00 98.77 ------ ------ 82.20 34.97 11.37 29.77 0.00 300 173 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.39 56.10 112.29 -56.19 39.38 35.08 11.43 29.79 0.00 300 173 PEAK 2 5874.68 57.39 105.39 -48.00 40.63 35.11 11.44 29.79 0.00 300 173 PEAK 3 5924.35 56.76 68.78 -12.02 39.92 35.19 11.47 29.82 0.00 300 173 PEAK 4 5943.32 57.02 68.30 -11.28 40.16 35.21 11.49 29.84 0.00 300 173 PEAK	Blank

Mode	39	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 44.74 74.00 -29.26 55.53 38.44 16.18 65.41 0.00 100 286 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 44.71 74.00 -29.29 55.50 38.44 16.18 65.41 0.00 100 29 PEAK

Mode	40	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.93 59.17 111.07 -51.90 41.77 35.76 11.43 29.79 0.00 106 360 PEAK 2 5872.30 59.12 106.05 -46.93 41.70 35.77 11.44 29.79 0.00 106 360 PEAK 3 5924.84 56.78 68.42 -11.64 39.36 35.77 11.47 29.82 0.00 106 360 PEAK 4 5947.18 58.25 68.30 -10.05 40.84 35.76 11.49 29.84 0.00 106 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 109.65 122.30 -12.65 92.28 35.74 11.41 29.78 0.00 106 360 PEAK 2 5825.00 101.79 ------ ------ 84.42 35.74 11.41 29.78 0.00 106 360 AVERAGE

Mode	40	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.63 56.67 111.74 -55.07 39.27 35.76 11.43 29.79 0.00 172 0 PEAK 2 5873.73 58.66 105.65 -46.99 41.24 35.77 11.44 29.79 0.00 172 0 PEAK 3 5924.18 56.80 68.90 -12.10 39.38 35.77 11.47 29.82 0.00 172 0 PEAK 4 5925.19 58.09 68.30 -10.21 40.66 35.77 11.48 29.82 0.00 172 0 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 104.61 122.30 -17.69 87.24 35.74 11.41 29.78 0.00 172 0 PEAK 2 5825.00 96.66 ------ ------ 79.29 35.74 11.41 29.78 0.00 172 0 AVERAGE

Mode	40	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 44.76 74.00 -29.24 55.41 38.49 16.23 65.37 0.00 100 19 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 45.39 74.00 -28.61 56.04 38.49 16.23 65.37 0.00 100 124 PEAK

Mode	41
	Band Edge
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5648.65 59.10 68.30 -9.20 42.96 34.69 11.23 29.78 0.00 311 360 PEAK 2 5650.68 58.80 68.81 -10.01 42.65 34.69 11.24 29.78 0.00 311 360 PEAK 3 5701.58 58.25 105.74 -47.49 41.99 34.78 11.28 29.80 0.00 311 360 PEAK 4 5720.57 64.79 112.20 -47.41 48.45 34.83 11.30 29.79 0.00 311 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 110.72 122.30 -11.58 94.30 34.88 11.33 29.79 0.00 311 360 PEAK 2 5745.00 101.62 ------ ------ 85.20 34.88 11.33 29.79 0.00 311 360 AVERAGE

Mode	41	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5633.72 58.99 68.30 -9.31 42.88 34.66 11.22 29.77 0.00 390 127 PEAK 2 5650.25 58.49 68.48 -9.99 42.34 34.69 11.24 29.78 0.00 390 127 PEAK 3 5719.85 69.24 110.86 -41.62 52.91 34.82 11.30 29.79 0.00 390 127 PEAK 4 5721.88 71.34 115.18 -43.84 55.00 34.83 11.30 29.79 0.00 390 127 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 111.87 122.30 -10.43 95.45 34.88 11.33 29.79 0.00 390 127 PEAK 2 5745.00 100.45 ------ ------ 84.03 34.88 11.33 29.79 0.00 390 127 AVERAGE

Mode	41	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 44.76 74.00 -29.24 55.68 38.39 16.15 65.46 0.00 100 93 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 45.28 74.00 -28.72 56.20 38.39 16.15 65.46 0.00 100 261 PEAK

Mode	42	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20 RU106/53_CH149_5745MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5614.87 57.56 68.30 -10.74 41.50 34.63 11.20 29.77 0.00 100 211 PEAK 2 5650.10 57.51 68.38 -10.87 41.36 34.69 11.24 29.78 0.00 100 211 PEAK 3 5700.56 59.26 105.46 -46.20 43.00 34.78 11.28 29.80 0.00 100 211 PEAK 4 5720.00 59.08 110.90 -51.82 42.75 34.82 11.30 29.79 0.00 100 211 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 106.94 122.30 -15.36 90.52 34.88 11.33 29.79 0.00 100 211 PEAK 2 5745.00 83.43 ------ ------ 67.01 34.88 11.33 29.79 0.00 100 211 AVERAGE

Mode	42	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20 RU106/53_CH149_5745MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5622.26 57.68 68.30 -10.62 41.60 34.64 11.21 29.77 0.00 361 41 PEAK 2 5650.97 56.65 69.02 -12.37 40.50 34.69 11.24 29.78 0.00 361 41 PEAK 3 5717.38 65.97 110.17 -44.20 49.64 34.82 11.30 29.79 0.00 361 41 PEAK 4 5720.28 65.21 111.54 -46.33 48.88 34.82 11.30 29.79 0.00 361 41 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 106.02 122.30 -16.28 89.60 34.88 11.33 29.79 0.00 361 41 PEAK 2 5745.00 82.23 ------ ------ 65.81 34.88 11.33 29.79 0.00 361 41 AVERAGE

Mode	43
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5645.23 59.18 68.30 -9.12 43.05 34.68 11.23 29.78 0.00 300 0 PEAK 2 5650.05 56.36 68.34 -11.98 40.21 34.69 11.24 29.78 0.00 300 0 PEAK 3 5700.55 56.73 105.46 -48.73 40.47 34.78 11.28 29.80 0.00 300 0 PEAK 4 5720.00 56.42 110.91 -54.49 40.09 34.82 11.30 29.79 0.00 300 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 111.35 122.30 -10.95 94.77 34.97 11.38 29.77 0.00 300 0 PEAK 2 5785.00 102.47 ------ ------ 85.90 34.97 11.37 29.77 0.00 300 0 AVERAGE

Mode	43	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.88 57.34 111.17 -53.83 40.62 35.08 11.43 29.79 0.00 300 0 PEAK 2 5874.96 57.16 105.31 -48.15 40.40 35.11 11.44 29.79 0.00 300 0 PEAK 3 5924.51 56.60 68.66 -12.06 39.76 35.19 11.47 29.82 0.00 300 0 PEAK 4 5936.23 57.13 68.30 -11.17 40.28 35.20 11.48 29.83 0.00 300 0 PEAK	Blank

Mode	43
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz
ANT	CDD 1+2

Pol.	Vertical	Fundamental
Peak		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5615.08	57.69	68.30	-10.61	41.63	34.63	11.20	29.77	0.00	387	111	PEAK
2	5651.16	55.87	69.16	-13.29	39.72	34.69	11.24	29.78	0.00	387	111	PEAK
3	5700.55	58.07	105.46	-47.39	41.81	34.78	11.28	29.80	0.00	387	111	PEAK
4	5720.16	57.68	111.27	-53.59	41.35	34.82	11.30	29.79	0.00	387	111	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5785.00	112.88	122.30	-9.42	96.31	34.97	11.37	29.77	0.00	387	111	PEAK
2	5785.00	102.67	------	------	86.10	34.97	11.37	29.77	0.00	387	111	AVERAGE

Mode	43	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.72 56.16 111.54 -55.38 39.44 35.08 11.43 29.79 0.00 387 111 PEAK 2 5873.53 56.79 105.71 -48.92 40.03 35.11 11.44 29.79 0.00 387 111 PEAK 3 5924.35 57.86 68.78 -10.92 41.02 35.19 11.47 29.82 0.00 387 111 PEAK 4 5928.14 58.07 68.30 -10.23 41.23 35.19 11.48 29.83 0.00 387 111 PEAK	Blank

Mode	43	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 44.24 74.00 -29.76 55.03 38.44 16.18 65.41 0.00 100 132 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 44.56 74.00 -29.44 55.35 38.44 16.18 65.41 0.00 100 235 PEAK

Mode	44	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.73 62.84 111.53 -48.69 45.44 35.76 11.43 29.79 0.00 118 0 PEAK 2 5874.33 59.19 105.49 -46.30 41.77 35.77 11.44 29.79 0.00 118 0 PEAK 3 5923.68 58.51 69.28 -10.77 41.09 35.77 11.47 29.82 0.00 118 0 PEAK 4 5941.73 59.77 68.30 -8.53 42.36 35.76 11.49 29.84 0.00 118 0 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 110.78 122.30 -11.52 93.41 35.74 11.41 29.78 0.00 118 0 PEAK 2 5825.00 101.92 ------ ------ 84.55 35.74 11.41 29.78 0.00 118 0 AVERAGE

Mode	44
	Band Edge
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz
ANT	CDD 1+2

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.08 66.73 112.99 -46.26 49.33 35.76 11.43 29.79 0.00 400 133 PEAK 2 5862.65 63.81 108.76 -44.95 46.41 35.76 11.43 29.79 0.00 400 133 PEAK 3 5925.00 55.66 68.30 -12.64 38.23 35.77 11.48 29.82 0.00 400 133 PEAK 4 5931.98 57.77 68.30 -10.53 40.35 35.77 11.48 29.83 0.00 400 133 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 112.42 122.30 -9.88 95.05 35.74 11.41 29.78 0.00 400 133 PEAK 2 5825.00 101.29 ------ ------ 83.92 35.74 11.41 29.78 0.00 400 133 AVERAGE

Mode	44	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 45.21 74.00 -28.79 55.86 38.49 16.23 65.37 0.00 100 130 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 45.47 74.00 -28.53 56.12 38.49 16.23 65.37 0.00 100 66 PEAK

Mode	45	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20 RU106/54_CH165_5825MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.69 60.24 111.60 -51.36 43.52 35.08 11.43 29.79 0.00 114 208 PEAK 2 5874.94 58.10 105.32 -47.22 41.34 35.11 11.44 29.79 0.00 114 208 PEAK 3 5924.19 56.61 68.90 -12.29 39.77 35.19 11.47 29.82 0.00 114 208 PEAK 4 5937.94 56.92 68.30 -11.38 40.06 35.21 11.48 29.83 0.00 114 208 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 106.07 122.30 -16.23 89.40 35.04 11.41 29.78 0.00 114 208 PEAK 2 5825.00 80.79 ------ ------ 64.12 35.04 11.41 29.78 0.00 114 208 AVERAGE

Mode	45	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20 RU106/54_CH165_5825MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.94 58.27 111.03 -52.76 41.55 35.08 11.43 29.79 0.00 302 20 PEAK 2 5872.94 57.92 105.88 -47.96 41.16 35.11 11.44 29.79 0.00 302 20 PEAK 3 5924.43 56.72 68.72 -12.00 39.88 35.19 11.47 29.82 0.00 302 20 PEAK 4 5933.69 58.56 68.30 -9.74 41.71 35.20 11.48 29.83 0.00 302 20 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 107.16 122.30 -15.14 90.49 35.04 11.41 29.78 0.00 302 20 PEAK 2 5825.00 82.54 ------ ------ 65.87 35.04 11.41 29.78 0.00 302 20 AVERAGE

Mode	46
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5619.77 58.92 68.30 -9.38 42.84 34.64 11.21 29.77 0.00 364 358 PEAK 2 5650.00 56.88 68.30 -11.42 40.74 34.69 11.23 29.78 0.00 364 358 PEAK 3 5717.73 71.29 110.26 -38.97 54.96 34.82 11.30 29.79 0.00 364 358 PEAK 4 5720.52 70.71 112.08 -41.37 54.37 34.83 11.30 29.79 0.00 364 358 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 107.53 122.30 -14.77 91.02 34.93 11.36 29.78 0.00 364 358 PEAK 2 5755.00 97.14 ------ ------ 80.63 34.93 11.36 29.78 0.00 364 358 AVERAGE

Mode	46	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5855.00 54.70 110.91 -56.21 37.98 35.08 11.43 29.79 0.00 364 358 PEAK 2 5869.76 59.18 106.76 -47.58 42.43 35.10 11.44 29.79 0.00 364 358 PEAK 3 5924.56 56.93 68.62 -11.69 40.09 35.19 11.47 29.82 0.00 364 358 PEAK 4 5937.62 58.02 68.30 -10.28 41.16 35.21 11.48 29.83 0.00 364 358 PEAK	Blank

Mode	46
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz
ANT	CDD 1+2

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5649.99 57.49 68.30 -10.81 41.35 34.69 11.23 29.78 0.00 312 326 PEAK 2 5650.00 57.21 68.30 -11.09 41.07 34.69 11.23 29.78 0.00 312 326 PEAK 3 5709.36 63.20 107.92 -44.72 46.91 34.80 11.29 29.80 0.00 312 326 PEAK 4 5722.53 67.57 116.68 -49.11 51.23 34.83 11.30 29.79 0.00 312 326 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 99.99 122.30 -22.31 83.51 34.91 11.35 29.78 0.00 312 326 PEAK 2 5755.00 89.89 ------ ------ 73.49 34.87 11.32 29.79 0.00 312 326 AVERAGE

Mode	46	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.55 56.47 111.92 -55.45 39.75 35.08 11.43 29.79 0.00 312 326 PEAK 2 5872.29 57.06 106.06 -49.00 40.30 35.11 11.44 29.79 0.00 312 326 PEAK 3 5924.75 55.35 68.48 -13.13 38.51 35.19 11.47 29.82 0.00 312 326 PEAK 4 5936.26 57.85 68.30 -10.45 41.00 35.20 11.48 29.83 0.00 312 326 PEAK	Blank

Mode	46	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 45.44 74.00 -28.56 56.32 38.41 16.15 65.44 0.00 100 163 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 45.19 74.00 -28.81 56.07 38.41 16.15 65.44 0.00 100 215 PEAK

Mode	47
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5643.20 56.77 68.30 -11.53 40.64 34.68 11.23 29.78 0.00 300 13 PEAK 2 5650.61 55.21 68.75 -13.54 39.06 34.69 11.24 29.78 0.00 300 13 PEAK 3 5702.09 57.36 105.89 -48.53 41.10 34.78 11.28 29.80 0.00 300 13 PEAK 4 5720.03 54.41 110.97 -56.56 38.08 34.82 11.30 29.79 0.00 300 13 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 108.09 122.30 -14.21 91.52 34.97 11.37 29.77 0.00 300 13 PEAK 2 5795.00 97.30 ------ ------ 80.71 34.98 11.38 29.77 0.00 300 13 AVERAGE

Mode	47	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.91 56.32 111.10 -54.78 39.60 35.08 11.43 29.79 0.00 300 13 PEAK 2 5874.60 56.61 105.41 -48.80 39.85 35.11 11.44 29.79 0.00 300 13 PEAK 3 5924.66 55.74 68.55 -12.81 38.90 35.19 11.47 29.82 0.00 300 13 PEAK 4 5925.59 57.42 68.30 -10.88 40.57 35.19 11.48 29.82 0.00 300 13 PEAK	Blank

Mode	47
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz
ANT	CDD 1+2

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5618.24 56.88 68.30 -11.42 40.81 34.63 11.21 29.77 0.00 372 125 PEAK 2 5650.61 54.28 68.75 -14.47 38.13 34.69 11.24 29.78 0.00 372 125 PEAK 3 5700.53 55.36 105.45 -50.09 39.10 34.78 11.28 29.80 0.00 372 125 PEAK 4 5720.22 57.79 111.41 -53.62 41.46 34.82 11.30 29.79 0.00 372 125 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 108.15 122.30 -14.15 91.55 34.99 11.38 29.77 0.00 372 125 PEAK 2 5795.00 97.95 ------ ------ 81.33 35.00 11.39 29.77 0.00 372 125 AVERAGE

Mode	47	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.98 57.84 113.22 -55.38 41.12 35.08 11.43 29.79 0.00 372 125 PEAK 2 5873.82 56.71 105.63 -48.92 39.95 35.11 11.44 29.79 0.00 372 125 PEAK 3 5924.04 57.32 69.01 -11.69 40.48 35.19 11.47 29.82 0.00 372 125 PEAK 4 5940.47 57.66 68.30 -10.64 40.81 35.21 11.48 29.84 0.00 372 125 PEAK	Blank

Mode	47	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 46.26 74.00 -27.74 57.02 38.45 16.19 65.40 0.00 100 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 46.18 74.00 -27.82 56.94 38.45 16.19 65.40 0.00 100 156 PEAK

Mode	48
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz
ANT	CDD 1+2

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5609.37 60.90 68.30 -7.40 44.84 34.62 11.20 29.76 0.00 300 350 PEAK 2 5650.49 57.90 68.67 -10.77 41.75 34.69 11.24 29.78 0.00 300 350 PEAK 3 5707.37 64.98 107.37 -42.39 48.69 34.80 11.29 29.80 0.00 300 350 PEAK 4 5720.14 63.76 111.23 -47.47 47.43 34.82 11.30 29.79 0.00 300 350 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 103.93 122.30 -18.37 87.36 34.97 11.37 29.77 0.00 300 350 PEAK 2 5775.00 93.67 ------ ------ 77.18 34.92 11.35 29.78 0.00 300 350 AVERAGE

Mode	48	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.89 67.19 111.14 -43.95 50.47 35.08 11.43 29.79 0.00 300 350 PEAK 2 5863.47 63.24 108.53 -45.29 46.50 35.10 11.43 29.79 0.00 300 350 PEAK 3 5924.89 56.46 68.38 -11.92 39.62 35.19 11.47 29.82 0.00 300 350 PEAK 4 5949.21 60.08 68.30 -8.22 43.21 35.22 11.49 29.84 0.00 300 350 PEAK	Blank

Mode	48
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz
ANT	CDD 1+2

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5603.07 58.94 68.30 -9.36 42.90 34.61 11.19 29.76 0.00 100 133 PEAK 2 5651.89 58.56 69.71 -11.15 42.41 34.69 11.24 29.78 0.00 100 133 PEAK 3 5700.02 67.51 105.31 -37.80 51.25 34.78 11.28 29.80 0.00 100 133 PEAK 4 5721.37 71.74 114.02 -42.28 55.40 34.83 11.30 29.79 0.00 100 133 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 103.08 122.30 -19.22 86.62 34.90 11.34 29.78 0.00 100 133 PEAK 2 5775.00 91.71 ------ ------ 75.22 34.92 11.35 29.78 0.00 100 133 AVERAGE

Mode	48	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5855.00 62.04 110.90 -48.86 45.32 35.08 11.43 29.79 0.00 100 133 PEAK 2 5875.00 62.44 105.30 -42.86 45.68 35.11 11.44 29.79 0.00 100 133 PEAK 3 5923.84 57.40 69.15 -11.75 40.56 35.19 11.47 29.82 0.00 100 133 PEAK 4 5934.52 59.06 68.30 -9.24 42.21 35.20 11.48 29.83 0.00 100 133 PEAK	Blank

Mode	48	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 44.97 74.00 -29.03 55.79 38.43 16.17 65.42 0.00 249 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 44.99 74.00 -29.01 55.81 38.43 16.17 65.42 0.00 290 0 PEAK

Mode	49	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz	
ANT	TxBF 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5115.36 58.23 74.00 -15.77 42.57 34.33 10.61 29.28 0.00 100 353 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5182.00 98.78 68.30 30.48 83.03 34.46 10.63 29.34 0.00 100 353 Peak 2 5182.00 85.96 ------ ------ 70.21 34.46 10.63 29.34 0.00 100 353 Average
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5127.84 51.55 54.00 -2.45 35.87 34.36 10.61 29.29 0.00 100 353 Average	Blank

Mode	49	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz	
ANT	TxBF 1+2	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5137.76 58.38 74.00 -15.62 42.68 34.38 10.62 29.30 0.00 100 344 Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5182.00 100.13 68.30 31.83 84.38 34.46 10.63 29.34 0.00 100 344 Peak 2 5182.00 84.38 ------ ------ 68.63 34.46 10.63 29.34 0.00 100 344 Average
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5114.40 51.62 54.00 -2.38 35.95 34.33 10.61 29.27 0.00 100 344 Average	Blank

Mode	49	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz	
ANT	TxBF 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10360.00 45.24 68.30 -23.06 58.77 37.40 15.55 66.48 0.00 100 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10360.00 44.98 68.30 -23.32 58.51 37.40 15.55 66.48 0.00 300 0 Peak