Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 45.76 74.00 -28.24 49.92 39.61 13.22 57.77 0.78 -- -- Peak 2 19155.00 37.24 74.00 -36.76 57.82 38.09 6.11 55.24 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 46.64 74.00 -27.36 50.80 39.61 13.22 57.77 0.78 -- -- Peak 2 19155.00 36.77 74.00 -37.23 57.35 38.09 6.11 55.24 -9.54 -- -- Peak

Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	16	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5890.80 76.19 88.20 -12.01 69.35 34.26 8.95 36.37 0.00 100 354 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5891.08 66.19 68.20 -2.01 59.35 34.26 8.95 36.37 0.00 100 354 AVERAGE	Blank

Mode	16	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5896.96 74.39 88.20 -13.81 67.52 34.29 8.96 36.38 0.00 400 334 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5897.52 64.76 68.20 -3.44 57.89 34.29 8.96 36.38 0.00 400 334 AVERAGE	Blank

Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 45.18 74.00 -28.82 50.42 39.09 12.92 57.83 0.58 -- -- Peak 2 18075.00 36.89 74.00 -37.11 58.71 37.91 5.76 55.95 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 45.52 74.00 -28.48 50.76 39.09 12.92 57.83 0.58 -- -- Peak 2 18075.00 36.89 74.00 -37.11 58.71 37.91 5.76 55.95 -9.54 -- -- Peak

Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	17	
	Band Edge	
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU _6025MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5903.12 80.65 88.20 -7.55 73.76 34.31 8.96 36.38 0.00 148 352 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5892.48 65.49 68.20 -2.71 58.64 34.27 8.95 36.37 0.00 148 352 AVERAGE	Blank

Mode	17	
	Band Edge	
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU _6025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5896.40 77.53 88.20 -10.67 70.66 34.29 8.96 36.38 0.00 400 330 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5896.68 63.59 68.20 -4.61 56.72 34.29 8.96 36.38 0.00 400 330 AVERAGE	Blank

Mode	18	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 45.60 74.00 -28.40 50.69 38.97 13.05 57.78 0.67 -- -- Peak 2 18555.00 37.43 74.00 -36.57 58.19 38.45 5.99 55.66 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 45.99 74.00 -28.01 51.08 38.97 13.05 57.78 0.67 -- -- Peak 2 18555.00 36.42 74.00 -37.58 57.18 38.45 5.99 55.66 -9.54 -- -- Peak

Mode	18	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	19	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 45.97 74.00 -28.03 50.40 39.39 13.19 57.77 0.76 -- -- Peak 2 19035.00 37.27 74.00 -36.73 57.99 38.02 6.09 55.29 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 45.46 74.00 -28.54 49.89 39.39 13.19 57.77 0.76 -- -- Peak 2 19035.00 37.21 74.00 -36.79 57.93 38.02 6.09 55.29 -9.54 -- -- Peak

Mode	19	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	20	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_Full RU_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 46.68 74.00 -27.32 50.49 39.90 13.26 57.77 0.80 -- -- Peak 2 19305.00 37.16 74.00 -36.84 57.58 38.18 6.12 55.18 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 46.63 74.00 -27.37 50.44 39.90 13.26 57.77 0.80 -- -- Peak 2 19305.00 36.30 74.00 -37.70 56.72 38.18 6.12 55.18 -9.54 -- -- Peak

Mode	20	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_Full RU_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	21	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_Full RU_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 45.58 88.20 -42.62 49.28 39.95 13.30 57.78 0.83 -- -- Peak 2 19425.00 37.18 74.00 -36.82 57.47 38.25 6.13 55.13 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 45.84 88.20 -42.36 49.54 39.95 13.30 57.78 0.83 -- -- Peak 2 19425.00 37.20 74.00 -36.80 57.49 38.25 6.13 55.13 -9.54 -- -- Peak

Mode	21	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_Full RU_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	22	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_Full RU_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 45.66 74.00 -28.34 49.38 39.87 13.35 57.79 0.85 -- -- Peak 2 19545.00 36.73 74.00 -37.27 56.93 38.29 6.14 55.09 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 46.10 74.00 -27.90 49.82 39.87 13.35 57.79 0.85 -- -- Peak 2 19545.00 37.56 74.00 -36.44 57.76 38.29 6.14 55.09 -9.54 -- -- Peak

Mode	22	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_Full RU_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	23	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 47.02 88.20 -41.18 50.83 39.90 13.26 57.77 0.80 -- -- Peak 2 19305.00 36.64 74.00 -37.36 57.06 38.18 6.12 55.18 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 46.67 88.20 -41.53 50.48 39.90 13.26 57.77 0.80 -- -- Peak 2 19305.00 36.54 74.00 -37.46 56.96 38.18 6.12 55.18 -9.54 -- -- Peak

Mode	23	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	24	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 46.21 88.20 -41.99 49.91 39.95 13.30 57.78 0.83 -- -- Peak 2 19425.00 36.43 74.00 -37.57 56.72 38.25 6.13 55.13 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 46.79 88.20 -41.41 50.49 39.95 13.30 57.78 0.83 -- -- Peak 2 19425.00 37.46 74.00 -36.54 57.75 38.25 6.13 55.13 -9.54 -- -- Peak

Mode	24	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	25	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 46.08 88.20 -42.12 49.80 39.87 13.35 57.79 0.85 -- -- Peak 2 19545.00 37.31 74.00 -36.69 57.51 38.29 6.14 55.09 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 47.12 88.20 -41.08 50.84 39.87 13.35 57.79 0.85 -- -- Peak 2 19545.00 38.31 74.00 -35.69 58.51 38.29 6.14 55.09 -9.54 -- -- Peak

Mode	25	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	26	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12890.00 47.18 88.20 -41.02 50.91 39.97 13.27 57.78 0.81 -- -- Peak 2 19335.00 36.61 74.00 -37.39 57.00 38.20 6.12 55.17 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12890.00 46.91 88.20 -41.29 50.64 39.97 13.27 57.78 0.81 -- -- Peak 2 19335.00 37.04 74.00 -36.96 57.43 38.20 6.12 55.17 -9.54 -- -- Peak

Mode	26	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	27	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12970.00 46.53 88.20 -41.67 50.24 39.93 13.31 57.78 0.83 -- -- Peak 2 19455.00 38.92 74.00 -35.08 59.17 38.27 6.14 55.12 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12970.00 47.17 88.20 -41.03 50.88 39.93 13.31 57.78 0.83 -- -- Peak 2 19455.00 37.57 74.00 -36.43 57.82 38.27 6.14 55.12 -9.54 -- -- Peak

Mode	27	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	28	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 45.86 88.20 -42.34 49.60 39.85 13.36 57.80 0.85 -- -- Peak 2 19575.00 38.33 74.00 -35.67 58.53 38.28 6.14 55.08 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 46.17 88.20 -42.03 49.91 39.85 13.36 57.80 0.85 -- -- Peak 2 19575.00 36.29 74.00 -37.71 56.49 38.28 6.14 55.08 -9.54 -- -- Peak

Mode	28	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	29	
	Harmonic	
	U-NII-6_6.525-6.875_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 46.06 88.20 -42.14 49.76 39.97 13.29 57.78 0.82 -- -- Peak 2 19395.00 36.80 74.00 -37.20 57.11 38.24 6.13 55.14 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 46.76 88.20 -41.44 50.46 39.97 13.29 57.78 0.82 -- -- Peak 2 19395.00 36.70 74.00 -37.30 57.01 38.24 6.13 55.14 -9.54 -- -- Peak

Mode	29	
	Harmonic	
	U-NII-6_6.525-6.875_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	30	
	Harmonic	
	U-NII-6_6.525-6.875_802.11ax HE160_CH111_Full RU_6545MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13090.00 46.00 88.20 -42.20 49.76 39.81 13.39 57.82 0.86 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13090.00 45.83 88.20 -42.37 49.59 39.81 13.39 57.82 0.86 -- -- Peak

Mode	30	
	Harmonic	
	U-NII-6_6.525-6.875_802.11ax HE160_CH111_Full RU_6545MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 45.80 74.00 -28.20 49.54 39.83 13.38 57.81 0.86 -- -- Peak 2 19605.00 37.76 74.00 -36.24 57.97 38.28 6.13 55.08 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.92 74.00 -27.08 50.66 39.83 13.38 57.81 0.86 -- -- Peak 2 19605.00 38.77 74.00 -35.23 58.98 38.28 6.13 55.08 -9.54 -- -- Peak

Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 47.78 74.00 -26.22 50.69 40.46 13.65 57.97 0.95 -- -- Peak 2 20085.00 37.53 74.00 -36.47 57.78 38.15 6.14 55.00 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.68 74.00 -27.32 49.59 40.46 13.65 57.97 0.95 -- -- Peak 2 20085.00 37.07 74.00 -36.93 57.32 38.15 6.14 55.00 -9.54 -- -- Peak

Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_Full RU_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 48.76 74.00 -25.24 51.12 40.65 13.96 58.01 1.04 -- -- Peak 2 20625.00 37.73 74.00 -36.27 57.95 38.03 6.24 54.95 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 47.07 74.00 -26.93 49.43 40.65 13.96 58.01 1.04 -- -- Peak 2 20625.00 38.06 74.00 -35.94 58.28 38.03 6.24 54.95 -9.54 -- -- Peak

Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_Full RU_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.64 88.20 -41.56 50.38 39.83 13.38 57.81 0.86 -- -- Peak 2 19605.00 40.26 74.00 -33.74 60.47 38.28 6.13 55.08 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.05 88.20 -42.15 49.79 39.83 13.38 57.81 0.86 -- -- Peak 2 19605.00 37.34 74.00 -36.66 57.55 38.28 6.13 55.08 -9.54 -- -- Peak

Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 47.70 74.00 -26.30 50.61 40.46 13.65 57.97 0.95 -- -- Peak 2 20085.00 37.02 74.00 -36.98 57.27 38.15 6.14 55.00 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 47.45 74.00 -26.55 50.36 40.46 13.65 57.97 0.95 -- -- Peak 2 20085.00 36.08 74.00 -37.92 56.33 38.15 6.14 55.00 -9.54 -- -- Peak

Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 46.94 74.00 -27.06 49.30 40.65 13.96 58.01 1.04 -- -- Peak 2 20625.00 37.78 74.00 -36.22 58.00 38.03 6.24 54.95 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 46.93 74.00 -27.07 49.29 40.65 13.96 58.01 1.04 -- -- Peak 2 20625.00 37.99 74.00 -36.01 58.21 38.03 6.24 54.95 -9.54 -- -- Peak

Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 47.20 74.00 -26.80 50.87 39.86 13.43 57.84 0.88 -- -- Peak 2 19695.00 37.28 74.00 -36.72 57.49 38.26 6.13 55.06 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 45.89 74.00 -28.11 49.56 39.86 13.43 57.84 0.88 -- -- Peak 2 19695.00 36.73 74.00 -37.27 56.94 38.26 6.13 55.06 -9.54 -- -- Peak

Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 48.02 74.00 -25.98 51.03 40.38 13.63 57.96 0.94 -- -- Peak 2 20055.00 36.69 74.00 -37.31 56.93 38.17 6.13 55.00 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 46.54 74.00 -27.46 49.55 40.38 13.63 57.96 0.94 -- -- Peak 2 20055.00 36.97 74.00 -37.03 57.21 38.17 6.13 55.00 -9.54 -- -- Peak

Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 48.46 74.00 -25.54 50.82 40.63 13.97 58.01 1.05 -- -- Peak 2 20655.00 36.75 74.00 -37.25 56.95 38.05 6.23 54.94 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 47.79 74.00 -26.21 50.80 40.38 13.63 57.96 0.94 -- -- Peak 2 20655.00 36.99 74.00 -37.01 57.19 38.05 6.23 54.94 -9.54 -- -- Peak

Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13250.00 46.19 74.00 -27.81 49.60 40.05 13.53 57.90 0.91 -- -- Peak 2 19875.00 36.34 74.00 -37.66 56.56 38.23 6.12 55.03 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13250.00 46.76 74.00 -27.24 50.17 40.05 13.53 57.90 0.91 -- -- Peak 2 19875.00 36.25 74.00 -37.75 56.47 38.23 6.12 55.03 -9.54 -- -- Peak

Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 48.35 74.00 -25.65 51.20 40.51 13.67 57.98 0.95 -- -- Peak 2 20115.00 36.72 74.00 -37.28 56.98 38.13 6.15 55.00 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 47.56 74.00 -26.44 50.41 40.51 13.67 57.98 0.95 -- -- Peak 2 20115.00 37.74 74.00 -36.26 58.00 38.13 6.15 55.00 -9.54 -- -- Peak

Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 46.80 74.00 -27.20 49.16 40.67 13.94 58.01 1.04 -- -- Peak 2 20595.00 35.93 74.00 -38.07 56.18 38.00 6.25 54.96 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 47.47 74.00 -26.53 49.83 40.67 13.94 58.01 1.04 -- -- Peak 2 20595.00 35.80 74.00 -38.20 56.05 38.00 6.25 54.96 -9.54 -- -- Peak

Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13330.00 47.15 74.00 -26.85 50.36 40.20 13.60 57.94 0.93 -- -- Peak 2 19995.00 36.24 74.00 -37.76 56.47 38.20 6.11 55.00 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13330.00 46.88 74.00 -27.12 50.09 40.20 13.60 57.94 0.93 -- -- Peak 2 19995.00 35.80 74.00 -38.20 56.03 38.20 6.11 55.00 -9.54 -- -- Peak

Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13650.00 48.32 74.00 -25.68 50.68 40.75 13.88 58.01 1.02 -- -- Peak 2 20475.00 38.24 74.00 -35.76 58.59 37.92 6.27 55.00 -9.54 -- -- PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13650.00 47.21 74.00 -26.79 49.57 40.75 13.88 58.01 1.02 -- -- Peak 2 20475.00 39.16 74.00 -34.84 59.51 37.92 6.27 55.00 -9.54 -- -- PEAK

Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	45	
	Harmonic	
	U-NII-8_6.525-6.875_802.11a_CH189_6895MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 48.35 74.00 -25.65 50.71 40.61 13.99 58.01 1.05 -- -- Peak 2 20685.00 38.61 74.00 -35.39 58.77 38.09 6.22 54.93 -9.54 -- -- PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 47.45 74.00 -26.55 49.81 40.61 13.99 58.01 1.05 -- -- Peak 2 20685.00 38.39 74.00 -35.61 58.55 38.09 6.22 54.93 -9.54 -- -- PEAK

Mode	45	
	Harmonic	
	U-NII-8_6.525-6.875_802.11a_CH189_6895MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	46	
	Harmonic	
	U-NII-8_6.525-6.875_802.11a_CH209_6995MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 49.14 88.20 -39.06 50.79 41.08 14.16 58.00 1.11 -- -- Peak 2 20985.00 39.54 74.00 -34.46 59.38 38.39 6.12 54.81 -9.54 -- -- PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 47.25 88.20 -40.95 48.90 41.08 14.16 58.00 1.11 -- -- Peak 2 20985.00 38.97 74.00 -35.03 58.81 38.39 6.12 54.81 -9.54 -- -- PEAK

Mode	46	
	Harmonic	
	U-NII-8_6.525-6.875_802.11a_CH209_6995MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	47	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 73.83 88.20 -14.37 63.80 36.45 9.82 36.24 0.00 207 320 PEAK 2 7126.42 73.97 88.20 -14.23 63.92 36.46 9.83 36.24 0.00 207 320 Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 109.32 ------ ------ 99.36 36.38 9.81 36.23 0.00 207 320 PEAK
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 67.00 68.20 -1.20 56.97 36.45 9.82 36.24 0.00 207 320 AVERAGE 2 7126.00 63.22 68.20 -4.98 53.17 36.46 9.83 36.24 0.00 207 320 Average	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 102.22 ------ ------ 92.22 36.42 9.82 36.24 0.00 207 320 AVERAGE

Mode	47	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 72.15 88.20 -16.05 62.12 36.45 9.82 36.24 0.00 303 332 PEAK 2 7126.00 72.93 88.20 -15.27 62.88 36.46 9.83 36.24 0.00 303 332 Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 106.62 ------ ------ 96.70 36.34 9.81 36.23 0.00 303 332 PEAK
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 64.84 68.20 -3.36 54.81 36.45 9.82 36.24 0.00 303 332 AVERAGE 2 7126.00 61.23 68.20 -6.97 51.18 36.46 9.83 36.24 0.00 303 332 Average	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 99.47 ------ ------ 89.51 36.38 9.81 36.23 0.00 303 332 AVERAGE

Mode	47	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14230.00 46.77 88.20 -41.43 48.31 41.24 14.29 58.09 1.02 -- -- Peak 2 21345.00 38.57 74.00 -35.43 58.13 38.47 6.31 54.80 -9.54 -- -- PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14230.00 47.21 88.20 -40.99 48.75 41.24 14.29 58.09 1.02 -- -- Peak 2 21345.00 37.47 74.00 -36.53 57.03 38.47 6.31 54.80 -9.54 -- -- PEAK

Mode	47	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	48	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 47.25 88.20 -40.95 49.61 40.61 13.99 58.01 1.05 -- -- Peak 2 20685.00 36.28 74.00 -37.72 56.45 38.08 6.22 54.93 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 46.91 88.20 -41.29 49.27 40.61 13.99 58.01 1.05 -- -- Peak 2 20685.00 36.69 74.00 -37.31 56.86 38.08 6.22 54.93 -9.54 -- -- Peak

Mode	48	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	49	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 47.93 88.20 -40.27 49.58 41.08 14.16 58.00 1.11 -- -- Peak 2 20985.00 38.94 74.00 -35.06 58.77 38.39 6.12 54.80 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 46.68 88.20 -41.52 48.33 41.08 14.16 58.00 1.11 -- -- Peak 2 20985.00 37.86 74.00 -36.14 57.69 38.39 6.12 54.80 -9.54 -- -- Peak

Mode	49	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	50	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 78.04 88.20 -10.16 68.01 36.45 9.82 36.24 0.00 243 344 PEAK 2 7126.00 77.43 88.20 -10.77 67.38 36.46 9.83 36.24 0.00 243 344 Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 108.16 ------ ------ 98.24 36.34 9.81 36.23 0.00 243 344 PEAK
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 67.14 68.20 -1.06 57.11 36.45 9.82 36.24 0.00 243 344 AVERAGE 2 7126.00 64.15 68.20 -4.05 54.10 36.46 9.83 36.24 0.00 243 344 Average	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 98.54 ------ ------ 88.58 36.38 9.81 36.23 0.00 243 344 AVERAGE

Mode	50	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak		
Avg		

Peak — Vertical

Site : 03CH15-HY
Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
: RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Detector : PEAK
Mode : 115
Setting : 9
Plane :

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	75.42	88.20	-12.78	65.39	36.45	9.82	36.24	0.00	298	327	PEAK
2	7126.00	77.30	88.20	-10.90	67.25	36.46	9.83	36.24	0.00	298	327	Peak

Peak — Fundamental

Site : 03CH15-HY
Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
: RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Detector : PEAK
Mode : 115
Setting : 9
Plane :

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	102.81	------	------	92.81	36.42	9.82	36.24	0.00	298	327	PEAK

Avg — Vertical

Site : 03CH15-HY
Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
: RBW:1000.000kHz VBW:0.010kHz SWT:Auto
Detector : PEAK
Mode : 115
Setting : 9
Plane :

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7125.00	64.26	68.20	-3.94	54.23	36.45	9.82	36.24	0.00	298	327	AVERAGE
2	7126.00	60.90	68.20	-7.30	50.85	36.46	9.83	36.24	0.00	298	327	Average

Avg — Fundamental

Site : 03CH15-HY
Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
: RBW:1000.000kHz VBW:0.010kHz SWT:Auto
Detector : PEAK
Mode : 115
Setting : 9
Plane :

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7115.00	95.00	------	------	85.04	36.38	9.81	36.23	0.00	298	327	AVERAGE

Mode	50	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14230.00 46.56 88.20 -41.64 48.10 41.24 14.29 58.09 1.02 -- -- Peak 2 21345.00 38.56 74.00 -35.44 58.12 38.47 6.31 54.80 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14230.00 46.76 88.20 -41.44 48.30 41.24 14.29 58.09 1.02 -- -- Peak 2 21345.00 38.28 74.00 -35.72 57.84 38.47 6.31 54.80 -9.54 -- -- Peak

Mode	50	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	51	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_106/54RU _7115MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 78.03 88.20 -10.17 68.00 36.45 9.82 36.24 0.00 255 346 PEAK 2 7126.00 80.67 88.20 -7.53 70.62 36.46 9.83 36.24 0.00 255 346 Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 101.86 ------ ------ 91.82 36.45 9.83 36.24 0.00 255 346 PEAK
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 66.83 68.20 -1.37 56.80 36.45 9.82 36.24 0.00 255 346 AVERAGE 2 7126.00 64.18 68.20 -4.02 54.13 36.46 9.83 36.24 0.00 255 346 Average	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 94.89 ------ ------ 84.85 36.45 9.83 36.24 0.00 255 346 AVERAGE

Mode	51	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_106/54RU _7115MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 74.06 88.20 -14.14 64.03 36.45 9.82 36.24 0.00 247 314 PEAK 2 7126.00 76.77 88.20 -11.43 66.72 36.46 9.83 36.24 0.00 247 314 Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 97.28 ------ ------ 87.24 36.45 9.83 36.24 0.00 247 314 PEAK
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 62.56 68.20 -5.64 52.53 36.45 9.82 36.24 0.00 247 314 AVERAGE 2 7126.00 59.68 68.20 -8.52 49.63 36.46 9.83 36.24 0.00 247 314 Average	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7115.00 90.16 ------ ------ 80.12 36.45 9.83 36.24 0.00 247 314 AVERAGE

Mode	52	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13850.00 47.58 88.20 -40.62 49.73 40.75 14.04 58.01 1.07 -- -- Peak 2 20775.00 38.13 74.00 -35.87 58.20 38.17 6.19 54.89 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13850.00 47.29 88.20 -40.91 49.44 40.75 14.04 58.01 1.07 -- -- Peak 2 20775.00 37.46 74.00 -36.54 57.53 38.17 6.19 54.89 -9.54 -- -- Peak

Mode	52	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	53	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14010.00 47.38 88.20 -40.82 48.99 41.11 14.17 58.00 1.11 -- -- Peak 2 21015.00 37.54 74.00 -36.46 57.35 38.40 6.13 54.80 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14010.00 47.35 88.20 -40.85 48.96 41.11 14.17 58.00 1.11 -- -- Peak 2 21015.00 37.27 74.00 -36.73 57.08 38.40 6.13 54.80 -9.54 -- -- Peak

Mode	53	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	54	
	Band Edge - L	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7126.28 75.86 88.20 -12.34 65.81 36.46 9.83 36.24 0.00 243 345 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.16 65.36 68.20 -2.84 55.32 36.45 9.83 36.24 0.00 243 345 AVERAGE	Blank

Mode	54	
	Band Edge - R	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1080.60 46.88 74.00 -27.12 54.45 25.47 3.82 36.86 0.00 243 345 Peak 2 7085.00 114.08 ------ ------ 104.33 36.20 9.78 36.23 0.00 243 345 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1080.60 31.40 54.00 -22.60 38.97 25.47 3.82 36.86 0.00 243 345 Average 2 7085.00 105.40 ------ ------ 95.62 36.23 9.78 36.23 0.00 243 345 AVERAGE	Blank

Mode	54	
	Band Edge - L	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.64 73.62 88.20 -14.58 63.58 36.45 9.83 36.24 0.00 160 49 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.32 63.63 68.20 -4.57 53.59 36.45 9.83 36.24 0.00 160 49 AVERAGE	Blank

Mode	54	
	Band Edge - R	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1024.80 44.55 74.00 -29.45 52.55 25.15 3.72 36.87 0.00 160 49 Peak 2 7085.00 112.28 ------ ------ 102.53 36.20 9.78 36.23 0.00 160 49 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1024.80 29.58 54.00 -24.42 37.58 25.15 3.72 36.87 0.00 160 49 Average 2 7085.00 102.73 ------ ------ 92.98 36.20 9.78 36.23 0.00 160 49 AVERAGE	Blank

Mode	54	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14170.00 46.92 88.20 -41.28 48.40 41.27 14.26 58.06 1.05 -- -- Peak 2 21255.00 37.28 74.00 -36.72 56.91 38.45 6.26 54.80 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14170.00 47.51 88.20 -40.69 48.99 41.27 14.26 58.06 1.05 -- -- Peak 2 21255.00 38.09 74.00 -35.91 57.72 38.45 6.26 54.80 -9.54 -- -- Peak

Mode	54	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	55	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_242/62RU_7085MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7126.76 80.30 88.20 -7.90 70.25 36.46 9.83 36.24 0.00 344 0 PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 116.31 ------ ------ 106.44 36.30 9.80 36.23 0.00 344 0 PEAK
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7127.40 62.86 68.20 -5.34 52.81 36.46 9.83 36.24 0.00 344 0 AVERAGE	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 109.49 ------ ------ 99.65 36.28 9.79 36.23 0.00 344 0 AVERAGE

Mode	55	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_242/62RU_7085MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7136.36 76.56 88.20 -11.64 66.44 36.52 9.84 36.24 0.00 152 59 PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 115.46 ------ ------ 105.65 36.25 9.79 36.23 0.00 152 59 PEAK
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.16 60.68 68.20 -7.52 50.64 36.45 9.83 36.24 0.00 152 59 AVERAGE	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 107.73 ------ ------ 97.86 36.30 9.80 36.23 0.00 152 59 AVERAGE

Mode	56	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 47.52 88.20 -40.68 49.48 40.88 14.08 58.00 1.08 -- -- Peak 2 20835.00 37.28 74.00 -36.72 57.28 38.24 6.17 54.87 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 47.44 88.20 -40.76 49.40 40.88 14.08 58.00 1.08 -- -- Peak 2 20835.00 37.02 74.00 -36.98 57.02 38.24 6.17 54.87 -9.54 -- -- Peak

Mode	56	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL

Mode	57	
	Band Edge - L	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.10 71.80 88.20 -16.40 61.76 36.45 9.83 36.24 0.00 253 345 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.10 63.04 68.20 -5.16 53.00 36.45 9.83 36.24 0.00 253 345 AVERAGE	Blank

Mode	57	
	Band Edge - R	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1006.20 46.01 74.00 -27.99 54.01 25.19 3.69 36.88 0.00 253 345 Peak 2 7025.00 112.00 ------ ------ 102.48 36.01 9.73 36.22 0.00 253 345 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1006.20 32.00 54.00 -22.00 40.00 25.19 3.69 36.88 0.00 253 345 Average 2 7025.00 103.55 ------ ------ 94.01 36.03 9.73 36.22 0.00 253 345 AVERAGE	Blank

Mode	57	
	Band Edge - L	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7126.42 69.23 88.20 -18.97 59.18 36.46 9.83 36.24 0.00 150 58 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.10 60.65 68.20 -7.55 50.61 36.45 9.83 36.24 0.00 150 58 AVERAGE	Blank

Mode	57	
	Band Edge - R	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1018.60 45.27 74.00 -28.73 53.28 25.16 3.71 36.88 0.00 150 58 Peak 2 7025.00 109.31 ------ ------ 99.82 35.98 9.72 36.21 0.00 150 58 PEAK	Blank
Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 1018.60 30.89 54.00 -23.11 38.90 25.16 3.71 36.88 0.00 150 58 Average 2 7025.00 100.03 ------ ------ 90.54 35.98 9.72 36.21 0.00 150 58 AVERAGE	Blank

Mode	57	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14050.00 48.75 88.20 -39.45 50.34 41.15 14.19 58.02 1.09 -- -- Peak 2 21075.00 37.28 74.00 -36.72 57.04 38.42 6.16 54.80 -9.54 -- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14050.00 47.25 88.20 -40.95 48.84 41.15 14.19 58.02 1.09 -- -- Peak 2 21075.00 37.57 74.00 -36.43 57.33 38.42 6.16 54.80 -9.54 -- -- Peak

Mode	57	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_9120D-02038 VERTICAL