




MIMO <Ant. 1+2(1)>

EUT Mode


802.11ax HE160 FullRU

Plot on Channel 6025 MHz




Date: 16.JUL.2024 05:00:36

Plot on Channel 6185 MHz




Date: 17.JUL.2024 02:37:21

Plot on Channel 6345 MHz



Date: 16.JUL.2024 05:09:58


Plot on Channel 6665 MHz



Date: 16.JUL.2024 05:18:28



Plot on Channel 6825 MHz




Date: 16.JUL.2024 05:23:21



EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 17.JUL.2024 01:54:24

Plot on Channel 6185 MHz




Date: 17.JUL.2024 02:28:59

Plot on Channel 6665 MHz



Date: 17.JUL.2024 01:59:47

Plot on Channel 6825 MHz




Date: 17.JUL.2024 02:03:25




EUT Mode

802.11ax HE160 996RUS67

Plot on Channel 6345 MHz



Plot on Channel 6825 MHz






MIMO <Ant. 1+2(2)>

EUT Mode


802.11ax HE160 FullRU

Plot on Channel 6025 MHz




Date: 16.JUL.2024 05:02:19

Plot on Channel 6185 MHz




Date: 17.JUL.2024 02:43:22

Plot on Channel 6345 MHz



Date: 16.JUL.2024 05:12:34


Plot on Channel 6665 MHz



Date: 16.JUL.2024 05:20:48



Plot on Channel 6825 MHz




Date: 16.JUL.2024 05:24:41



EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 17.JUL.2024 01:55:05

Plot on Channel 6185 MHz




Date: 17.JUL.2024 02:45:53

Plot on Channel 6665 MHz



Date: 17.JUL.2024 02:01:41

Plot on Channel 6825 MHz




Date: 17.JUL.2024 02:04:28




EUT Mode	802.11ax HE160 996RUS67
----------	-------------------------

Plot on Channel 6345 MHz



Date: 17.JUL.2024 01:57:52

Plot on Channel 6825 MHz



Date: 17.JUL.2024 02:07:18




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	22.3~24.7℃
		Relative Humidity :	40.4~48.9%

EUT Information

Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	45.07	---	65.63	20.56	L1	OFF	19.9
0.156750	---	22.83	55.63	32.80	L1	OFF	19.9
0.280500	33.77	---	60.80	27.03	L1	OFF	19.9
0.280500	---	17.31	50.80	33.49	L1	OFF	19.9
0.357000	29.72	---	58.80	29.08	L1	OFF	19.9
0.357000	---	14.83	48.80	33.97	L1	OFF	19.9
11.851170	35.97	---	60.00	24.03	L1	OFF	20.1
11.851170	---	29.83	50.00	20.17	L1	OFF	20.1
12.455250	42.96	---	60.00	17.04	L1	OFF	20.1
12.455250	---	38.05	50.00	11.95	L1	OFF	20.1
12.856560	46.40	---	60.00	13.60	L1	OFF	20.1
12.856560	---	39.95	50.00	10.05	L1	OFF	20.1
13.559910	43.97	---	60.00	16.03	L1	OFF	20.1
13.559910	---	41.15	50.00	8.85	L1	OFF	20.1
14.577000	41.20	---	60.00	18.80	L1	OFF	20.1
14.577000	---	33.52	50.00	16.48	L1	OFF	20.1
15.220500	38.26	---	60.00	21.74	L1	OFF	20.1
15.220500	---	31.11	50.00	18.89	L1	OFF	20.1

EUT Information

Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	22.89	55.63	32.74	N	OFF	19.9
0.156750	45.43	---	65.63	20.20	N	OFF	19.9
0.278250	---	18.84	50.87	32.03	N	OFF	19.9
0.278250	34.10	---	60.87	26.77	N	OFF	19.9
0.343950	---	17.36	49.11	31.75	N	OFF	19.9
0.343950	30.47	---	59.11	28.64	N	OFF	19.9
11.850540	---	30.88	50.00	19.12	N	OFF	20.1
11.850540	36.87	---	60.00	23.13	N	OFF	20.1
12.553890	---	38.96	50.00	11.04	N	OFF	20.1
12.553890	43.94	---	60.00	16.06	N	OFF	20.1
12.947190	---	39.73	50.00	10.27	N	OFF	20.1
12.947190	45.75	---	60.00	14.25	N	OFF	20.1
13.558470	---	40.38	50.00	9.62	N	OFF	20.1
13.558470	43.51	---	60.00	16.49	N	OFF	20.1
14.540010	---	32.98	50.00	17.02	N	OFF	20.1
14.540010	39.89	---	60.00	20.11	N	OFF	20.1
17.167290	---	24.65	50.00	25.35	N	OFF	20.2
17.167290	31.25	---	60.00	28.75	N	OFF	20.2
20.746680	---	25.20	50.00	24.80	N	OFF	20.2

20.746680	32.68	---	60.00	27.32	N	OFF	20.2
-----------	-------	-----	-------	-------	---	-----	------



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Daniel Lee, Quentin Liu and Bigshow Wan	Temperature :	21.0~23.4°C
		Relative Humidity :	47.0~58.0%



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	1+2	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	-
Mode 6	U-NII-5	5.925-6.425	1+2	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	1+2	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 8	U-NII-5	5.925-6.425	1+2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	1+2	802.11ax HE40	3	5965	MCS0	Partial_242/61RU	-
Mode 10	U-NII-5	5.925-6.425	1+2	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	1+2	802.11ax HE40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	1+2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	1+2	802.11ax HE80	7	5985	MCS0	Partial_484/65RU	-
Mode 14	U-NII-5	5.925-6.425	1+2	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	1+2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	1+2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	6.425-6.525	1+2	802.11ax HE160	15	6025	MCS0	Partial_996/67RU	-
Mode 18	U-NII-5	6.425-6.525	1+2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 19	U-NII-5	6.425-6.525	1+2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	1+2	802.11a	117	6535	6Mbps	Full RU	-
Mode 32	U-NII-7	6.525-6.875	1+2	802.11a	149	6695	6Mbps	Full RU	-
Mode 33	U-NII-7	6.525-6.875	1+2	802.11a	181	6855	6Mbps	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.525-6.875	1+2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	1+2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	1+2	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	1+2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	1+2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	1+2	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1+2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1+2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1+2	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1+2	802.11ax HE160	143	6665	MCS0	Full RU	-



C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5923.98	60.51	68.20	-7.69	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	47.92	74.00	-26.08	V	Peak	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	44.85	74.00	-29.15	H	Peak	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	47.26	74.00	-26.74	H	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5924.96	61.82	68.20	-6.38	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	46.97	74.00	-27.03	H	Peak	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5924.82	49.79	68.20	-18.41	H	Avg.	Pass	Partial_106/53RU	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial_106/53RU	Harmonic
6	802.11ax HE20	49	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11ax HE20	49	12390.00	45.35	74.00	-28.65	H	Peak	Pass	Full RU	Harmonic
7	802.11ax HE20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	93	19245.00	37.49	74.00	-36.51	H	Peak	Pass	Full RU	Harmonic
8	802.11ax HE40	3	5925.00	64.51	68.20	-3.69	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	47.46	74.00	-26.54	H	Peak	Pass	Full RU	Harmonic
9	802.11ax HE40	3	5920.52	83.04	88.20	-5.16	H	Peak	Pass	Partial_242/61RU	Band Edge
	802.11ax HE40	3	12410.00	45.09	74.00	-28.91	V	Peak	Pass	Partial_242/61RU	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	51	12410.00	45.09	74.00	-28.91	V	Peak	Pass	Full RU	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	91	12810.00	47.58	74.00	-26.42	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11ax HE80	7	5920.80	65.32	68.20	-2.88	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	48.72	74.00	-25.28	V	Peak	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5918.20	65.79	68.20	-2.41	H	Avg.	Pass	Partial_484/65RU	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partial_484/65RU	Harmonic
14	802.11ax HE80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	55	12450.00	45.58	74.00	-28.42	H	Peak	Pass	Full RU	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	87	12770.00	46.64	74.00	-27.36	V	Peak	Pass	Full RU	Harmonic
16	802.11ax HE160	15	5891.08	66.19	68.20	-2.01	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	45.52	74.00	-28.48	V	Peak	Pass	Full RU	Harmonic
17	802.11ax HE160	15	5892.48	65.49	68.20	-2.71	H	Avg.	Pass	Partial_996/67RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11ax HE160	15	-	-	-	-	-	-	-	Partial_996/67RU	Harmonic
18	802.11ax HE160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	47	12370.00	45.99	74.00	-28.01	V	Peak	Pass	Full RU	Harmonic
19	802.11ax HE160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	79	12690.00	45.97	74.00	-28.03	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
31	802.11a	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	117	13070.00	46.92	74.00	-27.08	V	Peak	Pass	Full RU	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	149	13390.00	47.78	74.00	-26.22	H	Peak	Pass	Full RU	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	181	20565.00	37.41	74.00	-36.59	V	Peak	Pass	Full RU	Harmonic





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
34	802.11ax HE20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	117	19605.00	40.26	74.00	-33.74	H	Peak	Pass	Full RU	Harmonic
35	802.11ax HE20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	149	13390.00	47.70	74.00	-26.30	H	Peak	Pass	Full RU	Harmonic
36	802.11ax HE20	181	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	181	20565.00	37.02	74.00	-36.98	H	Peak	Pass	Full RU	Harmonic
37	802.11ax HE40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	123	13130.00	47.20	74.00	-26.80	H	Peak	Pass	Full RU	Harmonic
38	802.11ax HE40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	147	13370.00	48.02	74.00	-25.98	H	Peak	Pass	Full RU	Harmonic
39	802.11ax HE40	179	-	-	-	-	-	-	-	Full RU	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
39	802.11ax HE40	179	20535.00	37.40	74.00	-36.60	H	Peak	Pass	Full RU	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	135	13250.00	46.76	74.00	-27.24	V	Peak	Pass	Full RU	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	151	13410.00	48.35	74.00	-25.65	H	Peak	Pass	Full RU	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	167	20355.00	37.35	74.00	-36.65	V	Peak	Pass	Full RU	Harmonic
43	802.11ax HE160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	143	13330.00	47.15	74.00	-26.85	H	Peak	Pass	Full RU	Harmonic



Mode	1																																															
	Band Edge																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																															
ANT	1+2																																															
Pol.	Horizontal						Fundamental																																									
Peak							Blank																																									
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.42</td><td>74.01</td><td>88.20</td><td>-14.19</td><td>67.05</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>8 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.42	74.01	88.20	-14.19	67.05
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5923.42	74.01	88.20	-14.19	67.05	34.35	8.99	36.38	0.00	300	8 PEAK																																					
Avg							Blank																																									
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.98</td><td>60.51</td><td>68.20</td><td>-7.69</td><td>53.55</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>8 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	60.51	68.20	-7.69	53.55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5923.98	60.51	68.20	-7.69	53.55	34.35	8.99	36.38	0.00	300	8 AVERAGE																																					







Mode	1																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.84</td><td>73.04</td><td>88.20</td><td>-15.16</td><td>66.08</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>71 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.84	73.04	88.20	-15.16	66.08	34.35	8.99	36.38	0.00	100	71 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>112.12</td><td>-----</td><td>-----</td><td>105.12</td><td>34.36</td><td>9.03</td><td>36.39</td><td>0.00</td><td>100</td><td>71 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.12	-----	-----	105.12	34.36	9.03	36.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5923.84	73.04	88.20	-15.16	66.08	34.35	8.99	36.38	0.00	100	71 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	112.12	-----	-----	105.12	34.36	9.03	36.39	0.00	100	71 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>59.66</td><td>68.20</td><td>-8.54</td><td>52.70</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>71 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	59.66	68.20	-8.54	52.70	34.35	8.99	36.38	0.00	100	71 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.38</td><td>-----</td><td>-----</td><td>98.38</td><td>34.36</td><td>9.03</td><td>36.39</td><td>0.00</td><td>100</td><td>71 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.38	-----	-----	98.38	34.36	9.03	36.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.96	59.66	68.20	-8.54	52.70	34.35	8.99	36.38	0.00	100	71 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	105.38	-----	-----	98.38	34.36	9.03	36.39	0.00	100	71 AVERAGE																																																																																					



Mode	1																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																														
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>50.35</td><td>38.81</td><td>12.84</td><td>57.90</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>47.82</td><td>41.63</td><td>15.84</td><td>58.61</td><td>0.53</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	44.67	74.00	-29.33	50.35	38.81	12.84	57.90	0.57	--	Peak	2	17865.00	47.21	74.00	-26.79	47.82	41.63	15.84	58.61	0.53	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	11910.00	44.67	74.00	-29.33	50.35	38.81	12.84	57.90	0.57	--	Peak																																																										
2	17865.00	47.21	74.00	-26.79	47.82	41.63	15.84	58.61	0.53	--	Peak																																																										







Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	2																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																														
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>49.97</td><td>38.92</td><td>13.06</td><td>57.78</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>37.81</td><td>74.00</td><td>-36.19</td><td>58.56</td><td>38.42</td><td>6.00</td><td>55.63</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	44.85	74.00	-29.15	49.97	38.92	13.06	57.78	0.68	--	Peak	2	18585.00	37.81	74.00	-36.19	58.56	38.42	6.00	55.63	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	12390.00	44.85	74.00	-29.15	49.97	38.92	13.06	57.78	0.68	--	Peak																																																										
2	18585.00	37.81	74.00	-36.19	58.56	38.42	6.00	55.63	-9.54	--	Peak																																																										







Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL







Mode	3																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>51.18</td><td>39.80</td><td>13.25</td><td>57.77</td><td>0.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>36.96</td><td>74.00</td><td>-37.04</td><td>57.44</td><td>38.15</td><td>6.11</td><td>55.20</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	47.26	74.00	-26.74	51.18	39.80	13.25	57.77	0.80	--	--	Peak	2	19245.00	36.96	74.00	-37.04	57.44	38.15	6.11	55.20	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	12830.00	47.26	74.00	-26.74	51.18	39.80	13.25	57.77	0.80	--	--	Peak																																																									
2	19245.00	36.96	74.00	-37.04	57.44	38.15	6.11	55.20	-9.54	--	--	Peak																																																									







Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





		4																																																				
Mode	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																					
ANT	1+2																																																					
Pol.	Horizontal																																																					
Peak																																																						
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5924.82</td><td>71.80</td><td>88.20</td><td>-16.40</td><td>64.84</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5924.82	71.80	88.20	-16.40	64.84	34.35	8.99	36.38	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5924.82	71.80	88.20	-16.40	64.84	34.35	8.99	36.38	0.00	100	341 PEAK																																												
Fundamental																																																						
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>115.63</td><td>-----</td><td>-----</td><td>108.62</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5955.00	115.63	-----	-----	108.62	34.38	9.02	36.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5955.00	115.63	-----	-----	108.62	34.38	9.02	36.39	0.00	100	341 PEAK																																												
Avg																																																						
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5924.96</td><td>61.82</td><td>68.20</td><td>-6.38</td><td>54.86</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>341 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5924.96	61.82	68.20	-6.38	54.86	34.35	8.99	36.38	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5924.96	61.82	68.20	-6.38	54.86	34.35	8.99	36.38	0.00	100	341 AVERAGE																																												
AVERAGE																																																						
	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>108.81</td><td>-----</td><td>-----</td><td>101.80</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>341 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5955.00	108.81	-----	-----	101.80	34.38	9.02	36.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5955.00	108.81	-----	-----	101.80	34.38	9.02	36.39	0.00	100	341 AVERAGE																																												







Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.26</td><td>67.59</td><td>88.20</td><td>-20.61</td><td>60.63</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	67.59	88.20	-20.61	60.63	34.35	8.99	36.38	0.00	100	358	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>112.92</td><td>-----</td><td>-----</td><td>105.91</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.92	-----	-----	105.91	34.38	9.02	36.39	0.00	100	358	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.26	67.59	88.20	-20.61	60.63	34.35	8.99	36.38	0.00	100	358	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	112.92	-----	-----	105.91	34.38	9.02	36.39	0.00	100	358	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>50.77</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	57.73	68.20	-10.47	50.77	34.35	8.99	36.38	0.00	100	358	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.80</td><td>-----</td><td>-----</td><td>98.79</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.80	-----	-----	98.79	34.38	9.02	36.39	0.00	100	358	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	57.73	68.20	-10.47	50.77	34.35	8.99	36.38	0.00	100	358	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	105.80	-----	-----	98.79	34.38	9.02	36.39	0.00	100	358	AVERAGE																																																																																							







Mode	4																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>50.56</td><td>38.81</td><td>12.84</td><td>57.90</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>47.58</td><td>41.63</td><td>15.84</td><td>58.61</td><td>0.53</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	44.88	74.00	-29.12	50.56	38.81	12.84	57.90	0.57	--	Peak	2	17865.00	46.97	74.00	-27.03	47.58	41.63	15.84	58.61	0.53	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11910.00	44.88	74.00	-29.12	50.56	38.81	12.84	57.90	0.57	--	Peak																																																							
2	17865.00	46.97	74.00	-27.03	47.58	41.63	15.84	58.61	0.53	--	Peak																																																							







Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	5																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>66.96</td><td>88.20</td><td>-21.24</td><td>60.00</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5924.40	66.96	88.20	-21.24	60.00	34.35	8.99	36.38	0.00	100	343 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>118.27</td><td>-----</td><td>-----</td><td>111.25</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5955.00	118.27	-----	-----	111.25	34.40	9.01	36.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5924.40	66.96	88.20	-21.24	60.00	34.35	8.99	36.38	0.00	100	343 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5955.00	118.27	-----	-----	111.25	34.40	9.01	36.39	0.00	100	343 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>42.83</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5924.82	49.79	68.20	-18.41	42.83	34.35	8.99	36.38	0.00	100	343 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.11</td><td>-----</td><td>-----</td><td>104.09</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5955.00	111.11	-----	-----	104.09	34.40	9.01	36.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5924.82	49.79	68.20	-18.41	42.83	34.35	8.99	36.38	0.00	100	343 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5955.00	111.11	-----	-----	104.09	34.40	9.01	36.39	0.00	100	343 AVERAGE																																																																																						







Mode	5																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.82</td><td>61.38</td><td>88.20</td><td>-26.82</td><td>54.42</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	61.38	88.20	-26.82	54.42	34.35	8.99	36.38	0.00	100	360	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.64</td><td>-----</td><td>-----</td><td>107.62</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.64	-----	-----	107.62	34.40	9.01	36.39	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	61.38	88.20	-26.82	54.42	34.35	8.99	36.38	0.00	100	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	114.64	-----	-----	107.62	34.40	9.01	36.39	0.00	100	360	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.82</td><td>45.76</td><td>68.20</td><td>-22.44</td><td>38.00</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	45.76	68.20	-22.44	38.00	34.35	8.99	36.38	0.00	100	360	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.42</td><td>-----</td><td>-----</td><td>100.40</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.42	-----	-----	100.40	34.40	9.01	36.39	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	45.76	68.20	-22.44	38.00	34.35	8.99	36.38	0.00	100	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.42	-----	-----	100.40	34.40	9.01	36.39	0.00	100	360	AVERAGE																																																																																							





Mode	6																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>50.47</td><td>38.92</td><td>13.06</td><td>57.78</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>36.64</td><td>74.00</td><td>-37.36</td><td>57.39</td><td>38.42</td><td>6.00</td><td>55.63</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	45.35	74.00	-28.65	50.47	38.92	13.06	57.78	0.68	--	Peak	2	18585.00	36.64	74.00	-37.36	57.39	38.42	6.00	55.63	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12390.00	45.35	74.00	-28.65	50.47	38.92	13.06	57.78	0.68	--	Peak																																																							
2	18585.00	36.64	74.00	-37.36	57.39	38.42	6.00	55.63	-9.54	--	Peak																																																							







Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	7																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.36</td><td>88.20</td><td>-42.84</td><td>49.30</td><td>39.79</td><td>13.25</td><td>57.77</td><td>0.79</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.49</td><td>74.00</td><td>-36.51</td><td>57.97</td><td>38.15</td><td>6.11</td><td>55.20</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.36	88.20	-42.84	49.30	39.79	13.25	57.77	0.79	--	Peak	2	19245.00	37.49	74.00	-36.51	57.97	38.15	6.11	55.20	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12830.00	45.36	88.20	-42.84	49.30	39.79	13.25	57.77	0.79	--	Peak																																																							
2	19245.00	37.49	74.00	-36.51	57.97	38.15	6.11	55.20	-9.54	--	Peak																																																							





Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	8																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>74.90</td><td>88.20</td><td>-13.30</td><td>67.94</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	74.90	88.20	-13.30	67.94	34.35	8.99	36.38	0.00	100	347	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.72	74.90	88.20	-13.30	67.94	34.35	8.99	36.38	0.00	100	347	PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>64.51</td><td>68.20</td><td>-3.69</td><td>57.55</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	64.51	68.20	-3.69	57.55	34.35	8.99	36.38	0.00	100	347	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5925.00	64.51	68.20	-3.69	57.55	34.35	8.99	36.38	0.00	100	347	AVERAGE																																												







Mode	8																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>71.79</td><td>88.20</td><td>-16.41</td><td>64.83</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	71.79	88.20	-16.41	64.83	34.35	8.99	36.38	0.00	100	358	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.68	71.79	88.20	-16.41	64.83	34.35	8.99	36.38	0.00	100	358	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>60.96</td><td>68.20</td><td>-7.24</td><td>54.00</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	60.96	68.20	-7.24	54.00	34.35	8.99	36.38	0.00	100	358	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5925.00	60.96	68.20	-7.24	54.00	34.35	8.99	36.38	0.00	100	358	AVERAGE																																												







Mode	8																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																																	
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>50.91</td><td>38.86</td><td>12.86</td><td>57.88</td><td>0.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>47.61</td><td>42.02</td><td>15.86</td><td>58.56</td><td>0.53</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.32	74.00	-28.68	50.91	38.86	12.86	57.88	0.57	--	--	Peak	2	17895.00	47.46	74.00	-26.54	47.61	42.02	15.86	58.56	0.53	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11930.00	45.32	74.00	-28.68	50.91	38.86	12.86	57.88	0.57	--	--	Peak																																																												
2	17895.00	47.46	74.00	-26.54	47.61	42.02	15.86	58.56	0.53	--	--	Peak																																																												



Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.52</td><td>83.04</td><td>88.20</td><td>-5.16</td><td>76.10</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.52	83.04	88.20	-5.16	76.10	34.34	8.98	36.38	0.00	116	343	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>117.21</td><td>-----</td><td>-----</td><td>110.19</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	117.21	-----	-----	110.19	34.40	9.01	36.39	0.00	116	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.52	83.04	88.20	-5.16	76.10	34.34	8.98	36.38	0.00	116	343	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	117.21	-----	-----	110.19	34.40	9.01	36.39	0.00	116	343	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.20</td><td>62.88</td><td>68.20</td><td>-5.32</td><td>55.95</td><td>34.33</td><td>8.98</td><td>36.38</td><td>0.00</td><td>116</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.20	62.88	68.20	-5.32	55.95	34.33	8.98	36.38	0.00	116	343	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>109.67</td><td>-----</td><td>-----</td><td>102.65</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>116</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.67	-----	-----	102.65	34.40	9.01	36.39	0.00	116	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.20	62.88	68.20	-5.32	55.95	34.33	8.98	36.38	0.00	116	343	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	109.67	-----	-----	102.65	34.40	9.01	36.39	0.00	116	343	AVERAGE																																																																																							







		9																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																																																				
ANT		1+2																																																																																																				
Pol.	Vertical										Fundamental																																																																																											
Peak	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.52</td><td>73.54</td><td>88.20</td><td>-14.66</td><td>66.63</td><td>34.32</td><td>8.97</td><td>36.38</td><td>0.00</td><td>361 346 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5908.52	73.54	88.20	-14.66	66.63	34.32	8.97	36.38	0.00	361 346 PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>115.59</td><td>-----</td><td>-----</td><td>108.57</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>361 346 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5965.00	115.59	-----	-----	108.57	34.40	9.01	36.39	0.00	361 346 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																													
1	5908.52	73.54	88.20	-14.66	66.63	34.32	8.97	36.38	0.00	361 346 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	115.59	-----	-----	108.57	34.40	9.01	36.39	0.00	361 346 PEAK																																																																																												
Avg	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.36</td><td>59.87</td><td>68.20</td><td>-8.33</td><td>52.94</td><td>34.33</td><td>8.98</td><td>36.38</td><td>0.00</td><td>361 346 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5916.36	59.87	68.20	-8.33	52.94	34.33	8.98	36.38	0.00	361 346 AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.53</td><td>-----</td><td>-----</td><td>100.51</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>361 346 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5965.00	107.53	-----	-----	100.51	34.40	9.01	36.39	0.00	361 346 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																													
1	5916.36	59.87	68.20	-8.33	52.94	34.33	8.98	36.38	0.00	361 346 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																													
1	5965.00	107.53	-----	-----	100.51	34.40	9.01	36.39	0.00	361 346 AVERAGE																																																																																												



Mode	9																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.16</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>57.42</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	Peak	2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	Peak																																																								
2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	Peak																																																								







Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	10																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																														
ANT	1+2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.16</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>57.42</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	Peak	2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>50.20</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>57.29</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	45.09	74.00	-28.91	50.20	38.91	13.07	57.77	0.68	--	Peak	2	18615.00	36.53	74.00	-37.47	57.29	38.38	6.01	55.61	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	Peak																																																																																																																				
2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	12410.00	45.09	74.00	-28.91	50.20	38.91	13.07	57.77	0.68	--	Peak																																																																																																																				
2	18615.00	36.53	74.00	-37.47	57.29	38.38	6.01	55.61	-9.54	--	Peak																																																																																																																				







Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



		11																																																																
Mode		Harmonic																																																																
		U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																
ANT		1+2																																																																
Pol.		Horizontal																																																																
		Vertical																																																																
Peak	Avg																																																																	
		Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>51.59</td><td>39.73</td><td>13.24</td><td>57.77</td><td>0.79</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>35.93</td><td>74.00</td><td>-38.07</td><td>56.45</td><td>38.13</td><td>6.11</td><td>55.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.58	74.00	-26.42	51.59	39.73	13.24	57.77	0.79	--	Peak	2	19215.00	35.93	74.00	-38.07	56.45	38.13	6.11	55.22	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12810.00	47.58	74.00	-26.42	51.59	39.73	13.24	57.77	0.79	--	Peak																																																							
2	19215.00	35.93	74.00	-38.07	56.45	38.13	6.11	55.22	-9.54	--	Peak																																																							
		Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>50.67</td><td>39.73</td><td>13.24</td><td>57.77</td><td>0.79</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>36.09</td><td>74.00</td><td>-37.91</td><td>56.61</td><td>38.13</td><td>6.11</td><td>55.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	46.66	74.00	-27.34	50.67	39.73	13.24	57.77	0.79	--	Peak	2	19215.00	36.09	74.00	-37.91	56.61	38.13	6.11	55.22	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12810.00	46.66	74.00	-27.34	50.67	39.73	13.24	57.77	0.79	--	Peak																																																							
2	19215.00	36.09	74.00	-37.91	56.61	38.13	6.11	55.22	-9.54	--	Peak																																																							





Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	12																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.40</td><td>76.77</td><td>88.20</td><td>-11.43</td><td>69.83</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>146</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.40	76.77	88.20	-11.43	69.83	34.34	8.98	36.38	0.00	146	334	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5920.40	76.77	88.20	-11.43	69.83	34.34	8.98	36.38	0.00	146	334	PEAK																																												
Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.80</td><td>65.32</td><td>68.20</td><td>-2.88</td><td>58.38</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>146</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.80	65.32	68.20	-2.88	58.38	34.34	8.98	36.38	0.00	146	334	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5920.80	65.32	68.20	-2.88	58.38	34.34	8.98	36.38	0.00	146	334	AVERAGE																																												







Mode	12																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																						
ANT	1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.20</td><td>74.83</td><td>88.20</td><td>-13.37</td><td>67.87</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>359</td><td>24 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	74.83	88.20	-13.37	67.87	34.35	8.99	36.38	0.00	359	24 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.20	74.83	88.20	-13.37	67.87	34.35	8.99	36.38	0.00	359	24 PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>54.45</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>359</td><td>24 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	61.41	68.20	-6.79	54.45	34.35	8.99	36.38	0.00	359	24 AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5925.00	61.41	68.20	-6.79	54.45	34.35	8.99	36.38	0.00	359	24 AVERAGE																																												





Mode	12																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>51.53</td><td>38.95</td><td>12.88</td><td>57.86</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>46.47</td><td>42.45</td><td>15.90</td><td>58.46</td><td>0.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	46.07	74.00	-27.93	51.53	38.95	12.88	57.86	0.57	--	Peak	2	17955.00	46.90	74.00	-27.10	46.47	42.45	15.90	58.46	0.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	11970.00	46.07	74.00	-27.93	51.53	38.95	12.88	57.86	0.57	--	Peak																																																								
2	17955.00	46.90	74.00	-27.10	46.47	42.45	15.90	58.46	0.54	--	Peak																																																								





Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	13																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_484/65RU_5985MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.60</td><td>85.23</td><td>88.20</td><td>-2.97</td><td>78.28</td><td>34.35</td><td>8.98</td><td>36.38</td><td>0.00</td><td>154</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.60	85.23	88.20	-2.97	78.28	34.35	8.98	36.38	0.00	154	334	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5922.60	85.23	88.20	-2.97	78.28	34.35	8.98	36.38	0.00	154	334	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.20</td><td>65.79</td><td>68.20</td><td>-2.41</td><td>58.85</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>154</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.20	65.79	68.20	-2.41	58.85	34.34	8.98	36.38	0.00	154	334	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5918.20	65.79	68.20	-2.41	58.85	34.34	8.98	36.38	0.00	154	334	AVERAGE																																												







Mode	13																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_484/65RU_5985MHz																																																						
ANT	1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.20</td><td>80.68</td><td>88.20</td><td>-7.52</td><td>73.74</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>346</td><td>336 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.20	80.68	88.20	-7.52	73.74	34.34	8.98	36.38	0.00	346	336 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5922.20	80.68	88.20	-7.52	73.74	34.34	8.98	36.38	0.00	346	336 PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>62.33</td><td>68.20</td><td>-5.87</td><td>55.37</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>346</td><td>336 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	62.33	68.20	-5.87	55.37	34.35	8.99	36.38	0.00	346	336 AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5925.00	62.33	68.20	-5.87	55.37	34.35	8.99	36.38	0.00	346	336 AVERAGE																																												



Mode	14																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>50.62</td><td>38.95</td><td>13.09</td><td>57.77</td><td>0.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>38.72</td><td>74.00</td><td>-35.28</td><td>59.47</td><td>38.33</td><td>6.02</td><td>55.56</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	45.58	74.00	-28.42	50.62	38.95	13.09	57.77	0.69	--	Peak	2	18675.00	38.72	74.00	-35.28	59.47	38.33	6.02	55.56	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12450.00	45.58	74.00	-28.42	50.62	38.95	13.09	57.77	0.69	--	Peak																																																								
2	18675.00	38.72	74.00	-35.28	59.47	38.33	6.02	55.56	-9.54	--	Peak																																																								







Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	15																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>49.92</td><td>39.61</td><td>13.22</td><td>57.77</td><td>0.78</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>37.24</td><td>74.00</td><td>-36.76</td><td>57.82</td><td>38.09</td><td>6.11</td><td>55.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	45.76	74.00	-28.24	49.92	39.61	13.22	57.77	0.78	--	Peak	2	19155.00	37.24	74.00	-36.76	57.82	38.09	6.11	55.24	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	12770.00	45.76	74.00	-28.24	49.92	39.61	13.22	57.77	0.78	--	Peak																																																							
2	19155.00	37.24	74.00	-36.76	57.82	38.09	6.11	55.24	-9.54	--	Peak																																																							





Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	16																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5890.00</td><td>76.19</td><td>88.20</td><td>-12.01</td><td>69.35</td><td>34.26</td><td>8.95</td><td>36.37</td><td>0.00</td><td>100</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5890.00	76.19	88.20	-12.01	69.35	34.26	8.95	36.37	0.00	100	354	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5890.00	76.19	88.20	-12.01	69.35	34.26	8.95	36.37	0.00	100	354	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5891.00</td><td>66.19</td><td>68.20</td><td>-2.01</td><td>59.35</td><td>34.26</td><td>8.95</td><td>36.37</td><td>0.00</td><td>100</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5891.00	66.19	68.20	-2.01	59.35	34.26	8.95	36.37	0.00	100	354	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5891.00	66.19	68.20	-2.01	59.35	34.26	8.95	36.37	0.00	100	354	AVERAGE																																												







Mode	16																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																													
ANT	1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.96</td><td>74.39</td><td>88.20</td><td>-13.81</td><td>67.52</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>334</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.96	74.39	88.20	-13.81	67.52	34.29	8.96	36.38	0.00	400	334	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5896.96	74.39	88.20	-13.81	67.52	34.29	8.96	36.38	0.00	400	334	PEAK																																		
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5897.52</td><td>64.76</td><td>68.20</td><td>-3.44</td><td>57.89</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>334</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5897.52	64.76	68.20	-3.44	57.89	34.29	8.96	36.38	0.00	400	334	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5897.52	64.76	68.20	-3.44	57.89	34.29	8.96	36.38	0.00	400	334	AVERAGE																																		





Mode	16																																																																					
	Harmonic																																																																					
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																															
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>50.42</td><td>39.09</td><td>12.92</td><td>57.83</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18075.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>58.71</td><td>37.91</td><td>5.76</td><td>55.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12050.00	45.18	74.00	-28.82	50.42	39.09	12.92	57.83	0.58	--	Peak	2	18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	12050.00	45.18	74.00	-28.82	50.42	39.09	12.92	57.83	0.58	--	Peak																																																											
2	18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	--	Peak																																																											





Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	17																																																							
	Band Edge																																																							
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU_6025MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.12</td><td>80.65</td><td>88.20</td><td>-7.55</td><td>73.76</td><td>34.31</td><td>8.96</td><td>36.38</td><td>0.00</td><td>148</td><td>352</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.12	80.65	88.20	-7.55	73.76	34.31	8.96	36.38	0.00	148	352	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5903.12	80.65	88.20	-7.55	73.76	34.31	8.96	36.38	0.00	148	352	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.48</td><td>65.49</td><td>68.20</td><td>-2.71</td><td>58.64</td><td>34.27</td><td>8.95</td><td>36.37</td><td>0.00</td><td>148</td><td>352</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5892.48	65.49	68.20	-2.71	58.64	34.27	8.95	36.37	0.00	148	352	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5892.48	65.49	68.20	-2.71	58.64	34.27	8.95	36.37	0.00	148	352	AVERAGE																																												







Mode	17																																																							
	Band Edge																																																							
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU_6025MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.40</td><td>77.53</td><td>88.20</td><td>-10.67</td><td>70.66</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.40	77.53	88.20	-10.67	70.66	34.29	8.96	36.38	0.00	400	330	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5896.40	77.53	88.20	-10.67	70.66	34.29	8.96	36.38	0.00	400	330	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.68</td><td>63.59</td><td>68.20</td><td>-4.61</td><td>56.72</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.68	63.59	68.20	-4.61	56.72	34.29	8.96	36.38	0.00	400	330	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5896.68	63.59	68.20	-4.61	56.72	34.29	8.96	36.38	0.00	400	330	AVERAGE																																												





Mode	18											
	Harmonic											
	U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz											
ANT	1+2											
Pol.	Horizontal						Vertical					
Peak Avg												
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL					
</												







Mode	18	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	19																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>50.40</td><td>39.39</td><td>13.19</td><td>57.77</td><td>0.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19035.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>57.99</td><td>38.02</td><td>6.09</td><td>55.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	45.97	74.00	-28.03	50.40	39.39	13.19	57.77	0.76	--	Peak	2	19035.00	37.27	74.00	-36.73	57.99	38.02	6.09	55.29	-9.54	--	Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>49.89</td><td>39.39</td><td>13.19</td><td>57.77</td><td>0.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19035.00</td><td>37.21</td><td>74.00</td><td>-36.79</td><td>57.93</td><td>38.02</td><td>6.09</td><td>55.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	45.46	74.00	-28.54	49.89	39.39	13.19	57.77	0.76	--	Peak	2	19035.00	37.21	74.00	-36.79	57.93	38.02	6.09	55.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12690.00	45.97	74.00	-28.03	50.40	39.39	13.19	57.77	0.76	--	Peak																																																																																																					
2	19035.00	37.27	74.00	-36.73	57.99	38.02	6.09	55.29	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12690.00	45.46	74.00	-28.54	49.89	39.39	13.19	57.77	0.76	--	Peak																																																																																																					
2	19035.00	37.21	74.00	-36.79	57.93	38.02	6.09	55.29	-9.54	--	Peak																																																																																																					





Mode	19	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL







Mode	20																																																																						
	Harmonic																																																																						
	U-NII-6_6.425-6.525_802.11a_CH97_Full RU_6435MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal								Vertical																																																														
Peak Avg																																																																							
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																														
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="3">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line</th><th>Margin</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>50.49</td><td>39.90</td><td>13.26</td><td>57.77</td><td>0.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>37.16</td><td>74.00</td><td>-36.84</td><td>57.58</td><td>38.18</td><td>6.12</td><td>55.18</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>																		Freq	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line	Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	12870.00	46.68	74.00	-27.32	50.49	39.90	13.26	57.77	0.80	--	--	Peak	2	19305.00	37.16	74.00	-36.84	57.58	38.18	6.12	55.18	-9.54	--	--	Peak
	Freq	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
		Level	Line	Margin																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																											
1	12870.00	46.68	74.00	-27.32	50.49	39.90	13.26	57.77	0.80	--	--	Peak																																																											
2	19305.00	37.16	74.00	-36.84	57.58	38.18	6.12	55.18	-9.54	--	--	Peak																																																											





Mode	31																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBH49170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>49.54</td><td>39.83</td><td>13.38</td><td>57.81</td><td>0.86</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>37.76</td><td>74.00</td><td>-36.24</td><td>57.97</td><td>38.28</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	45.80	74.00	-28.20	49.54	39.83	13.38	57.81	0.86	--	Peak	2	19605.00	37.76	74.00	-36.24	57.97	38.28	6.13	55.08	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13070.00	45.80	74.00	-28.20	49.54	39.83	13.38	57.81	0.86	--	Peak																																																							
2	19605.00	37.76	74.00	-36.24	57.97	38.28	6.13	55.08	-9.54	--	Peak																																																							







Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	32																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																														
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>50.69</td><td>40.46</td><td>13.65</td><td>57.97</td><td>0.95</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>37.53</td><td>74.00</td><td>-36.47</td><td>57.78</td><td>38.15</td><td>6.14</td><td>55.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	47.78	74.00	-26.22	50.69	40.46	13.65	57.97	0.95	--	Peak	2	20085.00	37.53	74.00	-36.47	57.78	38.15	6.14	55.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	13390.00	47.78	74.00	-26.22	50.69	40.46	13.65	57.97	0.95	--	Peak																																																										
2	20085.00	37.53	74.00	-36.47	57.78	38.15	6.14	55.00	-9.54	--	Peak																																																										







Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	33																																																																											
	Harmonic																																																																											
	U-NII-7_6.525-6.875_802.11a_CH181_Full RU_6855MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL																																																																					
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13710.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>50.09</td><td>39.99</td><td>13.92</td><td>58.01</td><td>1.03</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>37.36</td><td>74.00</td><td>-36.64</td><td>57.64</td><td>37.97</td><td>6.26</td><td>54.97</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	13710.00	47.02	88.20	-41.18	50.09	39.99	13.92	58.01	1.03	--	--	Peak	2	20565.00	37.36	74.00	-36.64	57.64	37.97	6.26	54.97	-9.54	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	13710.00	47.02	88.20	-41.18	50.09	39.99	13.92	58.01	1.03	--	--	Peak																																																																
2	20565.00	37.36	74.00	-36.64	57.64	37.97	6.26	54.97	-9.54	--	--	Peak																																																																







Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_Full RU_6855MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	34												
	Harmonic												
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz												
ANT	1+2												
Pol.	Horizontal												
Peak Avg													
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL												







Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	35																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>50.61</td><td>40.46</td><td>13.65</td><td>57.97</td><td>0.95</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>37.02</td><td>74.00</td><td>-36.98</td><td>57.27</td><td>38.15</td><td>6.14</td><td>55.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.70	74.00	-26.30	50.61	40.46	13.65	57.97	0.95	--	Peak	2	20085.00	37.02	74.00	-36.98	57.27	38.15	6.14	55.00	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13390.00	47.70	74.00	-26.30	50.61	40.46	13.65	57.97	0.95	--	Peak																																																							
2	20085.00	37.02	74.00	-36.98	57.27	38.15	6.14	55.00	-9.54	--	Peak																																																							







Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	36																																																																											
	Harmonic																																																																											
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																											
ANT	0+1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL																																																																					
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13710.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>51.25</td><td>39.99</td><td>13.92</td><td>58.01</td><td>1.03</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>37.02</td><td>74.00</td><td>-36.98</td><td>57.30</td><td>37.97</td><td>6.26</td><td>54.97</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	13710.00	48.18	88.20	-40.02	51.25	39.99	13.92	58.01	1.03	--	--	PEAK	2	20565.00	37.02	74.00	-36.98	57.30	37.97	6.26	54.97	-9.54	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	13710.00	48.18	88.20	-40.02	51.25	39.99	13.92	58.01	1.03	--	--	PEAK																																																																
2	20565.00	37.02	74.00	-36.98	57.30	37.97	6.26	54.97	-9.54	--	--	Peak																																																																







Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	37																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>50.87</td><td>39.06</td><td>13.43</td><td>57.84</td><td>0.88</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>37.28</td><td>74.00</td><td>-36.72</td><td>57.49</td><td>38.26</td><td>6.13</td><td>55.06</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.20	74.00	-26.80	50.87	39.06	13.43	57.84	0.88	--	Peak	2	19695.00	37.28	74.00	-36.72	57.49	38.26	6.13	55.06	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13130.00	47.20	74.00	-26.80	50.87	39.06	13.43	57.84	0.88	--	Peak																																																							
2	19695.00	37.28	74.00	-36.72	57.49	38.26	6.13	55.06	-9.54	--	Peak																																																							







Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	38																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>51.03</td><td>40.38</td><td>13.63</td><td>57.96</td><td>0.94</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20055.00</td><td>36.69</td><td>74.00</td><td>-37.31</td><td>56.93</td><td>38.17</td><td>6.13</td><td>55.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	48.02	74.00	-25.98	51.03	40.38	13.63	57.96	0.94	--	Peak	2	20055.00	36.69	74.00	-37.31	56.93	38.17	6.13	55.00	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13370.00	48.02	74.00	-25.98	51.03	40.38	13.63	57.96	0.94	--	Peak																																																							
2	20055.00	36.69	74.00	-37.31	56.93	38.17	6.13	55.00	-9.54	--	Peak																																																							







Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	39																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL																																																														
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>50.88</td><td>40.01</td><td>13.91</td><td>58.01</td><td>1.03</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>37.40</td><td>74.00</td><td>-36.60</td><td>57.71</td><td>37.94</td><td>6.27</td><td>54.98</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	47.82	88.20	-40.38	50.88	40.01	13.91	58.01	1.03	--	PEAK	2	20535.00	37.40	74.00	-36.60	57.71	37.94	6.27	54.98	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	13690.00	47.82	88.20	-40.38	50.88	40.01	13.91	58.01	1.03	--	PEAK																																																										
2	20535.00	37.40	74.00	-36.60	57.71	37.94	6.27	54.98	-9.54	--	Peak																																																										







Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	40																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																																
<table><tr><th></th><th></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>49.60</td><td>40.05</td><td>13.53</td><td>57.90</td><td>0.91</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>36.34</td><td>74.00</td><td>-37.66</td><td>56.56</td><td>38.23</td><td>6.12</td><td>55.03</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13250.00	46.19	74.00	-27.81	49.60	40.05	13.53	57.90	0.91	--	Peak	2	19875.00	36.34	74.00	-37.66	56.56	38.23	6.12	55.03	-9.54	--	Peak
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	13250.00	46.19	74.00	-27.81	49.60	40.05	13.53	57.90	0.91	--	Peak																																																												
2	19875.00	36.34	74.00	-37.66	56.56	38.23	6.12	55.03	-9.54	--	Peak																																																												



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL