











		70																																																																																															
Mode	Band Edge - L																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>51.35</td><td>54.00</td><td>-2.65</td><td>39.47</td><td>32.70</td><td>12.85</td><td>34.05</td><td>0.38</td><td>100</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	51.35	54.00	-2.65	39.47	32.70	12.85	34.05	0.38	100	172	AVERAGE	Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>111.16</td><td>-----</td><td>-----</td><td>99.64</td><td>32.48</td><td>12.97</td><td>34.25</td><td>0.32</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	111.16	-----	-----	99.64	32.48	12.97	34.25	0.32	100	172
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5150.00	51.35	54.00	-2.65	39.47	32.70	12.85	34.05	0.38	100	172	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5240.00	111.16	-----	-----	99.64	32.48	12.97	34.25	0.32	100	172	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.64</td><td>61.64</td><td>74.00</td><td>-12.36</td><td>49.77</td><td>32.69</td><td>12.84</td><td>34.04</td><td>0.38</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.64	61.64	74.00	-12.36	49.77	32.69	12.84	34.04	0.38	100	172	PEAK	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>103.53</td><td>-----</td><td>-----</td><td>92.00</td><td>32.43</td><td>12.98</td><td>34.28</td><td>0.32</td><td>100</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	103.53	-----	-----	92.00	32.43	12.98	34.28	0.32	100	172
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5146.64	61.64	74.00	-12.36	49.77	32.69	12.84	34.04	0.38	100	172	PEAK																																																																																					
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5240.00	103.53	-----	-----	92.00	32.43	12.98	34.28	0.32	100	172	AVERAGE																																																																																					



Mode	70																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																							
ANT	6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.22</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>44.14</td><td>32.40</td><td>13.12</td><td>34.56</td><td>0.33</td><td>100</td><td>172</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5350.22	55.43	74.00	-18.57	44.14	32.40	13.12	34.56	0.33	100	172	PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 5350.22	55.43	74.00	-18.57	44.14	32.40	13.12	34.56	0.33	100	172	PEAK																																													
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.22</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>33.33</td><td>32.40</td><td>13.12</td><td>34.56</td><td>0.33</td><td>100</td><td>172</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5350.22	44.62	54.00	-9.38	33.33	32.40	13.12	34.56	0.33	100	172	AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 5350.22	44.62	54.00	-9.38	33.33	32.40	13.12	34.56	0.33	100	172	AVERAGE																																													




Mode	69																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																					
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																					
	U-NII-1_5.15-5.25_802.11ax_HE20_CH48_Full RU_5240MHz																																																																																																																																																																																					
ANT	6/7/6+7																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
Peak																																																																																																																																																																																						
Avg	Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-F_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4824.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>33.30</td><td>32.40</td><td>12.44</td><td>33.67</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 5760.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>38.70</td><td>33.70</td><td>13.58</td><td>35.00</td><td>0.36</td><td>113 15 Peak</td></tr><tr><td>3 7236.00</td><td>48.10</td><td>68.20</td><td>-20.10</td><td>31.35</td><td>36.94</td><td>15.31</td><td>36.48</td><td>0.98</td><td>-- -- Peak</td></tr><tr><td>4 10480.00</td><td>49.44</td><td>68.20</td><td>-18.76</td><td>32.71</td><td>37.30</td><td>18.56</td><td>39.64</td><td>0.51</td><td>-- -- PEAK</td></tr><tr><td>5 15720.00</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>33.73</td><td>41.16</td><td>23.02</td><td>45.24</td><td>0.56</td><td>-- -- PEAK</td></tr><tr><td>6 15720.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>24.72</td><td>41.16</td><td>23.02</td><td>45.24</td><td>0.56</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4824.00	44.96	74.00	-29.04	33.30	32.40	12.44	33.67	0.49	-- -- PEAK	2 5760.00	51.34	74.00	-22.66	38.70	33.70	13.58	35.00	0.36	113 15 Peak	3 7236.00	48.10	68.20	-20.10	31.35	36.94	15.31	36.48	0.98	-- -- Peak	4 10480.00	49.44	68.20	-18.76	32.71	37.30	18.56	39.64	0.51	-- -- PEAK	5 15720.00	53.23	74.00	-20.77	33.73	41.16	23.02	45.24	0.56	-- -- PEAK	6 15720.00	44.22	54.00	-9.78	24.72	41.16	23.02	45.24	0.56	-- -- Average	Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-F_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4824.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>33.40</td><td>32.40</td><td>12.44</td><td>33.67</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 5764.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>38.88</td><td>33.70</td><td>13.59</td><td>35.00</td><td>0.36</td><td>320 320 Peak</td></tr><tr><td>3 7236.00</td><td>48.16</td><td>68.20</td><td>-20.04</td><td>31.41</td><td>36.94</td><td>15.31</td><td>36.48</td><td>0.98</td><td>-- -- Peak</td></tr><tr><td>4 10480.00</td><td>49.33</td><td>68.20</td><td>-18.87</td><td>32.60</td><td>37.30</td><td>18.56</td><td>39.64</td><td>0.51</td><td>-- -- PEAK</td></tr><tr><td>5 15720.00</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>33.27</td><td>41.16</td><td>23.02</td><td>45.24</td><td>0.56</td><td>-- -- PEAK</td></tr><tr><td>6 15720.00</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>24.25</td><td>41.16</td><td>23.02</td><td>45.24</td><td>0.56</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4824.00	45.06	74.00	-28.94	33.40	32.40	12.44	33.67	0.49	-- -- PEAK	2 5764.00	51.53	74.00	-22.47	38.88	33.70	13.59	35.00	0.36	320 320 Peak	3 7236.00	48.16	68.20	-20.04	31.41	36.94	15.31	36.48	0.98	-- -- Peak	4 10480.00	49.33	68.20	-18.87	32.60	37.30	18.56	39.64	0.51	-- -- PEAK	5 15720.00	52.77	74.00	-21.23	33.27	41.16	23.02	45.24	0.56	-- -- PEAK	6 15720.00	43.75	54.00	-10.25	24.25	41.16	23.02	45.24	0.56	-- -- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1 4824.00	44.96	74.00	-29.04	33.30	32.40	12.44	33.67	0.49	-- -- PEAK																																																																																																																																																																													
2 5760.00	51.34	74.00	-22.66	38.70	33.70	13.58	35.00	0.36	113 15 Peak																																																																																																																																																																													
3 7236.00	48.10	68.20	-20.10	31.35	36.94	15.31	36.48	0.98	-- -- Peak																																																																																																																																																																													
4 10480.00	49.44	68.20	-18.76	32.71	37.30	18.56	39.64	0.51	-- -- PEAK																																																																																																																																																																													
5 15720.00	53.23	74.00	-20.77	33.73	41.16	23.02	45.24	0.56	-- -- PEAK																																																																																																																																																																													
6 15720.00	44.22	54.00	-9.78	24.72	41.16	23.02	45.24	0.56	-- -- Average																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1 4824.00	45.06	74.00	-28.94	33.40	32.40	12.44	33.67	0.49	-- -- PEAK																																																																																																																																																																													
2 5764.00	51.53	74.00	-22.47	38.88	33.70	13.59	35.00	0.36	320 320 Peak																																																																																																																																																																													
3 7236.00	48.16	68.20	-20.04	31.41	36.94	15.31	36.48	0.98	-- -- Peak																																																																																																																																																																													
4 10480.00	49.33	68.20	-18.87	32.60	37.30	18.56	39.64	0.51	-- -- PEAK																																																																																																																																																																													
5 15720.00	52.77	74.00	-21.23	33.27	41.16	23.02	45.24	0.56	-- -- PEAK																																																																																																																																																																													
6 15720.00	43.75	54.00	-10.25	24.25	41.16	23.02	45.24	0.56	-- -- Average																																																																																																																																																																													




Appendix B. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6	Bluetooth - LE for 2Mbps	32.80	205	4.88	5.1kHz
7	802.11b	99.16	-	-	10Hz
6+7	802.11b	93.21	1427	0.70	750
6+7	5GHz 802.11ax HE20 Full RU	99.71	-	-	10Hz

<Ant. 6>



<Ant. 7>



MIMO <Ant. 6+7>

