




MIMO <Ant. 6+7(7)>

EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 20.NOV.2024 07:03:07

Plot on Channel 6185 MHz




Date: 20.NOV.2024 07:07:20

Plot on Channel 6345 MHz



Date: 20.NOV.2024 07:10:56


Plot on Channel 6505 MHz



Date: 20.NOV.2024 07:14:35




Plot on Channel 6665 MHz




Date: 20.NOV.2024 07:18:16

Plot on Channel 6825 MHz



Date: 20.NOV.2024 07:28:40

Plot on Channel 6985 MHz




Date: 20.NOV.2024 07:32:07



EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 21.NOV.2024 07:49:48

Plot on Channel 6185 MHz




Date: 21.NOV.2024 07:57:55

Plot on Channel 6665 MHz



Date: 21.NOV.2024 08:12:56


Plot on Channel 6825 MHz



Date: 21.NOV.2024 08:15:52



Plot on Channel 6985 MHz




Date: 21.NOV.2024 23:59:02



EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 21.NOV.2024 08:01:06

Plot on Channel 6505 MHz




Date: 21.NOV.2024 08:07:54

Plot on Channel 6825 MHz



Date: 21.NOV.2024 08:18:35

Plot on Channel 6985 MHz



Date: 22.NOV.2024 00:02:25



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O2228
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	32.67	55.40	22.73	L1	OFF	19.8
0.161250	44.39	---	65.40	21.01	L1	OFF	19.8
0.179250	---	30.06	54.52	24.46	L1	OFF	19.8
0.179250	39.25	---	64.52	25.27	L1	OFF	19.8
0.323250	---	34.31	49.62	15.31	L1	OFF	19.8
0.323250	38.94	---	59.62	20.68	L1	OFF	19.8
0.429000	---	32.71	47.27	14.56	L1	OFF	19.8
0.429000	34.40	---	57.27	22.87	L1	OFF	19.8
0.901500	---	23.68	46.00	22.32	L1	OFF	19.8
0.901500	25.69	---	56.00	30.31	L1	OFF	19.8
7.199250	---	25.86	50.00	24.14	L1	OFF	20.1
7.199250	27.28	---	60.00	32.72	L1	OFF	20.1

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O2228
Mode 1
120Vac/60Hz
Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	37.65	55.40	17.75	N	OFF	19.8
0.161250	49.42	---	65.40	15.98	N	OFF	19.8
0.188250	---	34.49	54.11	19.62	N	OFF	19.8
0.188250	43.33	---	64.11	20.78	N	OFF	19.8
0.237750	---	25.50	52.17	26.67	N	OFF	19.8
0.237750	32.75	---	62.17	29.42	N	OFF	19.8
0.334500	---	29.91	49.34	19.43	N	OFF	19.8
0.334500	33.85	---	59.34	25.49	N	OFF	19.8
0.577500	---	24.35	46.00	21.65	N	OFF	19.8
0.577500	26.39	---	56.00	29.61	N	OFF	19.8
8.862000	---	26.21	50.00	23.79	N	OFF	20.3
8.862000	27.63	---	60.00	32.37	N	OFF	20.3



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, Karl Hou and York Hun	Temperature :	21.5~24.9°C
		Relative Humidity :	50.1~60.9%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

<Sample 1>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 6	U-NII-5	5.925-6.425	6+7	802.11ax HE20	49	6195	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	6+7	802.11ax HE20	93	6415	MCS0	-	-
Mode 8	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Partial RU 242/61	-
Mode 10	U-NII-5	5.925-6.425	6+7	802.11ax HE40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	6+7	802.11ax HE40	91	6405	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Partial RU 484/65	-
Mode 14	U-NII-5	5.925-6.425	6+7	802.11ax HE80	55	6225	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	6+7	802.11ax HE80	87	6385	MCS0	-	-
Mode 16	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Partial RU 996/67	-
Mode 18	U-NII-5	5.925-6.425	6+7	802.11ax HE160	47	6185	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	6+7	802.11ax HE160	79	6345	MCS0	-	-
Mode 20	U-NII-6	6.425-6.525	6+7	802.11a	97	6435	MCS0	-	-
Mode 21	U-NII-6	6.425-6.525	6+7	802.11a	105	6475	MCS0	-	-
Mode 22	U-NII-6	6.425-6.525	6+7	802.11a	113	6515	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-6	6.425-6.525	6+7	802.11ax HE20	97	6435	MCS0	-	-
Mode 24	U-NII-6	6.425-6.525	6+7	802.11ax HE20	105	6475	MCS0	-	-
Mode 25	U-NII-6	6.425-6.525	6+7	802.11ax HE20	113	6515	MCS0	-	-
Mode 26	U-NII-6	6.425-6.525	6+7	802.11ax HE40	99	6445	MCS0	-	-
Mode 27	U-NII-6	6.425-6.525	6+7	802.11ax HE40	107	6485	MCS0	-	-
Mode 28	U-NII-6	6.425-6.525	6+7	802.11ax HE40	115	6525	MCS0	-	-
Mode 29	U-NII-6	6.425-6.525	6+7	802.11ax HE80	103	6465	MCS0	-	-
Mode 30	U-NII-6	6.425-6.525	6+7	802.11ax HE160	111	6505	MCS0	-	-
Mode 31	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	MCS0	-	-
Mode 32	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	6+7	802.11a	181	6855	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	MCS0	-	-
Mode 35	U-NII-7	6.525-6.875	6+7	802.11ax HE20	117	6535	MCS0	-	-
Mode 36	U-NII-7	6.525-6.875	6+7	802.11ax HE20	149	6695	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	6+7	802.11ax HE20	181	6855	MCS0	-	-
Mode 38	U-NII-7	6.525-6.875	6+7	802.11ax HE20	185	6875	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	6+7	802.11ax HE40	123	6565	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	6+7	802.11ax HE40	147	6685	MCS0	-	-
Mode 41	U-NII-7	6.525-6.875	6+7	802.11ax HE40	179	6845	MCS0	-	-
Mode 42	U-NII-7	6.525-6.875	6+7	802.11ax HE40	187	6885	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	6+7	802.11ax HE80	135	6625	MCS0	-	-
Mode 44	U-NII-7	6.525-6.875	6+7	802.11ax HE80	151	6705	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-7	6.525-6.875	6+7	802.11ax HE80	167	6785	MCS0	-	-
Mode 46	U-NII-7	6.525-6.875	6+7	802.11ax HE80	183	6865	MCS0	-	-
Mode 47	U-NII-7	6.525-6.875	6+7	802.11ax HE160	143	6665	MCS0	-	-
Mode 48	U-NII-7	6.525-6.875	6+7	802.11ax HE160	175	6825	MCS0	-	-
Mode 49	U-NII-8	6.875-7.125	6+7	802.11a	189	6895	MCS0	-	-
Mode 50	U-NII-8	6.875-7.125	6+7	802.11a	209	6995	MCS0	-	-
Mode 51	U-NII-8	6.875-7.125	6+7	802.11a	233	7115	MCS0	-	-
Mode 52	U-NII-8	6.875-7.125	6+7	802.11ax HE20	189	6895	MCS0	-	-
Mode 53	U-NII-8	6.875-7.125	6+7	802.11ax HE20	209	6995	MCS0	-	-
Mode 54	U-NII-8	6.875-7.125	6+7	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	6+7	802.11ax HE20	233	7115	MCS0	Partial RU 106/54	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-8	6.875-7.125	6+7	802.11ax HE40	195	6925	MCS0	-	-
Mode 57	U-NII-8	6.875-7.125	6+7	802.11ax HE40	211	7005	MCS0	-	-
Mode 58	U-NII-8	6.875-7.125	6+7	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	6+7	802.11ax HE40	227	7085	MCS0	Partial RU 242/62	-
Mode 60	U-NII-8	6.875-7.125	6+7	802.11ax HE80	199	6945	MCS0	-	-
Mode 61	U-NII-8	6.875-7.125	6+7	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 62	U-NII-8	6.875-7.125	6+7	802.11ax HE80	215	7025	MCS0	Partial RU 484/66	-
Mode 63	U-NII-8	6.875-7.125	6+7	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 64	U-NII-8	6.875-7.125	6+7	802.11ax HE160	207	6985	MCS0	Partial RU 996/68	-
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	LF

**<Sample 2>**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-

<Sample 3>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-

C2. Summary of each worse mode

<Sample 1>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.97	67.02	68.20	-1.18	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.98	54.00	-8.02	V	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	42.72	54.00	-11.28	H	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	39.52	74.00	-34.48	H	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5924.97	66.62	68.20	-1.58	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	45.71	54.00	-8.29	V	Avg.	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5923.41	86.67	88.20	-1.53	V	Peak	Pass	Partial RU 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
6	802.11ax HE20	49	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11ax HE20	49	12390.00	43.25	54.00	-10.75	V	Avg.	Pass	-	Harmonic
7	802.11ax HE20	93	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	93	12830.00	53.15	88.20	-35.05	H	Peak	Pass	-	Harmonic
8	802.11ax HE40	3	5924.96	65.80	68.20	-2.40	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	46.32	54.00	-7.68	V	Avg.	Pass	Full RU	Harmonic
9	802.11ax HE40	3	5924.96	64.98	68.20	-3.22	V	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	51	12410.00	43.92	54.00	-10.08	V	Avg.	Pass	-	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	91	12810.00	54.33	88.20	-33.87	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11ax HE80	7	5924.52	66.38	68.20	-1.82	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	46.67	54.00	-7.33	H	Avg.	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5925.00	66.80	68.20	-1.40	V	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
14	802.11ax HE80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	55	12450.00	43.39	54.00	-10.61	H	Avg.	Pass	-	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	87	12770.00	54.77	88.20	-33.43	V	Peak	Pass	-	Harmonic
16	802.11ax HE160	15	5913.20	66.14	68.20	-2.06	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	42.66	54.00	-11.34	V	Avg.	Pass	Full RU	Harmonic
17	802.11ax HE160	15	5918.00	63.99	68.20	-4.21	H	Avg.	Pass	Partial RU 996/67	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11ax HE160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
18	802.11ax HE160	47	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	47	12370.00	43.96	54.00	-10.04	H	Avg.	Pass	-	Harmonic
19	802.11ax HE160	79	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	79	12690.00	44.75	54.00	-9.25	H	Avg.	Pass	-	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	19305.00	40.91	74.00	-33.09	V	Peak	Pass	-	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	19425.00	40.64	74.00	-33.36	H	Peak	Pass	-	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	19545.00	41.43	74.00	-32.57	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11ax HE20	97	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	97	19305.00	45.71	74.00	-28.29	H	Peak	Pass	-	Harmonic
24	802.11ax HE20	105	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	105	19425.00	40.20	74.00	-33.80	H	Peak	Pass	-	Harmonic
25	802.11ax HE20	113	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	113	19545.00	41.31	74.00	-32.69	V	Peak	Pass	-	Harmonic
26	802.11ax HE40	99	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	99	19335.00	40.54	74.00	-33.46	H	Peak	Pass	-	Harmonic
27	802.11ax HE40	107	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	107	19455.00	40.63	74.00	-33.37	H	Peak	Pass	-	Harmonic
28	802.11ax HE40	115	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
28	802.11ax HE40	115	19575.00	42.09	74.00	-31.91	H	Peak	Pass	-	Harmonic
29	802.11ax HE80	103	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	103	19395.00	41.63	74.00	-32.37	V	Peak	Pass	-	Harmonic
30	802.11ax HE160	111	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	111	7272.80	44.54	54.00	-9.46	H	Avg.	Pass	-	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	40.12	54.00	-13.88	H	Avg.	Pass	-	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	43.15	54.00	-10.85	H	Avg.	Pass	-	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	20565.00	39.70	54.00	-14.30	H	Avg.	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
34	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	20625.00	41.05	54.00	-12.95	H	Avg.	Pass	-	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	117	19605.00	41.67	74.00	-32.33	H	Peak	Pass	-	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	149	13390.00	43.49	54.00	-10.51	H	Avg.	Pass	-	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	181	20565.00	46.30	74.00	-27.70	H	Peak	Pass	-	Harmonic
38	802.11ax HE20	185	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	185	20625.00	45.05	74.00	-28.95	V	Peak	Pass	-	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
39	802.11ax HE40	123	19695.00	42.66	74.00	-31.34	H	Peak	Pass	-	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	147	13370.00	42.87	54.00	-11.13	H	Avg.	Pass	-	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	179	20535.00	43.81	74.00	-30.19	H	Peak	Pass	-	Harmonic
42	802.11ax HE40	187	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	187	20655.00	42.91	74.00	-31.09	H	Peak	Pass	-	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	135	13250.00	42.40	54.00	-11.60	V	Avg.	Pass	-	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	151	20115.00	40.29	74.00	-33.71	V	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
45	802.11ax HE80	167	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	167	7306.40	45.54	54.00	-8.46	V	Avg.	Pass	-	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	183	7312.00	45.92	54.00	-8.08	V	Avg.	Pass	-	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	143	7302.00	46.68	54.00	-7.32	V	Avg.	Pass	-	Harmonic
48	802.11ax HE160	175	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	175	7334.40	50.72	54.00	-3.28	V	Avg.	Pass	-	Harmonic
49	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	20685.00	41.68	54.00	-12.32	H	Avg.	Pass	-	Harmonic
50	802.11a	209	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11a	209	20985.00	46.38	74.00	-27.62	H	Peak	Pass	-	Harmonic
51	802.11a	233	7125.01	66.91	68.20	-1.29	H	Avg.	Pass	-	Band Edge
	802.11a	233	14230.00	55.26	88.20	-32.94	H	Peak	Pass	-	Harmonic
52	802.11ax HE20	189	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	189	20685.00	39.94	54.00	-14.06	H	Avg.	Pass	-	Harmonic
53	802.11ax HE20	209	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	209	20985.00	45.17	74.00	-28.83	V	Peak	Pass	-	Harmonic
54	802.11ax HE20	233	7125.01	66.13	68.20	-2.07	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	233	21345.00	40.94	74.00	-33.06	V	Peak	Pass	Full RU	Harmonic
55	802.11ax HE20	233	7125.92	65.35	68.20	-2.85	H	Avg.	Pass	Partial RU 106/54	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	Partial RU 106/54	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
56	802.11ax HE40	195	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	195	20775.00	46.93	74.00	-27.07	V	Peak	Pass	-	Harmonic
57	802.11ax HE40	211	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	211	21015.00	43.35	74.00	-30.65	H	Peak	Pass	-	Harmonic
58	802.11ax HE40	227	7125.16	67.00	68.20	-1.20	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	21255.00	41.18	74.00	-32.82	H	Peak	Pass	Full RU	Harmonic
59	802.11ax HE40	227	7128.52	66.56	68.20	-1.64	V	Avg.	Pass	Partial RU 242/62	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	Partial RU 242/62	Harmonic
60	802.11ax HE80	199	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	199	7298.00	51.44	54.00	-2.56	H	Avg.	Pass	-	Harmonic
61	802.11ax HE80	215	7125.98	65.59	68.20	-2.61	H	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
61	802.11ax HE80	215	7306.40	43.43	54.00	-10.57	H	Avg.	Pass	Full RU	Harmonic
62	802.11ax HE80	215	7127.52	64.86	68.20	-3.34	V	Avg.	Pass	Partial RU 484/66	Band Edge
	802.11ax HE80	215	-	-	-	-	-	-	-	Partial RU 484/66	Harmonic
63	802.11ax HE160	207	7127.32	64.58	68.20	-3.62	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	207	7298.00	42.39	54.00	-11.61	H	Avg.	Pass	Full RU	Harmonic
64	802.11ax HE160	207	7127.32	66.95	68.20	-1.25	H	Avg.	Pass	Partial RU 996/68	Band Edge
	802.11ax HE160	207	-	-	-	-	-	-	-	Partial RU 996/68	Harmonic
67	LF	1	34.85	31.44	40.00	-8.56	V	QP	Pass	-	LF

**<Sample 2>**





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
65	802.11a	1	5924.58	63.03	68.20	-5.17	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.69	54.00	-8.31	H	Avg.	Pass	-	Harmonic

<Sample 3>





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
66	802.11a	1	5924.97	64.96	68.20	-3.24	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.71	54.00	-8.29	V	Avg.	Pass	-	Harmonic





<Sample 1>

Mode	1																																																																																																											
	Band Edge																																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Horizontal																																																																																																											
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.09</td><td>72.79</td><td>88.20</td><td>-15.41</td><td>60.33</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188</td><td>316</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5922.09	72.79	88.20	-15.41	60.33	33.70	13.79	35.03	0.00	188	316	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>114.81</td><td>-----</td><td>-----</td><td>102.31</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188</td><td>316</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	114.81	-----	-----	102.31	33.71	13.83	35.04	0.00	188	316	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 5922.09	72.79	88.20	-15.41	60.33	33.70	13.79	35.03	0.00	188	316	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 5955.00	114.81	-----	-----	102.31	33.71	13.83	35.04	0.00	188	316	PEAK																																																																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>63.39</td><td>68.20</td><td>-4.81</td><td>50.93</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188</td><td>316</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.97	63.39	68.20	-4.81	50.93	33.70	13.79	35.03	0.00	188	316	AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>108.27</td><td>-----</td><td>-----</td><td>95.77</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188</td><td>316</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	108.27	-----	-----	95.77	33.71	13.83	35.04	0.00	188	316	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 5924.97	63.39	68.20	-4.81	50.93	33.70	13.79	35.03	0.00	188	316	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 5955.00	108.27	-----	-----	95.77	33.71	13.83	35.04	0.00	188	316	AVERAGE																																																																																																	




Mode	1																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																												
ANT	6+7																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5922.63</td><td>75.64</td><td>88.20 -12.56</td><td>63.18</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>163</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5922.63	75.64	88.20 -12.56	63.18	33.70	13.79	35.03	0.00	163	0	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>115.75</td><td>-----</td><td>103.25</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>163</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	115.75	-----	103.25	33.71	13.83	35.04	0.00	163	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5922.63	75.64	88.20 -12.56	63.18	33.70	13.79	35.03	0.00	163	0	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5955.00	115.75	-----	103.25	33.71	13.83	35.04	0.00	163	0	PEAK																																																																																			
Avg																																																																																													
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>67.02</td><td>68.20 -1.18</td><td>54.56</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>163</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.97	67.02	68.20 -1.18	54.56	33.70	13.79	35.03	0.00	163	0	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>108.40</td><td>-----</td><td>95.90</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>163</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	108.40	-----	95.90	33.71	13.83	35.04	0.00	163	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5924.97	67.02	68.20 -1.18	54.56	33.70	13.79	35.03	0.00	163	0	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5955.00	108.40	-----	95.90	33.71	13.83	35.04	0.00	163	0	AVERAGE																																																																																			





Mode	1																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																															
ANT	6+7																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>32.44</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>41.91</td><td>54.00</td><td>-12.09</td><td>23.43</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>33.90</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>24.90</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	50.92	74.00	-23.08	32.44	39.02	19.83	40.82	0.45	--	PEAK	2	11910.00	41.91	54.00	-12.09	23.43	39.02	19.83	40.82	0.45	--	Average	3	17865.00	54.69	74.00	-19.31	33.90	41.46	24.63	45.76	0.46	--	Peak	4	17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	--	Average	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>32.58</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>23.68</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>34.21</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>25.19</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.06	74.00	-22.94	32.58	39.02	19.83	40.82	0.45	--	PEAK	2	11910.00	42.16	54.00	-11.84	23.68	39.02	19.83	40.82	0.45	--	Average	3	17865.00	55.00	74.00	-19.00	34.21	41.46	24.63	45.76	0.46	--	Peak	4	17865.00	45.98	54.00	-8.02	25.19	41.46	24.63	45.76	0.46	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	11910.00	50.92	74.00	-23.08	32.44	39.02	19.83	40.82	0.45	--	PEAK																																																																																																																																																					
2	11910.00	41.91	54.00	-12.09	23.43	39.02	19.83	40.82	0.45	--	Average																																																																																																																																																					
3	17865.00	54.69	74.00	-19.31	33.90	41.46	24.63	45.76	0.46	--	Peak																																																																																																																																																					
4	17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	--	Average																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	11910.00	51.06	74.00	-22.94	32.58	39.02	19.83	40.82	0.45	--	PEAK																																																																																																																																																					
2	11910.00	42.16	54.00	-11.84	23.68	39.02	19.83	40.82	0.45	--	Average																																																																																																																																																					
3	17865.00	55.00	74.00	-19.00	34.21	41.46	24.63	45.76	0.46	--	Peak																																																																																																																																																					
4	17865.00	45.98	54.00	-8.02	25.19	41.46	24.63	45.76	0.46	--	Average																																																																																																																																																					







Mode	2																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																							
ANT	6+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>32.16</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>23.14</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>50.54</td><td>37.93</td><td>25.14</td><td>64.80</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	51.74	74.00	-22.26	32.16	39.98	20.23	41.12	0.49	--	--	PEAK	2	12390.00	42.72	54.00	-11.28	23.14	39.98	20.23	41.12	0.49	--	--	Average	3	18585.00	39.27	74.00	-34.73	50.54	37.93	25.14	64.80	-9.54	--	--	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	12390.00	51.74	74.00	-22.26	32.16	39.98	20.23	41.12	0.49	--	--	PEAK																																																												
2	12390.00	42.72	54.00	-11.28	23.14	39.98	20.23	41.12	0.49	--	--	Average																																																												
3	18585.00	39.27	74.00	-34.73	50.54	37.93	25.14	64.80	-9.54	--	--	PEAK																																																												







Mode	3																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHZ																																																																				
ANT	6+7																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>32.64</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>39.52</td><td>74.00</td><td>-34.48</td><td>50.07</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	12830.00	53.66	88.20	-34.54	32.64	41.10	20.60	41.21	0.53	--	--	PEAK	2	19245.00	39.52	74.00	-34.48	50.07	37.72	25.62	64.35	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																											
1	12830.00	53.66	88.20	-34.54	32.64	41.10	20.60	41.21	0.53	--	--	PEAK																																																									
2	19245.00	39.52	74.00	-34.48	50.07	37.72	25.62	64.35	-9.54	--	--	PEAK																																																									





Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.24</td><td>78.40</td><td>88.20</td><td>-9.80</td><td>65.94</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>185</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.24	78.40	88.20	-9.80	65.94	33.70	13.79	35.03	0.00	185	332	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.69</td><td>-----</td><td>-----</td><td>102.19</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>185</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	114.69	-----	-----	102.19	33.71	13.83	35.04	0.00	185	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5922.24	78.40	88.20	-9.80	65.94	33.70	13.79	35.03	0.00	185	332	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5955.00	114.69	-----	-----	102.19	33.71	13.83	35.04	0.00	185	332	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>62.46</td><td>68.20</td><td>-5.74</td><td>50.00</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>185</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	62.46	68.20	-5.74	50.00	33.70	13.79	35.03	0.00	185	332	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.00</td><td>-----</td><td>-----</td><td>94.50</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>185</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	107.00	-----	-----	94.50	33.71	13.83	35.04	0.00	185	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5924.97	62.46	68.20	-5.74	50.00	33.70	13.79	35.03	0.00	185	332	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5955.00	107.00	-----	-----	94.50	33.71	13.83	35.04	0.00	185	332	AVERAGE																																																																																							







		4																																																
Mode	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																	
ANT	6+7																																																	
Pol.	Vertical																																																	
Peak																																																		
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.58</td><td>83.57</td><td>88.20</td><td>-4.63</td><td>71.11</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>147 360 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.58	83.57	88.20	-4.63	71.11	33.70	13.79	35.03	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																									
1 5924.58	83.57	88.20	-4.63	71.11	33.70	13.79	35.03	0.00	147 360 PEAK																																									
Fundamental																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>116.22</td><td>-----</td><td>-----</td><td>103.70</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>147 360 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	116.22	-----	-----	103.70	33.72	13.84	35.04	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																									
1 5955.00	116.22	-----	-----	103.70	33.72	13.84	35.04	0.00	147 360 PEAK																																									
Avg																																																		
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>66.62</td><td>68.20</td><td>-1.58</td><td>54.16</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>147 360 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.97	66.62	68.20	-1.58	54.16	33.70	13.79	35.03	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																									
1 5924.97	66.62	68.20	-1.58	54.16	33.70	13.79	35.03	0.00	147 360 AVERAGE																																									
Fundamental																																																		
	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>108.74</td><td>-----</td><td>-----</td><td>96.22</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>147 360 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	108.74	-----	-----	96.22	33.72	13.84	35.04	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																									
1 5955.00	108.74	-----	-----	96.22	33.72	13.84	35.04	0.00	147 360 AVERAGE																																									







Mode	4																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																															
ANT	6+7																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.83</td><td>74.00</td><td>-22.17</td><td>33.35</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>24.36</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>33.77</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17865.00</td><td>45.55</td><td>54.00</td><td>-8.45</td><td>24.76</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.83	74.00	-22.17	33.35	39.02	19.83	40.82	0.45	--	PEAK	2	11910.00	42.84	54.00	-11.16	24.36	39.02	19.83	40.82	0.45	--	Average	3	17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	--	PEAK	4	17865.00	45.55	54.00	-8.45	24.76	41.46	24.63	45.76	0.46	--	Average	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>33.05</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>24.03</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.76</td><td>74.00</td><td>-19.24</td><td>33.97</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17865.00</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>24.92</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.53	74.00	-22.47	33.05	39.02	19.83	40.82	0.45	--	PEAK	2	11910.00	42.51	54.00	-11.49	24.03	39.02	19.83	40.82	0.45	--	Average	3	17865.00	54.76	74.00	-19.24	33.97	41.46	24.63	45.76	0.46	--	PEAK	4	17865.00	45.71	54.00	-8.29	24.92	41.46	24.63	45.76	0.46	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	11910.00	51.83	74.00	-22.17	33.35	39.02	19.83	40.82	0.45	--	PEAK																																																																																																																																																					
2	11910.00	42.84	54.00	-11.16	24.36	39.02	19.83	40.82	0.45	--	Average																																																																																																																																																					
3	17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	--	PEAK																																																																																																																																																					
4	17865.00	45.55	54.00	-8.45	24.76	41.46	24.63	45.76	0.46	--	Average																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	11910.00	51.53	74.00	-22.47	33.05	39.02	19.83	40.82	0.45	--	PEAK																																																																																																																																																					
2	11910.00	42.51	54.00	-11.49	24.03	39.02	19.83	40.82	0.45	--	Average																																																																																																																																																					
3	17865.00	54.76	74.00	-19.24	33.97	41.46	24.63	45.76	0.46	--	PEAK																																																																																																																																																					
4	17865.00	45.71	54.00	-8.29	24.92	41.46	24.63	45.76	0.46	--	Average																																																																																																																																																					





		5																																																																																														
Mode	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																															
ANT	6+7																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5919.77</td><td>82.72</td><td>88.20</td><td>-5.48</td><td>70.26</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>309</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5919.77	82.72	88.20	-5.48	70.26	33.70	13.79	35.03	0.00	195	309	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>116.05</td><td>-----</td><td>-----</td><td>103.57</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>309</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	116.05	-----	-----	103.57	33.70	13.82	35.04	0.00	195	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5919.77	82.72	88.20	-5.48	70.26	33.70	13.79	35.03	0.00	195	309	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5955.00	116.05	-----	-----	103.57	33.70	13.82	35.04	0.00	195	309	PEAK																																																																																					
Avg																																																																																																
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5919.51</td><td>64.41</td><td>68.20</td><td>-3.79</td><td>51.95</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>309</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5919.51	64.41	68.20	-3.79	51.95	33.70	13.79	35.03	0.00	195	309	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>109.12</td><td>-----</td><td>-----</td><td>96.64</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>309</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	109.12	-----	-----	96.64	33.70	13.82	35.04	0.00	195	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5919.51	64.41	68.20	-3.79	51.95	33.70	13.79	35.03	0.00	195	309	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5955.00	109.12	-----	-----	96.64	33.70	13.82	35.04	0.00	195	309	AVERAGE																																																																																					





Mode	5																																																					
	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																					
ANT	6+7																																																					
Pol.	Vertical																																																					
Peak																																																						
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.41</td><td>86.67</td><td>88.20</td><td>-1.53</td><td>74.21</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>360 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.41	86.67	88.20	-1.53	74.21	33.70	13.79	35.03	0.00	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5923.41	86.67	88.20	-1.53	74.21	33.70	13.79	35.03	0.00	130	360 PEAK																																												
Fundamental																																																						
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>117.22</td><td>-----</td><td>-----</td><td>104.74</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>130</td><td>360 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	117.22	-----	-----	104.74	33.70	13.82	35.04	0.00	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5955.00	117.22	-----	-----	104.74	33.70	13.82	35.04	0.00	130	360 PEAK																																												
Avg																																																						
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>65.85</td><td>68.20</td><td>-2.35</td><td>53.39</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.97	65.85	68.20	-2.35	53.39	33.70	13.79	35.03	0.00	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5924.97	65.85	68.20	-2.35	53.39	33.70	13.79	35.03	0.00	130	360 AVERAGE																																												
AVERAGE																																																						
	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>108.52</td><td>-----</td><td>-----</td><td>96.04</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>130</td><td>360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	108.52	-----	-----	96.04	33.70	13.82	35.04	0.00	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5955.00	108.52	-----	-----	96.04	33.70	13.82	35.04	0.00	130	360 AVERAGE																																												







Mode	6																																																																													
	Harmonic																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_6195MHz																																																																													
ANT	6+7																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>32.52</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>23.49</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>51.01</td><td>37.93</td><td>25.14</td><td>64.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK	2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average	3	18585.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.80	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																				
1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK																																																																			
2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average																																																																			
3	18585.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.80	-9.54	--	Peak																																																																			
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.27</td><td>74.00</td><td>-21.73</td><td>32.69</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>43.25</td><td>54.00</td><td>-10.75</td><td>23.67</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>51.04</td><td>37.93</td><td>25.14</td><td>64.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	12390.00	52.27	74.00	-21.73	32.69	39.98	20.23	41.12	0.49	--	PEAK	2	12390.00	43.25	54.00	-10.75	23.67	39.98	20.23	41.12	0.49	--	Average	3	18585.00	39.77	74.00	-34.23	51.04	37.93	25.14	64.80	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																				
1	12390.00	52.27	74.00	-21.73	32.69	39.98	20.23	41.12	0.49	--	PEAK																																																																			
2	12390.00	43.25	54.00	-10.75	23.67	39.98	20.23	41.12	0.49	--	Average																																																																			
3	18585.00	39.77	74.00	-34.23	51.04	37.93	25.14	64.80	-9.54	--	Peak																																																																			







Mode	7																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.15</td><td>88.20</td><td>-35.05</td><td>32.13</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>49.29</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	53.15	88.20	-35.05	32.13	41.10	20.60	41.21	0.53	--	PEAK	2	19245.00	38.74	74.00	-35.26	49.29	37.72	25.62	64.35	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	12830.00	53.15	88.20	-35.05	32.13	41.10	20.60	41.21	0.53	--	PEAK																																																							
2	19245.00	38.74	74.00	-35.26	49.29	37.72	25.62	64.35	-9.54	--	Peak																																																							





Mode	8																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.40</td><td>72.86</td><td>88.20 -15.34</td><td>60.41</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>188</td><td>331 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 5917.40	72.86	88.20 -15.34	60.41	33.70	13.78	35.03	0.00	188	331 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>113.09</td><td>-----</td><td>100.59</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188</td><td>331 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 5965.00	113.09	-----	100.59	33.71	13.83	35.04	0.00	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																
1 5917.40	72.86	88.20 -15.34	60.41	33.70	13.78	35.03	0.00	188	331 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																
1 5965.00	113.09	-----	100.59	33.71	13.83	35.04	0.00	188	331 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>61.50</td><td>68.20 -6.70</td><td>49.04</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188</td><td>331 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 5924.96	61.50	68.20 -6.70	49.04	33.70	13.79	35.03	0.00	188	331 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>105.09</td><td>-----</td><td>92.57</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>188</td><td>331 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 5965.00	105.09	-----	92.57	33.72	13.84	35.04	0.00	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																
1 5924.96	61.50	68.20 -6.70	49.04	33.70	13.79	35.03	0.00	188	331 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																
1 5965.00	105.09	-----	92.57	33.72	13.84	35.04	0.00	188	331 AVERAGE																																																																																







Mode	8																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.98</td><td>77.77</td><td>88.20</td><td>-10.43</td><td>65.31</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>8</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	77.77	88.20	-10.43	65.31	33.70	13.79	35.03	0.00	130	8	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>112.00</td><td>-----</td><td>-----</td><td>99.58</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>130</td><td>8</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.00	-----	-----	99.58	33.71	13.83	35.04	0.00	130	8
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.98	77.77	88.20	-10.43	65.31	33.70	13.79	35.03	0.00	130	8	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	112.00	-----	-----	99.58	33.71	13.83	35.04	0.00	130	8	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>65.00</td><td>68.20</td><td>-2.40</td><td>53.34</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>8</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	65.00	68.20	-2.40	53.34	33.70	13.79	35.03	0.00	130	8	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>103.70</td><td>-----</td><td>-----</td><td>91.16</td><td>33.73</td><td>13.85</td><td>35.04</td><td>0.00</td><td>130</td><td>8</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.70	-----	-----	91.16	33.73	13.85	35.04	0.00	130	8
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.96	65.00	68.20	-2.40	53.34	33.70	13.79	35.03	0.00	130	8	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	103.70	-----	-----	91.16	33.73	13.85	35.04	0.00	130	8	AVERAGE																																																																																					



Mode	8										
	Harmonic										
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz										
ANT	6+7										
Pol.	Horizontal						Vertical				
Peak Avg											
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL				
	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	11930.00	51.68	74.00	-22.32	33.16	39.06	19.85	40.84	0.45	--	-- PEAK
2	11930.00	42.64	54.00	-11.36	24.12	39.06	19.85	40.84	0.45	--	-- Average
3	17895.00	55.23	74.00	-18.77	34.23	41.58	24.66	45.70	0.46	--	-- PEAK
4	17895.00	46.18	54.00	-7.82	25.18	41.58	24.66	45.70	0.46	--	-- Average
	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	11930.00	50.87	74.00	-23.13	32.35	39.06	19.85	40.84	0.45	--	-- PEAK
2	11930.00	41.85	54.00	-12.15	23.33	39.06	19.85	40.84	0.45	--	-- Average
3	17895.00	55.34	74.00	-18.66	34.34	41.58	24.66	45.70	0.46	--	-- PEAK
4	17895.00	46.32	54.00	-7.68	25.32	41.58	24.66	45.70	0.46	--	-- Average





Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.42</td><td>83.23</td><td>88.20</td><td>-4.97</td><td>70.77</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>186</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.42	83.23	88.20	-4.97	70.77	33.70	13.79	35.03	0.00	186	311	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>116.78</td><td>-----</td><td>-----</td><td>104.26</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>186</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	116.78	-----	-----	104.26	33.72	13.84	35.04	0.00	186	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5923.42	83.23	88.20	-4.97	70.77	33.70	13.79	35.03	0.00	186	311	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5965.00	116.78	-----	-----	104.26	33.72	13.84	35.04	0.00	186	311	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.98</td><td>64.04</td><td>68.20</td><td>-4.16</td><td>51.59</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>186</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5916.98	64.04	68.20	-4.16	51.59	33.70	13.78	35.03	0.00	186	311	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>106.19</td><td>-----</td><td>-----</td><td>93.71</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>186</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	106.19	-----	-----	93.71	33.70	13.82	35.04	0.00	186	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5916.98	64.04	68.20	-4.16	51.59	33.70	13.78	35.03	0.00	186	311	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5965.00	106.19	-----	-----	93.71	33.70	13.82	35.04	0.00	186	311	AVERAGE																																																																																							





		9									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz										
ANT	6+7										
Pol.	Vertical										
Peak											







Mode	10																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_6205MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12410.00</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>32.81</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 12410.00</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>23.77</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18615.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>51.07</td><td>37.90</td><td>25.16</td><td>64.76</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12410.00	52.44	74.00	-21.56	32.81	40.02	20.25	41.13	0.49	-- -- PEAK	2 12410.00	43.40	54.00	-10.60	23.77	40.02	20.25	41.13	0.49	-- -- Average	3 18615.00	39.83	74.00	-34.17	51.07	37.90	25.16	64.76	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12410.00</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>33.39</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 12410.00</td><td>43.92</td><td>54.00</td><td>-10.08</td><td>24.29</td><td>40.02</td><td>20.25</td><td>41.13</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18615.00</td><td>39.59</td><td>74.00</td><td>-34.41</td><td>50.83</td><td>37.90</td><td>25.16</td><td>64.76</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12410.00	53.02	74.00	-20.98	33.39	40.02	20.25	41.13	0.49	-- -- PEAK	2 12410.00	43.92	54.00	-10.08	24.29	40.02	20.25	41.13	0.49	-- -- Average	3 18615.00	39.59	74.00	-34.41	50.83	37.90	25.16	64.76	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12410.00	52.44	74.00	-21.56	32.81	40.02	20.25	41.13	0.49	-- -- PEAK																																																																																																																	
2 12410.00	43.40	54.00	-10.60	23.77	40.02	20.25	41.13	0.49	-- -- Average																																																																																																																	
3 18615.00	39.83	74.00	-34.17	51.07	37.90	25.16	64.76	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12410.00	53.02	74.00	-20.98	33.39	40.02	20.25	41.13	0.49	-- -- PEAK																																																																																																																	
2 12410.00	43.92	54.00	-10.08	24.29	40.02	20.25	41.13	0.49	-- -- Average																																																																																																																	
3 18615.00	39.59	74.00	-34.41	50.83	37.90	25.16	64.76	-9.54	-- -- PEAK																																																																																																																	



Mode	11																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz																																																																																																																							
ANT	6+7																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>33.32</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>49.83</td><td>37.84</td><td>25.60</td><td>64.34</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	54.33	88.20	-33.87	33.32	41.10	20.58	41.20	0.53	--	PEAK	2	19215.00	39.39	74.00	-34.61	49.83	37.84	25.60	64.34	-9.54	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>53.89</td><td>88.20</td><td>-34.31</td><td>32.88</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>49.21</td><td>37.84</td><td>25.60</td><td>64.34</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	53.89	88.20	-34.31	32.88	41.10	20.58	41.20	0.53	--	PEAK	2	19215.00	38.77	74.00	-35.23	49.21	37.84	25.60	64.34	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	12810.00	54.33	88.20	-33.87	33.32	41.10	20.58	41.20	0.53	--	PEAK																																																																																																													
2	19215.00	39.39	74.00	-34.61	49.83	37.84	25.60	64.34	-9.54	--	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	12810.00	53.89	88.20	-34.31	32.88	41.10	20.58	41.20	0.53	--	PEAK																																																																																																													
2	19215.00	38.77	74.00	-35.23	49.21	37.84	25.60	64.34	-9.54	--	PEAK																																																																																																													





		12																																																		
Mode	Band Edge																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																			
ANT	6+7																																																			
Pol.	Horizontal																																																			
Peak	Fundamental																																																			
	Fundamental																																																			
																																																				
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.40</td><td>77.08</td><td>88.20</td><td>-11.12</td><td>64.64</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>188</td><td>329 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5907.40	77.08	88.20	-11.12	64.64	33.70	13.77	35.03	0.00	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5907.40	77.08	88.20	-11.12	64.64	33.70	13.77	35.03	0.00	188	329 PEAK																																										
																																																				
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5916.52</td><td>65.78</td><td>68.20</td><td>-2.42</td><td>53.33</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>188</td><td>329 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5916.52	65.78	68.20	-2.42	53.33	33.70	13.78	35.03	0.00	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5916.52	65.78	68.20	-2.42	53.33	33.70	13.78	35.03	0.00	188	329 AVERAGE																																										







Mode	12																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5925.00</td><td>80.41</td><td>88.20</td><td>-7.79</td><td>67.95</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 6 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5925.00	80.41	88.20	-7.79	67.95	33.70	13.79	35.03	0.00	130 6 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>100.90</td><td>-----</td><td>-----</td><td>96.24</td><td>33.82</td><td>13.89</td><td>35.05</td><td>0.00</td><td>130 6 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.90	-----	-----	96.24	33.82	13.89	35.05	0.00	130 6 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5925.00	80.41	88.20	-7.79	67.95	33.70	13.79	35.03	0.00	130 6 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	100.90	-----	-----	96.24	33.82	13.89	35.05	0.00	130 6 PEAK																																																																									
Avg	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.52</td><td>66.38</td><td>68.20</td><td>-1.82</td><td>53.92</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 6 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.52	66.38	68.20	-1.82	53.92	33.70	13.79	35.03	0.00	130 6 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>99.64</td><td>-----</td><td>-----</td><td>87.07</td><td>33.76</td><td>13.86</td><td>35.05</td><td>0.00</td><td>130 6 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	99.64	-----	-----	87.07	33.76	13.86	35.05	0.00	130 6 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.52	66.38	68.20	-1.82	53.92	33.70	13.79	35.03	0.00	130 6 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	99.64	-----	-----	87.07	33.76	13.86	35.05	0.00	130 6 AVERAGE																																																																									







Mode	12																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																																																															
ANT	6+7																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>32.00</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11970.00</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>23.72</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>34.53</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17955.00</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>25.47</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.44	74.00	-22.56	32.00	39.18	19.88	40.87	0.45	--	PEAK	2	11970.00	42.36	54.00	-11.64	23.72	39.18	19.88	40.87	0.45	--	Average	3	17955.00	55.73	74.00	-18.27	34.53	41.62	24.70	45.58	0.46	--	PEAK	4	17955.00	46.67	54.00	-7.33	25.47	41.62	24.70	45.58	0.46	--	Average	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>32.40</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11970.00</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>23.39</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.15</td><td>74.00</td><td>-18.85</td><td>33.95</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17955.00</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>24.90</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.04	74.00	-22.96	32.40	39.18	19.88	40.87	0.45	--	PEAK	2	11970.00	42.03	54.00	-11.97	23.39	39.18	19.88	40.87	0.45	--	Average	3	17955.00	55.15	74.00	-18.85	33.95	41.62	24.70	45.58	0.46	--	PEAK	4	17955.00	46.10	54.00	-7.90	24.90	41.62	24.70	45.58	0.46	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	11970.00	51.44	74.00	-22.56	32.00	39.18	19.88	40.87	0.45	--	PEAK																																																																																																																																																					
2	11970.00	42.36	54.00	-11.64	23.72	39.18	19.88	40.87	0.45	--	Average																																																																																																																																																					
3	17955.00	55.73	74.00	-18.27	34.53	41.62	24.70	45.58	0.46	--	PEAK																																																																																																																																																					
4	17955.00	46.67	54.00	-7.33	25.47	41.62	24.70	45.58	0.46	--	Average																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	11970.00	51.04	74.00	-22.96	32.40	39.18	19.88	40.87	0.45	--	PEAK																																																																																																																																																					
2	11970.00	42.03	54.00	-11.97	23.39	39.18	19.88	40.87	0.45	--	Average																																																																																																																																																					
3	17955.00	55.15	74.00	-18.85	33.95	41.62	24.70	45.58	0.46	--	PEAK																																																																																																																																																					
4	17955.00	46.10	54.00	-7.90	24.90	41.62	24.70	45.58	0.46	--	Average																																																																																																																																																					





		13																																																				
Mode	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																					
ANT	6+7																																																					
Pol.	Horizontal																																																					
Peak																																																						
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5921.00</td><td>84.87</td><td>88.20</td><td>-3.33</td><td>72.41</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>314 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5921.00	84.87	88.20	-3.33	72.41	33.70	13.79	35.03	0.00	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5921.00	84.87	88.20	-3.33	72.41	33.70	13.79	35.03	0.00	195	314 PEAK																																												
Fundamental																																																						
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>111.85</td><td>-----</td><td>-----</td><td>99.37</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>314 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5985.00	111.85	-----	-----	99.37	33.70	13.82	35.04	0.00	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5985.00	111.85	-----	-----	99.37	33.70	13.82	35.04	0.00	195	314 PEAK																																												
Avg																																																						
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5925.00</td><td>65.66</td><td>68.20</td><td>-2.54</td><td>53.20</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>314 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5925.00	65.66	68.20	-2.54	53.20	33.70	13.79	35.03	0.00	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5925.00	65.66	68.20	-2.54	53.20	33.70	13.79	35.03	0.00	195	314 AVERAGE																																												
AVERAGE																																																						
	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>103.58</td><td>-----</td><td>-----</td><td>91.10</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>314 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5985.00	103.58	-----	-----	91.10	33.70	13.82	35.04	0.00	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1 5985.00	103.58	-----	-----	91.10	33.70	13.82	35.04	0.00	195	314 AVERAGE																																												





Mode	13																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>81.63</td><td>88.20</td><td>-6.57</td><td>69.17</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>136</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	81.63	88.20	-6.57	69.17	33.70	13.79	35.03	0.00	136	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>109.58</td><td>-----</td><td>-----</td><td>97.01</td><td>33.76</td><td>13.86</td><td>35.05</td><td>0.00</td><td>136</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.58	-----	-----	97.01	33.76	13.86	35.05	0.00	136	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	81.63	88.20	-6.57	69.17	33.70	13.79	35.03	0.00	136	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	109.58	-----	-----	97.01	33.76	13.86	35.05	0.00	136	360	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>66.80</td><td>68.20</td><td>-1.40</td><td>54.34</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>136</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	66.80	68.20	-1.40	54.34	33.70	13.79	35.03	0.00	136	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>101.44</td><td>-----</td><td>-----</td><td>88.96</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>136</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.44	-----	-----	88.96	33.70	13.82	35.04	0.00	136	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	66.80	68.20	-1.40	54.34	33.70	13.79	35.03	0.00	136	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	101.44	-----	-----	88.96	33.70	13.82	35.04	0.00	136	360	AVERAGE																																																																																							







Mode	14																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_6225MHz																																																																																																																															
ANT	6+7																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12450.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>32.69</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>12450.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>23.67</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3</td><td>18675.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>51.07</td><td>37.85</td><td>25.20</td><td>64.69</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	12450.00	52.41	74.00	-21.59	32.69	40.10	20.28	41.15	0.49	-- -- PEAK	2	12450.00	43.39	54.00	-10.61	23.67	40.10	20.28	41.15	0.49	-- -- Average	3	18675.00	39.89	74.00	-34.11	51.07	37.85	25.20	64.69	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12450.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>32.65</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>12450.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>23.62</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3</td><td>18675.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>51.01</td><td>37.85</td><td>25.20</td><td>64.69</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	12450.00	52.37	74.00	-21.63	32.65	40.10	20.28	41.15	0.49	-- -- PEAK	2	12450.00	43.34	54.00	-10.66	23.62	40.10	20.28	41.15	0.49	-- -- Average	3	18675.00	39.83	74.00	-34.17	51.01	37.85	25.20	64.69	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																							
1	12450.00	52.41	74.00	-21.59	32.69	40.10	20.28	41.15	0.49	-- -- PEAK																																																																																																																						
2	12450.00	43.39	54.00	-10.61	23.67	40.10	20.28	41.15	0.49	-- -- Average																																																																																																																						
3	18675.00	39.89	74.00	-34.11	51.07	37.85	25.20	64.69	-9.54	-- -- PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																							
1	12450.00	52.37	74.00	-21.63	32.65	40.10	20.28	41.15	0.49	-- -- PEAK																																																																																																																						
2	12450.00	43.34	54.00	-10.66	23.62	40.10	20.28	41.15	0.49	-- -- Average																																																																																																																						
3	18675.00	39.83	74.00	-34.17	51.01	37.85	25.20	64.69	-9.54	-- -- PEAK																																																																																																																						







Mode	15																																																																
	Harmonic																																																																
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_6385MHz																																																																
ANT	6+7																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.23</td><td>88.20</td><td>-34.97</td><td>32.32</td><td>41.04</td><td>20.55</td><td>41.20</td><td>0.52</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>49.63</td><td>38.08</td><td>25.55</td><td>64.33</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	53.23	88.20	-34.97	32.32	41.04	20.55	41.20	0.52	--	PEAK	2	19155.00	39.39	74.00	-34.61	49.63	38.08	25.55	64.33	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	12770.00	53.23	88.20	-34.97	32.32	41.04	20.55	41.20	0.52	--	PEAK																																																						
2	19155.00	39.39	74.00	-34.61	49.63	38.08	25.55	64.33	-9.54	--	PEAK																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.77</td><td>88.20</td><td>-33.43</td><td>33.86</td><td>41.04</td><td>20.55</td><td>41.20</td><td>0.52</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>50.80</td><td>38.08</td><td>25.55</td><td>64.33</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	54.77	88.20	-33.43	33.86	41.04	20.55	41.20	0.52	--	PEAK	2	19155.00	40.56	74.00	-33.44	50.80	38.08	25.55	64.33	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	12770.00	54.77	88.20	-33.43	33.86	41.04	20.55	41.20	0.52	--	PEAK																																																						
2	19155.00	40.56	74.00	-33.44	50.80	38.08	25.55	64.33	-9.54	--	PEAK																																																						





Mode	16																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5915.00</td><td>75.69</td><td>88.20</td><td>-12.51</td><td>63.24</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>190</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5915.00	75.69	88.20	-12.51	63.24	33.70	13.78	35.03	0.00	190	331	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>100.10</td><td>-----</td><td>-----</td><td>95.23</td><td>34.01</td><td>13.92</td><td>35.06</td><td>0.00</td><td>190</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6025.00	100.10	-----	-----	95.23	34.01	13.92	35.06	0.00	190	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5915.00	75.69	88.20	-12.51	63.24	33.70	13.78	35.03	0.00	190	331	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	6025.00	100.10	-----	-----	95.23	34.01	13.92	35.06	0.00	190	331	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5916.00</td><td>65.91</td><td>68.20</td><td>-2.29</td><td>53.46</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>190</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5916.00	65.91	68.20	-2.29	53.46	33.70	13.78	35.03	0.00	190	331	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>98.88</td><td>-----</td><td>-----</td><td>86.01</td><td>34.01</td><td>13.92</td><td>35.06</td><td>0.00</td><td>190</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6025.00	98.88	-----	-----	86.01	34.01	13.92	35.06	0.00	190	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5916.00	65.91	68.20	-2.29	53.46	33.70	13.78	35.03	0.00	190	331	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	6025.00	98.88	-----	-----	86.01	34.01	13.92	35.06	0.00	190	331	AVERAGE																																																																																									







Mode	16																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																												
ANT	6+7																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5914.00</td><td>75.83</td><td>88.20</td><td>-12.37</td><td>63.38</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>120</td><td>6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5914.00	75.83	88.20	-12.37	63.38	33.70	13.78	35.03	0.00	120	6 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>105.62</td><td>-----</td><td>-----</td><td>92.62</td><td>34.13</td><td>13.94</td><td>35.07</td><td>0.00</td><td>120</td><td>6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	105.62	-----	-----	92.62	34.13	13.94	35.07	0.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5914.00	75.83	88.20	-12.37	63.38	33.70	13.78	35.03	0.00	120	6 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 6025.00	105.62	-----	-----	92.62	34.13	13.94	35.07	0.00	120	6 PEAK																																																																																			
Avg																																																																																													
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5913.20</td><td>66.14</td><td>68.20</td><td>-2.06</td><td>53.69</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>120</td><td>6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5913.20	66.14	68.20	-2.06	53.69	33.70	13.78	35.03	0.00	120	6 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>95.98</td><td>-----</td><td>-----</td><td>83.25</td><td>33.89</td><td>13.90</td><td>35.06</td><td>0.00</td><td>120</td><td>6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	95.98	-----	-----	83.25	33.89	13.90	35.06	0.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5913.20	66.14	68.20	-2.06	53.69	33.70	13.78	35.03	0.00	120	6 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 6025.00	95.98	-----	-----	83.25	33.89	13.90	35.06	0.00	120	6 AVERAGE																																																																																			







Mode	16																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12050.00</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>32.48</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 12050.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>23.45</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 18075.00</td><td>39.70</td><td>74.00</td><td>-34.30</td><td>51.26</td><td>37.50</td><td>24.79</td><td>64.31</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12050.00	51.36	74.00	-22.64	32.48	39.40	19.95	40.92	0.45	-- -- PEAK	2 12050.00	42.33	54.00	-11.67	23.45	39.40	19.95	40.92	0.45	-- -- Average	3 18075.00	39.70	74.00	-34.30	51.26	37.50	24.79	64.31	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12050.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>32.81</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 12050.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>23.78</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 18075.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>51.11</td><td>37.50</td><td>24.79</td><td>64.31</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12050.00	51.69	74.00	-22.31	32.81	39.40	19.95	40.92	0.45	-- -- PEAK	2 12050.00	42.66	54.00	-11.34	23.78	39.40	19.95	40.92	0.45	-- -- Average	3 18075.00	39.55	74.00	-34.45	51.11	37.50	24.79	64.31	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12050.00	51.36	74.00	-22.64	32.48	39.40	19.95	40.92	0.45	-- -- PEAK																																																																																																																	
2 12050.00	42.33	54.00	-11.67	23.45	39.40	19.95	40.92	0.45	-- -- Average																																																																																																																	
3 18075.00	39.70	74.00	-34.30	51.26	37.50	24.79	64.31	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12050.00	51.69	74.00	-22.31	32.81	39.40	19.95	40.92	0.45	-- -- PEAK																																																																																																																	
2 12050.00	42.66	54.00	-11.34	23.78	39.40	19.95	40.92	0.45	-- -- Average																																																																																																																	
3 18075.00	39.55	74.00	-34.45	51.11	37.50	24.79	64.31	-9.54	-- -- PEAK																																																																																																																	





		17																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.40</td><td>82.42</td><td>88.20</td><td>-5.78</td><td>69.98</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>189</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.40	82.42	88.20	-5.78	69.98	33.70	13.77	35.03	0.00	189	314	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>107.22</td><td>-----</td><td>-----</td><td>94.70</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>189</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	107.22	-----	-----	94.70	33.72	13.84	35.04	0.00	189	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5907.40	82.42	88.20	-5.78	69.98	33.70	13.77	35.03	0.00	189	314	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	107.22	-----	-----	94.70	33.72	13.84	35.04	0.00	189	314	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.00</td><td>63.99</td><td>68.20</td><td>-4.21</td><td>51.54</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>189</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.00	63.99	68.20	-4.21	51.54	33.70	13.78	35.03	0.00	189	314	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.27</td><td>-----</td><td>-----</td><td>86.75</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>189</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.27	-----	-----	86.75	33.72	13.84	35.04	0.00	189	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5918.00	63.99	68.20	-4.21	51.54	33.70	13.78	35.03	0.00	189	314	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	99.27	-----	-----	86.75	33.72	13.84	35.04	0.00	189	314	AVERAGE																																																																																							





Mode	17																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5897.60</td><td>81.27</td><td>88.20</td><td>-6.93</td><td>68.84</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>139</td><td>360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5897.60	81.27	88.20	-6.93	68.84	33.70	13.76	35.03	0.00	139	360 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>105.17</td><td>-----</td><td>-----</td><td>92.69</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>139</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	105.17	-----	-----	92.69	33.70	13.82	35.04	0.00	139
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5897.60	81.27	88.20	-6.93	68.84	33.70	13.76	35.03	0.00	139	360 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 6025.00	105.17	-----	-----	92.69	33.70	13.82	35.04	0.00	139	360 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.80</td><td>63.70</td><td>68.20</td><td>-4.50</td><td>51.25</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>139</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5917.80	63.70	68.20	-4.50	51.25	33.70	13.78	35.03	0.00	139	360 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>96.97</td><td>-----</td><td>-----</td><td>84.31</td><td>33.82</td><td>13.89</td><td>35.05</td><td>0.00</td><td>139</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	96.97	-----	-----	84.31	33.82	13.89	35.05	0.00	139
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5917.80	63.70	68.20	-4.50	51.25	33.70	13.78	35.03	0.00	139	360 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 6025.00	96.97	-----	-----	84.31	33.82	13.89	35.05	0.00	139	360 AVERAGE																																																																																								





Mode	18																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_6185MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>33.44</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 12370.00</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>24.41</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>51.12</td><td>37.99</td><td>25.12</td><td>64.83</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	52.99	74.00	-21.01	33.44	39.94	20.22	41.10	0.49	-- -- PEAK	2 12370.00	43.96	54.00	-10.04	24.41	39.94	20.22	41.10	0.49	-- -- Average	3 18555.00	39.86	74.00	-34.14	51.12	37.99	25.12	64.83	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>33.16</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 12370.00</td><td>43.69</td><td>54.00</td><td>-10.31</td><td>24.14</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>40.34</td><td>74.00</td><td>-33.66</td><td>51.60</td><td>37.99</td><td>25.12</td><td>64.83</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	52.71	74.00	-21.29	33.16	39.94	20.22	41.10	0.49	-- -- PEAK	2 12370.00	43.69	54.00	-10.31	24.14	39.94	20.22	41.10	0.49	-- -- Average	3 18555.00	40.34	74.00	-33.66	51.60	37.99	25.12	64.83	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	52.99	74.00	-21.01	33.44	39.94	20.22	41.10	0.49	-- -- PEAK																																																																																																																	
2 12370.00	43.96	54.00	-10.04	24.41	39.94	20.22	41.10	0.49	-- -- Average																																																																																																																	
3 18555.00	39.86	74.00	-34.14	51.12	37.99	25.12	64.83	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	52.71	74.00	-21.29	33.16	39.94	20.22	41.10	0.49	-- -- PEAK																																																																																																																	
2 12370.00	43.69	54.00	-10.31	24.14	39.94	20.22	41.10	0.49	-- -- Average																																																																																																																	
3 18555.00	40.34	74.00	-33.66	51.60	37.99	25.12	64.83	-9.54	-- -- PEAK																																																																																																																	





		19																																																																																																																																						
Mode		Harmonic																																																																																																																																						
		U-NII-5_5.925-6.425_802.11ax HE160_CH79_6345MHz																																																																																																																																						
ANT		6+7																																																																																																																																						
Pol.		Horizontal										Vertical																																																																																																																												
Peak Avg																																																																																																																																								
		Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12690.00</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>33.04</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>-- -- PEAK</td></tr><tr><td>2 12690.00</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>24.05</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>39.15</td><td>74.00</td><td>-34.85</td><td>49.71</td><td>37.84</td><td>25.45</td><td>64.31</td><td>-9.54</td><td>-- -- PEAK</td></tr></table> Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12690.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>32.73</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>-- -- PEAK</td></tr><tr><td>2 12690.00</td><td>44.41</td><td>54.00</td><td>-9.59</td><td>23.71</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>49.96</td><td>37.84</td><td>25.45</td><td>64.31</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	53.74	74.00	-20.26	33.04	40.90	20.48	41.20	0.52	-- -- PEAK	2 12690.00	44.75	54.00	-9.25	24.05	40.90	20.48	41.20	0.52	-- -- Average	3 19035.00	39.15	74.00	-34.85	49.71	37.84	25.45	64.31	-9.54	-- -- PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	53.43	74.00	-20.57	32.73	40.90	20.48	41.20	0.52	-- -- PEAK	2 12690.00	44.41	54.00	-9.59	23.71	40.90	20.48	41.20	0.52	-- -- Average	3 19035.00	39.40	74.00	-34.60	49.96	37.84	25.45	64.31	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																															
1 12690.00	53.74	74.00	-20.26	33.04	40.90	20.48	41.20	0.52	-- -- PEAK																																																																																																																															
2 12690.00	44.75	54.00	-9.25	24.05	40.90	20.48	41.20	0.52	-- -- Average																																																																																																																															
3 19035.00	39.15	74.00	-34.85	49.71	37.84	25.45	64.31	-9.54	-- -- PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																															
1 12690.00	53.43	74.00	-20.57	32.73	40.90	20.48	41.20	0.52	-- -- PEAK																																																																																																																															
2 12690.00	44.41	54.00	-9.59	23.71	40.90	20.48	41.20	0.52	-- -- Average																																																																																																																															
3 19035.00	39.40	74.00	-34.60	49.96	37.84	25.45	64.31	-9.54	-- -- PEAK																																																																																																																															





Mode	20																																																																
	Harmonic																																																																
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																
ANT	6+7																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.85</td><td>88.20</td><td>-34.35</td><td>32.72</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19305.00</td><td>40.70</td><td>74.00</td><td>-33.30</td><td>50.38</td><td>37.99</td><td>25.67</td><td>64.36</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	53.85	88.20	-34.35	32.72	41.18	20.63	41.21	0.53	--	PEAK	2	19305.00	40.70	74.00	-33.30	50.38	37.99	25.67	64.36	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	12870.00	53.85	88.20	-34.35	32.72	41.18	20.63	41.21	0.53	--	PEAK																																																						
2	19305.00	40.70	74.00	-33.30	50.38	37.99	25.67	64.36	-9.54	--	PEAK																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.13</td><td>88.20</td><td>-35.07</td><td>32.00</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19305.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>50.59</td><td>37.99</td><td>25.67</td><td>64.36</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	53.13	88.20	-35.07	32.00	41.18	20.63	41.21	0.53	--	PEAK	2	19305.00	40.91	74.00	-33.09	50.59	37.99	25.67	64.36	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	12870.00	53.13	88.20	-35.07	32.00	41.18	20.63	41.21	0.53	--	PEAK																																																						
2	19305.00	40.91	74.00	-33.09	50.59	37.99	25.67	64.36	-9.54	--	PEAK																																																						





Mode	21																																																																	
	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.60</td><td>88.20</td><td>-34.60</td><td>32.28</td><td>41.30</td><td>20.70</td><td>41.22</td><td>0.54</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19425.00</td><td>40.64</td><td>74.00</td><td>-33.36</td><td>50.28</td><td>37.95</td><td>25.77</td><td>64.39</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	53.60	88.20	-34.60	32.28	41.30	20.70	41.22	0.54	--	PEAK	2	19425.00	40.64	74.00	-33.36	50.28	37.95	25.77	64.39	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	12950.00	53.60	88.20	-34.60	32.28	41.30	20.70	41.22	0.54	--	PEAK																																																							
2	19425.00	40.64	74.00	-33.36	50.28	37.95	25.77	64.39	-9.54	--	PEAK																																																							





Mode	22																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13030.00</td><td>53.23</td><td>88.20</td><td>-34.97</td><td>32.28</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.55</td><td>-- -- PEAK</td></tr><tr><td>2 19545.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>51.48</td><td>37.98</td><td>25.87</td><td>64.36</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	53.23	88.20	-34.97	32.28	40.92	20.76	41.28	0.55	-- -- PEAK	2 19545.00	41.43	74.00	-32.57	51.48	37.98	25.87	64.36	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13030.00</td><td>53.65</td><td>88.20</td><td>-34.55</td><td>32.70</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.55</td><td>-- -- PEAK</td></tr><tr><td>2 19545.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>51.18</td><td>37.98</td><td>25.87</td><td>64.36</td><td>-9.54</td><td>-- -- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	53.65	88.20	-34.55	32.70	40.92	20.76	41.28	0.55	-- -- PEAK	2 19545.00	41.13	74.00	-32.87	51.18	37.98	25.87	64.36	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13030.00	53.23	88.20	-34.97	32.28	40.92	20.76	41.28	0.55	-- -- PEAK																																																																																													
2 19545.00	41.43	74.00	-32.57	51.48	37.98	25.87	64.36	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13030.00	53.65	88.20	-34.55	32.70	40.92	20.76	41.28	0.55	-- -- PEAK																																																																																													
2 19545.00	41.13	74.00	-32.87	51.18	37.98	25.87	64.36	-9.54	-- -- PEAK																																																																																													





Mode	23																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_6435MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12870.00</td><td>54.01</td><td>88.20</td><td>-34.19</td><td>32.88</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.53</td><td>-- -- PEAK</td></tr><tr><td>2 19305.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>55.95</td><td>37.99</td><td>25.67</td><td>64.36</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12870.00	54.01	88.20	-34.19	32.88	41.18	20.63	41.21	0.53	-- -- PEAK	2 19305.00	45.71	74.00	-28.29	55.95	37.99	25.67	64.36	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12870.00</td><td>53.19</td><td>88.20</td><td>-35.01</td><td>32.06</td><td>41.18</td><td>20.63</td><td>41.21</td><td>0.53</td><td>-- -- PEAK</td></tr><tr><td>2 19305.00</td><td>41.15</td><td>74.00</td><td>-32.85</td><td>51.39</td><td>37.99</td><td>25.67</td><td>64.36</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12870.00	53.19	88.20	-35.01	32.06	41.18	20.63	41.21	0.53	-- -- PEAK	2 19305.00	41.15	74.00	-32.85	51.39	37.99	25.67	64.36	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12870.00	54.01	88.20	-34.19	32.88	41.18	20.63	41.21	0.53	-- -- PEAK																																																																																													
2 19305.00	45.71	74.00	-28.29	55.95	37.99	25.67	64.36	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12870.00	53.19	88.20	-35.01	32.06	41.18	20.63	41.21	0.53	-- -- PEAK																																																																																													
2 19305.00	41.15	74.00	-32.85	51.39	37.99	25.67	64.36	-9.54	-- -- PEAK																																																																																													





Mode	24																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_6475MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>54.01</td><td>88.20</td><td>-34.19</td><td>32.69</td><td>41.30</td><td>20.70</td><td>41.22</td><td>0.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19425.00</td><td>40.20</td><td>74.00</td><td>-33.80</td><td>50.41</td><td>37.95</td><td>25.77</td><td>64.39</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12950.00	54.01	88.20	-34.19	32.69	41.30	20.70	41.22	0.54	--	--	PEAK	2 19425.00	40.20	74.00	-33.80	50.41	37.95	25.77	64.39	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>53.15</td><td>88.20</td><td>-35.05</td><td>31.83</td><td>41.30</td><td>20.70</td><td>41.22</td><td>0.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19425.00</td><td>40.13</td><td>74.00</td><td>-33.87</td><td>50.34</td><td>37.95</td><td>25.77</td><td>64.39</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12950.00	53.15	88.20	-35.05	31.83	41.30	20.70	41.22	0.54	--	--	PEAK	2 19425.00	40.13	74.00	-33.87	50.34	37.95	25.77	64.39	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12950.00	54.01	88.20	-34.19	32.69	41.30	20.70	41.22	0.54	--	--	PEAK																																																																																																					
2 19425.00	40.20	74.00	-33.80	50.41	37.95	25.77	64.39	-9.54	--	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 12950.00	53.15	88.20	-35.05	31.83	41.30	20.70	41.22	0.54	--	--	PEAK																																																																																																					
2 19425.00	40.13	74.00	-33.87	50.34	37.95	25.77	64.39	-9.54	--	--	PEAK																																																																																																					





Mode	25																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_6515MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13030.00</td><td>53.14</td><td>88.20</td><td>-35.06</td><td>32.19</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.55</td><td>-- -- PEAK</td></tr><tr><td>2 19545.00</td><td>41.11</td><td>74.00</td><td>-32.89</td><td>51.16</td><td>37.98</td><td>25.87</td><td>64.36</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	53.14	88.20	-35.06	32.19	40.92	20.76	41.28	0.55	-- -- PEAK	2 19545.00	41.11	74.00	-32.89	51.16	37.98	25.87	64.36	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13030.00</td><td>52.72</td><td>88.20</td><td>-35.48</td><td>31.77</td><td>40.92</td><td>20.76</td><td>41.28</td><td>0.55</td><td>-- -- PEAK</td></tr><tr><td>2 19545.00</td><td>41.31</td><td>74.00</td><td>-32.69</td><td>51.36</td><td>37.98</td><td>25.87</td><td>64.36</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	52.72	88.20	-35.48	31.77	40.92	20.76	41.28	0.55	-- -- PEAK	2 19545.00	41.31	74.00	-32.69	51.36	37.98	25.87	64.36	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13030.00	53.14	88.20	-35.06	32.19	40.92	20.76	41.28	0.55	-- -- PEAK																																																																																													
2 19545.00	41.11	74.00	-32.89	51.16	37.98	25.87	64.36	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13030.00	52.72	88.20	-35.48	31.77	40.92	20.76	41.28	0.55	-- -- PEAK																																																																																													
2 19545.00	41.31	74.00	-32.69	51.36	37.98	25.87	64.36	-9.54	-- -- PEAK																																																																																													





Mode	26																																																																	
	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_6445MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>53.68</td><td>88.20</td><td>-34.52</td><td>32.45</td><td>41.26</td><td>20.65</td><td>41.21</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19335.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>50.82</td><td>37.93</td><td>25.70</td><td>64.37</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	53.68	88.20	-34.52	32.45	41.26	20.65	41.21	0.53	--	PEAK	2	19335.00	40.54	74.00	-33.46	50.82	37.93	25.70	64.37	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12890.00	53.68	88.20	-34.52	32.45	41.26	20.65	41.21	0.53	--	PEAK																																																							
2	19335.00	40.54	74.00	-33.46	50.82	37.93	25.70	64.37	-9.54	--	PEAK																																																							





Mode	27																																																																	
	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_6485MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>32.47</td><td>41.22</td><td>20.72</td><td>41.22</td><td>0.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19455.00</td><td>40.63</td><td>74.00</td><td>-33.37</td><td>50.87</td><td>37.89</td><td>25.80</td><td>64.39</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12970.00	53.73	88.20	-34.47	32.47	41.22	20.72	41.22	0.54	--	--	PEAK	2 19455.00	40.63	74.00	-33.37	50.87	37.89	25.80	64.39	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 12970.00	53.73	88.20	-34.47	32.47	41.22	20.72	41.22	0.54	--	--	PEAK																																																							
2 19455.00	40.63	74.00	-33.37	50.87	37.89	25.80	64.39	-9.54	--	--	PEAK																																																							





Mode	28																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_6525MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>33.38</td><td>40.80</td><td>20.78</td><td>41.32</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19575.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>52.16</td><td>37.90</td><td>25.90</td><td>64.33</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13050.00	54.19	88.20	-34.01	33.38	40.80	20.78	41.32	0.55	--	PEAK	2	19575.00	42.09	74.00	-31.91	52.16	37.90	25.90	64.33	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>32.28</td><td>40.80</td><td>20.78</td><td>41.32</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19575.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>51.17</td><td>37.90</td><td>25.90</td><td>64.33</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13050.00	53.09	88.20	-35.11	32.28	40.80	20.78	41.32	0.55	--	PEAK	2	19575.00	41.10	74.00	-32.90	51.17	37.90	25.90	64.33	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13050.00	54.19	88.20	-34.01	33.38	40.80	20.78	41.32	0.55	--	PEAK																																																																																																					
2	19575.00	42.09	74.00	-31.91	52.16	37.90	25.90	64.33	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13050.00	53.09	88.20	-35.11	32.28	40.80	20.78	41.32	0.55	--	PEAK																																																																																																					
2	19575.00	41.10	74.00	-32.90	51.17	37.90	25.90	64.33	-9.54	--	PEAK																																																																																																					





Mode	29																																																																	
	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_6465MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>32.52</td><td>41.30</td><td>20.68</td><td>41.21</td><td>0.54</td><td>-- PEAK</td></tr><tr><td>2</td><td>19395.00</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>51.58</td><td>37.99</td><td>25.75</td><td>64.38</td><td>-9.54</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12930.00	53.83	88.20	-34.37	32.52	41.30	20.68	41.21	0.54	-- PEAK	2	19395.00	41.40	74.00	-32.60	51.58	37.99	25.75	64.38	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	12930.00	53.83	88.20	-34.37	32.52	41.30	20.68	41.21	0.54	-- PEAK																																																								
2	19395.00	41.40	74.00	-32.60	51.58	37.99	25.75	64.38	-9.54	-- PEAK																																																								





Mode	30																																																																																														
	Harmonic																																																																																														
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_6505MHz																																																																																														
ANT	6+7																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																								
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7272.00</td><td>55.34</td><td>74.00</td><td>-18.66</td><td></td><td>38.47</td><td>37.09</td><td>15.35</td><td>36.53</td><td>0.96</td><td>236</td><td>297</td><td>Peak</td></tr><tr><td>2</td><td>7272.00</td><td>44.54</td><td>54.00</td><td>-9.46</td><td></td><td>27.67</td><td>37.09</td><td>15.35</td><td>36.53</td><td>0.96</td><td>236</td><td>297</td><td>Average</td></tr><tr><td>3</td><td>13010.00</td><td>54.34</td><td>88.20</td><td>-33.86</td><td></td><td>33.24</td><td>41.04</td><td>20.75</td><td>41.24</td><td>0.55</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>19515.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td></td><td>51.45</td><td>37.86</td><td>25.85</td><td>64.39</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7272.00	55.34	74.00	-18.66		38.47	37.09	15.35	36.53	0.96	236	297	Peak	2	7272.00	44.54	54.00	-9.46		27.67	37.09	15.35	36.53	0.96	236	297	Average	3	13010.00	54.34	88.20	-33.86		33.24	41.04	20.75	41.24	0.55	--	--	PEAK	4	19515.00	41.23	74.00	-32.77		51.45	37.86	25.85	64.39	-9.54	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	7272.00	55.34	74.00	-18.66		38.47	37.09	15.35	36.53	0.96	236	297	Peak																																																																																		
2	7272.00	44.54	54.00	-9.46		27.67	37.09	15.35	36.53	0.96	236	297	Average																																																																																		
3	13010.00	54.34	88.20	-33.86		33.24	41.04	20.75	41.24	0.55	--	--	PEAK																																																																																		
4	19515.00	41.23	74.00	-32.77		51.45	37.86	25.85	64.39	-9.54	--	--	PEAK																																																																																		





Mode	31																																																																													
	Harmonic																																																																													
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																													
ANT	6+7																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>51.12</td><td>88.20</td><td>-37.08</td><td>30.22</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19605.00</td><td>49.85</td><td>74.00</td><td>-24.15</td><td>59.95</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>244</td><td>353</td><td>PEAK</td></tr><tr><td>3 19605.00</td><td>40.12</td><td>54.00</td><td>-13.88</td><td>50.22</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>244</td><td>353</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	51.12	88.20	-37.08	30.22	40.92	20.79	41.36	0.55	--	--	PEAK	2 19605.00	49.85	74.00	-24.15	59.95	37.81	25.92	64.29	-9.54	244	353	PEAK	3 19605.00	40.12	54.00	-13.88	50.22	37.81	25.92	64.29	-9.54	244	353	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 13070.00	51.12	88.20	-37.08	30.22	40.92	20.79	41.36	0.55	--	--	PEAK																																																																			
2 19605.00	49.85	74.00	-24.15	59.95	37.81	25.92	64.29	-9.54	244	353	PEAK																																																																			
3 19605.00	40.12	54.00	-13.88	50.22	37.81	25.92	64.29	-9.54	244	353	Average																																																																			
Pol.	Vertical																																																																													
Peak Avg																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>51.09</td><td>88.20</td><td>-37.11</td><td>30.19</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 19605.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>57.76</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>157</td><td>342</td><td>PEAK</td></tr><tr><td>3 19605.00</td><td>38.11</td><td>54.00</td><td>-15.89</td><td>48.21</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>157</td><td>342</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	51.09	88.20	-37.11	30.19	40.92	20.79	41.36	0.55	--	--	PEAK	2 19605.00	47.66	74.00	-26.34	57.76	37.81	25.92	64.29	-9.54	157	342	PEAK	3 19605.00	38.11	54.00	-15.89	48.21	37.81	25.92	64.29	-9.54	157	342	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 13070.00	51.09	88.20	-37.11	30.19	40.92	20.79	41.36	0.55	--	--	PEAK																																																																			
2 19605.00	47.66	74.00	-26.34	57.76	37.81	25.92	64.29	-9.54	157	342	PEAK																																																																			
3 19605.00	38.11	54.00	-15.89	48.21	37.81	25.92	64.29	-9.54	157	342	Average																																																																			





Mode	32																																																																																									
	Harmonic																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg																																																																																										
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>31.70</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>22.69</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>58.25</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>232</td><td>243 PEAK</td></tr><tr><td>4</td><td>20805.00</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>47.56</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>232</td><td>243 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	52.16	74.00	-21.84	31.70	40.84	21.04	42.00	0.58	--	PEAK	2	13390.00	43.15	54.00	-10.85	22.69	40.84	21.04	42.00	0.58	--	Average	3	20805.00	48.91	74.00	-25.09	58.25	37.77	26.31	63.88	-9.54	232	243 PEAK	4	20805.00	38.22	54.00	-15.78	47.56	37.77	26.31	63.88	-9.54	232	243 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	13390.00	52.16	74.00	-21.84	31.70	40.84	21.04	42.00	0.58	--	PEAK																																																																															
2	13390.00	43.15	54.00	-10.85	22.69	40.84	21.04	42.00	0.58	--	Average																																																																															
3	20805.00	48.91	74.00	-25.09	58.25	37.77	26.31	63.88	-9.54	232	243 PEAK																																																																															
4	20805.00	38.22	54.00	-15.78	47.56	37.77	26.31	63.88	-9.54	232	243 Average																																																																															
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>31.27</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>22.24</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>53.40</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>204</td><td>321 PEAK</td></tr><tr><td>4</td><td>20805.00</td><td>35.86</td><td>54.00</td><td>-18.14</td><td>45.20</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>204</td><td>321 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	51.73	74.00	-22.27	31.27	40.84	21.04	42.00	0.58	--	PEAK	2	13390.00	42.70	54.00	-11.30	22.24	40.84	21.04	42.00	0.58	--	Average	3	20805.00	44.06	74.00	-29.94	53.40	37.77	26.31	63.88	-9.54	204	321 PEAK	4	20805.00	35.86	54.00	-18.14	45.20	37.77	26.31	63.88	-9.54	204	321 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	13390.00	51.73	74.00	-22.27	31.27	40.84	21.04	42.00	0.58	--	PEAK																																																																															
2	13390.00	42.70	54.00	-11.30	22.24	40.84	21.04	42.00	0.58	--	Average																																																																															
3	20805.00	44.06	74.00	-29.94	53.40	37.77	26.31	63.88	-9.54	204	321 PEAK																																																																															
4	20805.00	35.86	54.00	-18.14	45.20	37.77	26.31	63.88	-9.54	204	321 Average																																																																															





Mode	33																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																						
ANT	6+7																																																																						
Pol.	Horizontal																																																																						
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13710.00</td><td>53.50</td><td>88.20</td><td>-34.70</td><td>32.85</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>-- -- PEAK</td></tr><tr><td>2 20565.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>57.11</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>305 238 Peak</td></tr><tr><td>3 20565.00</td><td>39.70</td><td>54.00</td><td>-14.30</td><td>48.19</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>305 238 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13710.00	53.50	88.20	-34.70	32.85	41.20	21.29	42.45	0.61	-- -- PEAK	2 20565.00	48.62	74.00	-25.38	57.11	38.11	26.66	63.72	-9.54	305 238 Peak	3 20565.00	39.70	54.00	-14.30	48.19	38.11	26.66	63.72	-9.54	305 238 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																														
1 13710.00	53.50	88.20	-34.70	32.85	41.20	21.29	42.45	0.61	-- -- PEAK																																																														
2 20565.00	48.62	74.00	-25.38	57.11	38.11	26.66	63.72	-9.54	305 238 Peak																																																														
3 20565.00	39.70	54.00	-14.30	48.19	38.11	26.66	63.72	-9.54	305 238 Average																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13710.00</td><td>54.44</td><td>88.20</td><td>-33.76</td><td>33.79</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>-- -- PEAK</td></tr><tr><td>2 20565.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>56.87</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>201 324 Peak</td></tr><tr><td>3 20565.00</td><td>38.03</td><td>54.00</td><td>-15.97</td><td>46.52</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>201 324 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13710.00	54.44	88.20	-33.76	33.79	41.20	21.29	42.45	0.61	-- -- PEAK	2 20565.00	48.38	74.00	-25.62	56.87	38.11	26.66	63.72	-9.54	201 324 Peak	3 20565.00	38.03	54.00	-15.97	46.52	38.11	26.66	63.72	-9.54	201 324 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																														
1 13710.00	54.44	88.20	-33.76	33.79	41.20	21.29	42.45	0.61	-- -- PEAK																																																														
2 20565.00	48.38	74.00	-25.62	56.87	38.11	26.66	63.72	-9.54	201 324 Peak																																																														
3 20565.00	38.03	54.00	-15.97	46.52	38.11	26.66	63.72	-9.54	201 324 Average																																																														





Mode	34																																																																					
	Harmonic																																																																					
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																					
ANT	6+7																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>53.88</td><td>88.20</td><td>-34.32</td><td>33.22</td><td>41.20</td><td>21.33</td><td>42.49</td><td>0.62</td><td>-- -- PEAK</td></tr><tr><td>2 20625.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>60.33</td><td>37.80</td><td>26.71</td><td>63.65</td><td>-9.54</td><td>322 242 PEAK</td></tr><tr><td>3 20625.00</td><td>41.05</td><td>54.00</td><td>-12.95</td><td>49.00</td><td>37.80</td><td>26.71</td><td>63.65</td><td>-9.54</td><td>322 242 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	53.88	88.20	-34.32	33.22	41.20	21.33	42.49	0.62	-- -- PEAK	2 20625.00	52.30	74.00	-21.70	60.33	37.80	26.71	63.65	-9.54	322 242 PEAK	3 20625.00	41.05	54.00	-12.95	49.00	37.80	26.71	63.65	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																													
1 13750.00	53.88	88.20	-34.32	33.22	41.20	21.33	42.49	0.62	-- -- PEAK																																																													
2 20625.00	52.30	74.00	-21.70	60.33	37.80	26.71	63.65	-9.54	322 242 PEAK																																																													
3 20625.00	41.05	54.00	-12.95	49.00	37.80	26.71	63.65	-9.54	322 242 Average																																																													
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>54.14</td><td>88.20</td><td>-34.06</td><td>33.48</td><td>41.20</td><td>21.33</td><td>42.49</td><td>0.62</td><td>-- -- PEAK</td></tr><tr><td>2 20625.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>55.76</td><td>37.80</td><td>26.71</td><td>63.65</td><td>-9.54</td><td>400 325 PEAK</td></tr><tr><td>3 20625.00</td><td>37.96</td><td>54.00</td><td>-16.04</td><td>45.99</td><td>37.80</td><td>26.71</td><td>63.65</td><td>-9.54</td><td>400 325 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	54.14	88.20	-34.06	33.48	41.20	21.33	42.49	0.62	-- -- PEAK	2 20625.00	47.73	74.00	-26.27	55.76	37.80	26.71	63.65	-9.54	400 325 PEAK	3 20625.00	37.96	54.00	-16.04	45.99	37.80	26.71	63.65	-9.54	400 325 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																													
1 13750.00	54.14	88.20	-34.06	33.48	41.20	21.33	42.49	0.62	-- -- PEAK																																																													
2 20625.00	47.73	74.00	-26.27	55.76	37.80	26.71	63.65	-9.54	400 325 PEAK																																																													
3 20625.00	37.96	54.00	-16.04	45.99	37.80	26.71	63.65	-9.54	400 325 Average																																																													





Mode	35																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>52.75</td><td>88.20</td><td>-35.45</td><td>31.85</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19685.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>51.77</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	52.75	88.20	-35.45	31.85	40.92	20.79	41.36	0.55	--	PEAK	2	19685.00	41.67	74.00	-32.33	51.77	37.81	25.92	64.29	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>51.93</td><td>88.20</td><td>-36.27</td><td>31.03</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19685.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>51.18</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	51.93	88.20	-36.27	31.03	40.92	20.79	41.36	0.55	--	PEAK	2	19685.00	41.08	74.00	-32.92	51.18	37.81	25.92	64.29	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13070.00	52.75	88.20	-35.45	31.85	40.92	20.79	41.36	0.55	--	PEAK																																																																																																					
2	19685.00	41.67	74.00	-32.33	51.77	37.81	25.92	64.29	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13070.00	51.93	88.20	-36.27	31.03	40.92	20.79	41.36	0.55	--	PEAK																																																																																																					
2	19685.00	41.08	74.00	-32.92	51.18	37.81	25.92	64.29	-9.54	--	PEAK																																																																																																					





Mode	36																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz																																																																																																																																																
ANT	6+7																																																																																																																																																
Pol.	Horizontal								Vertical																																																																																																																																								
Peak Avg																																																																																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>52.49</td><td>74.00</td><td>-21.51</td><td>32.03</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>23.03</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>51.08</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table> Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>31.25</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>42.69</td><td>54.00</td><td>-11.31</td><td>22.23</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>49.45</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>																	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13390.00	52.49	74.00	-21.51	32.03	40.84	21.04	42.00	0.58	--	--	PEAK	2	13390.00	43.49	54.00	-10.51	23.03	40.84	21.04	42.00	0.58	--	--	Average	3	20805.00	41.74	74.00	-32.26	51.08	37.77	26.31	63.88	-9.54	--	--	PEAK		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13390.00	51.71	74.00	-22.29	31.25	40.84	21.04	42.00	0.58	--	--	PEAK	2	13390.00	42.69	54.00	-11.31	22.23	40.84	21.04	42.00	0.58	--	--	Average	3	20805.00	40.11	74.00	-33.89	49.45	37.77	26.31	63.88	-9.54	--	--
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	13390.00	52.49	74.00	-21.51	32.03	40.84	21.04	42.00	0.58	--	--	PEAK																																																																																																																																					
2	13390.00	43.49	54.00	-10.51	23.03	40.84	21.04	42.00	0.58	--	--	Average																																																																																																																																					
3	20805.00	41.74	74.00	-32.26	51.08	37.77	26.31	63.88	-9.54	--	--	PEAK																																																																																																																																					
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	13390.00	51.71	74.00	-22.29	31.25	40.84	21.04	42.00	0.58	--	--	PEAK																																																																																																																																					
2	13390.00	42.69	54.00	-11.31	22.23	40.84	21.04	42.00	0.58	--	--	Average																																																																																																																																					
3	20805.00	40.11	74.00	-33.89	49.45	37.77	26.31	63.88	-9.54	--	--	PEAK																																																																																																																																					





Mode	37																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz																																																																																																																						
ANT	6+7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>13710.00</td><td>54.90</td><td>88.20</td><td>-33.30</td><td>34.25</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>54.89</td><td>38.01</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	13710.00	54.90	88.20	-33.30	34.25	41.20	21.29	42.45	0.61	--	PEAK	2	20565.00	46.30	74.00	-27.70	54.89	38.01	26.66	63.72	-9.54	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>13710.00</td><td>54.61</td><td>88.20</td><td>-33.59</td><td>33.96</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>51.53</td><td>38.01</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	13710.00	54.61	88.20	-33.59	33.96	41.20	21.29	42.45	0.61	--	PEAK	2	20565.00	42.94	74.00	-31.06	51.53	38.01	26.66	63.72	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1	13710.00	54.90	88.20	-33.30	34.25	41.20	21.29	42.45	0.61	--	PEAK																																																																																																												
2	20565.00	46.30	74.00	-27.70	54.89	38.01	26.66	63.72	-9.54	--	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1	13710.00	54.61	88.20	-33.59	33.96	41.20	21.29	42.45	0.61	--	PEAK																																																																																																												
2	20565.00	42.94	74.00	-31.06	51.53	38.01	26.66	63.72	-9.54	--	PEAK																																																																																																												





Mode	38																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_6875MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.08</td><td>88.20</td><td>-34.12</td><td>33.42</td><td>41.20</td><td>21.33</td><td>42.49</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20625.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>53.64</td><td>37.00</td><td>26.71</td><td>63.65</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13750.00	54.08	88.20	-34.12	33.42	41.20	21.33	42.49	0.62	--	PEAK	2	20625.00	44.96	74.00	-29.04	53.64	37.00	26.71	63.65	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	13750.00	54.08	88.20	-34.12	33.42	41.20	21.33	42.49	0.62	--	PEAK																																																							
2	20625.00	44.96	74.00	-29.04	53.64	37.00	26.71	63.65	-9.54	--	PEAK																																																							





Mode	39																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>52.56</td><td>88.20</td><td>-35.64</td><td>31.54</td><td>41.10</td><td>20.84</td><td>41.48</td><td>0.56</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>42.66</td><td>74.00</td><td>-31.34</td><td>52.51</td><td>37.90</td><td>26.00</td><td>64.21</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	52.56	88.20	-35.64	31.54	41.10	20.84	41.48	0.56	--	PEAK	2	19695.00	42.66	74.00	-31.34	52.51	37.90	26.00	64.21	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	13130.00	52.56	88.20	-35.64	31.54	41.10	20.84	41.48	0.56	--	PEAK																																																							
2	19695.00	42.66	74.00	-31.34	52.51	37.90	26.00	64.21	-9.54	--	PEAK																																																							





Mode	40																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz																																																																																																																																							
ANT	6+7																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>31.38</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13370.00</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>22.30</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>49.48</td><td>37.71</td><td>26.29</td><td>63.89</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	51.95	74.00	-22.05	31.38	40.92	21.03	41.96	0.58	--	PEAK	2	13370.00	42.87	54.00	-11.13	22.30	40.92	21.03	41.96	0.58	--	Average	3	20055.00	40.05	74.00	-33.95	49.48	37.71	26.29	63.89	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>31.06</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13370.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>21.94</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>50.18</td><td>37.71</td><td>26.29</td><td>63.89</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	51.63	74.00	-22.37	31.06	40.92	21.03	41.96	0.58	--	PEAK	2	13370.00	42.51	54.00	-11.49	21.94	40.92	21.03	41.96	0.58	--	Average	3	20055.00	40.75	74.00	-33.25	50.18	37.71	26.29	63.89	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13370.00	51.95	74.00	-22.05	31.38	40.92	21.03	41.96	0.58	--	PEAK																																																																																																																													
2	13370.00	42.87	54.00	-11.13	22.30	40.92	21.03	41.96	0.58	--	Average																																																																																																																													
3	20055.00	40.05	74.00	-33.95	49.48	37.71	26.29	63.89	-9.54	--	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13370.00	51.63	74.00	-22.37	31.06	40.92	21.03	41.96	0.58	--	PEAK																																																																																																																													
2	13370.00	42.51	54.00	-11.49	21.94	40.92	21.03	41.96	0.58	--	Average																																																																																																																													
3	20055.00	40.75	74.00	-33.25	50.18	37.71	26.29	63.89	-9.54	--	PEAK																																																																																																																													





Mode	41																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>53.94</td><td>88.20</td><td>-34.26</td><td>33.32</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>52.49</td><td>37.98</td><td>26.64</td><td>63.76</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	53.94	88.20	-34.26	33.32	41.16	21.28	42.43	0.61	--	PEAK	2	20535.00	43.81	74.00	-30.19	52.49	37.98	26.64	63.76	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>54.20</td><td>88.20</td><td>-34.00</td><td>33.58</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>50.49</td><td>37.98</td><td>26.64</td><td>63.76</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	54.20	88.20	-34.00	33.58	41.16	21.28	42.43	0.61	--	PEAK	2	20535.00	41.81	74.00	-32.19	50.49	37.98	26.64	63.76	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13690.00	53.94	88.20	-34.26	33.32	41.16	21.28	42.43	0.61	--	PEAK																																																																																																					
2	20535.00	43.81	74.00	-30.19	52.49	37.98	26.64	63.76	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	13690.00	54.20	88.20	-34.00	33.58	41.16	21.28	42.43	0.61	--	PEAK																																																																																																					
2	20535.00	41.81	74.00	-32.19	50.49	37.98	26.64	63.76	-9.54	--	PEAK																																																																																																					





Mode	42																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_6885MHz																																																																																																																						
ANT	6+7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>33.68</td><td>41.20</td><td>21.34</td><td>42.51</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20655.00</td><td>42.91</td><td>74.00</td><td>-31.09</td><td>51.52</td><td>37.81</td><td>26.73</td><td>63.61</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	13770.00	54.33	88.20	-33.87	33.68	41.20	21.34	42.51	0.62	--	PEAK	2	20655.00	42.91	74.00	-31.09	51.52	37.81	26.73	63.61	-9.54	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>54.13</td><td>88.20</td><td>-34.07</td><td>33.48</td><td>41.20</td><td>21.34</td><td>42.51</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20655.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>50.75</td><td>37.81</td><td>26.73</td><td>63.61</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	13770.00	54.13	88.20	-34.07	33.48	41.20	21.34	42.51	0.62	--	PEAK	2	20655.00	42.14	74.00	-31.86	50.75	37.81	26.73	63.61	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1	13770.00	54.33	88.20	-33.87	33.68	41.20	21.34	42.51	0.62	--	PEAK																																																																																																												
2	20655.00	42.91	74.00	-31.09	51.52	37.81	26.73	63.61	-9.54	--	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1	13770.00	54.13	88.20	-34.07	33.48	41.20	21.34	42.51	0.62	--	PEAK																																																																																																												
2	20655.00	42.14	74.00	-31.86	50.75	37.81	26.73	63.61	-9.54	--	PEAK																																																																																																												




Mode	43																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>31.54</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>-- PEAK</td></tr><tr><td>2 13250.00</td><td>42.30</td><td>54.00</td><td>-11.70</td><td>21.62</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>49.68</td><td>37.70</td><td>26.15</td><td>64.03</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	52.22	74.00	-21.78	31.54	40.90	20.93	41.72	0.57	-- PEAK	2 13250.00	42.30	54.00	-11.70	21.62	40.90	20.93	41.72	0.57	-- Average	3 19875.00	39.96	74.00	-34.04	49.68	37.70	26.15	64.03	-9.54	-- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>31.73</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>-- PEAK</td></tr><tr><td>2 13250.00</td><td>42.40</td><td>54.00</td><td>-11.60</td><td>21.72</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>49.35</td><td>37.70</td><td>26.15</td><td>64.03</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	52.41	74.00	-21.59	31.73	40.90	20.93	41.72	0.57	-- PEAK	2 13250.00	42.40	54.00	-11.60	21.72	40.90	20.93	41.72	0.57	-- Average	3 19875.00	39.63	74.00	-34.37	49.35	37.70	26.15	64.03	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	52.22	74.00	-21.78	31.54	40.90	20.93	41.72	0.57	-- PEAK																																																																																																																	
2 13250.00	42.30	54.00	-11.70	21.62	40.90	20.93	41.72	0.57	-- Average																																																																																																																	
3 19875.00	39.96	74.00	-34.04	49.68	37.70	26.15	64.03	-9.54	-- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	52.41	74.00	-21.59	31.73	40.90	20.93	41.72	0.57	-- PEAK																																																																																																																	
2 13250.00	42.40	54.00	-11.60	21.72	40.90	20.93	41.72	0.57	-- Average																																																																																																																	
3 19875.00	39.63	74.00	-34.37	49.35	37.70	26.15	64.03	-9.54	-- PEAK																																																																																																																	





Mode	44																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																																																																																																						
ANT	6+7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>13410.00</td><td>53.18</td><td>88.20</td><td>-35.02</td><td>32.74</td><td>40.84</td><td>21.06</td><td>42.04</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>49.43</td><td>37.77</td><td>26.33</td><td>63.88</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK	2	20115.00	40.11	74.00	-33.89	49.43	37.77	26.33	63.88	-9.54	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>13410.00</td><td>53.18</td><td>88.20</td><td>-35.02</td><td>32.74</td><td>40.84</td><td>21.06</td><td>42.04</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>40.29</td><td>74.00</td><td>-33.71</td><td>49.61</td><td>37.77</td><td>26.33</td><td>63.88</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK	2	20115.00	40.29	74.00	-33.71	49.61	37.77	26.33	63.88	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK																																																																																																												
2	20115.00	40.11	74.00	-33.89	49.43	37.77	26.33	63.88	-9.54	--	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK																																																																																																												
2	20115.00	40.29	74.00	-33.71	49.61	37.77	26.33	63.88	-9.54	--	PEAK																																																																																																												





		45																																																																																											
Mode	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																																																																												
ANT	6+7																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7295.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>37.02</td><td>37.18</td><td>15.38</td><td>36.57</td><td>1.19</td><td>213</td><td>303</td><td>Peak</td></tr><tr><td>2</td><td>7295.00</td><td>43.94</td><td>54.00</td><td>-10.06</td><td>26.76</td><td>37.18</td><td>15.38</td><td>36.57</td><td>1.19</td><td>213</td><td>303</td><td>Average</td></tr><tr><td>3</td><td>13570.00</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>33.61</td><td>41.08</td><td>21.18</td><td>42.30</td><td>0.60</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>20355.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>50.35</td><td>37.98</td><td>26.51</td><td>63.83</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7295.00	54.20	74.00	-19.80	37.02	37.18	15.38	36.57	1.19	213	303	Peak	2	7295.00	43.94	54.00	-10.06	26.76	37.18	15.38	36.57	1.19	213	303	Average	3	13570.00	54.17	88.20	-34.03	33.61	41.08	21.18	42.30	0.60	--	--	PEAK	4	20355.00	41.47	74.00	-32.53	50.35	37.98	26.51	63.83	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																				
1	7295.00	54.20	74.00	-19.80	37.02	37.18	15.38	36.57	1.19	213	303	Peak																																																																																	
2	7295.00	43.94	54.00	-10.06	26.76	37.18	15.38	36.57	1.19	213	303	Average																																																																																	
3	13570.00	54.17	88.20	-34.03	33.61	41.08	21.18	42.30	0.60	--	--	PEAK																																																																																	
4	20355.00	41.47	74.00	-32.53	50.35	37.98	26.51	63.83	-9.54	--	--	PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7306.40</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>37.37</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243</td><td>Peak</td></tr><tr><td>2</td><td>7306.40</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>28.35</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243</td><td>Average</td></tr><tr><td>3</td><td>13570.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>33.91</td><td>41.08</td><td>21.18</td><td>42.30</td><td>0.60</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>20355.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>49.89</td><td>37.98</td><td>26.51</td><td>63.83</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243	Peak	2	7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243	Average	3	13570.00	54.47	88.20	-33.73	33.91	41.08	21.18	42.30	0.60	--	--	PEAK	4	20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																				
1	7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243	Peak																																																																																	
2	7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243	Average																																																																																	
3	13570.00	54.47	88.20	-33.73	33.91	41.08	21.18	42.30	0.60	--	--	PEAK																																																																																	
4	20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	--	PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7306.40</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>37.37</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243</td><td>Peak</td></tr><tr><td>2</td><td>7306.40</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>28.35</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243</td><td>Average</td></tr><tr><td>3</td><td>13570.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>33.91</td><td>41.08</td><td>21.18</td><td>42.30</td><td>0.60</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>20355.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>49.89</td><td>37.98</td><td>26.51</td><td>63.83</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243	Peak	2	7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243	Average	3	13570.00	54.47	88.20	-33.73	33.91	41.08	21.18	42.30	0.60	--	--	PEAK	4	20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																				
1	7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243	Peak																																																																																	
2	7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243	Average																																																																																	
3	13570.00	54.47	88.20	-33.73	33.91	41.08	21.18	42.30	0.60	--	--	PEAK																																																																																	
4	20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	--	PEAK																																																																																	





Mode	46																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_6865MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7312.00</td><td>53.15</td><td>74.00</td><td>-20.85</td><td>35.94</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.20 175 288 Peak</td></tr><tr><td>2</td><td>7312.00</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>27.09</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.20 175 288 Average</td></tr><tr><td>3</td><td>13730.00</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>33.68</td><td>41.20</td><td>21.31</td><td>42.47</td><td>0.61 -- -- PEAK</td></tr><tr><td>4</td><td>20595.00</td><td>42.22</td><td>74.00</td><td>-31.78</td><td>50.94</td><td>37.83</td><td>26.68</td><td>63.69</td><td>-9.54 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7312.00	53.15	74.00	-20.85	35.94	37.20	15.40	36.59	1.20 175 288 Peak	2	7312.00	44.30	54.00	-9.70	27.09	37.20	15.40	36.59	1.20 175 288 Average	3	13730.00	54.33	88.20	-33.87	33.68	41.20	21.31	42.47	0.61 -- -- PEAK	4	20595.00	42.22	74.00	-31.78	50.94	37.83	26.68	63.69	-9.54 -- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7312.00</td><td>54.09</td><td>74.00</td><td>-19.11</td><td>37.68</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.20 166 236 Peak</td></tr><tr><td>2</td><td>7312.00</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>28.71</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.20 166 236 Average</td></tr><tr><td>3</td><td>13730.00</td><td>54.67</td><td>88.20</td><td>-33.53</td><td>34.02</td><td>41.20</td><td>21.31</td><td>42.47</td><td>0.61 -- -- PEAK</td></tr><tr><td>4</td><td>20595.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>50.16</td><td>37.83</td><td>26.68</td><td>63.69</td><td>-9.54 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7312.00	54.09	74.00	-19.11	37.68	37.20	15.40	36.59	1.20 166 236 Peak	2	7312.00	45.92	54.00	-8.08	28.71	37.20	15.40	36.59	1.20 166 236 Average	3	13730.00	54.67	88.20	-33.53	34.02	41.20	21.31	42.47	0.61 -- -- PEAK	4	20595.00	41.44	74.00	-32.56	50.16	37.83	26.68	63.69	-9.54 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1	7312.00	53.15	74.00	-20.85	35.94	37.20	15.40	36.59	1.20 175 288 Peak																																																																																																																																					
2	7312.00	44.30	54.00	-9.70	27.09	37.20	15.40	36.59	1.20 175 288 Average																																																																																																																																					
3	13730.00	54.33	88.20	-33.87	33.68	41.20	21.31	42.47	0.61 -- -- PEAK																																																																																																																																					
4	20595.00	42.22	74.00	-31.78	50.94	37.83	26.68	63.69	-9.54 -- -- PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1	7312.00	54.09	74.00	-19.11	37.68	37.20	15.40	36.59	1.20 166 236 Peak																																																																																																																																					
2	7312.00	45.92	54.00	-8.08	28.71	37.20	15.40	36.59	1.20 166 236 Average																																																																																																																																					
3	13730.00	54.67	88.20	-33.53	34.02	41.20	21.31	42.47	0.61 -- -- PEAK																																																																																																																																					
4	20595.00	41.44	74.00	-32.56	50.16	37.83	26.68	63.69	-9.54 -- -- PEAK																																																																																																																																					





Mode	47																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal					Vertical																																																																																																			
Peak Avg																																																																																																									
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL					Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7309.00</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>36.05</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.19</td><td>390</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>7309.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>26.14</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.19</td><td>390</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>13330.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>32.29</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>13330.00</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>21.68</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>19995.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>49.92</td><td>37.70</td><td>26.25</td><td>63.91</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7309.00	54.05	74.00	-19.95	36.05	37.20	15.40	36.59	1.19	390	360	Peak	2	7309.00	43.34	54.00	-10.66	26.14	37.20	15.40	36.59	1.19	390	360	Average	3	13330.00	52.99	74.00	-21.01	32.29	41.00	21.00	41.88	0.58	--	--	PEAK	4	13330.00	42.38	54.00	-11.62	21.68	41.00	21.00	41.88	0.58	--	--	Average	5	19995.00	40.42	74.00	-33.58	49.92	37.70	26.25	63.91	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																
1	7309.00	54.05	74.00	-19.95	36.05	37.20	15.40	36.59	1.19	390	360	Peak																																																																																													
2	7309.00	43.34	54.00	-10.66	26.14	37.20	15.40	36.59	1.19	390	360	Average																																																																																													
3	13330.00	52.99	74.00	-21.01	32.29	41.00	21.00	41.88	0.58	--	--	PEAK																																																																																													
4	13330.00	42.38	54.00	-11.62	21.68	41.00	21.00	41.88	0.58	--	--	Average																																																																																													
5	19995.00	40.42	74.00	-33.58	49.92	37.70	26.25	63.91	-9.54	--	--	PEAK																																																																																													





Mode	48																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_6825MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7320.40</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>42.15</td><td>37.20</td><td>15.41</td><td>36.61</td><td>1.20 183 300 Peak</td></tr><tr><td>2</td><td>7320.40</td><td>50.26</td><td>54.00</td><td>-3.74</td><td>33.06</td><td>37.20</td><td>15.41</td><td>36.61</td><td>1.20 183 300 Average</td></tr><tr><td>3</td><td>13650.00</td><td>54.06</td><td>88.20</td><td>-34.14</td><td>33.58</td><td>41.00</td><td>21.25</td><td>42.38</td><td>0.61 -- -- PEAK</td></tr><tr><td>4</td><td>20475.00</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>51.59</td><td>37.80</td><td>26.60</td><td>63.81</td><td>-9.54 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7320.40	59.35	74.00	-14.65	42.15	37.20	15.41	36.61	1.20 183 300 Peak	2	7320.40	50.26	54.00	-3.74	33.06	37.20	15.41	36.61	1.20 183 300 Average	3	13650.00	54.06	88.20	-34.14	33.58	41.00	21.25	42.38	0.61 -- -- PEAK	4	20475.00	42.64	74.00	-31.36	51.59	37.80	26.60	63.81	-9.54 -- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7334.40</td><td>60.40</td><td>74.00</td><td>-13.60</td><td>43.21</td><td>37.20</td><td>15.42</td><td>36.63</td><td>1.20 165 235 Peak</td></tr><tr><td>2</td><td>7334.40</td><td>50.72</td><td>54.00</td><td>-3.28</td><td>33.53</td><td>37.20</td><td>15.42</td><td>36.63</td><td>1.20 165 235 Average</td></tr><tr><td>3</td><td>13650.00</td><td>54.76</td><td>88.20</td><td>-33.44</td><td>34.28</td><td>41.00</td><td>21.25</td><td>42.38</td><td>0.61 -- -- PEAK</td></tr><tr><td>4</td><td>20475.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>53.36</td><td>37.80</td><td>26.60</td><td>63.81</td><td>-9.54 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7334.40	60.40	74.00	-13.60	43.21	37.20	15.42	36.63	1.20 165 235 Peak	2	7334.40	50.72	54.00	-3.28	33.53	37.20	15.42	36.63	1.20 165 235 Average	3	13650.00	54.76	88.20	-33.44	34.28	41.00	21.25	42.38	0.61 -- -- PEAK	4	20475.00	44.41	74.00	-29.59	53.36	37.80	26.60	63.81	-9.54 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1	7320.40	59.35	74.00	-14.65	42.15	37.20	15.41	36.61	1.20 183 300 Peak																																																																																																																																					
2	7320.40	50.26	54.00	-3.74	33.06	37.20	15.41	36.61	1.20 183 300 Average																																																																																																																																					
3	13650.00	54.06	88.20	-34.14	33.58	41.00	21.25	42.38	0.61 -- -- PEAK																																																																																																																																					
4	20475.00	42.64	74.00	-31.36	51.59	37.80	26.60	63.81	-9.54 -- -- PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1	7334.40	60.40	74.00	-13.60	43.21	37.20	15.42	36.63	1.20 165 235 Peak																																																																																																																																					
2	7334.40	50.72	54.00	-3.28	33.53	37.20	15.42	36.63	1.20 165 235 Average																																																																																																																																					
3	13650.00	54.76	88.20	-33.44	34.28	41.00	21.25	42.38	0.61 -- -- PEAK																																																																																																																																					
4	20475.00	44.41	74.00	-29.59	53.36	37.80	26.60	63.81	-9.54 -- -- PEAK																																																																																																																																					







Mode	49																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																																																																																	
ANT	6+7																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7281.20</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>33.37</td><td>37.12</td><td>15.36</td><td>36.55</td><td>1.19</td><td>--</td></tr><tr><td>2 7281.20</td><td>38.79</td><td>54.00</td><td>-15.21</td><td>21.67</td><td>37.12</td><td>15.36</td><td>36.55</td><td>1.19</td><td>--</td></tr><tr><td>3 13790.00</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>33.06</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.62</td><td>--</td></tr><tr><td>4 20685.00</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>59.50</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>290</td></tr><tr><td>5 20685.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>50.18</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>290</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7281.20	50.49	74.00	-23.51	33.37	37.12	15.36	36.55	1.19	--	2 7281.20	38.79	54.00	-15.21	21.67	37.12	15.36	36.55	1.19	--	3 13790.00	53.71	88.20	-34.49	33.06	41.20	21.36	42.53	0.62	--	4 20685.00	51.00	74.00	-23.00	59.50	37.87	26.75	63.58	-9.54	290	5 20685.00	41.68	54.00	-12.32	50.18	37.87	26.75	63.58	-9.54	290	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7345.60</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>32.14</td><td>37.20</td><td>15.44</td><td>36.65</td><td>1.20</td><td>--</td></tr><tr><td>2 7345.60</td><td>38.83</td><td>54.00</td><td>-15.17</td><td>21.64</td><td>37.20</td><td>15.44</td><td>36.65</td><td>1.20</td><td>--</td></tr><tr><td>3 13790.00</td><td>53.79</td><td>88.20</td><td>-34.41</td><td>33.14</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.62</td><td>--</td></tr><tr><td>4 20685.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>57.97</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>204</td></tr><tr><td>5 20685.00</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>49.26</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>204</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7345.60	49.33	74.00	-24.67	32.14	37.20	15.44	36.65	1.20	--	2 7345.60	38.83	54.00	-15.17	21.64	37.20	15.44	36.65	1.20	--	3 13790.00	53.79	88.20	-34.41	33.14	41.20	21.36	42.53	0.62	--	4 20685.00	49.47	74.00	-24.53	57.97	37.87	26.75	63.58	-9.54	204	5 20685.00	40.76	54.00	-13.24	49.26	37.87	26.75	63.58	-9.54	204
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																									
1 7281.20	50.49	74.00	-23.51	33.37	37.12	15.36	36.55	1.19	--																																																																																																																																																									
2 7281.20	38.79	54.00	-15.21	21.67	37.12	15.36	36.55	1.19	--																																																																																																																																																									
3 13790.00	53.71	88.20	-34.49	33.06	41.20	21.36	42.53	0.62	--																																																																																																																																																									
4 20685.00	51.00	74.00	-23.00	59.50	37.87	26.75	63.58	-9.54	290																																																																																																																																																									
5 20685.00	41.68	54.00	-12.32	50.18	37.87	26.75	63.58	-9.54	290																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																									
1 7345.60	49.33	74.00	-24.67	32.14	37.20	15.44	36.65	1.20	--																																																																																																																																																									
2 7345.60	38.83	54.00	-15.17	21.64	37.20	15.44	36.65	1.20	--																																																																																																																																																									
3 13790.00	53.79	88.20	-34.41	33.14	41.20	21.36	42.53	0.62	--																																																																																																																																																									
4 20685.00	49.47	74.00	-24.53	57.97	37.87	26.75	63.58	-9.54	204																																																																																																																																																									
5 20685.00	40.76	54.00	-13.24	49.26	37.87	26.75	63.58	-9.54	204																																																																																																																																																									







Mode	50																																																																
	Harmonic																																																																
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																
ANT	6+7																																																																
Pol.	Horizontal																																																																
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.06</td><td>88.20</td><td>-33.34</td><td>33.60</td><td>41.06</td><td>21.51</td><td>42.75</td><td>0.64</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>53.97</td><td>38.20</td><td>26.97</td><td>63.22</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	54.06	88.20	-33.34	33.60	41.06	21.51	42.75	0.64	--	PEAK	2	20905.00	46.38	74.00	-27.62	53.97	38.20	26.97	63.22	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	13990.00	54.06	88.20	-33.34	33.60	41.06	21.51	42.75	0.64	--	PEAK																																																						
2	20905.00	46.38	74.00	-27.62	53.97	38.20	26.97	63.22	-9.54	--	PEAK																																																						
Pol.	Vertical																																																																
Peak Avg																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.07</td><td>88.20</td><td>-34.13</td><td>32.81</td><td>41.06</td><td>21.51</td><td>42.75</td><td>0.64</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>53.33</td><td>38.20</td><td>26.97</td><td>63.22</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	54.07	88.20	-34.13	32.81	41.06	21.51	42.75	0.64	--	PEAK	2	20905.00	45.74	74.00	-28.26	53.33	38.20	26.97	63.22	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	13990.00	54.07	88.20	-34.13	32.81	41.06	21.51	42.75	0.64	--	PEAK																																																						
2	20905.00	45.74	74.00	-28.26	53.33	38.20	26.97	63.22	-9.54	--	PEAK																																																						





Mode	51																																																																																																				
	Band Edge																																																																																																				
	U-NII-8 6.875-7.125 802.11a CH233 7115MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Horizontal					Fundamental																																																																																															
Peak																																																																																																					
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																															
Avg																																																																																																					
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto					Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.53</td><td>76.48</td><td>88.20 -11.72</td><td>60.86</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>313</td><td>299 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.53	76.48	88.20 -11.72	60.86	36.75	15.18	36.31	0.00	313	299 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>103.84</td><td>-----</td><td>88.25</td><td>36.71</td><td>15.16</td><td>36.28</td><td>0.00</td><td>313</td><td>299 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	103.84	-----	88.25	36.71	15.16	36.28	0.00	313	299 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 7125.53	76.48	88.20 -11.72	60.86	36.75	15.18	36.31	0.00	313	299 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 7115.00	103.84	-----	88.25	36.71	15.16	36.28	0.00	313	299 PEAK																																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>66.91</td><td>68.20 -1.29</td><td>51.29</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>313</td><td>299 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.01	66.91	68.20 -1.29	51.29	36.75	15.18	36.31	0.00	313	299 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>97.32</td><td>-----</td><td>81.70</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>313</td><td>299 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	97.32	-----	81.70	36.74	15.18	36.30	0.00	313	299 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 7125.01	66.91	68.20 -1.29	51.29	36.75	15.18	36.31	0.00	313	299 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 7115.00	97.32	-----	81.70	36.74	15.18	36.30	0.00	313	299 AVERAGE																																																																																												





Mode	51																																																																																								
	Band Edge																																																																																								
	U-NII-8 6.875-7.125 802.11a CH233 7115MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>75.24</td><td>88.20</td><td>-12.96</td><td>59.62</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>200 243 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	75.24	88.20	-12.96	59.62	36.75	15.18	36.31	0.00	200 243 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>103.51</td><td>-----</td><td>-----</td><td>87.90</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>200 243 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	103.51	-----	-----	87.90	36.73	15.17	36.29	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7125.01	75.24	88.20	-12.96	59.62	36.75	15.18	36.31	0.00	200 243 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7115.00	103.51	-----	-----	87.90	36.73	15.17	36.29	0.00	200 243 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>65.51</td><td>68.20</td><td>-2.69</td><td>49.09</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>200 243 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	65.51	68.20	-2.69	49.09	36.75	15.18	36.31	0.00	200 243 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>96.30</td><td>-----</td><td>-----</td><td>80.68</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>200 243 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	96.30	-----	-----	80.68	36.74	15.18	36.30	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7125.01	65.51	68.20	-2.69	49.09	36.75	15.18	36.31	0.00	200 243 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7115.00	96.30	-----	-----	80.68	36.74	15.18	36.30	0.00	200 243 AVERAGE																																																																																





Mode	51																																																																	
	Harmonic																																																																	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.26</td><td>88.20</td><td>-32.94</td><td>33.97</td><td>42.00</td><td>21.72</td><td>43.05</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21345.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>48.15</td><td>38.02</td><td>27.16</td><td>63.34</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.26	88.20	-32.94	33.97	42.00	21.72	43.05	0.62	--	PEAK	2	21345.00	40.45	74.00	-33.55	48.15	38.02	27.16	63.34	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	14230.00	55.26	88.20	-32.94	33.97	42.00	21.72	43.05	0.62	--	PEAK																																																							
2	21345.00	40.45	74.00	-33.55	48.15	38.02	27.16	63.34	-9.54	--	PEAK																																																							



Mode	52																																																																																
	Harmonic																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_6895MHz																																																																																
ANT	6+7																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>53.98</td><td>88.20</td><td>-34.22</td><td>33.33</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.62</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>48.55</td><td>74.00</td><td>-25.45</td><td>57.05</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>290</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>20685.00</td><td>39.94</td><td>54.00</td><td>-14.06</td><td>48.44</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>290</td><td>258</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	53.98	88.20	-34.22	33.33	41.20	21.36	42.53	0.62	--	--	PEAK	2	20685.00	48.55	74.00	-25.45	57.05	37.87	26.75	63.58	-9.54	290	258	PEAK	3	20685.00	39.94	54.00	-14.06	48.44	37.87	26.75	63.58	-9.54	290	258	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13790.00	53.98	88.20	-34.22	33.33	41.20	21.36	42.53	0.62	--	--	PEAK																																																																					
2	20685.00	48.55	74.00	-25.45	57.05	37.87	26.75	63.58	-9.54	290	258	PEAK																																																																					
3	20685.00	39.94	54.00	-14.06	48.44	37.87	26.75	63.58	-9.54	290	258	Average																																																																					
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>53.76</td><td>88.20</td><td>-34.44</td><td>33.11</td><td>41.20</td><td>21.36</td><td>42.53</td><td>0.62</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20685.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>54.50</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>285</td><td>254</td><td>PEAK</td></tr><tr><td>3</td><td>20685.00</td><td>35.24</td><td>54.00</td><td>-18.76</td><td>43.74</td><td>37.87</td><td>26.75</td><td>63.58</td><td>-9.54</td><td>285</td><td>254</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	53.76	88.20	-34.44	33.11	41.20	21.36	42.53	0.62	--	--	PEAK	2	20685.00	46.00	74.00	-28.00	54.50	37.87	26.75	63.58	-9.54	285	254	PEAK	3	20685.00	35.24	54.00	-18.76	43.74	37.87	26.75	63.58	-9.54	285	254	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13790.00	53.76	88.20	-34.44	33.11	41.20	21.36	42.53	0.62	--	--	PEAK																																																																					
2	20685.00	46.00	74.00	-28.00	54.50	37.87	26.75	63.58	-9.54	285	254	PEAK																																																																					
3	20685.00	35.24	54.00	-18.76	43.74	37.87	26.75	63.58	-9.54	285	254	Average																																																																					



Mode	53																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_6995MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.96</td><td>88.20</td><td>-33.24</td><td>33.70</td><td>41.06</td><td>21.51</td><td>42.75</td><td>0.64 -- -- PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>44.75</td><td>74.00</td><td>-29.25</td><td>52.34</td><td>38.20</td><td>26.97</td><td>63.22</td><td>-9.54 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13990.00	54.96	88.20	-33.24	33.70	41.06	21.51	42.75	0.64 -- -- PEAK	2	20905.00	44.75	74.00	-29.25	52.34	38.20	26.97	63.22	-9.54 -- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.89</td><td>88.20</td><td>-33.31</td><td>33.63</td><td>41.06</td><td>21.51</td><td>42.75</td><td>0.64 -- -- PEAK</td></tr><tr><td>2</td><td>20905.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>52.76</td><td>38.20</td><td>26.97</td><td>63.22</td><td>-9.54 -- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13990.00	54.89	88.20	-33.31	33.63	41.06	21.51	42.75	0.64 -- -- PEAK	2	20905.00	45.17	74.00	-28.83	52.76	38.20	26.97	63.22	-9.54 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	13990.00	54.96	88.20	-33.24	33.70	41.06	21.51	42.75	0.64 -- -- PEAK																																																																																													
2	20905.00	44.75	74.00	-29.25	52.34	38.20	26.97	63.22	-9.54 -- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	13990.00	54.89	88.20	-33.31	33.63	41.06	21.51	42.75	0.64 -- -- PEAK																																																																																													
2	20905.00	45.17	74.00	-28.83	52.76	38.20	26.97	63.22	-9.54 -- -- PEAK																																																																																													