













Mode	54																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																										
ANT	6+7																																																																																																																										
Pol.	Horizontal																																																																																																																										
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>75.40</td><td>88.20</td><td>-12.80</td><td>59.78</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>315</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>7126.05</td><td>74.78</td><td>88.20</td><td>-13.42</td><td>59.16</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>315</td><td>295</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	75.40	88.20	-12.80	59.78	36.75	15.18	36.31	0.00	315	295	PEAK	2	7126.05	74.78	88.20	-13.42	59.16	36.75	15.18	36.31	0.00	315	295	Peak	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>102.39</td><td>-----</td><td>-----</td><td>86.78</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>315</td><td>295</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	102.39	-----	-----	86.78	36.73	15.17	36.29	0.00	315	295	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	7125.01	75.40	88.20	-12.80	59.78	36.75	15.18	36.31	0.00	315	295	PEAK																																																																																																															
2	7126.05	74.78	88.20	-13.42	59.16	36.75	15.18	36.31	0.00	315	295	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	7115.00	102.39	-----	-----	86.78	36.73	15.17	36.29	0.00	315	295	PEAK																																																																																																															
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>66.13</td><td>68.20</td><td>-2.07</td><td>50.51</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>315</td><td>295</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>63.87</td><td>68.20</td><td>-4.33</td><td>48.25</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>315</td><td>295</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	66.13	68.20	-2.07	50.51	36.75	15.18	36.31	0.00	315	295	AVERAGE	2	7126.00	63.87	68.20	-4.33	48.25	36.75	15.18	36.31	0.00	315	295	Peak	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>94.90</td><td>-----</td><td>-----</td><td>79.28</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>315</td><td>295</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	94.90	-----	-----	79.28	36.74	15.18	36.30	0.00	315	295	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	7125.01	66.13	68.20	-2.07	50.51	36.75	15.18	36.31	0.00	315	295	AVERAGE																																																																																																															
2	7126.00	63.87	68.20	-4.33	48.25	36.75	15.18	36.31	0.00	315	295	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	7115.00	94.90	-----	-----	79.28	36.74	15.18	36.30	0.00	315	295	AVERAGE																																																																																																															







		54																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																															
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>73.49</td><td>88.20</td><td>-14.71</td><td>57.87</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>116</td><td>222</td><td>PEAK</td></tr><tr><td>2</td><td>7126.00</td><td>71.50</td><td>88.20</td><td>-16.70</td><td>55.88</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>116</td><td>222</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	73.49	88.20	-14.71	57.87	36.75	15.18	36.31	0.00	116	222	PEAK	2	7126.00	71.50	88.20	-16.70	55.88	36.75	15.18	36.31	0.00	116	222	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>100.29</td><td>-----</td><td>-----</td><td>84.68</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>116</td><td>222</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	100.29	-----	-----	84.68	36.73	15.17	36.29	0.00	116	222	PEAK
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7125.01	73.49	88.20	-14.71	57.87	36.75	15.18	36.31	0.00	116	222	PEAK																																																																																										
2	7126.00	71.50	88.20	-16.70	55.88	36.75	15.18	36.31	0.00	116	222	Peak																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7115.00	100.29	-----	-----	84.68	36.73	15.17	36.29	0.00	116	222	PEAK																																																																																										
Avg																																																																																																						
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																															
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>64.11</td><td>68.20</td><td>-4.09</td><td>48.49</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>116</td><td>222</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>61.49</td><td>68.20</td><td>-6.71</td><td>45.87</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>116</td><td>222</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	64.11	68.20	-4.09	48.49	36.75	15.18	36.31	0.00	116	222	AVERAGE	2	7126.00	61.49	68.20	-6.71	45.87	36.75	15.18	36.31	0.00	116	222	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>92.61</td><td>-----</td><td>-----</td><td>77.00</td><td>36.73</td><td>15.17</td><td>36.29</td><td>0.00</td><td>116</td><td>222</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	92.61	-----	-----	77.00	36.73	15.17	36.29	0.00	116	222	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7125.01	64.11	68.20	-4.09	48.49	36.75	15.18	36.31	0.00	116	222	AVERAGE																																																																																										
2	7126.00	61.49	68.20	-6.71	45.87	36.75	15.18	36.31	0.00	116	222	Peak																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7115.00	92.61	-----	-----	77.00	36.73	15.17	36.29	0.00	116	222	AVERAGE																																																																																										



Mode	54																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																							
ANT	6+7																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>54.75</td><td>88.20</td><td>-33.45</td><td>33.46</td><td>42.00</td><td>21.72</td><td>43.05</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21345.00</td><td>40.89</td><td>74.00</td><td>-33.11</td><td>48.59</td><td>38.02</td><td>27.16</td><td>63.34</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	54.75	88.20	-33.45	33.46	42.00	21.72	43.05	0.62	--	PEAK	2	21345.00	40.89	74.00	-33.11	48.59	38.02	27.16	63.34	-9.54	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>55.06</td><td>88.20</td><td>-33.14</td><td>33.77</td><td>42.00</td><td>21.72</td><td>43.05</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21345.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>48.64</td><td>38.02</td><td>27.16</td><td>63.34</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	55.06	88.20	-33.14	33.77	42.00	21.72	43.05	0.62	--	PEAK	2	21345.00	40.94	74.00	-33.06	48.64	38.02	27.16	63.34	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	14230.00	54.75	88.20	-33.45	33.46	42.00	21.72	43.05	0.62	--	PEAK																																																																																																													
2	21345.00	40.89	74.00	-33.11	48.59	38.02	27.16	63.34	-9.54	--	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	14230.00	55.06	88.20	-33.14	33.77	42.00	21.72	43.05	0.62	--	PEAK																																																																																																													
2	21345.00	40.94	74.00	-33.06	48.64	38.02	27.16	63.34	-9.54	--	PEAK																																																																																																													





		55																																																																																																							
Mode	Band Edge																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU 106/54_7115MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal												Fundamental																																																																																												
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>78.99</td><td>88.20</td><td>-9.21</td><td>63.37</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>346</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>7126.18</td><td>78.14</td><td>88.20</td><td>-10.06</td><td>62.51</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>346</td><td>303</td><td>Peak</td></tr></tbody></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	78.99	88.20	-9.21	63.37	36.75	15.18	36.31	0.00	346	303	PEAK	2	7126.18	78.14	88.20	-10.06	62.51	36.75	15.19	36.31	0.00	346	303	Peak	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>104.49</td><td>-----</td><td>-----</td><td>88.87</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>346</td><td>303</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	104.49	-----	-----	88.87	36.75	15.18	36.31	0.00	346	303	PEAK
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	7125.01	78.99	88.20	-9.21	63.37	36.75	15.18	36.31	0.00	346	303	PEAK																																																																																													
2	7126.18	78.14	88.20	-10.06	62.51	36.75	15.19	36.31	0.00	346	303	Peak																																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	7115.00	104.49	-----	-----	88.87	36.75	15.18	36.31	0.00	346	303	PEAK																																																																																													
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>66.80</td><td>68.20</td><td>-1.40</td><td>51.18</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>346</td><td>303</td><td>AVERAGE</td></tr><tr><td>2</td><td>7125.92</td><td>65.35</td><td>68.20</td><td>-2.85</td><td>49.73</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>346</td><td>303</td><td>Average</td></tr></tbody></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	66.80	68.20	-1.40	51.18	36.75	15.18	36.31	0.00	346	303	AVERAGE	2	7125.92	65.35	68.20	-2.85	49.73	36.75	15.18	36.31	0.00	346	303	Average	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>96.16</td><td>-----</td><td>-----</td><td>80.54</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>346</td><td>303</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	96.16	-----	-----	80.54	36.75	15.18	36.31	0.00	346	303	AVERAGE
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	7125.01	66.80	68.20	-1.40	51.18	36.75	15.18	36.31	0.00	346	303	AVERAGE																																																																																													
2	7125.92	65.35	68.20	-2.85	49.73	36.75	15.18	36.31	0.00	346	303	Average																																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	7115.00	96.16	-----	-----	80.54	36.75	15.18	36.31	0.00	346	303	AVERAGE																																																																																													





Mode	55																																																																																																															
	Band Edge																																																																																																															
	U-NII-8 6.875-7.125 802.11ax HE20_CH233_Partial RU 106/54 7115MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.14</td><td>77.74</td><td>88.20</td><td>-10.46</td><td>62.12</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>165</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>7126.05</td><td>80.81</td><td>88.20</td><td>-7.39</td><td>65.19</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>165</td><td>253</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.14	77.74	88.20	-10.46	62.12	36.75	15.18	36.31	0.00	165	253	PEAK	2	7126.05	80.81	88.20	-7.39	65.19	36.75	15.18	36.31	0.00	165	253	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>104.22</td><td>-----</td><td>-----</td><td>88.60</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>165</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	104.22	-----	-----	88.60	36.74	15.18	36.30	0.00	165	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.14	77.74	88.20	-10.46	62.12	36.75	15.18	36.31	0.00	165	253	PEAK																																																																																																				
2	7126.05	80.81	88.20	-7.39	65.19	36.75	15.18	36.31	0.00	165	253	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	104.22	-----	-----	88.60	36.74	15.18	36.30	0.00	165	253	PEAK																																																																																																				
Avg																																																																																																																
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto						Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>65.61</td><td>68.20</td><td>-2.59</td><td>49.99</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>165</td><td>253</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.18</td><td>62.62</td><td>68.20</td><td>-5.58</td><td>46.99</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>165</td><td>253</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	65.61	68.20	-2.59	49.99	36.75	15.18	36.31	0.00	165	253	AVERAGE	2	7126.18	62.62	68.20	-5.58	46.99	36.75	15.19	36.31	0.00	165	253	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>97.50</td><td>-----</td><td>-----</td><td>81.88</td><td>36.74</td><td>15.18</td><td>36.30</td><td>0.00</td><td>165</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	97.50	-----	-----	81.88	36.74	15.18	36.30	0.00	165	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	65.61	68.20	-2.59	49.99	36.75	15.18	36.31	0.00	165	253	AVERAGE																																																																																																				
2	7126.18	62.62	68.20	-5.58	46.99	36.75	15.19	36.31	0.00	165	253	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	97.50	-----	-----	81.88	36.74	15.18	36.30	0.00	165	253	AVERAGE																																																																																																				







Mode	56																																																																	
	Harmonic																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_6925MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>33.00</td><td>41.30</td><td>21.40</td><td>42.60</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20775.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>52.02</td><td>38.05</td><td>26.82</td><td>63.47</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13850.00	53.73	88.20	-34.47	33.00	41.30	21.40	42.60	0.63	--	PEAK	2	20775.00	43.88	74.00	-30.12	52.02	38.05	26.82	63.47	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	13850.00	53.73	88.20	-34.47	33.00	41.30	21.40	42.60	0.63	--	PEAK																																																							
2	20775.00	43.88	74.00	-30.12	52.02	38.05	26.82	63.47	-9.54	--	PEAK																																																							







Mode	57																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_7005MHz																																																																																																																		
ANT	6+7																																																																																																																		
Pol.	Horizontal					Vertical																																																																																																													
Peak Avg																																																																																																																			
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL					Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>14010.00</td><td>54.90</td><td>88.20</td><td>-33.30</td><td>33.62</td><td>41.88</td><td>21.53</td><td>42.77</td><td>0.64 -- -- PEAK</td></tr><tr><td>2</td><td>21015.00</td><td>43.35</td><td>74.00</td><td>-30.65</td><td>50.94</td><td>38.17</td><td>26.99</td><td>63.21</td><td>-9.54 -- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	14010.00	54.90	88.20	-33.30	33.62	41.88	21.53	42.77	0.64 -- -- PEAK	2	21015.00	43.35	74.00	-30.65	50.94	38.17	26.99	63.21	-9.54 -- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>14010.00</td><td>54.63</td><td>88.20</td><td>-33.57</td><td>33.35</td><td>41.88</td><td>21.53</td><td>42.77</td><td>0.64 -- -- PEAK</td></tr><tr><td>2</td><td>21015.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>49.88</td><td>38.17</td><td>26.99</td><td>63.21</td><td>-9.54 -- -- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	14010.00	54.63	88.20	-33.57	33.35	41.88	21.53	42.77	0.64 -- -- PEAK	2	21015.00	42.29	74.00	-31.71	49.88	38.17	26.99	63.21	-9.54 -- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																										
1	14010.00	54.90	88.20	-33.30	33.62	41.88	21.53	42.77	0.64 -- -- PEAK																																																																																																										
2	21015.00	43.35	74.00	-30.65	50.94	38.17	26.99	63.21	-9.54 -- -- PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																										
1	14010.00	54.63	88.20	-33.57	33.35	41.88	21.53	42.77	0.64 -- -- PEAK																																																																																																										
2	21015.00	42.29	74.00	-31.71	49.88	38.17	26.99	63.21	-9.54 -- -- PEAK																																																																																																										





Mode	58																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.96</td><td>75.91</td><td>88.20</td><td>-12.29</td><td>60.29</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>311 297 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.96	75.91	88.20	-12.29	60.29	36.75	15.18	36.31	0.00	311 297 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>112.07</td><td>-----</td><td>-----</td><td>96.50</td><td>36.68</td><td>15.15</td><td>36.26</td><td>0.00</td><td>311 297 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	112.07	-----	-----	96.50	36.68	15.15	36.26	0.00	311 297 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7125.96	75.91	88.20	-12.29	60.29	36.75	15.18	36.31	0.00	311 297 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	112.07	-----	-----	96.50	36.68	15.15	36.26	0.00	311 297 PEAK																																																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.16</td><td>67.00</td><td>68.20</td><td>-1.20</td><td>51.38</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>311 297 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.16	67.00	68.20	-1.20	51.38	36.75	15.18	36.31	0.00	311 297 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>104.43</td><td>-----</td><td>-----</td><td>88.94</td><td>36.60</td><td>15.13</td><td>36.24</td><td>0.00</td><td>311 297 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	104.43	-----	-----	88.94	36.60	15.13	36.24	0.00	311 297 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7125.16	67.00	68.20	-1.20	51.38	36.75	15.18	36.31	0.00	311 297 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	104.43	-----	-----	88.94	36.60	15.13	36.24	0.00	311 297 AVERAGE																																																																																	







		58																																																																																								
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7127.40</td><td>77.04</td><td>88.20</td><td>-11.16</td><td>61.41</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>209 249 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7127.40	77.04	88.20	-11.16	61.41	36.75	15.19	36.31	0.00	209 249 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>111.66</td><td>-----</td><td>-----</td><td>96.14</td><td>36.63</td><td>15.13</td><td>36.24</td><td>0.00</td><td>209 249 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	111.66	-----	-----	96.14	36.63	15.13	36.24	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7127.40	77.04	88.20	-11.16	61.41	36.75	15.19	36.31	0.00	209 249 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	111.66	-----	-----	96.14	36.63	15.13	36.24	0.00	209 249 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7128.04</td><td>66.66</td><td>68.20</td><td>-1.54</td><td>51.02</td><td>36.76</td><td>15.19</td><td>36.31</td><td>0.00</td><td>209 249 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7128.04	66.66	68.20	-1.54	51.02	36.76	15.19	36.31	0.00	209 249 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>103.97</td><td>-----</td><td>-----</td><td>88.45</td><td>36.63</td><td>15.13</td><td>36.24</td><td>0.00</td><td>209 249 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	103.97	-----	-----	88.45	36.63	15.13	36.24	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7128.04	66.66	68.20	-1.54	51.02	36.76	15.19	36.31	0.00	209 249 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	103.97	-----	-----	88.45	36.63	15.13	36.24	0.00	209 249 AVERAGE																																																																																	







Mode	58																																																																	
	Harmonic																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																	
ANT	6+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>54.35</td><td>88.20</td><td>-33.85</td><td>33.03</td><td>42.00</td><td>21.67</td><td>42.97</td><td>0.62</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21255.00</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>48.08</td><td>38.02</td><td>27.12</td><td>63.30</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14170.00	54.35	88.20	-33.85	33.03	42.00	21.67	42.97	0.62	--	PEAK	2	21255.00	41.18	74.00	-32.82	48.08	38.02	27.12	63.30	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	14170.00	54.35	88.20	-33.85	33.03	42.00	21.67	42.97	0.62	--	PEAK																																																							
2	21255.00	41.18	74.00	-32.82	48.08	38.02	27.12	63.30	-9.54	--	PEAK																																																							





		59																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial RU 242/62_7085MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7129.00</td><td>86.31</td><td>88.20</td><td>-1.89</td><td>70.68</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>219 293 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7129.00	86.31	88.20	-1.89	70.68	36.76	15.19	36.32	0.00	219 293 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>113.07</td><td>-----</td><td>-----</td><td>97.50</td><td>36.68</td><td>15.15</td><td>36.26</td><td>0.00</td><td>219 293 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	113.07	-----	-----	97.50	36.68	15.15	36.26	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7129.00	86.31	88.20	-1.89	70.68	36.76	15.19	36.32	0.00	219 293 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7085.00	113.07	-----	-----	97.50	36.68	15.15	36.26	0.00	219 293 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7128.36</td><td>65.24</td><td>68.20</td><td>-2.96</td><td>49.61</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>219 293 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7128.36	65.24	68.20	-2.96	49.61	36.76	15.19	36.32	0.00	219 293 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>105.83</td><td>-----</td><td>-----</td><td>90.29</td><td>36.65</td><td>15.14</td><td>36.25</td><td>0.00</td><td>219 293 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	105.83	-----	-----	90.29	36.65	15.14	36.25	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7128.36	65.24	68.20	-2.96	49.61	36.76	15.19	36.32	0.00	219 293 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7085.00	105.83	-----	-----	90.29	36.65	15.14	36.25	0.00	219 293 AVERAGE																																																																																







Mode	59																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial RU 242/62_7085MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7138.44</td><td>84.61</td><td>88.20</td><td>-3.59</td><td>68.98</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>157 245 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7138.44	84.61	88.20	-3.59	68.98	36.76	15.19	36.32	0.00	157 245 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>113.66</td><td>-----</td><td>-----</td><td>98.07</td><td>36.70</td><td>15.16</td><td>36.27</td><td>0.00</td><td>157 245 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	113.66	-----	-----	98.07	36.70	15.16	36.27	0.00	157 245 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7138.44	84.61	88.20	-3.59	68.98	36.76	15.19	36.32	0.00	157 245 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	113.66	-----	-----	98.07	36.70	15.16	36.27	0.00	157 245 PEAK																																																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7128.52</td><td>66.56</td><td>68.20</td><td>-1.64</td><td>58.93</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>157 245 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7128.52	66.56	68.20	-1.64	58.93	36.76	15.19	36.32	0.00	157 245 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>105.20</td><td>-----</td><td>-----</td><td>89.61</td><td>36.70</td><td>15.16</td><td>36.27</td><td>0.00</td><td>157 245 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	105.20	-----	-----	89.61	36.70	15.16	36.27	0.00	157 245 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7128.52	66.56	68.20	-1.64	58.93	36.76	15.19	36.32	0.00	157 245 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	105.20	-----	-----	89.61	36.70	15.16	36.27	0.00	157 245 AVERAGE																																																																																	







Mode	60																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz																																																																																																																																																									
ANT	6+7																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																										
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7298.00</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>41.19</td><td>37.19</td><td>15.38</td><td>36.57</td><td>1.19</td><td>229</td><td>301 Peak</td></tr><tr><td>2</td><td>7298.00</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>32.27</td><td>37.19</td><td>15.38</td><td>36.57</td><td>1.19</td><td>229</td><td>301 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7298.00	58.38	74.00	-15.62	41.19	37.19	15.38	36.57	1.19	229	301 Peak	2	7298.00	49.46	54.00	-4.54	32.27	37.19	15.38	36.57	1.19	229	301 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7306.40</td><td>57.94</td><td>74.00</td><td>-16.06</td><td>40.75</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>219</td><td>106 Peak</td></tr><tr><td>2</td><td>7306.40</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>30.38</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>219</td><td>106 Average</td></tr><tr><td>3</td><td>13890.00</td><td>54.53</td><td>88.20</td><td>-33.67</td><td>33.49</td><td>41.62</td><td>21.43</td><td>42.64</td><td>0.63</td><td>--</td><td>-- PEAK</td></tr><tr><td>4</td><td>20835.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>50.11</td><td>38.07</td><td>26.86</td><td>63.40</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7306.40	57.94	74.00	-16.06	40.75	37.20	15.39	36.59	1.19	219	106 Peak	2	7306.40	47.57	54.00	-6.43	30.38	37.20	15.39	36.59	1.19	219	106 Average	3	13890.00	54.53	88.20	-33.67	33.49	41.62	21.43	42.64	0.63	--	-- PEAK	4	20835.00	42.10	74.00	-31.90	50.11	38.07	26.86	63.40	-9.54	--	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	7298.00	58.38	74.00	-15.62	41.19	37.19	15.38	36.57	1.19	229	301 Peak																																																																																																																																															
2	7298.00	49.46	54.00	-4.54	32.27	37.19	15.38	36.57	1.19	229	301 Average																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	7306.40	57.94	74.00	-16.06	40.75	37.20	15.39	36.59	1.19	219	106 Peak																																																																																																																																															
2	7306.40	47.57	54.00	-6.43	30.38	37.20	15.39	36.59	1.19	219	106 Average																																																																																																																																															
3	13890.00	54.53	88.20	-33.67	33.49	41.62	21.43	42.64	0.63	--	-- PEAK																																																																																																																																															
4	20835.00	42.10	74.00	-31.90	50.11	38.07	26.86	63.40	-9.54	--	-- PEAK																																																																																																																																															





Mode	61																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7127.00</td><td>76.74</td><td>88.20 -11.46</td><td>61.11</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>309</td><td>294 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7127.00	76.74	88.20 -11.46	61.11	36.75	15.19	36.31	0.00	309	294 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>110.29</td><td>-----</td><td>94.00</td><td>36.57</td><td>15.06</td><td>36.14</td><td>0.00</td><td>309</td><td>294 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	110.29	-----	94.00	36.57	15.06	36.14	0.00	309	294 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7127.00	76.74	88.20 -11.46	61.11	36.75	15.19	36.31	0.00	309	294 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7025.00	110.29	-----	94.00	36.57	15.06	36.14	0.00	309	294 PEAK																																																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.98</td><td>65.59</td><td>68.20 -2.61</td><td>49.97</td><td>36.75</td><td>15.18</td><td>36.31</td><td>0.00</td><td>309</td><td>294 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.98	65.59	68.20 -2.61	49.97	36.75	15.18	36.31	0.00	309	294 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>102.63</td><td>-----</td><td>87.14</td><td>36.57</td><td>15.06</td><td>36.14</td><td>0.00</td><td>309</td><td>294 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	102.63	-----	87.14	36.57	15.06	36.14	0.00	309	294 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7125.98	65.59	68.20 -2.61	49.97	36.75	15.18	36.31	0.00	309	294 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7025.00	102.63	-----	87.14	36.57	15.06	36.14	0.00	309	294 AVERAGE																																																																																	







Mode	61																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.82</td><td>75.00</td><td>88.20</td><td>-13.20</td><td>59.37</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>200</td><td>243</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7130.82	75.00	88.20	-13.20	59.37	36.76	15.19	36.32	0.00	200	243	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>109.01</td><td>-----</td><td>-----</td><td>93.55</td><td>36.55</td><td>15.07</td><td>36.16</td><td>0.00</td><td>200</td><td>243</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7025.00	109.01	-----	-----	93.55	36.55	15.07	36.16	0.00	200	243	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7130.82	75.00	88.20	-13.20	59.37	36.76	15.19	36.32	0.00	200	243	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7025.00	109.01	-----	-----	93.55	36.55	15.07	36.16	0.00	200	243	PEAK																																																																																						
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7129.94</td><td>63.86</td><td>68.20</td><td>-4.34</td><td>48.23</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>200</td><td>243</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7129.94	63.86	68.20	-4.34	48.23	36.76	15.19	36.32	0.00	200	243	AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>101.33</td><td>-----</td><td>-----</td><td>85.83</td><td>36.58</td><td>15.05</td><td>36.13</td><td>0.00</td><td>200</td><td>243</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7025.00	101.33	-----	-----	85.83	36.58	15.05	36.13	0.00	200	243	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7129.94	63.86	68.20	-4.34	48.23	36.76	15.19	36.32	0.00	200	243	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7025.00	101.33	-----	-----	85.83	36.58	15.05	36.13	0.00	200	243	AVERAGE																																																																																						







Mode	61																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																																															
ANT	6+7																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7306.40 53.98 74.00 -20.02</td><td>36.79</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>222</td><td>302</td><td>Peak</td></tr><tr><td>2 7306.40 43.43 54.00 -10.57</td><td>26.24</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>222</td><td>302</td><td>Average</td></tr><tr><td>3 14050.00 55.14 88.20 -33.06</td><td>33.97</td><td>41.80</td><td>21.56</td><td>42.82</td><td>0.63</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 21075.00 43.20 74.00 -30.80</td><td>50.95</td><td>38.00</td><td>27.02</td><td>63.23</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7306.40 53.98 74.00 -20.02	36.79	37.20	15.39	36.59	1.19	222	302	Peak	2 7306.40 43.43 54.00 -10.57	26.24	37.20	15.39	36.59	1.19	222	302	Average	3 14050.00 55.14 88.20 -33.06	33.97	41.80	21.56	42.82	0.63	--	--	PEAK	4 21075.00 43.20 74.00 -30.80	50.95	38.00	27.02	63.23	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7303.60 54.74 74.00 -19.26</td><td>37.54</td><td>37.20</td><td>15.39</td><td>36.58</td><td>1.19</td><td>167</td><td>236</td><td>Peak</td></tr><tr><td>2 7303.60 43.31 54.00 -10.69</td><td>26.11</td><td>37.20</td><td>15.39</td><td>36.58</td><td>1.19</td><td>167</td><td>236</td><td>Average</td></tr><tr><td>3 14050.00 54.78 88.20 -33.42</td><td>33.61</td><td>41.80</td><td>21.56</td><td>42.82</td><td>0.63</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 21075.00 41.18 74.00 -32.82</td><td>48.93</td><td>38.00</td><td>27.02</td><td>63.23</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7303.60 54.74 74.00 -19.26	37.54	37.20	15.39	36.58	1.19	167	236	Peak	2 7303.60 43.31 54.00 -10.69	26.11	37.20	15.39	36.58	1.19	167	236	Average	3 14050.00 54.78 88.20 -33.42	33.61	41.80	21.56	42.82	0.63	--	--	PEAK	4 21075.00 41.18 74.00 -32.82	48.93	38.00	27.02	63.23	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																																																													
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 7306.40 53.98 74.00 -20.02	36.79	37.20	15.39	36.59	1.19	222	302	Peak																																																																																																																								
2 7306.40 43.43 54.00 -10.57	26.24	37.20	15.39	36.59	1.19	222	302	Average																																																																																																																								
3 14050.00 55.14 88.20 -33.06	33.97	41.80	21.56	42.82	0.63	--	--	PEAK																																																																																																																								
4 21075.00 43.20 74.00 -30.80	50.95	38.00	27.02	63.23	-9.54	--	--	PEAK																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																																																													
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 7303.60 54.74 74.00 -19.26	37.54	37.20	15.39	36.58	1.19	167	236	Peak																																																																																																																								
2 7303.60 43.31 54.00 -10.69	26.11	37.20	15.39	36.58	1.19	167	236	Average																																																																																																																								
3 14050.00 54.78 88.20 -33.42	33.61	41.80	21.56	42.82	0.63	--	--	PEAK																																																																																																																								
4 21075.00 41.18 74.00 -32.82	48.93	38.00	27.02	63.23	-9.54	--	--	PEAK																																																																																																																								







Mode	62																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial RU 484/66_7025MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7128.18</td><td>79.67</td><td>88.20</td><td>-8.53</td><td>64.03</td><td>36.76</td><td>15.19</td><td>36.31</td><td>0.00</td><td>232 292 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7128.18	79.67	88.20	-8.53	64.03	36.76	15.19	36.31	0.00	232 292 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7025.00</td><td>111.57</td><td>-----</td><td>-----</td><td>96.14</td><td>36.53</td><td>15.11</td><td>36.21</td><td>0.00</td><td>232 292 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7025.00	111.57	-----	-----	96.14	36.53	15.11	36.21	0.00	232 292 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1 7128.18	79.67	88.20	-8.53	64.03	36.76	15.19	36.31	0.00	232 292 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1 7025.00	111.57	-----	-----	96.14	36.53	15.11	36.21	0.00	232 292 PEAK																																																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7127.96</td><td>64.54</td><td>68.20</td><td>-3.66</td><td>48.90</td><td>36.76</td><td>15.19</td><td>36.31</td><td>0.00</td><td>232 292 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7127.96	64.54	68.20	-3.66	48.90	36.76	15.19	36.31	0.00	232 292 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7025.00</td><td>104.46</td><td>-----</td><td>-----</td><td>89.04</td><td>36.52</td><td>15.08</td><td>36.18</td><td>0.00</td><td>232 292 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7025.00	104.46	-----	-----	89.04	36.52	15.08	36.18	0.00	232 292 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1 7127.96	64.54	68.20	-3.66	48.90	36.76	15.19	36.31	0.00	232 292 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1 7025.00	104.46	-----	-----	89.04	36.52	15.08	36.18	0.00	232 292 AVERAGE																																																																																	







Mode	62																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial RU 484/66_7025MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7130.16</td><td>79.53</td><td>88.20</td><td>-8.67</td><td>63.90</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>156 246 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7130.16	79.53	88.20	-8.67	63.90	36.76	15.19	36.32	0.00	156 246 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>112.37</td><td>-----</td><td>-----</td><td>96.94</td><td>36.53</td><td>15.11</td><td>36.21</td><td>0.00</td><td>156 246 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7025.00	112.37	-----	-----	96.94	36.53	15.11	36.21	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7130.16	79.53	88.20	-8.67	63.90	36.76	15.19	36.32	0.00	156 246 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7025.00	112.37	-----	-----	96.94	36.53	15.11	36.21	0.00	156 246 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7127.52</td><td>64.86</td><td>68.20</td><td>-3.34</td><td>49.22</td><td>36.76</td><td>15.19</td><td>36.31</td><td>0.00</td><td>156 246 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7127.52	64.86	68.20	-3.34	49.22	36.76	15.19	36.31	0.00	156 246 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>103.56</td><td>-----</td><td>-----</td><td>88.10</td><td>36.55</td><td>15.07</td><td>36.16</td><td>0.00</td><td>156 246 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7025.00	103.56	-----	-----	88.10	36.55	15.07	36.16	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7127.52	64.86	68.20	-3.34	49.22	36.76	15.19	36.31	0.00	156 246 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7025.00	103.56	-----	-----	88.10	36.55	15.07	36.16	0.00	156 246 AVERAGE																																																																																





Mode	63																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7138.60</td><td>73.80</td><td>88.20 -14.40</td><td>58.15</td><td>36.78</td><td>15.20</td><td>36.33</td><td>0.00</td><td>262</td><td>290 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7138.60	73.80	88.20 -14.40	58.15	36.78	15.20	36.33	0.00	262	290 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6985.00</td><td>106.59</td><td>-----</td><td>90.95</td><td>36.67</td><td>14.94</td><td>35.97</td><td>0.00</td><td>262</td><td>290 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	106.59	-----	90.95	36.67	14.94	35.97	0.00	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7138.60	73.80	88.20 -14.40	58.15	36.78	15.20	36.33	0.00	262	290 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6985.00	106.59	-----	90.95	36.67	14.94	35.97	0.00	262	290 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7127.32</td><td>64.58</td><td>68.20 -3.62</td><td>48.95</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>262</td><td>290 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7127.32	64.58	68.20 -3.62	48.95	36.75	15.19	36.31	0.00	262	290 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6985.00</td><td>97.97</td><td>-----</td><td>82.50</td><td>36.56</td><td>15.06</td><td>36.15</td><td>0.00</td><td>262</td><td>290 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	97.97	-----	82.50	36.56	15.06	36.15	0.00	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7127.32	64.58	68.20 -3.62	48.95	36.75	15.19	36.31	0.00	262	290 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6985.00	97.97	-----	82.50	36.56	15.06	36.15	0.00	262	290 AVERAGE																																																																																







Mode	63																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7127.00</td><td>71.85</td><td>88.20</td><td>-16.35</td><td>56.21</td><td>36.76</td><td>15.19</td><td>36.31</td><td>0.00</td><td>164 236 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7127.00	71.85	88.20	-16.35	56.21	36.76	15.19	36.31	0.00	164 236 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>106.01</td><td>-----</td><td>-----</td><td>90.42</td><td>36.63</td><td>14.96</td><td>36.00</td><td>0.00</td><td>164 236 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6985.00	106.01	-----	-----	90.42	36.63	14.96	36.00	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7127.00	71.85	88.20	-16.35	56.21	36.76	15.19	36.31	0.00	164 236 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	106.01	-----	-----	90.42	36.63	14.96	36.00	0.00	164 236 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7128.52</td><td>62.23</td><td>68.20</td><td>-5.97</td><td>46.60</td><td>36.76</td><td>15.19</td><td>36.32</td><td>0.00</td><td>164 236 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7128.52	62.23	68.20	-5.97	46.60	36.76	15.19	36.32	0.00	164 236 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>96.90</td><td>-----</td><td>-----</td><td>81.36</td><td>36.60</td><td>14.99</td><td>36.05</td><td>0.00</td><td>164 236 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6985.00	96.90	-----	-----	81.36	36.60	14.99	36.05	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7128.52	62.23	68.20	-5.97	46.60	36.76	15.19	36.32	0.00	164 236 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	96.90	-----	-----	81.36	36.60	14.99	36.05	0.00	164 236 AVERAGE																																																																																







Mode	63																										
	Harmonic																										
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																										
ANT	6+7																										
Pol.	Horizontal								Vertical																		
Peak Avg																											
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL								Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	7298.00	52.47	74.00	-21.53		35.28	37.19	15.38	36.57	1.19	174	295	Peak	1	7298.00	52.05	74.00	-21.95		34.86	37.19	15.38	36.57	1.19	168	247	Peak
2	7298.00	42.39	54.00	-11.61		25.20	37.19	15.38	36.57	1.19	174	295	Average	2	7298.00	41.30	54.00	-12.70		24.11	37.19	15.38	36.57	1.19	168	247	Average
3	13978.00	54.81	88.20	-33.39		33.62	41.78	21.50	42.73	0.64	--	--	PEAK	3	13978.00	55.22	88.20	-32.98		34.03	41.78	21.50	42.73	0.64	--	--	PEAK
4	20955.00	41.62	74.00	-32.38		49.26	38.20	26.95	63.25	-9.54	--	--	PEAK	4	20955.00	42.14	74.00	-31.86		49.78	38.20	26.95	63.25	-9.54	--	--	PEAK



Mode	64																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial RU 996/68_6985MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7140.52</td><td>82.30</td><td>88.20</td><td>-5.90</td><td>66.65</td><td>36.78</td><td>15.20</td><td>36.33</td><td>0.00</td><td>260 294 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7140.52	82.30	88.20	-5.90	66.65	36.78	15.20	36.33	0.00	260 294 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6985.00</td><td>100.62</td><td>-----</td><td>-----</td><td>93.19</td><td>36.53</td><td>15.11</td><td>36.21</td><td>0.00</td><td>260 294 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6985.00	100.62	-----	-----	93.19	36.53	15.11	36.21	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7140.52	82.30	88.20	-5.90	66.65	36.78	15.20	36.33	0.00	260 294 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	100.62	-----	-----	93.19	36.53	15.11	36.21	0.00	260 294 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7127.32</td><td>66.95</td><td>68.20</td><td>-1.25</td><td>51.32</td><td>36.75</td><td>15.19</td><td>36.31</td><td>0.00</td><td>260 294 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7127.32	66.95	68.20	-1.25	51.32	36.75	15.19	36.31	0.00	260 294 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6985.00</td><td>100.03</td><td>-----</td><td>-----</td><td>84.61</td><td>36.52</td><td>15.08</td><td>36.18</td><td>0.00</td><td>260 294 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6985.00	100.03	-----	-----	84.61	36.52	15.08	36.18	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7127.32	66.95	68.20	-1.25	51.32	36.75	15.19	36.31	0.00	260 294 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	100.03	-----	-----	84.61	36.52	15.08	36.18	0.00	260 294 AVERAGE																																																																																







Mode	64																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial RU 996/68_6985MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7127.00</td><td>82.56</td><td>88.20</td><td>-5.64</td><td>66.92</td><td>36.76</td><td>15.19</td><td>36.31</td><td>0.00</td><td>212 241 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7127.00	82.56	88.20	-5.64	66.92	36.76	15.19	36.31	0.00	212 241 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6985.00</td><td>100.71</td><td>-----</td><td>-----</td><td>93.21</td><td>36.58</td><td>15.05</td><td>36.13</td><td>0.00</td><td>212 241 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6985.00	100.71	-----	-----	93.21	36.58	15.05	36.13	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7127.00	82.56	88.20	-5.64	66.92	36.76	15.19	36.31	0.00	212 241 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	100.71	-----	-----	93.21	36.58	15.05	36.13	0.00	212 241 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7128.28</td><td>65.80</td><td>68.20</td><td>-2.40</td><td>50.16</td><td>36.76</td><td>15.19</td><td>36.31</td><td>0.00</td><td>212 241 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7128.28	65.80	68.20	-2.40	50.16	36.76	15.19	36.31	0.00	212 241 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6985.00</td><td>99.39</td><td>-----</td><td>-----</td><td>83.86</td><td>36.60</td><td>15.03</td><td>36.10</td><td>0.00</td><td>212 241 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6985.00	99.39	-----	-----	83.86	36.60	15.03	36.10	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 7128.28	65.80	68.20	-2.40	50.16	36.76	15.19	36.31	0.00	212 241 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6985.00	99.39	-----	-----	83.86	36.60	15.03	36.10	0.00	212 241 AVERAGE																																																																																







Mode	67																																																																																																																																																																																																																																			
	LF																																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																																																																																			
ANT	6+7																																																																																																																																																																																																																																			
Pol.	Horizontal																																																																																																																																																																																																																																			
QPI Peak	Site : 03CH22-HY Condition: QP 3m Bilog_47020_241005 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>59.10</td><td>25.21</td><td>40.00</td><td>-14.79</td><td>44.49</td><td>12.02</td><td>1.37</td><td>32.70</td><td>0.03</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>92.08</td><td>26.97</td><td>43.50</td><td>-16.53</td><td>42.87</td><td>15.00</td><td>1.72</td><td>32.69</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>258.92</td><td>19.75</td><td>46.00</td><td>-26.25</td><td>29.43</td><td>20.03</td><td>2.86</td><td>32.62</td><td>0.05</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>503.36</td><td>24.75</td><td>46.00</td><td>-21.25</td><td>29.54</td><td>23.84</td><td>3.95</td><td>32.80</td><td>0.22</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>734.22</td><td>36.05</td><td>46.00</td><td>-9.95</td><td>35.76</td><td>28.09</td><td>4.78</td><td>32.70</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>953.44</td><td>33.55</td><td>46.00</td><td>-12.45</td><td>28.15</td><td>31.08</td><td>5.42</td><td>31.30</td><td>0.20</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	59.10	25.21	40.00	-14.79	44.49	12.02	1.37	32.70	0.03	--	Peak	2	92.08	26.97	43.50	-16.53	42.87	15.00	1.72	32.69	0.07	--	Peak	3	258.92	19.75	46.00	-26.25	29.43	20.03	2.86	32.62	0.05	--	Peak	4	503.36	24.75	46.00	-21.25	29.54	23.84	3.95	32.80	0.22	--	Peak	5	734.22	36.05	46.00	-9.95	35.76	28.09	4.78	32.70	0.12	--	Peak	6	953.44	33.55	46.00	-12.45	28.15	31.08	5.42	31.30	0.20	--	Peak	Site : 03CH22-HY Condition: QP 3m Bilog_47020_241005 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>34.85</td><td>31.44</td><td>40.00</td><td>-8.56</td><td>40.66</td><td>22.35</td><td>1.06</td><td>32.66</td><td>0.03</td><td>100</td><td>172 QP</td></tr><tr><td>2</td><td>90.14</td><td>31.75</td><td>43.50</td><td>-11.75</td><td>47.72</td><td>14.93</td><td>1.70</td><td>32.69</td><td>0.09</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>263.77</td><td>21.67</td><td>46.00</td><td>-24.33</td><td>31.36</td><td>20.01</td><td>2.88</td><td>32.62</td><td>0.04</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>515.00</td><td>25.80</td><td>46.00</td><td>-20.20</td><td>30.43</td><td>23.95</td><td>4.00</td><td>32.79</td><td>0.21</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>755.56</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>30.46</td><td>28.39</td><td>4.85</td><td>32.59</td><td>0.13</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>957.32</td><td>35.65</td><td>46.00</td><td>-10.35</td><td>30.07</td><td>31.21</td><td>5.43</td><td>31.27</td><td>0.21</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	34.85	31.44	40.00	-8.56	40.66	22.35	1.06	32.66	0.03	100	172 QP	2	90.14	31.75	43.50	-11.75	47.72	14.93	1.70	32.69	0.09	--	Peak	3	263.77	21.67	46.00	-24.33	31.36	20.01	2.88	32.62	0.04	--	Peak	4	515.00	25.80	46.00	-20.20	30.43	23.95	4.00	32.79	0.21	--	Peak	5	755.56	31.24	46.00	-14.76	30.46	28.39	4.85	32.59	0.13	--	Peak	6	957.32	35.65	46.00	-10.35	30.07	31.21	5.43	31.27	0.21	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																										
1	59.10	25.21	40.00	-14.79	44.49	12.02	1.37	32.70	0.03	--	Peak																																																																																																																																																																																																																									
2	92.08	26.97	43.50	-16.53	42.87	15.00	1.72	32.69	0.07	--	Peak																																																																																																																																																																																																																									
3	258.92	19.75	46.00	-26.25	29.43	20.03	2.86	32.62	0.05	--	Peak																																																																																																																																																																																																																									
4	503.36	24.75	46.00	-21.25	29.54	23.84	3.95	32.80	0.22	--	Peak																																																																																																																																																																																																																									
5	734.22	36.05	46.00	-9.95	35.76	28.09	4.78	32.70	0.12	--	Peak																																																																																																																																																																																																																									
6	953.44	33.55	46.00	-12.45	28.15	31.08	5.42	31.30	0.20	--	Peak																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																										
1	34.85	31.44	40.00	-8.56	40.66	22.35	1.06	32.66	0.03	100	172 QP																																																																																																																																																																																																																									
2	90.14	31.75	43.50	-11.75	47.72	14.93	1.70	32.69	0.09	--	Peak																																																																																																																																																																																																																									
3	263.77	21.67	46.00	-24.33	31.36	20.01	2.88	32.62	0.04	--	Peak																																																																																																																																																																																																																									
4	515.00	25.80	46.00	-20.20	30.43	23.95	4.00	32.79	0.21	--	Peak																																																																																																																																																																																																																									
5	755.56	31.24	46.00	-14.76	30.46	28.39	4.85	32.59	0.13	--	Peak																																																																																																																																																																																																																									
6	957.32	35.65	46.00	-10.35	30.07	31.21	5.43	31.27	0.21	--	Peak																																																																																																																																																																																																																									





<Sample 2>

Mode	65																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																									
ANT	6+7																																																																									
Pol.	Horizontal						Fundamental																																																																			
Peak	Level (dBuV/m)  Frequency (MHz) Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>72.73</td><td>88.20</td><td>-15.47</td><td>60.27</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>181</td><td>207</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.45	72.73	88.20	-15.47	60.27	33.70	13.79	35.03	0.00	181	207	PEAK	Level (dBuV/m)  Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.87</td><td>-----</td><td>-----</td><td>105.39</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>181</td><td>207</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	117.87	-----	-----	105.39	33.70	13.82	35.04	0.00	181	207	PEAK
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	5924.45	72.73	88.20	-15.47	60.27	33.70	13.79	35.03	0.00	181	207	PEAK																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	5955.00	117.87	-----	-----	105.39	33.70	13.82	35.04	0.00	181	207	PEAK																																																														
Avg	Level (dBuV/m)  Frequency (MHz) Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>63.03</td><td>68.20</td><td>-5.17</td><td>50.57</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>181</td><td>207</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.58	63.03	68.20	-5.17	50.57	33.70	13.79	35.03	0.00	181	207	AVERAGE	Level (dBuV/m)  Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.41</td><td>-----</td><td>-----</td><td>98.91</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>181</td><td>207</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	111.41	-----	-----	98.91	33.71	13.83	35.04	0.00	181	207	AVERAGE
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	5924.58	63.03	68.20	-5.17	50.57	33.70	13.79	35.03	0.00	181	207	AVERAGE																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	5955.00	111.41	-----	-----	98.91	33.71	13.83	35.04	0.00	181	207	AVERAGE																																																														







Mode	65																																																																								
	Band Edge																																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																								
ANT	6+7																																																																								
Pol.	Vertical						Fundamental																																																																		
Peak																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5922.11</td><td>68.67</td><td>88.20</td><td>-19.53</td><td>56.21</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>321</td><td>218</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 5922.11	68.67	88.20	-19.53	56.21	33.70	13.79	35.03	0.00	321	218	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5955.00</td><td>112.80</td><td>-----</td><td>-----</td><td>100.30</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>321</td><td>218</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 5955.00	112.80	-----	-----	100.30	33.71	13.83	35.04	0.00	321	218
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																														
1 5922.11	68.67	88.20	-19.53	56.21	33.70	13.79	35.03	0.00	321	218	PEAK																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																														
1 5955.00	112.80	-----	-----	100.30	33.71	13.83	35.04	0.00	321	218	PEAK																																																														
Avg																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5924.97</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>45.12</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>321</td><td>218</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 5924.97	57.58	68.20	-10.62	45.12	33.70	13.79	35.03	0.00	321	218	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5955.00</td><td>105.62</td><td>-----</td><td>-----</td><td>93.12</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>321</td><td>218</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 5955.00	105.62	-----	-----	93.12	33.71	13.83	35.04	0.00	321	218
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																														
1 5924.97	57.58	68.20	-10.62	45.12	33.70	13.79	35.03	0.00	321	218	AVERAGE																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																														
1 5955.00	105.62	-----	-----	93.12	33.71	13.83	35.04	0.00	321	218	AVERAGE																																																														







Mode	65																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>32.32</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 11910.00</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>22.58</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>35.00</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>24.90</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	50.80	74.00	-23.20	32.32	39.02	19.83	40.82	0.45	-- -- PEAK	2 11910.00	41.06	54.00	-12.94	22.58	39.02	19.83	40.82	0.45	-- -- Average	3 17865.00	55.79	74.00	-18.21	35.00	41.46	24.63	45.76	0.46	-- -- Peak	4 17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	-- -- Average	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>32.14</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 11910.00</td><td>40.96</td><td>54.00</td><td>-13.04</td><td>22.48</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>33.77</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>24.59</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	50.62	74.00	-23.38	32.14	39.02	19.83	40.82	0.45	-- -- PEAK	2 11910.00	40.96	54.00	-13.04	22.48	39.02	19.83	40.82	0.45	-- -- Average	3 17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	-- -- Peak	4 17865.00	45.38	54.00	-8.62	24.59	41.46	24.63	45.76	0.46	-- -- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11910.00	50.80	74.00	-23.20	32.32	39.02	19.83	40.82	0.45	-- -- PEAK																																																																																																																																					
2 11910.00	41.06	54.00	-12.94	22.58	39.02	19.83	40.82	0.45	-- -- Average																																																																																																																																					
3 17865.00	55.79	74.00	-18.21	35.00	41.46	24.63	45.76	0.46	-- -- Peak																																																																																																																																					
4 17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	-- -- Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11910.00	50.62	74.00	-23.38	32.14	39.02	19.83	40.82	0.45	-- -- PEAK																																																																																																																																					
2 11910.00	40.96	54.00	-13.04	22.48	39.02	19.83	40.82	0.45	-- -- Average																																																																																																																																					
3 17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	-- -- Peak																																																																																																																																					
4 17865.00	45.38	54.00	-8.62	24.59	41.46	24.63	45.76	0.46	-- -- Average																																																																																																																																					





<Sample 3>

	66																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5923.00</td><td>70.81</td><td>88.20</td><td>-17.39</td><td>58.35</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>286 354 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.00	70.81	88.20	-17.39	58.35	33.70	13.79	35.03	0.00	286 354 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>115.45</td><td>-----</td><td>-----</td><td>102.95</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>286 354 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	115.45	-----	-----	102.95	33.71	13.83	35.04	0.00	286 354 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5923.00	70.81	88.20	-17.39	58.35	33.70	13.79	35.03	0.00	286 354 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	115.45	-----	-----	102.95	33.71	13.83	35.04	0.00	286 354 PEAK																																																																									
Avg	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5923.54</td><td>61.83</td><td>68.20</td><td>-6.37</td><td>49.37</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>286 354 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.54	61.83	68.20	-6.37	49.37	33.70	13.79	35.03	0.00	286 354 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>108.16</td><td>-----</td><td>-----</td><td>95.64</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>286 354 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	108.16	-----	-----	95.64	33.72	13.84	35.04	0.00	286 354 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5923.54	61.83	68.20	-6.37	49.37	33.70	13.79	35.03	0.00	286 354 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	108.16	-----	-----	95.64	33.72	13.84	35.04	0.00	286 354 AVERAGE																																																																									



Mode	66																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5923.15</td><td>75.05</td><td>88.20</td><td>-13.15</td><td>62.59</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>134 26 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.15	75.05	88.20	-13.15	62.59	33.70	13.79	35.03	0.00	134 26 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>116.69</td><td>-----</td><td>-----</td><td>104.19</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>134 26 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	116.69	-----	-----	104.19	33.71	13.83	35.04	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5923.15	75.05	88.20	-13.15	62.59	33.70	13.79	35.03	0.00	134 26 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5955.00	116.69	-----	-----	104.19	33.71	13.83	35.04	0.00	134 26 PEAK																																																																																
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>64.96</td><td>68.20</td><td>-3.24</td><td>52.50</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>134 26 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.97	64.96	68.20	-3.24	52.50	33.70	13.79	35.03	0.00	134 26 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>109.25</td><td>-----</td><td>-----</td><td>96.75</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>134 26 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	109.25	-----	-----	96.75	33.71	13.83	35.04	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5924.97	64.96	68.20	-3.24	52.50	33.70	13.79	35.03	0.00	134 26 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5955.00	109.25	-----	-----	96.75	33.71	13.83	35.04	0.00	134 26 AVERAGE																																																																																



Mode	66																																																																																																						
	Harmonic																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	6+7																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>32.51</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>41.73</td><td>54.00</td><td>-12.27</td><td>23.25</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>33.78</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>24.78</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11910.00	50.99	74.00	-23.01	32.51	39.02	19.83	40.82	0.45	--	--	PEAK	2	11910.00	41.73	54.00	-12.27	23.25	39.02	19.83	40.82	0.45	--	--	Average	3	17865.00	54.57	74.00	-19.43	33.78	41.46	24.63	45.76	0.46	--	--	Peak	4	17865.00	45.57	54.00	-8.43	24.78	41.46	24.63	45.76	0.46	--	--	Average
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																												
1	11910.00	50.99	74.00	-23.01	32.51	39.02	19.83	40.82	0.45	--	--	PEAK																																																																																											
2	11910.00	41.73	54.00	-12.27	23.25	39.02	19.83	40.82	0.45	--	--	Average																																																																																											
3	17865.00	54.57	74.00	-19.43	33.78	41.46	24.63	45.76	0.46	--	--	Peak																																																																																											
4	17865.00	45.57	54.00	-8.43	24.78	41.46	24.63	45.76	0.46	--	--	Average																																																																																											







Appendix D. Duty Cycle Plots



<Sample 1>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.38	-	-	10Hz
6+7	6GHz 802.11ax HE20 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE20 106 RU	97.86	4580	0.22	240Hz
6+7	6GHz 802.11ax HE40 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE40 242 RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE80 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE80 484 RU	99.20	-	-	10Hz
6+7	6GHz 802.11ax HE160 Full RU	99.33	-	-	10Hz
6+7	6GHz 802.11ax HE160 996 RU	98.07	-	-	10Hz

MIMO <Ant. 6+7>









<Sample 2>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.05	-	-	10Hz

MIMO <Ant. 6+7>



<Sample 3>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.05	-	-	10Hz

MIMO <Ant. 6+7>

