




EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 26.NOV.2024 02:03:21

Plot on Channel 6185 MHz



Date: 26.NOV.2024 02:11:53

Plot on Channel 6665 MHz




Date: 14.DEC.2024 03:49:02



EUT Mode

802.11ax HE160 996RUS67

Plot on Channel 6345 MHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O2228
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	32.67	55.40	22.73	L1	OFF	19.8
0.161250	44.39	---	65.40	21.01	L1	OFF	19.8
0.179250	---	30.06	54.52	24.46	L1	OFF	19.8
0.179250	39.25	---	64.52	25.27	L1	OFF	19.8
0.323250	---	34.31	49.62	15.31	L1	OFF	19.8
0.323250	38.94	---	59.62	20.68	L1	OFF	19.8
0.429000	---	32.71	47.27	14.56	L1	OFF	19.8
0.429000	34.40	---	57.27	22.87	L1	OFF	19.8
0.901500	---	23.68	46.00	22.32	L1	OFF	19.8
0.901500	25.69	---	56.00	30.31	L1	OFF	19.8
7.199250	---	25.86	50.00	24.14	L1	OFF	20.1
7.199250	27.28	---	60.00	32.72	L1	OFF	20.1

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O2228
Mode 1
120Vac/60Hz
Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	37.65	55.40	17.75	N	OFF	19.8
0.161250	49.42	---	65.40	15.98	N	OFF	19.8
0.188250	---	34.49	54.11	19.62	N	OFF	19.8
0.188250	43.33	---	64.11	20.78	N	OFF	19.8
0.237750	---	25.50	52.17	26.67	N	OFF	19.8
0.237750	32.75	---	62.17	29.42	N	OFF	19.8
0.334500	---	29.91	49.34	19.43	N	OFF	19.8
0.334500	33.85	---	59.34	25.49	N	OFF	19.8
0.577500	---	24.35	46.00	21.65	N	OFF	19.8
0.577500	26.39	---	56.00	29.61	N	OFF	19.8
8.862000	---	26.21	50.00	23.79	N	OFF	20.3
8.862000	27.63	---	60.00	32.37	N	OFF	20.3



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, Karl Hou and York Hung	Temperature :	21.5~24.9°C
		Relative Humidity :	50.1~60.9%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

<Sample 1>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 6	U-NII-5	5.925-6.425	6+7	802.11ax HE20	49	6195	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	6+7	802.11ax HE20	93	6415	MCS0	-	-
Mode 8	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Partial RU 242/61	-
Mode 10	U-NII-5	5.925-6.425	6+7	802.11ax HE40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	6+7	802.11ax HE40	91	6405	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Partial RU 484/65	-
Mode 14	U-NII-5	5.925-6.425	6+7	802.11ax HE80	55	6225	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	6+7	802.11ax HE80	87	6385	MCS0	-	-
Mode 16	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Partial RU 996/67	-
Mode 18	U-NII-5	5.925-6.425	6+7	802.11ax HE160	47	6185	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	6+7	802.11ax HE160	79	6345	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	MCS0	-	-
Mode 32	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	6+7	802.11a	181	6855	MCS0	-	-
Mode 35	U-NII-7	6.525-6.875	6+7	802.11ax HE20	117	6535	MCS0	-	-
Mode 36	U-NII-7	6.525-6.875	6+7	802.11ax HE20	149	6695	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	6+7	802.11ax HE20	181	6855	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	6+7	802.11ax HE40	123	6565	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	6+7	802.11ax HE40	147	6685	MCS0	-	-
Mode 41	U-NII-7	6.525-6.875	6+7	802.11ax HE40	179	6845	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	6+7	802.11ax HE80	135	6625	MCS0	-	-
Mode 44	U-NII-7	6.525-6.875	6+7	802.11ax HE80	151	6705	MCS0	-	-
Mode 45	U-NII-7	6.525-6.875	6+7	802.11ax HE80	167	6785	MCS0	-	-
Mode 47	U-NII-7	6.525-6.875	6+7	802.11ax HE160	143	6665	MCS0	-	-
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	LF

<Sample 2>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-

<Sample 3>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-



C2. Summary of each worse mode

<Sample 1>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.97	67.02	68.20	-1.18	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.98	54.00	-8.02	V	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	42.72	54.00	-11.28	H	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	39.52	74.00	-34.48	H	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5924.97	66.62	68.20	-1.58	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	45.71	54.00	-8.29	V	Avg.	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5923.41	86.67	88.20	-1.53	V	Peak	Pass	Partial RU 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
6	802.11ax HE20	49	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	49	12390.00	43.25	54.00	-10.75	V	Avg.	Pass	-	Harmonic
7	802.11ax HE20	93	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	93	12830.00	53.15	88.20	-35.05	H	Peak	Pass	-	Harmonic
8	802.11ax HE40	3	5924.96	65.80	68.20	-2.40	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	46.32	54.00	-7.68	V	Avg.	Pass	Full RU	Harmonic
9	802.11ax HE40	3	5924.96	64.98	68.20	-3.22	V	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	51	12410.00	43.92	54.00	-10.08	V	Avg.	Pass	-	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	91	12810.00	54.33	88.20	-33.87	H	Peak	Pass	-	Harmonic
12	802.11ax HE80	7	5924.52	66.38	68.20	-1.82	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	46.67	54.00	-7.33	H	Avg.	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5925.00	66.80	68.20	-1.40	V	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
14	802.11ax HE80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	55	12450.00	43.39	54.00	-10.61	H	Avg.	Pass	-	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	87	12770.00	54.77	88.20	-33.43	V	Peak	Pass	-	Harmonic
16	802.11ax HE160	15	5913.20	66.14	68.20	-2.06	V	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
16	802.11ax HE160	15	12050.00	42.66	54.00	-11.34	V	Avg.	Pass	Full RU	Harmonic
17	802.11ax HE160	15	5918.00	63.99	68.20	-4.21	H	Avg.	Pass	Partial RU 996/67	Band Edge
	802.11ax HE160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
18	802.11ax HE160	47	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	47	12370.00	43.96	54.00	-10.04	H	Avg.	Pass	-	Harmonic
19	802.11ax HE160	79	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	79	12690.00	44.75	54.00	-9.25	H	Avg.	Pass	-	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	40.12	54.00	-13.88	H	Avg.	Pass	-	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	43.15	54.00	-10.85	H	Avg.	Pass	-	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	20565.00	39.70	54.00	-14.30	H	Avg.	Pass	-	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	117	19605.00	41.67	74.00	-32.33	H	Peak	Pass	-	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	149	13390.00	43.49	54.00	-10.51	H	Avg.	Pass	-	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	181	20565.00	46.30	74.00	-27.70	H	Peak	Pass	-	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	123	19695.00	42.66	74.00	-31.34	H	Peak	Pass	-	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	147	13370.00	42.87	54.00	-11.13	H	Avg.	Pass	-	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	179	20535.00	43.81	74.00	-30.19	H	Peak	Pass	-	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	135	13250.00	42.40	54.00	-11.60	V	Avg.	Pass	-	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	151	20115.00	40.29	74.00	-33.71	V	Peak	Pass	-	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	167	7306.40	45.54	54.00	-8.46	V	Avg.	Pass	-	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	143	7302.00	46.68	54.00	-7.32	V	Avg.	Pass	-	Harmonic
67	LF	1	34.85	31.44	40.00	-8.56	V	QP	Pass	-	LF

**<Sample 2>**





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
65	802.11a	1	5924.58	63.03	68.20	-5.17	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.69	54.00	-8.31	H	Avg.	Pass	-	Harmonic

<Sample 3>





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
66	802.11a	1	5924.97	64.96	68.20	-3.24	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.71	54.00	-8.29	V	Avg.	Pass	-	Harmonic





<Sample 1>

Mode	1																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																									
ANT	6+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.89 72.79 88.20 -15.41</td><td>60.33</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188</td><td>316</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5922.89 72.79 88.20 -15.41	60.33	33.70	13.79	35.03	0.00	188	316	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00 114.81 -----</td><td>102.31</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188</td><td>316</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5955.00 114.81 -----	102.31	33.71	13.83	35.04	0.00	188	316	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5922.89 72.79 88.20 -15.41	60.33	33.70	13.79	35.03	0.00	188	316	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5955.00 114.81 -----	102.31	33.71	13.83	35.04	0.00	188	316	PEAK																																																																		
Avg.	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97 63.39 68.20 -4.81</td><td>50.93</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188</td><td>316</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5924.97 63.39 68.20 -4.81	50.93	33.70	13.79	35.03	0.00	188	316	AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00 108.27 -----</td><td>95.77</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188</td><td>316</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5955.00 108.27 -----	95.77	33.71	13.83	35.04	0.00	188	316	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5924.97 63.39 68.20 -4.81	50.93	33.70	13.79	35.03	0.00	188	316	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5955.00 108.27 -----	95.77	33.71	13.83	35.04	0.00	188	316	AVERAGE																																																																		




Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.63</td><td>75.64</td><td>88.20</td><td>-12.56</td><td>63.18</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>163</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.63	75.64	88.20	-12.56	63.18	33.70	13.79	35.03	0.00	163	0	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>115.75</td><td>-----</td><td>-----</td><td>103.25</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>163</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.75	-----	-----	103.25	33.71	13.83	35.04	0.00	163	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.63	75.64	88.20	-12.56	63.18	33.70	13.79	35.03	0.00	163	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	115.75	-----	-----	103.25	33.71	13.83	35.04	0.00	163	0	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>67.02</td><td>68.20</td><td>-1.18</td><td>54.56</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>163</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	67.02	68.20	-1.18	54.56	33.70	13.79	35.03	0.00	163	0	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.40</td><td>-----</td><td>-----</td><td>95.90</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>163</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.40	-----	-----	95.90	33.71	13.83	35.04	0.00	163	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	67.02	68.20	-1.18	54.56	33.70	13.79	35.03	0.00	163	0	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.40	-----	-----	95.90	33.71	13.83	35.04	0.00	163	0	AVERAGE																																																																																							





Mode	1												
	Harmonic												
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg.													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor			
1	11910.00	50.92	74.00	-23.08		32.44	39.02	19.83	40.82	0.45	--	--	PEAK
2	11910.00	41.91	54.00	-12.09		23.43	39.02	19.83	40.82	0.45	--	--	Average
3	17865.00	54.69	74.00	-19.31		33.90	41.46	24.63	45.76	0.46	--	--	Peak
4	17865.00	45.69	54.00	-8.31		24.90	41.46	24.63	45.76	0.46	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor			
1	11910.00	51.06	74.00	-22.94		32.58	39.02	19.83	40.82	0.45	--	--	PEAK
2	11910.00	42.16	54.00	-11.84		23.68	39.02	19.83	40.82	0.45	--	--	Average
3	17865.00	55.00	74.00	-19.00		34.21	41.46	24.63	45.76	0.46	--	--	Peak
4	17865.00	45.98	54.00	-8.02		25.19	41.46	24.63	45.76	0.46	--	--	Average







Mode	2																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																							
ANT	6+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>32.16</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>23.14</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18505.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>30.54</td><td>37.93</td><td>25.14</td><td>64.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12390.00	51.74	74.00	-22.26	32.16	39.98	20.23	41.12	0.49	--	--	--	PEAK	2	12390.00	42.72	54.00	-11.28	23.14	39.98	20.23	41.12	0.49	--	--	--	Average	3	18505.00	39.27	74.00	-34.73	30.54	37.93	25.14	64.00	-9.54	--	--	--	PEAK	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	12390.00	51.74	74.00	-22.26	32.16	39.98	20.23	41.12	0.49	--	--	--	PEAK																																																											
2	12390.00	42.72	54.00	-11.28	23.14	39.98	20.23	41.12	0.49	--	--	--	Average																																																											
3	18505.00	39.27	74.00	-34.73	30.54	37.93	25.14	64.00	-9.54	--	--	--	PEAK																																																											







		3																																																																	
Mode		Harmonic																																																																	
		U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																	
ANT		6+7																																																																	
Pol.		Horizontal																																																																	
Peak Avg.																																																																			
		Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>32.64</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>39.52</td><td>74.00</td><td>-34.48</td><td>50.07</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.66	88.20	-34.54	32.64	41.10	20.60	41.21	0.53	--	PEAK	2	19245.00	39.52	74.00	-34.48	50.07	37.72	25.62	64.35	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12830.00	53.66	88.20	-34.54	32.64	41.10	20.60	41.21	0.53	--	PEAK																																																								
2	19245.00	39.52	74.00	-34.48	50.07	37.72	25.62	64.35	-9.54	--	PEAK																																																								
		Vertical																																																																	
																																																																			
		Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.03</td><td>88.20</td><td>-35.17</td><td>32.01</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.92</td><td>74.00</td><td>-35.08</td><td>49.47</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.03	88.20	-35.17	32.01	41.10	20.60	41.21	0.53	--	PEAK	2	19245.00	38.92	74.00	-35.08	49.47	37.72	25.62	64.35	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12830.00	53.03	88.20	-35.17	32.01	41.10	20.60	41.21	0.53	--	PEAK																																																								
2	19245.00	38.92	74.00	-35.08	49.47	37.72	25.62	64.35	-9.54	--	PEAK																																																								





Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.24</td><td>78.40</td><td>88.20</td><td>-9.80</td><td>65.94</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>185</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	78.40	88.20	-9.80	65.94	33.70	13.79	35.03	0.00	185	332	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.69</td><td>-----</td><td>-----</td><td>102.19</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>185</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.69	-----	-----	102.19	33.71	13.83	35.04	0.00	185	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.24	78.40	88.20	-9.80	65.94	33.70	13.79	35.03	0.00	185	332	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	114.69	-----	-----	102.19	33.71	13.83	35.04	0.00	185	332	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>62.46</td><td>68.20</td><td>-5.74</td><td>50.00</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>185</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	62.46	68.20	-5.74	50.00	33.70	13.79	35.03	0.00	185	332	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.00</td><td>-----</td><td>-----</td><td>94.50</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>185</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.00	-----	-----	94.50	33.71	13.83	35.04	0.00	185	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	62.46	68.20	-5.74	50.00	33.70	13.79	35.03	0.00	185	332	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.00	-----	-----	94.50	33.71	13.83	35.04	0.00	185	332	AVERAGE																																																																																							







Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>83.57</td><td>88.20</td><td>-4.63</td><td>71.11</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>147</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	83.57	88.20	-4.63	71.11	33.70	13.79	35.03	0.00	147	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.22</td><td>-----</td><td>-----</td><td>103.70</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>147</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.22	-----	-----	103.70	33.72	13.84	35.04	0.00	147	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.58	83.57	88.20	-4.63	71.11	33.70	13.79	35.03	0.00	147	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	116.22	-----	-----	103.70	33.72	13.84	35.04	0.00	147	360	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>66.62</td><td>68.20</td><td>-1.58</td><td>54.16</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>147</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	66.62	68.20	-1.58	54.16	33.70	13.79	35.03	0.00	147	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.74</td><td>-----</td><td>-----</td><td>96.22</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>147</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.74	-----	-----	96.22	33.72	13.84	35.04	0.00	147	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	66.62	68.20	-1.58	54.16	33.70	13.79	35.03	0.00	147	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.74	-----	-----	96.22	33.72	13.84	35.04	0.00	147	360	AVERAGE																																																																																							







Mode	4												
	Harmonic												
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg.													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	11910.00	51.83	74.00	-22.17		33.35	39.02	19.83	40.82	0.45	--	--	PEAK
2	11910.00	42.84	54.00	-11.16		24.36	39.02	19.83	40.82	0.45	--	--	Average
3	17865.00	54.56	74.00	-19.44		33.77	41.46	24.63	45.76	0.46	--	--	PEAK
4	17865.00	45.55	54.00	-8.45		24.76	41.46	24.63	45.76	0.46	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	11910.00	51.53	74.00	-22.47		33.05	39.02	19.83	40.82	0.45	--	--	PEAK
2	11910.00	42.51	54.00	-11.49		24.03	39.02	19.83	40.82	0.45	--	--	Average
3	17865.00	54.76	74.00	-19.24		33.97	41.46	24.63	45.76	0.46	--	--	PEAK
4	17865.00	45.71	54.00	-8.29		24.92	41.46	24.63	45.76	0.46	--	--	Average




Mode	5																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.77</td><td>82.72</td><td>88.20</td><td>-5.48</td><td>70.26</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>309</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.77	82.72	88.20	-5.48	70.26	33.70	13.79	35.03	0.00	195	309	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.05</td><td>-----</td><td>-----</td><td>103.57</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>309</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.05	-----	-----	103.57	33.70	13.82	35.04	0.00	195	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.77	82.72	88.20	-5.48	70.26	33.70	13.79	35.03	0.00	195	309	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	116.05	-----	-----	103.57	33.70	13.82	35.04	0.00	195	309	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.51</td><td>64.41</td><td>68.20</td><td>-3.79</td><td>51.95</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>309</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.51	64.41	68.20	-3.79	51.95	33.70	13.79	35.03	0.00	195	309	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.12</td><td>-----</td><td>-----</td><td>96.64</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>309</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.12	-----	-----	96.64	33.70	13.82	35.04	0.00	195	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.51	64.41	68.20	-3.79	51.95	33.70	13.79	35.03	0.00	195	309	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	109.12	-----	-----	96.64	33.70	13.82	35.04	0.00	195	309	AVERAGE																																																																																							





		5																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>86.67</td><td>88.20</td><td>-1.53</td><td>74.21</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	86.67	88.20	-1.53	74.21	33.70	13.79	35.03	0.00	130	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.22</td><td>-----</td><td>-----</td><td>104.74</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.22	-----	-----	104.74	33.70	13.82	35.04	0.00	130	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.41	86.67	88.20	-1.53	74.21	33.70	13.79	35.03	0.00	130	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	117.22	-----	-----	104.74	33.70	13.82	35.04	0.00	130	360	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>65.85</td><td>68.20</td><td>-2.35</td><td>53.39</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	65.85	68.20	-2.35	53.39	33.70	13.79	35.03	0.00	130	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.52</td><td>-----</td><td>-----</td><td>96.04</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>130</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.52	-----	-----	96.04	33.70	13.82	35.04	0.00	130	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	65.85	68.20	-2.35	53.39	33.70	13.79	35.03	0.00	130	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.52	-----	-----	96.04	33.70	13.82	35.04	0.00	130	360	AVERAGE																																																																																							







		6																																																																															
Mode		Harmonic																																																																															
		U-NII-5_5.925-6.425_802.11ax HE20_CH49_6195MHz																																																																															
ANT		6+7																																																																															
Pol.		Horizontal						Vertical																																																																									
Peak Avg.																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>32.52</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>23.49</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>51.01</td><td>37.93</td><td>25.14</td><td>64.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK	2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average	3	18585.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK																																																																						
2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average																																																																						
3	18585.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.00	-9.54	--	Peak																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.27</td><td>74.00</td><td>-21.73</td><td>32.69</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>43.25</td><td>54.00</td><td>-10.75</td><td>23.67</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>51.04</td><td>37.93</td><td>25.14</td><td>64.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	52.27	74.00	-21.73	32.69	39.98	20.23	41.12	0.49	--	PEAK	2	12390.00	43.25	54.00	-10.75	23.67	39.98	20.23	41.12	0.49	--	Average	3	18585.00	39.77	74.00	-34.23	51.04	37.93	25.14	64.00	-9.54	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12390.00	52.27	74.00	-21.73	32.69	39.98	20.23	41.12	0.49	--	PEAK																																																																						
2	12390.00	43.25	54.00	-10.75	23.67	39.98	20.23	41.12	0.49	--	Average																																																																						
3	18585.00	39.77	74.00	-34.23	51.04	37.93	25.14	64.00	-9.54	--	Peak																																																																						







Mode	7																																																																						
	Harmonic																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																						
ANT	6+7																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg.																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.15</td><td>88.20</td><td>-35.05</td><td>32.13</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>49.29</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	53.15	88.20	-35.05	32.13	41.10	20.60	41.21	0.53	--	--	PEAK	2	19245.00	38.74	74.00	-35.26	49.29	37.72	25.62	64.35	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	12830.00	53.15	88.20	-35.05	32.13	41.10	20.60	41.21	0.53	--	--	PEAK																																																											
2	19245.00	38.74	74.00	-35.26	49.29	37.72	25.62	64.35	-9.54	--	--	Peak																																																											





Mode	8																																																																																																															
	Band Edge																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal																																																																																																															
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.40</td><td>72.86</td><td>88.20</td><td>-15.34</td><td>60.41</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>188</td><td>331</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.40	72.86	88.20	-15.34	60.41	33.70	13.78	35.03	0.00	188	331	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.09</td><td>-----</td><td>-----</td><td>100.59</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188</td><td>331</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.09	-----	-----	100.59	33.71	13.83	35.04	0.00	188	331	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5917.40	72.86	88.20	-15.34	60.41	33.70	13.78	35.03	0.00	188	331	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5965.00	113.09	-----	-----	100.59	33.71	13.83	35.04	0.00	188	331	PEAK																																																																																																				
Avg.	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>61.50</td><td>68.20</td><td>-6.70</td><td>49.04</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188</td><td>331</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	61.50	68.20	-6.70	49.04	33.70	13.79	35.03	0.00	188	331	AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.09</td><td>-----</td><td>-----</td><td>92.57</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>188</td><td>331</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.09	-----	-----	92.57	33.72	13.84	35.04	0.00	188	331	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5924.96	61.50	68.20	-6.70	49.04	33.70	13.79	35.03	0.00	188	331	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5965.00	105.09	-----	-----	92.57	33.72	13.84	35.04	0.00	188	331	AVERAGE																																																																																																				







Mode	8																																																																																																											
	Band Edge																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Vertical																																																																																																											
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.98</td><td>77.77</td><td>88.20</td><td>-10.43</td><td>65.31</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>8 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	77.77	88.20	-10.43	65.31	33.70	13.79	35.03	0.00	130	8 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.00</td><td>-----</td><td>-----</td><td>99.58</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>130</td><td>8 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.00	-----	-----	99.58	33.71	13.83	35.04	0.00	130	8 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5923.98	77.77	88.20	-10.43	65.31	33.70	13.79	35.03	0.00	130	8 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5965.00	112.00	-----	-----	99.58	33.71	13.83	35.04	0.00	130	8 PEAK																																																																																																	
Avg.	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>65.80</td><td>68.20</td><td>-2.40</td><td>53.34</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>8 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	65.80	68.20	-2.40	53.34	33.70	13.79	35.03	0.00	130	8 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>103.70</td><td>-----</td><td>-----</td><td>91.16</td><td>33.73</td><td>13.85</td><td>35.04</td><td>0.00</td><td>130</td><td>8 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.70	-----	-----	91.16	33.73	13.85	35.04	0.00	130	8 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5924.96	65.80	68.20	-2.40	53.34	33.70	13.79	35.03	0.00	130	8 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5965.00	103.70	-----	-----	91.16	33.73	13.85	35.04	0.00	130	8 AVERAGE																																																																																																	







Mode	8												
	Harmonic												
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg.													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor			
1	11930.00	51.68	74.00	-22.32		33.16	39.06	19.85	40.84	0.45	--	--	PEAK
2	11930.00	42.64	54.00	-11.36		24.12	39.06	19.85	40.84	0.45	--	--	Average
3	17895.00	55.23	74.00	-18.77		34.23	41.58	24.66	45.70	0.46	--	--	PEAK
4	17895.00	46.18	54.00	-7.82		25.18	41.58	24.66	45.70	0.46	--	--	Average





		9																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.42</td><td>83.23</td><td>88.20</td><td>-4.97</td><td>70.77</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>186 311 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.42	83.23	88.20	-4.97	70.77	33.70	13.79	35.03	0.00	186 311 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>116.78</td><td>-----</td><td>-----</td><td>104.26</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>186 311 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	116.78	-----	-----	104.26	33.72	13.84	35.04	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5923.42	83.23	88.20	-4.97	70.77	33.70	13.79	35.03	0.00	186 311 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5965.00	116.78	-----	-----	104.26	33.72	13.84	35.04	0.00	186 311 PEAK																																																																																	
Avg.																																																																																										
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5916.98</td><td>64.04</td><td>68.20</td><td>-4.16</td><td>51.59</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>186 311 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5916.98	64.04	68.20	-4.16	51.59	33.70	13.78	35.03	0.00	186 311 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>106.19</td><td>-----</td><td>-----</td><td>93.71</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>186 311 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	106.19	-----	-----	93.71	33.70	13.82	35.04	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5916.98	64.04	68.20	-4.16	51.59	33.70	13.78	35.03	0.00	186 311 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5965.00	106.19	-----	-----	93.71	33.70	13.82	35.04	0.00	186 311 AVERAGE																																																																																	





		9																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.92</td><td>84.26</td><td>88.20</td><td>-3.94</td><td>71.00</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.92	84.26	88.20	-3.94	71.00	33.70	13.79	35.03	0.00	138	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>112.07</td><td>-----</td><td>-----</td><td>99.59</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.07	-----	-----	99.59	33.70	13.82	35.04	0.00	138	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.92	84.26	88.20	-3.94	71.00	33.70	13.79	35.03	0.00	138	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	112.07	-----	-----	99.59	33.70	13.82	35.04	0.00	138	360	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>64.98</td><td>68.20</td><td>-3.22</td><td>52.52</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	64.98	68.20	-3.22	52.52	33.70	13.79	35.03	0.00	138	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>104.83</td><td>-----</td><td>-----</td><td>92.35</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.83	-----	-----	92.35	33.70	13.82	35.04	0.00	138	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	64.98	68.20	-3.22	52.52	33.70	13.79	35.03	0.00	138	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	104.83	-----	-----	92.35	33.70	13.82	35.04	0.00	138	360	AVERAGE																																																																																							







Mode	10												
	Harmonic												
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_6205MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg.													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	12410.00	52.44	74.00	-21.56	32.81	40.02	20.25	41.13	0.49	--	--	--	PEAK
2	12410.00	43.40	54.00	-10.60	23.77	40.02	20.25	41.13	0.49	--	--	--	Average
3	18615.00	39.83	74.00	-34.17	51.07	37.90	25.16	64.76	-9.54	--	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	12410.00	53.02	74.00	-20.98	33.39	40.02	20.25	41.13	0.49	--	--	--	PEAK
2	12410.00	43.92	54.00	-10.08	24.29	40.02	20.25	41.13	0.49	--	--	--	Average
3	18615.00	39.59	74.00	-34.41	50.83	37.90	25.16	64.76	-9.54	--	--	--	PEAK







Mode	11																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz																																																																																																																												
ANT	6+7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg.																																																																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																						
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>33.32</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>49.83</td><td>37.84</td><td>25.60</td><td>64.34</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	54.33	88.20	-33.87	33.32	41.10	20.58	41.20	0.53	--	--	PEAK	2	19215.00	39.39	74.00	-34.61	49.83	37.84	25.60	64.34	-9.54	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>53.89</td><td>88.20</td><td>-34.31</td><td>32.88</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>49.21</td><td>37.84</td><td>25.60</td><td>64.34</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.89	88.20	-34.31	32.88	41.10	20.58	41.20	0.53	--	--	PEAK	2	19215.00	38.77	74.00	-35.23	49.21	37.84	25.60	64.34	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12810.00	54.33	88.20	-33.87	33.32	41.10	20.58	41.20	0.53	--	--	PEAK																																																																																																																	
2	19215.00	39.39	74.00	-34.61	49.83	37.84	25.60	64.34	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12810.00	53.89	88.20	-34.31	32.88	41.10	20.58	41.20	0.53	--	--	PEAK																																																																																																																	
2	19215.00	38.77	74.00	-35.23	49.21	37.84	25.60	64.34	-9.54	--	--	PEAK																																																																																																																	





		12																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.40</td><td>77.08</td><td>88.20</td><td>-11.12</td><td>64.64</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>188</td><td>329</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.40	77.08	88.20	-11.12	64.64	33.70	13.77	35.03	0.00	188	329	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>109.64</td><td>-----</td><td>-----</td><td>97.01</td><td>33.79</td><td>13.89</td><td>35.05</td><td>0.00</td><td>188</td><td>329</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.64	-----	-----	97.01	33.79	13.89	35.05	0.00	188	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5907.40	77.08	88.20	-11.12	64.64	33.70	13.77	35.03	0.00	188	329	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	109.64	-----	-----	97.01	33.79	13.89	35.05	0.00	188	329	PEAK																																																																																						
Avg.																																																																																																		
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.52</td><td>65.78</td><td>68.20</td><td>-2.42</td><td>53.33</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>188</td><td>329</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.52	65.78	68.20	-2.42	53.33	33.70	13.78	35.03	0.00	188	329	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>101.91</td><td>-----</td><td>-----</td><td>89.32</td><td>33.77</td><td>13.87</td><td>35.05</td><td>0.00</td><td>188</td><td>329</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.91	-----	-----	89.32	33.77	13.87	35.05	0.00	188	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5916.52	65.78	68.20	-2.42	53.33	33.70	13.78	35.03	0.00	188	329	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	101.91	-----	-----	89.32	33.77	13.87	35.05	0.00	188	329	AVERAGE																																																																																						







Mode	12																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5925.00</td><td>80.41</td><td>88.20</td><td>-7.79</td><td>67.95</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5925.00	80.41	88.20	-7.79	67.95	33.70	13.79	35.03	0.00	130 6 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>100.90</td><td>-----</td><td>-----</td><td>96.24</td><td>33.82</td><td>13.89</td><td>35.05</td><td>0.00</td><td>130 6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.90	-----	-----	96.24	33.82	13.89	35.05	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5925.00	80.41	88.20	-7.79	67.95	33.70	13.79	35.03	0.00	130 6 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	100.90	-----	-----	96.24	33.82	13.89	35.05	0.00	130 6 PEAK																																																																																
Avg.																																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.52</td><td>66.38</td><td>68.20</td><td>-1.82</td><td>53.92</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.52	66.38	68.20	-1.82	53.92	33.70	13.79	35.03	0.00	130 6 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>99.64</td><td>-----</td><td>-----</td><td>87.07</td><td>33.76</td><td>13.86</td><td>35.05</td><td>0.00</td><td>130 6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	99.64	-----	-----	87.07	33.76	13.86	35.05	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5924.52	66.38	68.20	-1.82	53.92	33.70	13.79	35.03	0.00	130 6 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	99.64	-----	-----	87.07	33.76	13.86	35.05	0.00	130 6 AVERAGE																																																																																







Mode	12												
	Harmonic												
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg.													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor			
1	11970.00	51.44	74.00	-22.56		32.80	39.18	19.88	40.87	0.45	--	--	PEAK
2	11970.00	42.36	54.00	-11.64		23.72	39.18	19.88	40.87	0.45	--	--	Average
3	17955.00	55.73	74.00	-18.27		34.53	41.62	24.70	45.58	0.46	--	--	PEAK
4	17955.00	46.67	54.00	-7.33		25.47	41.62	24.70	45.58	0.46	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor	Factor			
1	11970.00	51.04	74.00	-22.96		32.40	39.18	19.88	40.87	0.45	--	--	PEAK
2	11970.00	42.03	54.00	-11.97		23.39	39.18	19.88	40.87	0.45	--	--	Average
3	17955.00	55.15	74.00	-18.85		33.95	41.62	24.70	45.58	0.46	--	--	PEAK
4	17955.00	46.10	54.00	-7.90		24.90	41.62	24.70	45.58	0.46	--	--	Average





Mode	13																																																																																																													
	Band Edge																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																													
ANT	6+7																																																																																																													
Pol.	Horizontal																																																																																																													
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5921.00</td><td>84.87</td><td>88.20</td><td>-3.33</td><td>72.41</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>314 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5921.00	84.87	88.20	-3.33	72.41	33.70	13.79	35.03	0.00	195	314 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>111.85</td><td>-----</td><td>-----</td><td>99.37</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>314 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	111.85	-----	-----	99.37	33.70	13.82	35.04	0.00	195	314 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 5921.00	84.87	88.20	-3.33	72.41	33.70	13.79	35.03	0.00	195	314 PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 5985.00	111.85	-----	-----	99.37	33.70	13.82	35.04	0.00	195	314 PEAK																																																																																																				
Avg.	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5925.00</td><td>65.66</td><td>68.20</td><td>-2.54</td><td>53.20</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>314 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5925.00	65.66	68.20	-2.54	53.20	33.70	13.79	35.03	0.00	195	314 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>103.58</td><td>-----</td><td>-----</td><td>91.10</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>314 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	103.58	-----	-----	91.10	33.70	13.82	35.04	0.00	195	314 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 5925.00	65.66	68.20	-2.54	53.20	33.70	13.79	35.03	0.00	195	314 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 5985.00	103.58	-----	-----	91.10	33.70	13.82	35.04	0.00	195	314 AVERAGE																																																																																																				





Mode	13																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																												
ANT	6+7																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak																																																																																													
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5925.00</td><td>81.63</td><td>88.20</td><td>-6.57</td><td>69.17</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>136 360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5925.00	81.63	88.20	-6.57	69.17	33.70	13.79	35.03	0.00	136 360 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>109.58</td><td>-----</td><td>-----</td><td>97.01</td><td>33.76</td><td>13.86</td><td>35.05</td><td>0.00</td><td>136 360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	109.58	-----	-----	97.01	33.76	13.86	35.05	0.00	136 360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5925.00	81.63	88.20	-6.57	69.17	33.70	13.79	35.03	0.00	136 360 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5985.00	109.58	-----	-----	97.01	33.76	13.86	35.05	0.00	136 360 PEAK																																																																																				
Avg.																																																																																													
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5925.00</td><td>66.80</td><td>68.20</td><td>-1.40</td><td>54.34</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>136 360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5925.00	66.80	68.20	-1.40	54.34	33.70	13.79	35.03	0.00	136 360 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>101.44</td><td>-----</td><td>-----</td><td>88.96</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>136 360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	101.44	-----	-----	88.96	33.70	13.82	35.04	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5925.00	66.80	68.20	-1.40	54.34	33.70	13.79	35.03	0.00	136 360 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5985.00	101.44	-----	-----	88.96	33.70	13.82	35.04	0.00	136 360 AVERAGE																																																																																				







Mode	14																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_6225MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12450.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>32.69</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 12450.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>23.67</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18675.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>51.07</td><td>37.85</td><td>25.20</td><td>64.69</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12450.00	52.41	74.00	-21.59	32.69	40.10	20.28	41.15	0.49	-- -- PEAK	2 12450.00	43.39	54.00	-10.61	23.67	40.10	20.28	41.15	0.49	-- -- Average	3 18675.00	39.89	74.00	-34.11	51.07	37.85	25.20	64.69	-9.54	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12450.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>32.65</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- PEAK</td></tr><tr><td>2 12450.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>23.62</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18675.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>51.01</td><td>37.85</td><td>25.20</td><td>64.69</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12450.00	52.37	74.00	-21.63	32.65	40.10	20.28	41.15	0.49	-- -- PEAK	2 12450.00	43.34	54.00	-10.66	23.62	40.10	20.28	41.15	0.49	-- -- Average	3 18675.00	39.83	74.00	-34.17	51.01	37.85	25.20	64.69	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12450.00	52.41	74.00	-21.59	32.69	40.10	20.28	41.15	0.49	-- -- PEAK																																																																																																																	
2 12450.00	43.39	54.00	-10.61	23.67	40.10	20.28	41.15	0.49	-- -- Average																																																																																																																	
3 18675.00	39.89	74.00	-34.11	51.07	37.85	25.20	64.69	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12450.00	52.37	74.00	-21.63	32.65	40.10	20.28	41.15	0.49	-- -- PEAK																																																																																																																	
2 12450.00	43.34	54.00	-10.66	23.62	40.10	20.28	41.15	0.49	-- -- Average																																																																																																																	
3 18675.00	39.83	74.00	-34.17	51.01	37.85	25.20	64.69	-9.54	-- -- PEAK																																																																																																																	







Mode	15																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_6385MHz																																																																				
ANT	6+7																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg.																																																																					
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.23</td><td>88.20</td><td>-34.97</td><td>32.32</td><td>41.04</td><td>20.55</td><td>41.20</td><td>0.52</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>49.63</td><td>38.00</td><td>25.55</td><td>64.33</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.23	88.20	-34.97	32.32	41.04	20.55	41.20	0.52	--	--	PEAK	2	19155.00	39.39	74.00	-34.61	49.63	38.00	25.55	64.33	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12770.00	53.23	88.20	-34.97	32.32	41.04	20.55	41.20	0.52	--	--	PEAK																																																									
2	19155.00	39.39	74.00	-34.61	49.63	38.00	25.55	64.33	-9.54	--	--	PEAK																																																									





		16																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.60</td><td>75.69</td><td>88.20</td><td>-12.51</td><td>63.24</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>190</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.60	75.69	88.20	-12.51	63.24	33.70	13.78	35.03	0.00	190	331	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>100.10</td><td>-----</td><td>-----</td><td>95.23</td><td>34.01</td><td>13.92</td><td>35.06</td><td>0.00</td><td>190</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.10	-----	-----	95.23	34.01	13.92	35.06	0.00	190	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5915.60	75.69	88.20	-12.51	63.24	33.70	13.78	35.03	0.00	190	331	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	100.10	-----	-----	95.23	34.01	13.92	35.06	0.00	190	331	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.80</td><td>65.91</td><td>68.20</td><td>-2.29</td><td>53.46</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>190</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.80	65.91	68.20	-2.29	53.46	33.70	13.78	35.03	0.00	190	331	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>98.88</td><td>-----</td><td>-----</td><td>86.01</td><td>34.01</td><td>13.92</td><td>35.06</td><td>0.00</td><td>190</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.88	-----	-----	86.01	34.01	13.92	35.06	0.00	190	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.80	65.91	68.20	-2.29	53.46	33.70	13.78	35.03	0.00	190	331	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	98.88	-----	-----	86.01	34.01	13.92	35.06	0.00	190	331	AVERAGE																																																																																							







Mode	16																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.00</td><td>75.83</td><td>88.20</td><td>-12.37</td><td>63.38</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>120</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.00	75.83	88.20	-12.37	63.38	33.70	13.78	35.03	0.00	120	6 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>105.62</td><td>-----</td><td>-----</td><td>92.62</td><td>34.13</td><td>13.94</td><td>35.07</td><td>0.00</td><td>120</td><td>6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	105.62	-----	-----	92.62	34.13	13.94	35.07	0.00	120	6 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5914.00	75.83	88.20	-12.37	63.38	33.70	13.78	35.03	0.00	120	6 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6025.00	105.62	-----	-----	92.62	34.13	13.94	35.07	0.00	120	6 PEAK																																																																																										
Avg.	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.20</td><td>66.14</td><td>68.20</td><td>-2.06</td><td>53.69</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>120</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.20	66.14	68.20	-2.06	53.69	33.70	13.78	35.03	0.00	120	6 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>95.98</td><td>-----</td><td>-----</td><td>83.25</td><td>33.89</td><td>13.90</td><td>35.06</td><td>0.00</td><td>120</td><td>6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.98	-----	-----	83.25	33.89	13.90	35.06	0.00	120	6 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5913.20	66.14	68.20	-2.06	53.69	33.70	13.78	35.03	0.00	120	6 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6025.00	95.98	-----	-----	83.25	33.89	13.90	35.06	0.00	120	6 AVERAGE																																																																																										







		16																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																																																										
ANT		6+7																																																																																																																																																										
Pol.		Horizontal						Vertical																																																																																																																																																				
Peak Avg.		 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>32.48</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12050.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>23.45</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>39.70</td><td>74.00</td><td>-34.30</td><td>51.26</td><td>37.50</td><td>24.79</td><td>64.31</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12050.00	51.36	74.00	-22.64	32.48	39.40	19.95	40.92	0.45	--	--	PEAK	2	12050.00	42.33	54.00	-11.67	23.45	39.40	19.95	40.92	0.45	--	--	Average	3	18075.00	39.70	74.00	-34.30	51.26	37.50	24.79	64.31	-9.54	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>32.81</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12050.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>23.78</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>51.11</td><td>37.50</td><td>24.79</td><td>64.31</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12050.00	51.69	74.00	-22.31	32.81	39.40	19.95	40.92	0.45	--	--	PEAK	2	12050.00	42.66	54.00	-11.34	23.78	39.40	19.95	40.92	0.45	--	--	Average	3	18075.00	39.55	74.00	-34.45	51.11	37.50	24.79	64.31	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	12050.00	51.36	74.00	-22.64	32.48	39.40	19.95	40.92	0.45	--	--	PEAK																																																																																																																																																
2	12050.00	42.33	54.00	-11.67	23.45	39.40	19.95	40.92	0.45	--	--	Average																																																																																																																																																
3	18075.00	39.70	74.00	-34.30	51.26	37.50	24.79	64.31	-9.54	--	--	PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	12050.00	51.69	74.00	-22.31	32.81	39.40	19.95	40.92	0.45	--	--	PEAK																																																																																																																																																
2	12050.00	42.66	54.00	-11.34	23.78	39.40	19.95	40.92	0.45	--	--	Average																																																																																																																																																
3	18075.00	39.55	74.00	-34.45	51.11	37.50	24.79	64.31	-9.54	--	--	PEAK																																																																																																																																																





		17																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.40</td><td>82.42</td><td>88.20</td><td>-5.78</td><td>69.98</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>189</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.40	82.42	88.20	-5.78	69.98	33.70	13.77	35.03	0.00	189	314	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>107.22</td><td>-----</td><td>-----</td><td>94.70</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>189</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	107.22	-----	-----	94.70	33.72	13.84	35.04	0.00	189	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5907.40	82.42	88.20	-5.78	69.98	33.70	13.77	35.03	0.00	189	314	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	107.22	-----	-----	94.70	33.72	13.84	35.04	0.00	189	314	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.00</td><td>63.99</td><td>68.20</td><td>-4.21</td><td>51.54</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>189</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.00	63.99	68.20	-4.21	51.54	33.70	13.78	35.03	0.00	189	314	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.27</td><td>-----</td><td>-----</td><td>86.75</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>189</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.27	-----	-----	86.75	33.72	13.84	35.04	0.00	189	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5918.00	63.99	68.20	-4.21	51.54	33.70	13.78	35.03	0.00	189	314	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	99.27	-----	-----	86.75	33.72	13.84	35.04	0.00	189	314	AVERAGE																																																																																							





		17																																																																																															
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5897.60</td><td>81.27</td><td>88.20</td><td>-6.93</td><td>68.84</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>139</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5897.60	81.27	88.20	-6.93	68.84	33.70	13.76	35.03	0.00	139	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>105.17</td><td>-----</td><td>-----</td><td>92.69</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>139</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6025.00	105.17	-----	-----	92.69	33.70	13.82	35.04	0.00	139	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5897.60	81.27	88.20	-6.93	68.84	33.70	13.76	35.03	0.00	139	360	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	105.17	-----	-----	92.69	33.70	13.82	35.04	0.00	139	360	PEAK																																																																																					
Avg.																																																																																																	
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.80</td><td>63.70</td><td>68.20</td><td>-4.50</td><td>51.25</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>139</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5917.80	63.70	68.20	-4.50	51.25	33.70	13.78	35.03	0.00	139	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>96.97</td><td>-----</td><td>-----</td><td>84.31</td><td>33.82</td><td>13.89</td><td>35.05</td><td>0.00</td><td>139</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6025.00	96.97	-----	-----	84.31	33.82	13.89	35.05	0.00	139	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5917.80	63.70	68.20	-4.50	51.25	33.70	13.78	35.03	0.00	139	360	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	96.97	-----	-----	84.31	33.82	13.89	35.05	0.00	139	360	AVERAGE																																																																																					





Mode	18																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_6185MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>33.44</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>24.41</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>51.12</td><td>37.99</td><td>25.12</td><td>64.83</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	12370.00	52.99	74.00	-21.01	33.44	39.94	20.22	41.10	0.49	--	--	--	PEAK	2	12370.00	43.96	54.00	-10.04	24.41	39.94	20.22	41.10	0.49	--	--	--	Average	3	18555.00	39.86	74.00	-34.14	51.12	37.99	25.12	64.83	-9.54	--	--	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>33.16</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>43.69</td><td>54.00</td><td>-10.31</td><td>24.14</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>40.34</td><td>74.00</td><td>-33.66</td><td>51.60</td><td>37.99</td><td>25.12</td><td>64.83</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	12370.00	52.71	74.00	-21.29	33.16	39.94	20.22	41.10	0.49	--	--	--	PEAK	2	12370.00	43.69	54.00	-10.31	24.14	39.94	20.22	41.10	0.49	--	--	--	Average	3	18555.00	40.34	74.00	-33.66	51.60	37.99	25.12	64.83	-9.54	--	--	--	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																		
1	12370.00	52.99	74.00	-21.01	33.44	39.94	20.22	41.10	0.49	--	--	--	PEAK																																																																																																																																	
2	12370.00	43.96	54.00	-10.04	24.41	39.94	20.22	41.10	0.49	--	--	--	Average																																																																																																																																	
3	18555.00	39.86	74.00	-34.14	51.12	37.99	25.12	64.83	-9.54	--	--	--	PEAK																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																		
1	12370.00	52.71	74.00	-21.29	33.16	39.94	20.22	41.10	0.49	--	--	--	PEAK																																																																																																																																	
2	12370.00	43.69	54.00	-10.31	24.14	39.94	20.22	41.10	0.49	--	--	--	Average																																																																																																																																	
3	18555.00	40.34	74.00	-33.66	51.60	37.99	25.12	64.83	-9.54	--	--	--	PEAK																																																																																																																																	





Mode	19																																																																													
	Harmonic																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_6345MHz																																																																													
ANT	6+7																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg.																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>33.04</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>24.05</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.15</td><td>74.00</td><td>-34.85</td><td>49.71</td><td>37.84</td><td>25.45</td><td>64.31</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	53.74	74.00	-20.26	33.04	40.90	20.48	41.20	0.52	--	PEAK	2	12690.00	44.75	54.00	-9.25	24.05	40.90	20.48	41.20	0.52	--	Average	3	19035.00	39.15	74.00	-34.85	49.71	37.84	25.45	64.31	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	12690.00	53.74	74.00	-20.26	33.04	40.90	20.48	41.20	0.52	--	PEAK																																																																			
2	12690.00	44.75	54.00	-9.25	24.05	40.90	20.48	41.20	0.52	--	Average																																																																			
3	19035.00	39.15	74.00	-34.85	49.71	37.84	25.45	64.31	-9.54	--	PEAK																																																																			





Mode	31																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																						
ANT	6+7																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg.																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>51.12</td><td>88.20 -37.08</td><td>30.22</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 19605.00</td><td>49.85</td><td>74.00 -24.15</td><td>59.95</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>244</td><td>353 PEAK</td></tr><tr><td>3 19605.00</td><td>40.12</td><td>54.00 -13.88</td><td>50.22</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>244</td><td>353 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	51.12	88.20 -37.08	30.22	40.92	20.79	41.36	0.55	--	-- PEAK	2 19605.00	49.85	74.00 -24.15	59.95	37.81	25.92	64.29	-9.54	244	353 PEAK	3 19605.00	40.12	54.00 -13.88	50.22	37.81	25.92	64.29	-9.54	244	353 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 13070.00	51.12	88.20 -37.08	30.22	40.92	20.79	41.36	0.55	--	-- PEAK																																																														
2 19605.00	49.85	74.00 -24.15	59.95	37.81	25.92	64.29	-9.54	244	353 PEAK																																																														
3 19605.00	40.12	54.00 -13.88	50.22	37.81	25.92	64.29	-9.54	244	353 Average																																																														





Mode	32																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																																																							
ANT	6+7																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																						
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>31.70</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>22.69</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20885.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>58.25</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>232</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>20885.00</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>47.56</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>232</td><td>243</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	52.16	74.00	-21.84	31.70	40.84	21.04	42.00	0.58	--	--	PEAK	2	13390.00	43.15	54.00	-10.85	22.69	40.84	21.04	42.00	0.58	--	--	Average	3	20885.00	48.91	74.00	-25.09	58.25	37.77	26.31	63.88	-9.54	232	243	PEAK	4	20885.00	38.22	54.00	-15.78	47.56	37.77	26.31	63.88	-9.54	232	243	Average	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>31.27</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>22.24</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20885.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>53.40</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>204</td><td>321</td><td>PEAK</td></tr><tr><td>4</td><td>20885.00</td><td>35.86</td><td>54.00</td><td>-18.14</td><td>45.20</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>204</td><td>321</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	51.73	74.00	-22.27	31.27	40.84	21.04	42.00	0.58	--	--	PEAK	2	13390.00	42.70	54.00	-11.30	22.24	40.84	21.04	42.00	0.58	--	--	Average	3	20885.00	44.06	74.00	-29.94	53.40	37.77	26.31	63.88	-9.54	204	321	PEAK	4	20885.00	35.86	54.00	-18.14	45.20	37.77	26.31	63.88	-9.54	204	321	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	13390.00	52.16	74.00	-21.84	31.70	40.84	21.04	42.00	0.58	--	--	PEAK																																																																																																																																																												
2	13390.00	43.15	54.00	-10.85	22.69	40.84	21.04	42.00	0.58	--	--	Average																																																																																																																																																												
3	20885.00	48.91	74.00	-25.09	58.25	37.77	26.31	63.88	-9.54	232	243	PEAK																																																																																																																																																												
4	20885.00	38.22	54.00	-15.78	47.56	37.77	26.31	63.88	-9.54	232	243	Average																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	13390.00	51.73	74.00	-22.27	31.27	40.84	21.04	42.00	0.58	--	--	PEAK																																																																																																																																																												
2	13390.00	42.70	54.00	-11.30	22.24	40.84	21.04	42.00	0.58	--	--	Average																																																																																																																																																												
3	20885.00	44.06	74.00	-29.94	53.40	37.77	26.31	63.88	-9.54	204	321	PEAK																																																																																																																																																												
4	20885.00	35.86	54.00	-18.14	45.20	37.77	26.31	63.88	-9.54	204	321	Average																																																																																																																																																												





Mode	33																																																																													
	Harmonic																																																																													
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																													
ANT	6+7																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg.																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>53.50</td><td>88.20</td><td>-34.70</td><td>32.85</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>57.11</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>305</td><td>238 Peak</td></tr><tr><td>3</td><td>20565.00</td><td>39.70</td><td>54.00</td><td>-14.30</td><td>48.19</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>305</td><td>238 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	53.50	88.20	-34.70	32.85	41.20	21.29	42.45	0.61	--	PEAK	2	20565.00	48.62	74.00	-25.38	57.11	38.11	26.66	63.72	-9.54	305	238 Peak	3	20565.00	39.70	54.00	-14.30	48.19	38.11	26.66	63.72	-9.54	305	238 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	13710.00	53.50	88.20	-34.70	32.85	41.20	21.29	42.45	0.61	--	PEAK																																																																			
2	20565.00	48.62	74.00	-25.38	57.11	38.11	26.66	63.72	-9.54	305	238 Peak																																																																			
3	20565.00	39.70	54.00	-14.30	48.19	38.11	26.66	63.72	-9.54	305	238 Average																																																																			





Mode	35																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>52.75</td><td>88.20</td><td>-35.45</td><td>31.85</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>51.77</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	52.75	88.20	-35.45	31.85	40.92	20.79	41.36	0.55	--	PEAK	2	19605.00	41.67	74.00	-32.33	51.77	37.81	25.92	64.29	-9.54	--	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>51.93</td><td>88.20</td><td>-36.27</td><td>31.03</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>51.18</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	51.93	88.20	-36.27	31.03	40.92	20.79	41.36	0.55	--	PEAK	2	19605.00	41.08	74.00	-32.92	51.18	37.81	25.92	64.29	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	52.75	88.20	-35.45	31.85	40.92	20.79	41.36	0.55	--	PEAK																																																																																																					
2	19605.00	41.67	74.00	-32.33	51.77	37.81	25.92	64.29	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	51.93	88.20	-36.27	31.03	40.92	20.79	41.36	0.55	--	PEAK																																																																																																					
2	19605.00	41.08	74.00	-32.92	51.18	37.81	25.92	64.29	-9.54	--	PEAK																																																																																																					





Mode	36																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz																																																																																																																																																								
ANT	6+7																																																																																																																																																								
Pol.	Horizontal							Vertical																																																																																																																																																	
Peak Avg.																																																																																																																																																									
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>52.49</td><td>74.00</td><td>-21.51</td><td>32.03</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>23.03</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>51.08</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13390.00	52.49	74.00	-21.51	32.03	40.84	21.04	42.00	0.58	--	--	--	PEAK	2	13390.00	43.49	54.00	-10.51	23.03	40.84	21.04	42.00	0.58	--	--	--	Average	3	20805.00	41.74	74.00	-32.26	51.08	37.77	26.31	63.88	-9.54	--	--	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>31.25</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>42.69</td><td>54.00</td><td>-11.31</td><td>22.23</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>49.45</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13390.00	51.71	74.00	-22.29	31.25	40.84	21.04	42.00	0.58	--	--	--	PEAK	2	13390.00	42.69	54.00	-11.31	22.23	40.84	21.04	42.00	0.58	--	--	--	Average	3	20805.00	40.11	74.00	-33.89	49.45	37.77	26.31	63.88	-9.54	--	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	13390.00	52.49	74.00	-21.51	32.03	40.84	21.04	42.00	0.58	--	--	--	PEAK																																																																																																																																												
2	13390.00	43.49	54.00	-10.51	23.03	40.84	21.04	42.00	0.58	--	--	--	Average																																																																																																																																												
3	20805.00	41.74	74.00	-32.26	51.08	37.77	26.31	63.88	-9.54	--	--	--	PEAK																																																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	13390.00	51.71	74.00	-22.29	31.25	40.84	21.04	42.00	0.58	--	--	--	PEAK																																																																																																																																												
2	13390.00	42.69	54.00	-11.31	22.23	40.84	21.04	42.00	0.58	--	--	--	Average																																																																																																																																												
3	20805.00	40.11	74.00	-33.89	49.45	37.77	26.31	63.88	-9.54	--	--	--	PEAK																																																																																																																																												





	37																																																																				
Mode	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz																																																																				
ANT	6+7																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg.																																																																					
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.90</td><td>88.20</td><td>-33.30</td><td>34.25</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>54.89</td><td>38.01</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.90	88.20	-33.30	34.25	41.20	21.29	42.45	0.61	--	--	PEAK	2	20565.00	46.30	74.00	-27.70	54.89	38.01	26.66	63.72	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13710.00	54.90	88.20	-33.30	34.25	41.20	21.29	42.45	0.61	--	--	PEAK																																																									
2	20565.00	46.30	74.00	-27.70	54.89	38.01	26.66	63.72	-9.54	--	--	PEAK																																																									





Mode	39																																																																
	Harmonic																																																																
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz																																																																
ANT	6+7																																																																
Pol.	Horizontal																																																																
Peak Avg.																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>52.56</td><td>88.20</td><td>-35.64</td><td>31.54</td><td>41.10</td><td>20.84</td><td>41.48</td><td>0.56</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>42.66</td><td>74.00</td><td>-31.34</td><td>52.51</td><td>37.90</td><td>26.00</td><td>64.21</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	52.56	88.20	-35.64	31.54	41.10	20.84	41.48	0.56	--	PEAK	2	19695.00	42.66	74.00	-31.34	52.51	37.90	26.00	64.21	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13130.00	52.56	88.20	-35.64	31.54	41.10	20.84	41.48	0.56	--	PEAK																																																						
2	19695.00	42.66	74.00	-31.34	52.51	37.90	26.00	64.21	-9.54	--	PEAK																																																						
Pol.	Vertical																																																																
Peak Avg.																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>52.45</td><td>88.20</td><td>-35.75</td><td>31.43</td><td>41.10</td><td>20.84</td><td>41.48</td><td>0.56</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>41.62</td><td>74.00</td><td>-32.38</td><td>51.47</td><td>37.90</td><td>26.00</td><td>64.21</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	52.45	88.20	-35.75	31.43	41.10	20.84	41.48	0.56	--	PEAK	2	19695.00	41.62	74.00	-32.38	51.47	37.90	26.00	64.21	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13130.00	52.45	88.20	-35.75	31.43	41.10	20.84	41.48	0.56	--	PEAK																																																						
2	19695.00	41.62	74.00	-32.38	51.47	37.90	26.00	64.21	-9.54	--	PEAK																																																						



Mode	40																																																																								
	Harmonic																																																																								
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz																																																																								
ANT	6+7																																																																								
Pol.	Horizontal							Vertical																																																																	
Peak Avg.																																																																									
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>31.38</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 13370.00</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>22.30</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>49.48</td><td>37.71</td><td>26.29</td><td>63.89</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	51.95	74.00	-22.05	31.38	40.92	21.03	41.96	0.58	-- -- PEAK	2 13370.00	42.87	54.00	-11.13	22.30	40.92	21.03	41.96	0.58	-- -- Average	3 20055.00	40.05	74.00	-33.95	49.48	37.71	26.29	63.89	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																
1 13370.00	51.95	74.00	-22.05	31.38	40.92	21.03	41.96	0.58	-- -- PEAK																																																																
2 13370.00	42.87	54.00	-11.13	22.30	40.92	21.03	41.96	0.58	-- -- Average																																																																
3 20055.00	40.05	74.00	-33.95	49.48	37.71	26.29	63.89	-9.54	-- -- PEAK																																																																
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>31.06</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 13370.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>21.94</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>50.18</td><td>37.71</td><td>26.29</td><td>63.89</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	51.63	74.00	-22.37	31.06	40.92	21.03	41.96	0.58	-- -- PEAK	2 13370.00	42.51	54.00	-11.49	21.94	40.92	21.03	41.96	0.58	-- -- Average	3 20055.00	40.75	74.00	-33.25	50.18	37.71	26.29	63.89	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																
1 13370.00	51.63	74.00	-22.37	31.06	40.92	21.03	41.96	0.58	-- -- PEAK																																																																
2 13370.00	42.51	54.00	-11.49	21.94	40.92	21.03	41.96	0.58	-- -- Average																																																																
3 20055.00	40.75	74.00	-33.25	50.18	37.71	26.29	63.89	-9.54	-- -- PEAK																																																																





Mode	41																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz																																																																																																																												
ANT	6+7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg.																																																																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>53.94</td><td>88.20</td><td>-34.26</td><td>33.32</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>52.49</td><td>37.98</td><td>26.64</td><td>63.76</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	53.94	88.20	-34.26	33.32	41.16	21.28	42.43	0.61	--	--	PEAK	2	20535.00	43.81	74.00	-30.19	52.49	37.98	26.64	63.76	-9.54	--	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>54.20</td><td>88.20</td><td>-34.00</td><td>33.58</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>50.49</td><td>37.98</td><td>26.64</td><td>63.76</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	54.20	88.20	-34.00	33.58	41.16	21.28	42.43	0.61	--	--	PEAK	2	20535.00	41.81	74.00	-32.19	50.49	37.98	26.64	63.76	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13690.00	53.94	88.20	-34.26	33.32	41.16	21.28	42.43	0.61	--	--	PEAK																																																																																																																	
2	20535.00	43.81	74.00	-30.19	52.49	37.98	26.64	63.76	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13690.00	54.20	88.20	-34.00	33.58	41.16	21.28	42.43	0.61	--	--	PEAK																																																																																																																	
2	20535.00	41.81	74.00	-32.19	50.49	37.98	26.64	63.76	-9.54	--	--	PEAK																																																																																																																	



		43																																																																																																																																																													
Mode		Harmonic																																																																																																																																																													
		U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																																																																																																																																													
ANT		6+7																																																																																																																																																													
Pol.		Horizontal						Vertical																																																																																																																																																							
Peak Avg.		Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>31.54</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>42.30</td><td>54.00</td><td>-11.70</td><td>21.62</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>49.68</td><td>37.70</td><td>26.15</td><td>64.03</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	52.22	74.00	-21.78	31.54	40.90	20.93	41.72	0.57	--	PEAK	2	13250.00	42.30	54.00	-11.70	21.62	40.90	20.93	41.72	0.57	--	Average	3	19875.00	39.96	74.00	-34.04	49.68	37.70	26.15	64.03	-9.54	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>31.73</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>42.40</td><td>54.00</td><td>-11.60</td><td>21.72</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>49.35</td><td>37.70</td><td>26.15</td><td>64.03</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	52.41	74.00	-21.59	31.73	40.90	20.93	41.72	0.57	--	PEAK	2	13250.00	42.40	54.00	-11.60	21.72	40.90	20.93	41.72	0.57	--	Average	3	19875.00	39.63	74.00	-34.37	49.35	37.70	26.15	64.03	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																					
1	13250.00	52.22	74.00	-21.78	31.54	40.90	20.93	41.72	0.57	--	PEAK																																																																																																																																																				
2	13250.00	42.30	54.00	-11.70	21.62	40.90	20.93	41.72	0.57	--	Average																																																																																																																																																				
3	19875.00	39.96	74.00	-34.04	49.68	37.70	26.15	64.03	-9.54	--	PEAK																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																					
1	13250.00	52.41	74.00	-21.59	31.73	40.90	20.93	41.72	0.57	--	PEAK																																																																																																																																																				
2	13250.00	42.40	54.00	-11.60	21.72	40.90	20.93	41.72	0.57	--	Average																																																																																																																																																				
3	19875.00	39.63	74.00	-34.37	49.35	37.70	26.15	64.03	-9.54	--	PEAK																																																																																																																																																				





Mode	44																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																																																		
ANT	6+7																																																																		
Pol.	Horizontal						Vertical																																																												
Peak																																																																			
Avg.	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>53.18</td><td>88.20</td><td>-35.02</td><td>32.74</td><td>40.84</td><td>21.06</td><td>42.04</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>49.43</td><td>37.77</td><td>26.33</td><td>63.88</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK	2	20115.00	40.11	74.00	-33.89	49.43	37.77	26.33	63.88	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK																																																								
2	20115.00	40.11	74.00	-33.89	49.43	37.77	26.33	63.88	-9.54	--	PEAK																																																								





	45																																																																																																																																																							
Mode	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																						
Peak Avg.	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7295.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>37.02</td><td>37.18</td><td>15.38</td><td>36.57</td><td>1.19</td><td>213</td><td>303 Peak</td></tr><tr><td>2 7295.00</td><td>43.94</td><td>54.00</td><td>-10.06</td><td>26.76</td><td>37.18</td><td>15.38</td><td>36.57</td><td>1.19</td><td>213</td><td>303 Average</td></tr><tr><td>3 13570.00</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>33.61</td><td>41.00</td><td>21.18</td><td>42.30</td><td>0.60</td><td>--</td><td>-- PEAK</td></tr><tr><td>4 20355.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>50.35</td><td>37.98</td><td>26.51</td><td>63.83</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7295.00	54.20	74.00	-19.80	37.02	37.18	15.38	36.57	1.19	213	303 Peak	2 7295.00	43.94	54.00	-10.06	26.76	37.18	15.38	36.57	1.19	213	303 Average	3 13570.00	54.17	88.20	-34.03	33.61	41.00	21.18	42.30	0.60	--	-- PEAK	4 20355.00	41.47	74.00	-32.53	50.35	37.98	26.51	63.83	-9.54	--	-- PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7306.40</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>37.37</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243 Peak</td></tr><tr><td>2 7306.40</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>28.35</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243 Average</td></tr><tr><td>3 13570.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>33.91</td><td>41.00</td><td>21.18</td><td>42.30</td><td>0.60</td><td>--</td><td>-- PEAK</td></tr><tr><td>4 20355.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>49.89</td><td>37.98</td><td>26.51</td><td>63.83</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243 Peak	2 7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243 Average	3 13570.00	54.47	88.20	-33.73	33.91	41.00	21.18	42.30	0.60	--	-- PEAK	4 20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1 7295.00	54.20	74.00	-19.80	37.02	37.18	15.38	36.57	1.19	213	303 Peak																																																																																																																																														
2 7295.00	43.94	54.00	-10.06	26.76	37.18	15.38	36.57	1.19	213	303 Average																																																																																																																																														
3 13570.00	54.17	88.20	-34.03	33.61	41.00	21.18	42.30	0.60	--	-- PEAK																																																																																																																																														
4 20355.00	41.47	74.00	-32.53	50.35	37.98	26.51	63.83	-9.54	--	-- PEAK																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1 7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243 Peak																																																																																																																																														
2 7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243 Average																																																																																																																																														
3 13570.00	54.47	88.20	-33.73	33.91	41.00	21.18	42.30	0.60	--	-- PEAK																																																																																																																																														
4 20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	-- PEAK																																																																																																																																														







		47																																																																																																					
Mode		Harmonic																																																																																																					
		U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz																																																																																																					
ANT		6+7																																																																																																					
Pol.		Horizontal																																																																																																					
Peak Avg.																																																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7309.00</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>36.85</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.19</td><td>390</td><td>Peak</td></tr><tr><td>2</td><td>7309.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>26.14</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.19</td><td>390</td><td>Average</td></tr><tr><td>3</td><td>13330.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>32.29</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>13330.00</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>21.68</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>19995.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>49.92</td><td>37.70</td><td>26.25</td><td>63.91</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7309.00	54.05	74.00	-19.95	36.85	37.20	15.40	36.59	1.19	390	Peak	2	7309.00	43.34	54.00	-10.66	26.14	37.20	15.40	36.59	1.19	390	Average	3	13330.00	52.99	74.00	-21.01	32.29	41.00	21.00	41.88	0.58	--	PEAK	4	13330.00	42.38	54.00	-11.62	21.68	41.00	21.00	41.88	0.58	--	Average	5	19995.00	40.42	74.00	-33.58	49.92	37.70	26.25	63.91	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7309.00	54.05	74.00	-19.95	36.85	37.20	15.40	36.59	1.19	390	Peak																																																																																												
2	7309.00	43.34	54.00	-10.66	26.14	37.20	15.40	36.59	1.19	390	Average																																																																																												
3	13330.00	52.99	74.00	-21.01	32.29	41.00	21.00	41.88	0.58	--	PEAK																																																																																												
4	13330.00	42.38	54.00	-11.62	21.68	41.00	21.00	41.88	0.58	--	Average																																																																																												
5	19995.00	40.42	74.00	-33.58	49.92	37.70	26.25	63.91	-9.54	--	PEAK																																																																																												
		Vertical																																																																																																					
Peak Avg.																																																																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7302.00</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>40.05</td><td>37.20</td><td>15.39</td><td>36.58</td><td>1.19</td><td>167</td><td>237 Peak</td></tr><tr><td>2</td><td>7302.00</td><td>46.60</td><td>54.00</td><td>-7.32</td><td>29.40</td><td>37.20</td><td>15.39</td><td>36.58</td><td>1.19</td><td>167</td><td>237 Average</td></tr><tr><td>3</td><td>13330.00</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>32.64</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>13330.00</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>21.71</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>19995.00</td><td>40.60</td><td>74.00</td><td>-33.40</td><td>50.10</td><td>37.70</td><td>26.25</td><td>63.91</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7302.00	57.25	74.00	-16.75	40.05	37.20	15.39	36.58	1.19	167	237 Peak	2	7302.00	46.60	54.00	-7.32	29.40	37.20	15.39	36.58	1.19	167	237 Average	3	13330.00	53.34	74.00	-20.66	32.64	41.00	21.00	41.88	0.58	--	PEAK	4	13330.00	42.41	54.00	-11.59	21.71	41.00	21.00	41.88	0.58	--	Average	5	19995.00	40.60	74.00	-33.40	50.10	37.70	26.25	63.91	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7302.00	57.25	74.00	-16.75	40.05	37.20	15.39	36.58	1.19	167	237 Peak																																																																																												
2	7302.00	46.60	54.00	-7.32	29.40	37.20	15.39	36.58	1.19	167	237 Average																																																																																												
3	13330.00	53.34	74.00	-20.66	32.64	41.00	21.00	41.88	0.58	--	PEAK																																																																																												
4	13330.00	42.41	54.00	-11.59	21.71	41.00	21.00	41.88	0.58	--	Average																																																																																												
5	19995.00	40.60	74.00	-33.40	50.10	37.70	26.25	63.91	-9.54	--	PEAK																																																																																												







Mode	67																																																																																																																																																																																																						
	LF																																																																																																																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																																																						
ANT	6+7																																																																																																																																																																																																						
Pol.	Horizontal					Vertical																																																																																																																																																																																																	
QPI Peak																																																																																																																																																																																																							
	Site : 03CH22-HY Condition: QP 3m Bilog_47020_241005 HORIZONTAL										Site : 03CH22-HY Condition: QP 3m Bilog_47020_241005 VERTICAL																																																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>59.18</td><td>25.21</td><td>40.00</td><td>-14.79</td><td>44.49</td><td>12.02</td><td>1.37</td><td>32.70</td><td>0.03 -- -- Peak</td></tr><tr><td>2</td><td>92.08</td><td>26.97</td><td>43.50</td><td>-16.53</td><td>42.87</td><td>15.00</td><td>1.72</td><td>32.69</td><td>0.07 -- -- Peak</td></tr><tr><td>3</td><td>258.92</td><td>19.75</td><td>46.00</td><td>-26.25</td><td>29.43</td><td>20.03</td><td>2.86</td><td>32.62</td><td>0.05 -- -- Peak</td></tr><tr><td>4</td><td>503.36</td><td>24.75</td><td>46.00</td><td>-21.25</td><td>29.54</td><td>23.84</td><td>3.95</td><td>32.80</td><td>0.22 -- -- Peak</td></tr><tr><td>5</td><td>734.22</td><td>36.05</td><td>46.00</td><td>-9.95</td><td>35.76</td><td>28.09</td><td>4.78</td><td>32.70</td><td>0.12 -- -- Peak</td></tr><tr><td>6</td><td>953.44</td><td>33.55</td><td>46.00</td><td>-12.45</td><td>28.15</td><td>31.08</td><td>5.42</td><td>31.30</td><td>0.20 -- -- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	59.18	25.21	40.00	-14.79	44.49	12.02	1.37	32.70	0.03 -- -- Peak	2	92.08	26.97	43.50	-16.53	42.87	15.00	1.72	32.69	0.07 -- -- Peak	3	258.92	19.75	46.00	-26.25	29.43	20.03	2.86	32.62	0.05 -- -- Peak	4	503.36	24.75	46.00	-21.25	29.54	23.84	3.95	32.80	0.22 -- -- Peak	5	734.22	36.05	46.00	-9.95	35.76	28.09	4.78	32.70	0.12 -- -- Peak	6	953.44	33.55	46.00	-12.45	28.15	31.08	5.42	31.30	0.20 -- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>34.85</td><td>31.44</td><td>40.00</td><td>-8.56</td><td>40.66</td><td>22.35</td><td>1.06</td><td>32.66</td><td>0.03 100 172 QP</td></tr><tr><td>2</td><td>90.14</td><td>31.75</td><td>43.50</td><td>-11.75</td><td>47.72</td><td>14.93</td><td>1.70</td><td>32.69</td><td>0.09 -- -- Peak</td></tr><tr><td>3</td><td>263.77</td><td>21.67</td><td>46.00</td><td>-24.33</td><td>31.36</td><td>20.01</td><td>2.88</td><td>32.62</td><td>0.04 -- -- Peak</td></tr><tr><td>4</td><td>515.00</td><td>25.80</td><td>46.00</td><td>-20.20</td><td>30.43</td><td>23.95</td><td>4.00</td><td>32.79</td><td>0.21 -- -- Peak</td></tr><tr><td>5</td><td>755.56</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>30.46</td><td>28.39</td><td>4.85</td><td>32.59</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>957.32</td><td>35.65</td><td>46.00</td><td>-10.35</td><td>30.07</td><td>31.21</td><td>5.43</td><td>31.27</td><td>0.21 -- -- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	34.85	31.44	40.00	-8.56	40.66	22.35	1.06	32.66	0.03 100 172 QP	2	90.14	31.75	43.50	-11.75	47.72	14.93	1.70	32.69	0.09 -- -- Peak	3	263.77	21.67	46.00	-24.33	31.36	20.01	2.88	32.62	0.04 -- -- Peak	4	515.00	25.80	46.00	-20.20	30.43	23.95	4.00	32.79	0.21 -- -- Peak	5	755.56	31.24	46.00	-14.76	30.46	28.39	4.85	32.59	0.13 -- -- Peak	6	957.32	35.65	46.00	-10.35	30.07	31.21	5.43	31.27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																														
1	59.18	25.21	40.00	-14.79	44.49	12.02	1.37	32.70	0.03 -- -- Peak																																																																																																																																																																																														
2	92.08	26.97	43.50	-16.53	42.87	15.00	1.72	32.69	0.07 -- -- Peak																																																																																																																																																																																														
3	258.92	19.75	46.00	-26.25	29.43	20.03	2.86	32.62	0.05 -- -- Peak																																																																																																																																																																																														
4	503.36	24.75	46.00	-21.25	29.54	23.84	3.95	32.80	0.22 -- -- Peak																																																																																																																																																																																														
5	734.22	36.05	46.00	-9.95	35.76	28.09	4.78	32.70	0.12 -- -- Peak																																																																																																																																																																																														
6	953.44	33.55	46.00	-12.45	28.15	31.08	5.42	31.30	0.20 -- -- Peak																																																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																														
1	34.85	31.44	40.00	-8.56	40.66	22.35	1.06	32.66	0.03 100 172 QP																																																																																																																																																																																														
2	90.14	31.75	43.50	-11.75	47.72	14.93	1.70	32.69	0.09 -- -- Peak																																																																																																																																																																																														
3	263.77	21.67	46.00	-24.33	31.36	20.01	2.88	32.62	0.04 -- -- Peak																																																																																																																																																																																														
4	515.00	25.80	46.00	-20.20	30.43	23.95	4.00	32.79	0.21 -- -- Peak																																																																																																																																																																																														
5	755.56	31.24	46.00	-14.76	30.46	28.39	4.85	32.59	0.13 -- -- Peak																																																																																																																																																																																														
6	957.32	35.65	46.00	-10.35	30.07	31.21	5.43	31.27	0.21 -- -- Peak																																																																																																																																																																																														





<Sample 2>

	65																																																																								
Mode	Band Edge																																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																								
ANT	6+7																																																																								
Pol.	Horizontal						Fundamental																																																																		
Peak																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5924.45</td><td>72.73</td><td>88.20</td><td>-15.47</td><td>60.27</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>181</td><td>207</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5924.45	72.73	88.20	-15.47	60.27	33.70	13.79	35.03	0.00	181	207	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>117.87</td><td>-----</td><td>-----</td><td>105.39</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>181</td><td>207</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	117.87	-----	-----	105.39	33.70	13.82	35.04	0.00	181	207
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5924.45	72.73	88.20	-15.47	60.27	33.70	13.79	35.03	0.00	181	207	PEAK																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5955.00	117.87	-----	-----	105.39	33.70	13.82	35.04	0.00	181	207	PEAK																																																														
Avg.																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5924.58</td><td>63.03</td><td>68.20</td><td>-5.17</td><td>50.57</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>181</td><td>207</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5924.58	63.03	68.20	-5.17	50.57	33.70	13.79	35.03	0.00	181	207	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>111.41</td><td>-----</td><td>-----</td><td>98.91</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>181</td><td>207</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	111.41	-----	-----	98.91	33.71	13.83	35.04	0.00	181	207
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5924.58	63.03	68.20	-5.17	50.57	33.70	13.79	35.03	0.00	181	207	AVERAGE																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5955.00	111.41	-----	-----	98.91	33.71	13.83	35.04	0.00	181	207	AVERAGE																																																														







Mode	65																																																																						
	Band Edge																																																																						
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																						
ANT	6+7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.11</td><td>68.67</td><td>88.20</td><td>-19.53</td><td>56.21</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>321</td><td>218</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5922.11	68.67	88.20	-19.53	56.21	33.70	13.79	35.03	0.00	321	218	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>112.00</td><td>-----</td><td>-----</td><td>100.30</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>321</td><td>218</td><td>PEAK</td></tr></table>					Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	112.00	-----	-----	100.30	33.71	13.83	35.04	0.00	321	218	PEAK
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5922.11	68.67	88.20	-19.53	56.21	33.70	13.79	35.03	0.00	321	218	PEAK																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5955.00	112.00	-----	-----	100.30	33.71	13.83	35.04	0.00	321	218	PEAK																																																												
Avg.	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>45.12</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>321</td><td>218</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.97	57.58	68.20	-10.62	45.12	33.70	13.79	35.03	0.00	321	218	AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>105.62</td><td>-----</td><td>-----</td><td>93.12</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>321</td><td>218</td><td>AVERAGE</td></tr></table>					Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	105.62	-----	-----	93.12	33.71	13.83	35.04	0.00	321	218	AVERAGE
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5924.97	57.58	68.20	-10.62	45.12	33.70	13.79	35.03	0.00	321	218	AVERAGE																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5955.00	105.62	-----	-----	93.12	33.71	13.83	35.04	0.00	321	218	AVERAGE																																																												



Mode	65																																																																																				
	Harmonic																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																				
ANT	6+7																																																																																				
Pol.	Horizontal								Vertical																																																																												
Peak Avg.																																																																																					
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>32.32</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 11910.00</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>22.58</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>35.00</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>24.90</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	50.80	74.00	-23.20	32.32	39.02	19.83	40.82	0.45	-- -- PEAK	2 11910.00	41.06	54.00	-12.94	22.58	39.02	19.83	40.82	0.45	-- -- Average	3 17865.00	55.79	74.00	-18.21	35.00	41.46	24.63	45.76	0.46	-- -- Peak	4 17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	-- -- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																												
1 11910.00	50.80	74.00	-23.20	32.32	39.02	19.83	40.82	0.45	-- -- PEAK																																																																												
2 11910.00	41.06	54.00	-12.94	22.58	39.02	19.83	40.82	0.45	-- -- Average																																																																												
3 17865.00	55.79	74.00	-18.21	35.00	41.46	24.63	45.76	0.46	-- -- Peak																																																																												
4 17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	-- -- Average																																																																												
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>32.14</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 11910.00</td><td>40.96</td><td>54.00</td><td>-13.04</td><td>22.48</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>33.77</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>24.59</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	50.62	74.00	-23.38	32.14	39.02	19.83	40.82	0.45	-- -- PEAK	2 11910.00	40.96	54.00	-13.04	22.48	39.02	19.83	40.82	0.45	-- -- Average	3 17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	-- -- Peak	4 17865.00	45.38	54.00	-8.62	24.59	41.46	24.63	45.76	0.46	-- -- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																												
1 11910.00	50.62	74.00	-23.38	32.14	39.02	19.83	40.82	0.45	-- -- PEAK																																																																												
2 11910.00	40.96	54.00	-13.04	22.48	39.02	19.83	40.82	0.45	-- -- Average																																																																												
3 17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	-- -- Peak																																																																												
4 17865.00	45.38	54.00	-8.62	24.59	41.46	24.63	45.76	0.46	-- -- Average																																																																												





<Sample 3>

Mode	66																																																
	Band Edge																																																
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																
ANT	6+7																																																
Pol.	Horizontal																																																
Peak	Fundamental																																																
																																																	
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5923.00</td><td>70.81</td><td>88.20</td><td>-17.39</td><td>58.35</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>286</td><td>354</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5923.00	70.81	88.20	-17.39	58.35	33.70	13.79	35.03	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5923.00	70.81	88.20	-17.39	58.35	33.70	13.79	35.03	0.00	286	354	PEAK																																					
Avg.	Fundamental																																																
																																																	
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5923.54</td><td>61.83</td><td>68.20</td><td>-6.37</td><td>49.37</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>286</td><td>354</td><td>AVERAGE</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5923.54	61.83	68.20	-6.37	49.37	33.70	13.79	35.03	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5923.54	61.83	68.20	-6.37	49.37	33.70	13.79	35.03	0.00	286	354	AVERAGE																																					
Peak	Fundamental																																																
																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.45</td><td>-----</td><td>-----</td><td>102.95</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>286</td><td>354</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	115.45	-----	-----	102.95	33.71	13.83	35.04	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5955.00	115.45	-----	-----	102.95	33.71	13.83	35.04	0.00	286	354	PEAK																																					
Avg.	Fundamental																																																
																																																	
	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.16</td><td>-----</td><td>-----</td><td>95.64</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>286</td><td>354</td><td>AVERAGE</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	108.16	-----	-----	95.64	33.72	13.84	35.04	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5955.00	108.16	-----	-----	95.64	33.72	13.84	35.04	0.00	286	354	AVERAGE																																					



		66																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.15</td><td>75.05</td><td>88.20</td><td>-13.15</td><td>62.59</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>134</td><td>26</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	75.05	88.20	-13.15	62.59	33.70	13.79	35.03	0.00	134	26	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>116.69</td><td>-----</td><td>-----</td><td>104.19</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>134</td><td>26</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.69	-----	-----	104.19	33.71	13.83	35.04	0.00	134	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.15	75.05	88.20	-13.15	62.59	33.70	13.79	35.03	0.00	134	26	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	116.69	-----	-----	104.19	33.71	13.83	35.04	0.00	134	26	PEAK																																																																																						
Avg.																																																																																																		
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>64.96</td><td>68.20</td><td>-3.24</td><td>52.50</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>134</td><td>26</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	64.96	68.20	-3.24	52.50	33.70	13.79	35.03	0.00	134	26	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.25</td><td>-----</td><td>-----</td><td>96.75</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>134</td><td>26</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.25	-----	-----	96.75	33.71	13.83	35.04	0.00	134	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.97	64.96	68.20	-3.24	52.50	33.70	13.79	35.03	0.00	134	26	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	109.25	-----	-----	96.75	33.71	13.83	35.04	0.00	134	26	AVERAGE																																																																																						



Mode	66																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																										
ANT	6+7																																																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																																																		
Peak Avg.																																																																																																																																																											
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>32.51</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 11910.00</td><td>41.73</td><td>54.00</td><td>-12.27</td><td>23.25</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>33.78</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>24.78</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	50.99	74.00	-23.01	32.51	39.02	19.83	40.82	0.45	-- -- PEAK	2 11910.00	41.73	54.00	-12.27	23.25	39.02	19.83	40.82	0.45	-- -- Average	3 17865.00	54.57	74.00	-19.43	33.78	41.46	24.63	45.76	0.46	-- -- Peak	4 17865.00	45.57	54.00	-8.43	24.78	41.46	24.63	45.76	0.46	-- -- Average	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>32.81</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>133 1 PEAK</td></tr><tr><td>2 11910.00</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>23.66</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>133 1 Average</td></tr><tr><td>3 17865.00</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>33.63</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>24.92</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	51.29	74.00	-22.71	32.81	39.02	19.83	40.82	0.45	133 1 PEAK	2 11910.00	42.14	54.00	-11.86	23.66	39.02	19.83	40.82	0.45	133 1 Average	3 17865.00	54.42	74.00	-19.58	33.63	41.46	24.63	45.76	0.46	-- -- Peak	4 17865.00	45.71	54.00	-8.29	24.92	41.46	24.63	45.76	0.46
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																		
1 11910.00	50.99	74.00	-23.01	32.51	39.02	19.83	40.82	0.45	-- -- PEAK																																																																																																																																																		
2 11910.00	41.73	54.00	-12.27	23.25	39.02	19.83	40.82	0.45	-- -- Average																																																																																																																																																		
3 17865.00	54.57	74.00	-19.43	33.78	41.46	24.63	45.76	0.46	-- -- Peak																																																																																																																																																		
4 17865.00	45.57	54.00	-8.43	24.78	41.46	24.63	45.76	0.46	-- -- Average																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																		
1 11910.00	51.29	74.00	-22.71	32.81	39.02	19.83	40.82	0.45	133 1 PEAK																																																																																																																																																		
2 11910.00	42.14	54.00	-11.86	23.66	39.02	19.83	40.82	0.45	133 1 Average																																																																																																																																																		
3 17865.00	54.42	74.00	-19.58	33.63	41.46	24.63	45.76	0.46	-- -- Peak																																																																																																																																																		
4 17865.00	45.71	54.00	-8.29	24.92	41.46	24.63	45.76	0.46	-- -- Average																																																																																																																																																		





Appendix D. Duty Cycle Plots



<Sample 1>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.38	-	-	10Hz
6+7	6GHz 802.11ax HE20 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE20 106 RU	97.86	4580	0.22	240Hz
6+7	6GHz 802.11ax HE40 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE40 242 RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE80 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE80 484 RU	99.20	-	-	10Hz
6+7	6GHz 802.11ax HE160 Full RU	99.33	-	-	10Hz
6+7	6GHz 802.11ax HE160 996 RU	98.07	-	-	10Hz

MIMO <Ant. 6+7>









<Sample 2>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.05	-	-	10Hz

MIMO <Ant. 6+7>



<Sample 3>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.05	-	-	10Hz

MIMO <Ant. 6+7>

