



FCC RADIO TEST REPORT

FCC ID : UZ7MC345B
Equipment : Mobile Computer
Brand Name : ZEBRA
Model Name : MC345B
Applicant : Zebra Technologies Corporation
3 Overlook Point, Lincolnshire, IL 60069 USA
Manufacturer : Zebra Technologies Corporation
3 Overlook Point, Lincolnshire, IL 60069 USA
Standard : FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(S)

The product was received on Oct. 25, 2024 and testing was performed from Nov. 08, 2024 to Dec. 31, 2024. We, Sporton International Inc. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Louis Wu

Approved by: Louis Wu

Sporton International Inc. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)



Table of Contents

History of this test report.....	3
Summary of Test Result.....	4
1 General Description	6
1.1 Product Feature of Equipment Under Test.....	6
1.2 Product Specification of Equipment Under Test.....	8
1.3 Modification of EUT	10
1.4 Testing Location	11
1.5 Applicable Standards.....	11
2 Test Configuration of Equipment Under Test	12
2.1 Test Mode.....	12
2.2 Connection Diagram of Test System.....	13
2.3 Support Unit used in test configuration and system	13
2.4 Measurement Results Explanation Example.....	13
2.5 Frequency List of Low/Middle/High Channels	14
3 Conducted Test Items.....	29
3.1 Measuring Instruments	29
3.2 Conducted Output Power and ERP/EIRP	30
3.3 Peak-to-Average Ratio	31
3.4 Occupied Bandwidth.....	32
3.5 Conducted Band Edge	33
3.6 Emission Mask.....	36
3.7 Conducted Spurious Emission	37
3.8 Frequency Stability	38
4 Radiated Test Items	39
4.1 Measuring Instruments	39
4.2 Radiated Spurious Emission Measurement	41
5 List of Measuring Equipment.....	43
6 Measurement Uncertainty	44
Appendix A. Test Results of Conducted Test	
Appendix B. Test Results of Radiated Test	
Appendix C. Test Setup Photographs	



History of this test report

Report No.	Version	Description	Issue Date
FG4O2225B	01	Initial issue of report	Feb. 13, 2025



Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.2	§2.1046	Conducted Output Power	Pass	-
	§22.913 (a)(5) §90.635	Effective Radiated Power (Band 5) (Band 26)	Pass	
	§27.50 (b)(10) §27.50 (c)(10)	Effective Radiated Power (Band 12) (Band 17) (Band 71)		
	§27.50 (h)(2)	Equivalent Isotropic Radiated Power (Band 2) (Band 7) (Band 38) (Band 41)		
	§27.50 (d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)		
	§27.50 (k)(3)	Equivalent Isotropic Radiated Power (Band 42)		
	§27.50 (j)(3)	Equivalent Isotropic Radiated Power (Band 43)		
3.3	§24.232 (d) §27.50 (d)(5)	Peak-to-Average Ratio	Pass	-
3.4	§2.1049	Occupied Bandwidth	Pass	-
3.5	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2)(4) §27.53 (g) §27.53 (h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 12) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	-
	§2.1051 §27.53 (m)(4)	Conducted Band Edge Measurement (Band 7) (Band 38) (Band 41)		
	§2.1051 §27.53 (n)(2)	Conducted Band Edge Measurement (Band 42)		
	§2.1051 §27.53 (l)(2)	Conducted Band Edge Measuremen (Band 43)		
	§2.1051 §90.691	Emission masks (Band 26)		



Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.7	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (g) §27.53 (h) §90.691	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	-
	§2.1051 §27.53 (m)(4)	Conducted Spurious Emission (Band 7) (Band 38) (Band 41)		
	§2.1051 §27.53 (n)(2)	Conducted Spurious Emission (Band 42)		
	§2.1051 §27.53 (l)(2)	Conducted Spurious Emission (Band 43)		
3.8	§2.1055 §22.355 §24.235 §27.54 §90.213	Frequency Stability Temperature & Voltage	Pass	-
4.2	§2.1053 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (f) §27.53 (g) §27.53 (h) §90.691	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	15.17 dB under the limit at 15006.00 MHz
	§2.1053 §27.53 (m)(4)	Radiated Spurious Emission (Band 7) (Band 38) (Band 41)		
	§2.1053 §27.53 (n)(2)	Radiated Spurious Emission (Band 42)		
	§2.1053 §27.53 (l)(2)	Radiated Spurious Emission (Band 43)		

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Keven Cheng**Report Producer: Ming Chen**



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Computer
Brand Name	ZEBRA
Model Name	MC345B
FCC ID	UZ7MC345B
Sample 1	SKU 12 (Brick+SE5800+29 Keypad)
Sample 2	SKU 4 (Brick+SE5500+47 Keypad)
Sample 3	SKU 1 (Gun+SE4770+38 Keypad)
EUT supports Radios application	WCDMA/HSPA/LTE/5G NR/NFC/GNSS WLAN 11a/b/g/n HT20/HT40 WLAN 11ac VHT20/VHT40/VHT80/VHT160 WLAN 11ax HE20/HE40/HE80/HE160 Bluetooth BR/EDR/LE
HW Version	EV
SW Version	14-10-10.00-UG-U00-PRD-NEM-04
MFD	14SEP24
EUT Stage	Identical Prototype

Remark: The above EUT's information was declared by manufacturer.

Stage	MC34 WWAN SKU list						
Configuration	SKU1	SKU2	SKU4	SKU5	SKU7	SKU8	SKU12
WW/WL	WWAN	WWAN	WWAN	WWAN	WWAN	WWAN	WWAN
Form Factor	FA	FA	FA	FA	FA	FA	FA
SKU	Prem	Prem	Prem	Prem+	Prem+	Prem+	Prem+
Brick / Gun	Gun	Gun	Brick	Gun	Gun	Brick	Brick
DDR size	6GB	6GB	6GB	6GB	6GB	6GB	6GB
UFS size	64GB	64GB	64GB	128GB	128GB	128GB	128GB
Scan engine	SE4770	SE5800	SE5500	SE5500	SE5800	SE5800	SE5800
FF Camera	None	None	None	5MP (PN)	5MP (PN)	5MP (PN)	5MP (PN)
RF Camera				13MP (PN)	13MP (PN)	13MP (PN)	13MP (PN)
Keypad	38	38	47	38	47	38	29
Battery	7000mAh	7000mAh	7000mAh	7000mAh	7000mAh	7000mAh	7000mAh
Region (ROW or NA)	RW	RW	RW	RW	RW	RW	RW



Specification of Accessories				
Adapter USB Wall Charger	Brand Name	Zebra	Model Number	PWR-WUA5V12W0US
Battery 1 Standard Battery (7000mAh)	Brand Name	Zebra	Model Number	BT-000375
			Manufacturer	TWS
Battery 2 Standard Battery (7000mAh)	Brand Name	Zebra	Model Number	BT-000375
			Manufacturer	Inventus
Battery 3 BLE Battery (7000mAh)	Brand Name	Zebra	Model Number	BT-000444
Battery 4 BLE Battery (7000mAh)	Brand Name	Zebra	Model Number	BT-000375
Type C USB Cable	Brand Name	Zebra	Model Number	CBL-TC5X-USBC2A-01
USB Cable Cup	Brand Name	Zebra	Model Number	CBL-MC33-USBCHG-01
Soft Holster for Gun Type	Brand Name	Zebra	Model Number	SG-MC3021212-01R
Soft Holster for Brick Type	Brand Name	Zebra	Model Number	SG-MC3X-SHLSTB-01
USB-C PTT Headset	Brand Name	Zebra	Model Number	HDST-USBC-PTT1-01
USB-C to 3.5mm adapter	Brand Name	Zebra	Model Number	ADP-USBC-35MM1-01
3.5mm To Quick Disconnect (QD) Adapter Cable	Brand Name	Zebra	Model Number	ADP-35M-QDCBL1-01
3.5mm PTT Headset	Brand Name	Zebra	Model Number	HDST-35MM-PTT1-01
3.5mm PTT HS2100 Headset	Brand Name	Zebra	Model Number	HS2100
Quick Disconnect (QD) Cable	Brand Name	Zebra	Model Number	CBL-HS2100-QDC1-01

Supported Unit Used in Test Configuration and System				
Bluetooth Headset	Brand Name	Zebra	Model Number	HS3100



1.2 Product Specification of Equipment Under Test

Product Specification is subject to this standard	
Tx Frequency	LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12 : 699 MHz ~ 716 MHz LTE Band 17 : 704 MHz ~ 716 MHz LTE Band 26: 824 MHz ~ 849 MHz (Part22H) LTE Band 26: 814 MHz ~ 824 MHz (Part90S) LTE Band 38 : 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 42 : 3400 MHz ~ 3600 MHz LTE Band 43 : 3600 MHz ~ 3800 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz
Rx Frequency	LTE Band 2 : 1930 MHz ~ 1990 MHz LTE Band 4 : 2110 MHz ~ 2155 MHz LTE Band 5 : 869 MHz ~ 894 MHz LTE Band 7 : 2620 MHz ~ 2690 MHz LTE Band 12 : 729 MHz ~ 746 MHz LTE Band 17 : 734 MHz ~ 746 MHz LTE Band 26: 869 MHz ~ 893 MHz (Part22H) LTE Band 26: 859 MHz ~ 869 MHz (Part90S) LTE Band 30 : 2350 MHz ~ 2360 MHz LTE Band 38 : 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 42 : 3400 MHz ~ 3600 MHz LTE Band 43 : 3600 MHz ~ 3800 MHz LTE Band 66: 2110 MHz ~ 2200 MHz LTE Band 71: 617 MHz ~ 652 MHz
Bandwidth	LTE Band 2: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5: 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 7: 5MHz / 10MHz / 15MHz / 20MHz LTE Band 12: 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 17: 5MHz / 10MHz LTE Band 26: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz LTE Band 38: 5MHz / 10MHz / 15MHz / 20MHz LTE Band 41: 5MHz / 10MHz / 15MHz / 20MHz LTE Band 42 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 43 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 66: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 71: 5MHz / 10MHz / 15MHz / 20MHz



Product Specification is subject to this standard	
Maximum Output Power to Antenna	LTE Band 2: 25.59 dBm LTE Band 2C: 25.55 dBm LTE Band 4: 25.58 dBm LTE Band 5: 25.59 dBm LTE Band 5B: 25.40 dBm LTE Band 7: 25.38 dBm LTE Band 7C: 25.52 dBm LTE Band 12: 25.53 dBm LTE Band 17: 25.47 dBm LTE Band 26: 25.52 dBm (Part22H) LTE Band 26: 25.41 dBm (Part90S) LTE Band 26: 25.46 dBm (Straddle) LTE Band 38: 24.64 dBm LTE Band 38C: 24.48 dBm LTE Band 41: 24.76 dBm LTE Band 41C: 24.52 dBm LTE Band 42: 24.53 dBm LTE Band 43: 24.10 dBm LTE Band 66: 25.42 dBm LTE Band 66B: 25.22 dBm LTE Band 66C: 25.38 dBm LTE Band 71: 24.85 dBm
Antenna Type / Antenna Gain	<Ant. 1>: PIFA Antenna LTE Band 2: -0.02 dBi LTE Band 4: -0.08 dBi LTE Band 5: -0.78 dBi LTE Band 12: -0.51 dBi LTE Band 17: -0.51 dBi LTE Band 26: -0.78 dBi LTE Band 66: -0.08 dBi LTE Band 71: -0.11 dBi <Ant. 5>: Monopole Antenna LTE Band 7: -0.66 dBi LTE Band 38: -0.66 dBi LTE Band 41: -0.16 dBi <Ant. 8>: Monopole Antenna LTE Band 42: -1.32 dBi LTE Band 43 : -1.04 dBi
Type of Modulation	QPSK / 16QAM / 64QAM / 256QAM

Support band and evaluated information	
Supported band	B2, B4, B5, B7, B12, B17, B26, B38, B41, B42, B43, B66, B71, B2C, B5B, B7C, B38C, B41C, B66B, B66C
Evaluated and Tested band	B2, B7, B12, B26, B41, B42, B43, B66, B71, B2C, B5B, B7C, B41C, B66B, B66C
Band covered information	Wider operating frequency band range covers narrower one when the power is worse as follows: ■ B66 cover B4 (Part 27) ■ B12 cover B17 (Part 27) ■ B41 cover B38 (Part 27) ■ B26 cover B5 (Part 22)

FDD/TDD band Power Class				
	PC3	-	-	-
B2/ B2C	V	-	-	-
B4	V	-	-	-
B5/ B5B	V	-	-	-
B7 B7C	V	-	-	-
B12	V	-	-	-
B17	V	-	-	-
B26	V	-	-	-
B38 /B38C	V	-	-	-
B41/ B41C	V	-	-	-
B42	V	-	-	-
B43	V	-	-	-
B66/ B66B/ B66C	V	-	-	-
B71	V	-	-	-

1.3 Modification of EUT

No modifications made to the EUT during the testing.



1.4 Testing Location

Test Site	Sporton International Inc. EMC & Wireless Communications Laboratory
Test Site Location	No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.) TEL: +886-3-327-3456 FAX: +886-3-328-4978
Test Site No.	Sporton Site No. TH03-HY
Test Engineer	Yuki Chen
Temperature (°C)	22.3~22.9
Relative Humidity (%)	53.2~55.5

Test Site	Sporton International Inc. Wensan Laboratory
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855
Test Site No.	Sporton Site No. 03CH21-HY (TAF Code: 3786)
Test Engineer	Fred Tseng, Ray Lung and Sky Chang
Temperature (°C)	18~26
Relative Humidity (%)	50~70
Remark	The Radiated Spurious Emission test item subcontracted to Sporton International Inc. Wensan Laboratory.

Note: The test site complies with ANSI C63.4 2014 requirement.

FCC Designation No.: TW1190 and TW3786

1.5 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ ANSI C63.26-2015
- ♦ FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(S)
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.

Remark:

1. All the test items were validated and recorded in accordance with the standards without any modification during the testing.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.
3. The TAF code is not including all the FCC KDB listed without accreditation.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v03r01 with maximum output power.

For radiated measurement, the measured emission level of the EUT was maximized by rotating the EUT on a turntable, adjusting the orientation of the EUT and EUT antenna in three orthogonal axis (X: flat, Y: portrait, Z: landscape), and adjusting the measurement antenna orientation, following C63.26 exploratory test procedures and only the worst case emissions were reported in this report..


Modulation Type	Modulation
A	QPSK
B	16QAM
C	64QAM
D	256QAM

Test Item	Modulation Type	Bandwidth	RB Size	Channel
Conducted Power	A, B, C, D	All	1, Half, Full	L, M, H
EIRP	A, B, C, D	All	1, Half, Full	L, M, H
PAR	A, B, C, D	Max	Full	M
Bandwidth	A, B, C, D	All	Full	M
CBE, Mask (Part 90)	A, B, C, D	All	1RB Full	L, H
CSE	A	All	1RB	L, M, H
Frequency Stability	A	10 MHz or less	Full	M
RSE	A	Max	1RB	L, M, H

Remark:

1. Evaluated all the transmitter signal and reporting worst-case configuration among all modulation types.
2. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst-case emissions are reported.
3. All the radiated test cases were performed with Battery 1 Standard Battery (7000mAh) and Sample 1.
4. One representative bandwidth is selected to perform PAR and frequency stability.

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Brand Name	Model No.	FCC ID	Data Cable	Power Cord
1.	System Simulator	Anritsu	MT8821C	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

Example :

$$\begin{aligned}
 \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\
 &= 4.2 + 10 = 14.2 \text{ (dB)}
 \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3



LTE Band 17 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23780	23790	23800
	Frequency	709	710	711
5	Channel	23755	23790	23825
	Frequency	706.5	710	713.5

LTE Band 25 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	26140	26340	26590
	Frequency	1860	1880	1905
15	Channel	26115	26340	26615
	Frequency	1857.5	1880	1907.5
10	Channel	26090	26340	26640
	Frequency	1855	1880	1910
5	Channel	26065	26340	26665
	Frequency	1852.5	1880	1912.5
3	Channel	26055	26340	26675
	Frequency	1851.5	1880	1913.5
1.4	Channel	26047	26340	26683
	Frequency	1850.7	1880	1914.3



LTE Band 26 Channel and Frequency List (Part22H)				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829.0	836.5	844.0
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

LTE Band 26 Channel and Frequency List (Part90 S)				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	26740	-
	Frequency	-	819	-
5	Channel	26715	26740	26765
	Frequency	816.5	819	821.5
3	Channel	26705	26740	26775
	Frequency	815.5	819	822.5
1.4	Channel	26697	26740	26783
	Frequency	814.7	819	823.3

LTE Band 26 Channel and Frequency List (Part90 S)				
BW [MHz]	Channel/Frequency(MHz)	cross-rule channels		
15	Channel	26765	26790	-
	Frequency	821.5	824	-
10	Channel	-	26790	-
	Frequency	-	824	-
5	Channel	-	26790	-
	Frequency	-	824	-
3	Channel	-	26790	-
	Frequency	-	824	-
1.4	Channel	-	26790	-
	Frequency	-	824	-



LTE Band 38 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	37850	38000	38150
	Frequency	2580.0	2595.0	2610.0
15	Channel	37825	38000	38175
	Frequency	2577.5	2595.0	2612.5
10	Channel	37800	38000	38200
	Frequency	2575.0	2595.0	2615.0
5	Channel	37775	38000	38225
	Frequency	2572.5	2595.0	2617.5

LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506.0	2593.0	2680.0
15	Channel	39725	40620	41515
	Frequency	2503.5	2593.0	2682.5
10	Channel	39700	40620	41540
	Frequency	2501.0	2593.0	2685.0
5	Channel	39675	40620	41565
	Frequency	2498.5	2593.0	2687.5



LTE Band 42 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	42190	42590	42990
	Frequency	3460	3500	3540
15	Channel	42165	42590	43015
	Frequency	3457.5	3500	3542.5
10	Channel	42140	42590	43040
	Frequency	3455	3500	3545
5	Channel	42115	42590	43065
	Frequency	3452.5	3500	3547.5

LTE Band 43 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	44690	45090	45490
	Frequency	3710	3750	3790
15	Channel	44665	45090	45515
	Frequency	3707.5	3750	3792.5
10	Channel	44640	45090	45540
	Frequency	3705	3750	3795
5	Channel	44615	45090	45565
	Frequency	3702.5	3750	3797.5

LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3



LTE Band 71 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	133222	133297	133372
	Frequency	673.0	680.5	688.0
15	Channel	133197	133297	133397
	Frequency	670.5	680.5	690.5
10	Channel	133172	133297	133422
	Frequency	668.0	680.5	693.0
5	Channel	133147	133297	133447
	Frequency	665.5	680.5	695.5



LTE Band 2C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
10 + 15	PCC	Channel	18653	18829	19005
		Frequency	1855.3	1872.9	1890.5
	SCC	Channel	18773	18949	19125
		Frequency	1867.3	1884.9	1902.5
15 + 10	PCC	Channel	18675	18851	19027
		Frequency	1857.5	1875.1	1892.7
	SCC	Channel	18795	18971	19147
		Frequency	1869.5	1887.1	1904.7
10 + 20	PCC	Channel	18655	18806	18956
		Frequency	1855.5	1870.6	1885.6
	SCC	Channel	18799	18950	19100
		Frequency	1869.9	1885	1900
20 + 10	PCC	Channel	18700	18551	19001
		Frequency	1860	1875.1	1890.1
	SCC	Channel	18844	18995	19145
		Frequency	1874.4	1889.5	1904.5
15 + 15	PCC	Channel	18675	18825	18975
		Frequency	1857.5	1872.5	1887.5
	SCC	Channel	18825	18975	19125
		Frequency	1872.5	1887.5	1902.5
15 + 20	PCC	Channel	18678	18803	18929
		Frequency	1857.8	1870.3	1882.9
	SCC	Channel	18849	18974	19100
		Frequency	1874.9	1887.4	1900
20 + 20	PCC	Channel	18700	18801	18902
		Frequency	1860	1870.1	1880.2
	SCC	Channel	18898	18999	19100
		Frequency	1879.8	1889.9	1900
20 + 15	PCC	Channel	18700	18826	18951
		Frequency	1860	1872.6	1885.1
	SCC	Channel	18871	18997	19122
		Frequency	1877.1	1889.7	1902.2



LTE Band 2C Channel and Frequency List_CA					
20 + 5	PCC	Channel	18700	18875	19050
		Frequency	1860	1877.5	1895
	SCC	Channel	18817	18992	19167
		Frequency	1871.7	1889.2	1906.7
5 + 20	PCC	Channel	18633	18808	18983
		Frequency	1853.3	1870.8	1888.3
	SCC	Channel	18750	18925	19100
		Frequency	1865	1882.5	1900

LTE Band 5B Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
3 + 5	PCC	Channel	20416	20501	20586
		Frequency	825.6	834.1	842.6
	SCC	Channel	20455	20540	20575
		Frequency	829.5	838.0	841.5
5 + 3	PCC	Channel	20425	20510	20595
		Frequency	826.5	835.0	843.5
	SCC	Channel	20464	20549	20634
		Frequency	830.4	838.9	847.4
5 + 10	PCC	Channel	20428	20478	20528
		Frequency	826.8	831.8	836.8
	SCC	Channel	20500	20550	20600
		Frequency	834.0	839.0	844.0
10 + 5	PCC	Channel	20450	20500	20550
		Frequency	829.0	834.0	839.0
	SCC	Channel	20522	20572	20622
		Frequency	836.2	841.2	846.2
10 + 10	PCC	Channel	20450	20476	20501
		Frequency	829.0	831.6	834.1
	SCC	Channel	20549	20575	20600
		Frequency	838.9	841.5	844.0



LTE Band 7C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	20850	21001	21152
		Frequency	2510.0	2525.1	2540.2
	SCC	Channel	21048	21199	21350
		Frequency	2529.8	2544.9	2560.0
20 + 15	PCC	Channel	20850	21026	21201
		Frequency	2510.0	2527.6	2545.1
	SCC	Channel	21021	21197	21372
		Frequency	2527.1	2544.7	2562.2
15 + 20	PCC	Channel	20828	21003	21179
		Frequency	2507.8	2525.3	2542.9
	SCC	Channel	20999	21174	21350
		Frequency	2524.9	2542.4	2560.0
20 + 10	PCC	Channel	20850	21051	21251
		Frequency	2510.0	2530.1	2550.1
	SCC	Channel	20994	21195	21395
		Frequency	2524.4	2544.5	2564.5
10 + 20	PCC	Channel	20805	21006	21206
		Frequency	2505.5	2525.6	2545.6
	SCC	Channel	20949	21150	21350
		Frequency	2519.9	2540.0	2560.0
15 + 15	PCC	Channel	20825	21025	21225
		Frequency	2507.5	2527.5	2547.5
	SCC	Channel	20975	21175	21375
		Frequency	2522.5	2542.5	2562.5
15 + 10	PCC	Channel	20825	21051	21277
		Frequency	2507.5	2530.1	2552.7
	SCC	Channel	20945	21171	21397
		Frequency	2519.5	2542.1	2564.7



LTE Band 38C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	37850	37901	37952
		Frequency	2580.0	2585.1	2590.2
	SCC	Channel	38048	38099	38150
		Frequency	2599.8	2604.9	2610.0
15+ 15	PCC	Channel	37825	37925	38025
		Frequency	2577.5	2587.5	2597.5
	SCC	Channel	37975	38075	38175
		Frequency	2592.5	2602.5	2612.5

LTE Band 41C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	39750	40521	41292
		Frequency	2506.0	2583.1	2660.2
	SCC	Channel	39948	40719	41490
		Frequency	2525.8	2602.9	2680.0
20 + 15	PCC	Channel	39750	40546	41341
		Frequency	2506.0	2585.6	2665.1
	SCC	Channel	39921	40717	41512
		Frequency	2523.1	2602.7	2682.2
15 + 20	PCC	Channel	39728	40523	41319
		Frequency	2503.8	2593.3	2662.9
	SCC	Channel	39899	40694	41490
		Frequency	2520.9	2600.4	2680.0
20 + 10	PCC	Channel	39750	40571	41391
		Frequency	2506.0	2588.1	2670.1
	SCC	Channel	39894	40715	41535
		Frequency	2520.4	2602.5	2684.5
10 + 20	PCC	Channel	39705	40526	41346
		Frequency	2501.5	2583.6	2665.6
	SCC	Channel	39849	40670	41490
		Frequency	2515.9	2598.0	2680.0



LTE Band 41C Channel and Frequency List_CA					
20 + 5	PCC	Channel	39750	40595	41440
		Frequency	2506.0	2590.5	2675.0
	SCC	Channel	39867	40712	41557
		Frequency	2517.7	2602.2	2686.7
5 + 20	PCC	Channel	39683	40528	41373
		Frequency	2499.3	2583.8	2668.3
	SCC	Channel	39800	40645	41490
		Frequency	2511.0	2595.5	2680.0
15 + 15	PCC	Channel	39725	40545	41365
		Frequency	2503.5	2585.5	2667.5
	SCC	Channel	39875	40695	41515
		Frequency	2518.5	2600.5	2682.5
10 + 15	PCC	Channel	39703	40549	41395
		Frequency	2501.3	2585.9	2670.5
	SCC	Channel	39823	40669	41515
		Frequency	2513.3	2597.9	2682.5
15 + 10	PCC	Channel	39725	40571	41417
		Frequency	2503.5	2588.1	2672.7
	SCC	Channel	39845	40691	41537
		Frequency	2515.5	2600.1	2684.7



LTE Band 66B Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
5 + 5	PCC	Channel	131997	132398	132599
		Frequency	1712.5	1752.6	1772.7
	SCC	Channel	132045	133346	132647
		Frequency	1717.3	1757.4	1777.5
5 + 10	PCC	Channel	132000	132375	132550
		Frequency	1712.8	1750.3	1767.8
	SCC	Channel	132072	133347	132622
		Frequency	1720.0	1757.5	1775.0
10 + 5	PCC	Channel	132022	132397	132572
		Frequency	1715.0	1752.5	1770.0
	SCC	Channel	132094	133369	132644
		Frequency	1722.2	1759.7	1777.2
5 + 15	PCC	Channel	132002	132353	132504
		Frequency	1713.0	1748.1	1763.2
	SCC	Channel	132095	133346	132597
		Frequency	1722.3	1757.4	1772.5
15 + 5	PCC	Channel	132047	132398	132549
		Frequency	1717.5	1752.6	1767.7
	SCC	Channel	132140	133391	132642
		Frequency	1726.8	1761.9	1777.0
10 + 10	PCC	Channel	132022	132373	135523
		Frequency	1715.0	1750.1	1765.1
	SCC	Channel	132121	133372	132622
		Frequency	1724.9	1760.0	1775.0



LTE Band 66C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
10 + 15	PCC	Channel	132025	132351	132477
		Frequency	1715.3	1747.9	1760.5
	SCC	Channel	132145	133371	132597
		Frequency	1727.3	1759.9	1772.5
15 + 10	PCC	Channel	132047	132373	132499
		Frequency	1717.5	1750.1	1762.7
	SCC	Channel	132167	132493	132619
		Frequency	1729.5	1762.1	1774.7
10 + 20	PCC	Channel	132027	132328	132428
		Frequency	1715.5	1745.6	1755.6
	SCC	Channel	131171	133372	132572
		Frequency	1729.9	1760.0	1770.0
20 + 10	PCC	Channel	132072	132373	132473
		Frequency	1720.0	1750.1	1760.1
	SCC	Channel	132216	133417	132617
		Frequency	1734.4	1764.5	1774.5
15 + 15	PCC	Channel	132047	132347	132447
		Frequency	1717.5	1747.5	1757.5
	SCC	Channel	132197	133397	132597
		Frequency	1732.5	1762.5	1772.5
15 + 20	PCC	Channel	132050	132325	132401
		Frequency	1717.8	1745.3	1752.9
	SCC	Channel	132221	133396	132572
		Frequency	1734.9	1762.4	1770.0
20 + 15	PCC	Channel	132072	132348	132423
		Frequency	1720.0	1747.6	1755.1
	SCC	Channel	132243	133419	132594
		Frequency	1737.1	1764.7	1772.2
20 + 5	PCC	Channel	132072	132397	132522
		Frequency	1720.0	1752.5	1765.0
	SCC	Channel	132189	133414	132639
		Frequency	1731.7	1764.2	1776.7



LTE Band 66C Channel and Frequency List_CA					
5 + 20	PCC	Channel	132005	132330	132455
		Frequency	1713.3	1745.8	1758.3
	SCC	Channel	132122	132447	132572
		Frequency	1725.0	1757.5	1770.0
20 + 20	PCC	Channel	132072	132323	132374
		Frequency	1720.0	1745.1	1750.2
	SCC	Channel	132270	133421	132572
		Frequency	1739.8	1764.9	1770.0


3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.1.1 Test Setup


3.1.2 Conducted Output Power



3.1.3 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge, Emission Mask and Conducted Spurious Emission



3.1.4 Frequency Stability



3.1.5 Test Result of Conducted Test

Please refer to Appendix A.



3.2 Conducted Output Power and ERP/EIRP

3.2.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5, Band 26 (Part 22H)

The output power of mobile transmitters must not exceed 100 Watts for LTE Band 26 (Part 90S)

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 17, Band 71

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2, Band 25, Band 7, Band 38, Band 41

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4, Band 66

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.2.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.



3.3 Peak-to-Average Ratio

3.3.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.3.2 Test Procedures

The testing follows ANSI C63.26-2015 Section 5.2.6

1. The EUT was connected to spectrum and system simulator via a power divider.
2. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
3. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
4. Record the deviation as Peak to Average Ratio.



3.4 Occupied Bandwidth

3.4.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.4.2 Test Procedures

The testing follows ANSI C63.26-2015 Section 5.4.3 (26dB) and Section 5.4.4 (99OB)

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
3. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
4. Set the detection mode to peak, and the trace mode to max hold.
5. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
6. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
7. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
8. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.



3.5 Conducted Band Edge

3.5.1 Description of Conducted Band Edge Measurement

22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (g)

For operations in the 600MHz band and 698-746 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100 kHz bandwidth. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

27.53 (h)

For operations in the 1710 – 1755 MHz band, 1755-1780 MHz, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

**27.53(m)(4)**

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.



3.5.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 6.1.

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured.
3. Set RBW $\geq$ 1% EBW in the 1MHz band immediately outside and adjacent to the band edge.
4. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
5. Set spectrum analyzer with RMS detector.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
7. Checked that all the results comply with the emission limit line.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

For LTE Band 7, 38, 41

The other 40 dB, and 55 dB have additionally applied same calculation above.



3.6 Emission Mask

3.6.1 Description of Emissions Mask Measurement

For LTE Band 26

Equipment used in this licensed to EA or non-EA systems shall comply with the emission mask provisions of FCC Part 90.691

(a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

3.6.2 Test Procedures

For LTE Band 26

1. The EUT was connected to spectrum analyzer and base station via power divider.
2. The emissions mask of low and high channels for the highest RF powers were measured.
3. Set RBW and VBW 3 times of RBW to make the measurement with the spectrum analyzer's, and according to KDB 971168 D02 Misc Rev Approve License Devices v02r01 standards, set RBW = 300 Hz to make offsets less than 37.5 kHz from a channel edge, RBW = 100 kHz to make offsets greater than 37.5 kHz, that is allowed.
4. The test results were shown below plots with a correction offset factor including cable loss, insertion loss of power divider.



3.7 Conducted Spurious Emission

3.7.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For LTE Band 7, 38, 41

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.7.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 6.1.

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
3. The conducted spurious emission for the whole frequency range was taken.
4. Make the measurement with the spectrum analyzer's RBW = 100 kHz if the authorized frequency band/block is at or below 1 GHz and 1 MHz if the authorized frequency band/block is above 1 GHz, VBW = 3 * RBW.
5. Set spectrum analyzer with RMS detector.
6. Taking the record of maximum spurious emission.
7. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
8. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

For LTE Band 7, 38, 41

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)



3.8 Frequency Stability

3.8.1 Description of Frequency Stability Measurement

22.355

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

24.235 & 27.54

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

90.593

Transmitters designed to operate in 769-775 MHz and 799-805 MHz frequency bands must meet the frequency stability requirements in this section.

The frequency stability of mobile, portable and control transmitters operating in the wideband segment must be 1.25 parts per million or better when AFC is locked to a base station.

3.8.2 Test Procedures for Temperature Variation

The testing follows FCC KDB 971168 D01 v03r01 Section 9.0.

1. The EUT was set up in the thermal chamber and connected with the system simulator.
2. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
3. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.8.3 Test Procedures for Voltage Variation

The testing follows FCC KDB 971168 D01 v03r01 Section 9.0.

1. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
2. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
3. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.1.1 Test Setup


For radiated test below 30MHz




For radiated test from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



4.1.2 Test Result of Radiated Test

Please refer to Appendix B.

Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.



4.2 Radiated Spurious Emission Measurement

4.2.1 Description of Radiated Spurious Emission Measurement

The radiated spurious emission was measured by substitution method according to ANSI C63.26-2015.

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For LTE Band 7, 38, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.



4.2.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 7 and ANSI C63.26-2015 section 5.5.4 Radiated measurement using the field strength method.

1. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. To convert spectrum reading E(dBuV/m) to EIRP(dBm)
$$\text{EIRP(dBm)} = \text{Level (dBuV/m)} + 20\log(d) - 104.77,$$
where d is the distance at which field strength limit is specified in the rules
7. Field Strength Level (dBm) = Spectrum Reading (dBm) + Antenna Factor + Cable Loss + Read Level - Preamp Factor.
8. ERP (dBm) = EIRP (dBm) - 2.15
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)



5 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
LOOP Antenna	Rohde & Schwarz	HFH2-Z2	100488	9 kHz~30 MHz	Aug. 29, 2024	Nov. 20, 2024~ Dec. 31, 2024	Aug. 28, 2025	Radiation (03CH21-HY)
Bilog Antenna	TESEQ & WOKEN	CBL 6111D & 00800N1D01N-06	41912 & 05	30MHz~1GHz	Feb. 04, 2024	Nov. 20, 2024~ Dec. 31, 2024	Feb. 03, 2025	Radiation (03CH21-HY)
Double Ridged Guide Horn Antenna	RFSPIN	DRH18-E	LE2C03A18EN	1GHz~18GHz	Jul. 11, 2024	Nov. 20, 2024~ Dec. 31, 2024	Jul. 10, 2025	Radiation (03CH21-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	1224	18GHz~40GHz	Jun. 24, 2024	Nov. 20, 2024~ Dec. 31, 2024	Jun. 23, 2025	Radiation (03CH21-HY)
Amplifier	SONOMA	310N	421580	30MHz~1GHz	Jul. 14, 2024	Nov. 20, 2024~ Dec. 31, 2024	Jul. 13, 2025	Radiation (03CH21-HY)
Amplifier	EMEC	EM01G18GA	060876	1GHz~18GHz	Sep. 27, 2024	Nov. 20, 2024~ Dec. 31, 2024	Sep. 26, 2025	Radiation (03CH21-HY)
Preamplifier	EMEC	EM18G40G	060873	18GHz~40GHz	Sep. 02, 2024	Nov. 20, 2024~ Dec. 31, 2024	Sep. 01, 2025	Radiation (03CH21-HY)
Spectrum Analyzer	Keysight	N9010B	MY62170358	10Hz~44GHz	Sep. 06, 2024	Nov. 20, 2024~ Dec. 31, 2024	Sep. 05, 2025	Radiation (03CH21-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803951/2	9kHz~30MHz	Mar. 06, 2024	Nov. 20, 2024~ Dec. 31, 2024	Mar. 05, 2025	Radiation (03CH21-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	804397/2,804612/2,803954/2	30MHz~40GHz	Aug. 12, 2024	Nov. 20, 2024~ Dec. 31, 2024	Aug. 11, 2025	Radiation (03CH21-HY)
Hygrometer	TECPEL	DTM-303A	TP211568	N/A	Oct. 21, 2024	Nov. 20, 2024~ Dec. 31, 2024	Oct. 20, 2025	Radiation (03CH21-HY)
Controller	EMEC	EM 1000	N/A	Control Turn table & Ant Mast	N/A	Nov. 20, 2024~ Dec. 31, 2024	N/A	Radiation (03CH21-HY)
Antenna Mast	EMEC	AM-BS-4500-B	N/A	1~4m	N/A	Nov. 20, 2024~ Dec. 31, 2024	N/A	Radiation (03CH21-HY)
Turn Table	EMEC	TT 2000	N/A	0~360 Degree	N/A	Nov. 20, 2024~ Dec. 31, 2024	N/A	Radiation (03CH21-HY)
Software	Audix	E3 6.2009-8-24	RK-001053	N/A	N/A	Nov. 20, 2024~ Dec. 31, 2024	N/A	Radiation (03CH21-HY)
Radio Communication Analyzer	Anritsu	MT8821C	6262025353	LTE FDD/TDD LTE-2CC DLCA/ULCA	Oct. 01, 2024	Nov. 08, 2024~ Jan. 15, 2025	Sep. 30, 2025	Conducted (TH03-HY)
Thermal Chamber	ESPEC	SH-641	92013720	-40°C ~90°C	Sep. 06, 2024	Nov. 08, 2024~ Jan. 15, 2025	Sep. 05, 2025	Conducted (TH03-HY)
DC Power Supply	GW Instek	GPP-2323	GES906037	0V~64V ; 0A~6A	Nov. 28, 2023	Nov. 08, 2024~ Nov. 26, 2024	Nov. 27, 2024	Conducted (TH03-HY)
DC Power Supply	GW Instek	GPP-2323	GES906037	0V~64V ; 0A~6A	Nov. 27, 2024	Nov. 27, 2024~ Jan. 15, 2025	Nov. 26, 2025	Conducted (TH03-HY)
Coupler	Warison	20dB 25W SMA Directional Coupler	#A	1-18GHz	Jan. 02, 2024	Nov. 08, 2024~ Dec. 31, 2024	Jan. 01, 2025	Conducted (TH03-HY)
Coupler	Warison	20dB 25W SMA Directional Coupler	#A	1-18GHz	Jan. 03, 2025	Jan. 03, 2025~ Dec. 15, 2024	Jan. 02, 2026	Conducted (TH03-HY)
RF Cable	E-Instument	S405_1.5M	#2	N/A	Mar. 12, 2024	Nov. 08, 2024~ Jan. 15, 2025	Mar. 11, 2025	Conducted (TH03-HY)
Spectrum Analyzer	Rohde & Schwarz	FSV40	101905	10Hz~40GHz	Jul. 11, 2024	Nov. 08, 2024~ Jan. 15, 2025	Jul. 10, 2025	Conducted (TH03-HY)
Software	Sporton	LTE Conducted Test Tools	N/A	Conducted Test Item	N/A	Nov. 08, 2024~ Jan. 15, 2025	N/A	Conducted (TH03-HY)
Hygrometer	TECPEL	DTM-303B	TP210073	-10 ~ 50°C / 20 ~ 95%RH	Jun. 05, 2024	Nov. 08, 2024~ Jan. 15, 2025	Jun. 04, 2025	Conducted (TH03-HY)



6 Measurement Uncertainty

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	6.60 dB
---	---------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 6 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.00 dB
---	---------

Uncertainty of Radiated Emission Measurement (6 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.70 dB
---	---------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.50 dB
---	---------



Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power & ERP/EIRP)

LTE Band 2 Maximum Average Power [dBm] (GT - LC = -0.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	25.59	25.39	25.33	25.57	0.3606
20	1	49		25.51	25.25	25.26		
20	1	99		25.40	25.17	25.18		
20	50	0		24.65	24.46	24.39		
20	50	24		24.59	24.37	24.46		
20	50	50		24.51	24.40	24.34		
20	100	0		24.58	24.40	24.40		
20	1	0	16-QAM	24.47	24.69	24.60	24.67	0.2931
20	1	49		24.36	24.58	24.60		
20	1	99		24.30	24.47	24.47		
20	50	0		23.62	23.44	23.38		
20	50	24		23.66	23.45	23.36		
20	50	50		23.45	23.38	23.41		
20	100	0		23.57	23.36	23.41		
20	1	0	64-QAM	23.61	23.46	23.62	23.60	0.2291
20	1	49		23.60	23.60	23.60		
20	1	99		23.58	23.45	23.46		
20	50	0		22.62	22.45	22.41		
20	50	24		22.62	22.44	22.40		
20	50	50		22.49	22.33	22.34		
20	100	0		22.53	22.37	22.32		
20	1	0	256-QAM	20.69	20.59	20.39	20.67	0.1167
20	1	49		20.68	20.45	20.42		
20	1	99		20.58	20.59	20.55		
20	50	0		20.67	20.45	20.33		
20	50	24		20.42	20.38	20.43		
20	50	50		20.56	20.44	20.45		
20	100	0		20.66	20.40	20.46		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = -0.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	25.45	25.22	25.20	25.43	0.3491
15	1	37		25.38	25.14	25.14		
15	1	74		25.29	25.01	25.06		
15	36	0		24.54	24.27	24.20		
15	36	20		24.47	24.24	24.26		
15	36	39		24.39	24.28	24.21		
15	75	0		24.46	24.25	24.24		
15	1	0	16-QAM	24.27	24.53	24.44	24.51	0.2825
15	1	37		24.16	24.40	24.42		
15	1	74		24.17	24.30	24.37		
15	36	0		23.50	23.34	23.26		
15	36	20		23.48	23.27	23.17		
15	36	39		23.29	23.28	23.26		
15	75	0		23.46	23.19	23.31		
15	1	0	64-QAM	23.50	23.30	23.50	23.48	0.2228
15	1	37		23.46	23.50	23.49		
15	1	74		23.40	23.25	23.32		
15	36	0		22.49	22.30	22.28		
15	36	20		22.42	22.26	22.25		
15	36	39		22.37	22.20	22.17		
15	75	0		22.37	22.20	22.12		
15	1	0	256-QAM	20.49	20.44	20.21	20.56	0.1138
15	1	37		20.58	20.25	20.31		
15	1	74		20.38	20.46	20.39		
15	36	0		20.48	20.34	20.19		
15	36	20		20.26	20.25	20.27		
15	36	39		20.39	20.24	20.35		
15	75	0		20.47	20.20	20.31		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = -0.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	25.39	25.22	25.23	25.38	0.3451
10	1	25		25.40	25.09	25.08		
10	1	49		25.20	24.98	24.98		
10	25	0		24.55	24.36	24.20		
10	25	12		24.43	24.23	24.29		
10	25	25		24.39	24.27	24.19		
10	50	0		24.42	24.21	24.23		
10	1	0	16-QAM	24.35	24.54	24.47	24.52	0.2831
10	1	25		24.26	24.47	24.41		
10	1	49		24.19	24.31	24.34		
10	25	0		23.47	23.24	23.28		
10	25	12		23.50	23.29	23.16		
10	25	25		23.32	23.24	23.28		
10	50	0		23.44	23.20	23.30		
10	1	0	64-QAM	23.44	23.27	23.48	23.48	0.2228
10	1	25		23.44	23.44	23.50		
10	1	49		23.39	23.33	23.29		
10	25	0		22.42	22.28	22.24		
10	25	12		22.47	22.24	22.20		
10	25	25		22.30	22.22	22.15		
10	50	0		22.37	22.19	22.21		
10	1	0	256-QAM	20.55	20.40	20.22	20.53	0.1130
10	1	25		20.48	20.28	20.25		
10	1	49		20.40	20.44	20.42		
10	25	0		20.55	20.34	20.15		
10	25	12		20.28	20.18	20.30		
10	25	25		20.36	20.32	20.26		
10	50	0		20.55	20.30	20.32		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = -0.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	25.40	25.20	25.18	25.38	0.3451
5	1	12		25.34	25.10	25.07		
5	1	24		25.30	25.00	24.99		
5	12	0		24.54	24.28	24.24		
5	12	7		24.46	24.26	24.32		
5	12	13		24.32	24.27	24.15		
5	25	0		24.42	24.22	24.28		
5	1	0	16-QAM	24.35	24.57	24.43	24.55	0.2851
5	1	12		24.17	24.41	24.40		
5	1	24		24.12	24.32	24.28		
5	12	0		23.46	23.28	23.27		
5	12	7		23.56	23.28	23.16		
5	12	13		23.33	23.25	23.27		
5	25	0		23.38	23.16	23.23		
5	1	0	64-QAM	23.47	23.26	23.44	23.46	0.2218
5	1	12		23.43	23.48	23.43		
5	1	24		23.45	23.33	23.33		
5	12	0		22.47	22.33	22.26		
5	12	7		22.50	22.32	22.24		
5	12	13		22.29	22.13	22.21		
5	25	0		22.33	22.22	22.12		
5	1	0	256-QAM	20.57	20.45	20.19	20.55	0.1135
5	1	12		20.55	20.30	20.28		
5	1	24		20.43	20.46	20.37		
5	12	0		20.55	20.31	20.14		
5	12	7		20.32	20.22	20.32		
5	12	13		20.38	20.31	20.35		
5	25	0		20.46	20.30	20.32		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = -0.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	25.45	25.20	25.19	25.43	0.3491
3	1	8		25.35	25.06	25.16		
3	1	14		25.25	25.06	25.06		
3	8	0		24.51	24.29	24.22		
3	8	4		24.45	24.21	24.35		
3	8	7		24.41	24.29	24.20		
3	15	0		24.44	24.27	24.23		
3	1	0	16-QAM	24.33	24.56	24.40	24.54	0.2844
3	1	8		24.26	24.40	24.48		
3	1	14		24.10	24.30	24.32		
3	8	0		23.51	23.27	23.25		
3	8	4		23.56	23.26	23.19		
3	8	7		23.26	23.23	23.26		
3	15	0		23.38	23.25	23.22		
3	1	0	64-QAM	23.43	23.29	23.45	23.46	0.2218
3	1	8		23.42	23.47	23.48		
3	1	14		23.45	23.25	23.30		
3	8	0		22.49	22.26	22.22		
3	8	4		22.49	22.33	22.24		
3	8	7		22.38	22.17	22.23		
3	15	0		22.41	22.27	22.12		
3	1	0	256-QAM	20.55	20.42	20.23	20.54	0.1132
3	1	8		20.56	20.30	20.31		
3	1	14		20.41	20.49	20.44		
3	8	0		20.47	20.33	20.14		
3	8	4		20.22	20.19	20.24		
3	8	7		20.43	20.31	20.25		
3	15	0		20.55	20.24	20.36		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = -0.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	25.36	25.12	25.10	25.34	0.3420
1.4	1	3		25.27	25.01	25.10		
1.4	1	5		25.20	24.98	24.97		
1.4	3	0		25.36	25.10	25.10		
1.4	3	1		25.25	24.96	25.07		
1.4	3	3		25.19	24.98	24.99		
1.4	6	0		24.39	24.18	24.17		
1.4	1	0	16-QAM	24.28	24.47	24.33	24.46	0.2793
1.4	1	3		24.21	24.34	24.42		
1.4	1	5		24.04	24.24	24.24		
1.4	3	0		24.26	24.48	24.35		
1.4	3	1		24.20	24.35	24.38		
1.4	3	3		24.00	24.22	24.25		
1.4	6	0		23.31	23.20	23.17		
1.4	1	0	64-QAM	23.38	23.23	23.40	23.41	0.2193
1.4	1	3		23.33	23.37	23.43		
1.4	1	5		23.40	23.18	23.20		
1.4	3	0		23.34	23.24	23.40		
1.4	3	1		23.33	23.42	23.43		
1.4	3	3		23.38	23.15	23.25		
1.4	6	0		22.35	22.21	22.04		
1.4	1	0	256-QAM	20.48	20.34	20.18	20.48	0.1117
1.4	1	3		20.46	20.23	20.21		
1.4	1	5		20.34	20.39	20.36		
1.4	3	0		20.49	20.35	20.18		
1.4	3	1		20.47	20.23	20.25		
1.4	3	3		20.35	20.40	20.35		
1.4	6	0		20.50	20.15	20.30		
Limit	EIRP < 2W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	25.58	25.49	25.43	25.50	0.3548
20	1	49		25.48	25.35	25.33		
20	1	99		25.33	25.34	25.25		
20	50	0		24.69	24.59	24.52		
20	50	24		24.63	24.47	24.50		
20	50	50		24.43	24.52	24.53		
20	100	0		24.64	24.56	24.43		
20	1	0	16-QAM	24.44	24.59	24.60	24.54	0.2844
20	1	49		24.37	24.61	24.61		
20	1	99		24.29	24.60	24.62		
20	50	0		23.68	23.53	23.50		
20	50	24		23.66	23.49	23.48		
20	50	50		23.51	23.43	23.43		
20	100	0		23.59	23.46	23.54		
20	1	0	64-QAM	23.64	23.55	23.65	23.61	0.2296
20	1	49		23.58	23.61	23.69		
20	1	99		23.57	23.51	23.65		
20	50	0		22.67	22.47	22.53		
20	50	24		22.62	22.46	22.44		
20	50	50		22.50	22.49	22.50		
20	100	0		22.60	22.46	22.45		
20	1	0	256-QAM	20.53	20.48	20.39	20.59	0.1146
20	1	49		20.48	20.43	20.43		
20	1	99		20.45	20.53	20.67		
20	50	0		20.47	20.40	20.47		
20	50	24		20.50	20.39	20.57		
20	50	50		20.45	20.46	20.65		
20	100	0		20.51	20.37	20.66		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	25.38	25.39	25.30	25.31	0.3396
15	1	37		25.36	25.23	25.18		
15	1	74		25.14	25.18	25.13		
15	36	0		24.53	24.40	24.37		
15	36	20		24.44	24.28	24.34		
15	36	39		24.23	24.40	24.42		
15	75	0		24.47	24.45	24.30		
15	1	0	16-QAM	24.32	24.48	24.43	24.41	0.2761
15	1	37		24.26	24.49	24.46		
15	1	74		24.12	24.44	24.46		
15	36	0		23.48	23.33	23.38		
15	36	20		23.53	23.30	23.31		
15	36	39		23.39	23.30	23.30		
15	75	0		23.44	23.32	23.35		
15	1	0	64-QAM	23.49	23.42	23.54	23.47	0.2223
15	1	37		23.38	23.48	23.55		
15	1	74		23.38	23.34	23.45		
15	36	0		22.50	22.32	22.42		
15	36	20		22.46	22.32	22.34		
15	36	39		22.33	22.30	22.34		
15	75	0		22.46	22.27	22.32		
15	1	0	256-QAM	20.39	20.33	20.23	20.44	0.1107
15	1	37		20.38	20.33	20.33		
15	1	74		20.30	20.38	20.52		
15	36	0		20.28	20.25	20.32		
15	36	20		20.34	20.26	20.41		
15	36	39		20.31	20.26	20.47		
15	75	0		20.41	20.27	20.47		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	25.46	25.36	25.26	25.38	0.3451
10	1	25		25.30	25.17	25.17		
10	1	49		25.19	25.19	25.11		
10	25	0		24.57	24.40	24.34		
10	25	12		24.46	24.27	24.30		
10	25	25		24.29	24.41	24.40		
10	50	0		24.48	24.44	24.28		
10	1	0	16-QAM	24.33	24.39	24.43	24.41	0.2761
10	1	25		24.26	24.43	24.49		
10	1	49		24.10	24.40	24.45		
10	25	0		23.57	23.42	23.32		
10	25	12		23.51	23.31	23.29		
10	25	25		23.35	23.32	23.25		
10	50	0		23.49	23.28	23.34		
10	1	0	64-QAM	23.50	23.45	23.55	23.47	0.2223
10	1	25		23.47	23.46	23.55		
10	1	49		23.42	23.40	23.54		
10	25	0		22.52	22.37	22.39		
10	25	12		22.45	22.36	22.28		
10	25	25		22.34	22.36	22.34		
10	50	0		22.48	22.34	22.29		
10	1	0	256-QAM	20.39	20.34	20.27	20.48	0.1117
10	1	25		20.36	20.31	20.32		
10	1	49		20.32	20.37	20.56		
10	25	0		20.28	20.28	20.29		
10	25	12		20.30	20.28	20.38		
10	25	25		20.32	20.30	20.51		
10	50	0		20.31	20.19	20.51		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	25.39	25.29	25.24	25.31	0.3396
5	1	12		25.34	25.15	25.16		
5	1	24		25.22	25.23	25.05		
5	12	0		24.51	24.41	24.39		
5	12	7		24.50	24.31	24.35		
5	12	13		24.26	24.40	24.33		
5	25	0		24.50	24.36	24.30		
5	1	0	16-QAM	24.30	24.41	24.48	24.41	0.2761
5	1	12		24.23	24.49	24.46		
5	1	24		24.13	24.45	24.44		
5	12	0		23.49	23.39	23.38		
5	12	7		23.56	23.34	23.36		
5	12	13		23.32	23.33	23.30		
5	25	0		23.49	23.36	23.39		
5	1	0	64-QAM	23.44	23.44	23.51	23.48	0.2228
5	1	12		23.44	23.46	23.56		
5	1	24		23.37	23.34	23.46		
5	12	0		22.55	22.37	22.35		
5	12	7		22.50	22.33	22.24		
5	12	13		22.30	22.35	22.37		
5	25	0		22.46	22.35	22.33		
5	1	0	256-QAM	20.37	20.33	20.24	20.49	0.1119
5	1	12		20.34	20.33	20.30		
5	1	24		20.29	20.42	20.57		
5	12	0		20.36	20.26	20.28		
5	12	7		20.34	20.23	20.40		
5	12	13		20.34	20.35	20.52		
5	25	0		20.37	20.24	20.50		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	25.41	25.31	25.33	25.33	0.3412
3	1	8		25.32	25.25	25.20		
3	1	14		25.13	25.19	25.13		
3	8	0		24.59	24.42	24.41		
3	8	4		24.49	24.29	24.31		
3	8	7		24.31	24.39	24.40		
3	15	0		24.51	24.42	24.23		
3	1	0	16-QAM	24.24	24.47	24.42	24.43	0.2773
3	1	8		24.22	24.51	24.44		
3	1	14		24.11	24.50	24.48		
3	8	0		23.48	23.37	23.31		
3	8	4		23.55	23.36	23.33		
3	8	7		23.35	23.31	23.32		
3	15	0		23.45	23.31	23.42		
3	1	0	64-QAM	23.49	23.35	23.52	23.49	0.2234
3	1	8		23.39	23.47	23.57		
3	1	14		23.37	23.35	23.49		
3	8	0		22.51	22.35	22.36		
3	8	4		22.42	22.35	22.29		
3	8	7		22.35	22.30	22.40		
3	15	0		22.44	22.33	22.30		
3	1	0	256-QAM	20.37	20.36	20.19	20.44	0.1107
3	1	8		20.36	20.33	20.30		
3	1	14		20.33	20.39	20.50		
3	8	0		20.35	20.20	20.27		
3	8	4		20.33	20.23	20.39		
3	8	7		20.25	20.36	20.51		
3	15	0		20.34	20.27	20.52		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	25.28	25.16	25.21	25.22	0.3327
1.4	1	3		25.12	25.05	25.00		
1.4	1	5		24.98	25.04	25.01		
1.4	3	0		25.30	25.20	25.16		
1.4	3	1		25.21	25.10	25.07		
1.4	3	3		24.94	25.08	24.96		
1.4	6	0		24.41	24.25	24.12		
1.4	1	0	16-QAM	24.04	24.27	24.24	24.33	0.2710
1.4	1	3		24.02	24.35	24.29		
1.4	1	5		23.95	24.38	24.38		
1.4	3	0		24.14	24.31	24.23		
1.4	3	1		24.08	24.41	24.32		
1.4	3	3		23.99	24.31	24.36		
1.4	6	0		23.34	23.16	23.30		
1.4	1	0	64-QAM	23.37	23.23	23.41	23.36	0.2168
1.4	1	3		23.21	23.35	23.44		
1.4	1	5		23.27	23.22	23.37		
1.4	3	0		23.38	23.15	23.34		
1.4	3	1		23.27	23.27	23.38		
1.4	3	3		23.26	23.19	23.39		
1.4	6	0		22.27	22.17	22.19		
1.4	1	0	256-QAM	20.25	20.21	20.04	20.29	0.1069
1.4	1	3		20.17	20.21	20.10		
1.4	1	5		20.13	20.19	20.33		
1.4	3	0		20.22	20.20	20.00		
1.4	3	1		20.17	20.18	20.14		
1.4	3	3		20.18	20.21	20.33		
1.4	6	0		20.24	20.17	20.37		
Limit	EIRP < 1W			Result			Pass	



LTE Band 5 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	25.56	25.59	25.55	22.66	0.1845
10	1	25		25.44	25.49	25.50		
10	1	49		25.34	25.42	25.44		
10	25	0		24.59	24.69	24.57		
10	25	12		24.57	24.58	24.68		
10	25	25		24.45	24.55	24.59		
10	50	0		24.57	24.64	24.64		
10	1	0	16-QAM	24.37	24.61	24.68	21.75	0.1496
10	1	25		24.36	24.59	24.62		
10	1	49		24.32	24.62	24.52		
10	25	0		23.60	23.63	23.57		
10	25	12		23.55	23.61	23.61		
10	25	25		23.44	23.55	23.57		
10	50	0		23.50	23.61	23.65		
10	1	0	64-QAM	23.61	23.61	23.55	20.76	0.1191
10	1	25		23.59	23.55	23.53		
10	1	49		23.60	23.69	23.56		
10	25	0		22.65	22.62	22.58		
10	25	12		22.52	22.64	22.60		
10	25	25		22.48	22.57	22.57		
10	50	0		22.58	22.57	22.57		
10	1	0	256-QAM	20.57	20.61	20.52	17.72	0.0592
10	1	25		20.39	20.42	20.28		
10	1	49		20.46	20.65	20.65		
10	25	0		20.44	20.57	20.37		
10	25	12		20.35	20.48	20.28		
10	25	25		20.35	20.46	20.29		
10	50	0		20.48	20.50	20.37		
Limit	ERP < 7W			Result			Pass	



LTE Band 5 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	25.41	25.47	25.44	22.54	0.1795
5	1	12		25.33	25.29	25.33		
5	1	24		25.18	25.26	25.25		
5	12	0		24.48	24.54	24.37		
5	12	7		24.47	24.38	24.50		
5	12	13		24.32	24.45	24.48		
5	25	0		24.41	24.48	24.45		
5	1	0	16-QAM	24.21	24.48	24.53	21.60	0.1445
5	1	12		24.21	24.42	24.47		
5	1	24		24.18	24.48	24.34		
5	12	0		23.41	23.48	23.38		
5	12	7		23.40	23.48	23.47		
5	12	13		23.33	23.37	23.46		
5	25	0		23.36	23.48	23.54		
5	1	0	64-QAM	23.45	23.44	23.39	20.62	0.1153
5	1	12		23.46	23.45	23.33		
5	1	24		23.40	23.55	23.43		
5	12	0		22.53	22.44	22.39		
5	12	7		22.35	22.44	22.50		
5	12	13		22.32	22.46	22.39		
5	25	0		22.46	22.40	22.41		
5	1	0	256-QAM	20.47	20.45	20.38	17.61	0.0577
5	1	12		20.21	20.28	20.09		
5	1	24		20.27	20.54	20.51		
5	12	0		20.24	20.41	20.25		
5	12	7		20.18	20.35	20.13		
5	12	13		20.24	20.29	20.19		
5	25	0		20.34	20.39	20.21		
Limit	ERP < 7W			Result			Pass	



LTE Band 5 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	25.42	25.49	25.41	22.56	0.1803
3	1	8		25.34	25.36	25.32		
3	1	14		25.20	25.25	25.34		
3	8	0		24.48	24.56	24.42		
3	8	4		24.41	24.42	24.52		
3	8	7		24.29	24.43	24.42		
3	15	0		24.39	24.51	24.45		
3	1	0	16-QAM	24.25	24.46	24.57	21.64	0.1459
3	1	8		24.18	24.42	24.50		
3	1	14		24.15	24.50	24.39		
3	8	0		23.47	23.48	23.47		
3	8	4		23.42	23.49	23.44		
3	8	7		23.34	23.35	23.39		
3	15	0		23.38	23.44	23.51		
3	1	0	64-QAM	23.45	23.41	23.41	20.64	0.1159
3	1	8		23.47	23.44	23.40		
3	1	14		23.45	23.57	23.41		
3	8	0		22.55	22.49	22.47		
3	8	4		22.39	22.44	22.48		
3	8	7		22.35	22.41	22.37		
3	15	0		22.45	22.47	22.37		
3	1	0	256-QAM	20.40	20.45	20.34	17.58	0.0573
3	1	8		20.19	20.28	20.13		
3	1	14		20.33	20.51	20.49		
3	8	0		20.25	20.37	20.25		
3	8	4		20.20	20.38	20.10		
3	8	7		20.23	20.27	20.09		
3	15	0		20.32	20.38	20.24		
Limit	ERP < 7W			Result			Pass	



LTE Band 5 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	25.26	25.25	25.20	22.34	0.1714
1.4	1	3		25.07	25.18	25.20		
1.4	1	5		25.07	25.05	25.12		
1.4	3	0		25.27	25.25	25.18		
1.4	3	1		25.12	25.16	25.17		
1.4	3	3		25.07	25.10	25.21		
1.4	6	0		24.27	24.30	24.31		
1.4	1	0	16-QAM	24.11	24.38	24.37	21.45	0.1396
1.4	1	3		24.02	24.35	24.29		
1.4	1	5		24.03	24.36	24.28		
1.4	3	0		24.04	24.29	24.36		
1.4	3	1		24.06	24.33	24.32		
1.4	3	3		23.99	24.35	24.28		
1.4	6	0		23.21	23.31	23.34		
1.4	1	0	64-QAM	23.29	23.26	23.18	20.48	0.1117
1.4	1	3		23.26	23.30	23.29		
1.4	1	5		23.25	23.40	23.30		
1.4	3	0		23.29	23.25	23.20		
1.4	3	1		23.29	23.26	23.26		
1.4	3	3		23.31	23.41	23.33		
1.4	6	0		22.29	22.28	22.21		
1.4	1	0	256-QAM	20.18	20.23	20.26	17.44	0.0555
1.4	1	3		20.08	20.08	19.95		
1.4	1	5		20.09	20.33	20.29		
1.4	3	0		20.19	20.26	20.27		
1.4	3	1		20.05	20.18	20.00		
1.4	3	3		20.10	20.37	20.32		
1.4	6	0		20.17	20.20	19.99		
Limit	ERP < 7W			Result			Pass	



LTE Band 12 Maximum Average Power [dBm] (GT - LC = -0.51 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	25.47	25.53	25.46	22.87	0.1936
10	1	25		25.44	25.39	25.32		
10	1	49		25.29	25.35	25.32		
10	25	0		24.57	24.58	24.50		
10	25	12		24.48	24.53	24.52		
10	25	25		24.39	24.52	24.50		
10	50	0		24.54	24.53	24.51		
10	1	0	16-QAM	24.29	24.59	24.51	21.96	0.1570
10	1	25		24.20	24.56	24.59		
10	1	49		24.21	24.57	24.62		
10	25	0		23.52	23.53	23.55		
10	25	12		23.51	23.52	23.52		
10	25	25		23.37	23.47	23.55		
10	50	0		23.43	23.51	23.57		
10	1	0	64-QAM	23.50	23.58	23.54	20.99	0.1256
10	1	25		23.52	23.64	23.53		
10	1	49		23.49	23.65	23.62		
10	25	0		22.56	22.54	22.49		
10	25	12		22.52	22.54	22.47		
10	25	25		22.35	22.49	22.47		
10	50	0		22.45	22.47	22.47		
10	1	0	256-QAM	20.52	20.50	20.47	17.92	0.0619
10	1	25		20.45	20.58	20.41		
10	1	49		20.43	20.44	20.38		
10	25	0		20.31	20.38	20.26		
10	25	12		20.33	20.47	20.47		
10	25	25		20.34	20.46	20.45		
10	50	0		20.41	20.49	20.37		
Limit	ERP < 3W			Result			Pass	



LTE Band 12 Maximum Average Power [dBm] (GT - LC = -0.51 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	25.30	25.43	25.26	22.77	0.1892
5	1	12		25.31	25.19	25.17		
5	1	24		25.19	25.18	25.13		
5	12	0		24.47	24.42	24.36		
5	12	7		24.35	24.40	24.35		
5	12	13		24.26	24.38	24.30		
5	25	0		24.42	24.39	24.34		
5	1	0	16-QAM	24.11	24.43	24.36	21.82	0.1521
5	1	12		24.06	24.39	24.45		
5	1	24		24.03	24.44	24.48		
5	12	0		23.40	23.38	23.35		
5	12	7		23.40	23.40	23.41		
5	12	13		23.24	23.37	23.40		
5	25	0		23.32	23.39	23.42		
5	1	0	64-QAM	23.32	23.43	23.44	20.87	0.1222
5	1	12		23.32	23.53	23.35		
5	1	24		23.38	23.49	23.50		
5	12	0		22.42	22.43	22.29		
5	12	7		22.38	22.41	22.31		
5	12	13		22.18	22.35	22.34		
5	25	0		22.25	22.35	22.37		
5	1	0	256-QAM	20.34	20.37	20.31	17.81	0.0604
5	1	12		20.27	20.47	20.21		
5	1	24		20.26	20.30	20.21		
5	12	0		20.18	20.28	20.07		
5	12	7		20.17	20.35	20.28		
5	12	13		20.17	20.30	20.31		
5	25	0		20.27	20.30	20.26		
Limit	ERP < 3W			Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 12 Maximum Average Power [dBm] (GT - LC = -0.51 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	25.34	25.37	25.30	22.71	0.1866
3	1	8		25.33	25.20	25.21		
3	1	14		25.09	25.20	25.13		
3	8	0		24.37	24.40	24.35		
3	8	4		24.32	24.33	24.35		
3	8	7		24.24	24.36	24.38		
3	15	0		24.40	24.35	24.39		
3	1	0	16-QAM	24.10	24.40	24.38	21.79	0.1510
3	1	8		24.06	24.45	24.43		
3	1	14		24.02	24.41	24.44		
3	8	0		23.36	23.40	23.40		
3	8	4		23.41	23.38	23.36		
3	8	7		23.24	23.33	23.37		
3	15	0		23.26	23.36	23.42		
3	1	0	64-QAM	23.33	23.42	23.37	20.87	0.1222
3	1	8		23.35	23.53	23.41		
3	1	14		23.36	23.46	23.45		
3	8	0		22.44	22.40	22.39		
3	8	4		22.38	22.39	22.36		
3	8	7		22.16	22.39	22.29		
3	15	0		22.25	22.28	22.32		
3	1	0	256-QAM	20.35	20.37	20.37	17.78	0.0600
3	1	8		20.28	20.44	20.27		
3	1	14		20.32	20.28	20.28		
3	8	0		20.20	20.28	20.15		
3	8	4		20.16	20.35	20.31		
3	8	7		20.19	20.32	20.30		
3	15	0		20.29	20.37	20.17		
Limit	ERP < 3W			Result			Pass	



LTE Band 12 Maximum Average Power [dBm] (GT - LC = -0.51 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	25.18	25.17	25.15	22.54	0.1795
1.4	1	3		25.20	25.08	25.04		
1.4	1	5		25.00	25.04	25.03		
1.4	3	0		25.19	25.16	25.15		
1.4	3	1		25.19	25.11	25.12		
1.4	3	3		25.06	25.08	25.04		
1.4	6	0		24.26	24.18	24.28		
1.4	1	0	16-QAM	23.98	24.37	24.28	21.71	0.1483
1.4	1	3		23.90	24.31	24.26		
1.4	1	5		23.90	24.19	24.37		
1.4	3	0		23.97	24.37	24.27		
1.4	3	1		23.83	24.31	24.24		
1.4	3	3		23.88	24.29	24.37		
1.4	6	0		23.17	23.18	23.21		
1.4	1	0	64-QAM	23.19	23.24	23.24	20.71	0.1178
1.4	1	3		23.28	23.34	23.14		
1.4	1	5		23.17	23.29	23.24		
1.4	3	0		23.24	23.25	23.22		
1.4	3	1		23.22	23.29	23.14		
1.4	3	3		23.21	23.37	23.26		
1.4	6	0		22.21	22.15	22.20		
1.4	1	0	256-QAM	20.25	20.21	20.17	17.68	0.0586
1.4	1	3		20.06	20.29	20.17		
1.4	1	5		20.16	20.19	20.08		
1.4	3	0		20.20	20.26	20.10		
1.4	3	1		20.13	20.34	20.20		
1.4	3	3		20.15	20.18	20.04		
1.4	6	0		20.18	20.27	20.13		
Limit	ERP < 3W			Result			Pass	



LTE Band 17 Maximum Average Power [dBm] (GT - LC = -0.51 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	25.41	25.47	25.44	22.81	0.1910
10	1	25		25.33	25.38	25.35		
10	1	49		25.14	25.34	25.33		
10	25	0		24.54	24.55	24.52		
10	25	12		24.49	24.52	24.47		
10	25	25		24.32	24.51	24.46		
10	50	0		24.44	24.48	24.45		
10	1	0	16-QAM	24.27	24.62	24.61	22.03	0.1596
10	1	25		24.13	24.69	24.57		
10	1	49		24.11	24.60	24.54		
10	25	0		23.46	23.52	23.53		
10	25	12		23.45	23.47	23.47		
10	25	25		23.31	23.42	23.49		
10	50	0		23.44	23.44	23.48		
10	1	0	64-QAM	23.47	23.50	23.54	21.01	0.1262
10	1	25		23.39	23.53	23.64		
10	1	49		23.43	23.55	23.67		
10	25	0		22.40	22.55	22.53		
10	25	12		22.37	22.53	22.51		
10	25	25		22.33	22.42	22.49		
10	50	0		22.40	22.48	22.47		
10	1	0	256-QAM	20.54	20.53	20.52	17.97	0.0627
10	1	25		20.45	20.63	20.62		
10	1	49		20.36	20.36	20.22		
10	25	0		20.50	20.57	20.54		
10	25	12		20.40	20.51	20.35		
10	25	25		20.46	20.46	20.35		
10	50	0		20.41	20.53	20.46		
Limit	ERP < 3W			Result			Pass	



LTE Band 17 Maximum Average Power [dBm] (GT - LC = -0.51 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	25.21	25.36	25.31	22.70	0.1862
5	1	12		25.14	25.22	25.17		
5	1	24		25.03	25.22	25.17		
5	12	0		24.34	24.36	24.35		
5	12	7		24.35	24.38	24.32		
5	12	13		24.16	24.33	24.29		
5	25	0		24.28	24.32	24.28		
5	1	0	16-QAM	24.10	24.49	24.44	21.88	0.1542
5	1	12		23.97	24.54	24.43		
5	1	24		23.97	24.45	24.34		
5	12	0		23.35	23.37	23.36		
5	12	7		23.35	23.27	23.30		
5	12	13		23.21	23.27	23.36		
5	25	0		23.31	23.33	23.35		
5	1	0	64-QAM	23.27	23.35	23.44	20.87	0.1222
5	1	12		23.19	23.41	23.45		
5	1	24		23.23	23.39	23.53		
5	12	0		22.28	22.43	22.35		
5	12	7		22.22	22.37	22.40		
5	12	13		22.13	22.29	22.29		
5	25	0		22.26	22.34	22.32		
5	1	0	256-QAM	20.43	20.35	20.37	17.85	0.0610
5	1	12		20.32	20.51	20.45		
5	1	24		20.24	20.25	20.07		
5	12	0		20.38	20.46	20.38		
5	12	7		20.21	20.38	20.22		
5	12	13		20.32	20.34	20.21		
5	25	0		20.23	20.42	20.34		
Limit	ERP < 3W			Result			Pass	



LTE Band 26 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	25.47	25.52	25.37	22.59	0.1816
15	1	37		25.39	25.51	25.27		
15	1	74		25.28	25.24	25.29		
15	36	0		24.53	24.70	24.48		
15	36	20		24.52	24.57	24.45		
15	36	39		24.50	24.54	24.48		
15	75	0		24.48	24.32	24.41		
15	1	0	16-QAM	24.53	24.39	24.63	21.77	0.1503
15	1	37		24.66	24.03	24.70		
15	1	74		24.55	24.36	24.47		
15	36	0		23.47	23.62	23.40		
15	36	20		23.52	23.44	23.45		
15	36	39		23.48	23.28	23.40		
15	75	0		23.48	23.30	23.38		
15	1	0	64-QAM	23.55	23.49	23.63	20.70	0.1175
15	1	37		23.51	23.44	23.63		
15	1	74		23.52	23.60	23.60		
15	36	0		22.52	22.56	22.45		
15	36	20		22.48	22.31	22.46		
15	36	39		22.46	22.37	22.40		
15	75	0		22.43	22.49	22.35		
15	1	0	256-QAM	20.45	20.35	20.53	17.60	0.0575
15	1	37		20.36	20.35	20.24		
15	1	74		20.42	20.37	20.42		
15	36	0		20.36	20.21	20.30		
15	36	20		20.43	20.21	20.24		
15	36	39		20.50	20.37	20.46		
15	75	0		20.39	20.31	20.28		
Limit	ERP < 7W			Result			Pass	



LTE Band 26 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	25.31	25.25	25.25	22.38	0.1730
10	1	25		25.27	25.26	25.13		
10	1	49		25.05	25.16	25.14		
10	25	0		24.44	24.32	24.30		
10	25	12		24.28	24.39	24.25		
10	25	25		24.17	24.26	24.38		
10	50	0		24.20	24.47	24.23		
10	1	0	16-QAM	24.11	24.28	24.45	21.67	0.1469
10	1	25		24.02	24.59	24.60		
10	1	49		24.03	24.42	24.36		
10	25	0		23.32	23.30	23.20		
10	25	12		23.29	23.48	23.26		
10	25	25		23.15	23.47	23.21		
10	50	0		23.23	23.36	23.28		
10	1	0	64-QAM	23.31	23.40	23.47	20.56	0.1138
10	1	25		23.33	23.33	23.49		
10	1	49		23.24	23.42	23.40		
10	25	0		22.25	22.41	22.25		
10	25	12		22.21	22.24	22.34		
10	25	25		22.34	22.37	22.27		
10	50	0		22.36	22.22	22.17		
10	1	0	256-QAM	20.34	20.35	20.41	17.51	0.0564
10	1	25		20.19	20.15	20.13		
10	1	49		20.23	20.31	20.31		
10	25	0		20.02	20.19	20.14		
10	25	12		20.03	20.30	20.07		
10	25	25		20.33	20.44	20.33		
10	50	0		20.25	20.18	20.17		
Limit	ERP < 7W			Result			Pass	



LTE Band 26 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	25.36	25.30	25.23	22.43	0.1750
5	1	12		25.23	25.33	25.11		
5	1	24		25.06	25.18	25.19		
5	12	0		24.42	24.29	24.34		
5	12	7		24.24	24.32	24.33		
5	12	13		24.26	24.42	24.34		
5	25	0		24.24	24.28	24.28		
5	1	0	16-QAM	24.14	24.28	24.47	21.68	0.1472
5	1	12		24.06	24.61	24.55		
5	1	24		24.05	24.33	24.32		
5	12	0		23.34	23.38	23.29		
5	12	7		23.39	23.43	23.26		
5	12	13		23.28	23.27	23.26		
5	25	0		23.32	23.20	23.18		
5	1	0	64-QAM	23.30	23.41	23.46	20.57	0.1140
5	1	12		23.30	23.30	23.45		
5	1	24		23.27	23.38	23.50		
5	12	0		22.25	22.30	22.35		
5	12	7		22.29	22.29	22.28		
5	12	13		22.28	22.19	22.25		
5	25	0		22.20	22.28	22.20		
5	1	0	256-QAM	20.23	20.26	20.40	17.53	0.0566
5	1	12		20.06	20.26	20.09		
5	1	24		20.13	20.24	20.32		
5	12	0		20.00	20.28	20.10		
5	12	7		20.08	20.39	20.04		
5	12	13		20.29	20.46	20.33		
5	25	0		20.14	20.27	20.08		
Limit	ERP < 7W			Result			Pass	



LTE Band 26 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	25.19	25.31	25.24	22.38	0.1730
3	1	8		25.11	25.31	25.07		
3	1	14		25.11	25.25	25.18		
3	8	0		24.35	24.28	24.37		
3	8	4		24.32	24.41	24.34		
3	8	7		24.19	24.41	24.29		
3	15	0		24.31	24.35	24.31		
3	1	0	16-QAM	24.11	24.37	24.44	21.62	0.1452
3	1	8		24.11	24.55	24.55		
3	1	14		24.06	24.42	24.35		
3	8	0		23.38	23.38	23.22		
3	8	4		23.33	23.40	23.32		
3	8	7		23.12	23.28	23.27		
3	15	0		23.24	23.29	23.19		
3	1	0	64-QAM	23.37	23.34	23.46	20.58	0.1143
3	1	8		23.29	23.48	23.51		
3	1	14		23.30	23.37	23.43		
3	8	0		22.22	22.37	22.31		
3	8	4		22.27	22.48	22.34		
3	8	7		22.22	22.17	22.21		
3	15	0		22.31	22.35	22.15		
3	1	0	256-QAM	20.26	20.26	20.38	17.45	0.0556
3	1	8		20.16	20.17	20.05		
3	1	14		20.25	20.36	20.32		
3	8	0		20.07	20.17	20.18		
3	8	4		20.10	20.30	20.12		
3	8	7		20.22	20.37	20.33		
3	15	0		20.27	20.10	20.11		
Limit	ERP < 7W			Result			Pass	



LTE Band 26 Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	25.04	25.28	25.03	22.37	0.1726
1.4	1	3		24.96	25.09	24.92		
1.4	1	5		24.91	25.08	24.98		
1.4	3	0		25.07	25.30	25.07		
1.4	3	1		25.17	25.18	24.93		
1.4	3	3		25.00	24.90	24.96		
1.4	6	0		24.01	24.19	24.12		
1.4	1	0	16-QAM	23.93	24.20	24.37	21.51	0.1416
1.4	1	3		24.05	24.36	24.44		
1.4	1	5		23.83	24.13	24.20		
1.4	3	0		24.00	24.34	24.41		
1.4	3	1		23.87	24.44	24.37		
1.4	3	3		23.86	24.22	24.14		
1.4	6	0		23.07	23.24	23.14		
1.4	1	0	64-QAM	23.27	23.24	23.36	20.45	0.1109
1.4	1	3		23.15	23.31	23.34		
1.4	1	5		23.19	23.17	23.34		
1.4	3	0		23.27	23.35	23.36		
1.4	3	1		23.13	23.27	23.38		
1.4	3	3		23.22	23.16	23.32		
1.4	6	0		22.32	22.12	22.00		
1.4	1	0	256-QAM	20.13	20.31	20.31	17.38	0.0547
1.4	1	3		20.14	20.07	20.03		
1.4	1	5		20.16	20.12	20.21		
1.4	3	0		20.18	20.14	20.25		
1.4	3	1		20.07	20.01	20.03		
1.4	3	3		20.18	20.18	20.11		
1.4	6	0		20.10	20.15	19.97		
Limit	ERP < 7W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	25.42	25.36	25.24	25.34	0.3420
20	1	49		25.37	25.26	25.17		
20	1	99		25.21	25.20	25.15		
20	50	0		24.49	24.45	24.35		
20	50	24		24.41	24.38	24.29		
20	50	50		24.30	24.30	24.29		
20	100	0		24.43	24.34	24.34		
20	1	0	16-QAM	24.31	24.59	24.43	24.51	0.2825
20	1	49		24.15	24.54	24.57		
20	1	99		24.17	24.44	24.43		
20	50	0		23.46	23.38	23.30		
20	50	24		23.48	23.38	23.24		
20	50	50		23.27	23.34	23.24		
20	100	0		23.43	23.30	23.26		
20	1	0	64-QAM	23.52	23.35	23.56	23.56	0.2270
20	1	49		23.43	23.64	23.52		
20	1	99		23.48	23.42	23.37		
20	50	0		22.50	22.44	22.28		
20	50	24		22.45	22.38	22.29		
20	50	50		22.35	22.30	22.26		
20	100	0		22.35	22.30	22.21		
20	1	0	256-QAM	20.37	20.26	20.23	20.33	0.1079
20	1	49		20.32	20.38	20.28		
20	1	99		20.35	20.41	20.40		
20	50	0		20.16	20.24	20.16		
20	50	24		20.29	20.30	20.13		
20	50	50		20.26	20.33	20.28		
20	100	0		20.22	20.27	20.14		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	25.24	25.24	25.08	25.16	0.3281
15	1	37		25.21	25.07	25.06		
15	1	74		25.11	25.10	24.95		
15	36	0		24.37	24.31	24.16		
15	36	20		24.29	24.27	24.15		
15	36	39		24.15	24.18	24.12		
15	75	0		24.26	24.22	24.14		
15	1	0	16-QAM	24.21	24.49	24.28	24.41	0.2761
15	1	37		23.97	24.41	24.44		
15	1	74		23.99	24.24	24.28		
15	36	0		23.32	23.27	23.14		
15	36	20		23.36	23.28	23.12		
15	36	39		23.09	23.15	23.13		
15	75	0		23.33	23.16	23.13		
15	1	0	64-QAM	23.33	23.20	23.43	23.36	0.2168
15	1	37		23.29	23.44	23.41		
15	1	74		23.30	23.32	23.27		
15	36	0		22.40	22.32	22.11		
15	36	20		22.25	22.26	22.12		
15	36	39		22.25	22.12	22.08		
15	75	0		22.23	22.14	22.05		
15	1	0	256-QAM	20.22	20.12	20.09	20.21	0.1050
15	1	37		20.18	20.19	20.08		
15	1	74		20.20	20.23	20.29		
15	36	0		19.96	20.09	20.01		
15	36	20		20.18	20.18	20.01		
15	36	39		20.08	20.14	20.17		
15	75	0		20.12	20.13	20.04		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	25.22	25.22	25.08	25.17	0.3289
10	1	25		25.25	25.09	24.99		
10	1	49		25.04	25.01	24.96		
10	25	0		24.38	24.26	24.23		
10	25	12		24.31	24.23	24.12		
10	25	25		24.12	24.11	24.18		
10	50	0		24.26	24.21	24.15		
10	1	0	16-QAM	24.16	24.49	24.24	24.41	0.2761
10	1	25		24.02	24.39	24.39		
10	1	49		24.04	24.27	24.23		
10	25	0		23.29	23.24	23.20		
10	25	12		23.31	23.27	23.07		
10	25	25		23.14	23.24	23.12		
10	50	0		23.26	23.10	23.12		
10	1	0	64-QAM	23.32	23.15	23.41	23.39	0.2183
10	1	25		23.26	23.47	23.33		
10	1	49		23.34	23.23	23.27		
10	25	0		22.32	22.33	22.14		
10	25	12		22.27	22.26	22.16		
10	25	25		22.24	22.16	22.10		
10	50	0		22.24	22.16	22.10		
10	1	0	256-QAM	20.23	20.16	20.13	20.15	0.1035
10	1	25		20.17	20.20	20.16		
10	1	49		20.18	20.21	20.23		
10	25	0		20.03	20.10	19.98		
10	25	12		20.14	20.18	19.94		
10	25	25		20.14	20.19	20.08		
10	50	0		20.02	20.16	19.97		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	25.27	25.20	25.07	25.19	0.3304
5	1	12		25.23	25.06	24.98		
5	1	24		25.11	25.09	24.98		
5	12	0		24.32	24.25	24.16		
5	12	7		24.22	24.22	24.15		
5	12	13		24.19	24.13	24.10		
5	25	0		24.30	24.22	24.21		
5	1	0	16-QAM	24.19	24.43	24.24	24.38	0.2742
5	1	12		24.04	24.40	24.46		
5	1	24		24.05	24.32	24.28		
5	12	0		23.26	23.19	23.16		
5	12	7		23.30	23.25	23.06		
5	12	13		23.13	23.18	23.04		
5	25	0		23.31	23.14	23.08		
5	1	0	64-QAM	23.38	23.25	23.38	23.45	0.2213
5	1	12		23.26	23.53	23.40		
5	1	24		23.38	23.27	23.23		
5	12	0		22.35	22.31	22.18		
5	12	7		22.33	22.28	22.11		
5	12	13		22.15	22.19	22.09		
5	25	0		22.21	22.16	22.08		
5	1	0	256-QAM	20.24	20.12	20.10	20.20	0.1047
5	1	12		20.13	20.19	20.08		
5	1	24		20.25	20.23	20.28		
5	12	0		20.01	20.11	19.98		
5	12	7		20.09	20.13	19.94		
5	12	13		20.06	20.20	20.16		
5	25	0		20.10	20.11	19.97		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	25.27	25.19	25.14	25.19	0.3304
3	1	8		25.22	25.12	25.06		
3	1	14		25.02	25.09	25.02		
3	8	0		24.36	24.25	24.18		
3	8	4		24.23	24.20	24.09		
3	8	7		24.10	24.20	24.18		
3	15	0		24.30	24.23	24.18		
3	1	0	16-QAM	24.19	24.46	24.24	24.38	0.2742
3	1	8		23.95	24.43	24.42		
3	1	14		23.97	24.30	24.28		
3	8	0		23.32	23.18	23.18		
3	8	4		23.30	23.28	23.09		
3	8	7		23.08	23.21	23.11		
3	15	0		23.32	23.20	23.08		
3	1	0	64-QAM	23.42	23.16	23.39	23.39	0.2183
3	1	8		23.23	23.47	23.33		
3	1	14		23.35	23.26	23.17		
3	8	0		22.36	22.32	22.13		
3	8	4		22.28	22.26	22.14		
3	8	7		22.18	22.14	22.08		
3	15	0		22.25	22.17	22.06		
3	1	0	256-QAM	20.22	20.13	20.11	20.22	0.1052
3	1	8		20.16	20.24	20.11		
3	1	14		20.18	20.26	20.30		
3	8	0		19.98	20.09	20.05		
3	8	4		20.12	20.14	19.96		
3	8	7		20.15	20.13	20.16		
3	15	0		20.07	20.15	20.00		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = -0.08 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	25.11	25.08	24.95	25.03	0.3184
1.4	1	3		25.06	24.94	24.96		
1.4	1	5		24.87	24.91	24.84		
1.4	3	0		25.08	25.00	25.02		
1.4	3	1		25.08	25.01	24.93		
1.4	3	3		24.83	24.97	24.85		
1.4	6	0		24.12	24.06	23.99		
1.4	1	0	16-QAM	24.04	24.26	24.14	24.26	0.2667
1.4	1	3		23.80	24.29	24.30		
1.4	1	5		23.86	24.19	24.12		
1.4	3	0		24.04	24.34	24.04		
1.4	3	1		23.77	24.33	24.25		
1.4	3	3		23.80	24.12	24.08		
1.4	6	0		23.13	23.10	22.97		
1.4	1	0	64-QAM	23.32	23.02	23.28	23.24	0.2109
1.4	1	3		23.12	23.28	23.14		
1.4	1	5		23.16	23.16	23.06		
1.4	3	0		23.23	22.99	23.25		
1.4	3	1		23.13	23.32	23.19		
1.4	3	3		23.17	23.16	22.99		
1.4	6	0		22.06	21.98	21.92		
1.4	1	0	256-QAM	20.11	19.96	19.91	20.09	0.1021
1.4	1	3		19.99	20.04	20.00		
1.4	1	5		20.05	20.14	20.17		
1.4	3	0		20.04	19.95	19.96		
1.4	3	1		20.06	20.07	19.91		
1.4	3	3		19.99	20.16	20.13		
1.4	6	0		19.88	19.95	19.85		
Limit	EIRP < 1W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.11 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
20	1	0	QPSK	24.78	24.85	24.72	22.59	0.1816
20	1	49		24.69	24.76	24.63		
20	1	99		24.56	24.64	24.54		
20	50	0		23.88	23.89	23.80		
20	50	24		23.83	23.87	23.84		
20	50	50		23.67	23.81	23.76		
20	100	0		23.82	23.90	23.76		
20	1	0	16-QAM	23.64	23.83	23.95	21.74	0.1493
20	1	49		23.58	23.86	24.00		
20	1	99		23.49	23.95	23.83		
20	50	0		22.82	22.89	22.77		
20	50	24		22.80	22.87	22.82		
20	50	50		22.66	22.85	22.77		
20	100	0		22.78	22.83	22.76		
20	1	0	64-QAM	22.81	22.90	22.94	20.68	0.1169
20	1	49		22.83	22.91	22.90		
20	1	99		22.86	22.93	22.87		
20	50	0		21.79	21.90	21.73		
20	50	24		21.79	21.91	21.77		
20	50	50		21.65	21.79	21.75		
20	100	0		21.79	21.82	21.72		
20	1	0	256-QAM	19.96	19.89	19.72	17.70	0.0589
20	1	49		19.77	19.82	19.62		
20	1	99		19.70	19.75	19.63		
20	50	0		19.79	19.79	19.74		
20	50	24		19.61	19.74	19.60		
20	50	50		19.63	19.75	19.64		
20	100	0		19.61	19.81	19.65		
Limit	ERP < 3W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.11 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	24.61	24.69	24.56	22.43	0.1750
15	1	37		24.54	24.59	24.51		
15	1	74		24.44	24.45	24.38		
15	36	0		23.72	23.74	23.63		
15	36	20		23.65	23.76	23.67		
15	36	39		23.54	23.71	23.57		
15	75	0		23.68	23.72	23.60		
15	1	0	16-QAM	23.46	23.65	23.75	21.62	0.1452
15	1	37		23.45	23.75	23.88		
15	1	74		23.39	23.77	23.66		
15	36	0		22.62	22.73	22.65		
15	36	20		22.60	22.71	22.69		
15	36	39		22.52	22.66	22.63		
15	75	0		22.63	22.71	22.60		
15	1	0	64-QAM	22.62	22.71	22.80	20.54	0.1132
15	1	37		22.68	22.77	22.76		
15	1	74		22.70	22.77	22.76		
15	36	0		21.68	21.75	21.62		
15	36	20		21.63	21.80	21.67		
15	36	39		21.53	21.69	21.56		
15	75	0		21.59	21.71	21.60		
15	1	0	256-QAM	19.85	19.78	19.52	17.59	0.0574
15	1	37		19.58	19.64	19.52		
15	1	74		19.52	19.62	19.49		
15	36	0		19.66	19.63	19.63		
15	36	20		19.49	19.62	19.47		
15	36	39		19.46	19.57	19.52		
15	75	0		19.49	19.61	19.47		
Limit	ERP < 3W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.11 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	24.59	24.71	24.59	22.45	0.1758
10	1	25		24.58	24.65	24.49		
10	1	49		24.44	24.51	24.41		
10	25	0		23.73	23.72	23.65		
10	25	12		23.69	23.69	23.73		
10	25	25		23.50	23.65	23.57		
10	50	0		23.69	23.76	23.65		
10	1	0	16-QAM	23.50	23.68	23.85	21.59	0.1442
10	1	25		23.40	23.66	23.81		
10	1	49		23.30	23.75	23.73		
10	25	0		22.65	22.69	22.64		
10	25	12		22.70	22.77	22.62		
10	25	25		22.55	22.65	22.61		
10	50	0		22.66	22.63	22.62		
10	1	0	64-QAM	22.67	22.72	22.81	20.55	0.1135
10	1	25		22.65	22.76	22.72		
10	1	49		22.74	22.80	22.67		
10	25	0		21.69	21.80	21.59		
10	25	12		21.60	21.73	21.58		
10	25	25		21.55	21.63	21.58		
10	50	0		21.65	21.62	21.58		
10	1	0	256-QAM	19.84	19.78	19.59	17.58	0.0573
10	1	25		19.59	19.69	19.52		
10	1	49		19.56	19.65	19.47		
10	25	0		19.68	19.59	19.63		
10	25	12		19.41	19.57	19.50		
10	25	25		19.51	19.56	19.47		
10	50	0		19.47	19.71	19.45		
Limit	ERP < 3W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.11 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	24.58	24.66	24.54	22.40	0.1738
5	1	12		24.50	24.63	24.48		
5	1	24		24.46	24.50	24.37		
5	12	0		23.71	23.69	23.67		
5	12	7		23.67	23.77	23.71		
5	12	13		23.52	23.67	23.61		
5	25	0		23.68	23.80	23.62		
5	1	0	16-QAM	23.51	23.65	23.82	21.64	0.1459
5	1	12		23.44	23.76	23.90		
5	1	24		23.30	23.78	23.63		
5	12	0		22.70	22.75	22.57		
5	12	7		22.63	22.71	22.66		
5	12	13		22.47	22.73	22.66		
5	25	0		22.68	22.66	22.62		
5	1	0	64-QAM	22.65	22.72	22.78	20.52	0.1127
5	1	12		22.68	22.78	22.71		
5	1	24		22.68	22.73	22.76		
5	12	0		21.63	21.73	21.61		
5	12	7		21.67	21.76	21.59		
5	12	13		21.50	21.61	21.63		
5	25	0		21.66	21.64	21.59		
5	1	0	256-QAM	19.79	19.74	19.53	17.53	0.0566
5	1	12		19.67	19.66	19.50		
5	1	24		19.50	19.59	19.52		
5	12	0		19.62	19.60	19.63		
5	12	7		19.50	19.57	19.40		
5	12	13		19.44	19.60	19.54		
5	25	0		19.47	19.63	19.47		
Limit	ERP < 3W			Result			Pass	



LTE Band 26 (Part90S) Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	25.41	-	-	22.48	0.1770
15	1	37		25.34	-	-		
15	1	74		25.24	-	-		
15	36	0		24.51	-	-		
15	36	20		24.39	-	-		
15	36	39		24.36	-	-		
15	75	0		24.43	-	-		
15	1	0	16-QAM	24.31	-	-	21.38	0.1374
15	1	37		24.19	-	-		
15	1	74		24.21	-	-		
15	36	0		23.50	-	-		
15	36	20		23.48	-	-		
15	36	39		23.29	-	-		
15	75	0		23.43	-	-		
15	1	0	64-QAM	23.49	-	-	20.56	0.1138
15	1	37		23.44	-	-		
15	1	74		23.48	-	-		
15	36	0		22.50	-	-		
15	36	20		22.40	-	-		
15	36	39		22.37	-	-		
15	75	0		22.44	-	-		
15	1	0	256-QAM	20.42	-	-	17.54	0.0568
15	1	37		20.33	-	-		
15	1	74		20.40	-	-		
15	36	0		20.18	-	-		
15	36	20		20.24	-	-		
15	36	39		20.47	-	-		
15	75	0		20.34	-	-		
Limit	Power < 100W			Result			Pass	



LTE Band 26(Part90S) Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	25.27	-	22.36	0.1722
10	1	25		-	25.29	-		
10	1	49		-	25.17	-		
10	25	0		-	24.29	-		
10	25	12		-	24.38	-		
10	25	25		-	24.36	-		
10	50	0		-	24.37	-		
10	1	0	16-QAM	-	24.33	-	21.58	0.1439
10	1	25		-	24.51	-		
10	1	49		-	24.38	-		
10	25	0		-	23.33	-		
10	25	12		-	23.40	-		
10	25	25		-	23.37	-		
10	50	0		-	23.37	-		
10	1	0	64-QAM	-	23.35	-	20.42	0.1102
10	1	25		-	23.32	-		
10	1	49		-	23.34	-		
10	25	0		-	22.34	-		
10	25	12		-	22.30	-		
10	25	25		-	22.35	-		
10	50	0		-	22.23	-		
10	1	0	256-QAM	-	20.32	-	17.42	0.0552
10	1	25		-	20.22	-		
10	1	49		-	20.32	-		
10	25	0		-	20.23	-		
10	25	12		-	20.23	-		
10	25	25		-	20.35	-		
10	50	0		-	20.22	-		
Limit	Power < 100W			Result			Pass	



LTE Band 26(Part90S) Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	25.30	25.37	25.35	22.44	0.1754
5	1	12		25.21	25.22	25.20		
5	1	24		25.13	25.04	25.22		
5	12	0		24.32	24.23	24.30		
5	12	7		24.22	24.19	24.31		
5	12	13		24.20	24.13	24.30		
5	25	0		24.28	24.28	24.36		
5	1	0	16-QAM	24.12	24.09	24.02	21.19	0.1315
5	1	12		23.99	23.96	23.95		
5	1	24		24.02	23.92	24.08		
5	12	0		23.40	23.44	23.44		
5	12	7		23.35	23.41	23.26		
5	12	13		23.19	23.20	23.15		
5	25	0		23.28	23.37	23.25		
5	1	0	64-QAM	23.32	23.42	23.32	20.49	0.1119
5	1	12		23.26	23.26	23.19		
5	1	24		23.32	23.22	23.31		
5	12	0		22.34	22.36	22.25		
5	12	7		22.30	22.34	22.38		
5	12	13		22.19	22.20	22.28		
5	25	0		22.29	22.37	22.24		
5	1	0	256-QAM	20.30	20.28	20.25	17.43	0.0553
5	1	12		20.14	20.15	20.04		
5	1	24		20.23	20.13	20.31		
5	12	0		19.99	19.94	20.04		
5	12	7		20.09	20.08	20.09		
5	12	13		20.27	20.36	20.24		
5	25	0		20.17	20.19	20.22		
Limit	Power < 100W			Result			Pass	



LTE Band 26(Part90S) Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	25.22	25.14	25.29	22.36	0.1722
3	1	8		25.21	25.24	25.16		
3	1	14		25.05	25.15	24.96		
3	8	0		24.31	24.28	24.38		
3	8	4		24.24	24.28	24.23		
3	8	7		24.25	24.31	24.27		
3	15	0		24.23	24.19	24.25		
3	1	0	16-QAM	24.19	24.25	24.11	21.32	0.1355
3	1	8		24.04	24.00	23.94		
3	1	14		24.07	24.16	23.99		
3	8	0		23.31	23.38	23.40		
3	8	4		23.31	23.37	23.21		
3	8	7		23.10	23.04	23.15		
3	15	0		23.31	23.28	23.33		
3	1	0	64-QAM	23.36	23.35	23.40	20.47	0.1114
3	1	8		23.34	23.30	23.30		
3	1	14		23.34	23.39	23.32		
3	8	0		22.31	22.40	22.35		
3	8	4		22.26	22.35	22.35		
3	8	7		22.19	22.28	22.18		
3	15	0		22.31	22.39	22.40		
3	1	0	256-QAM	20.27	20.22	20.24	17.42	0.0552
3	1	8		20.18	20.22	20.16		
3	1	14		20.23	20.29	20.23		
3	8	0		20.01	19.96	20.11		
3	8	4		20.12	20.14	20.09		
3	8	7		20.30	20.35	20.32		
3	15	0		20.21	20.15	20.15		
Limit	Power < 100W			Result			Pass	



LTE Band 26 (Part90S) Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	25.11	25.13	25.17	22.24	0.1675
1.4	1	3		25.06	24.98	25.01		
1.4	1	5		24.94	24.93	24.89		
1.4	3	0		25.06	25.11	25.03		
1.4	3	1		25.10	25.01	25.13		
1.4	3	3		24.98	25.00	25.08		
1.4	6	0		24.08	24.02	24.00		
1.4	1	0	16-QAM	24.00	23.97	24.03	21.12	0.1294
1.4	1	3		23.95	24.05	23.99		
1.4	1	5		23.92	23.94	23.87		
1.4	3	0		23.94	23.91	23.99		
1.4	3	1		23.86	23.86	23.91		
1.4	3	3		23.95	23.96	23.95		
1.4	6	0		23.13	23.19	23.06		
1.4	1	0	64-QAM	23.22	23.32	23.24	20.39	0.1094
1.4	1	3		23.09	23.00	23.12		
1.4	1	5		23.11	23.04	23.19		
1.4	3	0		23.29	23.26	23.31		
1.4	3	1		23.06	23.06	23.16		
1.4	3	3		23.12	23.11	23.06		
1.4	6	0		22.22	22.12	22.27		
1.4	1	0	256-QAM	20.21	20.14	20.21	17.28	0.0535
1.4	1	3		20.09	20.09	20.08		
1.4	1	5		20.10	20.09	20.12		
1.4	3	0		20.15	20.14	20.11		
1.4	3	1		20.08	20.08	20.05		
1.4	3	3		20.11	20.18	20.17		
1.4	6	0		20.02	20.04	19.95		
Limit	Power < 100W			Result			Pass	



LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	-	25.46	-	22.53	0.1791
15	1	37		-	25.44	-		
15	1	74		-	25.31	-		
15	36	0		-	24.54	-		
15	36	20		-	24.49	-		
15	36	39		-	24.37	-		
15	75	0		-	24.51	-		
15	1	0	16-QAM	-	24.21	-	21.38	0.1374
15	1	37		-	24.15	-		
15	1	74		-	24.31	-		
15	36	0		-	23.42	-		
15	36	20		-	23.42	-		
15	36	39		-	23.31	-		
15	75	0		-	23.43	-		
15	1	0	64-QAM	-	23.57	-	20.64	0.1159
15	1	37		-	23.54	-		
15	1	74		-	23.39	-		
15	36	0		-	22.48	-		
15	36	20		-	22.48	-		
15	36	39		-	22.44	-		
15	75	0		-	22.35	-		
15	1	0	256-QAM	-	20.33	-	17.57	0.0571
15	1	37		-	20.26	-		
15	1	74		-	20.46	-		
15	36	0		-	20.12	-		
15	36	20		-	20.18	-		
15	36	39		-	20.50	-		
15	75	0		-	20.26	-		
Limit	ERP < 7W			Result			Pass	



LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	25.23	-	22.30	0.1698
10	1	25		-	25.18	-		
10	1	49		-	25.02	-		
10	25	0		-	24.25	-		
10	25	12		-	24.30	-		
10	25	25		-	24.16	-		
10	50	0		-	24.38	-		
10	1	0	16-QAM	-	24.13	-	21.20	0.1318
10	1	25		-	23.96	-		
10	1	49		-	24.07	-		
10	25	0		-	23.44	-		
10	25	12		-	23.38	-		
10	25	25		-	23.24	-		
10	50	0		-	23.38	-		
10	1	0	64-QAM	-	23.30	-	20.49	0.1119
10	1	25		-	23.42	-		
10	1	49		-	23.30	-		
10	25	0		-	22.42	-		
10	25	12		-	22.23	-		
10	25	25		-	22.19	-		
10	50	0		-	22.28	-		
10	1	0	256-QAM	-	20.31	-	17.47	0.0558
10	1	25		-	20.16	-		
10	1	49		-	20.22	-		
10	25	0		-	19.98	-		
10	25	12		-	20.01	-		
10	25	25		-	20.40	-		
10	50	0		-	20.21	-		
Limit	ERP < 7W			Result			Pass	



LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	-	25.40	-	22.47	0.1766
5	1	12		-	25.13	-		
5	1	24		-	25.16	-		
5	12	0		-	24.23	-		
5	12	7		-	24.15	-		
5	12	13		-	24.28	-		
5	25	0		-	24.21	-		
5	1	0	16-QAM	-	24.06	-	21.13	0.1297
5	1	12		-	23.97	-		
5	1	24		-	23.98	-		
5	12	0		-	23.36	-		
5	12	7		-	23.45	-		
5	12	13		-	23.17	-		
5	25	0		-	23.36	-		
5	1	0	64-QAM	-	23.31	-	20.42	0.1102
5	1	12		-	23.35	-		
5	1	24		-	23.27	-		
5	12	0		-	22.37	-		
5	12	7		-	22.39	-		
5	12	13		-	22.11	-		
5	25	0		-	22.37	-		
5	1	0	256-QAM	-	20.33	-	17.40	0.0550
5	1	12		-	20.04	-		
5	1	24		-	20.13	-		
5	12	0		-	20.04	-		
5	12	7		-	20.09	-		
5	12	13		-	20.22	-		
5	25	0		-	20.27	-		
Limit	ERP < 7W			Result			Pass	



LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	-	25.26	-	22.33	0.1710
3	1	8		-	25.12	-		
3	1	14		-	25.08	-		
3	8	0		-	24.25	-		
3	8	4		-	24.25	-		
3	8	7		-	24.18	-		
3	15	0		-	24.31	-		
3	1	0	16-QAM	-	24.13	-	21.20	0.1318
3	1	8		-	24.03	-		
3	1	14		-	24.07	-		
3	8	0		-	23.23	-		
3	8	4		-	23.40	-		
3	8	7		-	23.00	-		
3	15	0		-	23.31	-		
3	1	0	64-QAM	-	23.34	-	20.45	0.1109
3	1	8		-	23.26	-		
3	1	14		-	23.38	-		
3	8	0		-	22.36	-		
3	8	4		-	22.30	-		
3	8	7		-	22.28	-		
3	15	0		-	22.40	-		
3	1	0	256-QAM	-	20.21	-	17.32	0.0540
3	1	8		-	20.13	-		
3	1	14		-	20.20	-		
3	8	0		-	20.08	-		
3	8	4		-	20.12	-		
3	8	7		-	20.25	-		
3	15	0		-	20.25	-		
Limit	ERP < 7W			Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = -0.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	-	25.12	-	22.21	0.1663
1.4	1	3		-	25.14	-		
1.4	1	5		-	24.99	-		
1.4	3	0		-	25.14	-		
1.4	3	1		-	25.08	-		
1.4	3	3		-	25.08	-		
1.4	6	0		-	24.04	-		
1.4	1	0	16-QAM	-	23.96	-	21.10	0.1288
1.4	1	3		-	24.03	-		
1.4	1	5		-	23.93	-		
1.4	3	0		-	23.92	-		
1.4	3	1		-	23.85	-		
1.4	3	3		-	23.85	-		
1.4	6	0		-	23.08	-		
1.4	1	0	64-QAM	-	23.25	-	20.32	0.1076
1.4	1	3		-	23.05	-		
1.4	1	5		-	23.16	-		
1.4	3	0		-	23.20	-		
1.4	3	1		-	23.05	-		
1.4	3	3		-	23.14	-		
1.4	6	0		-	22.30	-		
1.4	1	0	256-QAM	-	20.28	-	17.35	0.0543
1.4	1	3		-	20.16	-		
1.4	1	5		-	20.15	-		
1.4	3	0		-	20.16	-		
1.4	3	1		-	20.16	-		
1.4	3	3		-	20.14	-		
1.4	6	0		-	20.06	-		
Limit	ERP < 7W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	25.24	25.38	25.31	24.72	0.2965
20	1	49		25.16	25.33	25.27		
20	1	99		25.26	25.30	25.26		
20	50	0		24.32	24.42	24.23		
20	50	24		24.25	24.38	24.20		
20	50	50		24.31	24.34	24.20		
20	100	0		24.36	24.50	24.33		
20	1	0	16-QAM	24.47	24.51	24.49	23.96	0.2489
20	1	49		24.47	24.62	24.50		
20	1	99		24.32	24.45	24.38		
20	50	0		23.17	23.37	23.33		
20	50	24		23.17	23.26	23.13		
20	50	50		23.20	23.33	23.31		
20	100	0		23.26	23.32	23.14		
20	1	0	64-QAM	23.38	23.43	23.31	22.78	0.1897
20	1	49		23.26	23.44	23.38		
20	1	99		23.22	23.37	23.17		
20	50	0		22.23	22.37	22.37		
20	50	24		22.29	22.39	22.21		
20	50	50		22.22	22.34	22.19		
20	100	0		22.26	22.32	22.29		
20	1	0	256-QAM	20.33	20.46	20.31	19.80	0.0955
20	1	49		20.37	20.43	20.36		
20	1	99		20.26	20.38	20.28		
20	50	0		20.35	20.38	20.33		
20	50	24		20.26	20.44	20.35		
20	50	50		20.20	20.35	20.35		
20	100	0		20.21	20.36	20.23		
Limit	EIRP < 2W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	25.14	25.19	25.15	24.53	0.2838
15	1	37		25.02	25.17	25.09		
15	1	74		25.11	25.10	25.10		
15	36	0		24.16	24.24	24.05		
15	36	20		24.15	24.19	24.06		
15	36	39		24.11	24.17	24.09		
15	75	0		24.22	24.31	24.23		
15	1	0	16-QAM	24.37	24.41	24.36	23.83	0.2415
15	1	37		24.34	24.49	24.39		
15	1	74		24.16	24.26	24.28		
15	36	0		23.02	23.26	23.13		
15	36	20		23.07	23.06	22.98		
15	36	39		23.05	23.18	23.16		
15	75	0		23.14	23.19	22.95		
15	1	0	64-QAM	23.19	23.29	23.13	22.66	0.1845
15	1	37		23.07	23.32	23.27		
15	1	74		23.04	23.25	23.06		
15	36	0		22.03	22.26	22.27		
15	36	20		22.12	22.25	22.01		
15	36	39		22.03	22.17	22.08		
15	75	0		22.12	22.21	22.15		
15	1	0	256-QAM	20.18	20.32	20.13	19.66	0.0925
15	1	37		20.25	20.30	20.16		
15	1	74		20.14	20.22	20.10		
15	36	0		20.15	20.21	20.15		
15	36	20		20.11	20.24	20.23		
15	36	39		20.05	20.23	20.19		
15	75	0		20.10	20.20	20.10		
Limit	EIRP < 2W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	25.12	25.25	25.14	24.59	0.2877
10	1	25		25.04	25.13	25.13		
10	1	49		25.15	25.11	25.16		
10	25	0		24.22	24.32	24.05		
10	25	12		24.14	24.20	24.05		
10	25	25		24.12	24.23	24.09		
10	50	0		24.16	24.31	24.19		
10	1	0	16-QAM	24.32	24.34	24.38	23.81	0.2404
10	1	25		24.37	24.47	24.38		
10	1	49		24.15	24.32	24.24		
10	25	0		23.03	23.26	23.17		
10	25	12		23.07	23.10	22.94		
10	25	25		23.07	23.22	23.15		
10	50	0		23.12	23.17	23.01		
10	1	0	64-QAM	23.25	23.30	23.17	22.65	0.1841
10	1	25		23.14	23.31	23.28		
10	1	49		23.11	23.23	23.04		
10	25	0		22.06	22.17	22.17		
10	25	12		22.10	22.23	22.04		
10	25	25		22.02	22.24	22.00		
10	50	0		22.14	22.19	22.17		
10	1	0	256-QAM	20.21	20.30	20.21	19.67	0.0927
10	1	25		20.25	20.33	20.25		
10	1	49		20.07	20.18	20.18		
10	25	0		20.18	20.24	20.17		
10	25	12		20.14	20.25	20.19		
10	25	25		20.00	20.19	20.24		
10	50	0		20.10	20.23	20.09		
Limit	EIRP < 2W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	25.11	25.18	25.18	24.52	0.2831
5	1	12		24.99	25.17	25.17		
5	1	24		25.09	25.15	25.09		
5	12	0		24.13	24.28	24.13		
5	12	7		24.06	24.27	24.00		
5	12	13		24.21	24.24	24.00		
5	25	0		24.23	24.33	24.16		
5	1	0	16-QAM	24.37	24.40	24.38	23.83	0.2415
5	1	12		24.31	24.49	24.38		
5	1	24		24.22	24.32	24.24		
5	12	0		23.02	23.24	23.21		
5	12	7		22.99	23.10	23.03		
5	12	13		23.10	23.23	23.11		
5	25	0		23.15	23.20	22.94		
5	1	0	64-QAM	23.20	23.30	23.11	22.67	0.1849
5	1	12		23.15	23.33	23.18		
5	1	24		23.11	23.27	23.00		
5	12	0		22.05	22.19	22.23		
5	12	7		22.13	22.19	22.09		
5	12	13		22.04	22.19	22.08		
5	25	0		22.12	22.21	22.18		
5	1	0	256-QAM	20.13	20.32	20.15	19.66	0.0925
5	1	12		20.19	20.24	20.25		
5	1	24		20.08	20.28	20.15		
5	12	0		20.19	20.26	20.23		
5	12	7		20.07	20.26	20.21		
5	12	13		20.01	20.21	20.25		
5	25	0		20.03	20.22	20.12		
Limit	EIRP < 2W			Result			Pass	



LTE Band 38 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	24.57	24.47	24.64	23.98	0.2500
20	1	49		24.54	24.37	24.47		
20	1	99		24.45	24.20	24.25		
20	50	0		22.84	22.79	22.85		
20	50	24		22.63	22.54	22.69		
20	50	50		22.71	22.57	22.75		
20	100	0		22.87	22.80	22.85		
20	1	0	16-QAM	22.63	23.31	23.19	22.94	0.1968
20	1	49		22.62	23.31	23.47		
20	1	99		23.49	23.37	23.60		
20	50	0		21.83	21.79	21.85		
20	50	24		21.59	21.50	21.61		
20	50	50		21.68	21.57	21.78		
20	100	0		21.82	21.83	21.84		
20	1	0	64-QAM	22.50	22.18	22.19	21.86	0.1535
20	1	49		22.46	22.25	22.46		
20	1	99		22.43	22.44	22.52		
20	50	0		21.65	21.41	21.40		
20	50	24		21.66	21.41	21.61		
20	50	50		21.61	21.50	21.55		
20	100	0		21.53	21.46	21.54		
20	1	0	256-QAM	18.74	18.56	18.62	18.36	0.0685
20	1	49		18.65	18.67	18.91		
20	1	99		18.56	18.72	19.00		
20	50	0		18.81	18.65	18.78		
20	50	24		18.76	18.61	18.88		
20	50	50		18.63	18.60	19.02		
20	100	0		18.74	18.58	18.94		
Limit	EIRP < 2W			Result			Pass	



LTE Band 38 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	24.42	24.28	24.45	23.79	0.2393
15	1	37		24.39	24.21	24.30		
15	1	74		24.28	24.08	24.12		
15	36	0		22.67	22.66	22.69		
15	36	20		22.51	22.37	22.49		
15	36	39		22.55	22.46	22.62		
15	75	0		22.77	22.65	22.75		
15	1	0	16-QAM	22.48	23.17	23.07	22.84	0.1923
15	1	37		22.48	23.18	23.32		
15	1	74		23.34	23.18	23.50		
15	36	0		21.70	21.60	21.65		
15	36	20		21.40	21.39	21.47		
15	36	39		21.51	21.43	21.59		
15	75	0		21.72	21.73	21.70		
15	1	0	64-QAM	22.39	22.00	22.08	21.73	0.1489
15	1	37		22.26	22.10	22.32		
15	1	74		22.30	22.30	22.32		
15	36	0		21.45	21.27	21.20		
15	36	20		21.55	21.27	21.43		
15	36	39		21.42	21.36	21.39		
15	75	0		21.36	21.26	21.37		
15	1	0	256-QAM	18.58	18.43	18.44	18.26	0.0670
15	1	37		18.47	18.56	18.77		
15	1	74		18.41	18.55	18.80		
15	36	0		18.70	18.54	18.59		
15	36	20		18.64	18.47	18.76		
15	36	39		18.43	18.45	18.92		
15	75	0		18.62	18.44	18.75		
Limit	EIRP < 2W			Result			Pass	



LTE Band 38 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	24.43	24.33	24.52	23.86	0.2432
10	1	25		24.35	24.19	24.33		
10	1	49		24.28	24.06	24.15		
10	25	0		22.70	22.59	22.67		
10	25	12		22.52	22.42	22.52		
10	25	25		22.61	22.40	22.61		
10	50	0		22.70	22.61	22.67		
10	1	0	16-QAM	22.44	23.15	23.08	22.81	0.1910
10	1	25		22.44	23.18	23.28		
10	1	49		23.34	23.22	23.47		
10	25	0		21.69	21.61	21.69		
10	25	12		21.47	21.36	21.48		
10	25	25		21.48	21.45	21.59		
10	50	0		21.68	21.66	21.66		
10	1	0	64-QAM	22.38	22.06	22.07	21.72	0.1486
10	1	25		22.26	22.07	22.32		
10	1	49		22.24	22.33	22.38		
10	25	0		21.47	21.27	21.22		
10	25	12		21.52	21.30	21.47		
10	25	25		21.45	21.36	21.45		
10	50	0		21.40	21.28	21.37		
10	1	0	256-QAM	18.62	18.38	18.42	18.21	0.0662
10	1	25		18.49	18.57	18.75		
10	1	49		18.43	18.53	18.84		
10	25	0		18.66	18.55	18.61		
10	25	12		18.61	18.49	18.73		
10	25	25		18.51	18.48	18.87		
10	50	0		18.55	18.43	18.82		
Limit	EIRP < 2W			Result			Pass	



LTE Band 38 Maximum Average Power [dBm] (GT - LC = -0.66 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	24.44	24.31	24.50	23.84	0.2421
5	1	12		24.44	24.18	24.35		
5	1	24		24.31	24.09	24.14		
5	12	0		22.74	22.66	22.68		
5	12	7		22.44	22.37	22.53		
5	12	13		22.61	22.42	22.59		
5	25	0		22.72	22.60	22.71		
5	1	0	16-QAM	22.46	23.13	23.08	22.76	0.1888
5	1	12		22.42	23.14	23.31		
5	1	24		23.39	23.18	23.42		
5	12	0		21.70	21.68	21.67		
5	12	7		21.44	21.32	21.47		
5	12	13		21.56	21.44	21.68		
5	25	0		21.66	21.69	21.70		
5	1	0	64-QAM	22.33	22.06	22.07	21.72	0.1486
5	1	12		22.26	22.15	22.32		
5	1	24		22.30	22.33	22.38		
5	12	0		21.46	21.24	21.20		
5	12	7		21.56	21.28	21.46		
5	12	13		21.44	21.30	21.42		
5	25	0		21.40	21.34	21.37		
5	1	0	256-QAM	18.57	18.41	18.50	18.20	0.0661
5	1	12		18.55	18.51	18.78		
5	1	24		18.41	18.56	18.86		
5	12	0		18.71	18.46	18.63		
5	12	7		18.60	18.47	18.71		
5	12	13		18.49	18.43	18.83		
5	25	0		18.59	18.48	18.82		
Limit	EIRP < 2W			Result			Pass	



LTE Band 41 Maximum Average Power [dBm] (GT - LC = -0.16 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	24.41	24.76	24.54	24.60	0.2884
20	1	49		24.38	24.64	24.54		
20	1	99		24.27	24.63	24.61		
20	50	0		23.50	23.77	23.54		
20	50	24		23.49	23.69	23.57		
20	50	50		23.53	23.70	23.62		
20	100	0		23.49	23.69	23.53		
20	1	0	16-QAM	23.24	23.72	23.39	23.56	0.2270
20	1	49		23.32	23.67	23.40		
20	1	99		23.41	23.67	23.50		
20	50	0		22.45	22.72	22.52		
20	50	24		22.42	22.62	22.54		
20	50	50		22.43	22.69	22.53		
20	100	0		22.44	22.70	22.48		
20	1	0	64-QAM	22.24	22.65	22.26	22.58	0.1811
20	1	49		22.37	22.73	22.38		
20	1	99		22.39	22.74	22.44		
20	50	0		21.51	21.59	21.47		
20	50	24		21.49	21.64	21.58		
20	50	50		21.47	21.56	21.52		
20	100	0		21.50	21.78	21.59		
20	1	0	256-QAM	18.43	19.07	18.95	19.07	0.0807
20	1	49		18.51	19.03	18.68		
20	1	99		18.49	19.23	18.39		
20	50	0		18.52	19.12	18.81		
20	50	24		18.51	19.11	18.69		
20	50	50		18.46	19.19	18.48		
20	100	0		18.45	19.13	18.65		
Limit	EIRP < 2W			Result			Pass	



LTE Band 41 Maximum Average Power [dBm] (GT - LC = -0.16 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	24.31	24.64	24.42	24.48	0.2805
15	1	37		24.23	24.45	24.35		
15	1	74		24.06	24.53	24.44		
15	36	0		23.30	23.56	23.36		
15	36	20		23.39	23.48	23.36		
15	36	39		23.34	23.51	23.48		
15	75	0		23.32	23.57	23.38		
15	1	0	16-QAM	23.11	23.61	23.25	23.45	0.2213
15	1	37		23.12	23.53	23.27		
15	1	74		23.20	23.54	23.37		
15	36	0		22.33	22.59	22.35		
15	36	20		22.29	22.44	22.42		
15	36	39		22.26	22.55	22.39		
15	75	0		22.33	22.58	22.38		
15	1	0	64-QAM	22.11	22.44	22.14	22.46	0.1762
15	1	37		22.19	22.52	22.22		
15	1	74		22.29	22.62	22.32		
15	36	0		21.32	21.40	21.34		
15	36	20		21.29	21.47	21.47		
15	36	39		21.31	21.35	21.36		
15	75	0		21.30	21.67	21.40		
15	1	0	256-QAM	18.23	18.88	18.75	18.91	0.0778
15	1	37		18.30	18.82	18.54		
15	1	74		18.29	19.07	18.26		
15	36	0		18.40	18.98	18.71		
15	36	20		18.39	18.90	18.54		
15	36	39		18.29	19.05	18.28		
15	75	0		18.32	18.99	18.47		
Limit	EIRP < 2W			Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 41 Maximum Average Power [dBm] (GT - LC = -0.16 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	24.27	24.63	24.34	24.47	0.2799
10	1	25		24.25	24.54	24.34		
10	1	49		24.16	24.46	24.47		
10	25	0		23.33	23.57	23.40		
10	25	12		23.38	23.49	23.47		
10	25	25		23.33	23.56	23.42		
10	50	0		23.36	23.56	23.43		
10	1	0	16-QAM	23.08	23.51	23.29	23.35	0.2163
10	1	25		23.11	23.46	23.26		
10	1	49		23.29	23.48	23.30		
10	25	0		22.30	22.52	22.39		
10	25	12		22.25	22.44	22.34		
10	25	25		22.22	22.54	22.38		
10	50	0		22.33	22.54	22.34		
10	1	0	64-QAM	22.11	22.47	22.14	22.47	0.1766
10	1	25		22.23	22.57	22.27		
10	1	49		22.26	22.63	22.33		
10	25	0		21.30	21.48	21.36		
10	25	12		21.32	21.53	21.39		
10	25	25		21.31	21.42	21.33		
10	50	0		21.38	21.60	21.44		
10	1	0	256-QAM	18.23	18.90	18.76	18.95	0.0785
10	1	25		18.38	18.84	18.48		
10	1	49		18.28	19.11	18.20		
10	25	0		18.33	19.02	18.63		
10	25	12		18.37	19.00	18.54		
10	25	25		18.26	19.07	18.30		
10	50	0		18.34	18.98	18.52		
Limit	EIRP < 2W			Result			Pass	



LTE Band 41 Maximum Average Power [dBm] (GT - LC = -0.16 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	24.28	24.58	24.43	24.42	0.2767
5	1	12		24.18	24.44	24.39		
5	1	24		24.15	24.47	24.44		
5	12	0		23.34	23.63	23.43		
5	12	7		23.35	23.59	23.36		
5	12	13		23.32	23.49	23.41		
5	25	0		23.35	23.57	23.33		
5	1	0	16-QAM	23.07	23.56	23.22	23.40	0.2188
5	1	12		23.22	23.46	23.22		
5	1	24		23.30	23.53	23.29		
5	12	0		22.24	22.53	22.41		
5	12	7		22.28	22.49	22.44		
5	12	13		22.25	22.57	22.40		
5	25	0		22.32	22.58	22.28		
5	1	0	64-QAM	22.11	22.53	22.14	22.43	0.1750
5	1	12		22.22	22.56	22.22		
5	1	24		22.29	22.59	22.28		
5	12	0		21.40	21.46	21.29		
5	12	7		21.37	21.49	21.42		
5	12	13		21.31	21.35	21.38		
5	25	0		21.33	21.61	21.49		
5	1	0	256-QAM	18.31	18.96	18.74	18.89	0.0774
5	1	12		18.35	18.91	18.55		
5	1	24		18.35	19.05	18.19		
5	12	0		18.31	19.01	18.67		
5	12	7		18.33	19.00	18.58		
5	12	13		18.28	19.01	18.35		
5	25	0		18.28	19.03	18.44		
Limit	EIRP < 2W			Result			Pass	



Part 27Q LTE Band 42 Maximum Average Power [dBm] (GT - LC = -1.32 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	24.52	24.53	24.50	23.21	0.2094
20	1	49		24.51	24.50	24.46		
20	1	99		24.45	24.38	24.34		
20	50	0		23.53	23.59	23.55		
20	50	24		23.58	23.58	23.54		
20	50	50		23.52	23.44	23.47		
20	100	0		23.51	23.53	23.52		
20	1	0	16-QAM	23.54	23.52	23.45	22.31	0.1702
20	1	49		23.61	23.63	23.55		
20	1	99		23.45	23.46	23.32		
20	50	0		22.58	22.59	22.56		
20	50	24		22.58	22.58	22.56		
20	50	50		22.57	22.46	22.52		
20	100	0		22.55	22.48	22.53		
20	1	0	64-QAM	22.52	22.52	22.53	21.23	0.1327
20	1	49		22.51	22.55	22.45		
20	1	99		22.43	22.38	22.26		
20	50	0		21.58	21.59	21.58		
20	50	24		21.60	21.58	21.58		
20	50	50		21.55	21.47	21.53		
20	100	0		21.56	21.49	21.53		
20	1	0	256-QAM	19.83	19.78	19.87	18.55	0.0716
20	1	49		19.55	19.74	19.55		
20	1	99		19.65	19.85	19.66		
20	50	0		19.68	19.81	19.67		
20	50	24		19.82	19.86	19.85		
20	50	50		19.79	19.87	19.77		
20	100	0		19.75	19.84	19.64		
Limit	EIRP < 1W			Result			Pass	



Part 27Q LTE Band 42 Maximum Average Power [dBm] (GT - LC = -1.32 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	24.37	24.33	24.46	23.14	0.2061
15	1	37		24.41	24.40	24.37		
15	1	74		24.26	24.23	24.21		
15	36	0		23.43	23.55	23.46		
15	36	20		23.52	23.48	23.53		
15	36	39		23.45	23.26	23.36		
15	75	0		23.34	23.52	23.44		
15	1	0	16-QAM	23.47	23.43	23.40	22.29	0.1694
15	1	37		23.56	23.61	23.46		
15	1	74		23.40	23.26	23.14		
15	36	0		22.44	22.42	22.56		
15	36	20		22.41	22.55	22.42		
15	36	39		22.48	22.33	22.40		
15	75	0		22.53	22.40	22.38		
15	1	0	64-QAM	22.34	22.41	22.47	21.23	0.1327
15	1	37		22.34	22.55	22.45		
15	1	74		22.36	22.38	22.07		
15	36	0		21.49	21.55	21.45		
15	36	20		21.45	21.54	21.39		
15	36	39		21.49	21.36	21.50		
15	75	0		21.51	21.43	21.53		
15	1	0	256-QAM	19.79	19.76	19.83	18.54	0.0714
15	1	37		19.39	19.73	19.38		
15	1	74		19.52	19.71	19.54		
15	36	0		19.48	19.71	19.49		
15	36	20		19.65	19.77	19.72		
15	36	39		19.69	19.86	19.75		
15	75	0		19.72	19.70	19.46		
Limit	EIRP < 1W			Result			Pass	



Part 27Q LTE Band 42 Maximum Average Power [dBm] (GT - LC = -1.32 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	24.45	24.43	24.31	23.13	0.2056
10	1	25		24.35	24.30	24.34		
10	1	49		24.43	24.26	24.22		
10	25	0		23.53	23.53	23.49		
10	25	12		23.38	23.47	23.37		
10	25	25		23.51	23.34	23.44		
10	50	0		23.34	23.44	23.41		
10	1	0	16-QAM	23.40	23.38	23.35	22.27	0.1687
10	1	25		23.59	23.54	23.39		
10	1	49		23.28	23.31	23.18		
10	25	0		22.54	22.48	22.44		
10	25	12		22.43	22.42	22.41		
10	25	25		22.37	22.26	22.34		
10	50	0		22.53	22.40	22.44		
10	1	0	64-QAM	22.38	22.45	22.38	21.17	0.1309
10	1	25		22.32	22.49	22.38		
10	1	49		22.42	22.35	22.06		
10	25	0		21.54	21.55	21.44		
10	25	12		21.58	21.42	21.46		
10	25	25		21.38	21.32	21.43		
10	50	0		21.55	21.36	21.45		
10	1	0	256-QAM	19.63	19.58	19.75	18.50	0.0708
10	1	25		19.53	19.55	19.50		
10	1	49		19.48	19.66	19.55		
10	25	0		19.62	19.64	19.56		
10	25	12		19.70	19.76	19.72		
10	25	25		19.66	19.82	19.63		
10	50	0		19.64	19.64	19.61		
Limit	EIRP < 1W			Result			Pass	



Part 27Q LTE Band 42 Maximum Average Power [dBm] (GT - LC = -1.32 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	24.48	24.42	24.37	23.16	0.2070
5	1	12		24.40	24.33	24.37		
5	1	24		24.29	24.23	24.23		
5	12	0		23.41	23.40	23.43		
5	12	7		23.44	23.53	23.49		
5	12	13		23.49	23.35	23.45		
5	25	0		23.37	23.36	23.35		
5	1	0	16-QAM	23.50	23.34	23.45	22.26	0.1683
5	1	12		23.42	23.58	23.46		
5	1	24		23.43	23.43	23.21		
5	12	0		22.51	22.52	22.45		
5	12	7		22.52	22.46	22.56		
5	12	13		22.45	22.29	22.34		
5	25	0		22.55	22.42	22.51		
5	1	0	64-QAM	22.49	22.49	22.46	21.20	0.1318
5	1	12		22.51	22.52	22.39		
5	1	24		22.34	22.23	22.06		
5	12	0		21.52	21.45	21.44		
5	12	7		21.44	21.53	21.47		
5	12	13		21.42	21.35	21.37		
5	25	0		21.38	21.34	21.41		
5	1	0	256-QAM	19.76	19.76	19.83	18.52	0.0711
5	1	12		19.36	19.72	19.43		
5	1	24		19.53	19.73	19.64		
5	12	0		19.63	19.80	19.49		
5	12	7		19.81	19.82	19.75		
5	12	13		19.64	19.67	19.64		
5	25	0		19.55	19.84	19.47		
Limit	EIRP < 1W			Result			Pass	



Part 270 LTE Band 43 Maximum Average Power [dBm] (GT - LC = -1.04 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	24.10	23.96	23.70	23.06	0.2023
20	1	49		24.00	23.84	23.53		
20	1	99		23.83	23.59	23.29		
20	50	0		23.03	22.90	22.60		
20	50	24		23.02	22.93	22.53		
20	50	50		22.93	22.79	22.50		
20	100	0		23.01	22.86	22.51		
20	1	0	16-QAM	23.06	22.99	22.68	22.02	0.1592
20	1	49		22.99	22.90	22.55		
20	1	99		22.87	22.64	22.33		
20	50	0		22.01	21.91	21.60		
20	50	24		22.06	21.93	21.53		
20	50	50		21.96	21.81	21.49		
20	100	0		22.01	21.90	21.53		
20	1	0	64-QAM	21.98	21.94	21.71	20.99	0.1256
20	1	49		22.03	21.84	21.51		
20	1	99		21.77	21.60	21.22		
20	50	0		21.05	20.89	20.59		
20	50	24		21.08	20.92	20.53		
20	50	50		20.98	20.81	20.50		
20	100	0		21.03	20.91	20.50		
20	1	0	256-QAM	19.26	19.36	19.23	18.48	0.0705
20	1	49		19.36	19.43	19.39		
20	1	99		19.33	19.48	19.31		
20	50	0		19.38	19.41	19.41		
20	50	24		19.32	19.47	19.39		
20	50	50		19.36	19.52	19.42		
20	100	0		19.37	19.44	19.42		
Limit	EIRP < 1W			Result			Pass	



Part 270 LTE Band 43 Maximum Average Power [dBm] (GT - LC = -1.04 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	23.96	23.92	23.70	22.92	0.1959
15	1	37		23.84	23.75	23.52		
15	1	74		23.63	23.58	23.11		
15	36	0		22.89	22.81	22.44		
15	36	20		22.86	22.74	22.42		
15	36	39		22.79	22.63	22.36		
15	75	0		22.89	22.78	22.48		
15	1	0	16-QAM	22.94	22.91	22.48	21.9	0.1549
15	1	37		22.80	22.76	22.40		
15	1	74		22.77	22.48	22.19		
15	36	0		21.94	21.88	21.55		
15	36	20		22.03	21.84	21.41		
15	36	39		21.83	21.79	21.45		
15	75	0		21.81	21.83	21.45		
15	1	0	64-QAM	21.85	21.76	21.70	20.86	0.1219
15	1	37		21.90	21.74	21.48		
15	1	74		21.77	21.60	21.17		
15	36	0		20.88	20.86	20.40		
15	36	20		20.97	20.74	20.49		
15	36	39		20.80	20.65	20.36		
15	75	0		20.90	20.75	20.36		
15	1	0	256-QAM	19.09	19.18	19.08	18.4	0.0692
15	1	37		19.18	19.29	19.25		
15	1	74		19.28	19.31	19.21		
15	36	0		19.21	19.25	19.24		
15	36	20		19.24	19.29	19.24		
15	36	39		19.30	19.44	19.39		
15	75	0		19.32	19.26	19.26		
Limit	EIRP < 1W			Result			Pass	



Part 270 LTE Band 43 Maximum Average Power [dBm] (GT - LC = -1.04 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	23.97	23.80	23.59	22.93	0.1963
10	1	25		23.97	23.65	23.38		
10	1	49		23.81	23.42	23.21		
10	25	0		22.97	22.87	22.52		
10	25	12		23.00	22.91	22.52		
10	25	25		22.80	22.76	22.33		
10	50	0		22.96	22.86	22.44		
10	1	0	16-QAM	22.98	22.88	22.56	21.94	0.1563
10	1	25		22.96	22.88	22.37		
10	1	49		22.86	22.58	22.21		
10	25	0		21.88	21.81	21.56		
10	25	12		21.89	21.89	21.35		
10	25	25		21.88	21.67	21.42		
10	50	0		21.99	21.75	21.49		
10	1	0	64-QAM	21.78	21.74	21.63	20.87	0.1222
10	1	25		21.91	21.65	21.45		
10	1	49		21.70	21.41	21.02		
10	25	0		20.91	20.73	20.44		
10	25	12		21.06	20.74	20.43		
10	25	25		20.89	20.79	20.49		
10	50	0		20.93	20.78	20.38		
10	1	0	256-QAM	19.19	19.31	19.23	18.34	0.0682
10	1	25		19.33	19.24	19.29		
10	1	49		19.14	19.34	19.16		
10	25	0		19.31	19.31	19.38		
10	25	12		19.30	19.28	19.32		
10	25	25		19.28	19.36	19.23		
10	50	0		19.25	19.28	19.38		
Limit	EIRP < 1W			Result			Pass	



Part 270 LTE Band 43 Maximum Average Power [dBm] (GT - LC = -1.04 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	24.03	23.94	23.55	22.99	0.1991
5	1	12		23.92	23.71	23.34		
5	1	24		23.63	23.52	23.11		
5	12	0		22.88	22.70	22.53		
5	12	7		22.92	22.85	22.43		
5	12	13		22.84	22.69	22.47		
5	25	0		22.95	22.80	22.42		
5	1	0	16-QAM	22.88	22.91	22.54	21.87	0.1538
5	1	12		22.83	22.81	22.47		
5	1	24		22.71	22.62	22.18		
5	12	0		21.82	21.78	21.59		
5	12	7		21.96	21.76	21.50		
5	12	13		21.88	21.66	21.30		
5	25	0		21.88	21.86	21.46		
5	1	0	64-QAM	21.96	21.79	21.62	20.94	0.1242
5	1	12		21.98	21.72	21.39		
5	1	24		21.70	21.50	21.10		
5	12	0		20.85	20.70	20.41		
5	12	7		20.97	20.75	20.38		
5	12	13		20.96	20.67	20.32		
5	25	0		20.97	20.73	20.32		
5	1	0	256-QAM	19.16	19.36	19.08	18.37	0.0687
5	1	12		19.32	19.37	19.38		
5	1	24		19.27	19.32	19.11		
5	12	0		19.27	19.26	19.38		
5	12	7		19.18	19.41	19.22		
5	12	13		19.17	19.40	19.25		
5	25	0		19.33	19.37	19.29		
Limit	EIRP < 1W			Result			Pass	



LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = -0.02 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	100	0	100	0	QPSK	23.51	23.22	23.13	25.53	0.3573
20+20	1	0	1	99		17.01	16.86	16.62		
20+20	1	99	1	0		25.10	25.55	25.07		
20+20	100	0	100	0	16-QAM	22.34	22.20	22.11	24.73	0.2972
20+20	1	0	1	99		17.21	17.03	16.99		
20+20	1	99	1	0		24.75	24.35	24.60		
20+20	100	0	100	0	64-QAM	22.40	22.19	22.18	23.59	0.2286
20+20	1	0	1	99		16.96	16.85	16.81		
20+20	1	99	1	0		23.41	23.61	23.33		
20+20	100	0	100	0	256-QAM	20.36	20.22	20.08	20.34	0.1081
20+20	1	0	1	99		16.94	16.81	16.68		
20+20	1	99	1	0		20.29	20.07	20.20		
20+15	100	0	75	0	QPSK	23.39	23.17	23.17	25.35	0.3428
20+15	1	0	1	74		16.93	16.79	16.69		
20+15	1	74	1	0		25.37	24.77	24.87		
20+15	100	0	75	0	16-QAM	22.37	22.18	22.19	24.54	0.2844
20+15	1	0	1	74		17.26	17.07	16.99		
20+15	1	74	1	0		24.56	24.21	24.31		
20+15	100	0	75	0	64-QAM	22.28	22.24	22.15	23.69	0.2339
20+15	1	0	1	74		16.94	16.91	16.84		
20+15	1	74	1	0		23.33	23.71	23.34		
20+15	100	0	75	0	256-QAM	20.00	20.20	20.13	20.28	0.1067
20+15	1	0	1	74		16.82	16.84	16.77		
20+15	1	74	1	0		20.30	20.16	20.21		
15+20	75	0	100	0	QPSK	23.43	23.23	23.15	24.85	0.3055
15+20	1	0	1	99		16.89	16.78	16.70		
15+20	1	74	1	0		24.70	24.87	24.82		
15+20	75	0	100	0	16-QAM	22.37	22.25	22.17	24.74	0.2979
15+20	1	0	1	99		17.17	17.00	16.95		
15+20	1	74	1	0		24.72	24.76	24.54		
15+20	75	0	100	0	64-QAM	22.25	22.26	22.13	23.62	0.2301
15+20	1	0	1	99		17.11	16.96	16.76		
15+20	1	74	1	0		22.70	23.64	23.55		
15+20	75	0	100	0	256-QAM	20.07	20.29	20.39	20.37	0.1089
15+20	1	0	1	99		17.05	16.78	16.76		
15+20	1	74	1	0		20.35	20.22	20.21		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = -0.02 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	100	0	50	0	QPSK	23.48	23.20	23.21	25.48	0.3532
20+10	1	0	1	49		17.11	16.81	16.62		
20+10	1	99	1	0		25.42	24.79	25.50		
20+10	100	0	50	0	16-QAM	22.42	22.23	22.15	24.79	0.3013
20+10	1	0	1	49		17.25	17.11	17.01		
20+10	1	99	1	0		24.64	24.81	24.62		
20+10	100	0	50	0	64-QAM	22.42	22.20	22.13	23.46	0.2218
20+10	1	0	1	49		17.10	16.97	16.82		
20+10	1	99	1	0		23.39	23.48	23.44		
20+10	100	0	50	0	256-QAM	20.30	20.16	20.11	20.39	0.1094
20+10	1	0	1	49		17.05	16.73	16.68		
20+10	1	99	1	0		20.41	20.41	20.28		
10+20	50	0	100	0	QPSK	23.47	23.27	23.13	25.47	0.3524
10+20	1	0	1	99		17.04	16.78	16.60		
10+20	1	49	1	0		24.92	25.49	24.78		
10+20	50	0	100	0	16-QAM	22.45	22.25	22.17	24.62	0.2897
10+20	1	0	1	99		17.20	17.07	16.91		
10+20	1	49	1	0		24.35	24.25	24.64		
10+20	50	0	100	0	64-QAM	21.81	22.28	22.15	23.67	0.2328
10+20	1	0	1	99		17.08	17.05	16.73		
10+20	1	49	1	0		21.79	23.22	23.69		
10+20	50	0	100	0	256-QAM	20.83	20.29	20.22	20.81	0.1205
10+20	1	0	1	99		17.06	16.86	16.67		
10+20	1	49	1	0		20.18	20.31	20.16		
20+5	100	0	25	0	QPSK	23.35	23.15	23.13	25.14	0.3266
20+5	1	0	1	24		16.97	16.78	16.61		
20+5	1	99	1	0		25.01	25.16	24.97		
20+5	100	0	25	0	16-QAM	22.89	22.15	22.11	25.15	0.3273
20+5	1	0	1	24		17.27	16.94	16.91		
20+5	1	99	1	0		24.96	24.62	25.17		
20+5	100	0	25	0	64-QAM	22.44	22.20	22.16	24.07	0.2553
20+5	1	0	1	24		17.12	16.89	16.74		
20+5	1	99	1	0		23.52	23.19	24.09		
20+5	100	0	25	0	256-QAM	20.14	20.11	20.13	20.54	0.1132
20+5	1	0	1	24		17.02	16.75	16.62		
20+5	1	99	1	0		20.33	20.27	20.56		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG4O2225B

LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = -0.02 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+20	25	0	100	0	QPSK	22.85	23.21	23.10	25.18	0.3296
5+20	1	0	1	99		16.99	16.78	16.62		
5+20	1	24	1	0		25.00	25.20	25.15		
5+20	25	0	100	0	16-QAM	22.50	22.28	22.14	24.53	0.2838
5+20	1	0	1	99		17.29	17.00	16.91		
5+20	1	24	1	0		24.45	24.55	24.27		
5+20	25	0	100	0	64-QAM	21.84	21.94	22.25	23.77	0.2382
5+20	1	0	1	99		17.05	16.93	16.72		
5+20	1	24	1	0		21.83	23.79	23.41		
5+20	25	0	100	0	256-QAM	20.43	20.04	20.08	20.49	0.1119
5+20	1	0	1	99		16.94	16.84	16.73		
5+20	1	24	1	0		20.51	20.32	20.09		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = -0.02 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	75	0	50	0	QPSK	23.39	23.17	23.19	25.29	0.3381
15+10	1	0	1	49		17.00	16.76	16.59		
15+10	1	74	1	0		25.31	24.69	25.05		
15+10	75	0	50	0	16-QAM	22.41	22.19	22.24	24.71	0.2958
15+10	1	0	1	49		17.31	17.01	16.77		
15+10	1	74	1	0		24.73	24.20	24.30		
15+10	75	0	50	0	64-QAM	22.16	22.16	22.10	23.67	0.2328
15+10	1	0	1	49		17.04	16.88	16.63		
15+10	1	74	1	0		22.95	23.69	23.64		
15+10	75	0	50	0	256-QAM	20.13	20.15	20.13	21.02	0.1265
15+10	1	0	1	49		17.03	16.82	16.73		
15+10	1	74	1	0		21.04	20.16	20.22		
10+15	50	0	75	0	QPSK	23.45	23.22	23.13	25.15	0.3273
10+15	1	0	1	74		17.03	16.78	16.62		
10+15	1	49	1	0		24.97	24.62	25.17		
10+15	50	0	75	0	16-QAM	22.47	22.23	22.53	24.51	0.2825
10+15	1	0	1	74		17.10	17.10	16.95		
10+15	1	49	1	0		24.36	24.19	24.53		
10+15	50	0	75	0	64-QAM	21.69	22.20	22.13	23.52	0.2249
10+15	1	0	1	74		17.18	16.88	16.67		
10+15	1	49	1	0		22.04	23.48	23.54		
10+15	50	0	75	0	256-QAM	20.58	19.69	20.14	20.56	0.1138
10+15	1	0	1	74		17.01	16.81	16.71		
10+15	1	49	1	0		20.30	20.23	20.10		
15+15	75	0	75	0	QPSK	23.42	23.19	23.08	25.04	0.3192
15+15	1	0	1	74		16.96	16.82	16.64		
15+15	1	74	1	0		25.06	24.69	24.90		
15+15	75	0	75	0	16-QAM	22.49	22.23	22.12	24.69	0.2944
15+15	1	0	1	74		17.24	17.14	16.84		
15+15	1	74	1	0		24.60	24.71	24.29		
15+15	75	0	75	0	64-QAM	22.06	22.22	22.11	23.66	0.2323
15+15	1	0	1	74		17.09	16.87	16.82		
15+15	1	74	1	0		22.73	23.63	23.68		
15+15	75	0	75	0	256-QAM	20.47	20.21	20.11	21.00	0.1259
15+15	1	0	1	74		17.01	16.79	16.60		
15+15	1	74	1	0		21.02	20.25	20.13		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 5B_CA Maximum Average Power [dBm] (GT - LC = -0.78 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+10	50	0	50	0	QPSK	22.29	22.26	22.19	21.03	0.1268
10+10	1	0	1	49		13.93	13.85	13.88		
10+10	1	49	1	0		23.96	23.81	23.86		
10+10	50	0	50	0	16-QAM	21.32	21.32	21.23	20.54	0.1132
10+10	1	0	1	49		14.32	14.26	14.19		
10+10	1	49	1	0		23.25	23.47	23.27		
10+10	50	0	50	0	64-QAM	21.34	21.29	21.22	19.43	0.0877
10+10	1	0	1	49		14.02	14.05	14.11		
10+10	1	49	1	0		22.28	22.36	22.36		
10+10	50	0	50	0	256-QAM	19.28	19.29	19.23	16.36	0.0433
10+10	1	0	1	49		14.10	14.07	13.99		
10+10	1	49	1	0		19.12	19.10	19.17		
10+5	50	0	25	0	QPSK	22.19	22.12	22.11	21.09	0.1285
10+5	1	0	1	24		14.36	14.24	14.16		
10+5	1	49	1	0		23.80	24.02	23.85		
10+5	50	0	25	0	16-QAM	21.26	21.19	21.13	20.41	0.1099
10+5	1	0	1	24		14.69	14.60	14.52		
10+5	1	49	1	0		23.34	23.27	23.23		
10+5	50	0	25	0	64-QAM	21.25	21.16	21.17	19.40	0.0871
10+5	1	0	1	24		14.62	14.47	14.33		
10+5	1	49	1	0		22.31	22.26	22.33		
10+5	50	0	25	0	256-QAM	19.20	19.16	19.14	16.31	0.0428
10+5	1	0	1	24		14.54	14.35	14.35		
10+5	1	49	1	0		19.24	19.10	19.24		
5+10	25	0	50	0	QPSK	22.37	22.23	22.12	21.29	0.1346
5+10	1	0	1	49		14.47	14.28	14.17		
5+10	1	24	1	0		24.22	24.04	23.88		
5+10	25	0	50	0	16-QAM	21.33	21.23	21.16	20.79	0.1199
5+10	1	0	1	49		14.69	14.63	14.55		
5+10	1	24	1	0		23.72	23.46	23.30		
5+10	25	0	50	0	64-QAM	21.37	21.26	21.13	19.60	0.0912
5+10	1	0	1	49		14.56	14.53	14.25		
5+10	1	24	1	0		22.53	22.39	22.38		
5+10	25	0	50	0	256-QAM	19.32	19.26	19.10	16.44	0.0441
5+10	1	0	1	49		14.51	14.44	14.21		
5+10	1	24	1	0		19.37	19.17	19.06		
Limit	ERP < 7W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG4O2225B

LTE Band 5B_CA Maximum Average Power [dBm] (GT - LC = -0.78 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+3	25	0	15	0	QPSK	24.48	24.29	24.15	22.24	0.1675
5+3	1	0	1	14		14.63	14.36	14.38		
5+3	1	24	1	0		25.14	25.17	24.18		
5+3	25	0	15	0	16-QAM	24.47	24.33	24.28	21.81	0.1517
5+3	1	0	1	14		14.86	14.69	14.66		
5+3	1	24	1	0		24.74	24.44	24.58		
5+3	25	0	15	0	64-QAM	24.50	24.35	24.30	22.13	0.1633
5+3	1	0	1	14		14.77	14.56	14.58		
5+3	1	24	1	0		25.06	24.40	24.72		
5+3	25	0	15	0	256-QAM	24.44	24.26	24.31	21.86	0.1535
5+3	1	0	1	14		14.77	14.56	14.51		
5+3	1	24	1	0		24.76	24.01	24.79		
3+5	15	0	25	0	QPSK	24.52	24.39	24.33	22.23	0.1671
3+5	1	0	1	24		14.57	14.37	14.37		
3+5	1	14	1	0		25.16	24.44	24.56		
3+5	15	0	25	0	16-QAM	24.54	24.38	24.39	22.47	0.1766
3+5	1	0	1	24		14.92	14.73	14.72		
3+5	1	14	1	0		25.40	24.72	25.10		
3+5	15	0	25	0	64-QAM	24.61	24.32	24.35	22.21	0.1663
3+5	1	0	1	24		14.87	14.58	14.55		
3+5	1	14	1	0		25.14	24.93	24.93		
3+5	15	0	25	0	256-QAM	24.52	24.35	24.31	22.27	0.1687
3+5	1	0	1	24		14.80	14.53	14.57		
3+5	1	14	1	0		24.42	25.20	24.89		
Limit	ERP < 7W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 66B_CA Maximum Average Power [dBm] (GT - LC = -0.08 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+10	50	0	50	0	QPSK	23.13	22.87	22.81	24.98	0.3148
10+10	1	0	1	49		14.51	14.28	14.21		
10+10	1	49	1	0		25.06	24.61	24.62		
10+10	50	0	50	0	16-QAM	22.04	21.89	21.77	24.20	0.2630
10+10	1	0	1	49		14.74	14.60	14.50		
10+10	1	49	1	0		24.26	24.28	24.12		
10+10	50	0	50	0	64-QAM	22.07	21.93	21.78	23.29	0.2133
10+10	1	0	1	49		14.73	14.48	14.38		
10+10	1	49	1	0		23.37	22.94	23.21		
10+10	50	0	50	0	256-QAM	20.08	19.88	19.78	20.05	0.1012
10+10	1	0	1	49		14.65	14.49	14.52		
10+10	1	49	1	0		20.13	19.86	19.82		
15+5	75	0	25	0	QPSK	23.06	22.83	22.74	25.12	0.3251
15+5	1	0	1	24		14.53	14.33	14.25		
15+5	1	74	1	0		25.20	24.65	24.87		
15+5	75	0	25	0	16-QAM	22.05	21.80	21.70	24.13	0.2588
15+5	1	0	1	24		14.73	14.56	14.50		
15+5	1	74	1	0		24.21	24.11	23.75		
15+5	75	0	25	0	64-QAM	21.99	21.79	21.73	23.20	0.2089
15+5	1	0	1	24		14.69	14.55	14.43		
15+5	1	74	1	0		23.28	23.07	22.80		
15+5	75	0	25	0	256-QAM	20.01	19.81	19.79	20.03	0.1007
15+5	1	0	1	24		14.63	14.44	14.36		
15+5	1	74	1	0		20.11	19.96	19.86		
5+15	25	0	75	0	QPSK	23.12	22.85	22.75	25.05	0.3199
5+15	1	0	1	74		14.55	14.33	14.24		
5+15	1	24	1	0		25.13	24.85	24.69		
5+15	25	0	75	0	16-QAM	22.05	21.87	21.83	24.07	0.2553
5+15	1	0	1	74		14.68	14.61	14.56		
5+15	1	24	1	0		24.15	24.09	24.02		
5+15	25	0	75	0	64-QAM	21.99	21.88	21.74	23.31	0.2143
5+15	1	0	1	74		14.73	14.45	14.45		
5+15	1	24	1	0		23.39	23.27	23.03		
5+15	25	0	75	0	256-QAM	20.06	19.89	19.73	20.10	0.1023
5+15	1	0	1	74		14.71	14.44	14.37		
5+15	1	24	1	0		20.18	20.02	19.94		
Limit	EIRP < 1W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 66B_CA Maximum Average Power [dBm] (GT - LC = -0.08 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+5	50	0	25	0	QPSK	23.03	22.82	22.68	24.60	0.2884
10+5	1	0	1	24		14.96	14.79	14.67		
10+5	1	49	1	0		24.68	24.61	24.43		
10+5	50	0	25	0	16-QAM	22.04	21.86	21.74	24.10	0.2570
10+5	1	0	1	24		15.20	15.09	14.97		
10+5	1	49	1	0		24.07	24.08	24.18		
10+5	50	0	25	0	64-QAM	22.02	21.81	21.69	23.28	0.2128
10+5	1	0	1	24		15.29	15.10	14.97		
10+5	1	49	1	0		23.36	23.11	23.02		
10+5	50	0	25	0	256-QAM	20.00	19.84	19.74	19.94	0.0986
10+5	1	0	1	24		15.27	14.87	14.93		
10+5	1	49	1	0		20.02	19.78	19.80		
5+10	25	0	50	0	QPSK	23.03	22.82	22.73	24.96	0.3133
5+10	1	0	1	49		14.99	14.77	14.72		
5+10	1	24	1	0		25.04	24.68	24.67		
5+10	25	0	50	0	16-QAM	22.05	21.87	21.76	24.44	0.2780
5+10	1	0	1	49		15.32	15.15	15.05		
5+10	1	24	1	0		24.52	24.13	24.16		
5+10	25	0	50	0	64-QAM	22.04	21.84	21.72	23.60	0.2291
5+10	1	0	1	49		15.22	14.98	14.95		
5+10	1	24	1	0		23.68	23.24	23.21		
5+10	25	0	50	0	256-QAM	20.08	19.90	19.74	20.05	0.1012
5+10	1	0	1	49		15.25	14.95	14.90		
5+10	1	24	1	0		20.13	19.92	19.95		
5+5	25	0	25	0	QPSK	23.21	23.00	22.83	25.14	0.3266
5+5	1	0	1	24		15.06	14.87	14.72		
5+5	1	24	1	0		25.22	24.75	24.62		
5+5	25	0	25	0	16-QAM	22.23	21.99	21.85	24.56	0.2858
5+5	1	0	1	24		15.42	15.22	15.19		
5+5	1	24	1	0		24.64	24.36	24.27		
5+5	25	0	25	0	64-QAM	22.18	21.98	21.85	23.80	0.2399
5+5	1	0	1	24		15.35	15.16	15.00		
5+5	1	24	1	0		23.88	23.29	23.33		
5+5	25	0	25	0	256-QAM	20.11	19.99	19.85	20.08	0.1019
5+5	1	0	1	24		15.20	15.07	14.97		
5+5	1	24	1	0		20.16	20.13	19.94		
Limit	EIRP < 1W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = -0.08 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	100	0	100	0	QPSK	23.09	22.94	22.87	25.03	0.3184
20+20	1	0	1	99		16.46	16.29	16.44		
20+20	1	99	1	0		24.85	24.51	25.11		
20+20	100	0	100	0	16-QAM	22.08	21.94	21.87	24.31	0.2698
20+20	1	0	1	99		16.84	16.71	16.54		
20+20	1	99	1	0		24.39	24.12	24.18		
20+20	100	0	100	0	64-QAM	22.01	21.92	21.87	23.45	0.2213
20+20	1	0	1	99		16.99	16.73	16.77		
20+20	1	99	1	0		23.53	23.27	23.29		
20+20	100	0	100	0	256-QAM	20.05	19.93	19.86	19.98	0.0995
20+20	1	0	1	99		16.46	16.79	16.34		
20+20	1	99	1	0		20.06	19.83	19.97		
20+15	100	0	75	0	QPSK	23.07	22.88	22.82	25.26	0.3357
20+15	1	0	1	74		16.55	16.52	16.41		
20+15	1	74	1	0		25.34	24.87	24.74		
20+15	100	0	75	0	16-QAM	22.05	21.90	21.82	24.22	0.2642
20+15	1	0	1	74		17.09	16.71	16.64		
20+15	1	74	1	0		24.21	24.30	24.00		
20+15	100	0	75	0	64-QAM	22.12	21.94	21.91	23.17	0.2075
20+15	1	0	1	74		16.97	16.96	16.66		
20+15	1	74	1	0		23.25	23.08	23.21		
20+15	100	0	75	0	256-QAM	20.04	19.88	19.85	20.00	0.1000
20+15	1	0	1	74		16.65	16.84	16.45		
20+15	1	74	1	0		20.08	19.87	20.01		
15+20	75	0	100	0	QPSK	23.06	22.92	22.88	25.17	0.3289
15+20	1	0	1	99		16.60	16.42	16.28		
15+20	1	74	1	0		25.25	25.00	24.49		
15+20	75	0	100	0	16-QAM	22.12	21.97	21.89	24.25	0.2661
15+20	1	0	1	99		16.76	16.74	16.62		
15+20	1	74	1	0		24.33	24.17	24.07		
15+20	75	0	100	0	64-QAM	22.09	21.96	21.87	23.49	0.2234
15+20	1	0	1	99		17.03	16.65	16.71		
15+20	1	74	1	0		23.57	23.25	23.26		
15+20	75	0	100	0	256-QAM	20.07	19.96	19.87	20.04	0.1009
15+20	1	0	1	99		16.63	16.43	16.54		
15+20	1	74	1	0		20.12	19.84	19.82		
Limit	EIRP < 1W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = -0.08 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	100	0	50	0	QPSK	23.10	22.91	22.91	24.96	0.3133
20+10	1	0	1	49		16.63	16.58	16.51		
20+10	1	99	1	0		25.04	24.63	24.95		
20+10	100	0	50	0	16-QAM	22.06	21.96	21.84	24.12	0.2582
20+10	1	0	1	49		16.85	16.69	16.66		
20+10	1	99	1	0		24.10	24.11	24.20		
20+10	100	0	50	0	64-QAM	22.09	21.92	21.89	23.37	0.2173
20+10	1	0	1	49		17.00	17.09	16.77		
20+10	1	99	1	0		23.45	23.06	23.24		
20+10	100	0	50	0	256-QAM	20.10	19.89	19.85	20.04	0.1009
20+10	1	0	1	49		16.74	16.49	16.40		
20+10	1	99	1	0		20.12	19.90	19.81		
10+20	50	0	100	0	QPSK	23.10	22.98	22.91	25.05	0.3199
10+20	1	0	1	99		16.49	16.52	16.55		
10+20	1	49	1	0		25.00	25.13	24.78		
10+20	50	0	100	0	16-QAM	22.13	21.99	21.92	24.37	0.2735
10+20	1	0	1	99		17.02	16.88	16.66		
10+20	1	49	1	0		24.45	24.14	24.02		
10+20	50	0	100	0	64-QAM	22.07	21.98	21.93	23.57	0.2275
10+20	1	0	1	99		16.95	16.95	16.56		
10+20	1	49	1	0		23.58	23.65	23.21		
10+20	50	0	100	0	256-QAM	20.12	19.99	19.91	20.12	0.1028
10+20	1	0	1	99		16.99	16.70	17.13		
10+20	1	49	1	0		20.20	20.05	19.93		
20+5	100	0	25	0	QPSK	23.02	22.95	22.78	24.72	0.2965
20+5	1	0	1	24		16.51	16.55	16.28		
20+5	1	99	1	0		24.76	24.80	24.43		
20+5	100	0	25	0	16-QAM	22.07	21.91	21.77	24.24	0.2655
20+5	1	0	1	24		17.02	16.68	16.63		
20+5	1	99	1	0		24.32	24.12	24.17		
20+5	100	0	25	0	64-QAM	22.09	21.91	21.78	23.56	0.2270
20+5	1	0	1	24		17.05	16.63	16.97		
20+5	1	99	1	0		23.64	23.24	23.27		
20+5	100	0	25	0	256-QAM	20.05	19.86	19.76	20.26	0.1062
20+5	1	0	1	24		16.54	16.72	16.28		
20+5	1	99	1	0		20.34	19.90	20.01		
Limit	EIRP < 1W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG4O2225B

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = -0.08 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+20	25	0	100	0	QPSK	23.08	22.95	22.81	24.66	0.2924
5+20	1	0	1	99		16.46	16.50	16.23		
5+20	1	24	1	0		24.67	24.74	24.57		
5+20	25	0	100	0	16-QAM	22.08	21.94	21.83	24.48	0.2805
5+20	1	0	1	99		16.96	16.66	16.68		
5+20	1	24	1	0		24.56	24.35	24.49		
5+20	25	0	100	0	64-QAM	22.12	21.94	21.83	23.62	0.2301
5+20	1	0	1	99		17.29	16.72	16.71		
5+20	1	24	1	0		23.70	23.13	23.16		
5+20	25	0	100	0	256-QAM	20.08	19.93	19.80	20.03	0.1007
5+20	1	0	1	99		16.66	16.87	16.43		
5+20	1	24	1	0		20.03	20.11	19.90		
Limit	EIRP < 1W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = -0.08 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	75	0	50	0	QPSK	23.06	22.91	22.81	25.30	0.3388
15+10	1	0	1	49		16.69	16.17	16.43		
15+10	1	74	1	0		25.38	25.12	24.96		
15+10	75	0	50	0	16-QAM	22.13	21.90	21.86	24.37	0.2735
15+10	1	0	1	49		16.87	17.01	16.69		
15+10	1	74	1	0		24.45	24.01	23.78		
15+10	75	0	50	0	64-QAM	22.09	21.96	21.81	23.66	0.2323
15+10	1	0	1	49		17.10	16.90	16.62		
15+10	1	74	1	0		23.74	23.49	23.15		
15+10	75	0	50	0	256-QAM	20.08	19.94	19.83	20.10	0.1023
15+10	1	0	1	49		16.96	16.84	16.24		
15+10	1	74	1	0		20.18	19.90	19.81		
10+15	50	0	75	0	QPSK	23.05	22.89	22.82	24.73	0.2972
10+15	1	0	1	74		16.52	16.37	16.45		
10+15	1	49	1	0		24.55	24.66	24.81		
10+15	50	0	75	0	16-QAM	22.13	21.95	21.85	24.48	0.2805
10+15	1	0	1	74		17.16	16.91	16.66		
10+15	1	49	1	0		24.56	24.29	23.97		
10+15	50	0	75	0	64-QAM	22.09	21.95	21.84	23.35	0.2163
10+15	1	0	1	74		17.12	16.70	16.62		
10+15	1	49	1	0		23.43	23.07	23.06		
10+15	50	0	75	0	256-QAM	20.07	19.94	19.81	20.15	0.1035
10+15	1	0	1	74		16.76	16.82	17.22		
10+15	1	49	1	0		20.23	19.94	19.79		
15+15	75	0	75	0	QPSK	23.17	22.84	22.81	25.13	0.3258
15+15	1	0	1	74		16.59	16.35	16.29		
15+15	1	74	1	0		25.21	24.49	24.50		
15+15	75	0	75	0	16-QAM	22.08	21.93	21.82	24.03	0.2529
15+15	1	0	1	74		16.89	16.75	16.80		
15+15	1	74	1	0		24.05	24.11	24.08		
15+15	75	0	75	0	64-QAM	22.12	21.90	21.88	23.90	0.2455
15+15	1	0	1	74		17.08	16.59	16.66		
15+15	1	74	1	0		23.98	23.42	23.14		
15+15	75	0	75	0	256-QAM	20.06	19.91	19.88	20.08	0.1019
15+15	1	0	1	74		16.67	16.93	16.54		
15+15	1	74	1	0		20.16	19.88	19.84		
Limit	EIRP < 1W					Result			Pass	



LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = -0.66 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	100	0	100	0	QPSK	23.46	23.59	23.65	24.69	0.2944
20+20	1	0	1	99		16.86	16.96	17.09		
20+20	1	99	1	0		25.30	25.31	25.35		
20+20	100	0	100	0	16-QAM	22.42	22.55	22.60	24.15	0.2600
20+20	1	0	1	99		16.93	17.23	17.37		
20+20	1	99	1	0		24.81	24.77	24.77		
20+20	100	0	100	0	64-QAM	22.51	22.53	22.62	23.22	0.2099
20+20	1	0	1	99		16.87	16.95	17.05		
20+20	1	99	1	0		23.88	23.72	23.76		
20+20	100	0	100	0	256-QAM	20.46	20.52	20.64	20.26	0.1062
20+20	1	0	1	99		16.94	16.92	17.12		
20+20	1	99	1	0		20.45	20.92	20.80		
20+15	100	0	75	0	QPSK	23.43	23.69	23.63	24.75	0.2985
20+15	1	0	1	74		16.98	17.03	17.15		
20+15	1	99	1	0		25.30	25.41	25.31		
20+15	100	0	75	0	16-QAM	22.47	22.57	22.60	24.19	0.2624
20+15	1	0	1	74		17.19	17.23	17.31		
20+15	1	99	1	0		24.60	24.67	24.85		
20+15	100	0	75	0	64-QAM	22.45	22.57	22.68	23.19	0.2084
20+15	1	0	1	74		17.30	16.86	17.15		
20+15	1	99	1	0		23.61	23.85	23.85		
20+15	100	0	75	0	256-QAM	20.44	20.56	20.60	20.07	0.1016
20+15	1	0	1	74		16.86	16.78	17.09		
20+15	1	99	1	0		20.50	20.73	20.65		
15+20	75	0	100	0	QPSK	23.46	23.60	23.63	24.75	0.2985
15+20	1	0	1	99		16.74	17.04	17.10		
15+20	1	74	1	0		25.18	25.35	25.41		
15+20	75	0	100	0	16-QAM	22.42	22.59	22.60	24.38	0.2742
15+20	1	0	1	99		17.09	17.19	17.18		
15+20	1	74	1	0		24.58	24.82	25.04		
15+20	75	0	100	0	64-QAM	22.41	22.57	22.63	23.47	0.2223
15+20	1	0	1	99		16.87	17.00	17.08		
15+20	1	74	1	0		23.19	24.13	23.84		
15+20	75	0	100	0	256-QAM	20.41	20.54	20.63	19.99	0.0998
15+20	1	0	1	99		16.75	16.94	17.08		
15+20	1	74	1	0		20.50	20.45	20.65		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = -0.66 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	100	0	50	0	QPSK	23.49	23.62	23.60	24.69	0.2944
20+10	1	0	1	49		16.82	17.06	17.27		
20+10	1	99	1	0		25.17	25.33	25.35		
20+10	100	0	50	0	16-QAM	22.50	22.60	22.63	24.86	0.3062
20+10	1	0	1	49		17.14	17.27	17.38		
20+10	1	99	1	0		24.62	25.52	25.40		
20+10	100	0	50	0	64-QAM	22.44	22.60	22.65	23.27	0.2123
20+10	1	0	1	49		16.95	17.12	17.13		
20+10	1	99	1	0		23.76	23.93	23.62		
20+10	100	0	50	0	256-QAM	20.41	20.55	20.61	20.02	0.1005
20+10	1	0	1	49		16.89	16.93	17.19		
20+10	1	99	1	0		20.63	20.64	20.68		
10+20	50	0	100	0	QPSK	23.47	23.64	23.67	24.74	0.2979
10+20	1	0	1	99		16.76	17.14	17.08		
10+20	1	49	1	0		25.23	25.34	25.40		
10+20	50	0	100	0	16-QAM	22.45	22.64	22.66	24.42	0.2767
10+20	1	0	1	99		17.18	17.15	17.53		
10+20	1	49	1	0		24.70	24.93	25.08		
10+20	50	0	100	0	64-QAM	22.45	22.63	22.68	23.23	0.2104
10+20	1	0	1	99		16.93	17.16	17.35		
10+20	1	49	1	0		23.89	23.89	23.80		
10+20	50	0	100	0	256-QAM	20.43	20.61	20.71	20.05	0.1012
10+20	1	0	1	99		16.82	17.08	17.15		
10+20	1	49	1	0		20.36	20.61	20.65		
15+15	75	0	75	0	QPSK	23.40	23.57	23.65	24.63	0.2904
15+15	1	0	1	74		16.87	17.02	17.02		
15+15	1	74	1	0		25.16	25.29	25.24		
15+15	75	0	75	0	16-QAM	22.38	22.61	22.59	24.26	0.2667
15+15	1	0	1	74		17.00	17.14	17.53		
15+15	1	74	1	0		24.65	24.76	24.92		
15+15	75	0	75	0	64-QAM	22.40	22.56	22.61	23.10	0.2042
15+15	1	0	1	74		16.87	17.15	17.17		
15+15	1	74	1	0		23.74	23.76	23.71		
15+15	75	0	75	0	256-QAM	20.46	20.58	20.57	19.96	0.0991
15+15	1	0	1	74		16.67	16.85	17.09		
15+15	1	74	1	0		20.47	20.55	20.62		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG4O2225B

LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = -0.66 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	75	0	50	0	QPSK	23.46	23.64	23.66	24.66	0.2924
15+10	1	0	1	49		16.87	17.03	17.17		
15+10	1	74	1	0		25.01	25.32	25.32		
15+10	75	0	50	0	16-QAM	22.46	22.60	22.60	24.54	0.2844
15+10	1	0	1	49		17.09	17.17	17.47		
15+10	1	74	1	0		24.67	24.86	25.20		
15+10	75	0	50	0	64-QAM	22.47	22.64	22.57	23.56	0.2270
15+10	1	0	1	49		17.06	16.96	17.12		
15+10	1	74	1	0		23.60	24.22	23.53		
15+10	75	0	50	0	256-QAM	20.47	20.61	20.62	19.99	0.0998
15+10	1	0	1	49		16.75	17.06	17.05		
15+10	1	74	1	0		20.54	20.65	20.59		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG4O2225B

LTE Band 38C_CA Maximum Average Power [dBm] (GT - LC = -0.66 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	100	0	100	0	QPSK	22.65	22.65	22.69	23.73	0.2360
20+20	1	0	1	99		16.24	16.26	16.25		
20+20	1	99	1	0		24.30	24.26	24.39		
20+20	100	0	100	0	16-QAM	21.68	21.67	21.69	23.36	0.2168
20+20	1	0	1	99		16.56	16.58	16.59		
20+20	1	99	1	0		23.93	23.94	24.02		
20+20	100	0	100	0	64-QAM	21.59	21.65	21.68	22.50	0.1778
20+20	1	0	1	99		16.43	16.41	16.38		
20+20	1	99	1	0		23.00	23.05	23.16		
20+20	100	0	100	0	256-QAM	19.69	19.69	19.77	19.12	0.0817
20+20	1	0	1	99		15.89	16.61	16.36		
20+20	1	99	1	0		19.78	19.69	19.70		
15+15	75	0	75	0	QPSK	22.62	22.61	22.71	23.82	0.2410
15+15	1	0	1	74		16.17	16.22	16.24		
15+15	1	74	1	0		24.26	24.23	24.48		
15+15	75	0	75	0	16-QAM	21.64	21.60	21.73	23.39	0.2183
15+15	1	0	1	74		16.50	16.56	16.60		
15+15	1	74	1	0		23.88	23.86	24.05		
15+15	75	0	75	0	64-QAM	21.60	21.59	21.70	22.45	0.1758
15+15	1	0	1	74		16.44	16.46	16.44		
15+15	1	74	1	0		23.05	23.01	23.11		
15+15	75	0	75	0	256-QAM	19.70	19.64	19.77	19.19	0.0830
15+15	1	0	1	74		16.47	16.24	16.75		
15+15	1	74	1	0		19.54	19.50	19.85		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 41C_CA Maximum Average Power [dBm] (GT - LC = -0.16 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	100	0	100	0	QPSK	22.00	22.59	22.82	24.28	0.2679
20+20	1	0	1	99		15.47	16.05	16.36		
20+20	1	99	1	0		23.85	24.44	24.40		
20+20	100	0	100	0	16-QAM	21.03	21.63	21.85	23.88	0.2443
20+20	1	0	1	99		15.81	16.39	16.76		
20+20	1	99	1	0		23.38	24.04	23.99		
20+20	100	0	100	0	64-QAM	21.00	21.60	21.82	22.95	0.1972
20+20	1	0	1	99		15.70	16.25	16.66		
20+20	1	99	1	0		22.39	22.95	23.11		
20+20	100	0	100	0	256-QAM	19.03	19.61	19.87	19.73	0.0940
20+20	1	0	1	99		15.52	16.10	16.38		
20+20	1	99	1	0		19.10	19.80	19.89		
20+15	100	0	75	0	QPSK	22.02	22.62	22.74	24.33	0.2710
20+15	1	0	1	74		15.49	16.07	16.35		
20+15	1	99	1	0		23.89	24.49	24.30		
20+15	100	0	75	0	16-QAM	21.06	21.66	21.77	23.90	0.2455
20+15	1	0	1	74		15.81	16.44	16.75		
20+15	1	99	1	0		23.39	24.06	23.83		
20+15	100	0	75	0	64-QAM	20.98	21.63	21.74	22.86	0.1932
20+15	1	0	1	74		15.74	16.27	16.66		
20+15	1	99	1	0		22.35	23.02	22.92		
20+15	100	0	75	0	256-QAM	19.05	19.68	19.77	19.78	0.0951
20+15	1	0	1	74		15.47	16.04	16.46		
20+15	1	99	1	0		19.03	19.94	19.76		
15+20	75	0	100	0	QPSK	22.03	22.61	22.78	24.24	0.2655
15+20	1	0	1	99		15.44	16.02	16.34		
15+20	1	74	1	0		23.85	24.40	24.33		
15+20	75	0	100	0	16-QAM	21.04	21.59	21.81	23.78	0.2388
15+20	1	0	1	99		15.85	16.44	16.73		
15+20	1	74	1	0		23.31	23.93	23.94		
15+20	75	0	100	0	64-QAM	21.00	21.58	21.77	22.84	0.1923
15+20	1	0	1	99		15.70	16.17	16.67		
15+20	1	74	1	0		22.24	22.99	23.00		
15+20	75	0	100	0	256-QAM	19.04	19.67	19.86	19.71	0.0935
15+20	1	0	1	99		15.49	15.93	16.44		
15+20	1	74	1	0		18.95	19.87	19.79		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG402225B

LTE Band 41C_CA Maximum Average Power [dBm] (GT - LC = -0.16 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	100	0	50	0	QPSK	21.99	22.66	22.60	24.36	0.2729
20+10	1	0	1	49		15.46	16.15	16.37		
20+10	1	99	1	0		23.84	24.52	24.18		
20+10	100	0	50	0	16-QAM	21.01	21.67	21.61	23.88	0.2443
20+10	1	0	1	49		15.83	16.48	16.81		
20+10	1	99	1	0		23.32	24.04	23.85		
20+10	100	0	50	0	64-QAM	20.97	21.64	21.66	22.92	0.1959
20+10	1	0	1	49		15.70	16.34	16.62		
20+10	1	99	1	0		22.34	23.08	22.80		
20+10	100	0	50	0	256-QAM	19.02	19.69	19.66	19.81	0.0957
20+10	1	0	1	49		15.51	16.10	16.41		
20+10	1	99	1	0		19.02	19.97	19.62		
10+20	50	0	100	0	QPSK	21.98	22.57	22.72	24.22	0.2642
10+20	1	0	1	99		15.50	16.11	16.32		
10+20	1	49	1	0		23.80	24.38	24.37		
10+20	50	0	100	0	16-QAM	20.98	21.60	21.73	23.80	0.2399
10+20	1	0	1	99		15.81	16.49	16.66		
10+20	1	49	1	0		23.27	23.96	23.94		
10+20	50	0	100	0	64-QAM	20.98	21.59	21.73	22.90	0.1950
10+20	1	0	1	99		15.67	16.38	16.59		
10+20	1	49	1	0		22.36	22.97	23.06		
10+20	50	0	100	0	256-QAM	18.99	19.65	19.77	19.64	0.0920
10+20	1	0	1	99		15.54	16.06	16.48		
10+20	1	49	1	0		18.92	19.76	19.80		
20+5	100	0	25	0	QPSK	21.91	22.61	22.42	24.31	0.2698
20+5	1	0	1	24		15.38	16.09	16.14		
20+5	1	99	1	0		23.78	24.47	24.01		
20+5	100	0	25	0	16-QAM	20.93	21.60	21.45	23.89	0.2449
20+5	1	0	1	24		15.79	16.44	16.54		
20+5	1	99	1	0		23.29	24.05	23.64		
20+5	100	0	25	0	64-QAM	20.90	21.59	21.45	22.90	0.1950
20+5	1	0	1	24		15.61	16.39	16.37		
20+5	1	99	1	0		22.31	23.06	22.58		
20+5	100	0	25	0	256-QAM	18.91	19.67	19.45	19.51	0.0893
20+5	1	0	1	24		15.46	16.09	16.25		
20+5	1	99	1	0		19.11	19.67	19.51		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG4O2225B

LTE Band 41C_CA Maximum Average Power [dBm] (GT - LC = -0.16 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+20	25	0	100	0	QPSK	21.87	22.49	22.57	24.19	0.2624
5+20	1	0	1	99		15.36	15.99	16.08		
5+20	1	24	1	0		23.72	24.31	24.35		
5+20	25	0	100	0	16-QAM	20.89	21.51	21.60	23.74	0.2366
5+20	1	0	1	99		15.74	16.32	16.48		
5+20	1	24	1	0		23.15	23.80	23.90		
5+20	25	0	100	0	64-QAM	20.87	21.46	21.57	22.86	0.1932
5+20	1	0	1	99		15.56	16.21	16.38		
5+20	1	24	1	0		22.26	22.89	23.02		
5+20	25	0	100	0	256-QAM	18.91	19.51	19.61	19.70	0.0933
5+20	1	0	1	99		15.36	15.97	16.18		
5+20	1	24	1	0		18.87	19.86	19.68		
15+10	75	0	50	0	QPSK	21.97	22.61	22.53	24.27	0.2673
15+10	1	0	1	49		15.45	16.10	16.21		
15+10	1	74	1	0		23.80	24.43	24.09		
15+10	75	0	50	0	16-QAM	20.95	21.64	21.52	23.80	0.2399
15+10	1	0	1	49		15.77	16.47	16.52		
15+10	1	74	1	0		23.31	23.96	23.68		
15+10	75	0	50	0	64-QAM	20.93	21.60	21.57	22.84	0.1923
15+10	1	0	1	49		15.60	16.46	16.42		
15+10	1	74	1	0		22.26	23.00	22.73		
15+10	75	0	50	0	256-QAM	19.00	19.65	19.56	19.61	0.0914
15+10	1	0	1	49		15.38	16.14	16.19		
15+10	1	74	1	0		18.99	19.77	19.55		
10+15	50	0	75	0	QPSK	21.92	22.58	22.56	24.20	0.2630
10+15	1	0	1	74		15.46	16.07	16.22		
10+15	1	49	1	0		23.76	24.36	24.19		
10+15	50	0	75	0	16-QAM	20.96	21.55	21.59	23.78	0.2388
10+15	1	0	1	74		15.80	16.43	16.56		
10+15	1	49	1	0		23.30	23.94	23.82		
10+15	50	0	75	0	64-QAM	20.92	21.57	21.59	22.79	0.1901
10+15	1	0	1	74		15.62	16.28	16.44		
10+15	1	49	1	0		22.28	22.95	22.77		
10+15	50	0	75	0	256-QAM	18.96	19.62	19.61	19.66	0.0925
10+15	1	0	1	74		15.53	16.00	16.19		
10+15	1	49	1	0		18.86	19.69	19.82		
Limit	EIRP < 2W					Result			Pass	



FCC RADIO TEST REPORT

Report No. : FG4O2225B


LTE Band 41C_CA Maximum Average Power [dBm] (GT - LC = -0.16 dB)										
15+15	75	0	75	0	QPSK	22.01	22.60	22.69	24.28	0.2679
15+15	1	0	1	74		15.50	16.06	16.35		
15+15	1	74	1	0		23.83	24.44	24.24		
15+15	75	0	75	0	16-QAM	21.01	21.61	21.69	23.84	0.2421
15+15	1	0	1	74		15.90	16.39	16.60		
15+15	1	74	1	0		23.37	24.00	23.83		
15+15	75	0	75	0	64-QAM	20.98	21.58	21.68	22.91	0.1954
15+15	1	0	1	74		15.70	16.37	16.62		
15+15	1	74	1	0		22.30	23.07	22.90		
15+15	75	0	75	0	256-QAM	19.01	19.64	19.75	19.63	0.0918
15+15	1	0	1	74		15.97	16.02	16.35		
15+15	1	74	1	0		19.01	19.51	19.79		
Limit	EIRP < 2W					Result			Pass	



LTE Band 2







Peak-to-Average Ratio

Mode	LTE Band 2 / 20MHz				
Mod.	QPSK	16QAM	64QAM	256QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.70	5.71	5.80	6.38	PASS



**26dB Bandwidth**


Mode	LTE Band 2 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.29	1.38	3.03	3.09	4.99	5.04	9.94	9.81	14.56	14.62	19.22	19.06
Mode	LTE Band 2 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	1.33	1.32	3.08	3.03	5.03	5.00	9.97	9.84	14.41	14.20	19.38	19.38

LTE Band 2
Middle Channel / 1.4MHz / QPSK

Middle Channel / 1.4MHz / 16QAM

Middle Channel / 3MHz / QPSK

Middle Channel / 3MHz / 16QAM

Middle Channel / 5MHz / QPSK

Middle Channel / 5MHz / 16QAM





LTE Band 2


Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM




Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK




Middle Channel / 20MHz / 16QAM






LTE Band 2


Middle Channel / 1.4MHz / 64QAM




Middle Channel / 3MHz / 64QAM




Middle Channel / 5MHz / 64QAM




Middle Channel / 10MHz / 64QAM



Middle Channel / 15MHz / 64QAM




Middle Channel / 20MHz / 64QAM






LTE Band 2


Middle Channel / 1.4MHz / 256QAM




Middle Channel / 3MHz / 256QAM




Middle Channel / 5MHz / 256QAM




Middle Channel / 10MHz / 256QAM



Middle Channel / 15MHz / 256QAM



Middle Channel / 20MHz / 256QAM




**Occupied Bandwidth**

Mode	LTE Band 2 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.09	1.10	2.72	2.73	4.49	4.51	9.07	9.08	13.45	13.40	17.86	17.85
Mode	LTE Band 2 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	1.09	1.09	2.71	2.72	4.49	4.50	9.05	9.02	13.42	13.45	17.85	17.89




LTE Band 2


Middle Channel / 1.4MHz / QPSK




Middle Channel / 1.4MHz / 16QAM




Middle Channel / 3MHz / QPSK




Middle Channel / 3MHz / 16QAM



Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM






LTE Band 2


Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM




Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK




Middle Channel / 20MHz / 16QAM






LTE Band 2


Middle Channel / 1.4MHz / 64QAM




Middle Channel / 3MHz / 64QAM




Middle Channel / 5MHz / 64QAM



Middle Channel / 10MHz / 64QAM



Middle Channel / 15MHz / 64QAM



Middle Channel / 20MHz / 64QAM

