



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
7	Horizontal	Vertical
Peak	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-11Y Condition : PEAK_74 3m 9120D_1522_230323 HORIZONTAL	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-11Y Condition : PEAK_74 3m 9120D_1522_230323 VERTICAL







BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
7	Horizontal	Vertical
14.47G ~14.5G Avg.	Graph showing Level (dBm/V/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBm/V/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBm/V/m. The blue line shows the measured signal level, which is relatively flat around 35 dBm/V/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBm/V/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBm/V/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBm/V/m. The blue line shows the measured signal level, which is relatively flat around 35 dBm/V/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL
	Graph showing Level (dBm/V/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBm/V/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBm/V/m. The blue line shows the measured signal level, which is relatively flat around 35 dBm/V/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBm/V/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBm/V/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBm/V/m. The blue line shows the measured signal level, which is relatively flat around 35 dBm/V/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL



<2Mbps>





2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH00 2402MHz	
6	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.100KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.100KHz SWT:Auto







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH00 2402MHz	
6	Vertical	Fundamental
Peak	Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto
Avg		

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - L	
6	Horizontal	Fundamental
Peak	 Site : 03CH16-HV Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HV Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH16-HV Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	 Site : 03CH16-HV Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto
Avg.		





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
6	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	Left blank



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - L	
6	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
6	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	Left blank



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH39 2480MHz	
6	Horizontal	Fundamental
Peak	Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH39 2480MHz	
6	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto



2.4GHz 2400~2483.5MHz

BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH00 2402MHz	
6	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522_230323 HORIZONTAL	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522_230323 VERTICAL







BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH00 2402MHz	
6	Horizontal	Vertical
14.47G ~14.5G Avg.	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL
	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH19 2440MHz	
6	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-12-22 Site : 03CH19-11Y Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL	Level (dBuV/m) Date: 2023-12-22 Site : 03CH19-11Y Condition : PEAK_74 3m 91200_1522_230323 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH19 2440MHz	
6	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL
	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
6	Horizontal	Vertical
Peak	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-11V Condition : PEAK_74 3m 9120D_1522_230323 HORIZONTAL :	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-11V Condition : PEAK_74 3m 9120D_1522_230323 VERTICAL :



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
6	Horizontal	Vertical
14.47G ~14.5G Avg.	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is relatively flat around 35 dBuV/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is relatively flat around 35 dBuV/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL
	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is relatively flat around 35 dBuV/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is relatively flat around 35 dBuV/m. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL





Emission above 18GHz

2.4GHz BLE (SHF @ 1m)

BLE	2.4GHz 2400~2483.5MHz	
ANT	BLE SHF	
6	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-12-19 Frequency (MHz) Site : 03CH16-HY Condition : PEAK_74 1m SHF_1223_230710 HORIZONTAL	Level (dBuV/m) Date: 2023-12-19 Frequency (MHz) Site : 03CH16-HY Condition : PEAK_74 1m SHF_1223_230710 VERTICAL





Emission below 1GHz
2.4GHz BLE (LF)

BLE	2.4GHz 2400~2483.5MHz	
ANT	BLE LF	
6	Horizontal	Vertical
QP / Peak	 Site : 03CH16-HY Condition : QP 3m BIL06_47020_231007_H HORIZONTAL	 Site : 03CH16-HY Condition : QP 3m BIL06_47020_231007_H VERTICAL







2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH00 2402MHz	
7	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL RBW:1000.000KHz VBW:5.100KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL RBW:1000.000KHz VBW:5.100KHz SWT:Auto





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH00 2402MHz	
7	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto
Avg		







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - L	
7	Horizontal	Fundamental
Peak	Site : 03CH16-HV Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH16-HV Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH16-HV Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	Site : 03CH16-HV Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto
Avg.		









BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
7	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	Left blank







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - L	
7	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
7	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	Left blank

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH39 2480MHz	
7	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto
Avg.		

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH39 2480MHz	
7	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH16-HY Condition : PEAK_74 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH16-HY Condition : AVG_BE_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto	 Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL : RBW:1000.000KHz VBW:5.000KHz SWT:Auto
Avg.		



2.4GHz 2400~2483.5MHz

BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH00 2402MHz	
7	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522_230323 HORIZONTAL	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522_230323 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH00 2402MHz	
7	Horizontal	Vertical
14.47G ~14.5G Avg.	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is consistently below the red line. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is consistently below the red line. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL
	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is consistently below the red line. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the AVG_54 level at approximately 52.5 dBuV/m. The blue line shows the measured signal level, which is consistently below the red line. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH19 2440MHz	
7	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-11Y Condition : PEAK_74 3m 91200_1522_230323 HORIZONTAL	Level (dBuV/m) Date: 2023-12-22 Site : 03CH16-11Y Condition : PEAK_74 3m 91200_1522_230323 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH19 2440MHz	
7	Horizontal	Vertical
14.47G ~14.5G Avg.	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL
	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
7	Horizontal	Vertical
Peak	Level (dBuV/m) Date: 2023-12-22 Site : 03CH39-11Y Condition : PEAK_74 3m 9120D_1522_230323 HORIZONTAL :	Level (dBuV/m) Date: 2023-12-22 Site : 03CH39-11Y Condition : PEAK_74 3m 9120D_1522_230323 VERTICAL :




BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
7	Horizontal	Vertical
14.47G ~14.5G Avg.	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL
	Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 HORIZONTAL	Graph showing Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot title is 'Date: 2023-12-22'. Site : 03CH16-HY Condition : AVG_54 3m 91200_1522_230323 VERTICAL



Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6	Bluetooth - LE for 1Mbps	62.18	388	2.58	2.7KHz
6	Bluetooth - LE for 2Mbps	32.37	202	4.95	5.1KHz
7	Bluetooth - LE for 1Mbps	61.98	388	2.58	2.7KHz
7	Bluetooth - LE for 2Mbps	32.37	202	4.95	5.1KHz

<Ant.6>



<Ant.7>

