





Plot on 6825 MHz




03:38:16 PM 01/13/2026

Plot on 6985 MHz



03:42:30 PM 01/13/2026

Plot on 6505 MHz



03:29:46 PM 01/13/2026




MIMO <Ant. 6+7(Ant7)>


EUT Mode

802.11ax HE20 FullIRU


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6415 MHz




Plot on 6435 MHz






Plot on 6475 MHz




02:48:14 PM 01/06/2026

Plot on 6515 MHz




02:51:35 PM 01/06/2026

Plot on 6535 MHz



02:54:55 PM 01/06/2026


Plot on 6695 MHz



02:58:26 PM 01/06/2026




Plot on 6875 MHz




03:02:39 PM 01/06/2026

Plot on 6895 MHz




03:06:12 PM 01/06/2026

Plot on 6995 MHz



03:09:20 PM 01/06/2026

Plot on 7115 MHz




02:52:18 PM 01/16/2026



EUT Mode


802.11ax HE40 FullRU

Plot on 5965 MHz




03:34:07 PM 01/12/2026

Plot on 6205 MHz




03:39:04 PM 01/12/2026

Plot on 6405 MHz



03:43:56 PM 01/12/2026


Plot on 6445 MHz



03:47:35 PM 01/12/2026




Plot on 6565 MHz




03:56:53 PM 01/12/2026

Plot on 6685 MHz




04:00:05 PM 01/12/2026

Plot on 6885 MHz



04:03:07 PM 01/12/2026


Plot on 6925 MHz




04:06:28 PM 01/12/2026




Plot on 7005 MHz



Plot on 7085 MHz



Plot on 6525 MHz






EUT Mode


802.11ax HE80 FullIRU

Plot on 5985 MHz




09:51:39 AM 01/13/2026

Plot on 6225 MHz




11:00:06 AM 01/13/2026

Plot on 6385 MHz



11:03:36 AM 01/13/2026


Plot on 6465 MHz



11:10:09 AM 01/13/2026




Plot on 6625 MHz




11:17:43 AM 01/13/2026

Plot on 6705 MHz




11:20:16 AM 01/13/2026

Plot on 6785 MHz



11:23:36 AM 01/13/2026


Plot on 6865 MHz



11:26:54 AM 01/13/2026




Plot on 6945 MHz




11:29:42 AM 01/13/2026

Plot on 7025 MHz



11:32:37 AM 01/13/2026

Plot on 6545 MHz




11:13:45 AM 01/13/2026



EUT Mode


802.11ax HE160 FullRU

Plot on 6025 MHz




03:09:24 PM 01/13/2026

Plot on 6185 MHz




03:22:54 PM 01/13/2026

Plot on 6345 MHz



03:26:54 PM 01/13/2026


Plot on 6665 MHz



03:33:37 PM 01/13/2026




Plot on 6825 MHz




03:40:18 PM 01/13/2026

Plot on 6985 MHz



03:45:37 PM 01/13/2026

Plot on 6505 MHz



03:51:02 PM 01/13/2026




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	15~18.9℃
		Relative Humidity :	43.3~48.7%

EUT Information

Report NO : 5N2828
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.151148	---	34.44	55.94	21.50	L1	ON	20.1
0.151148	49.26	---	65.94	16.68	L1	ON	20.1
0.162375	---	32.51	55.34	22.83	L1	ON	20.1
0.162375	46.76	---	65.34	18.58	L1	ON	20.1
0.203010	---	30.82	53.49	22.67	L1	ON	20.1
0.203010	43.11	---	63.49	20.38	L1	ON	20.1
0.222000	---	27.98	52.74	24.76	L1	ON	20.1
0.222000	39.12	---	62.74	23.62	L1	ON	20.1
0.263220	---	26.23	51.33	25.10	L1	ON	20.1
0.263220	36.62	---	61.33	24.71	L1	ON	20.1
0.570390	---	35.07	46.00	10.93	L1	ON	20.0
0.570390	40.20	---	56.00	15.80	L1	ON	20.0
1.516335	---	18.53	46.00	27.47	L1	ON	20.0
1.516335	24.18	---	56.00	31.82	L1	ON	20.0
1.613985	---	20.35	46.00	25.65	L1	ON	20.0
1.613985	26.92	---	56.00	29.08	L1	ON	20.0
13.560225	---	32.55	50.00	17.45	L1	ON	20.6
13.560225	37.85	---	60.00	22.15	L1	ON	20.6

EUT Information

Report NO : 5D0539
 Test Mode : Mode 1
 Test Voltage : 110Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.163095	---	32.38	55.31	22.93	N	ON	20.1
0.163095	47.00	---	65.31	18.31	N	ON	20.1
0.188205	---	31.02	54.12	23.10	N	ON	20.1
0.188205	43.66	---	64.12	20.46	N	ON	20.1
0.202335	---	30.51	53.51	23.00	N	ON	20.1
0.202335	42.21	---	63.51	21.30	N	ON	20.1
0.226050	---	27.71	52.59	24.88	N	ON	20.1
0.226050	39.31	---	62.59	23.28	N	ON	20.1
0.572685	---	27.55	46.00	18.45	N	ON	20.0
0.572685	35.18	---	56.00	20.82	N	ON	20.0
2.128200	---	26.90	46.00	19.10	N	ON	20.0
2.128200	35.20	---	56.00	20.80	N	ON	20.0
2.363190	---	28.59	46.00	17.41	N	ON	20.0
2.363190	35.87	---	56.00	20.13	N	ON	20.0
13.558875	---	32.44	50.00	17.56	N	ON	20.6
13.558875	38.00	---	60.00	22.00	N	ON	20.6



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Leo Li , Karl Hou	Temperature :	18.9~22.2°C
		Relative Humidity :	49.6~59.2%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 68	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 69	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 70	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 71	U-NII-5	5.925-6.425	6+7	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 72	U-NII-5	5.925-6.425	6+7	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 73	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 74	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Partial RU 242/61	-
Mode 75	U-NII-5	5.925-6.425	6+7	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 76	U-NII-5	5.925-6.425	6+7	802.11ax HE40	91	6405	MCS0	Full RU	-

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 77	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 78	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Partial RU 484/65	-
Mode 79	U-NII-5	5.925-6.425	6+7	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 80	U-NII-5	5.925-6.425	6+7	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 81	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 82	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Partial RU 996/67	-
Mode 83	U-NII-5	5.925-6.425	6+7	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 84	U-NII-5	5.925-6.425	6+7	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 85	U-NII-6	6.425-6.525	6+7	802.11a	97	6435	6Mbps	-	-
Mode 86	U-NII-6	6.425-6.525	6+7	802.11a	105	6475	6Mbps	-	-
Mode 87	U-NII-6	6.425-6.525	6+7	802.11a	113	6515	6Mbps	-	-

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 88	U-NII-6	6.425-6.525	6+7	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 89	U-NII-6	6.425-6.525	6+7	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 90	U-NII-6	6.425-6.525	6+7	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 91	U-NII-6	6.425-6.525	6+7	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 92	U-NII-6	6.425-6.525	6+7	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 93	U-NII-6	6.425-6.525	6+7	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 94	U-NII-6	6.425-6.525	6+7	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 95	U-NII-6	6.425-6.525	6+7	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 96	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	6Mbps	-	-
Mode 97	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	6Mbps	-	-
Mode 98	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	6Mbps	-	-

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 99	U-NII-7	6.525-6.875	6+7	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 100	U-NII-7	6.525-6.875	6+7	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 101	U-NII-7	6.525-6.875	6+7	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 102	U-NII-7	6.525-6.875	6+7	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 103	U-NII-7	6.525-6.875	6+7	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 104	U-NII-7	6.525-6.875	6+7	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 105	U-NII-7	6.525-6.875	6+7	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 106	U-NII-7	6.525-6.875	6+7	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 107	U-NII-7	6.525-6.875	6+7	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 108	U-NII-7	6.525-6.875	6+7	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 109	U-NII-7	6.525-6.875	6+7	802.11ax HE160	175	6825	MCS0	Full RU	-

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 110	U-NII-8	6.875-7.125	6+7	802.11a	189	6895	6Mbps	-	-
Mode 111	U-NII-8	6.875-7.125	6+7	802.11a	209	6995	6Mbps	-	-
Mode 112	U-NII-8	6.875-7.125	6+7	802.11a	233	7115	6Mbps	-	-
Mode 113	U-NII-8	6.875-7.125	6+7	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 114	U-NII-8	6.875-7.125	6+7	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 115	U-NII-8	6.875-7.125	6+7	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 116	U-NII-8	6.875-7.125	6+7	802.11ax HE20	233	7115	MCS0	Partial RU 106/54	-
Mode 117	U-NII-8	6.875-7.125	6+7	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 118	U-NII-8	6.875-7.125	6+7	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 119	U-NII-8	6.875-7.125	6+7	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 120	U-NII-8	6.875-7.125	6+7	802.11ax HE40	227	7085	MCS0	Partial RU 242/62	-

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 121	U-NII-8	6.875-7.125	6+7	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 122	U-NII-8	6.875-7.125	6+7	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 123	U-NII-8	6.875-7.125	6+7	802.11ax HE80	215	7025	MCS0	Partial RU 484/66	-
Mode 124	U-NII-8	6.875-7.125	6+7	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 125	U-NII-8	6.875-7.125	6+7	802.11ax HE160	207	6985	MCS0	Partial RU 996/68	-
Mode 126	U-NII-8	6.875-7.125	6+7	802.11a	233	7115	6Mbps	-	LF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
66	802.11a	1	5924.45	47.30	68.20	-20.90	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	47.43	54.00	-6.57	V	Avg.	Pass	-	Harmonic
67	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	45.26	54.00	-8.74	H	Avg.	Pass	-	Harmonic
68	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	53.83	88.20	-34.37	H	Peak	Pass	-	Harmonic
69	802.11ax HE20	1	5924.97	48.46	68.20	-19.74	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	47.09	54.00	-6.91	H	Avg.	Pass	Full RU	Harmonic
70	802.11ax HE20	1	5921.46	85.41	88.20	-2.79	V	Peak	Pass	Partial RU 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
71	802.11ax HE20	49	-	-	-	-	-	-	-	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
71	802.11ax HE20	49	12390.00	43.63	54.00	-10.37	V	Avg.	Pass	Full RU	Harmonic
72	802.11ax HE20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	93	12830.00	53.62	88.20	-34.58	H	Peak	Pass	Full RU	Harmonic
73	802.11ax HE40	3	5924.96	58.03	68.20	-10.17	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	47.57	54.00	-6.43	H	Avg.	Pass	Full RU	Harmonic
74	802.11ax HE40	3	5905.50	84.95	88.20	-3.25	V	Peak	Pass	Partial RU 242/61	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
75	802.11ax HE40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	51	12410.00	43.34	54.00	-10.66	V	Avg.	Pass	Full RU	Harmonic
76	802.11ax HE40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	91	19215.00	39.95	74.00	-34.05	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
77	802.11ax HE80	7	5925.00	57.38	68.20	-10.82	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	46.61	54.00	-7.39	V	Avg.	Pass	Full RU	Harmonic
78	802.11ax HE80	7	5925.00	64.91	68.20	-3.29	V	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
79	802.11ax HE80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	55	12450.00	44.22	54.00	-9.78	V	Avg.	Pass	Full RU	Harmonic
80	802.11ax HE80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	87	12770.00	54.53	88.20	-33.67	H	Peak	Pass	Full RU	Harmonic
81	802.11ax HE160	15	5916.40	67.09	68.20	-1.11	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	43.21	54.00	-10.79	V	Avg.	Pass	Full RU	Harmonic
82	802.11ax HE160	15	5903.00	65.96	68.20	-2.24	V	Avg.	Pass	Partial RU 996/67	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
82	802.11ax HE160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
83	802.11ax HE160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	47	12370.00	44.33	54.00	-9.67	H	Avg.	Pass	Full RU	Harmonic
84	802.11ax HE160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	79	12690.00	44.75	54.00	-9.25	H	Avg.	Pass	Full RU	Harmonic
85	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	12870.00	54.47	88.20	-33.73	V	Peak	Pass	-	Harmonic
86	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	12950.00	54.08	88.20	-34.12	V	Peak	Pass	-	Harmonic
87	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	13030.00	53.66	88.20	-34.54	H	Peak	Pass	-	Harmonic

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
88	802.11ax HE20	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	97	12870.00	54.02	88.20	-34.18	V	Peak	Pass	Full RU	Harmonic
89	802.11ax HE20	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	105	12950.00	54.34	88.20	-33.86	V	Peak	Pass	Full RU	Harmonic
90	802.11ax HE20	113	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	113	13030.00	54.00	88.20	-34.20	V	Peak	Pass	Full RU	Harmonic
91	802.11ax HE40	99	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	99	12890.00	54.52	88.20	-33.68	H	Peak	Pass	Full RU	Harmonic
92	802.11ax HE40	107	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	107	12970.00	54.65	88.20	-33.55	V	Peak	Pass	Full RU	Harmonic
93	802.11ax HE40	115	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
93	802.11ax HE40	115	13050.00	54.12	88.20	-34.08	V	Peak	Pass	Full RU	Harmonic
94	802.11ax HE80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	103	12930.00	54.95	88.20	-33.25	H	Peak	Pass	Full RU	Harmonic
95	802.11ax HE160	111	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	111	13010.00	54.57	88.20	-33.63	V	Peak	Pass	Full RU	Harmonic
96	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	54.10	88.20	-34.10	H	Peak	Pass	-	Harmonic
97	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	43.52	54.00	-10.48	H	Avg.	Pass	-	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	13750.00	54.93	88.20	-33.27	H	Peak	Pass	-	Harmonic

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
99	802.11ax HE20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	117	13070.00	54.33	88.20	-33.87	H	Peak	Pass	Full RU	Harmonic
100	802.11ax HE20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	149	13390.00	43.87	54.00	-10.13	H	Avg.	Pass	Full RU	Harmonic
101	802.11ax HE20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	185	13750.00	54.74	88.20	-33.46	H	Peak	Pass	Full RU	Harmonic
102	802.11ax HE40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	123	13130.00	54.28	88.20	-33.92	H	Peak	Pass	Full RU	Harmonic
103	802.11ax HE40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	147	13370.00	44.11	54.00	-9.89	V	Avg.	Pass	Full RU	Harmonic
104	802.11ax HE40	187	-	-	-	-	-	-	-	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N2828H

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
104	802.11ax HE40	187	13770.00	55.54	88.20	-32.66	H	Peak	Pass	Full RU	Harmonic
105	802.11ax HE80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	135	13250.00	44.39	54.00	-9.61	V	Avg.	Pass	Full RU	Harmonic
106	802.11ax HE80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	151	13410.00	54.40	88.20	-33.80	H	Peak	Pass	Full RU	Harmonic
107	802.11ax HE80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	183	13730.00	55.56	88.20	-32.64	V	Peak	Pass	Full RU	Harmonic
108	802.11ax HE160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	143	13330.00	44.22	54.00	-9.78	V	Avg.	Pass	Full RU	Harmonic
109	802.11ax HE160	175	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	175	13650.00	56.19	88.20	-32.01	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
110	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	13790.00	55.09	88.20	-33.11	H	Peak	Pass	-	Harmonic
111	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	13990.00	54.76	88.20	-33.44	V	Peak	Pass	-	Harmonic
112	802.11a	233	7125.01	67.12	68.20	-1.08	V	Avg.	Pass	-	Band Edge
	802.11a	233	14230.00	55.45	88.20	-32.75	H	Peak	Pass	-	Harmonic
113	802.11ax HE20	189	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	189	13790.00	54.20	88.20	-34.00	H	Peak	Pass	Full RU	Harmonic
114	802.11ax HE20	209	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	209	13990.00	55.14	88.20	-33.06	V	Peak	Pass	Full RU	Harmonic
115	802.11ax HE20	233	7125.01	66.85	68.20	-1.35	V	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
115	802.11ax HE20	233	14230.00	55.28	88.20	-32.92	H	Peak	Pass	Full RU	Harmonic
116	802.11ax HE20	233	7125.01	66.70	68.20	-1.50	V	Avg.	Pass	Partial RU 106/54	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	Partial RU 106/54	Harmonic
117	802.11ax HE40	195	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	195	13850.00	55.51	88.20	-32.69	V	Peak	Pass	Full RU	Harmonic
118	802.11ax HE40	211	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	211	14010.00	55.21	88.20	-32.99	H	Peak	Pass	Full RU	Harmonic
119	802.11ax HE40	227	7125.48	48.90	68.20	-19.30	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	14170.00	55.85	88.20	-32.35	V	Peak	Pass	Full RU	Harmonic
120	802.11ax HE40	227	7132.04	81.78	88.20	-6.42	V	Peak	Pass	Partial RU 242/62	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	Partial RU 242/62	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
121	802.11ax HE80	199	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	199	13890.00	55.13	88.20	-33.07	H	Peak	Pass	Full RU	Harmonic
122	802.11ax HE80	215	7125.10	46.60	68.20	-21.60	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	215	14050.00	55.61	88.20	-32.59	V	Peak	Pass	Full RU	Harmonic
123	802.11ax HE80	215	7125.32	59.06	68.20	-9.14	V	Avg.	Pass	Partial RU 484/66	Band Edge
	802.11ax HE80	215	-	-	-	-	-	-	-	Partial RU 484/66	Harmonic
124	802.11ax HE160	207	7128.04	59.74	68.20	-8.46	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	207	13970.00	55.56	88.20	-32.64	V	Peak	Pass	Full RU	Harmonic
125	802.11ax HE160	207	7133.80	66.98	68.20	-1.22	V	Avg.	Pass	Partial RU 996/68	Band Edge
	802.11ax HE160	207	-	-	-	-	-	-	-	Partial RU 996/68	Harmonic
126	LF	233	744.89	39.31	46.00	-6.69	V	Peak	Pass	-	LF



Mode	66																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																			
ANT	6+7																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5923.93</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>38.33</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>35</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5923.93	53.29	88.20	-34.91	38.33	34.00	11.59	34.20	3.57	200	35	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>100.62</td><td>-----</td><td>-----</td><td>93.65</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>200</td><td>35</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	100.62	-----	-----	93.65	34.00	11.65	34.24	3.56	200	35	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5923.93	53.29	88.20	-34.91	38.33	34.00	11.59	34.20	3.57	200	35	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5955.00	100.62	-----	-----	93.65	34.00	11.65	34.24	3.56	200	35	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5923.67</td><td>43.76</td><td>68.20</td><td>-24.44</td><td>28.81</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>35</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5923.67	43.76	68.20	-24.44	28.81	34.00	11.58	34.20	3.57	200	35	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>101.30</td><td>-----</td><td>-----</td><td>86.33</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>200</td><td>35</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	101.30	-----	-----	86.33	34.00	11.65	34.24	3.56	200	35	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5923.67	43.76	68.20	-24.44	28.81	34.00	11.58	34.20	3.57	200	35	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5955.00	101.30	-----	-----	86.33	34.00	11.65	34.24	3.56	200	35	Average																																																																									





Mode	66																																																																																	
	Band Edge																																																																																	
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.45 57.37 88.20 -30.83 42.41 34.00 11.59 34.20 3.57 156 0 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5924.45 57.37 88.20 -30.83 42.41 34.00 11.59 34.20 3.57 156 0 Peak									Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 114.31 ----- 99.35 34.00 11.66 34.25 3.55 156 0 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5955.00 114.31 ----- 99.35 34.00 11.66 34.25 3.55 156 0 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5924.45 57.37 88.20 -30.83 42.41 34.00 11.59 34.20 3.57 156 0 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5955.00 114.31 ----- 99.35 34.00 11.66 34.25 3.55 156 0 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.45 47.30 68.20 -20.90 32.34 34.00 11.59 34.20 3.57 156 0 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5924.45 47.30 68.20 -20.90 32.34 34.00 11.59 34.20 3.57 156 0 Average									Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 106.89 ----- 91.93 34.00 11.63 34.23 3.56 156 0 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5955.00 106.89 ----- 91.93 34.00 11.63 34.23 3.56 156 0 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5924.45 47.30 68.20 -20.90 32.34 34.00 11.59 34.20 3.57 156 0 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5955.00 106.89 ----- 91.93 34.00 11.63 34.23 3.56 156 0 Average																																																																																		



Mode	66																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																						
ANT	6+7																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>35.97</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 11910.00</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>25.41</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>57.06</td><td>74.00</td><td>-16.94</td><td>39.38</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>28.82</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>-- -- Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	53.50	74.00	-20.50	35.97	38.68	16.36	40.34	0.50	-- -- Peak	2 11910.00	42.94	54.00	-11.06	25.41	38.68	16.36	40.34	0.50	-- -- Average	3 17865.00	57.06	74.00	-16.94	39.38	40.36	20.04	46.76	0.71	-- -- Peak	4 17865.00	46.50	54.00	-7.50	28.82	40.36	20.04	46.76	0.71	-- -- Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>35.67</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 11910.00</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>25.11</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>57.99</td><td>74.00</td><td>-16.01</td><td>40.31</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>47.43</td><td>54.00</td><td>-6.57</td><td>29.75</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>-- -- Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	53.20	74.00	-20.80	35.67	38.68	16.36	40.34	0.50	-- -- Peak	2 11910.00	42.64	54.00	-11.36	25.11	38.68	16.36	40.34	0.50	-- -- Average	3 17865.00	57.99	74.00	-16.01	40.31	40.36	20.04	46.76	0.71	-- -- Peak	4 17865.00	47.43	54.00	-6.57	29.75	40.36	20.04	46.76	0.71	-- -- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																														
1 11910.00	53.50	74.00	-20.50	35.97	38.68	16.36	40.34	0.50	-- -- Peak																																																																																																																																														
2 11910.00	42.94	54.00	-11.06	25.41	38.68	16.36	40.34	0.50	-- -- Average																																																																																																																																														
3 17865.00	57.06	74.00	-16.94	39.38	40.36	20.04	46.76	0.71	-- -- Peak																																																																																																																																														
4 17865.00	46.50	54.00	-7.50	28.82	40.36	20.04	46.76	0.71	-- -- Average																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																														
1 11910.00	53.20	74.00	-20.80	35.67	38.68	16.36	40.34	0.50	-- -- Peak																																																																																																																																														
2 11910.00	42.64	54.00	-11.36	25.11	38.68	16.36	40.34	0.50	-- -- Average																																																																																																																																														
3 17865.00	57.99	74.00	-16.01	40.31	40.36	20.04	46.76	0.71	-- -- Peak																																																																																																																																														
4 17865.00	47.43	54.00	-6.57	29.75	40.36	20.04	46.76	0.71	-- -- Average																																																																																																																																														



Mode	66	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10  AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10  AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		67																																																																																
Mode		Harmonic																																																																																
		U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																
ANT		6+7																																																																																
Pol.		Horizontal																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12390.00</td><td>55.82</td><td>74.00</td><td>-18.18</td><td>37.33</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>26.77</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.31</td><td>74.00</td><td>-35.69</td><td>55.59</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	55.82	74.00	-18.18	37.33	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	45.26	54.00	-8.74	26.77	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	38.31	74.00	-35.69	55.59	38.34	18.62	64.70	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	12390.00	55.82	74.00	-18.18	37.33	39.18	16.74	40.23	0.47	--	--	Peak																																																																						
2	12390.00	45.26	54.00	-8.74	26.77	39.18	16.74	40.23	0.47	--	--	Average																																																																						
3	18585.00	38.31	74.00	-35.69	55.59	38.34	18.62	64.70	-9.54	--	--	Peak																																																																						
Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12390.00</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>35.83</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>25.27</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.17</td><td>74.00</td><td>-35.83</td><td>55.45</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.32	74.00	-19.68	35.83	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	43.76	54.00	-10.24	25.27	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	38.17	74.00	-35.83	55.45	38.34	18.62	64.70	-9.54	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	12390.00	54.32	74.00	-19.68	35.83	39.18	16.74	40.23	0.47	--	--	Peak																																																																						
2	12390.00	43.76	54.00	-10.24	25.27	39.18	16.74	40.23	0.47	--	--	Average																																																																						
3	18585.00	38.17	74.00	-35.83	55.45	38.34	18.62	64.70	-9.54	--	--	Peak																																																																						



Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	68																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>34.62</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>55.32</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.83	88.20	-34.37	34.62	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	38.69	74.00	-35.31	55.32	38.20	18.96	64.25	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>34.51</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>54.55</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.72	88.20	-34.48	34.51	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	37.92	74.00	-36.08	54.55	38.20	18.96	64.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.83	88.20	-34.37	34.62	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	38.69	74.00	-35.31	55.32	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.72	88.20	-34.48	34.51	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	37.92	74.00	-36.08	54.55	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		69																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5928.16</td><td>54.98</td><td>88.20</td><td>-33.22</td><td>40.03</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>40</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5928.16	54.98	88.20	-33.22	40.03	34.00	11.58	34.20	3.57	200	40	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.61</td><td>-----</td><td>-----</td><td>94.65</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>40</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.61	-----	-----	94.65	34.00	11.63	34.23	3.56	200	40	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5928.16	54.98	88.20	-33.22	40.03	34.00	11.58	34.20	3.57	200	40	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	109.61	-----	-----	94.65	34.00	11.63	34.23	3.56	200	40	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.59</td><td>45.08</td><td>68.20</td><td>-23.12</td><td>30.13</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>40</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.59	45.08	68.20	-23.12	30.13	34.00	11.58	34.20	3.57	200	40	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.65</td><td>-----</td><td>-----</td><td>86.69</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>40</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.65	-----	-----	86.69	34.00	11.63	34.23	3.56	200	40	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.59	45.08	68.20	-23.12	30.13	34.00	11.58	34.20	3.57	200	40	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	101.65	-----	-----	86.69	34.00	11.63	34.23	3.56	200	40	Average																																																																																								



Mode	69																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>59.15</td><td>88.20</td><td>-29.05</td><td>44.19</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>161</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	59.15	88.20	-29.05	44.19	34.00	11.59	34.20	3.57	161	351	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.62</td><td>-----</td><td>-----</td><td>99.65</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>161</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.62	-----	-----	99.65	34.00	11.65	34.24	3.56	161	351	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.58	59.15	88.20	-29.05	44.19	34.00	11.59	34.20	3.57	161	351	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	114.62	-----	-----	99.65	34.00	11.65	34.24	3.56	161	351	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>48.46</td><td>68.20</td><td>-19.74</td><td>33.50</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>161</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	48.46	68.20	-19.74	33.50	34.00	11.59	34.20	3.57	161	351	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.97</td><td>-----</td><td>-----</td><td>92.00</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>161</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.97	-----	-----	92.00	34.00	11.65	34.24	3.56	161	351	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	48.46	68.20	-19.74	33.50	34.00	11.59	34.20	3.57	161	351	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	106.97	-----	-----	92.00	34.00	11.65	34.24	3.56	161	351	Average																																																																																								



Mode	69																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																																																					
ANT	6+7																																																																																																																																																																																					
Pol.	Horizontal							Vertical																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>35.37</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>24.81</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>39.97</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>29.41</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11910.00	52.90	74.00	-21.10	35.37	38.68	16.36	40.34	0.50	--	--	--	Peak	2	11910.00	42.34	54.00	-11.66	24.81	38.68	16.36	40.34	0.50	--	--	--	Average	3	17865.00	57.65	74.00	-16.35	39.97	40.36	20.04	46.76	0.71	--	--	--	Peak	4	17865.00	47.09	54.00	-6.91	29.41	40.36	20.04	46.76	0.71	--	--	--	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>36.00</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>25.44</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>39.06</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>28.50</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11910.00	53.53	74.00	-20.47	36.00	38.68	16.36	40.34	0.50	--	--	--	Peak	2	11910.00	42.97	54.00	-11.03	25.44	38.68	16.36	40.34	0.50	--	--	--	Average	3	17865.00	56.74	74.00	-17.26	39.06	40.36	20.04	46.76	0.71	--	--	--	Peak	4	17865.00	46.18	54.00	-7.82	28.50	40.36	20.04	46.76	0.71	--	--	--	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																										
1	11910.00	52.90	74.00	-21.10	35.37	38.68	16.36	40.34	0.50	--	--	--	Peak																																																																																																																																																																									
2	11910.00	42.34	54.00	-11.66	24.81	38.68	16.36	40.34	0.50	--	--	--	Average																																																																																																																																																																									
3	17865.00	57.65	74.00	-16.35	39.97	40.36	20.04	46.76	0.71	--	--	--	Peak																																																																																																																																																																									
4	17865.00	47.09	54.00	-6.91	29.41	40.36	20.04	46.76	0.71	--	--	--	Average																																																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																										
1	11910.00	53.53	74.00	-20.47	36.00	38.68	16.36	40.34	0.50	--	--	--	Peak																																																																																																																																																																									
2	11910.00	42.97	54.00	-11.03	25.44	38.68	16.36	40.34	0.50	--	--	--	Average																																																																																																																																																																									
3	17865.00	56.74	74.00	-17.26	39.06	40.36	20.04	46.76	0.71	--	--	--	Peak																																																																																																																																																																									
4	17865.00	46.18	54.00	-7.82	28.50	40.36	20.04	46.76	0.71	--	--	--	Average																																																																																																																																																																									



Mode	69	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	70																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5918.73</td><td>78.61</td><td>88.20</td><td>-9.59</td><td>63.65</td><td>34.00</td><td>11.58</td><td>34.19</td><td>3.57</td><td>209 40 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5918.73	78.61	88.20	-9.59	63.65	34.00	11.58	34.19	3.57	209 40 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>112.94</td><td>-----</td><td>-----</td><td>97.98</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>209 40 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	112.94	-----	-----	97.98	34.00	11.63	34.23	3.56	209 40 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5918.73	78.61	88.20	-9.59	63.65	34.00	11.58	34.19	3.57	209 40 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	112.94	-----	-----	97.98	34.00	11.63	34.23	3.56	209 40 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5920.29</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>40.16</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>209 40 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5920.29	55.11	68.20	-13.09	40.16	34.00	11.58	34.20	3.57	209 40 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5955.00</td><td>104.72</td><td>-----</td><td>-----</td><td>89.76</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>209 40 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5955.00	104.72	-----	-----	89.76	34.00	11.63	34.23	3.56	209 40 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 5920.29	55.11	68.20	-13.09	40.16	34.00	11.58	34.20	3.57	209 40 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 5955.00	104.72	-----	-----	89.76	34.00	11.63	34.23	3.56	209 40 Average																																																																									



Mode	70																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.46</td><td>85.41</td><td>88.20</td><td>-2.79</td><td>70.46</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>175</td><td>359 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.46	85.41	88.20	-2.79	70.46	34.00	11.58	34.20	3.57	175	359 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.94</td><td>-----</td><td>-----</td><td>101.97</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>175</td><td>359 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.94	-----	-----	101.97	34.00	11.65	34.24	3.56	175	359 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5921.46	85.41	88.20	-2.79	70.46	34.00	11.58	34.20	3.57	175	359 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	116.94	-----	-----	101.97	34.00	11.65	34.24	3.56	175	359 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.54</td><td>63.38</td><td>68.20</td><td>-4.82</td><td>48.43</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>175</td><td>359 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.54	63.38	68.20	-4.82	48.43	34.00	11.58	34.20	3.57	175	359 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.23</td><td>-----</td><td>-----</td><td>94.26</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>175</td><td>359 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.23	-----	-----	94.26	34.00	11.65	34.24	3.56	175	359 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.54	63.38	68.20	-4.82	48.43	34.00	11.58	34.20	3.57	175	359 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	109.23	-----	-----	94.26	34.00	11.65	34.24	3.56	175	359 Average																																																																																							



Mode	71																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>35.24</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>24.68</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.10</td><td>74.00</td><td>-35.90</td><td>55.38</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.73	74.00	-20.27	35.24	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	43.17	54.00	-10.83	24.68	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	38.10	74.00	-35.90	55.38	38.34	18.62	64.70	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>35.70</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>25.14</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>36.93</td><td>74.00</td><td>-37.07</td><td>54.21</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.19	74.00	-19.81	35.70	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	43.63	54.00	-10.37	25.14	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	36.93	74.00	-37.07	54.21	38.34	18.62	64.70	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	53.73	74.00	-20.27	35.24	39.18	16.74	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	43.17	54.00	-10.83	24.68	39.18	16.74	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	38.10	74.00	-35.90	55.38	38.34	18.62	64.70	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	54.19	74.00	-19.81	35.70	39.18	16.74	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	43.63	54.00	-10.37	25.14	39.18	16.74	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	36.93	74.00	-37.07	54.21	38.34	18.62	64.70	-9.54	--	--	Peak																																																																																																																																												



Mode	71	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	72																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.62</td><td>88.20</td><td>-34.58</td><td>34.41</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.57</td><td>74.00</td><td>-36.43</td><td>54.20</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.62	88.20	-34.58	34.41	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	37.57	74.00	-36.43	54.20	38.20	18.96	64.25	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.39</td><td>88.20</td><td>-34.81</td><td>34.18</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.64</td><td>74.00</td><td>-36.36</td><td>54.27</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.39	88.20	-34.81	34.18	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	37.64	74.00	-36.36	54.27	38.20	18.96	64.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.62	88.20	-34.58	34.41	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	37.57	74.00	-36.43	54.20	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.39	88.20	-34.81	34.18	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	37.64	74.00	-36.36	54.27	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL