







Mode	73																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.02</td><td>60.13</td><td>88.20</td><td>-28.07</td><td>45.18</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>209</td><td>38 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.02	60.13	88.20	-28.07	45.18	34.00	11.58	34.20	3.57	209	38 Peak	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.56</td><td>-----</td><td>-----</td><td>92.60</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>209</td><td>38 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.56	-----	-----	92.60	34.00	11.67	34.26	3.55	209	38 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5922.02	60.13	88.20	-28.07	45.18	34.00	11.58	34.20	3.57	209	38 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	107.56	-----	-----	92.60	34.00	11.67	34.26	3.55	209	38 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>50.67</td><td>68.20</td><td>-17.53</td><td>35.72</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>209</td><td>38 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	50.67	68.20	-17.53	35.72	34.00	11.58	34.20	3.57	209	38 Average	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.10</td><td>-----</td><td>-----</td><td>84.14</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>209</td><td>38 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.10	-----	-----	84.14	34.00	11.67	34.26	3.55	209	38 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5922.44	50.67	68.20	-17.53	35.72	34.00	11.58	34.20	3.57	209	38 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	99.10	-----	-----	84.14	34.00	11.67	34.26	3.55	209	38 Average																																																																																						



Mode	73																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>67.72</td><td>88.20</td><td>-20.48</td><td>52.77</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>162</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	67.72	88.20	-20.48	52.77	34.00	11.58	34.20	3.57	162	360	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.98</td><td>-----</td><td>-----</td><td>99.01</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>162</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.98	-----	-----	99.01	34.00	11.65	34.24	3.56	162	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.56	67.72	88.20	-20.48	52.77	34.00	11.58	34.20	3.57	162	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	113.98	-----	-----	99.01	34.00	11.65	34.24	3.56	162	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>43.07</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>162</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	58.03	68.20	-10.17	43.07	34.00	11.59	34.20	3.57	162	360	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.28</td><td>-----</td><td>-----</td><td>89.31</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>162</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.28	-----	-----	89.31	34.00	11.65	34.24	3.56	162	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.96	58.03	68.20	-10.17	43.07	34.00	11.59	34.20	3.57	162	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	104.28	-----	-----	89.31	34.00	11.65	34.24	3.56	162	360	Average																																																																																								



	73																																																																																																																																																																								
Mode	Harmonic																																																																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																																																																								
ANT	6+7																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>36.14</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>25.58</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>40.30</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>29.74</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	53.62	74.00	-20.38	36.14	38.64	16.37	40.36	0.50	--	Peak	2	11930.00	43.06	54.00	-10.94	25.58	38.64	16.37	40.36	0.50	--	Average	3	17895.00	58.13	74.00	-15.87	40.30	40.48	20.06	46.76	0.71	--	Peak	4	17895.00	47.57	54.00	-6.43	29.74	40.48	20.06	46.76	0.71	--	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>35.44</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>24.88</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>39.56</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>46.83</td><td>54.00</td><td>-7.17</td><td>29.00</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	52.92	74.00	-21.08	35.44	38.64	16.37	40.36	0.50	--	Peak	2	11930.00	42.36	54.00	-11.64	24.88	38.64	16.37	40.36	0.50	--	Average	3	17895.00	57.39	74.00	-16.61	39.56	40.48	20.06	46.76	0.71	--	Peak	4	17895.00	46.83	54.00	-7.17	29.00	40.48	20.06	46.76	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11930.00	53.62	74.00	-20.38	36.14	38.64	16.37	40.36	0.50	--	Peak																																																																																																																																																														
2	11930.00	43.06	54.00	-10.94	25.58	38.64	16.37	40.36	0.50	--	Average																																																																																																																																																														
3	17895.00	58.13	74.00	-15.87	40.30	40.48	20.06	46.76	0.71	--	Peak																																																																																																																																																														
4	17895.00	47.57	54.00	-6.43	29.74	40.48	20.06	46.76	0.71	--	Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11930.00	52.92	74.00	-21.08	35.44	38.64	16.37	40.36	0.50	--	Peak																																																																																																																																																														
2	11930.00	42.36	54.00	-11.64	24.88	38.64	16.37	40.36	0.50	--	Average																																																																																																																																																														
3	17895.00	57.39	74.00	-16.61	39.56	40.48	20.06	46.76	0.71	--	Peak																																																																																																																																																														
4	17895.00	46.83	54.00	-7.17	29.00	40.48	20.06	46.76	0.71	--	Average																																																																																																																																																														



Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	74																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																			
ANT	6+7																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5901.16</td><td>80.71</td><td>88.20</td><td>-7.49</td><td>65.77</td><td>34.00</td><td>11.54</td><td>34.17</td><td>3.57</td><td>200</td><td>47</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5901.16	80.71	88.20	-7.49	65.77	34.00	11.54	34.17	3.57	200	47	Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5965.00</td><td>109.83</td><td>-----</td><td>-----</td><td>94.87</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>47</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5965.00	109.83	-----	-----	94.87	34.00	11.63	34.23	3.56	200	47	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5901.16	80.71	88.20	-7.49	65.77	34.00	11.54	34.17	3.57	200	47	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5965.00	109.83	-----	-----	94.87	34.00	11.63	34.23	3.56	200	47	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5899.62</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>46.07</td><td>34.00</td><td>11.54</td><td>34.17</td><td>3.58</td><td>200</td><td>47</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5899.62	61.02	68.20	-7.18	46.07	34.00	11.54	34.17	3.58	200	47	Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5965.00</td><td>102.75</td><td>-----</td><td>-----</td><td>87.79</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>47</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5965.00	102.75	-----	-----	87.79	34.00	11.63	34.23	3.56	200	47	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5899.62	61.02	68.20	-7.18	46.07	34.00	11.54	34.17	3.58	200	47	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5965.00	102.75	-----	-----	87.79	34.00	11.63	34.23	3.56	200	47	Average																																																																									



Mode	74																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.50 84.95 88.20 -3.25 70.01 34.00 11.55 34.18 3.57 200 43 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB dB dB dB cm deg									1 5965.50 84.95 88.20 -3.25 70.01 34.00 11.55 34.18 3.57 200 43 Peak									Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 113.99 ----- 99.02 34.00 11.65 34.24 3.56 200 43 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB dB dB dB cm deg									1 5965.00 113.99 ----- 99.02 34.00 11.65 34.24 3.56 200 43 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 5965.50 84.95 88.20 -3.25 70.01 34.00 11.55 34.18 3.57 200 43 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 5965.00 113.99 ----- 99.02 34.00 11.65 34.24 3.56 200 43 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5913.20 64.19 68.20 -4.01 49.24 34.00 11.57 34.19 3.57 200 43 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB dB dB dB cm deg									1 5913.20 64.19 68.20 -4.01 49.24 34.00 11.57 34.19 3.57 200 43 Average									Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 105.97 ----- 91.00 34.00 11.65 34.24 3.56 200 43 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB dB dB dB cm deg									1 5965.00 105.97 ----- 91.00 34.00 11.65 34.24 3.56 200 43 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 5913.20 64.19 68.20 -4.01 49.24 34.00 11.57 34.19 3.57 200 43 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 5965.00 105.97 ----- 91.00 34.00 11.65 34.24 3.56 200 43 Average																																																																																		



Mode	75																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>35.25</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>24.69</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>55.56</td><td>38.37</td><td>18.63</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.82	74.00	-20.18	35.25	39.24	16.75	40.22	0.47	--	--	Peak	2	12410.00	43.26	54.00	-10.74	24.69	39.24	16.75	40.22	0.47	--	--	Average	3	18615.00	38.36	74.00	-35.64	55.56	38.37	18.63	64.66	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>35.33</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>24.77</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>37.78</td><td>74.00</td><td>-36.22</td><td>54.98</td><td>38.37</td><td>18.63</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.90	74.00	-20.10	35.33	39.24	16.75	40.22	0.47	--	--	Peak	2	12410.00	43.34	54.00	-10.66	24.77	39.24	16.75	40.22	0.47	--	--	Average	3	18615.00	37.78	74.00	-36.22	54.98	38.37	18.63	64.66	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12410.00	53.82	74.00	-20.18	35.25	39.24	16.75	40.22	0.47	--	--	Peak																																																																																																																																												
2	12410.00	43.26	54.00	-10.74	24.69	39.24	16.75	40.22	0.47	--	--	Average																																																																																																																																												
3	18615.00	38.36	74.00	-35.64	55.56	38.37	18.63	64.66	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12410.00	53.90	74.00	-20.10	35.33	39.24	16.75	40.22	0.47	--	--	Peak																																																																																																																																												
2	12410.00	43.34	54.00	-10.66	24.77	39.24	16.75	40.22	0.47	--	--	Average																																																																																																																																												
3	18615.00	37.78	74.00	-36.22	54.98	38.37	18.63	64.66	-9.54	--	--	Peak																																																																																																																																												



Mode	75	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	76																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>53.51</td><td>88.20</td><td>-34.69</td><td>34.29</td><td>39.90</td><td>17.07</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>55.69</td><td>38.20</td><td>18.95</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.51	88.20	-34.69	34.29	39.90	17.07	40.51	0.44	--	Peak	2	19215.00	39.06	74.00	-34.94	55.69	38.20	18.95	64.24	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>53.74</td><td>88.20</td><td>-34.46</td><td>34.52</td><td>39.90</td><td>17.07</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>56.58</td><td>38.20</td><td>18.95</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.74	88.20	-34.46	34.52	39.90	17.07	40.51	0.44	--	Peak	2	19215.00	39.95	74.00	-34.05	56.58	38.20	18.95	64.24	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12810.00	53.51	88.20	-34.69	34.29	39.90	17.07	40.51	0.44	--	Peak																																																																																																															
2	19215.00	39.06	74.00	-34.94	55.69	38.20	18.95	64.24	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12810.00	53.74	88.20	-34.46	34.52	39.90	17.07	40.51	0.44	--	Peak																																																																																																															
2	19215.00	39.95	74.00	-34.05	56.58	38.20	18.95	64.24	-9.54	--	Peak																																																																																																															



Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	77																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>60.55</td><td>88.20</td><td>-27.65</td><td>45.59</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	60.55	88.20	-27.65	45.59	34.00	11.59	34.20	3.57	200	42	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.34</td><td>-----</td><td>-----</td><td>85.33</td><td>34.05</td><td>11.73</td><td>34.31</td><td>3.54</td><td>200</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.34	-----	-----	85.33	34.05	11.73	34.31	3.54	200	42	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.72	60.55	88.20	-27.65	45.59	34.00	11.59	34.20	3.57	200	42	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	100.34	-----	-----	85.33	34.05	11.73	34.31	3.54	200	42	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>51.19</td><td>68.20</td><td>-17.01</td><td>36.23</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	51.19	68.20	-17.01	36.23	34.00	11.59	34.20	3.57	200	42	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>91.68</td><td>-----</td><td>-----</td><td>76.72</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>200</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	91.68	-----	-----	76.72	34.00	11.67	34.26	3.55	200	42	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5925.00	51.19	68.20	-17.01	36.23	34.00	11.59	34.20	3.57	200	42	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	91.68	-----	-----	76.72	34.00	11.67	34.26	3.55	200	42	Average																																																																																								





Mode	77																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.56</td><td>67.20</td><td>88.20</td><td>-21.00</td><td>52.25</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>33</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5919.56	67.20	88.20	-21.00	52.25	34.00	11.58	34.20	3.57	200	33	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>105.54</td><td>-----</td><td>-----</td><td>90.58</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>200</td><td>33</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	105.54	-----	-----	90.58	34.00	11.67	34.26	3.55	200	33	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5919.56	67.20	88.20	-21.00	52.25	34.00	11.58	34.20	3.57	200	33	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	105.54	-----	-----	90.58	34.00	11.67	34.26	3.55	200	33	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>42.42</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>33</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5925.00	57.38	68.20	-10.82	42.42	34.00	11.59	34.20	3.57	200	33	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>97.33</td><td>-----</td><td>-----</td><td>82.37</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>200</td><td>33</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	97.33	-----	-----	82.37	34.00	11.67	34.26	3.55	200	33	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	57.38	68.20	-10.82	42.42	34.00	11.59	34.20	3.57	200	33	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	97.33	-----	-----	82.37	34.00	11.67	34.26	3.55	200	33	Average																																																																																						



Mode	77																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																																																																								
ANT	6+7																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>35.49</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>24.93</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>39.27</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>28.71</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	52.98	74.00	-21.02	35.49	38.64	16.41	40.39	0.49	--	Peak	2	11970.00	42.42	54.00	-11.58	24.93	38.64	16.41	40.39	0.49	--	Average	3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak	4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>36.68</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>26.12</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>39.27</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>28.71</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	54.17	74.00	-19.83	36.68	38.64	16.41	40.39	0.49	--	Peak	2	11970.00	43.61	54.00	-10.39	26.12	38.64	16.41	40.39	0.49	--	Average	3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak	4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11970.00	52.98	74.00	-21.02	35.49	38.64	16.41	40.39	0.49	--	Peak																																																																																																																																																														
2	11970.00	42.42	54.00	-11.58	24.93	38.64	16.41	40.39	0.49	--	Average																																																																																																																																																														
3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak																																																																																																																																																														
4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11970.00	54.17	74.00	-19.83	36.68	38.64	16.41	40.39	0.49	--	Peak																																																																																																																																																														
2	11970.00	43.61	54.00	-10.39	26.12	38.64	16.41	40.39	0.49	--	Average																																																																																																																																																														
3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak																																																																																																																																																														
4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average																																																																																																																																																														



Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	78																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.92</td><td>81.03</td><td>88.20</td><td>-7.17</td><td>66.00</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>43 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.92	81.03	88.20	-7.17	66.00	34.00	11.58	34.20	3.57	200	43 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.32</td><td>-----</td><td>-----</td><td>92.36</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>43 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.32	-----	-----	92.36	34.00	11.63	34.23	3.56	200	43 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5922.92	81.03	88.20	-7.17	66.00	34.00	11.58	34.20	3.57	200	43 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	107.32	-----	-----	92.36	34.00	11.63	34.23	3.56	200	43 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.48</td><td>58.54</td><td>68.20</td><td>-9.66</td><td>43.59</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>43 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.48	58.54	68.20	-9.66	43.59	34.00	11.58	34.20	3.57	200	43 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.17</td><td>-----</td><td>-----</td><td>84.21</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>43 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.17	-----	-----	84.21	34.00	11.63	34.23	3.56	200	43 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5921.48	58.54	68.20	-9.66	43.59	34.00	11.58	34.20	3.57	200	43 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	99.17	-----	-----	84.21	34.00	11.63	34.23	3.56	200	43 Average																																																																																							



Mode	78																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>83.51</td><td>88.20</td><td>-4.69</td><td>68.55</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>100</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	83.51	88.20	-4.69	68.55	34.00	11.59	34.20	3.57	100	360	Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>112.72</td><td>-----</td><td>-----</td><td>97.75</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>100</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	112.72	-----	-----	97.75	34.00	11.65	34.24	3.56	100	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5925.00	83.51	88.20	-4.69	68.55	34.00	11.59	34.20	3.57	100	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	112.72	-----	-----	97.75	34.00	11.65	34.24	3.56	100	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>64.91</td><td>68.20</td><td>-3.29</td><td>49.95</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>100</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	64.91	68.20	-3.29	49.95	34.00	11.59	34.20	3.57	100	360	Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>104.16</td><td>-----</td><td>-----</td><td>89.19</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>100</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	104.16	-----	-----	89.19	34.00	11.65	34.24	3.56	100	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5925.00	64.91	68.20	-3.29	49.95	34.00	11.59	34.20	3.57	100	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	104.16	-----	-----	89.19	34.00	11.65	34.24	3.56	100	360	Average																																																																																								



Mode	79																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>35.78</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>25.22</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>56.39</td><td>38.35</td><td>18.66</td><td>64.59</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	54.56	74.00	-19.44	35.78	39.40	16.79	40.20	0.46	--	--	Peak	2	12450.00	44.00	54.00	-10.00	25.22	39.40	16.79	40.20	0.46	--	--	Average	3	18675.00	39.27	74.00	-34.73	56.39	38.35	18.66	64.59	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>36.00</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>25.44</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>38.60</td><td>74.00</td><td>-35.40</td><td>55.72</td><td>38.35</td><td>18.66</td><td>64.59</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	54.78	74.00	-19.22	36.00	39.40	16.79	40.20	0.46	--	--	Peak	2	12450.00	44.22	54.00	-9.78	25.44	39.40	16.79	40.20	0.46	--	--	Average	3	18675.00	38.60	74.00	-35.40	55.72	38.35	18.66	64.59	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12450.00	54.56	74.00	-19.44	35.78	39.40	16.79	40.20	0.46	--	--	Peak																																																																																																																																		
2	12450.00	44.00	54.00	-10.00	25.22	39.40	16.79	40.20	0.46	--	--	Average																																																																																																																																		
3	18675.00	39.27	74.00	-34.73	56.39	38.35	18.66	64.59	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12450.00	54.78	74.00	-19.22	36.00	39.40	16.79	40.20	0.46	--	--	Peak																																																																																																																																		
2	12450.00	44.22	54.00	-9.78	25.44	39.40	16.79	40.20	0.46	--	--	Average																																																																																																																																		
3	18675.00	38.60	74.00	-35.40	55.72	38.35	18.66	64.59	-9.54	--	--	Peak																																																																																																																																		





Mode	79	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	80																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.53</td><td>88.20</td><td>-33.67</td><td>35.36</td><td>39.84</td><td>17.04</td><td>40.47</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>55.83</td><td>38.29</td><td>18.92</td><td>64.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.53	88.20	-33.67	35.36	39.84	17.04	40.47	0.44	--	Peak	2	19155.00	39.27	74.00	-34.73	55.83	38.29	18.92	64.23	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.46</td><td>88.20</td><td>-33.74</td><td>35.29</td><td>39.84</td><td>17.04</td><td>40.47</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.08</td><td>74.00</td><td>-34.92</td><td>55.64</td><td>38.29</td><td>18.92</td><td>64.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.46	88.20	-33.74	35.29	39.84	17.04	40.47	0.44	--	Peak	2	19155.00	39.08	74.00	-34.92	55.64	38.29	18.92	64.23	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	54.53	88.20	-33.67	35.36	39.84	17.04	40.47	0.44	--	Peak																																																																																																															
2	19155.00	39.27	74.00	-34.73	55.83	38.29	18.92	64.23	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	54.46	88.20	-33.74	35.29	39.84	17.04	40.47	0.44	--	Peak																																																																																																															
2	19155.00	39.08	74.00	-34.92	55.64	38.29	18.92	64.23	-9.54	--	Peak																																																																																																															



Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		81																																																																																															
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.00</td><td>71.02</td><td>88.20</td><td>-17.18</td><td>56.07</td><td>34.00</td><td>11.56</td><td>34.18</td><td>3.57</td><td>200</td><td>36 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5910.00	71.02	88.20	-17.18	56.07	34.00	11.56	34.18	3.57	200	36 Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>102.27</td><td>-----</td><td>-----</td><td>87.29</td><td>34.02</td><td>11.73</td><td>34.31</td><td>3.54</td><td>200</td><td>36 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	102.27	-----	-----	87.29	34.02	11.73	34.31	3.54	200	36 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5910.00	71.02	88.20	-17.18	56.07	34.00	11.56	34.18	3.57	200	36 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6025.00	102.27	-----	-----	87.29	34.02	11.73	34.31	3.54	200	36 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.60</td><td>62.02</td><td>68.20</td><td>-6.18</td><td>47.07</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>36 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.60	62.02	68.20	-6.18	47.07	34.00	11.58	34.20	3.57	200	36 Average	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>93.15</td><td>-----</td><td>-----</td><td>78.12</td><td>34.08</td><td>11.73</td><td>34.32</td><td>3.54</td><td>200</td><td>36 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.15	-----	-----	78.12	34.08	11.73	34.32	3.54	200	36 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5921.60	62.02	68.20	-6.18	47.07	34.00	11.58	34.20	3.57	200	36 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6025.00	93.15	-----	-----	78.12	34.08	11.73	34.32	3.54	200	36 Average																																																																																						



Mode	81																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5905.00 76.42 88.20 -11.78 61.48 34.00 11.55 34.18 3.57 178 350 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5905.00 76.42 88.20 -11.78 61.48 34.00 11.55 34.18 3.57 178 350 Peak									Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 107.42 ----- 92.45 34.00 11.70 34.28 3.55 178 350 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 107.42 ----- 92.45 34.00 11.70 34.28 3.55 178 350 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5905.00 76.42 88.20 -11.78 61.48 34.00 11.55 34.18 3.57 178 350 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6025.00 107.42 ----- 92.45 34.00 11.70 34.28 3.55 178 350 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5916.40 67.09 68.20 -1.11 52.14 34.00 11.57 34.19 3.57 178 350 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5916.40 67.09 68.20 -1.11 52.14 34.00 11.57 34.19 3.57 178 350 Average									Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 98.45 ----- 83.48 34.00 11.70 34.28 3.55 178 350 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 98.45 ----- 83.48 34.00 11.70 34.28 3.55 178 350 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5916.40 67.09 68.20 -1.11 52.14 34.00 11.57 34.19 3.57 178 350 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6025.00 98.45 ----- 83.48 34.00 11.70 34.28 3.55 178 350 Average																																																																																		



Mode	81																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>36.06</td><td>38.00</td><td>16.47</td><td>40.40</td><td>0.49</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>25.50</td><td>38.00</td><td>16.47</td><td>40.40</td><td>0.49</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>38.64</td><td>74.00</td><td>-35.36</td><td>56.13</td><td>38.00</td><td>18.34</td><td>64.29</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	53.76	74.00	-20.24	36.06	38.00	16.47	40.40	0.49	--	--	Peak	2	12050.00	43.20	54.00	-10.80	25.50	38.00	16.47	40.40	0.49	--	--	Average	3	18075.00	38.64	74.00	-35.36	56.13	38.00	18.34	64.29	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>53.77</td><td>74.00</td><td>-20.23</td><td>36.07</td><td>38.00</td><td>16.47</td><td>40.40</td><td>0.49</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>25.51</td><td>38.00</td><td>16.47</td><td>40.40</td><td>0.49</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>38.16</td><td>74.00</td><td>-35.84</td><td>55.65</td><td>38.00</td><td>18.34</td><td>64.29</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	53.77	74.00	-20.23	36.07	38.00	16.47	40.40	0.49	--	--	Peak	2	12050.00	43.21	54.00	-10.79	25.51	38.00	16.47	40.40	0.49	--	--	Average	3	18075.00	38.16	74.00	-35.84	55.65	38.00	18.34	64.29	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12050.00	53.76	74.00	-20.24	36.06	38.00	16.47	40.40	0.49	--	--	Peak																																																																																																																																		
2	12050.00	43.20	54.00	-10.80	25.50	38.00	16.47	40.40	0.49	--	--	Average																																																																																																																																		
3	18075.00	38.64	74.00	-35.36	56.13	38.00	18.34	64.29	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12050.00	53.77	74.00	-20.23	36.07	38.00	16.47	40.40	0.49	--	--	Peak																																																																																																																																		
2	12050.00	43.21	54.00	-10.79	25.51	38.00	16.47	40.40	0.49	--	--	Average																																																																																																																																		
3	18075.00	38.16	74.00	-35.84	55.65	38.00	18.34	64.29	-9.54	--	--	Peak																																																																																																																																		



Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	82																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5896.20 73.45 88.20 -14.75 58.50 34.01 11.53 34.17 3.58 105 333 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5896.20 73.45 88.20 -14.75 58.50 34.01 11.53 34.17 3.58 105 333 Peak									Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 102.44 ----- 87.47 34.00 11.65 34.24 3.56 105 333 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6025.00 102.44 ----- 87.47 34.00 11.65 34.24 3.56 105 333 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5896.20 73.45 88.20 -14.75 58.50 34.01 11.53 34.17 3.58 105 333 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 6025.00 102.44 ----- 87.47 34.00 11.65 34.24 3.56 105 333 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5896.40 60.29 68.20 -7.91 45.34 34.01 11.53 34.17 3.58 105 333 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5896.40 60.29 68.20 -7.91 45.34 34.01 11.53 34.17 3.58 105 333 Average									Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 94.23 ----- 79.27 34.00 11.63 34.23 3.56 105 333 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6025.00 94.23 ----- 79.27 34.00 11.63 34.23 3.56 105 333 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5896.40 60.29 68.20 -7.91 45.34 34.01 11.53 34.17 3.58 105 333 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 6025.00 94.23 ----- 79.27 34.00 11.63 34.23 3.56 105 333 Average																																																																																		



		82																																																					
Mode	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																						
ANT	6+7																																																						
Pol.	Vertical																																																						
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.00</td><td>80.63</td><td>88.20</td><td>-7.57</td><td>65.68</td><td>34.00</td><td>11.55</td><td>34.17</td><td>3.57</td><td>169 9 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.00	80.63	88.20	-7.57	65.68	34.00	11.55	34.17	3.57	169 9 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5903.00	80.63	88.20	-7.57	65.68	34.00	11.55	34.17	3.57	169 9 Peak																																													
Fundamental	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>109.49</td><td>-----</td><td>-----</td><td>94.52</td><td>34.00</td><td>11.69</td><td>34.27</td><td>3.55</td><td>169 9 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	109.49	-----	-----	94.52	34.00	11.69	34.27	3.55	169 9 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6025.00	109.49	-----	-----	94.52	34.00	11.69	34.27	3.55	169 9 Peak																																													
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.00</td><td>65.96</td><td>68.20</td><td>-2.24</td><td>51.01</td><td>34.00</td><td>11.55</td><td>34.17</td><td>3.57</td><td>169 9 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.00	65.96	68.20	-2.24	51.01	34.00	11.55	34.17	3.57	169 9 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5903.00	65.96	68.20	-2.24	51.01	34.00	11.55	34.17	3.57	169 9 Average																																													
Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.33</td><td>-----</td><td>-----</td><td>85.37</td><td>34.00</td><td>11.66</td><td>34.25</td><td>3.55</td><td>169 9 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.33	-----	-----	85.37	34.00	11.66	34.25	3.55	169 9 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6025.00	100.33	-----	-----	85.37	34.00	11.66	34.25	3.55	169 9 Average																																													



	83																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>54.89</td><td>74.00</td><td>-19.11</td><td>36.47</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>25.91</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>39.43</td><td>74.00</td><td>-34.57</td><td>56.88</td><td>38.22</td><td>18.60</td><td>64.73</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	54.89	74.00	-19.11	36.47	39.14	16.72	40.24	0.47	-- -- Peak	2 12370.00	44.33	54.00	-9.67	25.91	39.14	16.72	40.24	0.47	-- -- Average	3 18555.00	39.43	74.00	-34.57	56.88	38.22	18.60	64.73	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>35.92</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>43.78</td><td>54.00</td><td>-10.22</td><td>25.36</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>56.62</td><td>38.22</td><td>18.60</td><td>64.73</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	54.34	74.00	-19.66	35.92	39.14	16.72	40.24	0.47	-- -- Peak	2 12370.00	43.78	54.00	-10.22	25.36	39.14	16.72	40.24	0.47	-- -- Average	3 18555.00	39.17	74.00	-34.83	56.62	38.22	18.60	64.73	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	54.89	74.00	-19.11	36.47	39.14	16.72	40.24	0.47	-- -- Peak																																																																																																																	
2 12370.00	44.33	54.00	-9.67	25.91	39.14	16.72	40.24	0.47	-- -- Average																																																																																																																	
3 18555.00	39.43	74.00	-34.57	56.88	38.22	18.60	64.73	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	54.34	74.00	-19.66	35.92	39.14	16.72	40.24	0.47	-- -- Peak																																																																																																																	
2 12370.00	43.78	54.00	-10.22	25.36	39.14	16.72	40.24	0.47	-- -- Average																																																																																																																	
3 18555.00	39.17	74.00	-34.83	56.62	38.22	18.60	64.73	-9.54	-- -- Peak																																																																																																																	



Mode	83	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		84																																																																																
Mode		Harmonic																																																																																
		U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																
ANT		6+7																																																																																
Pol.		Horizontal																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>55.31</td><td>74.00</td><td>-18.69</td><td>36.14</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>25.58</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>55.96</td><td>38.33</td><td>18.86</td><td>64.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	55.31	74.00	-18.69	36.14	39.80	16.98	40.39	0.45	--	--	Peak	2	12690.00	44.75	54.00	-9.25	25.58	39.80	16.98	40.39	0.45	--	--	Average	3	19035.00	39.40	74.00	-34.60	55.96	38.33	18.86	64.21	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	12690.00	55.31	74.00	-18.69	36.14	39.80	16.98	40.39	0.45	--	--	Peak																																																																						
2	12690.00	44.75	54.00	-9.25	25.58	39.80	16.98	40.39	0.45	--	--	Average																																																																						
3	19035.00	39.40	74.00	-34.60	55.96	38.33	18.86	64.21	-9.54	--	--	Peak																																																																						
Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>36.09</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>25.53</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.38</td><td>74.00</td><td>-34.62</td><td>55.94</td><td>38.33</td><td>18.86</td><td>64.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	55.26	74.00	-18.74	36.09	39.80	16.98	40.39	0.45	--	--	Peak	2	12690.00	44.70	54.00	-9.30	25.53	39.80	16.98	40.39	0.45	--	--	Average	3	19035.00	39.38	74.00	-34.62	55.94	38.33	18.86	64.21	-9.54	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	12690.00	55.26	74.00	-18.74	36.09	39.80	16.98	40.39	0.45	--	--	Peak																																																																						
2	12690.00	44.70	54.00	-9.30	25.53	39.80	16.98	40.39	0.45	--	--	Average																																																																						
3	19035.00	39.38	74.00	-34.62	55.94	38.33	18.86	64.21	-9.54	--	--	Peak																																																																						



Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	85																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.85</td><td>88.20</td><td>-34.35</td><td>34.65</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.57</td><td>74.00</td><td>-35.43</td><td>55.18</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.85	88.20	-34.35	34.65	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	38.57	74.00	-35.43	55.18	38.20	18.99	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>35.27</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.53</td><td>74.00</td><td>-35.47</td><td>55.14</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	54.47	88.20	-33.73	35.27	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	38.53	74.00	-35.47	55.14	38.20	18.99	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	53.85	88.20	-34.35	34.65	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	38.57	74.00	-35.43	55.18	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	54.47	88.20	-33.73	35.27	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	38.53	74.00	-35.47	55.14	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															



Mode	85	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	86																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>34.58</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.43</td><td>74.00</td><td>-35.57</td><td>55.01</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.84	88.20	-34.36	34.58	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	38.43	74.00	-35.57	55.01	38.20	19.05	64.29	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>54.08</td><td>88.20</td><td>-34.12</td><td>34.82</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.82</td><td>74.00</td><td>-36.18</td><td>54.40</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	54.08	88.20	-34.12	34.82	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	37.82	74.00	-36.18	54.40	38.20	19.05	64.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	53.84	88.20	-34.36	34.58	40.00	17.18	40.67	0.43	--	Peak																																																																																																															
2	19425.00	38.43	74.00	-35.57	55.01	38.20	19.05	64.29	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	54.08	88.20	-34.12	34.82	40.00	17.18	40.67	0.43	--	Peak																																																																																																															
2	19425.00	37.82	74.00	-36.18	54.40	38.20	19.05	64.29	-9.54	--	Peak																																																																																																															



Mode	86	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	87																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>34.58</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.53</td><td>74.00</td><td>-35.47</td><td>55.12</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.66	88.20	-34.54	34.58	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	38.53	74.00	-35.47	55.12	38.10	19.11	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.50</td><td>88.20</td><td>-34.70</td><td>34.42</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>55.36</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.50	88.20	-34.70	34.42	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	38.77	74.00	-35.23	55.36	38.10	19.11	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	53.66	88.20	-34.54	34.58	39.88	17.24	40.79	0.43	--	Peak																																																																																																															
2	19545.00	38.53	74.00	-35.47	55.12	38.10	19.11	64.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	53.50	88.20	-34.70	34.42	39.88	17.24	40.79	0.43	--	Peak																																																																																																															
2	19545.00	38.77	74.00	-35.23	55.36	38.10	19.11	64.26	-9.54	--	Peak																																																																																																															



Mode	87	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	88																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>34.53</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>55.61</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.73	88.20	-34.47	34.53	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	39.00	74.00	-35.00	55.61	38.20	18.99	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>54.02</td><td>88.20</td><td>-34.18</td><td>34.82</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.01</td><td>74.00</td><td>-35.99</td><td>54.62</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	54.02	88.20	-34.18	34.82	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	38.01	74.00	-35.99	54.62	38.20	18.99	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	53.73	88.20	-34.47	34.53	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	39.00	74.00	-35.00	55.61	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	54.02	88.20	-34.18	34.82	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	38.01	74.00	-35.99	54.62	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															



Mode	88	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	89																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>54.03</td><td>88.20</td><td>-34.17</td><td>34.77</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>54.50</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	54.03	88.20	-34.17	34.77	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	37.92	74.00	-36.08	54.50	38.20	19.05	64.29	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>54.34</td><td>88.20</td><td>-33.86</td><td>35.00</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.36</td><td>74.00</td><td>-36.64</td><td>53.94</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	54.34	88.20	-33.86	35.00	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	37.36	74.00	-36.64	53.94	38.20	19.05	64.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12950.00	54.03	88.20	-34.17	34.77	40.00	17.18	40.67	0.43	--	Peak																																																																																																														
2	19425.00	37.92	74.00	-36.08	54.50	38.20	19.05	64.29	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12950.00	54.34	88.20	-33.86	35.00	40.00	17.18	40.67	0.43	--	Peak																																																																																																														
2	19425.00	37.36	74.00	-36.64	53.94	38.20	19.05	64.29	-9.54	--	Peak																																																																																																														



Mode	89	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	90																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.02</td><td>88.20</td><td>-34.38</td><td>34.74</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>55.73</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.02	88.20	-34.38	34.74	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	39.14	74.00	-34.86	55.73	38.10	19.11	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>54.00</td><td>88.20</td><td>-34.20</td><td>34.92</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>55.28</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	54.00	88.20	-34.20	34.92	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	38.69	74.00	-35.31	55.28	38.10	19.11	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	53.02	88.20	-34.38	34.74	39.88	17.24	40.79	0.43	--	Peak																																																																																																															
2	19545.00	39.14	74.00	-34.86	55.73	38.10	19.11	64.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	54.00	88.20	-34.20	34.92	39.88	17.24	40.79	0.43	--	Peak																																																																																																															
2	19545.00	38.69	74.00	-35.31	55.28	38.10	19.11	64.26	-9.54	--	Peak																																																																																																															



Mode	90	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	91																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>54.52</td><td>88.20</td><td>-33.68</td><td>35.33</td><td>39.90</td><td>17.13</td><td>40.60</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>38.53</td><td>74.00</td><td>-35.47</td><td>55.14</td><td>38.20</td><td>19.00</td><td>64.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	54.52	88.20	-33.68	35.33	39.90	17.13	40.60	0.44	--	Peak	2	19335.00	38.53	74.00	-35.47	55.14	38.20	19.00	64.27	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>54.30</td><td>88.20</td><td>-33.90</td><td>35.11</td><td>39.90</td><td>17.13</td><td>40.60</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>55.54</td><td>38.20</td><td>19.00</td><td>64.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	54.30	88.20	-33.90	35.11	39.90	17.13	40.60	0.44	--	Peak	2	19335.00	38.93	74.00	-35.07	55.54	38.20	19.00	64.27	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12890.00	54.52	88.20	-33.68	35.33	39.90	17.13	40.60	0.44	--	Peak																																																																																																															
2	19335.00	38.53	74.00	-35.47	55.14	38.20	19.00	64.27	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12890.00	54.30	88.20	-33.90	35.11	39.90	17.13	40.60	0.44	--	Peak																																																																																																															
2	19335.00	38.93	74.00	-35.07	55.54	38.20	19.00	64.27	-9.54	--	Peak																																																																																																															



Mode	91	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	92																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>53.94</td><td>88.20</td><td>-34.26</td><td>34.68</td><td>40.00</td><td>17.20</td><td>40.69</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>38.72</td><td>74.00</td><td>-35.28</td><td>55.30</td><td>38.19</td><td>19.06</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	53.94	88.20	-34.26	34.68	40.00	17.20	40.69	0.43	--	Peak	2	19455.00	38.72	74.00	-35.28	55.30	38.19	19.06	64.29	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>54.65</td><td>88.20</td><td>-33.55</td><td>35.39</td><td>40.00</td><td>17.20</td><td>40.69</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>38.12</td><td>74.00</td><td>-35.88</td><td>54.70</td><td>38.19</td><td>19.06</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	54.65	88.20	-33.55	35.39	40.00	17.20	40.69	0.43	--	Peak	2	19455.00	38.12	74.00	-35.88	54.70	38.19	19.06	64.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	53.94	88.20	-34.26	34.68	40.00	17.20	40.69	0.43	--	Peak																																																																																																															
2	19455.00	38.72	74.00	-35.28	55.30	38.19	19.06	64.29	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	54.65	88.20	-33.55	35.39	40.00	17.20	40.69	0.43	--	Peak																																																																																																															
2	19455.00	38.12	74.00	-35.88	54.70	38.19	19.06	64.29	-9.54	--	Peak																																																																																																															



Mode	92	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	93																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>53.33</td><td>88.20</td><td>-34.87</td><td>34.36</td><td>39.00</td><td>17.25</td><td>40.83</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>38.42</td><td>74.00</td><td>-35.58</td><td>54.98</td><td>38.10</td><td>19.12</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	53.33	88.20	-34.87	34.36	39.00	17.25	40.83	0.43	--	Peak	2	19575.00	38.42	74.00	-35.58	54.98	38.10	19.12	64.24	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>54.12</td><td>88.20</td><td>-34.08</td><td>35.15</td><td>39.00</td><td>17.25</td><td>40.83</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>38.34</td><td>74.00</td><td>-35.66</td><td>54.90</td><td>38.10</td><td>19.12</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	54.12	88.20	-34.08	35.15	39.00	17.25	40.83	0.43	--	Peak	2	19575.00	38.34	74.00	-35.66	54.90	38.10	19.12	64.24	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	53.33	88.20	-34.87	34.36	39.00	17.25	40.83	0.43	--	Peak																																																																																																					
2	19575.00	38.42	74.00	-35.58	54.98	38.10	19.12	64.24	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	54.12	88.20	-34.08	35.15	39.00	17.25	40.83	0.43	--	Peak																																																																																																					
2	19575.00	38.34	74.00	-35.66	54.90	38.10	19.12	64.24	-9.54	--	Peak																																																																																																					



Mode	93	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	94																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.95</td><td>88.20</td><td>-33.25</td><td>35.72</td><td>39.96</td><td>17.16</td><td>40.64</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>38.58</td><td>74.00</td><td>-35.42</td><td>55.17</td><td>38.20</td><td>19.03</td><td>64.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.95	88.20	-33.25	35.72	39.96	17.16	40.64	0.43	--	Peak	2	19395.00	38.58	74.00	-35.42	55.17	38.20	19.03	64.28	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.78</td><td>88.20</td><td>-33.42</td><td>35.55</td><td>39.96</td><td>17.16</td><td>40.64</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>38.20</td><td>74.00</td><td>-35.80</td><td>54.79</td><td>38.20</td><td>19.03</td><td>64.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.78	88.20	-33.42	35.55	39.96	17.16	40.64	0.43	--	Peak	2	19395.00	38.20	74.00	-35.80	54.79	38.20	19.03	64.28	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12930.00	54.95	88.20	-33.25	35.72	39.96	17.16	40.64	0.43	--	Peak																																																																																																															
2	19395.00	38.58	74.00	-35.42	55.17	38.20	19.03	64.28	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12930.00	54.78	88.20	-33.42	35.55	39.96	17.16	40.64	0.43	--	Peak																																																																																																															
2	19395.00	38.20	74.00	-35.80	54.79	38.20	19.03	64.28	-9.54	--	Peak																																																																																																															



Mode	94	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	95																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.14</td><td>88.20</td><td>-34.06</td><td>34.94</td><td>39.96</td><td>17.23</td><td>40.74</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>56.05</td><td>38.10</td><td>19.09</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.14	88.20	-34.06	34.94	39.96	17.23	40.74	0.43	--	Peak	2	19515.00	39.41	74.00	-34.59	56.05	38.10	19.09	64.29	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.57</td><td>88.20</td><td>-33.63</td><td>35.37</td><td>39.96</td><td>17.23</td><td>40.74</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>38.98</td><td>74.00</td><td>-35.02</td><td>55.62</td><td>38.10</td><td>19.09</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.57	88.20	-33.63	35.37	39.96	17.23	40.74	0.43	--	Peak	2	19515.00	38.98	74.00	-35.02	55.62	38.10	19.09	64.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13010.00	54.14	88.20	-34.06	34.94	39.96	17.23	40.74	0.43	--	Peak																																																																																																														
2	19515.00	39.41	74.00	-34.59	56.05	38.10	19.09	64.29	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13010.00	54.57	88.20	-33.63	35.37	39.96	17.23	40.74	0.43	--	Peak																																																																																																														
2	19515.00	38.98	74.00	-35.02	55.62	38.10	19.09	64.29	-9.54	--	Peak																																																																																																														



Mode	95	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	96																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>54.10</td><td>88.20</td><td>-34.10</td><td>35.16</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>55.83</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	54.10	88.20	-34.10	35.16	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	39.31	74.00	-34.69	55.83	38.10	19.14	64.22	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.57</td><td>88.20</td><td>-34.63</td><td>34.63</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>55.69</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.57	88.20	-34.63	34.63	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	39.17	74.00	-34.83	55.69	38.10	19.14	64.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	54.10	88.20	-34.10	35.16	39.00	17.26	40.87	0.43	--	Peak																																																																																																														
2	19605.00	39.31	74.00	-34.69	55.83	38.10	19.14	64.22	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	53.57	88.20	-34.63	34.63	39.00	17.26	40.87	0.43	--	Peak																																																																																																														
2	19605.00	39.17	74.00	-34.83	55.69	38.10	19.14	64.22	-9.54	--	Peak																																																																																																														



Mode	96	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	97																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																							
ANT	6+7																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>35.60</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>24.82</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>38.44</td><td>74.00</td><td>-35.56</td><td>54.47</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.30	74.00	-19.70	35.60	40.10	17.46	41.58	0.41	--	Peak	2	13390.00	43.52	54.00	-10.48	24.82	40.10	17.46	41.58	0.41	--	Average	3	20085.00	38.44	74.00	-35.56	54.47	38.00	19.39	63.88	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>35.06</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>24.69</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>38.18</td><td>74.00</td><td>-35.82</td><td>54.21</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	53.76	74.00	-20.24	35.06	40.10	17.46	41.58	0.41	--	Peak	2	13390.00	43.39	54.00	-10.61	24.69	40.10	17.46	41.58	0.41	--	Average	3	20085.00	38.18	74.00	-35.82	54.21	38.00	19.39	63.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13390.00	54.30	74.00	-19.70	35.60	40.10	17.46	41.58	0.41	--	Peak																																																																																																																													
2	13390.00	43.52	54.00	-10.48	24.82	40.10	17.46	41.58	0.41	--	Average																																																																																																																													
3	20085.00	38.44	74.00	-35.56	54.47	38.00	19.39	63.88	-9.54	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13390.00	53.76	74.00	-20.24	35.06	40.10	17.46	41.58	0.41	--	Peak																																																																																																																													
2	13390.00	43.39	54.00	-10.61	24.69	40.10	17.46	41.58	0.41	--	Average																																																																																																																													
3	20085.00	38.18	74.00	-35.82	54.21	38.00	19.39	63.88	-9.54	--	Peak																																																																																																																													



Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	98																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.93</td><td>88.20</td><td>-33.27</td><td>36.57</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>54.82</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.93	88.20	-33.27	36.57	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	39.46	74.00	-34.54	54.82	38.10	19.75	63.67	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.28</td><td>88.20</td><td>-33.92</td><td>35.92</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.83</td><td>74.00</td><td>-35.17</td><td>54.19</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.28	88.20	-33.92	35.92	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	38.83	74.00	-35.17	54.19	38.10	19.75	63.67	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13750.00	54.93	88.20	-33.27	36.57	40.30	17.68	42.30	0.38	--	Peak																																																																																																														
2	20625.00	39.46	74.00	-34.54	54.82	38.10	19.75	63.67	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13750.00	54.28	88.20	-33.92	35.92	40.30	17.68	42.30	0.38	--	Peak																																																																																																														
2	20625.00	38.83	74.00	-35.17	54.19	38.10	19.75	63.67	-9.54	--	Peak																																																																																																														



Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	99																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>35.39</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>55.61</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	54.33	88.20	-33.87	35.39	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	39.09	74.00	-34.91	55.61	38.10	19.14	64.22	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.96</td><td>88.20</td><td>-34.24</td><td>35.02</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.25</td><td>74.00</td><td>-35.75</td><td>54.77</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.96	88.20	-34.24	35.02	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	38.25	74.00	-35.75	54.77	38.10	19.14	64.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	54.33	88.20	-33.87	35.39	39.00	17.26	40.87	0.43	--	Peak																																																																																																					
2	19605.00	39.09	74.00	-34.91	55.61	38.10	19.14	64.22	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	53.96	88.20	-34.24	35.02	39.00	17.26	40.87	0.43	--	Peak																																																																																																					
2	19605.00	38.25	74.00	-35.75	54.77	38.10	19.14	64.22	-9.54	--	Peak																																																																																																					



Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



	100																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.18</td><td>74.00 -19.82</td><td>35.48</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13390.00</td><td>43.87</td><td>54.00 -10.13</td><td>25.17</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>-- Average</td></tr><tr><td>3 20805.00</td><td>38.07</td><td>74.00 -35.93</td><td>54.10</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	54.18	74.00 -19.82	35.48	40.10	17.46	41.58	0.41	--	-- Peak	2 13390.00	43.87	54.00 -10.13	25.17	40.10	17.46	41.58	0.41	--	-- Average	3 20805.00	38.07	74.00 -35.93	54.10	38.00	19.39	63.88	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.44</td><td>74.00 -19.56</td><td>35.74</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13390.00</td><td>43.68</td><td>54.00 -10.32</td><td>24.98</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>-- Average</td></tr><tr><td>3 20805.00</td><td>37.77</td><td>74.00 -36.23</td><td>53.80</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	54.44	74.00 -19.56	35.74	40.10	17.46	41.58	0.41	--	-- Peak	2 13390.00	43.68	54.00 -10.32	24.98	40.10	17.46	41.58	0.41	--	-- Average	3 20805.00	37.77	74.00 -36.23	53.80	38.00	19.39	63.88	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	54.18	74.00 -19.82	35.48	40.10	17.46	41.58	0.41	--	-- Peak																																																																																																																	
2 13390.00	43.87	54.00 -10.13	25.17	40.10	17.46	41.58	0.41	--	-- Average																																																																																																																	
3 20805.00	38.07	74.00 -35.93	54.10	38.00	19.39	63.88	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	54.44	74.00 -19.56	35.74	40.10	17.46	41.58	0.41	--	-- Peak																																																																																																																	
2 13390.00	43.68	54.00 -10.32	24.98	40.10	17.46	41.58	0.41	--	-- Average																																																																																																																	
3 20805.00	37.77	74.00 -36.23	53.80	38.00	19.39	63.88	-9.54	--	-- Peak																																																																																																																	



Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	101																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.74</td><td>88.20</td><td>-33.46</td><td>36.38</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>54.10</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.74	88.20	-33.46	36.38	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	38.74	74.00	-35.26	54.10	38.10	19.75	63.67	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.70</td><td>88.20</td><td>-33.50</td><td>36.34</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>53.58</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.70	88.20	-33.50	36.34	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	38.22	74.00	-35.78	53.58	38.10	19.75	63.67	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13750.00	54.74	88.20	-33.46	36.38	40.30	17.68	42.30	0.38	--	Peak																																																																																																														
2	20625.00	38.74	74.00	-35.26	54.10	38.10	19.75	63.67	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13750.00	54.70	88.20	-33.50	36.34	40.30	17.68	42.30	0.38	--	Peak																																																																																																														
2	20625.00	38.22	74.00	-35.78	53.58	38.10	19.75	63.67	-9.54	--	Peak																																																																																																														



Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	102																																																																																																													
	Harmonic																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																													
ANT	6+7																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-01-11  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>54.28</td><td>88.20</td><td>-33.92</td><td>35.39</td><td>39.06</td><td>17.30</td><td>41.01</td><td>0.42</td><td>-- Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>55.81</td><td>38.10</td><td>19.18</td><td>64.14</td><td>-9.54</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	54.28	88.20	-33.92	35.39	39.06	17.30	41.01	0.42	-- Peak	2	19695.00	39.41	74.00	-34.59	55.81	38.10	19.18	64.14	-9.54	-- Peak	Level (dBuV/m) Date: 2026-01-11  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.80</td><td>88.20</td><td>-34.40</td><td>34.91</td><td>39.06</td><td>17.30</td><td>41.01</td><td>0.42</td><td>-- Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.14</td><td>74.00</td><td>-35.86</td><td>54.54</td><td>38.10</td><td>19.18</td><td>64.14</td><td>-9.54</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.80	88.20	-34.40	34.91	39.06	17.30	41.01	0.42	-- Peak	2	19695.00	38.14	74.00	-35.86	54.54	38.10	19.18	64.14	-9.54	-- Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	13130.00	54.28	88.20	-33.92	35.39	39.06	17.30	41.01	0.42	-- Peak																																																																																																				
2	19695.00	39.41	74.00	-34.59	55.81	38.10	19.18	64.14	-9.54	-- Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	13130.00	53.80	88.20	-34.40	34.91	39.06	17.30	41.01	0.42	-- Peak																																																																																																				
2	19695.00	38.14	74.00	-35.86	54.54	38.10	19.18	64.14	-9.54	-- Peak																																																																																																				



Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	103																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>35.41</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13370.00</td><td>43.88</td><td>54.00</td><td>-10.12</td><td>25.14</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>53.98</td><td>38.00</td><td>19.37</td><td>63.89</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	54.15	74.00	-19.85	35.41	40.10	17.45	41.53	0.41	-- -- Peak	2 13370.00	43.88	54.00	-10.12	25.14	40.10	17.45	41.53	0.41	-- -- Average	3 20055.00	37.92	74.00	-36.08	53.98	38.00	19.37	63.89	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>35.93</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13370.00</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>25.37</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>38.55</td><td>74.00</td><td>-35.45</td><td>54.61</td><td>38.00</td><td>19.37</td><td>63.89</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	54.67	74.00	-19.33	35.93	40.10	17.45	41.53	0.41	-- -- Peak	2 13370.00	44.11	54.00	-9.89	25.37	40.10	17.45	41.53	0.41	-- -- Average	3 20055.00	38.55	74.00	-35.45	54.61	38.00	19.37	63.89	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13370.00	54.15	74.00	-19.85	35.41	40.10	17.45	41.53	0.41	-- -- Peak																																																																																																																	
2 13370.00	43.88	54.00	-10.12	25.14	40.10	17.45	41.53	0.41	-- -- Average																																																																																																																	
3 20055.00	37.92	74.00	-36.08	53.98	38.00	19.37	63.89	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13370.00	54.67	74.00	-19.33	35.93	40.10	17.45	41.53	0.41	-- -- Peak																																																																																																																	
2 13370.00	44.11	54.00	-9.89	25.37	40.10	17.45	41.53	0.41	-- -- Average																																																																																																																	
3 20055.00	38.55	74.00	-35.45	54.61	38.00	19.37	63.89	-9.54	-- -- Peak																																																																																																																	



Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	104																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>37.17</td><td>40.34</td><td>17.69</td><td>42.34</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>38.63</td><td>74.00</td><td>-35.37</td><td>53.95</td><td>38.10</td><td>19.77</td><td>63.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	55.54	88.20	-32.66	37.17	40.34	17.69	42.34	0.38	--	Peak	2	20655.00	38.63	74.00	-35.37	53.95	38.10	19.77	63.65	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>54.61</td><td>88.20</td><td>-33.59</td><td>36.24</td><td>40.34</td><td>17.69</td><td>42.34</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>38.45</td><td>74.00</td><td>-35.55</td><td>53.77</td><td>38.10</td><td>19.77</td><td>63.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	54.61	88.20	-33.59	36.24	40.34	17.69	42.34	0.38	--	Peak	2	20655.00	38.45	74.00	-35.55	53.77	38.10	19.77	63.65	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	55.54	88.20	-32.66	37.17	40.34	17.69	42.34	0.38	--	Peak																																																																																																					
2	20655.00	38.63	74.00	-35.37	53.95	38.10	19.77	63.65	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	54.61	88.20	-33.59	36.24	40.34	17.69	42.34	0.38	--	Peak																																																																																																					
2	20655.00	38.45	74.00	-35.55	53.77	38.10	19.77	63.65	-9.54	--	Peak																																																																																																					



Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		105									
Mode		Harmonic									
		U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz									
ANT		6+7									
Pol.		Horizontal					Vertical				
Peak Avg											



Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	106																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.40</td><td>88.20</td><td>-33.80</td><td>35.75</td><td>40.00</td><td>17.47</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>54.78</td><td>38.00</td><td>19.41</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.40	88.20	-33.80	35.75	40.00	17.47	41.62	0.41	--	Peak	2	20115.00	38.77	74.00	-35.23	54.78	38.00	19.41	63.88	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.05</td><td>88.20</td><td>-34.15</td><td>35.40</td><td>40.00</td><td>17.47</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.62</td><td>74.00</td><td>-35.38</td><td>54.63</td><td>38.00</td><td>19.41</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.05	88.20	-34.15	35.40	40.00	17.47	41.62	0.41	--	Peak	2	20115.00	38.62	74.00	-35.38	54.63	38.00	19.41	63.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.40	88.20	-33.80	35.75	40.00	17.47	41.62	0.41	--	Peak																																																																																																															
2	20115.00	38.77	74.00	-35.23	54.78	38.00	19.41	63.88	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.05	88.20	-34.15	35.40	40.00	17.47	41.62	0.41	--	Peak																																																																																																															
2	20115.00	38.62	74.00	-35.38	54.63	38.00	19.41	63.88	-9.54	--	Peak																																																																																																															



Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	107																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.02</td><td>88.20</td><td>-33.18</td><td>36.65</td><td>40.26</td><td>17.67</td><td>42.26</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>38.87</td><td>74.00</td><td>-35.13</td><td>54.28</td><td>38.10</td><td>19.73</td><td>63.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.02	88.20	-33.18	36.65	40.26	17.67	42.26	0.39	--	Peak	2	20595.00	38.87	74.00	-35.13	54.28	38.10	19.73	63.70	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.56</td><td>88.20</td><td>-32.64</td><td>37.19</td><td>40.26</td><td>17.67</td><td>42.26</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>54.21</td><td>38.10</td><td>19.73</td><td>63.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.56	88.20	-32.64	37.19	40.26	17.67	42.26	0.39	--	Peak	2	20595.00	38.80	74.00	-35.20	54.21	38.10	19.73	63.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	55.02	88.20	-33.18	36.65	40.26	17.67	42.26	0.39	--	Peak																																																																																																					
2	20595.00	38.87	74.00	-35.13	54.28	38.10	19.73	63.70	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	55.56	88.20	-32.64	37.19	40.26	17.67	42.26	0.39	--	Peak																																																																																																					
2	20595.00	38.80	74.00	-35.20	54.21	38.10	19.73	63.70	-9.54	--	Peak																																																																																																					



Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	108																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>35.00</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Peak</td></tr><tr><td>2 13330.00</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>25.27</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Average</td></tr><tr><td>3 19995.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>55.16</td><td>38.00</td><td>19.33</td><td>63.90</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	54.59	74.00	-19.41	35.00	40.10	17.42	41.45	0.41	-- Peak	2 13330.00	44.06	54.00	-9.94	25.27	40.10	17.42	41.45	0.41	-- Average	3 19995.00	39.05	74.00	-34.95	55.16	38.00	19.33	63.90	-9.54	-- Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>55.09</td><td>74.00</td><td>-18.91</td><td>36.30</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Peak</td></tr><tr><td>2 13330.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>25.43</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Average</td></tr><tr><td>3 19995.00</td><td>38.13</td><td>74.00</td><td>-35.87</td><td>54.24</td><td>38.00</td><td>19.33</td><td>63.90</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	55.09	74.00	-18.91	36.30	40.10	17.42	41.45	0.41	-- Peak	2 13330.00	44.22	54.00	-9.78	25.43	40.10	17.42	41.45	0.41	-- Average	3 19995.00	38.13	74.00	-35.87	54.24	38.00	19.33	63.90	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	54.59	74.00	-19.41	35.00	40.10	17.42	41.45	0.41	-- Peak																																																																																																																	
2 13330.00	44.06	54.00	-9.94	25.27	40.10	17.42	41.45	0.41	-- Average																																																																																																																	
3 19995.00	39.05	74.00	-34.95	55.16	38.00	19.33	63.90	-9.54	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	55.09	74.00	-18.91	36.30	40.10	17.42	41.45	0.41	-- Peak																																																																																																																	
2 13330.00	44.22	54.00	-9.78	25.43	40.10	17.42	41.45	0.41	-- Average																																																																																																																	
3 19995.00	38.13	74.00	-35.87	54.24	38.00	19.33	63.90	-9.54	-- Peak																																																																																																																	



Mode	108	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	109																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>55.48</td><td>88.20</td><td>-32.72</td><td>37.17</td><td>40.10</td><td>17.62</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>54.67</td><td>38.10</td><td>19.65</td><td>63.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	55.48	88.20	-32.72	37.17	40.10	17.62	42.11	0.39	--	Peak	2	20475.00	39.07	74.00	-34.93	54.67	38.10	19.65	63.81	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>56.19</td><td>88.20</td><td>-32.01</td><td>37.88</td><td>40.10</td><td>17.62</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>54.77</td><td>38.10</td><td>19.65</td><td>63.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	56.19	88.20	-32.01	37.88	40.10	17.62	42.11	0.39	--	Peak	2	20475.00	39.17	74.00	-34.83	54.77	38.10	19.65	63.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	55.48	88.20	-32.72	37.17	40.10	17.62	42.11	0.39	--	Peak																																																																																																															
2	20475.00	39.07	74.00	-34.93	54.67	38.10	19.65	63.81	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	56.19	88.20	-32.01	37.88	40.10	17.62	42.11	0.39	--	Peak																																																																																																															
2	20475.00	39.17	74.00	-34.83	54.77	38.10	19.65	63.81	-9.54	--	Peak																																																																																																															



Mode	109	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	110																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>55.09</td><td>88.20</td><td>-33.11</td><td>36.71</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>38.81</td><td>74.00</td><td>-35.19</td><td>54.07</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	55.09	88.20	-33.11	36.71	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	38.81	74.00	-35.19	54.07	38.10	19.79	63.61	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.49</td><td>88.20</td><td>-33.71</td><td>36.11</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>38.37</td><td>74.00</td><td>-35.63</td><td>53.63</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.49	88.20	-33.71	36.11	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	38.37	74.00	-35.63	53.63	38.10	19.79	63.61	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	55.09	88.20	-33.11	36.71	40.38	17.70	42.38	0.38	--	Peak																																																																																																															
2	20685.00	38.81	74.00	-35.19	54.07	38.10	19.79	63.61	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	54.49	88.20	-33.71	36.11	40.38	17.70	42.38	0.38	--	Peak																																																																																																															
2	20685.00	38.37	74.00	-35.63	53.63	38.10	19.79	63.61	-9.54	--	Peak																																																																																																															



Mode	110	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	111																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.30</td><td>88.20</td><td>-33.90</td><td>35.77</td><td>40.80</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>38.98</td><td>74.00</td><td>-35.02</td><td>53.74</td><td>38.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.30	88.20	-33.90	35.77	40.80	17.82	42.76	0.37	--	Peak	2	20905.00	38.98	74.00	-35.02	53.74	38.10	19.99	63.31	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.76</td><td>88.20</td><td>-33.44</td><td>36.23</td><td>40.80</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>38.84</td><td>74.00</td><td>-35.16</td><td>53.68</td><td>38.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.76	88.20	-33.44	36.23	40.80	17.82	42.76	0.37	--	Peak	2	20905.00	38.84	74.00	-35.16	53.68	38.10	19.99	63.31	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	54.30	88.20	-33.90	35.77	40.80	17.82	42.76	0.37	--	Peak																																																																																																															
2	20905.00	38.98	74.00	-35.02	53.74	38.10	19.99	63.31	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	54.76	88.20	-33.44	36.23	40.80	17.82	42.76	0.37	--	Peak																																																																																																															
2	20905.00	38.84	74.00	-35.16	53.68	38.10	19.99	63.31	-9.54	--	Peak																																																																																																															



Mode	111	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		112																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal																																																																																																															
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>73.13</td><td>88.20</td><td>-15.07</td><td>55.60</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>200 349 Peak</td></tr><tr><td>2 7126.18</td><td>71.98</td><td>88.20</td><td>-16.22</td><td>54.45</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>200 349 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	73.13	88.20	-15.07	55.60	36.65	12.60	35.52	3.80	200 349 Peak	2 7126.18	71.98	88.20	-16.22	54.45	36.65	12.60	35.52	3.80	200 349 Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>105.23</td><td>-----</td><td>-----</td><td>87.75</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>200 349 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	105.23	-----	-----	87.75	36.62	12.58	35.51	3.79	200 349 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 7125.01	73.13	88.20	-15.07	55.60	36.65	12.60	35.52	3.80	200 349 Peak																																																																																																							
2 7126.18	71.98	88.20	-16.22	54.45	36.65	12.60	35.52	3.80	200 349 Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 7115.00	105.23	-----	-----	87.75	36.62	12.58	35.51	3.79	200 349 Peak																																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>65.36</td><td>68.20</td><td>-2.84</td><td>47.83</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>200 349 Average</td></tr><tr><td>2 7125.92</td><td>63.12</td><td>68.20</td><td>-5.08</td><td>45.59</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>200 349 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	65.36	68.20	-2.84	47.83	36.65	12.60	35.52	3.80	200 349 Average	2 7125.92	63.12	68.20	-5.08	45.59	36.65	12.60	35.52	3.80	200 349 Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>98.46</td><td>-----</td><td>-----</td><td>80.98</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>200 349 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	98.46	-----	-----	80.98	36.62	12.58	35.51	3.79	200 349 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 7125.01	65.36	68.20	-2.84	47.83	36.65	12.60	35.52	3.80	200 349 Average																																																																																																							
2 7125.92	63.12	68.20	-5.08	45.59	36.65	12.60	35.52	3.80	200 349 Average																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 7115.00	98.46	-----	-----	80.98	36.62	12.58	35.51	3.79	200 349 Average																																																																																																							



Mode	112																																																																																																											
	Band Edge																																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2026-01-10 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.40</td><td>75.88</td><td>88.20</td><td>-12.32</td><td>58.35</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>274</td><td>3 Peak</td></tr><tr><td>2</td><td>7125.92</td><td>74.39</td><td>88.20</td><td>-13.81</td><td>56.86</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>274</td><td>3 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.40	75.88	88.20	-12.32	58.35	36.65	12.60	35.52	3.80	274	3 Peak	2	7125.92	74.39	88.20	-13.81	56.86	36.65	12.60	35.52	3.80	274	3 Peak	Level (dBuV/m) Date: 2026-01-10 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>108.42</td><td>-----</td><td>-----</td><td>90.94</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>274</td><td>3 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	108.42	-----	-----	90.94	36.62	12.58	35.51	3.79	274	3 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																			
1	7125.40	75.88	88.20	-12.32	58.35	36.65	12.60	35.52	3.80	274	3 Peak																																																																																																	
2	7125.92	74.39	88.20	-13.81	56.86	36.65	12.60	35.52	3.80	274	3 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																			
1	7115.00	108.42	-----	-----	90.94	36.62	12.58	35.51	3.79	274	3 Peak																																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-10 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>67.12</td><td>68.20</td><td>-1.08</td><td>49.59</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>274</td><td>3 Average</td></tr><tr><td>2</td><td>7125.92</td><td>63.76</td><td>68.20</td><td>-4.44</td><td>46.23</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>274</td><td>3 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.01	67.12	68.20	-1.08	49.59	36.65	12.60	35.52	3.80	274	3 Average	2	7125.92	63.76	68.20	-4.44	46.23	36.65	12.60	35.52	3.80	274	3 Average	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>101.11</td><td>-----</td><td>-----</td><td>83.61</td><td>36.64</td><td>12.59</td><td>35.52</td><td>3.79</td><td>274</td><td>3 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	101.11	-----	-----	83.61	36.64	12.59	35.52	3.79	274	3 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																			
1	7125.01	67.12	68.20	-1.08	49.59	36.65	12.60	35.52	3.80	274	3 Average																																																																																																	
2	7125.92	63.76	68.20	-4.44	46.23	36.65	12.60	35.52	3.80	274	3 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																			
1	7115.00	101.11	-----	-----	83.61	36.64	12.59	35.52	3.79	274	3 Average																																																																																																	



Mode	112																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.45</td><td>88.20</td><td>-32.75</td><td>36.77</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>38.63</td><td>74.00</td><td>-35.37</td><td>53.18</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.45	88.20	-32.75	36.77	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	38.63	74.00	-35.37	53.18	38.20	20.16	63.37	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>54.59</td><td>88.20</td><td>-33.61</td><td>35.91</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>53.11</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	54.59	88.20	-33.61	35.91	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	38.56	74.00	-35.44	53.11	38.20	20.16	63.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	55.45	88.20	-32.75	36.77	41.14	17.93	43.11	0.40	--	Peak																																																																																																															
2	21345.00	38.63	74.00	-35.37	53.18	38.20	20.16	63.37	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	54.59	88.20	-33.61	35.91	41.14	17.93	43.11	0.40	--	Peak																																																																																																															
2	21345.00	38.56	74.00	-35.44	53.11	38.20	20.16	63.37	-9.54	--	Peak																																																																																																															



Mode	112	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	113																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.20</td><td>88.20</td><td>-34.00</td><td>35.82</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>52.80</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.20	88.20	-34.00	35.82	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	37.54	74.00	-36.46	52.80	38.10	19.79	63.61	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.07</td><td>88.20</td><td>-34.13</td><td>35.69</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>38.71</td><td>74.00</td><td>-35.29</td><td>53.97</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.07	88.20	-34.13	35.69	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	38.71	74.00	-35.29	53.97	38.10	19.79	63.61	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13790.00	54.20	88.20	-34.00	35.82	40.38	17.70	42.38	0.38	--	Peak																																																																																																														
2	20685.00	37.54	74.00	-36.46	52.80	38.10	19.79	63.61	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13790.00	54.07	88.20	-34.13	35.69	40.38	17.70	42.38	0.38	--	Peak																																																																																																														
2	20685.00	38.71	74.00	-35.29	53.97	38.10	19.79	63.61	-9.54	--	Peak																																																																																																														



Mode	113	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	114																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.10</td><td>88.20</td><td>-34.10</td><td>35.57</td><td>40.80</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>39.42</td><td>74.00</td><td>-34.58</td><td>54.18</td><td>38.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.10	88.20	-34.10	35.57	40.80	17.82	42.76	0.37	--	Peak	2	20905.00	39.42	74.00	-34.58	54.18	38.10	19.99	63.31	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>55.14</td><td>88.20</td><td>-33.06</td><td>36.61</td><td>40.80</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>38.43</td><td>74.00</td><td>-35.57</td><td>53.19</td><td>38.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	55.14	88.20	-33.06	36.61	40.80	17.82	42.76	0.37	--	Peak	2	20905.00	38.43	74.00	-35.57	53.19	38.10	19.99	63.31	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	54.10	88.20	-34.10	35.57	40.80	17.82	42.76	0.37	--	Peak																																																																																																														
2	20905.00	39.42	74.00	-34.58	54.18	38.10	19.99	63.31	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	55.14	88.20	-33.06	36.61	40.80	17.82	42.76	0.37	--	Peak																																																																																																														
2	20905.00	38.43	74.00	-35.57	53.19	38.10	19.99	63.31	-9.54	--	Peak																																																																																																														



Mode	114	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		115																																																																																																															
Mode	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																
ANT	6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-10 PEAK_BE(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7115 7141. 7167. 7193. 7219. 7245 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>75.09</td><td>88.20</td><td>-13.11</td><td>57.56</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>175</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>7125.92</td><td>71.70</td><td>88.20</td><td>-16.50</td><td>54.17</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>175</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	75.09	88.20	-13.11	57.56	36.65	12.60	35.52	3.80	175	360	Peak	2	7125.92	71.70	88.20	-16.50	54.17	36.65	12.60	35.52	3.80	175	360	Peak	Level (dBuV/m) Date: 2026-01-10 PEAK(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400. 3800. 5200. 6600. 8000 Frequency (MHz) Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>100.69</td><td>-----</td><td>-----</td><td>83.19</td><td>36.64</td><td>12.59</td><td>35.52</td><td>3.79</td><td>175</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	100.69	-----	-----	83.19	36.64	12.59	35.52	3.79	175	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.01	75.09	88.20	-13.11	57.56	36.65	12.60	35.52	3.80	175	360	Peak																																																																																																					
2	7125.92	71.70	88.20	-16.50	54.17	36.65	12.60	35.52	3.80	175	360	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7115.00	100.69	-----	-----	83.19	36.64	12.59	35.52	3.79	175	360	Peak																																																																																																					
Avg	Level (dBuV/m) Date: 2026-01-10 AVG_BE(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7115 7141. 7167. 7193. 7219. 7245 Frequency (MHz) Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>64.40</td><td>68.20</td><td>-3.80</td><td>46.87</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>175</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>7125.92</td><td>61.65</td><td>68.20</td><td>-6.55</td><td>44.12</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>175</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	64.40	68.20	-3.80	46.87	36.65	12.60	35.52	3.80	175	360	Average	2	7125.92	61.65	68.20	-6.55	44.12	36.65	12.60	35.52	3.80	175	360	Average	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400. 3800. 5200. 6600. 8000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>92.56</td><td>-----</td><td>-----</td><td>75.06</td><td>36.64</td><td>12.59</td><td>35.52</td><td>3.79</td><td>175</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	92.56	-----	-----	75.06	36.64	12.59	35.52	3.79	175	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.01	64.40	68.20	-3.80	46.87	36.65	12.60	35.52	3.80	175	360	Average																																																																																																					
2	7125.92	61.65	68.20	-6.55	44.12	36.65	12.60	35.52	3.80	175	360	Average																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7115.00	92.56	-----	-----	75.06	36.64	12.59	35.52	3.79	175	360	Average																																																																																																					



Mode	115										
	Band Edge										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz										
ANT	6+7										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m) Date: 2026-01-10 </										



Mode	115																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.28</td><td>88.20</td><td>-32.92</td><td>36.60</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.13</td><td>74.00</td><td>-34.87</td><td>53.68</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.28	88.20	-32.92	36.60	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	39.13	74.00	-34.87	53.68	38.20	20.16	63.37	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.09</td><td>88.20</td><td>-33.11</td><td>36.41</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>52.82</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.09	88.20	-33.11	36.41	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	38.27	74.00	-35.73	52.82	38.20	20.16	63.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14230.00	55.28	88.20	-32.92	36.60	41.14	17.93	43.11	0.40	--	Peak																																																																																																					
2	21345.00	39.13	74.00	-34.87	53.68	38.20	20.16	63.37	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14230.00	55.09	88.20	-33.11	36.41	41.14	17.93	43.11	0.40	--	Peak																																																																																																					
2	21345.00	38.27	74.00	-35.73	52.82	38.20	20.16	63.37	-9.54	--	Peak																																																																																																					



Mode	115	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		116									
Mode	Band Edge										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU 106/54_7115MHz										
ANT	6+7										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										



Mode	116									
	Band Edge									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU 106/54_7115MHz									
ANT	6+7									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m)									



Mode	117																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>55.20</td><td>88.20</td><td>-33.00</td><td>36.87</td><td>40.40</td><td>17.74</td><td>42.49</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>53.88</td><td>38.10</td><td>19.85</td><td>63.52</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	55.20	88.20	-33.00	36.87	40.40	17.74	42.49	0.38	--	Peak	2	20775.00	38.77	74.00	-35.23	53.88	38.10	19.85	63.52	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>55.51</td><td>88.20</td><td>-32.69</td><td>37.18</td><td>40.40</td><td>17.74</td><td>42.49</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>38.33</td><td>74.00</td><td>-35.67</td><td>53.44</td><td>38.10</td><td>19.85</td><td>63.52</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	55.51	88.20	-32.69	37.18	40.40	17.74	42.49	0.38	--	Peak	2	20775.00	38.33	74.00	-35.67	53.44	38.10	19.85	63.52	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13850.00	55.20	88.20	-33.00	36.87	40.40	17.74	42.49	0.38	--	Peak																																																																																																					
2	20775.00	38.77	74.00	-35.23	53.88	38.10	19.85	63.52	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13850.00	55.51	88.20	-32.69	37.18	40.40	17.74	42.49	0.38	--	Peak																																																																																																					
2	20775.00	38.33	74.00	-35.67	53.44	38.10	19.85	63.52	-9.54	--	Peak																																																																																																					



Mode	117	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	118																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>55.21</td><td>88.20</td><td>-32.99</td><td>36.68</td><td>40.82</td><td>17.83</td><td>42.79</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>54.12</td><td>30.10</td><td>20.01</td><td>63.30</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	55.21	88.20	-32.99	36.68	40.82	17.83	42.79	0.37	--	Peak	2	21015.00	39.39	74.00	-34.61	54.12	30.10	20.01	63.30	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>54.72</td><td>88.20</td><td>-33.48</td><td>36.19</td><td>40.82</td><td>17.83</td><td>42.79</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>53.73</td><td>30.10</td><td>20.01</td><td>63.30</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	54.72	88.20	-33.48	36.19	40.82	17.83	42.79	0.37	--	Peak	2	21015.00	39.00	74.00	-35.00	53.73	30.10	20.01	63.30	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14010.00	55.21	88.20	-32.99	36.68	40.82	17.83	42.79	0.37	--	Peak																																																																																																					
2	21015.00	39.39	74.00	-34.61	54.12	30.10	20.01	63.30	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14010.00	54.72	88.20	-33.48	36.19	40.82	17.83	42.79	0.37	--	Peak																																																																																																					
2	21015.00	39.00	74.00	-35.00	53.73	30.10	20.01	63.30	-9.54	--	Peak																																																																																																					



Mode	118	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	119																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.12 57.13 88.20 -31.07 39.60 36.65 12.60 35.52 3.00 190 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7126.12 57.13 88.20 -31.07 39.60 36.65 12.60 35.52 3.00 190 360 Peak									Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 100.23 ----- 90.77 36.61 12.57 35.50 3.78 190 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7085.00 100.23 ----- 90.77 36.61 12.57 35.50 3.78 190 360 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7126.12 57.13 88.20 -31.07 39.60 36.65 12.60 35.52 3.00 190 360 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7085.00 100.23 ----- 90.77 36.61 12.57 35.50 3.78 190 360 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.64 47.69 68.20 -20.51 30.16 36.65 12.60 35.52 3.00 190 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7125.64 47.69 68.20 -20.51 30.16 36.65 12.60 35.52 3.00 190 360 Average									Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 99.73 ----- 82.25 36.65 12.54 35.48 3.77 190 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7085.00 99.73 ----- 82.25 36.65 12.54 35.48 3.77 190 360 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7125.64 47.69 68.20 -20.51 30.16 36.65 12.60 35.52 3.00 190 360 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7085.00 99.73 ----- 82.25 36.65 12.54 35.48 3.77 190 360 Average																																																																																		



Mode	119																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.48</td><td>57.04</td><td>88.20</td><td>-31.16</td><td>39.51</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>200</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.48	57.04	88.20	-31.16	39.51	36.65	12.60	35.52	3.00	200	351	Peak	Level (dBuV/m) Date: 2026-01-10 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>110.66</td><td>-----</td><td>-----</td><td>93.18</td><td>36.65</td><td>12.54</td><td>35.48</td><td>3.77</td><td>200</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	110.66	-----	-----	93.18	36.65	12.54	35.48	3.77	200	351	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.48	57.04	88.20	-31.16	39.51	36.65	12.60	35.52	3.00	200	351	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	110.66	-----	-----	93.18	36.65	12.54	35.48	3.77	200	351	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.48</td><td>48.90</td><td>68.20</td><td>-19.30</td><td>31.37</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>200</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.48	48.90	68.20	-19.30	31.37	36.65	12.60	35.52	3.00	200	351	Average	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>102.45</td><td>-----</td><td>-----</td><td>84.97</td><td>36.65</td><td>12.54</td><td>35.48</td><td>3.77</td><td>200</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	102.45	-----	-----	84.97	36.65	12.54	35.48	3.77	200	351	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.48	48.90	68.20	-19.30	31.37	36.65	12.60	35.52	3.00	200	351	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	102.45	-----	-----	84.97	36.65	12.54	35.48	3.77	200	351	Average																																																																																								



Mode	119																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>55.65</td><td>88.20</td><td>-32.55</td><td>36.91</td><td>41.14</td><td>17.91</td><td>43.02</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>53.72</td><td>38.20</td><td>20.11</td><td>63.35</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	55.65	88.20	-32.55	36.91	41.14	17.91	43.02	0.39	--	Peak	2	21255.00	39.14	74.00	-34.86	53.72	38.20	20.11	63.35	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>55.85</td><td>88.20</td><td>-32.35</td><td>37.11</td><td>41.14</td><td>17.91</td><td>43.02</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>39.23</td><td>74.00</td><td>-34.77</td><td>53.81</td><td>38.20</td><td>20.11</td><td>63.35</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	55.85	88.20	-32.35	37.11	41.14	17.91	43.02	0.39	--	Peak	2	21255.00	39.23	74.00	-34.77	53.81	38.20	20.11	63.35	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14170.00	55.65	88.20	-32.55	36.91	41.14	17.91	43.02	0.39	--	Peak																																																																																																															
2	21255.00	39.14	74.00	-34.86	53.72	38.20	20.11	63.35	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14170.00	55.85	88.20	-32.35	37.11	41.14	17.91	43.02	0.39	--	Peak																																																																																																															
2	21255.00	39.23	74.00	-34.77	53.81	38.20	20.11	63.35	-9.54	--	Peak																																																																																																															



Mode	119	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	120																																																																								
	Band Edge																																																																								
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial RU 242/62_7085MHz																																																																								
ANT	6+7																																																																								
Pol.	Horizontal						Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2026-01-13 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 7128.68</td><td>79.03</td><td>88.20</td><td>-9.17</td><td>61.50</td><td>36.66</td><td>12.60</td><td>35.53</td><td>3.00</td><td>207</td><td>348 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 7128.68	79.03	88.20	-9.17	61.50	36.66	12.60	35.53	3.00	207	348 Peak	Level (dBuV/m) Date: 2026-01-13 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 7085.00</td><td>112.33</td><td>-----</td><td>-----</td><td>94.87</td><td>36.61</td><td>12.57</td><td>35.50</td><td>3.78</td><td>207</td><td>348 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 7085.00	112.33	-----	-----	94.87	36.61	12.57	35.50	3.78	207	348 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 7128.68	79.03	88.20	-9.17	61.50	36.66	12.60	35.53	3.00	207	348 Peak																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 7085.00	112.33	-----	-----	94.87	36.61	12.57	35.50	3.78	207	348 Peak																																																															
Avg	Level (dBuV/m) Date: 2026-01-13 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 7128.84</td><td>61.16</td><td>68.20</td><td>-7.04</td><td>43.63</td><td>36.66</td><td>12.60</td><td>35.53</td><td>3.00</td><td>207</td><td>348 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 7128.84	61.16	68.20	-7.04	43.63	36.66	12.60	35.53	3.00	207	348 Average	Level (dBuV/m) Date: 2026-01-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 7085.00</td><td>103.57</td><td>-----</td><td>-----</td><td>86.11</td><td>36.61</td><td>12.57</td><td>35.50</td><td>3.78</td><td>207</td><td>348 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 7085.00	103.57	-----	-----	86.11	36.61	12.57	35.50	3.78	207	348 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 7128.84	61.16	68.20	-7.04	43.63	36.66	12.60	35.53	3.00	207	348 Average																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 7085.00	103.57	-----	-----	86.11	36.61	12.57	35.50	3.78	207	348 Average																																																															



Mode	120																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial RU 242/62_7085MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-13 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7132.04</td><td>81.78</td><td>88.20</td><td>-6.42</td><td>64.24</td><td>36.66</td><td>12.61</td><td>35.53</td><td>3.00</td><td>319 0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7132.04	81.78	88.20	-6.42	64.24	36.66	12.61	35.53	3.00	319 0 Peak	Level (dBuV/m) Date: 2026-01-13 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7085.00</td><td>114.09</td><td>-----</td><td>-----</td><td>96.63</td><td>36.61</td><td>12.57</td><td>35.50</td><td>3.78</td><td>319 0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	114.09	-----	-----	96.63	36.61	12.57	35.50	3.78	319 0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7132.04	81.78	88.20	-6.42	64.24	36.66	12.61	35.53	3.00	319 0 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7085.00	114.09	-----	-----	96.63	36.61	12.57	35.50	3.78	319 0 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-13 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7129.00</td><td>61.55</td><td>68.20</td><td>-6.65</td><td>44.01</td><td>36.66</td><td>12.61</td><td>35.53</td><td>3.00</td><td>319 0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7129.00	61.55	68.20	-6.65	44.01	36.66	12.61	35.53	3.00	319 0 Average	Level (dBuV/m) Date: 2026-01-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7085.00</td><td>106.12</td><td>-----</td><td>-----</td><td>88.65</td><td>36.62</td><td>12.56</td><td>35.49</td><td>3.78</td><td>319 0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	106.12	-----	-----	88.65	36.62	12.56	35.49	3.78	319 0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7129.00	61.55	68.20	-6.65	44.01	36.66	12.61	35.53	3.00	319 0 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7085.00	106.12	-----	-----	88.65	36.62	12.56	35.49	3.78	319 0 Average																																																																																	



Mode	121																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>55.13</td><td>88.20</td><td>-33.07</td><td>36.62</td><td>40.64</td><td>17.76</td><td>42.57</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>38.86</td><td>74.00</td><td>-35.14</td><td>53.88</td><td>38.10</td><td>19.89</td><td>63.47</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	55.13	88.20	-33.07	36.62	40.64	17.76	42.57	0.38	--	Peak	2	20835.00	38.86	74.00	-35.14	53.88	38.10	19.89	63.47	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>55.01</td><td>88.20</td><td>-33.19</td><td>36.50</td><td>40.64</td><td>17.76</td><td>42.57</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>53.80</td><td>38.10</td><td>19.89</td><td>63.47</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	55.01	88.20	-33.19	36.50	40.64	17.76	42.57	0.38	--	Peak	2	20835.00	38.78	74.00	-35.22	53.80	38.10	19.89	63.47	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13890.00	55.13	88.20	-33.07	36.62	40.64	17.76	42.57	0.38	--	Peak																																																																																																					
2	20835.00	38.86	74.00	-35.14	53.88	38.10	19.89	63.47	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13890.00	55.01	88.20	-33.19	36.50	40.64	17.76	42.57	0.38	--	Peak																																																																																																					
2	20835.00	38.78	74.00	-35.22	53.80	38.10	19.89	63.47	-9.54	--	Peak																																																																																																					



Mode	121	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	122																																																																																							
	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																							
ANT	6+7																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7174.16</td><td>55.28</td><td>88.20</td><td>-32.92</td><td>37.55</td><td>36.00</td><td>12.66</td><td>35.56</td><td>3.83</td><td>188</td><td>1 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7174.16	55.28	88.20	-32.92	37.55	36.00	12.66	35.56	3.83	188	1 Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>100.43</td><td>-----</td><td>-----</td><td>82.91</td><td>36.72</td><td>12.50</td><td>35.45</td><td>3.75</td><td>188</td><td>1 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7025.00	100.43	-----	-----	82.91	36.72	12.50	35.45	3.75	188	1 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																								
1	7174.16	55.28	88.20	-32.92	37.55	36.00	12.66	35.56	3.83	188	1 Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																								
1	7025.00	100.43	-----	-----	82.91	36.72	12.50	35.45	3.75	188	1 Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7125.32</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>28.15</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.80</td><td>188</td><td>1 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7125.32	45.68	68.20	-22.52	28.15	36.65	12.60	35.52	3.80	188	1 Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>93.17</td><td>-----</td><td>-----</td><td>75.64</td><td>36.76</td><td>12.47</td><td>35.44</td><td>3.74</td><td>188</td><td>1 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7025.00	93.17	-----	-----	75.64	36.76	12.47	35.44	3.74	188	1 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																								
1	7125.32	45.68	68.20	-22.52	28.15	36.65	12.60	35.52	3.80	188	1 Average																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																								
1	7025.00	93.17	-----	-----	75.64	36.76	12.47	35.44	3.74	188	1 Average																																																																													