




MIMO <Ant. 6+7(Ant7)>


EUT Mode

802.11a


Plot on 5955 MHz




Plot on 6195 MHz



Plot on 6415 MHz




Plot on 6535 MHz






Plot on 6695 MHz



Plot on 6875 MHz






EUT Mode


802.11ax HE20 FullIRU

Plot on 5955 MHz




12:33:11 PM 01/20/2026

Plot on 6195 MHz




12:36:22 PM 01/20/2026

Plot on 6415 MHz



12:39:57 PM 01/20/2026


Plot on 6535 MHz



12:06:25 PM 01/22/2026




Plot on 6695 MHz



12:13:19 PM 01/22/2026

Plot on 6875 MHz




12:28:21 PM 01/22/2026



EUT Mode


802.11ax HE40 FullRU

Plot on 5965 MHz




12:33:37 PM 01/22/2026

Plot on 6205 MHz




02:20:59 PM 01/22/2026

Plot on 6405 MHz



02:33:33 PM 01/22/2026


Plot on 6565 MHz



02:37:04 PM 01/22/2026




Plot on 6685 MHz



02:41:27 PM 01/22/2026

Plot on 6885 MHz




02:45:16 PM 01/22/2026



EUT Mode


802.11ax HE80 FullIRU

Plot on 5985 MHz




02:49:29 PM 01/22/2026

Plot on 6225 MHz




02:54:25 PM 01/22/2026

Plot on 6385 MHz



02:57:45 PM 01/22/2026


Plot on 6625 MHz



03:02:16 PM 01/22/2026




Plot on 6705 MHz



03:05:44 PM 01/22/2026

Plot on 6865 MHz




03:09:52 PM 01/22/2026



EUT Mode


802.11ax HE160 FullIRU

Plot on 6025 MHz




03:18:16 PM 01/22/2026

Plot on 6185 MHz




03:37:31 PM 01/22/2026

Plot on 6345 MHz



03:42:00 PM 01/22/2026


Plot on 6665 MHz



03:49:39 PM 01/22/2026



Plot on 6825 MHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	15~18.9℃
		Relative Humidity :	43.3~48.7%

EUT Information

Report NO : 5N2828
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.151148	---	34.44	55.94	21.50	L1	ON	20.1
0.151148	49.26	---	65.94	16.68	L1	ON	20.1
0.162375	---	32.51	55.34	22.83	L1	ON	20.1
0.162375	46.76	---	65.34	18.58	L1	ON	20.1
0.203010	---	30.82	53.49	22.67	L1	ON	20.1
0.203010	43.11	---	63.49	20.38	L1	ON	20.1
0.222000	---	27.98	52.74	24.76	L1	ON	20.1
0.222000	39.12	---	62.74	23.62	L1	ON	20.1
0.263220	---	26.23	51.33	25.10	L1	ON	20.1
0.263220	36.62	---	61.33	24.71	L1	ON	20.1
0.570390	---	35.07	46.00	10.93	L1	ON	20.0
0.570390	40.20	---	56.00	15.80	L1	ON	20.0
1.516335	---	18.53	46.00	27.47	L1	ON	20.0
1.516335	24.18	---	56.00	31.82	L1	ON	20.0
1.613985	---	20.35	46.00	25.65	L1	ON	20.0
1.613985	26.92	---	56.00	29.08	L1	ON	20.0
13.560225	---	32.55	50.00	17.45	L1	ON	20.6
13.560225	37.85	---	60.00	22.15	L1	ON	20.6

EUT Information

Report NO : 5D0539
Test Mode : Mode 1
Test Voltage : 110Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.163095	---	32.38	55.31	22.93	N	ON	20.1
0.163095	47.00	---	65.31	18.31	N	ON	20.1
0.188205	---	31.02	54.12	23.10	N	ON	20.1
0.188205	43.66	---	64.12	20.46	N	ON	20.1
0.202335	---	30.51	53.51	23.00	N	ON	20.1
0.202335	42.21	---	63.51	21.30	N	ON	20.1
0.226050	---	27.71	52.59	24.88	N	ON	20.1
0.226050	39.31	---	62.59	23.28	N	ON	20.1
0.572685	---	27.55	46.00	18.45	N	ON	20.0
0.572685	35.18	---	56.00	20.82	N	ON	20.0
2.128200	---	26.90	46.00	19.10	N	ON	20.0
2.128200	35.20	---	56.00	20.80	N	ON	20.0
2.363190	---	28.59	46.00	17.41	N	ON	20.0
2.363190	35.87	---	56.00	20.13	N	ON	20.0
13.558875	---	32.44	50.00	17.56	N	ON	20.6
13.558875	38.00	---	60.00	22.00	N	ON	20.6



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Leo Li , Karl Hou	Temperature :	19~23°C
		Relative Humidity :	60~64.5%

Note symbol

-L	Low channel location
-R	High channel location

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 68	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 69	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 70	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 71	U-NII-5	5.925-6.425	6+7	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 72	U-NII-5	5.925-6.425	6+7	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 73	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 74	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Partial RU 242/61	-
Mode 75	U-NII-5	5.925-6.425	6+7	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 76	U-NII-5	5.925-6.425	6+7	802.11ax HE40	91	6405	MCS0	Full RU	-

**FCC RADIO TEST REPORT**

Report No. : FR5N2828G

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 77	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 78	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Partial RU 484/65	-
Mode 79	U-NII-5	5.925-6.425	6+7	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 80	U-NII-5	5.925-6.425	6+7	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 81	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 82	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Partial RU 996/67	-
Mode 83	U-NII-5	5.925-6.425	6+7	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 84	U-NII-5	5.925-6.425	6+7	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 96	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	6Mbps	-	-
Mode 97	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	6Mbps	-	-
Mode 98	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	6Mbps	-	-

**FCC RADIO TEST REPORT**

Report No. : FR5N2828G

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 99	U-NII-7	6.525-6.875	6+7	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 100	U-NII-7	6.525-6.875	6+7	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 101	U-NII-7	6.525-6.875	6+7	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 102	U-NII-7	6.525-6.875	6+7	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 103	U-NII-7	6.525-6.875	6+7	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 104	U-NII-7	6.525-6.875	6+7	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 105	U-NII-7	6.525-6.875	6+7	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 106	U-NII-7	6.525-6.875	6+7	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 107	U-NII-7	6.525-6.875	6+7	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 108	U-NII-7	6.525-6.875	6+7	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 109	U-NII-7	6.525-6.875	6+7	802.11ax HE160	175	6825	MCS0	Full RU	-



FCC RADIO TEST REPORT

Report No. : FR5N2828G

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 126	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full RU	LF

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
66	802.11a	1	5924.45	47.30	68.20	-20.90	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	47.43	54.00	-6.57	V	Avg.	Pass	-	Harmonic
67	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	45.26	54.00	-8.74	H	Avg.	Pass	-	Harmonic
68	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	53.83	88.20	-34.37	H	Peak	Pass	-	Harmonic
69	802.11ax HE20	1	5924.97	48.46	68.20	-19.74	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	47.09	54.00	-6.91	H	Avg.	Pass	Full RU	Harmonic
70	802.11ax HE20	1	5921.46	85.41	88.20	-2.79	V	Peak	Pass	Partial RU 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
71	802.11ax HE20	49	-	-	-	-	-	-	-	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N2828G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
71	802.11ax HE20	49	12390.00	43.63	54.00	-10.37	V	Avg.	Pass	Full RU	Harmonic
72	802.11ax HE20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	93	12830.00	53.62	88.20	-34.58	H	Peak	Pass	Full RU	Harmonic
73	802.11ax HE40	3	5924.96	58.03	68.20	-10.17	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	47.57	54.00	-6.43	H	Avg.	Pass	Full RU	Harmonic
74	802.11ax HE40	3	5905.50	84.95	88.20	-3.25	V	Peak	Pass	Partial RU 242/61	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
75	802.11ax HE40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	51	12410.00	43.34	54.00	-10.66	V	Avg.	Pass	Full RU	Harmonic
76	802.11ax HE40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	91	19215.00	39.95	74.00	-34.05	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
77	802.11ax HE80	7	5925.00	57.38	68.20	-10.82	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	46.61	54.00	-7.39	V	Avg.	Pass	Full RU	Harmonic
78	802.11ax HE80	7	5925.00	64.91	68.20	-3.29	V	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
79	802.11ax HE80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	55	12450.00	44.22	54.00	-9.78	V	Avg.	Pass	Full RU	Harmonic
80	802.11ax HE80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	87	12770.00	54.53	88.20	-33.67	H	Peak	Pass	Full RU	Harmonic
81	802.11ax HE160	15	5916.40	67.09	68.20	-1.11	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	43.21	54.00	-10.79	V	Avg.	Pass	Full RU	Harmonic
82	802.11ax HE160	15	5903.00	65.96	68.20	-2.24	V	Avg.	Pass	Partial RU 996/67	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N2828G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
82	802.11ax HE160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
83	802.11ax HE160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	47	12370.00	44.33	54.00	-9.67	H	Avg.	Pass	Full RU	Harmonic
84	802.11ax HE160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	79	12690.00	44.75	54.00	-9.25	H	Avg.	Pass	Full RU	Harmonic
96	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	54.10	88.20	-34.10	H	Peak	Pass	-	Harmonic
97	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	43.52	54.00	-10.48	H	Avg.	Pass	-	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	13750.00	54.93	88.20	-33.27	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
99	802.11ax HE20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	117	13070.00	54.33	88.20	-33.87	H	Peak	Pass	Full RU	Harmonic
100	802.11ax HE20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	149	13390.00	43.87	54.00	-10.13	H	Avg.	Pass	Full RU	Harmonic
101	802.11ax HE20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	185	13750.00	54.74	88.20	-33.46	H	Peak	Pass	Full RU	Harmonic
102	802.11ax HE40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	123	13130.00	54.28	88.20	-33.92	H	Peak	Pass	Full RU	Harmonic
103	802.11ax HE40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	147	13370.00	44.11	54.00	-9.89	V	Avg.	Pass	Full RU	Harmonic
104	802.11ax HE40	187	-	-	-	-	-	-	-	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N2828G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
104	802.11ax HE40	187	13770.00	55.54	88.20	-32.66	H	Peak	Pass	Full RU	Harmonic
105	802.11ax HE80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	135	13250.00	44.39	54.00	-9.61	V	Avg.	Pass	Full RU	Harmonic
106	802.11ax HE80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	151	13410.00	54.40	88.20	-33.80	H	Peak	Pass	Full RU	Harmonic
107	802.11ax HE80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	183	13730.00	55.56	88.20	-32.64	V	Peak	Pass	Full RU	Harmonic
108	802.11ax HE160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	143	13330.00	44.22	54.00	-9.78	V	Avg.	Pass	Full RU	Harmonic
109	802.11ax HE160	175	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	175	13650.00	56.19	88.20	-32.01	V	Peak	Pass	Full RU	Harmonic



FCC RADIO TEST REPORT

Report No. : FR5N2828G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
126	LF	15	744.89	39.31	46.00	-6.69	V	Peak	Pass	-	LF





Mode	66																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5923.93</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>38.33</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>35</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg									1	5923.93	53.29	88.20	-34.91	38.33	34.00	11.59	34.20	3.57	200	35	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5955.00</td><td>100.62</td><td>-----</td><td>-----</td><td>93.65</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>200</td><td>35</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg									1	5955.00	100.62	-----	-----	93.65	34.00	11.65	34.24	3.56	200	35	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg																																																																																										
1	5923.93	53.29	88.20	-34.91	38.33	34.00	11.59	34.20	3.57	200	35	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg																																																																																										
1	5955.00	100.62	-----	-----	93.65	34.00	11.65	34.24	3.56	200	35	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5923.67</td><td>43.76</td><td>68.20</td><td>-24.44</td><td>28.81</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>35</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg									1	5923.67	43.76	68.20	-24.44	28.81	34.00	11.58	34.20	3.57	200	35	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5955.00</td><td>101.30</td><td>-----</td><td>-----</td><td>86.33</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>200</td><td>35</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg									1	5955.00	101.30	-----	-----	86.33	34.00	11.65	34.24	3.56	200	35	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg																																																																																										
1	5923.67	43.76	68.20	-24.44	28.81	34.00	11.58	34.20	3.57	200	35	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dB dB/dB dB/dB dB/dB dB/dB dB/dB cm deg																																																																																										
1	5955.00	101.30	-----	-----	86.33	34.00	11.65	34.24	3.56	200	35	Average																																																																														





Mode	66																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																							
ANT	6+7																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>57.37</td><td>88.20</td><td>-30.83</td><td>42.41</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>156</td><td>0</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	57.37	88.20	-30.83	42.41	34.00	11.59	34.20	3.57	156	0	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.31</td><td>-----</td><td>-----</td><td>99.35</td><td>34.00</td><td>11.66</td><td>34.25</td><td>3.55</td><td>156</td><td>0</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.31	-----	-----	99.35	34.00	11.66	34.25	3.55	156	0	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5924.45	57.37	88.20	-30.83	42.41	34.00	11.59	34.20	3.57	156	0	Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5955.00	114.31	-----	-----	99.35	34.00	11.66	34.25	3.55	156	0	Peak																																																																												
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>47.30</td><td>68.20</td><td>-20.90</td><td>32.34</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>156</td><td>0</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	47.30	68.20	-20.90	32.34	34.00	11.59	34.20	3.57	156	0	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.89</td><td>-----</td><td>-----</td><td>91.93</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>156</td><td>0</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.89	-----	-----	91.93	34.00	11.63	34.23	3.56	156	0	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5924.45	47.30	68.20	-20.90	32.34	34.00	11.59	34.20	3.57	156	0	Average																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5955.00	106.89	-----	-----	91.93	34.00	11.63	34.23	3.56	156	0	Average																																																																												



Mode	66												
	Harmonic												
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH23-HY												
	Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11910.00	53.50	74.00	-20.50	35.97	38.68	16.36	40.34	0.50	--	--	--	Peak
2	11910.00	42.94	54.00	-11.06	25.41	38.68	16.36	40.34	0.50	--	--	--	Average
3	17865.00	57.06	74.00	-16.94	39.38	40.36	20.04	46.76	0.71	--	--	--	Peak
4	17865.00	46.50	54.00	-7.50	28.82	40.36	20.04	46.76	0.71	--	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11910.00	53.20	74.00	-20.80	35.67	38.68	16.36	40.34	0.50	--	--	--	Peak
2	11910.00	42.64	54.00	-11.36	25.11	38.68	16.36	40.34	0.50	--	--	--	Average
3	17865.00	57.99	74.00	-16.01	40.31	40.36	20.04	46.76	0.71	--	--	--	Peak
4	17865.00	47.43	54.00	-6.57	29.75	40.36	20.04	46.76	0.71	--	--	--	Average



Mode	66	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	67																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>55.82</td><td>74.00</td><td>-18.18</td><td>37.33</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>26.77</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.31</td><td>74.00</td><td>-35.69</td><td>55.59</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	55.82	74.00	-18.18	37.33	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	45.26	54.00	-8.74	26.77	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	38.31	74.00	-35.69	55.59	38.34	18.62	64.70	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>35.83</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>25.27</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.17</td><td>74.00</td><td>-35.83</td><td>55.45</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.32	74.00	-19.68	35.83	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	43.76	54.00	-10.24	25.27	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	38.17	74.00	-35.83	55.45	38.34	18.62	64.70	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	55.82	74.00	-18.18	37.33	39.18	16.74	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	45.26	54.00	-8.74	26.77	39.18	16.74	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	38.31	74.00	-35.69	55.59	38.34	18.62	64.70	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	54.32	74.00	-19.68	35.83	39.18	16.74	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	43.76	54.00	-10.24	25.27	39.18	16.74	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	38.17	74.00	-35.83	55.45	38.34	18.62	64.70	-9.54	--	--	Peak																																																																																																																																												



Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	68																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>34.62</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>55.32</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.83	88.20	-34.37	34.62	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	38.69	74.00	-35.31	55.32	38.20	18.96	64.25	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>34.51</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>54.55</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.72	88.20	-34.48	34.51	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	37.92	74.00	-36.08	54.55	38.20	18.96	64.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.83	88.20	-34.37	34.62	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	38.69	74.00	-35.31	55.32	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.72	88.20	-34.48	34.51	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	37.92	74.00	-36.08	54.55	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	69																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																									
ANT	6+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5920.16 54.98 88.20 -33.22 40.03 34.00 11.58 34.20 3.57 200 40 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5920.16 54.98 88.20 -33.22 40.03 34.00 11.58 34.20 3.57 200 40 Peak									Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 109.61 ----- 94.65 34.00 11.63 34.23 3.56 200 40 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5955.00 109.61 ----- 94.65 34.00 11.63 34.23 3.56 200 40 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5920.16 54.98 88.20 -33.22 40.03 34.00 11.58 34.20 3.57 200 40 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5955.00 109.61 ----- 94.65 34.00 11.63 34.23 3.56 200 40 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5921.59 45.08 68.20 -23.12 30.13 34.00 11.58 34.20 3.57 200 40 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5921.59 45.08 68.20 -23.12 30.13 34.00 11.58 34.20 3.57 200 40 Average									Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 101.65 ----- 86.69 34.00 11.63 34.23 3.56 200 40 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5955.00 101.65 ----- 86.69 34.00 11.63 34.23 3.56 200 40 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5921.59 45.08 68.20 -23.12 30.13 34.00 11.58 34.20 3.57 200 40 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5955.00 101.65 ----- 86.69 34.00 11.63 34.23 3.56 200 40 Average																																																																										



Mode	69																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>59.15</td><td>88.20</td><td>-29.05</td><td>44.19</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>161</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	59.15	88.20	-29.05	44.19	34.00	11.59	34.20	3.57	161	351	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.62</td><td>-----</td><td>-----</td><td>99.65</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>161</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.62	-----	-----	99.65	34.00	11.65	34.24	3.56	161	351	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.58	59.15	88.20	-29.05	44.19	34.00	11.59	34.20	3.57	161	351	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	114.62	-----	-----	99.65	34.00	11.65	34.24	3.56	161	351	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>48.46</td><td>68.20</td><td>-19.74</td><td>33.50</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>161</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	48.46	68.20	-19.74	33.50	34.00	11.59	34.20	3.57	161	351	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.97</td><td>-----</td><td>-----</td><td>92.00</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>161</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.97	-----	-----	92.00	34.00	11.65	34.24	3.56	161	351	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	48.46	68.20	-19.74	33.50	34.00	11.59	34.20	3.57	161	351	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	106.97	-----	-----	92.00	34.00	11.65	34.24	3.56	161	351	Average																																																																																								



Mode	69																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																																									
ANT	6+7																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>35.37</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>24.81</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>39.97</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>29.41</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	52.90	74.00	-21.10	35.37	38.68	16.36	40.34	0.50	--	Peak	2	11910.00	42.34	54.00	-11.66	24.81	38.68	16.36	40.34	0.50	--	Average	3	17865.00	57.65	74.00	-16.35	39.97	40.36	20.04	46.76	0.71	--	Peak	4	17865.00	47.09	54.00	-6.91	29.41	40.36	20.04	46.76	0.71	--	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>36.00</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>25.44</td><td>38.68</td><td>16.36</td><td>40.34</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>39.06</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>28.50</td><td>40.36</td><td>20.04</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	53.53	74.00	-20.47	36.00	38.68	16.36	40.34	0.50	--	Peak	2	11910.00	42.97	54.00	-11.03	25.44	38.68	16.36	40.34	0.50	--	Average	3	17865.00	56.74	74.00	-17.26	39.06	40.36	20.04	46.76	0.71	--	Peak	4	17865.00	46.18	54.00	-7.82	28.50	40.36	20.04	46.76	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	52.90	74.00	-21.10	35.37	38.68	16.36	40.34	0.50	--	Peak																																																																																																																																																															
2	11910.00	42.34	54.00	-11.66	24.81	38.68	16.36	40.34	0.50	--	Average																																																																																																																																																															
3	17865.00	57.65	74.00	-16.35	39.97	40.36	20.04	46.76	0.71	--	Peak																																																																																																																																																															
4	17865.00	47.09	54.00	-6.91	29.41	40.36	20.04	46.76	0.71	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	53.53	74.00	-20.47	36.00	38.68	16.36	40.34	0.50	--	Peak																																																																																																																																																															
2	11910.00	42.97	54.00	-11.03	25.44	38.68	16.36	40.34	0.50	--	Average																																																																																																																																																															
3	17865.00	56.74	74.00	-17.26	39.06	40.36	20.04	46.76	0.71	--	Peak																																																																																																																																																															
4	17865.00	46.18	54.00	-7.82	28.50	40.36	20.04	46.76	0.71	--	Average																																																																																																																																																															



Mode	69	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	70																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5918.73</td><td>78.61</td><td>88.20</td><td>-9.59</td><td>63.65</td><td>34.00</td><td>11.58</td><td>34.19</td><td>3.57</td><td>209 40 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5918.73	78.61	88.20	-9.59	63.65	34.00	11.58	34.19	3.57	209 40 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>112.94</td><td>-----</td><td>-----</td><td>97.98</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>209 40 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	112.94	-----	-----	97.98	34.00	11.63	34.23	3.56	209 40 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5918.73	78.61	88.20	-9.59	63.65	34.00	11.58	34.19	3.57	209 40 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	112.94	-----	-----	97.98	34.00	11.63	34.23	3.56	209 40 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5920.29</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>40.16</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>209 40 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5920.29	55.11	68.20	-13.09	40.16	34.00	11.58	34.20	3.57	209 40 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>104.72</td><td>-----</td><td>-----</td><td>89.76</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>209 40 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	104.72	-----	-----	89.76	34.00	11.63	34.23	3.56	209 40 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5920.29	55.11	68.20	-13.09	40.16	34.00	11.58	34.20	3.57	209 40 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	104.72	-----	-----	89.76	34.00	11.63	34.23	3.56	209 40 Average																																																																																	



Mode	70																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.46</td><td>85.41</td><td>88.20</td><td>-2.79</td><td>70.46</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>175</td><td>359 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.46	85.41	88.20	-2.79	70.46	34.00	11.58	34.20	3.57	175	359 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.94</td><td>-----</td><td>-----</td><td>101.97</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>175</td><td>359 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.94	-----	-----	101.97	34.00	11.65	34.24	3.56	175	359 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5921.46	85.41	88.20	-2.79	70.46	34.00	11.58	34.20	3.57	175	359 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	116.94	-----	-----	101.97	34.00	11.65	34.24	3.56	175	359 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.54</td><td>63.38</td><td>68.20</td><td>-4.82</td><td>48.43</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>175</td><td>359 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.54	63.38	68.20	-4.82	48.43	34.00	11.58	34.20	3.57	175	359 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.23</td><td>-----</td><td>-----</td><td>94.26</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>175</td><td>359 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.23	-----	-----	94.26	34.00	11.65	34.24	3.56	175	359 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.54	63.38	68.20	-4.82	48.43	34.00	11.58	34.20	3.57	175	359 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	109.23	-----	-----	94.26	34.00	11.65	34.24	3.56	175	359 Average																																																																																						



Mode	71																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>35.24</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>24.68</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.10</td><td>74.00</td><td>-35.90</td><td>55.38</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.73	74.00	-20.27	35.24	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	43.17	54.00	-10.83	24.68	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	38.10	74.00	-35.90	55.38	38.34	18.62	64.70	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>35.70</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>25.14</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>36.93</td><td>74.00</td><td>-37.07</td><td>54.21</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.19	74.00	-19.81	35.70	39.18	16.74	40.23	0.47	--	--	Peak	2	12390.00	43.63	54.00	-10.37	25.14	39.18	16.74	40.23	0.47	--	--	Average	3	18585.00	36.93	74.00	-37.07	54.21	38.34	18.62	64.70	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12390.00	53.73	74.00	-20.27	35.24	39.18	16.74	40.23	0.47	--	--	Peak																																																																																																																																		
2	12390.00	43.17	54.00	-10.83	24.68	39.18	16.74	40.23	0.47	--	--	Average																																																																																																																																		
3	18585.00	38.10	74.00	-35.90	55.38	38.34	18.62	64.70	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12390.00	54.19	74.00	-19.81	35.70	39.18	16.74	40.23	0.47	--	--	Peak																																																																																																																																		
2	12390.00	43.63	54.00	-10.37	25.14	39.18	16.74	40.23	0.47	--	--	Average																																																																																																																																		
3	18585.00	36.93	74.00	-37.07	54.21	38.34	18.62	64.70	-9.54	--	--	Peak																																																																																																																																		



Mode	71	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	72																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.62</td><td>88.20</td><td>-34.58</td><td>34.41</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.57</td><td>74.00</td><td>-36.43</td><td>54.20</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.62	88.20	-34.58	34.41	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	37.57	74.00	-36.43	54.20	38.20	18.96	64.25	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.39</td><td>88.20</td><td>-34.81</td><td>34.18</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>37.64</td><td>74.00</td><td>-36.36</td><td>54.27</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.39	88.20	-34.81	34.18	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	37.64	74.00	-36.36	54.27	38.20	18.96	64.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12830.00	53.62	88.20	-34.58	34.41	39.90	17.09	40.54	0.44	--	Peak																																																																																																					
2	19245.00	37.57	74.00	-36.43	54.20	38.20	18.96	64.25	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12830.00	53.39	88.20	-34.81	34.18	39.90	17.09	40.54	0.44	--	Peak																																																																																																					
2	19245.00	37.64	74.00	-36.36	54.27	38.20	18.96	64.25	-9.54	--	Peak																																																																																																					



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	73																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.02</td><td>60.13</td><td>88.20</td><td>-28.07</td><td>45.18</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>209</td><td>38</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.02	60.13	88.20	-28.07	45.18	34.00	11.58	34.20	3.57	209	38	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.56</td><td>-----</td><td>-----</td><td>92.60</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>209</td><td>38</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.56	-----	-----	92.60	34.00	11.67	34.26	3.55	209	38	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.02	60.13	88.20	-28.07	45.18	34.00	11.58	34.20	3.57	209	38	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	107.56	-----	-----	92.60	34.00	11.67	34.26	3.55	209	38	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>50.67</td><td>68.20</td><td>-17.53</td><td>35.72</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>209</td><td>38</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	50.67	68.20	-17.53	35.72	34.00	11.58	34.20	3.57	209	38	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.10</td><td>-----</td><td>-----</td><td>84.14</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>209</td><td>38</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.10	-----	-----	84.14	34.00	11.67	34.26	3.55	209	38	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.44	50.67	68.20	-17.53	35.72	34.00	11.58	34.20	3.57	209	38	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	99.10	-----	-----	84.14	34.00	11.67	34.26	3.55	209	38	Average																																																																																								





Mode	73																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>67.72</td><td>88.20</td><td>-20.48</td><td>52.77</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>162</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	67.72	88.20	-20.48	52.77	34.00	11.58	34.20	3.57	162	360	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.98</td><td>-----</td><td>-----</td><td>99.01</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>162</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.98	-----	-----	99.01	34.00	11.65	34.24	3.56	162	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.56	67.72	88.20	-20.48	52.77	34.00	11.58	34.20	3.57	162	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	113.98	-----	-----	99.01	34.00	11.65	34.24	3.56	162	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>43.07</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>162</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	58.03	68.20	-10.17	43.07	34.00	11.59	34.20	3.57	162	360	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.28</td><td>-----</td><td>-----</td><td>89.31</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>162</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.28	-----	-----	89.31	34.00	11.65	34.24	3.56	162	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.96	58.03	68.20	-10.17	43.07	34.00	11.59	34.20	3.57	162	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	104.28	-----	-----	89.31	34.00	11.65	34.24	3.56	162	360	Average																																																																																								



Mode	73																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																																																																									
ANT	6+7																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>36.14</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>25.58</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>40.30</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>29.74</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	53.62	74.00	-20.38	36.14	38.64	16.37	40.36	0.50	--	Peak	2	11930.00	43.06	54.00	-10.94	25.58	38.64	16.37	40.36	0.50	--	Average	3	17895.00	58.13	74.00	-15.87	40.30	40.48	20.06	46.76	0.71	--	Peak	4	17895.00	47.57	54.00	-6.43	29.74	40.48	20.06	46.76	0.71	--	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>35.44</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>24.88</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>39.56</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>46.83</td><td>54.00</td><td>-7.17</td><td>29.00</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	52.92	74.00	-21.08	35.44	38.64	16.37	40.36	0.50	--	Peak	2	11930.00	42.36	54.00	-11.64	24.88	38.64	16.37	40.36	0.50	--	Average	3	17895.00	57.39	74.00	-16.61	39.56	40.48	20.06	46.76	0.71	--	Peak	4	17895.00	46.83	54.00	-7.17	29.00	40.48	20.06	46.76	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11930.00	53.62	74.00	-20.38	36.14	38.64	16.37	40.36	0.50	--	Peak																																																																																																																																																															
2	11930.00	43.06	54.00	-10.94	25.58	38.64	16.37	40.36	0.50	--	Average																																																																																																																																																															
3	17895.00	58.13	74.00	-15.87	40.30	40.48	20.06	46.76	0.71	--	Peak																																																																																																																																																															
4	17895.00	47.57	54.00	-6.43	29.74	40.48	20.06	46.76	0.71	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11930.00	52.92	74.00	-21.08	35.44	38.64	16.37	40.36	0.50	--	Peak																																																																																																																																																															
2	11930.00	42.36	54.00	-11.64	24.88	38.64	16.37	40.36	0.50	--	Average																																																																																																																																																															
3	17895.00	57.39	74.00	-16.61	39.56	40.48	20.06	46.76	0.71	--	Peak																																																																																																																																																															
4	17895.00	46.83	54.00	-7.17	29.00	40.48	20.06	46.76	0.71	--	Average																																																																																																																																																															







Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10  AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10  AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	74																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																									
ANT	6+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5901.16 80.71 88.20 -7.49 65.77 34.00 11.54 34.17 3.57 200 47 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5901.16 80.71 88.20 -7.49 65.77 34.00 11.54 34.17 3.57 200 47 Peak									Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 109.83 ----- 94.87 34.00 11.63 34.23 3.56 200 47 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5965.00 109.83 ----- 94.87 34.00 11.63 34.23 3.56 200 47 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5901.16 80.71 88.20 -7.49 65.77 34.00 11.54 34.17 3.57 200 47 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5965.00 109.83 ----- 94.87 34.00 11.63 34.23 3.56 200 47 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5899.62 61.02 68.20 -7.18 46.07 34.00 11.54 34.17 3.58 200 47 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5899.62 61.02 68.20 -7.18 46.07 34.00 11.54 34.17 3.58 200 47 Average									Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 102.75 ----- 87.79 34.00 11.63 34.23 3.56 200 47 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5965.00 102.75 ----- 87.79 34.00 11.63 34.23 3.56 200 47 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5899.62 61.02 68.20 -7.18 46.07 34.00 11.54 34.17 3.58 200 47 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5965.00 102.75 ----- 87.79 34.00 11.63 34.23 3.56 200 47 Average																																																																										



Mode	74																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-01-13  Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.50</td><td>84.95</td><td>88.20</td><td>-3.25</td><td>70.01</td><td>34.00</td><td>11.55</td><td>34.18</td><td>3.57</td><td>200 43 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.50	84.95	88.20	-3.25	70.01	34.00	11.55	34.18	3.57	200 43 Peak	Level (dBuV/m) Date: 2026-01-13  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>113.99</td><td>-----</td><td>-----</td><td>99.02</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>200 43 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	113.99	-----	-----	99.02	34.00	11.65	34.24	3.56	200 43 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.50	84.95	88.20	-3.25	70.01	34.00	11.55	34.18	3.57	200 43 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	113.99	-----	-----	99.02	34.00	11.65	34.24	3.56	200 43 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-13  Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5913.20</td><td>64.19</td><td>68.20</td><td>-4.01</td><td>49.24</td><td>34.00</td><td>11.57</td><td>34.19</td><td>3.57</td><td>200 43 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5913.20	64.19	68.20	-4.01	49.24	34.00	11.57	34.19	3.57	200 43 Average	Level (dBuV/m) Date: 2026-01-13  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>105.97</td><td>-----</td><td>-----</td><td>91.00</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>200 43 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	105.97	-----	-----	91.00	34.00	11.65	34.24	3.56	200 43 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5913.20	64.19	68.20	-4.01	49.24	34.00	11.57	34.19	3.57	200 43 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	105.97	-----	-----	91.00	34.00	11.65	34.24	3.56	200 43 Average																																																																									



Mode	75																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>35.25</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>24.69</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>55.56</td><td>38.37</td><td>18.63</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.82	74.00	-20.18	35.25	39.24	16.75	40.22	0.47	--	--	Peak	2	12410.00	43.26	54.00	-10.74	24.69	39.24	16.75	40.22	0.47	--	--	Average	3	18615.00	38.36	74.00	-35.64	55.56	38.37	18.63	64.66	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>35.33</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>24.77</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>37.78</td><td>74.00</td><td>-36.22</td><td>54.98</td><td>38.37</td><td>18.63</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.90	74.00	-20.10	35.33	39.24	16.75	40.22	0.47	--	--	Peak	2	12410.00	43.34	54.00	-10.66	24.77	39.24	16.75	40.22	0.47	--	--	Average	3	18615.00	37.78	74.00	-36.22	54.98	38.37	18.63	64.66	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12410.00	53.82	74.00	-20.18	35.25	39.24	16.75	40.22	0.47	--	--	Peak																																																																																																																																		
2	12410.00	43.26	54.00	-10.74	24.69	39.24	16.75	40.22	0.47	--	--	Average																																																																																																																																		
3	18615.00	38.36	74.00	-35.64	55.56	38.37	18.63	64.66	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12410.00	53.90	74.00	-20.10	35.33	39.24	16.75	40.22	0.47	--	--	Peak																																																																																																																																		
2	12410.00	43.34	54.00	-10.66	24.77	39.24	16.75	40.22	0.47	--	--	Average																																																																																																																																		
3	18615.00	37.78	74.00	-36.22	54.98	38.37	18.63	64.66	-9.54	--	--	Peak																																																																																																																																		



Mode	75	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	76																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>53.51</td><td>88.20</td><td>-34.69</td><td>34.29</td><td>39.90</td><td>17.07</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>55.69</td><td>38.20</td><td>18.95</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.51	88.20	-34.69	34.29	39.90	17.07	40.51	0.44	--	Peak	2	19215.00	39.06	74.00	-34.94	55.69	38.20	18.95	64.24	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>53.74</td><td>88.20</td><td>-34.46</td><td>34.52</td><td>39.90</td><td>17.07</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>56.58</td><td>38.20</td><td>18.95</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.74	88.20	-34.46	34.52	39.90	17.07	40.51	0.44	--	Peak	2	19215.00	39.95	74.00	-34.05	56.58	38.20	18.95	64.24	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	53.51	88.20	-34.69	34.29	39.90	17.07	40.51	0.44	--	Peak																																																																																																					
2	19215.00	39.06	74.00	-34.94	55.69	38.20	18.95	64.24	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	53.74	88.20	-34.46	34.52	39.90	17.07	40.51	0.44	--	Peak																																																																																																					
2	19215.00	39.95	74.00	-34.05	56.58	38.20	18.95	64.24	-9.54	--	Peak																																																																																																					



Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	77																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>60.55</td><td>88.20</td><td>-27.65</td><td>45.59</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	60.55	88.20	-27.65	45.59	34.00	11.59	34.20	3.57	200	42	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.34</td><td>-----</td><td>-----</td><td>85.33</td><td>34.05</td><td>11.73</td><td>34.31</td><td>3.54</td><td>200</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.34	-----	-----	85.33	34.05	11.73	34.31	3.54	200	42	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.72	60.55	88.20	-27.65	45.59	34.00	11.59	34.20	3.57	200	42	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	100.34	-----	-----	85.33	34.05	11.73	34.31	3.54	200	42	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>51.19</td><td>68.20</td><td>-17.01</td><td>36.23</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	51.19	68.20	-17.01	36.23	34.00	11.59	34.20	3.57	200	42	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>91.68</td><td>-----</td><td>-----</td><td>76.72</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>200</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	91.68	-----	-----	76.72	34.00	11.67	34.26	3.55	200	42	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5925.00	51.19	68.20	-17.01	36.23	34.00	11.59	34.20	3.57	200	42	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	91.68	-----	-----	76.72	34.00	11.67	34.26	3.55	200	42	Average																																																																																								



Mode	77																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.56</td><td>67.20</td><td>88.20</td><td>-21.00</td><td>52.25</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>33</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5919.56	67.20	88.20	-21.00	52.25	34.00	11.58	34.20	3.57	200	33	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>105.54</td><td>-----</td><td>-----</td><td>90.58</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>200</td><td>33</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	105.54	-----	-----	90.58	34.00	11.67	34.26	3.55	200	33	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5919.56	67.20	88.20	-21.00	52.25	34.00	11.58	34.20	3.57	200	33	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	105.54	-----	-----	90.58	34.00	11.67	34.26	3.55	200	33	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>42.42</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>200</td><td>33</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5925.00	57.38	68.20	-10.82	42.42	34.00	11.59	34.20	3.57	200	33	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>97.33</td><td>-----</td><td>-----</td><td>82.37</td><td>34.00</td><td>11.67</td><td>34.26</td><td>3.55</td><td>200</td><td>33</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	97.33	-----	-----	82.37	34.00	11.67	34.26	3.55	200	33	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	57.38	68.20	-10.82	42.42	34.00	11.59	34.20	3.57	200	33	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	97.33	-----	-----	82.37	34.00	11.67	34.26	3.55	200	33	Average																																																																																						



Mode	77																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																																																																									
ANT	6+7																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>35.49</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>24.93</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>39.27</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>28.71</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	52.98	74.00	-21.02	35.49	38.64	16.41	40.39	0.49	--	Peak	2	11970.00	42.42	54.00	-11.58	24.93	38.64	16.41	40.39	0.49	--	Average	3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak	4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>36.68</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>26.12</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>39.27</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>28.71</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	54.17	74.00	-19.83	36.68	38.64	16.41	40.39	0.49	--	Peak	2	11970.00	43.61	54.00	-10.39	26.12	38.64	16.41	40.39	0.49	--	Average	3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak	4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11970.00	52.98	74.00	-21.02	35.49	38.64	16.41	40.39	0.49	--	Peak																																																																																																																																																															
2	11970.00	42.42	54.00	-11.58	24.93	38.64	16.41	40.39	0.49	--	Average																																																																																																																																																															
3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak																																																																																																																																																															
4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11970.00	54.17	74.00	-19.83	36.68	38.64	16.41	40.39	0.49	--	Peak																																																																																																																																																															
2	11970.00	43.61	54.00	-10.39	26.12	38.64	16.41	40.39	0.49	--	Average																																																																																																																																																															
3	17955.00	57.17	74.00	-16.83	39.27	40.50	20.09	46.77	0.71	--	Peak																																																																																																																																																															
4	17955.00	46.61	54.00	-7.39	28.71	40.50	20.09	46.77	0.71	--	Average																																																																																																																																																															



Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	78																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.92</td><td>81.03</td><td>88.20</td><td>-7.17</td><td>66.00</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>43 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.92	81.03	88.20	-7.17	66.00	34.00	11.58	34.20	3.57	200	43 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.32</td><td>-----</td><td>-----</td><td>92.36</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>43 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.32	-----	-----	92.36	34.00	11.63	34.23	3.56	200	43 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5922.92	81.03	88.20	-7.17	66.00	34.00	11.58	34.20	3.57	200	43 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	107.32	-----	-----	92.36	34.00	11.63	34.23	3.56	200	43 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.48</td><td>58.54</td><td>68.20</td><td>-9.66</td><td>43.59</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>43 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.48	58.54	68.20	-9.66	43.59	34.00	11.58	34.20	3.57	200	43 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.17</td><td>-----</td><td>-----</td><td>84.21</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>200</td><td>43 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.17	-----	-----	84.21	34.00	11.63	34.23	3.56	200	43 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5921.48	58.54	68.20	-9.66	43.59	34.00	11.58	34.20	3.57	200	43 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	99.17	-----	-----	84.21	34.00	11.63	34.23	3.56	200	43 Average																																																																																						



	78																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>83.51</td><td>88.20</td><td>-4.69</td><td>68.55</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>180</td><td>360 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	83.51	88.20	-4.69	68.55	34.00	11.59	34.20	3.57	180	360 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>112.72</td><td>-----</td><td>-----</td><td>97.75</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>180</td><td>360 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	112.72	-----	-----	97.75	34.00	11.65	34.24	3.56	180	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5925.00	83.51	88.20	-4.69	68.55	34.00	11.59	34.20	3.57	180	360 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	112.72	-----	-----	97.75	34.00	11.65	34.24	3.56	180	360 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>64.91</td><td>68.20</td><td>-3.29</td><td>49.95</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>180</td><td>360 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	64.91	68.20	-3.29	49.95	34.00	11.59	34.20	3.57	180	360 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>104.16</td><td>-----</td><td>-----</td><td>89.19</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>180</td><td>360 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	104.16	-----	-----	89.19	34.00	11.65	34.24	3.56	180	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5925.00	64.91	68.20	-3.29	49.95	34.00	11.59	34.20	3.57	180	360 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	104.16	-----	-----	89.19	34.00	11.65	34.24	3.56	180	360 Average																																																																																							



Mode	79																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>35.78</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>25.22</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>56.39</td><td>38.35</td><td>18.66</td><td>64.59</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	54.56	74.00	-19.44	35.78	39.40	16.79	40.20	0.46	--	--	Peak	2	12450.00	44.00	54.00	-10.00	25.22	39.40	16.79	40.20	0.46	--	--	Average	3	18675.00	39.27	74.00	-34.73	56.39	38.35	18.66	64.59	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>36.00</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>25.44</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>38.60</td><td>74.00</td><td>-35.40</td><td>55.72</td><td>38.35</td><td>18.66</td><td>64.59</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	54.78	74.00	-19.22	36.00	39.40	16.79	40.20	0.46	--	--	Peak	2	12450.00	44.22	54.00	-9.78	25.44	39.40	16.79	40.20	0.46	--	--	Average	3	18675.00	38.60	74.00	-35.40	55.72	38.35	18.66	64.59	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12450.00	54.56	74.00	-19.44	35.78	39.40	16.79	40.20	0.46	--	--	Peak																																																																																																																																		
2	12450.00	44.00	54.00	-10.00	25.22	39.40	16.79	40.20	0.46	--	--	Average																																																																																																																																		
3	18675.00	39.27	74.00	-34.73	56.39	38.35	18.66	64.59	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12450.00	54.78	74.00	-19.22	36.00	39.40	16.79	40.20	0.46	--	--	Peak																																																																																																																																		
2	12450.00	44.22	54.00	-9.78	25.44	39.40	16.79	40.20	0.46	--	--	Average																																																																																																																																		
3	18675.00	38.60	74.00	-35.40	55.72	38.35	18.66	64.59	-9.54	--	--	Peak																																																																																																																																		



Mode	79	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	80																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.53</td><td>88.20</td><td>-33.67</td><td>35.36</td><td>39.84</td><td>17.04</td><td>40.47</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>55.83</td><td>38.29</td><td>18.92</td><td>64.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.53	88.20	-33.67	35.36	39.84	17.04	40.47	0.44	--	Peak	2	19155.00	39.27	74.00	-34.73	55.83	38.29	18.92	64.23	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.46</td><td>88.20</td><td>-33.74</td><td>35.29</td><td>39.84</td><td>17.04</td><td>40.47</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.08</td><td>74.00</td><td>-34.92</td><td>55.64</td><td>38.29</td><td>18.92</td><td>64.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.46	88.20	-33.74	35.29	39.84	17.04	40.47	0.44	--	Peak	2	19155.00	39.08	74.00	-34.92	55.64	38.29	18.92	64.23	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	54.53	88.20	-33.67	35.36	39.84	17.04	40.47	0.44	--	Peak																																																																																																															
2	19155.00	39.27	74.00	-34.73	55.83	38.29	18.92	64.23	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	54.46	88.20	-33.74	35.29	39.84	17.04	40.47	0.44	--	Peak																																																																																																															
2	19155.00	39.08	74.00	-34.92	55.64	38.29	18.92	64.23	-9.54	--	Peak																																																																																																															



Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	81																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5910.00</td><td>71.02</td><td>88.20 -17.18</td><td>56.07</td><td>34.00</td><td>11.56</td><td>34.18</td><td>3.57</td><td>200</td><td>36 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5910.00	71.02	88.20 -17.18	56.07	34.00	11.56	34.18	3.57	200	36 Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>102.27</td><td>-----</td><td>87.29</td><td>34.02</td><td>11.73</td><td>34.31</td><td>3.54</td><td>200</td><td>36 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6025.00	102.27	-----	87.29	34.02	11.73	34.31	3.54	200	36 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5910.00	71.02	88.20 -17.18	56.07	34.00	11.56	34.18	3.57	200	36 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6025.00	102.27	-----	87.29	34.02	11.73	34.31	3.54	200	36 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.00</td><td>62.02</td><td>68.20 -6.18</td><td>47.07</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>200</td><td>36 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5921.00	62.02	68.20 -6.18	47.07	34.00	11.58	34.20	3.57	200	36 Average	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>93.15</td><td>-----</td><td>78.12</td><td>34.08</td><td>11.73</td><td>34.32</td><td>3.54</td><td>200</td><td>36 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6025.00	93.15	-----	78.12	34.08	11.73	34.32	3.54	200	36 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5921.00	62.02	68.20 -6.18	47.07	34.00	11.58	34.20	3.57	200	36 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6025.00	93.15	-----	78.12	34.08	11.73	34.32	3.54	200	36 Average																																																																																	



Mode	81																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.00</td><td>76.42</td><td>88.20</td><td>-11.78</td><td>61.48</td><td>34.00</td><td>11.55</td><td>34.18</td><td>3.57</td><td>178</td><td>350 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5905.00	76.42	88.20	-11.78	61.48	34.00	11.55	34.18	3.57	178	350 Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>107.42</td><td>-----</td><td>-----</td><td>92.45</td><td>34.00</td><td>11.70</td><td>34.28</td><td>3.55</td><td>178</td><td>350 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	107.42	-----	-----	92.45	34.00	11.70	34.28	3.55	178	350 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5905.00	76.42	88.20	-11.78	61.48	34.00	11.55	34.18	3.57	178	350 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6025.00	107.42	-----	-----	92.45	34.00	11.70	34.28	3.55	178	350 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.40</td><td>67.09</td><td>68.20</td><td>-1.11</td><td>52.14</td><td>34.00</td><td>11.57</td><td>34.19</td><td>3.57</td><td>178</td><td>350 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.40	67.09	68.20	-1.11	52.14	34.00	11.57	34.19	3.57	178	350 Average	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>98.45</td><td>-----</td><td>-----</td><td>83.48</td><td>34.00</td><td>11.70</td><td>34.28</td><td>3.55</td><td>178</td><td>350 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.45	-----	-----	83.48	34.00	11.70	34.28	3.55	178	350 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5916.40	67.09	68.20	-1.11	52.14	34.00	11.57	34.19	3.57	178	350 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6025.00	98.45	-----	-----	83.48	34.00	11.70	34.28	3.55	178	350 Average																																																																																						



		81									
Mode		Harmonic									
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz									
ANT		6+7									
Pol.		Horizontal					Vertical				
Peak Avg	<										



Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL