



Mode	82																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.20</td><td>73.45</td><td>88.20</td><td>-14.75</td><td>58.50</td><td>34.01</td><td>11.53</td><td>34.17</td><td>3.58</td><td>105</td><td>333</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.20	73.45	88.20	-14.75	58.50	34.01	11.53	34.17	3.58	105	333	Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>102.44</td><td>-----</td><td>-----</td><td>87.47</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>105</td><td>333</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	102.44	-----	-----	87.47	34.00	11.65	34.24	3.56	105	333	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5896.20	73.45	88.20	-14.75	58.50	34.01	11.53	34.17	3.58	105	333	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	102.44	-----	-----	87.47	34.00	11.65	34.24	3.56	105	333	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.40</td><td>60.29</td><td>68.20</td><td>-7.91</td><td>45.34</td><td>34.01</td><td>11.53</td><td>34.17</td><td>3.58</td><td>105</td><td>333</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.40	60.29	68.20	-7.91	45.34	34.01	11.53	34.17	3.58	105	333	Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>94.23</td><td>-----</td><td>-----</td><td>79.27</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>105</td><td>333</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.23	-----	-----	79.27	34.00	11.63	34.23	3.56	105	333	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5896.40	60.29	68.20	-7.91	45.34	34.01	11.53	34.17	3.58	105	333	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	94.23	-----	-----	79.27	34.00	11.63	34.23	3.56	105	333	Average																																																																																								



Mode	82																																																																																																											
	Band Edge																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Vertical																																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.00</td><td>80.63</td><td>88.20</td><td>-7.57</td><td>65.68</td><td>34.00</td><td>11.55</td><td>34.17</td><td>3.57</td><td>169</td><td>9 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.00	80.63	88.20	-7.57	65.68	34.00	11.55	34.17	3.57	169	9 Peak	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>109.49</td><td>-----</td><td>-----</td><td>94.52</td><td>34.00</td><td>11.69</td><td>34.27</td><td>3.55</td><td>169</td><td>9 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	109.49	-----	-----	94.52	34.00	11.69	34.27	3.55	169	9 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5903.00	80.63	88.20	-7.57	65.68	34.00	11.55	34.17	3.57	169	9 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6025.00	109.49	-----	-----	94.52	34.00	11.69	34.27	3.55	169	9 Peak																																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.00</td><td>65.96</td><td>68.20</td><td>-2.24</td><td>51.01</td><td>34.00</td><td>11.55</td><td>34.17</td><td>3.57</td><td>169</td><td>9 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.00	65.96	68.20	-2.24	51.01	34.00	11.55	34.17	3.57	169	9 Average	Level (dBuV/m) Date: 2026-01-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.33</td><td>-----</td><td>-----</td><td>85.37</td><td>34.00</td><td>11.66</td><td>34.25</td><td>3.55</td><td>169</td><td>9 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.33	-----	-----	85.37	34.00	11.66	34.25	3.55	169	9 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5903.00	65.96	68.20	-2.24	51.01	34.00	11.55	34.17	3.57	169	9 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6025.00	100.33	-----	-----	85.37	34.00	11.66	34.25	3.55	169	9 Average																																																																																																	



Mode	83																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>54.89</td><td>74.00</td><td>-19.11</td><td>36.47</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>25.91</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>39.43</td><td>74.00</td><td>-34.57</td><td>56.88</td><td>38.22</td><td>18.60</td><td>64.73</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	54.89	74.00	-19.11	36.47	39.14	16.72	40.24	0.47	--	--	Peak	2	12370.00	44.33	54.00	-9.67	25.91	39.14	16.72	40.24	0.47	--	--	Average	3	18555.00	39.43	74.00	-34.57	56.88	38.22	18.60	64.73	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>35.92</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>43.78</td><td>54.00</td><td>-10.22</td><td>25.36</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>56.62</td><td>38.22</td><td>18.60</td><td>64.73</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	54.34	74.00	-19.66	35.92	39.14	16.72	40.24	0.47	--	--	Peak	2	12370.00	43.78	54.00	-10.22	25.36	39.14	16.72	40.24	0.47	--	--	Average	3	18555.00	39.17	74.00	-34.83	56.62	38.22	18.60	64.73	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12370.00	54.89	74.00	-19.11	36.47	39.14	16.72	40.24	0.47	--	--	Peak																																																																																																																																												
2	12370.00	44.33	54.00	-9.67	25.91	39.14	16.72	40.24	0.47	--	--	Average																																																																																																																																												
3	18555.00	39.43	74.00	-34.57	56.88	38.22	18.60	64.73	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12370.00	54.34	74.00	-19.66	35.92	39.14	16.72	40.24	0.47	--	--	Peak																																																																																																																																												
2	12370.00	43.78	54.00	-10.22	25.36	39.14	16.72	40.24	0.47	--	--	Average																																																																																																																																												
3	18555.00	39.17	74.00	-34.83	56.62	38.22	18.60	64.73	-9.54	--	--	Peak																																																																																																																																												



Mode	83	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	84																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>55.31</td><td>74.00</td><td>-18.69</td><td>36.14</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>25.58</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>55.96</td><td>38.33</td><td>18.86</td><td>64.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	55.31	74.00	-18.69	36.14	39.80	16.98	40.39	0.45	--	--	Peak	2	12690.00	44.75	54.00	-9.25	25.58	39.80	16.98	40.39	0.45	--	--	Average	3	19035.00	39.40	74.00	-34.60	55.96	38.33	18.86	64.21	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>36.09</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>25.53</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.38</td><td>74.00</td><td>-34.62</td><td>55.94</td><td>38.33</td><td>18.86</td><td>64.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	55.26	74.00	-18.74	36.09	39.80	16.98	40.39	0.45	--	--	Peak	2	12690.00	44.70	54.00	-9.30	25.53	39.80	16.98	40.39	0.45	--	--	Average	3	19035.00	39.38	74.00	-34.62	55.94	38.33	18.86	64.21	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12690.00	55.31	74.00	-18.69	36.14	39.80	16.98	40.39	0.45	--	--	Peak																																																																																																																																												
2	12690.00	44.75	54.00	-9.25	25.58	39.80	16.98	40.39	0.45	--	--	Average																																																																																																																																												
3	19035.00	39.40	74.00	-34.60	55.96	38.33	18.86	64.21	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12690.00	55.26	74.00	-18.74	36.09	39.80	16.98	40.39	0.45	--	--	Peak																																																																																																																																												
2	12690.00	44.70	54.00	-9.30	25.53	39.80	16.98	40.39	0.45	--	--	Average																																																																																																																																												
3	19035.00	39.38	74.00	-34.62	55.94	38.33	18.86	64.21	-9.54	--	--	Peak																																																																																																																																												



Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	96																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>54.10</td><td>88.20</td><td>-34.10</td><td>35.16</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>55.83</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	54.10	88.20	-34.10	35.16	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	39.31	74.00	-34.69	55.83	38.10	19.14	64.22	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.57</td><td>88.20</td><td>-34.63</td><td>34.63</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>55.69</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.57	88.20	-34.63	34.63	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	39.17	74.00	-34.83	55.69	38.10	19.14	64.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	54.10	88.20	-34.10	35.16	39.00	17.26	40.87	0.43	--	Peak																																																																																																															
2	19605.00	39.31	74.00	-34.69	55.83	38.10	19.14	64.22	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.57	88.20	-34.63	34.63	39.00	17.26	40.87	0.43	--	Peak																																																																																																															
2	19605.00	39.17	74.00	-34.83	55.69	38.10	19.14	64.22	-9.54	--	Peak																																																																																																															



Mode	96	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		97																																																																																																																																
Mode		Harmonic																																																																																																																																
		U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																
ANT		6+7																																																																																																																																
Pol.		Horizontal					Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-01-11 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>35.60</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>24.82</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20805.00</td><td>38.44</td><td>74.00</td><td>-35.56</td><td>54.47</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-01-11 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>35.06</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13390.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>24.69</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20805.00</td><td>38.18</td><td>74.00</td><td>-35.82</td><td>54.21</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	54.30	74.00	-19.70	35.60	40.10	17.46	41.58	0.41	-- -- Peak	2 13390.00	43.52	54.00	-10.48	24.82	40.10	17.46	41.58	0.41	-- -- Average	3 20805.00	38.44	74.00	-35.56	54.47	38.00	19.39	63.88	-9.54	-- -- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	53.76	74.00	-20.24	35.06	40.10	17.46	41.58	0.41	-- -- Peak	2 13390.00	43.39	54.00	-10.61	24.69	40.10	17.46	41.58	0.41	-- -- Average	3 20805.00	38.18	74.00	-35.82	54.21	38.00	19.39	63.88	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																									
1 13390.00	54.30	74.00	-19.70	35.60	40.10	17.46	41.58	0.41	-- -- Peak																																																																																																																									
2 13390.00	43.52	54.00	-10.48	24.82	40.10	17.46	41.58	0.41	-- -- Average																																																																																																																									
3 20805.00	38.44	74.00	-35.56	54.47	38.00	19.39	63.88	-9.54	-- -- Peak																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																									
1 13390.00	53.76	74.00	-20.24	35.06	40.10	17.46	41.58	0.41	-- -- Peak																																																																																																																									
2 13390.00	43.39	54.00	-10.61	24.69	40.10	17.46	41.58	0.41	-- -- Average																																																																																																																									
3 20805.00	38.18	74.00	-35.82	54.21	38.00	19.39	63.88	-9.54	-- -- Peak																																																																																																																									



Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	98																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.93</td><td>88.20</td><td>-33.27</td><td>36.57</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>54.82</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.93	88.20	-33.27	36.57	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	39.46	74.00	-34.54	54.82	38.10	19.75	63.67	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.28</td><td>88.20</td><td>-33.92</td><td>35.92</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.83</td><td>74.00</td><td>-35.17</td><td>54.19</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.28	88.20	-33.92	35.92	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	38.83	74.00	-35.17	54.19	38.10	19.75	63.67	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13750.00	54.93	88.20	-33.27	36.57	40.30	17.68	42.30	0.38	--	Peak																																																																																																															
2	20625.00	39.46	74.00	-34.54	54.82	38.10	19.75	63.67	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13750.00	54.28	88.20	-33.92	35.92	40.30	17.68	42.30	0.38	--	Peak																																																																																																															
2	20625.00	38.83	74.00	-35.17	54.19	38.10	19.75	63.67	-9.54	--	Peak																																																																																																															



Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	99																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>35.39</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>55.61</td><td>30.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	54.33	88.20	-33.87	35.39	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	39.09	74.00	-34.91	55.61	30.10	19.14	64.22	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.96</td><td>88.20</td><td>-34.24</td><td>35.02</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.25</td><td>74.00</td><td>-35.75</td><td>54.77</td><td>30.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.96	88.20	-34.24	35.02	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	38.25	74.00	-35.75	54.77	30.10	19.14	64.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	54.33	88.20	-33.87	35.39	39.00	17.26	40.87	0.43	--	Peak																																																																																																															
2	19605.00	39.09	74.00	-34.91	55.61	30.10	19.14	64.22	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	53.96	88.20	-34.24	35.02	39.00	17.26	40.87	0.43	--	Peak																																																																																																															
2	19605.00	38.25	74.00	-35.75	54.77	30.10	19.14	64.22	-9.54	--	Peak																																																																																																															



Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	100																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>35.48</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>43.87</td><td>54.00</td><td>-10.13</td><td>25.17</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>38.07</td><td>74.00</td><td>-35.93</td><td>54.10</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.18	74.00	-19.82	35.48	40.10	17.46	41.58	0.41	--	--	Peak	2	13390.00	43.87	54.00	-10.13	25.17	40.10	17.46	41.58	0.41	--	--	Average	3	20085.00	38.07	74.00	-35.93	54.10	38.00	19.39	63.88	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>35.74</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>24.98</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>37.77</td><td>74.00</td><td>-36.23</td><td>53.80</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.44	74.00	-19.56	35.74	40.10	17.46	41.58	0.41	--	--	Peak	2	13390.00	43.68	54.00	-10.32	24.98	40.10	17.46	41.58	0.41	--	--	Average	3	20085.00	37.77	74.00	-36.23	53.80	38.00	19.39	63.88	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13390.00	54.18	74.00	-19.82	35.48	40.10	17.46	41.58	0.41	--	--	Peak																																																																																																																																		
2	13390.00	43.87	54.00	-10.13	25.17	40.10	17.46	41.58	0.41	--	--	Average																																																																																																																																		
3	20085.00	38.07	74.00	-35.93	54.10	38.00	19.39	63.88	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13390.00	54.44	74.00	-19.56	35.74	40.10	17.46	41.58	0.41	--	--	Peak																																																																																																																																		
2	13390.00	43.68	54.00	-10.32	24.98	40.10	17.46	41.58	0.41	--	--	Average																																																																																																																																		
3	20085.00	37.77	74.00	-36.23	53.80	38.00	19.39	63.88	-9.54	--	--	Peak																																																																																																																																		



Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	101																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.74</td><td>88.20</td><td>-33.46</td><td>36.38</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>54.10</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.74	88.20	-33.46	36.38	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	38.74	74.00	-35.26	54.10	38.10	19.75	63.67	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>54.70</td><td>88.20</td><td>-33.50</td><td>36.34</td><td>40.30</td><td>17.68</td><td>42.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>53.58</td><td>38.10</td><td>19.75</td><td>63.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	54.70	88.20	-33.50	36.34	40.30	17.68	42.30	0.38	--	Peak	2	20625.00	38.22	74.00	-35.78	53.58	38.10	19.75	63.67	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13750.00	54.74	88.20	-33.46	36.38	40.30	17.68	42.30	0.38	--	Peak																																																																																																					
2	20625.00	38.74	74.00	-35.26	54.10	38.10	19.75	63.67	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13750.00	54.70	88.20	-33.50	36.34	40.30	17.68	42.30	0.38	--	Peak																																																																																																					
2	20625.00	38.22	74.00	-35.78	53.58	38.10	19.75	63.67	-9.54	--	Peak																																																																																																					



Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	102																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>54.28</td><td>88.20</td><td>-33.92</td><td>35.39</td><td>39.06</td><td>17.30</td><td>41.01</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>55.01</td><td>30.10</td><td>19.18</td><td>64.14</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	54.28	88.20	-33.92	35.39	39.06	17.30	41.01	0.42	--	Peak	2	19695.00	39.41	74.00	-34.59	55.01	30.10	19.18	64.14	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.00</td><td>88.20</td><td>-34.40</td><td>34.91</td><td>39.06</td><td>17.30</td><td>41.01</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.14</td><td>74.00</td><td>-35.86</td><td>54.54</td><td>30.10</td><td>19.18</td><td>64.14</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.00	88.20	-34.40	34.91	39.06	17.30	41.01	0.42	--	Peak	2	19695.00	38.14	74.00	-35.86	54.54	30.10	19.18	64.14	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13130.00	54.28	88.20	-33.92	35.39	39.06	17.30	41.01	0.42	--	Peak																																																																																																															
2	19695.00	39.41	74.00	-34.59	55.01	30.10	19.18	64.14	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13130.00	53.00	88.20	-34.40	34.91	39.06	17.30	41.01	0.42	--	Peak																																																																																																															
2	19695.00	38.14	74.00	-35.86	54.54	30.10	19.18	64.14	-9.54	--	Peak																																																																																																															



Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	103																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>35.41</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13370.00</td><td>43.88</td><td>54.00</td><td>-10.12</td><td>25.14</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>53.98</td><td>38.00</td><td>19.37</td><td>63.89</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	54.15	74.00	-19.85	35.41	40.10	17.45	41.53	0.41	-- -- Peak	2 13370.00	43.88	54.00	-10.12	25.14	40.10	17.45	41.53	0.41	-- -- Average	3 20055.00	37.92	74.00	-36.08	53.98	38.00	19.37	63.89	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>35.93</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Peak</td></tr><tr><td>2 13370.00</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>25.37</td><td>40.10</td><td>17.45</td><td>41.53</td><td>0.41</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>38.55</td><td>74.00</td><td>-35.45</td><td>54.61</td><td>38.00</td><td>19.37</td><td>63.89</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	54.67	74.00	-19.33	35.93	40.10	17.45	41.53	0.41	-- -- Peak	2 13370.00	44.11	54.00	-9.89	25.37	40.10	17.45	41.53	0.41	-- -- Average	3 20055.00	38.55	74.00	-35.45	54.61	38.00	19.37	63.89	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	54.15	74.00	-19.85	35.41	40.10	17.45	41.53	0.41	-- -- Peak																																																																																																																	
2 13370.00	43.88	54.00	-10.12	25.14	40.10	17.45	41.53	0.41	-- -- Average																																																																																																																	
3 20055.00	37.92	74.00	-36.08	53.98	38.00	19.37	63.89	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	54.67	74.00	-19.33	35.93	40.10	17.45	41.53	0.41	-- -- Peak																																																																																																																	
2 13370.00	44.11	54.00	-9.89	25.37	40.10	17.45	41.53	0.41	-- -- Average																																																																																																																	
3 20055.00	38.55	74.00	-35.45	54.61	38.00	19.37	63.89	-9.54	-- -- Peak																																																																																																																	



Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	104																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>37.17</td><td>40.34</td><td>17.69</td><td>42.34</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>38.63</td><td>74.00</td><td>-35.37</td><td>53.95</td><td>38.10</td><td>19.77</td><td>63.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	55.54	88.20	-32.66	37.17	40.34	17.69	42.34	0.38	--	Peak	2	20655.00	38.63	74.00	-35.37	53.95	38.10	19.77	63.65	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>54.61</td><td>88.20</td><td>-33.59</td><td>36.24</td><td>40.34</td><td>17.69</td><td>42.34</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>38.45</td><td>74.00</td><td>-35.55</td><td>53.77</td><td>38.10</td><td>19.77</td><td>63.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	54.61	88.20	-33.59	36.24	40.34	17.69	42.34	0.38	--	Peak	2	20655.00	38.45	74.00	-35.55	53.77	38.10	19.77	63.65	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	55.54	88.20	-32.66	37.17	40.34	17.69	42.34	0.38	--	Peak																																																																																																					
2	20655.00	38.63	74.00	-35.37	53.95	38.10	19.77	63.65	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	54.61	88.20	-33.59	36.24	40.34	17.69	42.34	0.38	--	Peak																																																																																																					
2	20655.00	38.45	74.00	-35.55	53.77	38.10	19.77	63.65	-9.54	--	Peak																																																																																																					



Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		105																
Mode		Harmonic																
		U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																
ANT		6+7																
Pol.		Horizontal																
Peak Avg	</																	



Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	106																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.40</td><td>88.20</td><td>-33.80</td><td>35.75</td><td>40.00</td><td>17.47</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>54.78</td><td>38.00</td><td>19.41</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.40	88.20	-33.80	35.75	40.00	17.47	41.62	0.41	--	Peak	2	20115.00	38.77	74.00	-35.23	54.78	38.00	19.41	63.88	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.05</td><td>88.20</td><td>-34.15</td><td>35.40</td><td>40.00</td><td>17.47</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.62</td><td>74.00</td><td>-35.38</td><td>54.63</td><td>38.00</td><td>19.41</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.05	88.20	-34.15	35.40	40.00	17.47	41.62	0.41	--	Peak	2	20115.00	38.62	74.00	-35.38	54.63	38.00	19.41	63.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.40	88.20	-33.80	35.75	40.00	17.47	41.62	0.41	--	Peak																																																																																																															
2	20115.00	38.77	74.00	-35.23	54.78	38.00	19.41	63.88	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.05	88.20	-34.15	35.40	40.00	17.47	41.62	0.41	--	Peak																																																																																																															
2	20115.00	38.62	74.00	-35.38	54.63	38.00	19.41	63.88	-9.54	--	Peak																																																																																																															



Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	107																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.02</td><td>88.20</td><td>-33.18</td><td>36.65</td><td>40.26</td><td>17.67</td><td>42.26</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>38.87</td><td>74.00</td><td>-35.13</td><td>54.28</td><td>38.10</td><td>19.73</td><td>63.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.02	88.20	-33.18	36.65	40.26	17.67	42.26	0.39	--	Peak	2	20595.00	38.87	74.00	-35.13	54.28	38.10	19.73	63.70	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.56</td><td>88.20</td><td>-32.64</td><td>37.19</td><td>40.26</td><td>17.67</td><td>42.26</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>54.21</td><td>38.10</td><td>19.73</td><td>63.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.56	88.20	-32.64	37.19	40.26	17.67	42.26	0.39	--	Peak	2	20595.00	38.80	74.00	-35.20	54.21	38.10	19.73	63.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	55.02	88.20	-33.18	36.65	40.26	17.67	42.26	0.39	--	Peak																																																																																																					
2	20595.00	38.87	74.00	-35.13	54.28	38.10	19.73	63.70	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	55.56	88.20	-32.64	37.19	40.26	17.67	42.26	0.39	--	Peak																																																																																																					
2	20595.00	38.80	74.00	-35.20	54.21	38.10	19.73	63.70	-9.54	--	Peak																																																																																																					



Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



	108																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>35.00</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Peak</td></tr><tr><td>2 13330.00</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>25.27</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Average</td></tr><tr><td>3 19995.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>55.16</td><td>38.00</td><td>19.33</td><td>63.90</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	54.59	74.00	-19.41	35.00	40.10	17.42	41.45	0.41	-- Peak	2 13330.00	44.06	54.00	-9.94	25.27	40.10	17.42	41.45	0.41	-- Average	3 19995.00	39.05	74.00	-34.95	55.16	38.00	19.33	63.90	-9.54	-- Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>55.09</td><td>74.00</td><td>-18.91</td><td>36.30</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Peak</td></tr><tr><td>2 13330.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>25.43</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>-- Average</td></tr><tr><td>3 19995.00</td><td>38.13</td><td>74.00</td><td>-35.87</td><td>54.24</td><td>38.00</td><td>19.33</td><td>63.90</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	55.09	74.00	-18.91	36.30	40.10	17.42	41.45	0.41	-- Peak	2 13330.00	44.22	54.00	-9.78	25.43	40.10	17.42	41.45	0.41	-- Average	3 19995.00	38.13	74.00	-35.87	54.24	38.00	19.33	63.90	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	54.59	74.00	-19.41	35.00	40.10	17.42	41.45	0.41	-- Peak																																																																																																																	
2 13330.00	44.06	54.00	-9.94	25.27	40.10	17.42	41.45	0.41	-- Average																																																																																																																	
3 19995.00	39.05	74.00	-34.95	55.16	38.00	19.33	63.90	-9.54	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	55.09	74.00	-18.91	36.30	40.10	17.42	41.45	0.41	-- Peak																																																																																																																	
2 13330.00	44.22	54.00	-9.78	25.43	40.10	17.42	41.45	0.41	-- Average																																																																																																																	
3 19995.00	38.13	74.00	-35.87	54.24	38.00	19.33	63.90	-9.54	-- Peak																																																																																																																	



Mode	108	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	109																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>55.48</td><td>88.20</td><td>-32.72</td><td>37.17</td><td>40.10</td><td>17.62</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>54.67</td><td>38.10</td><td>19.65</td><td>63.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	55.48	88.20	-32.72	37.17	40.10	17.62	42.11	0.39	--	Peak	2	20475.00	39.07	74.00	-34.93	54.67	38.10	19.65	63.81	-9.54	--	Peak	Level (dBuV/m) Date: 2026-01-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>56.19</td><td>88.20</td><td>-32.01</td><td>37.88</td><td>40.10</td><td>17.62</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>54.77</td><td>38.10</td><td>19.65</td><td>63.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	56.19	88.20	-32.01	37.88	40.10	17.62	42.11	0.39	--	Peak	2	20475.00	39.17	74.00	-34.83	54.77	38.10	19.65	63.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	55.48	88.20	-32.72	37.17	40.10	17.62	42.11	0.39	--	Peak																																																																																																															
2	20475.00	39.07	74.00	-34.93	54.67	38.10	19.65	63.81	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	56.19	88.20	-32.01	37.88	40.10	17.62	42.11	0.39	--	Peak																																																																																																															
2	20475.00	39.17	74.00	-34.83	54.77	38.10	19.65	63.81	-9.54	--	Peak																																																																																																															



Mode	109	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-01-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	126																																																																																																																																																																																												
	LF																																																																																																																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																																																																																												
ANT	6+7																																																																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																																																																							
QPI Peak																																																																																																																																																																																													
	Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 HORIZONTAL					Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 VERTICAL																																																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>87.23</td><td>23.53</td><td>40.00</td><td>-16.47</td><td>40.13</td><td>14.81</td><td>1.01</td><td>32.51</td><td>0.09 -- -- Peak</td></tr><tr><td>2</td><td>92.08</td><td>30.94</td><td>43.50</td><td>-12.56</td><td>46.95</td><td>15.36</td><td>1.05</td><td>32.51</td><td>0.09 -- -- Peak</td></tr><tr><td>3</td><td>256.98</td><td>18.86</td><td>46.00</td><td>-27.14</td><td>29.76</td><td>19.57</td><td>1.94</td><td>32.52</td><td>0.11 -- -- Peak</td></tr><tr><td>4</td><td>506.27</td><td>24.36</td><td>46.00</td><td>-21.64</td><td>29.94</td><td>24.15</td><td>2.86</td><td>32.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>745.86</td><td>38.52</td><td>46.00</td><td>-7.48</td><td>39.29</td><td>28.06</td><td>3.52</td><td>32.55</td><td>0.20 -- -- Peak</td></tr><tr><td>6</td><td>947.62</td><td>31.83</td><td>46.00</td><td>-14.17</td><td>28.06</td><td>30.66</td><td>4.05</td><td>31.18</td><td>0.24 -- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	87.23	23.53	40.00	-16.47	40.13	14.81	1.01	32.51	0.09 -- -- Peak	2	92.08	30.94	43.50	-12.56	46.95	15.36	1.05	32.51	0.09 -- -- Peak	3	256.98	18.86	46.00	-27.14	29.76	19.57	1.94	32.52	0.11 -- -- Peak	4	506.27	24.36	46.00	-21.64	29.94	24.15	2.86	32.68	0.09 -- -- Peak	5	745.86	38.52	46.00	-7.48	39.29	28.06	3.52	32.55	0.20 -- -- Peak	6	947.62	31.83	46.00	-14.17	28.06	30.66	4.05	31.18	0.24 -- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>38.73</td><td>31.96</td><td>40.00</td><td>-8.04</td><td>43.45</td><td>20.39</td><td>0.59</td><td>32.55</td><td>0.08 -- -- Peak</td></tr><tr><td>2</td><td>177.44</td><td>36.38</td><td>43.50</td><td>-7.12</td><td>51.70</td><td>15.34</td><td>1.58</td><td>32.48</td><td>0.24 -- -- Peak</td></tr><tr><td>3</td><td>245.34</td><td>27.31</td><td>46.00</td><td>-18.69</td><td>39.87</td><td>17.96</td><td>1.89</td><td>32.51</td><td>0.10 -- -- Peak</td></tr><tr><td>4</td><td>481.05</td><td>33.60</td><td>46.00</td><td>-12.40</td><td>39.72</td><td>23.67</td><td>2.77</td><td>32.66</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>744.89</td><td>39.31</td><td>46.00</td><td>-6.69</td><td>40.08</td><td>28.07</td><td>3.51</td><td>32.55</td><td>0.20 -- -- Peak</td></tr><tr><td>6</td><td>898.15</td><td>34.75</td><td>46.00</td><td>-11.25</td><td>33.27</td><td>29.12</td><td>3.89</td><td>31.70</td><td>0.17 -- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	38.73	31.96	40.00	-8.04	43.45	20.39	0.59	32.55	0.08 -- -- Peak	2	177.44	36.38	43.50	-7.12	51.70	15.34	1.58	32.48	0.24 -- -- Peak	3	245.34	27.31	46.00	-18.69	39.87	17.96	1.89	32.51	0.10 -- -- Peak	4	481.05	33.60	46.00	-12.40	39.72	23.67	2.77	32.66	0.10 -- -- Peak	5	744.89	39.31	46.00	-6.69	40.08	28.07	3.51	32.55	0.20 -- -- Peak	6	898.15	34.75	46.00	-11.25	33.27	29.12	3.89	31.70
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																				
1	87.23	23.53	40.00	-16.47	40.13	14.81	1.01	32.51	0.09 -- -- Peak																																																																																																																																																																																				
2	92.08	30.94	43.50	-12.56	46.95	15.36	1.05	32.51	0.09 -- -- Peak																																																																																																																																																																																				
3	256.98	18.86	46.00	-27.14	29.76	19.57	1.94	32.52	0.11 -- -- Peak																																																																																																																																																																																				
4	506.27	24.36	46.00	-21.64	29.94	24.15	2.86	32.68	0.09 -- -- Peak																																																																																																																																																																																				
5	745.86	38.52	46.00	-7.48	39.29	28.06	3.52	32.55	0.20 -- -- Peak																																																																																																																																																																																				
6	947.62	31.83	46.00	-14.17	28.06	30.66	4.05	31.18	0.24 -- -- Peak																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																				
1	38.73	31.96	40.00	-8.04	43.45	20.39	0.59	32.55	0.08 -- -- Peak																																																																																																																																																																																				
2	177.44	36.38	43.50	-7.12	51.70	15.34	1.58	32.48	0.24 -- -- Peak																																																																																																																																																																																				
3	245.34	27.31	46.00	-18.69	39.87	17.96	1.89	32.51	0.10 -- -- Peak																																																																																																																																																																																				
4	481.05	33.60	46.00	-12.40	39.72	23.67	2.77	32.66	0.10 -- -- Peak																																																																																																																																																																																				
5	744.89	39.31	46.00	-6.69	40.08	28.07	3.51	32.55	0.20 -- -- Peak																																																																																																																																																																																				
6	898.15	34.75	46.00	-11.25	33.27	29.12	3.89	31.70	0.17 -- -- Peak																																																																																																																																																																																				



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	6GHz 802.11a	99.05	2095	0.48	10Hz
6+7	6GHz 802.11ax HE20 Full RU	100.00	4065	0.25	10Hz
6+7	6GHz 802.11ax HE20 106 RU	100.00	3000	0.33	10Hz
6+7	6GHz 802.11ax HE40 Full RU	100.00	4065	0.25	10Hz
6+7	6GHz 802.11ax HE40 242 RU	100.00	4365	0.23	10Hz
6+7	6GHz 802.11ax HE80 Full RU	100.00	5415	0.18	10Hz
6+7	6GHz 802.11ax HE80 484 RU	98.21	2200	0.45	10Hz
6+7	6GHz 802.11ax HE160 Full RU	98.62	2140	0.47	10Hz
6+7	6GHz 802.11ax HE160 996 RU	97.93	711	1.41	1.5kHz

MIMO <Ant. 6+7>







6GHz 802.11ax HE40 242 RU




6GHz 802.11ax HE80 Full RU



6GHz 802.11ax HE80 484 RU



6GHz 802.11ax HE160 Full RU



6GHz 802.11ax HE160 996 RU

