






**FR1 n7 / 40MHz / DFT-s-OFDM / PI/2 BPSK****Lowest Band Edge / Full RB****Highest Band Edge / Full RB****FR1 n7 / 40MHz / DFT-s-OFDM / QPSK****Lowest Band Edge / Full RB****Highest Band Edge / Full RB**



Conducted Spurious Emission


FR1 n7 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel




03:36:25 AM 01/09/2026

Middle Channel



03:38:44 AM 01/09/2026

Highest Channel



03:40:48 AM 01/09/2026

**Frequency Stability**

Test Conditions		FR1 n7 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0005	-1.6	Yes	PASS
40	Normal Voltage	0.0009	3.3	Yes	
30	Normal Voltage	0.0027	-9.3	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0009	3	Yes	
0	Normal Voltage	0.0031	-10.8	Yes	
-10	Normal Voltage	0.0021	-7.4	Yes	
-20	Normal Voltage	0.0002	-0.6	Yes	
-30	Normal Voltage	0.0001	0.5	Yes	
20	Maximum Voltage	0.0046	-16.2	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0032	-11.2	Yes	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.65 V. ; Maximum Voltage = 4.3 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n12****<SISO Mode>****Peak-to-Average Ratio**

Mode	FR1 n12 / 15MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.12	5.44	6.14	6.40	PASS
Mode	FR1 n12 / 15MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.82				PASS




FR1 n12 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM




**26dB Bandwidth**

Mode	FR1 n12 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz			
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK		
Middle CH	5.24	5.13	9.85	9.91	14.58	14.60		
Mod.	16QAM		16QAM		16QAM			
Middle CH	5.24		9.84		14.63			




FR1 n12 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n12 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n12 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM




**Occupied Bandwidth**

Mode	FR1 n12 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz			
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK		
Middle CH	4.49	4.48	8.98	9.00	13.47	13.51		
Mod.	16QAM		16QAM		16QAM			
Middle CH	4.52		9.01		13.54			




FR1 n12 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




04:23:36 PM 03/23/2026

QPSK



04:06:03 PM 03/23/2026

16QAM



04:07:20 PM 03/23/2026




FR1 n12 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

QPSK




04:14:52 PM 03/23/2026



04:17:40 PM 03/23/2026

16QAM




04:18:31 PM 03/23/2026




FR1 n12 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




04:19:29 PM 03/23/2026

QPSK



04:20:21 PM 03/23/2026

16QAM



04:21:32 PM 03/23/2026





Conducted Band Edge

FR1 n12 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n12 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n12 / 10MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge



02:36:40 PM 03/23/2026


Highest Band Edge



03:01:18 PM 03/23/2026


FR1 n12 / 10MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge



02:38:38 PM 03/23/2026

Highest Band Edge




03:03:18 PM 03/23/2026




FR1 n12 / 15MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge




Highest Band Edge




FR1 n12 / 15MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge







Conducted Spurious Emission

FR1 n12 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



**Frequency Stability**

Test Conditions		FR1 n12 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0122	8.6	Yes	PASS
40	Normal Voltage	0.0139	9.8	Yes	
30	Normal Voltage	0.0089	6.3	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0014	-1	Yes	
0	Normal Voltage	0.0051	-3.6	Yes	
-10	Normal Voltage	0.0034	2.4	Yes	
-20	Normal Voltage	0.0093	-6.6	Yes	
-30	Normal Voltage	0.0028	-2	Yes	
20	Maximum Voltage	0.0017	-1.2	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0021	1.5	Yes	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.65 V. ; Maximum Voltage = 4.3 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n25****<SISO Mode>****Peak-to-Average Ratio**

Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.22	5.40	6.12	6.26	PASS
Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.60				PASS




FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM




**26dB Bandwidth**

Mode	FR1 n25 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	5.21	5.13	9.81	9.86	14.56	14.67	19.48	19.42
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	5.22		9.86		14.58		19.43	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	24.41	24.63	31.30	31.16	-	-	-	-
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	24.37		31.07		-		-	




FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




04:20:11 AM 01/09/2026

QPSK



04:21:07 AM 01/09/2026

16QAM




04:22:03 AM 01/09/2026




FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


QPSK



QPSK




16QAM






FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




04:29:02 AM 01/09/2026

QPSK




04:29:58 AM 01/09/2026

16QAM




04:30:54 AM 01/09/2026






FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM




**Occupied Bandwidth**

Mode	FR1 n25 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.50	4.50	8.97	9.01	13.48	13.51	18.05	18.01
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	4.51		9.01		13.55		18.01	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	23.02	23.08	29.05	29.04	-	-	-	-
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	23.03		29.00		-		-	




FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




04:20:39 AM 01/09/2026

QPSK



04:21:35 AM 01/09/2026

16QAM




04:22:31 AM 01/09/2026




FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

QPSK




04:26:30 AM 01/09/2026

QPSK



04:27:25 AM 01/09/2026

16QAM




04:28:22 AM 01/09/2026




FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




05:44:36 AM 01/10/2026

QPSK



05:46:58 AM 01/09/2026

16QAM




04:37:54 AM 01/09/2026




FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




04:38:52 AM 01/09/2024

QPSK



04:39:47 AM 01/09/2024

16QAM



04:40:42 AM 01/09/2024





Conducted Band Edge

FR1 n25 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB

