







	33																																																																																	
Mode	Band Edge - L																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																	
ANT	7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2321.83</td><td>53.29</td><td>74.00 -20.71</td><td>42.54</td><td>27.20</td><td>6.69</td><td>33.26</td><td>10.12</td><td>197</td><td>108 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2321.83	53.29	74.00 -20.71	42.54	27.20	6.69	33.26	10.12	197	108 Peak	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2440.00</td><td>100.13</td><td>-----</td><td>88.83</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>197</td><td>108 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2440.00	100.13	-----	88.83	27.50	6.84	33.16	10.12	197	108 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 2321.83	53.29	74.00 -20.71	42.54	27.20	6.69	33.26	10.12	197	108 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 2440.00	100.13	-----	88.83	27.50	6.84	33.16	10.12	197	108 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2344.97</td><td>44.17</td><td>54.00 -9.83</td><td>33.36</td><td>27.20</td><td>6.73</td><td>33.24</td><td>10.12</td><td>197</td><td>108 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2344.97	44.17	54.00 -9.83	33.36	27.20	6.73	33.24	10.12	197	108 Average	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2440.00</td><td>98.64</td><td>-----</td><td>87.34</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>197</td><td>108 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2440.00	98.64	-----	87.34	27.50	6.84	33.16	10.12	197	108 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 2344.97	44.17	54.00 -9.83	33.36	27.20	6.73	33.24	10.12	197	108 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1 2440.00	98.64	-----	87.34	27.50	6.84	33.16	10.12	197	108 Average																																																																									



Mode	33																																								
	Band Edge - R																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																								
ANT	7																																								
Pol.	Horizontal	Fundamental																																							
Peak	Level (dBuV/m) Date: 2026-02-06 PEAK_BE_74 1 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2489.26</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>42.46</td><td>27.79</td><td>6.87</td><td>33.11</td><td>10.12</td><td>197</td><td>108</td><td>Peak</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dBuV	dB/m	dB	dB	dB	cm	deg		1 2489.26	54.13	74.00	-19.87	42.46	27.79	6.87	33.11	10.12	197	108	Peak		Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dBuV	dB/m	dB	dB	dB	cm	deg																														
1 2489.26	54.13	74.00	-19.87	42.46	27.79	6.87	33.11	10.12	197	108	Peak																														
Avg	Level (dBuV/m) Date: 2026-02-06 AVG_BE_54 1 Frequency (MHz) Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2484.88</td><td>44.60</td><td>54.00</td><td>-9.40</td><td>33.02</td><td>27.70</td><td>6.87</td><td>33.11</td><td>10.12</td><td>197</td><td>108</td><td>Average</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dBuV	dB/m	dB	dB	dB	cm	deg		1 2484.88	44.60	54.00	-9.40	33.02	27.70	6.87	33.11	10.12	197	108	Average		Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dBuV	dB/m	dB	dB	dB	cm	deg																														
1 2484.88	44.60	54.00	-9.40	33.02	27.70	6.87	33.11	10.12	197	108	Average																														



		33																																																	
Mode	Band Edge - L																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																		
ANT	7																																																		
Pol.	Vertical																																																		
Peak	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2352.51</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>42.43</td><td>27.20</td><td>6.74</td><td>33.24</td><td>10.12</td><td>100 168 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2352.51	53.25	74.00	-20.75	42.43	27.20	6.74	33.24	10.12	100 168 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																										
1 2352.51	53.25	74.00	-20.75	42.43	27.20	6.74	33.24	10.12	100 168 Peak																																										
Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2440.00</td><td>97.90</td><td>-----</td><td>-----</td><td>86.60</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>100 168 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2440.00	97.90	-----	-----	86.60	27.50	6.84	33.16	10.12	100 168 Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																										
1 2440.00	97.90	-----	-----	86.60	27.50	6.84	33.16	10.12	100 168 Peak																																										
Avg	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2386.70</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>33.04</td><td>27.27</td><td>6.80</td><td>33.20</td><td>10.12</td><td>100 168 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2386.70	44.03	54.00	-9.97	33.04	27.27	6.80	33.20	10.12	100 168 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																										
1 2386.70	44.03	54.00	-9.97	33.04	27.27	6.80	33.20	10.12	100 168 Average																																										
Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2440.00</td><td>96.42</td><td>-----</td><td>-----</td><td>85.12</td><td>27.50</td><td>6.84</td><td>33.16</td><td>10.12</td><td>100 168 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2440.00	96.42	-----	-----	85.12	27.50	6.84	33.16	10.12	100 168 Average	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																										
1 2440.00	96.42	-----	-----	85.12	27.50	6.84	33.16	10.12	100 168 Average																																										







	33																																																							
Mode	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																							
ANT	7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Date: 2026-02-06 PEAK_BE_74 1 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.72</td><td>53.00</td><td>74.00</td><td>-20.20</td><td>42.10</td><td>27.80</td><td>6.88</td><td>33.10</td><td>10.12</td><td>100</td><td>168</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.72	53.00	74.00	-20.20	42.10	27.80	6.88	33.10	10.12	100	168	Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2497.72	53.00	74.00	-20.20	42.10	27.80	6.88	33.10	10.12	100	168	Peak																																												
Avg	Level (dBuV/m) Date: 2026-02-06 AVG_BE_54 1 Frequency (MHz) Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.22</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>33.12</td><td>27.74</td><td>6.87</td><td>33.11</td><td>10.12</td><td>100</td><td>168</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.22	44.74	54.00	-9.26	33.12	27.74	6.87	33.11	10.12	100	168	Average	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.22	44.74	54.00	-9.26	33.12	27.74	6.87	33.11	10.12	100	168	Average																																												



Mode	33																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																															
ANT	7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>63.03</td><td>32.62</td><td>10.66</td><td>67.11</td><td>0.95</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>56.26</td><td>36.82</td><td>13.74</td><td>66.10</td><td>0.19</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.15	74.00	-33.85	63.03	32.62	10.66	67.11	0.95	--	Peak	2	7320.00	40.91	74.00	-33.09	56.26	36.82	13.74	66.10	0.19	--	Peak	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>62.81</td><td>32.62</td><td>10.66</td><td>67.11</td><td>0.95</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>41.00</td><td>74.00</td><td>-33.00</td><td>56.35</td><td>36.82</td><td>13.74</td><td>66.10</td><td>0.19</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.93	74.00	-34.07	62.81	32.62	10.66	67.11	0.95	--	Peak	2	7320.00	41.00	74.00	-33.00	56.35	36.82	13.74	66.10	0.19	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	40.15	74.00	-33.85	63.03	32.62	10.66	67.11	0.95	--	Peak																																																																																																					
2	7320.00	40.91	74.00	-33.09	56.26	36.82	13.74	66.10	0.19	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	39.93	74.00	-34.07	62.81	32.62	10.66	67.11	0.95	--	Peak																																																																																																					
2	7320.00	41.00	74.00	-33.00	56.35	36.82	13.74	66.10	0.19	--	Peak																																																																																																					



	33	
Mode	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	7	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL



	34																																																																																			
Mode	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																			
ANT	7																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-02-06 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2489.24</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>42.87</td><td>27.78</td><td>6.87</td><td>33.11</td><td>10.12</td><td>200</td><td>106</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2489.24	54.53	74.00	-19.47	42.87	27.78	6.87	33.11	10.12	200	106	Peak	Level (dBuV/m) Date: 2026-02-06 PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>98.50</td><td>-----</td><td>-----</td><td>87.03</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>200</td><td>106</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2480.00	98.50	-----	-----	87.03	27.60	6.87	33.12	10.12	200	106	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2489.24	54.53	74.00	-19.47	42.87	27.78	6.87	33.11	10.12	200	106	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2480.00	98.50	-----	-----	87.03	27.60	6.87	33.12	10.12	200	106	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-02-06 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2496.00</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>33.04</td><td>27.80</td><td>6.88</td><td>33.10</td><td>10.12</td><td>200</td><td>106</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2496.00	44.74	54.00	-9.26	33.04	27.80	6.88	33.10	10.12	200	106	Average	Level (dBuV/m) Date: 2026-02-06 AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>97.09</td><td>-----</td><td>-----</td><td>85.62</td><td>27.60</td><td>6.87</td><td>33.12</td><td>10.12</td><td>200</td><td>106</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2480.00	97.09	-----	-----	85.62	27.60	6.87	33.12	10.12	200	106	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2496.00	44.74	54.00	-9.26	33.04	27.80	6.88	33.10	10.12	200	106	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2480.00	97.09	-----	-----	85.62	27.60	6.87	33.12	10.12	200	106	Average																																																																									







Mode	34																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																	
ANT	7																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-02-06 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 2486.56 54.89 74.00 -19.11 43.28 27.73 6.87 33.11 10.12 100 168</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 2486.56 54.89 74.00 -19.11 43.28 27.73 6.87 33.11 10.12 100 168	Peak								Level (dBuV/m) Date: 2026-02-06 PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 2480.00 96.57 ----- 85.10 27.60 6.87 33.12 10.12 100 168</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 2480.00 96.57 ----- 85.10 27.60 6.87 33.12 10.12 100 168	Peak							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 2486.56 54.89 74.00 -19.11 43.28 27.73 6.87 33.11 10.12 100 168	Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 2480.00 96.57 ----- 85.10 27.60 6.87 33.12 10.12 100 168	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-02-06 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 2485.38 44.79 54.00 -9.21 33.20 27.71 6.87 33.11 10.12 100 168</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 2485.38 44.79 54.00 -9.21 33.20 27.71 6.87 33.11 10.12 100 168	Average								Level (dBuV/m) Date: 2026-02-06 AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_250915 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 2480.00 95.14 ----- 83.67 27.60 6.87 33.12 10.12 100 168</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 2480.00 95.14 ----- 83.67 27.60 6.87 33.12 10.12 100 168	Average							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 2485.38 44.79 54.00 -9.21 33.20 27.71 6.87 33.11 10.12 100 168	Average																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 2480.00 95.14 ----- 83.67 27.60 6.87 33.12 10.12 100 168	Average																																																																																	



Mode	34																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																					
ANT	7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>63.57</td><td>32.94</td><td>11.01</td><td>67.05</td><td>0.96 -- -- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>57.48</td><td>36.30</td><td>13.86</td><td>66.19</td><td>0.18 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4960.00	41.43	74.00	-32.57	63.57	32.94	11.01	67.05	0.96 -- -- Peak	2	7440.00	41.63	74.00	-32.37	57.48	36.30	13.86	66.19	0.18 -- -- Peak	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_250915 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>63.77</td><td>32.94</td><td>11.01</td><td>67.05</td><td>0.96 -- -- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>57.20</td><td>36.30</td><td>13.86</td><td>66.19</td><td>0.18 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4960.00	41.63	74.00	-32.37	63.77	32.94	11.01	67.05	0.96 -- -- Peak	2	7440.00	41.35	74.00	-32.65	57.20	36.30	13.86	66.19	0.18 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4960.00	41.43	74.00	-32.57	63.57	32.94	11.01	67.05	0.96 -- -- Peak																																																																																													
2	7440.00	41.63	74.00	-32.37	57.48	36.30	13.86	66.19	0.18 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4960.00	41.63	74.00	-32.37	63.77	32.94	11.01	67.05	0.96 -- -- Peak																																																																																													
2	7440.00	41.35	74.00	-32.65	57.20	36.30	13.86	66.19	0.18 -- -- Peak																																																																																													



Mode	34	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	7	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL
	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 HORIZONTAL	Level (dBuV/m) Date: 2026-02-06  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_250915 VERTICAL



Mode	47																																																																	
	SHF																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																	
ANT	6																																																																	
Pol.	Horizontal	Vertical																																																																
Peak	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_74 1m SHF_1224_250702 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 24797.28</td><td>40.44</td><td>74.00</td><td>-33.56</td><td>37.15</td><td>39.60</td><td>26.53</td><td>53.30</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 24797.28	40.44	74.00	-33.56	37.15	39.60	26.53	53.30	-9.54	--	--	PEAK	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: PEAK_74 1m SHF_1224_250702 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 24953.29</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>36.10</td><td>39.70</td><td>26.58</td><td>53.30</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 24953.29	39.54	74.00	-34.46	36.10	39.70	26.58	53.30	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																								
1 24797.28	40.44	74.00	-33.56	37.15	39.60	26.53	53.30	-9.54	--	--	PEAK																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																								
1 24953.29	39.54	74.00	-34.46	36.10	39.70	26.58	53.30	-9.54	--	--	PEAK																																																							




Mode	48																																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																																																																																											
ANT	6																																																																																																																																																																																																																																											
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																				
QP/ Peak	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: QP 3m Bilog_66925 & 24006_250219 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.88</td><td>27.53</td><td>40.00</td><td>-12.47</td><td>35.47</td><td>23.12</td><td>0.85</td><td>31.95</td><td>0.04</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>64.92</td><td>27.40</td><td>40.00</td><td>-12.60</td><td>46.24</td><td>11.90</td><td>1.19</td><td>31.97</td><td>0.04</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>96.93</td><td>30.13</td><td>43.50</td><td>-13.37</td><td>44.88</td><td>15.89</td><td>1.42</td><td>32.08</td><td>0.02</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>181.32</td><td>26.48</td><td>43.50</td><td>-17.02</td><td>41.69</td><td>14.80</td><td>1.90</td><td>31.98</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>711.91</td><td>29.33</td><td>46.00</td><td>-16.67</td><td>29.95</td><td>26.94</td><td>3.71</td><td>31.93</td><td>0.66</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.53</td><td>32.84</td><td>46.00</td><td>-13.16</td><td>27.64</td><td>31.22</td><td>4.28</td><td>30.70</td><td>0.40</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	33.88	27.53	40.00	-12.47	35.47	23.12	0.85	31.95	0.04	--	--	--	Peak	2	64.92	27.40	40.00	-12.60	46.24	11.90	1.19	31.97	0.04	--	--	--	Peak	3	96.93	30.13	43.50	-13.37	44.88	15.89	1.42	32.08	0.02	--	--	--	Peak	4	181.32	26.48	43.50	-17.02	41.69	14.80	1.90	31.98	0.07	--	--	--	Peak	5	711.91	29.33	46.00	-16.67	29.95	26.94	3.71	31.93	0.66	--	--	--	Peak	6	958.53	32.84	46.00	-13.16	27.64	31.22	4.28	30.70	0.40	--	--	--	Peak	Level (dBuV/m) Date: 2026-02-06 Site : 03CH11-HY Condition: QP 3m Bilog_66925 & 24006_250219 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>43.58</td><td>34.02</td><td>40.00</td><td>-5.98</td><td>47.11</td><td>17.98</td><td>0.97</td><td>32.06</td><td>0.02</td><td>100</td><td>59</td><td>QP</td></tr><tr><td>2</td><td>64.92</td><td>29.08</td><td>40.00</td><td>-10.92</td><td>47.92</td><td>11.90</td><td>1.19</td><td>31.97</td><td>0.04</td><td>100</td><td>135</td><td>QP</td></tr><tr><td>3</td><td>93.05</td><td>28.33</td><td>43.50</td><td>-15.17</td><td>43.61</td><td>15.40</td><td>1.38</td><td>32.08</td><td>0.02</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>180.35</td><td>27.42</td><td>43.50</td><td>-16.08</td><td>42.58</td><td>14.86</td><td>1.89</td><td>31.98</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>203.63</td><td>29.08</td><td>43.50</td><td>-14.42</td><td>43.94</td><td>15.15</td><td>2.00</td><td>32.03</td><td>0.02</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.53</td><td>34.37</td><td>46.00</td><td>-11.63</td><td>29.17</td><td>31.22</td><td>4.28</td><td>30.70</td><td>0.40</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	43.58	34.02	40.00	-5.98	47.11	17.98	0.97	32.06	0.02	100	59	QP	2	64.92	29.08	40.00	-10.92	47.92	11.90	1.19	31.97	0.04	100	135	QP	3	93.05	28.33	43.50	-15.17	43.61	15.40	1.38	32.08	0.02	--	--	--	Peak	4	180.35	27.42	43.50	-16.08	42.58	14.86	1.89	31.98	0.07	--	--	--	Peak	5	203.63	29.08	43.50	-14.42	43.94	15.15	2.00	32.03	0.02	--	--	--	Peak	6	958.53	34.37	46.00	-11.63	29.17	31.22	4.28	30.70	0.40	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
1	33.88	27.53	40.00	-12.47	35.47	23.12	0.85	31.95	0.04	--	--	--	Peak																																																																																																																																																																																																																															
2	64.92	27.40	40.00	-12.60	46.24	11.90	1.19	31.97	0.04	--	--	--	Peak																																																																																																																																																																																																																															
3	96.93	30.13	43.50	-13.37	44.88	15.89	1.42	32.08	0.02	--	--	--	Peak																																																																																																																																																																																																																															
4	181.32	26.48	43.50	-17.02	41.69	14.80	1.90	31.98	0.07	--	--	--	Peak																																																																																																																																																																																																																															
5	711.91	29.33	46.00	-16.67	29.95	26.94	3.71	31.93	0.66	--	--	--	Peak																																																																																																																																																																																																																															
6	958.53	32.84	46.00	-13.16	27.64	31.22	4.28	30.70	0.40	--	--	--	Peak																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																
1	43.58	34.02	40.00	-5.98	47.11	17.98	0.97	32.06	0.02	100	59	QP																																																																																																																																																																																																																																
2	64.92	29.08	40.00	-10.92	47.92	11.90	1.19	31.97	0.04	100	135	QP																																																																																																																																																																																																																																
3	93.05	28.33	43.50	-15.17	43.61	15.40	1.38	32.08	0.02	--	--	--	Peak																																																																																																																																																																																																																															
4	180.35	27.42	43.50	-16.08	42.58	14.86	1.89	31.98	0.07	--	--	--	Peak																																																																																																																																																																																																																															
5	203.63	29.08	43.50	-14.42	43.94	15.15	2.00	32.03	0.02	--	--	--	Peak																																																																																																																																																																																																																															
6	958.53	34.37	46.00	-11.63	29.17	31.22	4.28	30.70	0.40	--	--	--	Peak																																																																																																																																																																																																																															



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
6	Bluetooth - LE for 1Mbps	61.60	385	2.60	2.7kHz
6	Bluetooth - LE for 2Mbps	32.48	203	4.93	5.1kHz
7	Bluetooth - LE for 1Mbps	61.92	387	2.58	2.7kHz
7	Bluetooth - LE for 2Mbps	32.32	202	4.95	5.1kHz

<Ant. 6>



<Ant. 7>

