





Plot on Channel 6685 MHz



Plot on Channel 6925 MHz






EUT Mode


802.11ax HE40 242RU62

Plot on Channel 6405 MHz




Date: 26.FEB.2024 11:35:04

Plot on Channel 6485 MHz




Date: 26.FEB.2024 13:42:33

Plot on Channel 6525 MHz



Date: 26.FEB.2024 13:50:30


Plot on Channel 6885 MHz




Date: 26.FEB.2024 14:02:39



Plot on Channel 7005 MHz



Plot on Channel 7085 MHz






EUT Mode


802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 22.FEB.2024 16:27:23

Plot on Channel 6225 MHz




Date: 22.FEB.2024 16:38:31

Plot on Channel 6385 MHz



Date: 22.FEB.2024 16:43:23


Plot on Channel 6465 MHz




Date: 22.FEB.2024 16:48:09




Plot on Channel 6625 MHz




Plot on Channel 6705 MHz



Plot on Channel 6865 MHz




Plot on Channel 6945 MHz





Plot on Channel 7025 MHz






EUT Mode


802.11ax HE80 484RU65

Plot on Channel 5985 MHz




Date: 26.FEB.2024 14:43:44

Plot on Channel 6225 MHz




Date: 26.FEB.2024 14:56:57

Plot on Channel 6465 MHz



Date: 26.FEB.2024 15:35:50


Plot on Channel 6625 MHz




Date: 26.FEB.2024 16:00:25



Plot on Channel 6705 MHz



Plot on Channel 6945 MHz






EUT Mode


802.11ax HE80 484RU66

Plot on Channel 6385 MHz




Date: 26.FEB.2024 16:51:20

Plot on Channel 6865 MHz



Date: 26.FEB.2024 16:55:39

Plot on Channel 7025 MHz




Date: 26.FEB.2024 17:07:39



EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 22.FEB.2024 17:33:15

Plot on Channel 6185 MHz




Date: 22.FEB.2024 17:37:12

Plot on Channel 6345 MHz



Date: 22.FEB.2024 17:41:47


Plot on Channel 6505 MHz



Date: 22.FEB.2024 17:46:14




Plot on Channel 6665 MHz




Date: 22.FEB.2024 17:49:28

Plot on Channel 6825 MHz



Date: 22.FEB.2024 17:53:03

Plot on Channel 6985 MHz




Date: 22.FEB.2024 18:03:55




EUT Mode 802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 26.FEB.2024 17:30:46

Plot on Channel 6185 MHz




Date: 26.FEB.2024 17:43:02

Plot on Channel 6505 MHz



Date: 26.FEB.2024 17:51:48


Plot on Channel 6665 MHz




Date: 26.FEB.2024 17:56:15



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 27.FEB.2024 09:40:49

Plot on Channel 6505 MHz




Date: 27.FEB.2024 10:27:46

Plot on Channel 6825 MHz



Date: 27.FEB.2024 10:32:35

Plot on Channel 6985 MHz



Date: 26.FEB.2024 18:17:29




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 411111
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	34.39	55.40	21.01	L1	OFF	19.8
0.161250	46.62	---	65.40	18.78	L1	OFF	19.8
0.174750	---	29.88	54.73	24.85	L1	OFF	19.8
0.174750	40.27	---	64.73	24.46	L1	OFF	19.8
0.273750	---	29.48	51.00	21.52	L1	OFF	19.8
0.273750	38.21	---	61.00	22.79	L1	OFF	19.8
1.081500	---	24.27	46.00	21.73	L1	OFF	19.8
1.081500	26.72	---	56.00	29.28	L1	OFF	19.8
3.293250	---	25.33	46.00	20.67	L1	OFF	19.9
3.293250	28.15	---	56.00	27.85	L1	OFF	19.9
8.596500	---	25.73	50.00	24.27	L1	OFF	20.1
8.596500	27.06	---	60.00	32.94	L1	OFF	20.1

EUT Information

Report NO : 411111
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	35.66	55.40	19.74	N	OFF	19.8
0.161250	46.88	---	65.40	18.52	N	OFF	19.8
0.179250	---	30.26	54.52	24.26	N	OFF	19.8
0.179250	41.47	---	64.52	23.05	N	OFF	19.8
0.199500	---	29.62	53.63	24.01	N	OFF	19.8
0.199500	40.11	---	63.63	23.52	N	OFF	19.8
0.269250	---	32.29	51.14	18.85	N	OFF	19.8
0.269250	37.82	---	61.14	23.32	N	OFF	19.8
3.309000	---	25.67	46.00	20.33	N	OFF	19.9
3.309000	29.86	---	56.00	26.14	N	OFF	19.9
9.154500	---	26.27	50.00	23.73	N	OFF	20.2
9.154500	27.93	---	60.00	32.07	N	OFF	20.2



Appendix C. Radiated Spurious Emission

Test Engineer :	John Chuang, David Dai and Howard Huang	Temperature :	19.5~23.5°C
		Relative Humidity :	64.9~70.7%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5923.98	57.02	-31.18	88.2	46.69	34.3	13.96	37.93	250	67	P	H
		5924.26	48.68	-19.52	68.2	38.35	34.3	13.96	37.93	250	67	A	H
	*	5955	117.22	-	-	106.85	34.28	14.01	37.92	250	67	P	H
	*	5955	110	-	-	99.63	34.28	14.01	37.92	250	67	A	H
													H
													H
		5914.46	55.02	-33.18	88.2	44.71	34.3	13.94	37.93	100	304	P	V
		5924.82	46.72	-21.48	68.2	36.39	34.3	13.96	37.93	100	304	A	V
	*	5955	112.84	-	-	102.47	34.28	14.01	37.92	100	304	P	V
	*	5955	107.37	-	-	97	34.28	14.01	37.92	100	304	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11910	51.03	-22.97	74	35.22	38.92	19.9	43.01	400	264	P	H
		11910	41.1	-12.9	54	25.29	38.92	19.9	43.01	400	264	A	H
		17865	55.89	-18.11	74	35.3	41.48	24.54	45.43	100	355	P	H
		17865	46.21	-7.79	54	25.62	41.48	24.54	45.43	100	355	A	H
		23820	44.9	-29.1	74	41.36	38.66	18.89	54.01	150	259	P	H
		23820	39.27	-14.73	54	35.73	38.66	18.89	54.01	150	259	A	H
													H
													H
													H
													H
													H
													H
		11910	50.79	-23.21	74	34.98	38.92	19.9	43.01	200	351	P	V
		11910	41.09	-12.91	54	25.28	38.92	19.9	43.01	200	351	A	V
		17865	55.91	-18.09	74	35.32	41.48	24.54	45.43	400	103	P	V
		17865	46.11	-7.89	54	25.52	41.48	24.54	45.43	400	103	A	V
		23820	45.56	-28.44	74	42.02	38.66	18.89	54.01	150	356	P	V
		23820	40.27	-13.73	54	36.73	38.66	18.89	54.01	150	356	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		12390	51.57	-22.43	74	35.36	39.01	20.33	43.13	300	164	P	H
		12390	41.3	-12.7	54	25.09	39.01	20.33	43.13	300	164	A	H
		18585	43.76	-30.24	74	45.97	38	15.44	55.65	150	306	P	H
		18585	33.43	-20.57	54	35.64	38	15.44	55.65	150	306	A	H
		24780	47.95	-40.25	88.2	42.47	39.44	19.43	53.39	150	324	P	H
		24780	41.79	-26.41	68.2	36.31	39.44	19.43	53.39	150	324	A	H
													H
													H
													H
													H
													H
													H
		12390	51.76	-22.24	74	35.55	39.01	20.33	43.13	300	4	P	V
		12390	41.36	-12.64	54	25.15	39.01	20.33	43.13	300	4	A	V
		18585	39.36	-34.64	74	41.57	38	15.44	55.65	150	345	P	V
		18585	31.06	-22.94	54	33.27	38	15.44	55.65	150	345	A	V
		24780	48.66	-39.54	88.2	43.18	39.44	19.43	53.39	150	309	P	V
		24780	40.01	-28.19	68.2	34.53	39.44	19.43	53.39	150	309	A	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		5919.36	66.34	-21.86	88.2	56.02	34.3	13.95	37.93	250	68	P	H
		5924.96	52.94	-15.26	68.2	42.61	34.3	13.96	37.93	250	68	A	H
	*	5955	117.35	-	-	106.98	34.28	14.01	37.92	250	68	P	H
	*	5955	108.43	-	-	98.06	34.28	14.01	37.92	250	68	A	H
													H
													H
		5924.26	62.22	-25.98	88.2	51.89	34.3	13.96	37.93	100	307	P	V
		5924.96	52.55	-15.65	68.2	42.22	34.3	13.96	37.93	100	307	A	V
	*	5955	114.62	-	-	104.25	34.28	14.01	37.92	100	307	P	V
	*	5955	107.46	-	-	97.09	34.28	14.01	37.92	100	307	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		11910	49.92	-24.08	74	34.11	38.92	19.9	43.01	200	192	P	H
		11910	41.04	-12.96	54	25.23	38.92	19.9	43.01	200	192	A	H
		17865	55.75	-18.25	74	35.16	41.48	24.54	45.43	100	321	P	H
		17865	46.07	-7.93	54	25.48	41.48	24.54	45.43	100	321	A	H
		23820	44.6	-29.4	74	41.06	38.66	18.89	54.01	150	258	P	H
		23820	38.19	-15.81	54	34.65	38.66	18.89	54.01	150	258	A	H
													H
													H
													H
													H
													H
													H
		11910	50.41	-23.59	74	34.6	38.92	19.9	43.01	400	61	P	V
		11910	41.06	-12.94	54	25.25	38.92	19.9	43.01	400	61	A	V
		17865	56.37	-17.63	74	35.78	41.48	24.54	45.43	200	28	P	V
		17865	45.96	-8.04	54	25.37	41.48	24.54	45.43	200	28	A	V
		23820	44.06	-29.94	74	40.52	38.66	18.89	54.01	150	356	P	V
		23820	37.98	-16.02	54	34.44	38.66	18.89	54.01	150	356	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 49 6195MHz		12390	50.4	-23.6	74	34.19	39.01	20.33	43.13	400	174	P	H
		12390	41.38	-12.62	54	25.17	39.01	20.33	43.13	400	174	A	H
		18585	43.4	-30.6	74	45.61	38	15.44	55.65	150	7	P	H
		18585	31.79	-22.21	54	34	38	15.44	55.65	150	7	A	H
		24780	50.65	-37.55	88.2	45.17	39.44	19.43	53.39	150	333	P	H
		24780	40.19	-28.01	68.2	34.71	39.44	19.43	53.39	150	333	A	H
													H
													H
													H
													H
													H
													H
		12390	51.04	-22.96	74	34.83	39.01	20.33	43.13	200	160	P	V
		12390	41.44	-12.56	54	25.23	39.01	20.33	43.13	200	160	A	V
		18585	43.18	-30.82	74	45.39	38	15.44	55.65	150	345	P	V
		18585	31.72	-22.28	54	33.93	38	15.44	55.65	150	345	A	V
		24780	52.32	-35.88	88.2	46.84	39.44	19.43	53.39	150	309	P	V
		24780	38.9	-29.3	68.2	33.42	39.44	19.43	53.39	150	309	A	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 5955MHz		5922.16	86.86	-1.34	88.2	76.53	34.3	13.96	37.93	250	66	P	H
		5924.96	65.94	-2.26	68.2	55.61	34.3	13.96	37.93	250	66	A	H
	*	5955	117.58	-	-	107.21	34.28	14.01	37.92	250	66	P	H
	*	5955	111	-	-	100.63	34.28	14.01	37.92	250	66	A	H
													H
													H
		5922.72	80.1	-8.1	88.2	69.77	34.3	13.96	37.93	300	90	P	V
		5924.96	61.44	-6.76	68.2	51.11	34.3	13.96	37.93	300	90	A	V
	*	5955	114.84	-	-	104.47	34.28	14.01	37.92	300	90	P	V
	*	5955	107.77	-	-	97.4	34.28	14.01	37.92	300	90	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		5919.66	60.94	-27.26	88.2	50.62	34.3	13.95	37.93	250	70	P	H
		5920.92	50.09	-18.11	68.2	39.77	34.3	13.95	37.93	250	70	A	H
	*	5965	113.33	-	-	102.99	34.24	14.02	37.92	250	70	P	H
	*	5965	105.6	-	-	95.26	34.24	14.02	37.92	250	70	A	H
													H
													H
		5924.16	58.53	-29.67	88.2	48.2	34.3	13.96	37.93	100	303	P	V
		5924.7	49.2	-19	68.2	38.87	34.3	13.96	37.93	100	303	A	V
	*	5965	111.32	-	-	100.98	34.24	14.02	37.92	100	303	P	V
	*	5965	103.36	-	-	93.02	34.24	14.02	37.92	100	303	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		11930	51.38	-22.62	74	35.53	38.96	19.92	43.03	100	169	P	H
		11930	41.03	-12.97	54	25.18	38.96	19.92	43.03	100	169	A	H
		17895	56.52	-17.48	74	35.59	41.84	24.56	45.47	300	183	P	H
		17895	46.23	-7.77	54	25.3	41.84	24.56	45.47	300	183	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		23860	44.17	-29.83	74	40.61	38.62	18.92	53.98	150	264	P	V
		23860	37.94	-16.06	54	34.38	38.62	18.92	53.98	150	264	A	V
		11930	51.08	-22.92	74	35.23	38.96	19.92	43.03	300	239	P	V
		11930	40.95	-13.05	54	25.1	38.96	19.92	43.03	300	239	A	V
		17895	56.26	-17.74	74	35.33	41.84	24.56	45.47	200	51	P	V
		17895	46.19	-7.81	54	25.26	41.84	24.56	45.47	200	51	A	V
		23860	42.74	-31.26	74	39.18	38.62	18.92	53.98	150	44	P	V
		23860	35.22	-18.78	54	31.66	38.62	18.92	53.98	150	44	A	V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 51 6205MHz		12410	51.81	-22.19	74	35.58	39.01	20.35	43.13	300	312	P	H
		12410	41.49	-12.51	54	25.26	39.01	20.35	43.13	300	312	A	H
		18615	38.13	-35.87	74	40.3	38	15.46	55.63	150	31	P	H
		18615	28.67	-25.33	54	30.84	38	15.46	55.63	150	31	A	H
		24820	46.3	-41.9	88.2	40.66	39.56	19.45	53.37	150	331	P	H
		24820	39.68	-28.52	68.2	34.04	39.56	19.45	53.37	150	331	A	H
													H
													H
													H
													H
													H
													H
		12410	51.12	-22.88	74	34.89	39.01	20.35	43.13	100	192	P	V
		12410	41.47	-12.53	54	25.24	39.01	20.35	43.13	100	192	A	V
		18615	38.47	-35.53	74	40.64	38	15.46	55.63	150	241	P	V
		18615	27.94	-26.06	54	30.11	38	15.46	55.63	150	241	A	V
		24820	45.23	-42.97	88.2	39.59	39.56	19.45	53.37	150	15	P	V
		24820	38.23	-29.97	68.2	32.59	39.56	19.45	53.37	150	15	A	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/61 CH 03 5965MHz		5921.1	84.45	-3.75	88.2	74.13	34.3	13.95	37.93	250	69	P	H
		5922	66.51	-1.69	68.2	56.18	34.3	13.96	37.93	250	69	A	H
	*	5965	117.26	-	-	106.92	34.24	14.02	37.92	250	69	P	H
	*	5965	108.18	-	-	97.84	34.24	14.02	37.92	250	69	A	H
													H
													H
		5921.64	79.61	-8.59	88.2	69.29	34.3	13.95	37.93	250	87	P	V
		5921.82	63.73	-4.47	68.2	53.41	34.3	13.95	37.93	250	87	A	V
	*	5965	112.96	-	-	102.62	34.24	14.02	37.92	250	87	P	V
	*	5965	104.48	-	-	94.14	34.24	14.02	37.92	250	87	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		5918.92	65.64	-22.56	88.2	55.32	34.3	13.95	37.93	250	68	P	H
		5919.72	56.11	-12.09	68.2	45.79	34.3	13.95	37.93	250	68	A	H
	*	5985	110.38	-	-	100.07	34.16	14.06	37.91	250	68	P	H
	*	5985	103.78	-	-	93.47	34.16	14.06	37.91	250	68	A	H
													H
													H
		5915.4	63.11	-25.09	88.2	52.8	34.3	13.94	37.93	100	306	P	V
		5924.52	53.65	-14.55	68.2	43.32	34.3	13.96	37.93	100	306	A	V
	*	5985	108.19	-	-	97.88	34.16	14.06	37.91	100	306	P	V
	*	5985	101.38	-	-	91.07	34.16	14.06	37.91	100	306	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		11970	51.27	-22.73	74	35.34	39.04	19.95	43.06	100	296	P	H
		11970	41.45	-12.55	54	25.52	39.04	19.95	43.06	100	296	A	H
		17955	57.12	-16.88	74	35.84	42.23	24.59	45.54	100	317	P	H
		17955	47	-7	54	25.72	42.23	24.59	45.54	100	317	A	H
		23940	45.32	-28.68	74	41.5	38.78	18.98	53.94	150	261	P	H
		23940	38.84	-15.16	54	35.02	38.78	18.98	53.94	150	261	A	H
													H
													H
													H
													H
													H
													H
		11970	50.93	-23.07	74	35	39.04	19.95	43.06	400	164	P	V
		11970	41.44	-12.56	54	25.51	39.04	19.95	43.06	400	164	A	V
		17955	56.49	-17.51	74	35.21	42.23	24.59	45.54	200	249	P	V
		17955	47.08	-6.92	54	25.8	42.23	24.59	45.54	200	249	A	V
		23940	44.68	-29.32	74	40.86	38.78	18.98	53.94	150	356	P	V
		23940	38.89	-15.11	54	35.07	38.78	18.98	53.94	150	356	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 55 6225MHz		12450	52.16	-21.84	74	35.85	39.05	20.39	43.13	400	125	P	H
		12450	41.94	-12.06	54	25.63	39.05	20.39	43.13	400	125	A	H
		18675	37.15	-36.85	74	39.4	37.85	15.5	55.6	150	339	P	H
		18675	27.89	-26.11	54	30.14	37.85	15.5	55.6	150	339	A	H
		24900	45.72	-42.48	88.2	39.96	39.6	19.5	53.34	150	332	P	H
		24900	39.6	-28.6	68.2	33.84	39.6	19.5	53.34	150	332	A	H
													H
													H
													H
													H
													H
													H
		12450	51.83	-22.17	74	35.52	39.05	20.39	43.13	100	241	P	V
		12450	41.79	-12.21	54	25.48	39.05	20.39	43.13	100	241	A	V
		18675	37.75	-36.25	74	40	37.85	15.5	55.6	150	331	P	V
		18675	27.95	-26.05	54	30.2	37.85	15.5	55.6	150	331	A	V
		24900	45.27	-42.93	88.2	39.51	39.6	19.5	53.34	150	15	P	V
		24900	38.5	-29.7	68.2	32.74	39.6	19.5	53.34	150	15	A	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/65 CH 07 5985MHz		5923.08	85.37	-2.83	88.2	75.04	34.3	13.96	37.93	250	68	P	H
		5920.2	66.98	-1.22	68.2	56.66	34.3	13.95	37.93	250	68	A	H
	*	5985	115.35	-	-	105.04	34.16	14.06	37.91	250	68	P	H
	*	5985	105.25	-	-	94.94	34.16	14.06	37.91	250	68	A	H
													H
													H
		5924.84	81.66	-6.54	88.2	71.33	34.3	13.96	37.93	250	93	P	V
		5923.24	64.03	-4.17	68.2	53.7	34.3	13.96	37.93	250	93	A	V
	*	5985	109.07	-	-	98.76	34.16	14.06	37.91	250	93	P	V
	*	5985	101.21	-	-	90.9	34.16	14.06	37.91	250	93	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 15 6025MHz		5909.8	67.2	-21	88.2	56.89	34.3	13.94	37.93	250	70	P	H
		5909.8	59.51	-8.69	68.2	49.2	34.3	13.94	37.93	250	70	A	H
	*	6025	107.41	-	-	97.02	34.2	14.1	37.91	250	70	P	H
	*	6025	100.29	-	-	89.9	34.2	14.1	37.91	250	70	A	H
													H
													H
		5895.08	66.97	-21.23	88.2	56.7	34.3	13.91	37.94	100	306	P	V
		5904.68	58.23	-9.97	68.2	47.93	34.3	13.93	37.93	100	306	A	V
	*	6025	104.32	-	-	93.93	34.2	14.1	37.91	100	306	P	V
	*	6025	96.43	-	-	86.04	34.2	14.1	37.91	100	306	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 47 6185MHz		12370	51.28	-22.72	74	35.06	39.03	20.32	43.13	100	246	P	H
		12370	41.72	-12.28	54	25.5	39.03	20.32	43.13	100	246	A	H
		18555	37.11	-36.89	74	39.36	38	15.42	55.67	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12370	51.49	-22.51	74	35.27	39.03	20.32	43.13	100	83	P	V
		12370	41.82	-12.18	54	25.6	39.03	20.32	43.13	100	83	A	V
		18555	37.83	-36.17	74	40.08	38	15.42	55.67	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/67 CH 15 6025MHz		5897	80.62	-7.58	88.2	70.33	34.3	13.92	37.93	250	70	P	H
		5896.36	65.44	-2.76	68.2	55.16	34.3	13.91	37.93	250	70	A	H
	*	6025	108	-	-	97.61	34.2	14.1	37.91	250	70	P	H
	*	6025	100.44	-	-	90.05	34.2	14.1	37.91	250	70	A	H
													H
													H
		5896.68	82.71	-5.49	88.2	72.43	34.3	13.91	37.93	100	307	P	V
		5898.92	65.78	-2.42	68.2	55.49	34.3	13.92	37.93	100	307	A	V
	*	6025	106.33	-	-	95.94	34.2	14.1	37.91	100	307	P	V
	*	6025	97.49	-	-	87.1	34.2	14.1	37.91	100	307	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 6 - 6425~6525MHz

WIFI 802.11a (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 105 6475MHz		12950	52.39	-35.81	88.2	34.65	39.85	20.85	42.96	-	-	P	H
		19425.6	36.47	-37.53	74	37.83	37.85	16.02	55.23	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12950	52.9	-35.3	88.2	35.16	39.85	20.85	42.96	-	-	P	V
		19425.6	35.58	-38.42	74	36.94	37.85	16.02	55.23	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 105 6475MHz		12950	51.98	-36.22	88.2	34.24	39.85	20.85	42.96	-	-	P	H
		19425	35.77	-38.23	74	37.13	37.85	16.02	55.23	-	-	P	H
		25900	45.89	-42.31	88.2	39.9	39.2	20.09	53.3	150	325	P	H
		25900	38.82	-29.38	68.2	32.83	39.2	20.09	53.3	150	325	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12950	51.5	-36.7	88.2	33.76	39.85	20.85	42.96	-	-	P	V
		19425	36.39	-37.61	74	37.75	37.85	16.02	55.23	-	-	P	V
		25900	45.45	-42.75	88.2	39.46	39.2	20.09	53.3	150	18	P	V
		25900	38.72	-29.48	68.2	32.73	39.2	20.09	53.3	150	18	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 6 6425~6525MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 99 6445MHz		12890	52.58	-35.62	88.2	34.88	39.88	20.8	42.98	-	-	P	H
		19335	35.19	-38.81	74	36.37	38.13	15.96	55.27	-	-	P	H
		25780	46.02	-42.18	88.2	40.24	39.06	20.02	53.3	150	324	P	H
		25780	40	-28.2	68.2	34.22	39.06	20.02	53.3	150	324	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12890	52.7	-35.5	88.2	35	39.88	20.8	42.98	-	-	P	V
		19335	34.99	-39.01	74	36.17	38.13	15.96	55.27	-	-	P	V
		25780	45.11	-43.09	88.2	39.33	39.06	20.02	53.3	150	19	P	V
		25780	37.03	-31.17	68.2	31.25	39.06	20.02	53.3	150	19	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 107 6485MHz		12970	51.6	-36.6	88.2	33.85	39.83	20.87	42.95	-	-	P	H
		19455	35.83	-38.17	74	37.3	37.71	16.04	55.22	-	-	P	H
		25940	46.2	-42	88.2	40.11	39.28	20.11	53.3	150	327	P	H
		25940	38.92	-29.28	68.2	32.83	39.28	20.11	53.3	150	327	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12970	51.7	-36.5	88.2	33.95	39.83	20.87	42.95	-	-	P	V
		19455	35.11	-38.89	74	36.58	37.71	16.04	55.22	-	-	P	V
		25940	46.23	-41.97	88.2	40.14	39.28	20.11	53.3	105	18	P	V
		25940	38.93	-29.27	68.2	32.84	39.28	20.11	53.3	150	18	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 6 6425~6525MHz

WIFI 802.11ax HE80 Full (Hamronic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 103 6465MHz		12930	52.07	-36.13	88.2	34.33	39.87	20.84	42.97	-	-	P	H
		19395	38.32	-35.68	74	39.55	38.01	16	55.24	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
802.11ax HE80 Full CH 103 6465MHz		12930	52.21	-35.99	88.2	34.47	39.87	20.84	42.97	-	-	P	V
		19395	37.02	-36.98	74	38.25	38.01	16	55.24	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
Remark	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												

Band 6 6425~6525MHz

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 117 6535MHz		13070	51.57	-36.63	88.2	33.85	39.73	20.96	42.97	-	-	P	H
		19605	36.87	-37.13	74	37.89	38	16.14	55.16	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13070	51.65	-36.55	88.2	33.93	39.73	20.96	42.97	-	-	P	V
		19605	36.48	-37.52	74	37.5	38	16.14	55.16	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		13390	52.39	-21.61	74	34.13	40.16	21.23	43.13	300	129	P	H
		13390	42.54	-11.46	54	24.28	40.16	21.23	43.13	300	129	A	H
		20085	42.32	-31.68	74	42.75	38.1	16.47	55	150	317	P	H
		20085	32.42	-21.58	54	32.85	38.1	16.47	55	150	317	A	H
		26780	49.89	-38.31	88.2	42.03	40.54	20.83	53.51	150	276	P	H
		26780	43.19	-25.01	68.2	35.33	40.54	20.83	53.51	150	276	A	H
													H
													H
													H
													H
													H
													H
		13390	53.69	-20.31	74	35.43	40.16	21.23	43.13	400	183	P	V
		13390	42.6	-11.4	54	24.34	40.16	21.23	43.13	400	183	A	V
		20085	42.62	-31.38	74	43.05	38.1	16.47	55	150	355	P	V
		20085	33.07	-20.93	54	33.5	38.1	16.47	55	150	355	A	V
		26780	47.76	-40.44	88.2	39.9	40.54	20.83	53.51	150	7	P	V
		26780	42.11	-26.09	68.2	34.25	40.54	20.83	53.51	150	7	A	V
													V
													V
													V
													V
													V
													V

[illegible]

Band 7 - 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 149 6695MHz		13390	52.89	-21.11	74	34.63	40.16	21.23	43.13	400	100	P	H
		13390	42.48	-11.52	54	24.22	40.16	21.23	43.13	400	100	A	H
		20085	36.78	-37.22	74	37.21	38.1	16.47	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	52.57	-21.43	74	34.31	40.16	21.23	43.13	300	310	P	V
		13390	42.47	-11.53	54	24.21	40.16	21.23	43.13	300	310	A	V
		20085	37.32	-36.68	74	37.75	38.1	16.47	55	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]

Band 7 - 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 147 6685MHz		13370	52.63	-21.37	74	34.45	40.08	21.22	43.12	400	321	P	H
		13370	42.63	-11.37	54	24.45	40.08	21.22	43.12	400	321	A	H
		20055	37.28	-36.72	74	37.73	38.1	16.45	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13370	52.71	-21.29	74	34.53	40.08	21.22	43.12	300	157	P	V
		13370	42.66	-11.34	54	24.48	40.08	21.22	43.12	300	157	A	V
		20055	36.93	-37.07	74	37.38	38.1	16.45	55	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 135 6625MHz		13250	53.18	-20.82	74	35.28	39.85	21.11	43.06	300	278	P	H
		13250	42.53	-11.47	54	24.63	39.85	21.11	43.06	300	278	A	H
		19875	36.57	-37.43	74	37.34	37.95	16.33	55.05	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13250	52.92	-21.08	74	35.02	39.85	21.11	43.06	300	135	P	V
		13250	42.52	-11.48	54	24.62	39.85	21.11	43.06	300	135	A	V
		19875	35.96	-38.04	74	36.73	37.95	16.33	55.05	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 183 6865MHz		13730	51.89	-36.31	88.2	34.11	39.77	21.52	43.51	-	-	P	H
		20595	38.62	-35.38	74	38.76	38	16.84	54.98	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
				</									



Band 7 - 6525~6875MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 143 6665MHz		13330	52.78	-21.22	74	34.78	39.92	21.18	43.1	100	322	P	H
		13330	43.19	-10.81	54	25.19	39.92	21.18	43.1	100	322	A	H
		19995	36.39	-37.61	74	37.37	37.61	16.41	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13330	52.62	-21.38	74	34.62	39.92	21.18	43.1	200	228	P	V
		13330	43.1	-10.9	54	25.1	39.92	21.18	43.1	200	228	A	V
		19995	36.79	-37.21	74	37.77	37.61	16.41	55	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 233 7115MHz	*	7115	99.08	-	-	85.73	36.55	15.24	38.44	301	330	P	H
	*	7115	91.63	-	-	78.28	36.55	15.24	38.44	301	330	A	H
		7125.02	68.89	-19.31	88.2	55.44	36.65	15.25	38.45	301	330	P	H
		7125.02	60.53	-7.67	68.2	47.08	36.65	15.25	38.45	301	330	A	H
													H
													H
	*	7115	95.18	-	-	81.83	36.55	15.24	38.44	100	297	P	V
	*	7115	87.65	-	-	74.3	36.55	15.24	38.44	100	297	A	V
		7125.58	67.07	-21.13	88.2	53.61	36.66	15.25	38.45	100	297	P	V
		7125.02	56.69	-11.51	68.2	43.24	36.65	15.25	38.45	100	297	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 189 6895MHz		13790	51.89	-36.31	88.2	34.21	39.71	21.57	43.6	-	-	P	H
		20685	36.71	-37.29	74	36.69	38.07	16.91	54.96	-	-	P	H
		27580	47.24	-40.96	88.2	40.3	39.4	21.36	53.82	150	268	P	H
		27580	41.85	-26.35	68.2	34.91	39.4	21.36	53.82	150	268	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13790	51.95	-36.25	88.2	34.27	39.71	21.57	43.6	-	-	P	V
		20685	35.87	-38.13	74	35.85	38.07	16.91	54.96	-	-	P	V
		27580	46.99	-41.21	88.2	40.05	39.4	21.36	53.82	150	353	P	V
		27580	41.8	-26.4	68.2	34.86	39.4	21.36	53.82	150	353	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 209 6995MHz		13990	52.63	-35.57	88.2	34.79	39.98	21.74	43.88	-	-	P	H
		20985	36.67	-37.33	74	36.79	37.65	17.13	54.9	-	-	P	H
		27980	49.68	-38.52	88.2	42.18	39.8	21.6	53.9	150	278	P	H
		27980	44.98	-23.22	68.2	37.48	39.8	21.6	53.9	150	278	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13990	53.02	-35.18	88.2	35.18	39.98	21.74	43.88	-	-	P	V
		20985	35.75	-38.25	74	35.87	37.65	17.13	54.9	-	-	P	V
		27980	48.3	-39.9	88.2	40.8	39.8	21.6	53.9	150	5	P	V
		27980	43.24	-24.96	68.2	35.74	39.8	21.6	53.9	150	5	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 233 7115MHz	*	7115	103.97	-	-	90.62	36.55	15.24	38.44	345	335	P	H
	*	7115	94.13	-	-	80.78	36.55	15.24	38.44	345	335	A	H
		7125.02	72.37	-15.83	88.2	58.92	36.65	15.25	38.45	345	335	P	H
		7125.02	62.93	-5.27	68.2	49.48	36.65	15.25	38.45	345	335	A	H
													H
													H
	*	7115	97.39	-	-	84.04	36.55	15.24	38.44	100	307	P	V
	*	7115	89.43	-	-	76.08	36.55	15.24	38.44	100	307	A	V
		7125.02	68.35	-19.85	88.2	54.9	36.65	15.25	38.45	100	307	P	V
		7125.02	59.33	-8.87	68.2	45.88	36.65	15.25	38.45	100	307	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 189 6895MHz		13790	52.75	-35.45	88.2	35.07	39.71	21.57	43.6	-	-	P	H
		20685	35.55	-38.45	74	35.53	38.07	16.91	54.96	-	-	P	H
		27580	47.5	-40.7	88.2	40.56	39.4	21.36	53.82	150	276	P	H
		27580	42.54	-25.66	68.2	35.6	39.4	21.36	53.82	150	276	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13790	52.17	-36.03	88.2	34.49	39.71	21.57	43.6	-	-	P	V
		20685	37.04	-36.96	74	37.02	38.07	16.91	54.96	-	-	P	V
		27580	49.21	-38.99	88.2	42.27	39.4	21.36	53.82	150	353	P	V
		27580	43.76	-24.44	68.2	36.82	39.4	21.36	53.82	150	353	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 209 6995MHz		13990	52.13	-36.07	88.2	34.29	39.98	21.74	43.88	-	-	P	H
		20985	35.65	-38.35	74	35.77	37.65	17.13	54.9	-	-	P	H
		27980	49.47	-38.73	88.2	41.97	39.8	21.6	53.9	150	278	P	H
		27980	44.71	-23.49	68.2	37.21	39.8	21.6	53.9	150	278	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13990	53.07	-35.13	88.2	35.23	39.98	21.74	43.88	-	-	P	V
		20985	36	-38	74	36.12	37.65	17.13	54.9	-	-	P	V
		27980	48.52	-39.68	88.2	41.02	39.8	21.6	53.9	150	5	P	V
		27980	44.67	-23.53	68.2	37.17	39.8	21.6	53.9	150	5	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 233 7115MHz	*	7115	103.21	-	-	89.86	36.55	15.24	38.44	292	337	P	H
	*	7115	95.42	-	-	82.07	36.55	15.24	38.44	292	337	A	H
		7125.02	78.27	-9.93	88.2	64.82	36.65	15.25	38.45	292	337	P	H
		7125.02	67.03	-1.17	68.2	53.58	36.65	15.25	38.45	292	337	A	H
													H
													H
	*	7115	98.82	-	-	85.47	36.55	15.24	38.44	250	304	P	V
	*	7115	90.76	-	-	77.41	36.55	15.24	38.44	250	304	A	V
		7125.02	73.85	-14.35	88.2	60.4	36.65	15.25	38.45	250	304	P	V
		7125.02	62.42	-5.78	68.2	48.97	36.65	15.25	38.45	250	304	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 227 7085MHz	*	7085	102.82	-	-	89.69	36.34	15.21	38.42	217	345	P	H
	*	7085	94.47	-	-	81.34	36.34	15.21	38.42	217	345	A	H
		7125.84	54.1	-34.1	88.2	40.64	36.66	15.25	38.45	217	345	P	H
		7125.3	44.31	-23.89	68.2	30.86	36.65	15.25	38.45	217	345	A	H
													H
													H
	*	7085	98.74	-	-	85.61	36.34	15.21	38.42	100	300	P	V
	*	7085	89.89	-	-	76.76	36.34	15.21	38.42	100	300	A	V
		7225.74	52.31	-35.89	88.2	38.44	37.05	15.36	38.54	100	300	P	V
		7221.24	43.07	-25.13	68.2	29.21	37.04	15.35	38.53	100	300	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 211 7005MHz		14010	53.31	-34.89	88.2	35.44	40.01	21.76	43.9	-	-	P	H
		21015	37.63	-36.37	74	37.52	37.86	17.15	54.9	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		14010	52.69	-35.51	88.2	34.82	40.01	21.76	43.9	-	-	P	V
		21015	37.64	-36.36	74	37.53	37.86	17.15	54.9	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 227 7085MHz		14170	52.56	-35.64	88.2	34.51	40.24	21.88	44.07	-	-	P	H
		21255	38.09	-35.91	74	37.88	37.82	17.29	54.9	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		14170	52.82	-35.38	88.2	34.77	40.24	21.88	44.07	-	-	P	V
		21255	37.48	-36.52	74	37.27	37.82	17.29	54.9	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/62 CH 227 7085MHz	*	7085	104.81	-	-	91.68	36.34	15.21	38.42	250	341	P	H
	*	7085	97.56	-	-	84.43	36.34	15.21	38.42	250	341	A	H
		7214.4	52.23	-35.97	88.2	38.39	37.03	15.34	38.53	250	341	P	H
		7165.98	42.72	-25.48	68.2	28.99	36.93	15.29	38.49	250	341	A	H
													H
													H
	*	7085	101.22	-	-	88.09	36.34	15.21	38.42	400	338	P	V
	*	7085	92.74	-	-	79.61	36.34	15.21	38.42	400	338	A	V
		7239.24	52.06	-36.14	88.2	38.16	37.08	15.37	38.55	400	338	P	V
		7241.4	42.46	-25.74	68.2	28.56	37.08	15.37	38.55	400	338	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz	*	7025	101.8	-	-	88.92	36.1	15.15	38.37	250	333	P	H
	*	7025	93.95	-	-	81.07	36.1	15.15	38.37	250	333	A	H
		7233.04	51.56	-36.64	88.2	37.67	37.07	15.36	38.54	250	333	P	H
		7177.92	43.28	-24.92	68.2	29.51	36.96	15.31	38.5	250	333	A	H
													H
													H
	*	7025	97.72	-	-	84.84	36.1	15.15	38.37	100	304	P	V
	*	7025	89.92	-	-	77.04	36.1	15.15	38.37	100	304	A	V
		7201.84	51.94	-36.26	88.2	38.13	37	15.33	38.52	100	304	P	V
		7203.14	43.25	-24.95	68.2	29.43	37.01	15.33	38.52	100	304	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz		14050	52.41	-35.79	88.2	34.51	40.05	21.79	43.94	-	-	P	H
		21075	37.48	-36.52	74	37	38.2	17.18	54.9	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
			</										



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/66 CH 215 7025MHz	*	7025	107.35	-	-	94.47	36.1	15.15	38.37	240	334	P	H
	*	7025	97.5	-	-	84.62	36.1	15.15	38.37	240	334	A	H
		7126.18	62.14	-26.06	88.2	48.68	36.66	15.25	38.45	240	334	P	H
		7125.92	44.62	-23.58	68.2	31.16	36.66	15.25	38.45	240	334	A	H
													H
													H
	*	7025	100.95	-	-	88.07	36.1	15.15	38.37	100	302	P	V
	*	7025	92.97	-	-	80.09	36.1	15.15	38.37	100	302	A	V
		7131.38	59.39	-28.81	88.2	45.88	36.71	15.26	38.46	100	302	P	V
		7127.22	44.02	-24.18	68.2	30.55	36.67	15.25	38.45	100	302	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 207 6985MHz	*	6985	103.75	-	-	91.01	35.97	15.11	38.34	250	343	P	H
	*	6985	95.01	-	-	82.27	35.97	15.11	38.34	250	343	A	H
		7142.44	54	-34.2	88.2	40.38	36.82	15.27	38.47	250	343	P	H
		7125.48	46.26	-21.94	68.2	32.81	36.65	15.25	38.45	250	343	A	H
													H
													H
	*	6985	98.82	-	-	86.08	35.97	15.11	38.34	100	302	P	V
	*	6985	90.7	-	-	77.96	35.97	15.11	38.34	100	302	A	V
		7144.68	52.96	-35.24	88.2	39.31	36.85	15.27	38.47	100	302	P	V
		7130.28	44.84	-23.36	68.2	31.34	36.7	15.26	38.46	100	302	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/68 CH 207 6985MHz	*	6985	98.69	-	-	85.95	35.97	15.11	38.34	274	336	P	V
	*	6985	89.79	-	-	77.05	35.97	15.11	38.34	274	336	A	V
		7134.44	67.01	-21.19	88.2	53.47	36.74	15.26	38.46	274	336	P	V
		7133.8	50.84	-17.36	68.2	37.3	36.74	15.26	38.46	274	336	A	V
													H
													H
	*	6985	102.12	-	-	89.38	35.97	15.11	38.34	100	301	P	H
	*	6985	92.27	-	-	79.53	35.97	15.11	38.34	100	301	A	H
		7131.24	66.96	-21.24	88.2	53.45	36.71	15.26	38.46	100	301	P	H
		7131.24	51.66	-16.54	68.2	38.15	36.71	15.26	38.46	100	301	A	H
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

WIFI 802.11ax HE80 Full (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE80 Full LF		31.53	25.18	-14.82	40	35.22	24.26	1.29	35.59	-	-	P	H
		75.56	22.64	-17.36	40	43.05	13.41	1.73	35.55	-	-	P	H
		133.7	29.93	-13.57	43.5	45.29	17.83	2.27	35.46	-	-	P	H
		272	31.47	-14.53	46	44.54	19	3.11	35.18	-	-	P	H
		471.2	29.16	-16.84	46	36.39	23.37	4.08	34.68	-	-	P	H
		952	35.26	-10.74	46	31.6	30.85	5.78	32.97	-	-	P	H
													H
													H
													H
													H
													H
													H
		52.27	32.91	-7.09	40	53.3	13.72	1.45	35.56	-	-	P	V
		91.03	29.25	-14.25	43.5	48.02	14.89	1.87	35.53	-	-	P	V
		143.56	24.9	-18.6	43.5	40.16	17.83	2.35	35.44	-	-	P	V
		252.8	26.78	-19.22	46	40.11	18.87	3.01	35.21	-	-	P	V
		857.6	34.16	-11.84	46	32.8	29.24	5.49	33.37	-	-	P	V
		957.6	36.65	-9.35	46	32.81	30.99	5.79	32.94	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
5955MHz		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin (dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 88.2(dBμV/m)
 = -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54(dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54 (dBμV/m) – 68.2(dBμV/m)
 = -24.66(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.







Appendix D. Radiated Spurious Emission Plots





Test Engineer :	John Chuang, David Dai and Howard Huang	Temperature :	19.5~23.5°C
		Relative Humidity :	64.9~70.7%



Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:0.620KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:0.620KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-26 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-26 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-26 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-26 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.270KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.270KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.270KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.270KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:0.270KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:0.270KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-29 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-29 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-29 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2024-02-29 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto	Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:1000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1000kHz SWT:Auto	Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1000kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SWT:Auto







Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:1600KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:1600KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:1600KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:1600KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:910KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:910KHz SWT:Auto





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.910KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.910KHz SWT:Auto



Band 5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
6+7	Horizontal	Vertical
Peak Avg.	Site : 03CH20-HY Condition : :PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL :	Site : 03CH20-HY Condition : :PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Horizontal	Vertical
Peak Avg.	140 Level (dBuV/m) Date: 2024-03-04 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	140 Level (dBuV/m) Date: 2024-03-05 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH49 6195MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH93 6415MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH51 6205MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH91 6405MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH55 6225MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : : PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL : :	 Site : 03CH20-HY Condition : : PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL : :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH87 6385MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH47 6185MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH79 6345MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1224_230710 VERTICAL :





Band 6 - 6425~6525MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH97 6435MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH105 6475MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH113 6615MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





Band 6 6425~6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH97 6435MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH105 6475MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH113 6515MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :



Band 6 6425~6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH99 6445MHz	
6+7	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2024-02-28 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Level (dBuV/m) Date: 2024-02-29 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH107 6485MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1224_230710 VERTICAL :