




EUT Mode


802.11be EHT160 996RU67

Plot on 6025 MHz




Date: 27.JAN.2026 22:03:24

Plot on 6185 MHz




Date: 27.JAN.2026 22:21:50

Plot on 6665 MHz



Date: 27.JAN.2026 22:58:11


Plot on 6825 MHz



Date: 27.JAN.2026 23:14:51



Plot on 6505 MHz




Date: 27.JAN.2026 22:42:29



EUT Mode


802.11be EHT160 996RUS67

Plot on 6345 MHz



Date: 27.JAN.2026 22:33:51

Plot on 6985 MHz




Date: 27.JAN.2026 23:29:22



EUT Mode


802.11be EHT160 Puncture20 1

Plot on 6345 MHz



Date: 27.JAN.2026 22:51:35

Plot on 6985 MHz




Date: 27.JAN.2026 23:47:19



EUT Mode


802.11be EHT160 Puncture20 8

Plot on 6185 MHz




Date: 27.JAN.2026 22:26:33

Plot on 6665 MHz




Date: 27.JAN.2026 23:04:07

Plot on 6825 MHz



Date: 27.JAN.2026 23:16:45

Plot on 6505 MHz




Date: 27.JAN.2026 22:45:41



EUT Mode


802.11be EHT160 Puncture40 1

Plot on 6345 MHz



Date: 27.JAN.2026 22:53:44

Plot on 6985 MHz




Date: 27.JAN.2026 23:49:45



EUT Mode


802.11be EHT160 Puncture40 4

Plot on 6185 MHz




Date: 27.JAN.2026 22:30:06

Plot on 6345 MHz




Date: 27.JAN.2026 22:37:28

Plot on 6665 MHz



Date: 27.JAN.2026 23:09:26


Plot on 6825 MHz



Date: 27.JAN.2026 23:21:51



Plot on 6505 MHz




Date: 27.JAN.2026 22:47:56



EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz




Date: 25.JAN.2026 11:50:45

Plot on 6265 MHz




Date: 25.JAN.2026 11:54:02

Plot on 6425 MHz



Date: 25.JAN.2026 11:58:42


Plot on 6585 MHz



Date: 25.JAN.2026 12:03:28




Plot on 6745 MHz



Date: 25.JAN.2026 12:06:53

Plot on 6905 MHz




Date: 25.JAN.2026 12:10:04



EUT Mode


802.11be EHT320 1992RU69

Plot on 6105 MHz




Date: 28.JAN.2026 00:45:19

Plot on 6265 MHz



Date: 28.JAN.2026 01:09:22

Plot on 6585 MHz




Date: 28.JAN.2026 19:45:31



EUT Mode


802.11be EHT320 1992RU70

Plot on 6425 MHz




Date: 28.JAN.2026 01:28:45

Plot on 6745 MHz



Date: 28.JAN.2026 20:21:10

Plot on 6905 MHz




Date: 28.JAN.2026 20:38:32



EUT Mode

802.11be EHT320 Puncture40 1

Plot on 6905 MHz




Date: 28.JAN.2026 20:43:55



EUT Mode


802.11be EHT320 Puncture40 8

Plot on 6105 MHz




Date: 28.JAN.2026 00:50:40

Plot on 6265 MHz




Date: 28.JAN.2026 01:13:24

Plot on 6425 MHz



Date: 28.JAN.2026 01:35:52


Plot on 6585 MHz



Date: 28.JAN.2026 19:51:54



Plot on 6745 MHz




Date: 28.JAN.2026 20:25:33



EUT Mode

802.11be EHT320 Puncture80 1

Plot on 6905 MHz




Date: 28.JAN.2026 20:53:32



EUT Mode


802.11be EHT320 Puncture80 4

Plot on 6105 MHz




Date: 28.JAN.2026 00:58:39

Plot on 6265 MHz




Date: 28.JAN.2026 01:17:17

Plot on 6425 MHz



Date: 28.JAN.2026 01:38:04


Plot on 6585 MHz



Date: 28.JAN.2026 20:00:43



Plot on 6745 MHz




Date: 28.JAN.2026 20:29:45



EUT Mode


802.11be EHT320 Puncture120 6

Plot on 6105 MHz




Date: 28.JAN.2026 01:01:48

Plot on 6265 MHz




Date: 28.JAN.2026 01:19:56

Plot on 6425 MHz



Date: 28.JAN.2026 01:41:43


Plot on 6585 MHz



Date: 28.JAN.2026 20:15:30




Plot on 6745 MHz



Date: 28.JAN.2026 20:33:34

Plot on 6905 MHz



Date: 28.JAN.2026 20:57:45




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	20.8~ 22.0℃
		Relative Humidity :	45.7~ 61.7%

EUT Information

Report NO : 5N0610-01
Test Mode : Mode 1
Test Voltage : Power from system
Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154000	---	38.66	55.78	17.12	L1	OFF	19.9
0.154000	52.98	---	65.78	12.80	L1	OFF	19.9
0.178000	---	40.65	54.58	13.93	L1	OFF	19.9
0.178000	53.07	---	64.58	11.51	L1	OFF	19.9
0.186000	---	38.83	54.21	15.38	L1	OFF	19.9
0.186000	51.27	---	64.21	12.94	L1	OFF	19.9
0.258000	---	31.24	51.50	20.26	L1	OFF	19.9
0.258000	41.25	---	61.50	20.25	L1	OFF	19.9
0.330000	---	29.09	49.45	20.36	L1	OFF	19.9
0.330000	40.77	---	59.45	18.68	L1	OFF	19.9
0.406000	---	28.90	47.73	18.83	L1	OFF	19.9
0.406000	41.02	---	57.73	16.71	L1	OFF	19.9
0.482000	---	29.49	46.31	16.82	L1	OFF	19.9
0.482000	41.94	---	56.31	14.37	L1	OFF	19.9
0.586000	---	28.52	46.00	17.48	L1	OFF	19.9
0.586000	41.55	---	56.00	14.45	L1	OFF	19.9
0.690000	---	29.78	46.00	16.22	L1	OFF	19.9
0.690000	42.08	---	56.00	13.92	L1	OFF	19.9
0.798000	---	29.72	46.00	16.28	L1	OFF	19.9

0.798000	41.32	---	56.00	14.68	L1	OFF	19.9
0.918000	---	30.16	46.00	15.84	L1	OFF	19.9
0.918000	41.56	---	56.00	14.44	L1	OFF	19.9
1.046000	---	30.96	46.00	15.04	L1	OFF	19.9
1.046000	41.70	---	56.00	14.30	L1	OFF	19.9
1.254000	---	32.42	46.00	13.58	L1	OFF	19.9
1.254000	42.68	---	56.00	13.32	L1	OFF	19.9
1.446000	---	35.12	46.00	10.88	L1	OFF	19.9
1.446000	44.45	---	56.00	11.55	L1	OFF	19.9
1.590000	---	35.62	46.00	10.38	L1	OFF	19.9
1.590000	45.27	---	56.00	10.73	L1	OFF	19.9
1.814000	---	34.82	46.00	11.18	L1	OFF	20.0
1.814000	44.63	---	56.00	11.37	L1	OFF	20.0
1.934000	---	34.53	46.00	11.47	L1	OFF	20.0
1.934000	44.72	---	56.00	11.28	L1	OFF	20.0
2.142000	---	33.95	46.00	12.05	L1	OFF	20.0
2.142000	43.58	---	56.00	12.42	L1	OFF	20.0
3.870000	---	25.17	46.00	20.83	L1	OFF	20.0
3.870000	32.96	---	56.00	23.04	L1	OFF	20.0
12.770000	---	34.15	50.00	15.85	L1	OFF	20.1
12.770000	39.81	---	60.00	20.19	L1	OFF	20.1

EUT Information

Report NO : 5N0610-01
Test Mode : Mode 1
Test Voltage : Power from system
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	34.17	56.00	21.83	N	OFF	20.0
0.150000	51.50	---	66.00	14.50	N	OFF	20.0
0.174000	---	37.80	54.77	16.97	N	OFF	19.9
0.174000	52.48	---	64.77	12.29	N	OFF	19.9
0.198000	---	30.93	53.69	22.76	N	OFF	19.9
0.198000	47.91	---	63.69	15.78	N	OFF	19.9
0.254000	---	30.08	51.63	21.55	N	OFF	19.9
0.254000	43.05	---	61.63	18.58	N	OFF	19.9
0.342000	---	24.75	49.16	24.41	N	OFF	19.9
0.342000	38.86	---	59.16	20.30	N	OFF	19.9
0.454000	---	26.13	46.80	20.67	N	OFF	19.9
0.454000	38.80	---	56.80	18.00	N	OFF	19.9
0.538000	---	29.28	46.00	16.72	N	OFF	19.9
0.538000	39.89	---	56.00	16.11	N	OFF	19.9
0.586000	---	27.27	46.00	18.73	N	OFF	19.9
0.586000	39.21	---	56.00	16.79	N	OFF	19.9
0.682000	---	28.01	46.00	17.99	N	OFF	19.9
0.682000	39.61	---	56.00	16.39	N	OFF	19.9
0.746000	---	27.51	46.00	18.49	N	OFF	19.9

0.746000	39.69	---	56.00	16.31	N	OFF	19.9
0.846000	---	29.38	46.00	16.62	N	OFF	19.9
0.846000	40.27	---	56.00	15.73	N	OFF	19.9
0.958000	---	29.94	46.00	16.06	N	OFF	19.9
0.958000	40.80	---	56.00	15.20	N	OFF	19.9
1.074000	---	30.44	46.00	15.56	N	OFF	19.9
1.074000	41.07	---	56.00	14.93	N	OFF	19.9
1.262000	---	31.19	46.00	14.81	N	OFF	19.9
1.262000	41.16	---	56.00	14.84	N	OFF	19.9
1.466000	---	33.91	46.00	12.09	N	OFF	20.0
1.466000	43.26	---	56.00	12.74	N	OFF	20.0
1.786000	---	33.74	46.00	12.26	N	OFF	20.0
1.786000	43.45	---	56.00	12.55	N	OFF	20.0
2.166000	---	32.08	46.00	13.92	N	OFF	20.0
2.166000	41.46	---	56.00	14.54	N	OFF	20.0
2.330000	---	30.74	46.00	15.26	N	OFF	20.0
2.330000	39.78	---	56.00	16.22	N	OFF	20.0
12.770000	---	32.83	50.00	17.17	N	OFF	20.1
12.770000	38.16	---	60.00	21.84	N	OFF	20.1



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Leo Li , Karl Hou , Lucifer Jiang	Temperature :	19~23°C
		Relative Humidity :	60~64.5%

Note symbol

-L	Low channel location
-R	High channel location

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 68	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 69	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 70	U-NII-5	5.925-6.425	6+7	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 71	U-NII-5	5.925-6.425	6+7	802.11be EHT20	1	5955	MCS0	Partial RU 106/53	-
Mode 72	U-NII-5	5.925-6.425	6+7	802.11be EHT20	49	6195	MCS0	-	-
Mode 73	U-NII-5	5.925-6.425	6+7	802.11be EHT20	93	6415	MCS0	-	-
Mode 74	U-NII-5	5.925-6.425	6+7	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 75	U-NII-5	5.925-6.425	6+7	802.11be EHT40	3	5965	MCS0	Partial RU 242/61	-
Mode 76	U-NII-5	5.925-6.425	6+7	802.11be EHT40	51	6205	MCS0	-	-
Mode 77	U-NII-5	5.925-6.425	6+7	802.11be EHT40	91	6405	MCS0	-	-

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 78	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 79	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Partial RU 484/65	-
Mode 80	U-NII-5	5.925-6.425	6+7	802.11be EHT80	55	6225	MCS0	-	-
Mode 81	U-NII-5	5.925-6.425	6+7	802.11be EHT80	87	6385	MCS0	-	-
Mode 82	U-NII-5	5.925-6.425	6+7	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 83	U-NII-5	5.925-6.425	6+7	802.11be EHT160	15	6025	MCS0	Partial RU 996/67	-
Mode 84	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	-	-
Mode 85	U-NII-5	5.925-6.425	6+7	802.11be EHT160	79	6345	MCS0	-	-
Mode 86	U-NII-6	6.425-6.525	6+7	802.11a	97	6435	6Mbps	-	-
Mode 87	U-NII-6	6.425-6.525	6+7	802.11a	105	6475	6Mbps	-	-
Mode 88	U-NII-6	6.425-6.525	6+7	802.11a	113	6515	6Mbps	-	-

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 89	U-NII-6	6.425-6.525	6+7	802.11be EHT20	97	6435	MCS0	-	-
Mode 90	U-NII-6	6.425-6.525	6+7	802.11be EHT20	105	6475	MCS0	-	-
Mode 91	U-NII-6	6.425-6.525	6+7	802.11be EHT20	113	6515	MCS0	-	-
Mode 92	U-NII-6	6.425-6.525	6+7	802.11be EHT40	99	6445	MCS0	-	-
Mode 93	U-NII-6	6.425-6.525	6+7	802.11be EHT40	107	6485	MCS0	-	-
Mode 94	U-NII-6	6.425-6.525	6+7	802.11be EHT40	115	6525	MCS0	-	-
Mode 95	U-NII-6	6.425-6.525	6+7	802.11be EHT80	103	6465	MCS0	-	-
Mode 96	U-NII-6	6.425-6.525	6+7	802.11be EHT160	111	6505	MCS0	-	-
Mode 97	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	6Mbps	-	-
Mode 98	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	6Mbps	-	-
Mode 99	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	6Mbps	-	-

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 100	U-NII-7	6.525-6.875	6+7	802.11be EHT20	117	6535	MCS0	-	-
Mode 101	U-NII-7	6.525-6.875	6+7	802.11be EHT20	149	6695	MCS0	-	-
Mode 102	U-NII-7	6.525-6.875	6+7	802.11be EHT20	185	6875	MCS0	-	-
Mode 103	U-NII-7	6.525-6.875	6+7	802.11be EHT40	123	6565	MCS0	-	-
Mode 104	U-NII-7	6.525-6.875	6+7	802.11be EHT40	147	6685	MCS0	-	-
Mode 105	U-NII-7	6.525-6.875	6+7	802.11be EHT40	187	6885	MCS0	-	-
Mode 106	U-NII-7	6.525-6.875	6+7	802.11be EHT80	135	6625	MCS0	-	-
Mode 107	U-NII-7	6.525-6.875	6+7	802.11be EHT80	151	6705	MCS0	-	-
Mode 108	U-NII-7	6.525-6.875	6+7	802.11be EHT80	183	6865	MCS0	-	-
Mode 109	U-NII-7	6.525-6.875	6+7	802.11be EHT160	143	6665	MCS0	-	-
Mode 110	U-NII-7	6.525-6.875	6+7	802.11be EHT160	175	6825	MCS0	-	-

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 111	U-NII-8	6.875-7.125	6+7	802.11a	189	6895	6Mbps	-	-
Mode 112	U-NII-8	6.875-7.125	6+7	802.11a	209	6995	6Mbps	-	-
Mode 113	U-NII-8	6.875-7.125	6+7	802.11a	233	7115	6Mbps	-	-
Mode 114	U-NII-8	6.875-7.125	6+7	802.11be EHT20	189	6895	MCS0	-	-
Mode 115	U-NII-8	6.875-7.125	6+7	802.11be EHT20	209	6995	MCS0	-	-
Mode 116	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 117	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Partial RU 106/54	-
Mode 118	U-NII-8	6.875-7.125	6+7	802.11be EHT40	195	6925	MCS0	-	-
Mode 119	U-NII-8	6.875-7.125	6+7	802.11be EHT40	211	7005	MCS0	-	-
Mode 120	U-NII-8	6.875-7.125	6+7	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 121	U-NII-8	6.875-7.125	6+7	802.11be EHT40	227	7085	MCS0	Partial RU 242/62	-

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 122	U-NII-8	6.875-7.125	6+7	802.11be EHT80	199	6945	MCS0	-	-
Mode 123	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 124	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Partial RU 484/66	-
Mode 125	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 126	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Partial RU 996/68	-
Mode 127	U-NII-5	5.925-6.425	6+7	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 128	U-NII-5	5.925-6.425	6+7	802.11be EHT320	31	6105	MCS0	Partial RU 996*2/67	-
Mode 129	U-NII-5	5.925-6.425	6+7	802.11be EHT320	95	6425	MCS0	-	-
Mode 130	U-NII-7	6.525-6.875	6+7	802.11be EHT320	159	6745	MCS0	-	-
Mode 131	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 132	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Partial RU 996*2/67	-

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 133	U-NII-7	6.525-6.875	6+7	802.11be EHT320	127	6585	MCS0	-	-
Mode 134	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	-	-
Mode 149	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	20MHz Puncture Location 4	-
Mode 150	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	20MHz Puncture Location 1	-
Mode 151	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	20MHz Puncture Location 8	-
Mode 152	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	20MHz Puncture Location 1	-
Mode 153	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	40MHz Puncture Location 4	-
Mode 154	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	40MHz Puncture Location 1	-
Mode 155	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	40MHz Puncture Location 8	-
Mode 156	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	80MHz Puncture Location 4	-
Mode 157	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	80+40MHz Puncture Location 6	-

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 158	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	40MHz Puncture Location 1	-
Mode 159	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	80MHz Puncture Location 1	-
Mode 160	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	80+40MHz Puncture Location 7	-
Mode 167	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Partial RU 106/54	LF

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
67	802.11a	1	5923.02	38.34	68.20	-29.86	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	46.36	54.00	-7.64	H	Avg.	Pass	-	Harmonic
68	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	50.32	54.00	-3.68	V	Avg.	Pass	-	Harmonic
69	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	43.44	74.00	-30.56	V	Peak	Pass	-	Harmonic
70	802.11be EHT20	1	5924.97	62.39	68.20	-5.81	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	46.33	54.00	-7.67	V	Avg.	Pass	Full RU	Harmonic
71	802.11be EHT20	1	5924.97	54.98	68.20	-13.22	V	Avg.	Pass	Partial RU 106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
72	802.11be EHT20	49	-	-	-	-	-	-	-	-	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
72	802.11be EHT20	49	12390.00	43.06	54.00	-10.94	H	Avg.	Pass	-	Harmonic
73	802.11be EHT20	93	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	93	19245.00	42.85	74.00	-31.15	V	Peak	Pass	-	Harmonic
74	802.11be EHT40	3	5923.98	67.06	68.20	-1.14	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	47.00	54.00	-7.00	V	Avg.	Pass	Full RU	Harmonic
75	802.11be EHT40	3	5924.96	65.18	68.20	-3.02	H	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11be EHT40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
76	802.11be EHT40	51	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	51	12410.00	42.10	54.00	-11.90	V	Avg.	Pass	-	Harmonic
77	802.11be EHT40	91	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	91	19215.00	41.89	74.00	-32.11	H	Peak	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
78	802.11be EHT80	7	5923.88	65.11	68.20	-3.09	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	46.91	54.00	-7.09	V	Avg.	Pass	Full RU	Harmonic
79	802.11be EHT80	7	5922.44	66.09	68.20	-2.11	H	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
80	802.11be EHT80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	55	12450.00	42.18	54.00	-11.82	V	Avg.	Pass	-	Harmonic
81	802.11be EHT80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	87	19155.00	43.27	74.00	-30.73	H	Peak	Pass	-	Harmonic
82	802.11be EHT160	15	5806.75	64.49	68.20	-3.71	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	41.57	54.00	-12.43	H	Avg.	Pass	Full RU	Harmonic
83	802.11be EHT160	15	5890.68	67.10	68.20	-1.10	H	Avg.	Pass	Partial RU 996/67	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
83	802.11be EHT160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
84	802.11be EHT160	47	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	47	12370.00	42.01	54.00	-11.99	V	Avg.	Pass	-	Harmonic
85	802.11be EHT160	79	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	79	12690.00	42.51	54.00	-11.49	H	Avg.	Pass	-	Harmonic
86	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	19305.00	41.87	74.00	-32.13	V	Peak	Pass	-	Harmonic
87	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	19425.00	40.63	74.00	-33.37	V	Peak	Pass	-	Harmonic
88	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	19545.00	41.06	74.00	-32.94	V	Peak	Pass	-	Harmonic

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
89	802.11be EHT20	97	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	97	19305.00	40.95	74.00	-33.05	V	Peak	Pass	-	Harmonic
90	802.11be EHT20	105	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	105	19425.00	40.36	74.00	-33.64	V	Peak	Pass	-	Harmonic
91	802.11be EHT20	113	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	113	19545.00	40.86	74.00	-33.14	H	Peak	Pass	-	Harmonic
92	802.11be EHT40	99	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	99	19335.00	40.34	74.00	-33.66	V	Peak	Pass	-	Harmonic
93	802.11be EHT40	107	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	107	19455.00	41.44	74.00	-32.56	V	Peak	Pass	-	Harmonic
94	802.11be EHT40	115	-	-	-	-	-	-	-	-	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
94	802.11be EHT40	115	19575.00	40.76	74.00	-33.24	H	Peak	Pass	-	Harmonic
95	802.11be EHT80	103	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	103	19395.00	41.46	74.00	-32.54	V	Peak	Pass	-	Harmonic
96	802.11be EHT160	111	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	111	19515.00	40.87	74.00	-33.13	H	Peak	Pass	-	Harmonic
97	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	59.95	88.20	-28.25	V	Peak	Pass	-	Harmonic
98	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	50.61	54.00	-3.39	H	Avg.	Pass	-	Harmonic
99	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	13750.00	63.81	88.20	-24.39	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
100	802.11be EHT20	117	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	117	13070.00	57.81	88.20	-30.39	V	Peak	Pass	-	Harmonic
101	802.11be EHT20	149	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	149	13390.00	49.80	54.00	-4.20	H	Avg.	Pass	-	Harmonic
102	802.11be EHT20	185	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	185	13750.00	63.12	88.20	-25.08	H	Peak	Pass	-	Harmonic
103	802.11be EHT40	123	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	123	13130.00	55.98	88.20	-32.22	H	Peak	Pass	-	Harmonic
104	802.11be EHT40	147	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	147	13370.00	49.69	54.00	-4.31	H	Avg.	Pass	-	Harmonic
105	802.11be EHT40	187	-	-	-	-	-	-	-	-	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
105	802.11be EHT40	187	13770.00	60.73	88.20	-27.47	V	Peak	Pass	-	Harmonic
106	802.11be EHT80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	135	13250.00	47.11	54.00	-6.89	H	Avg.	Pass	-	Harmonic
107	802.11be EHT80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	151	13410.00	56.01	88.20	-32.19	H	Peak	Pass	-	Harmonic
108	802.11be EHT80	183	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	183	13730.00	59.25	88.20	-28.95	H	Peak	Pass	-	Harmonic
109	802.11be EHT160	143	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	143	13330.00	46.29	54.00	-7.71	H	Avg.	Pass	-	Harmonic
110	802.11be EHT160	175	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	175	20475.00	41.61	74.00	-32.39	V	Peak	Pass	-	Harmonic

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
111	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	13790.00	54.91	88.20	-33.29	H	Peak	Pass	-	Harmonic
112	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	20985.00	41.04	74.00	-32.96	H	Peak	Pass	-	Harmonic
113	802.11a	233	7125.01	65.80	68.20	-2.40	V	Avg.	Pass	-	Band Edge
	802.11a	233	14230.00	55.24	88.20	-32.96	H	Peak	Pass	-	Harmonic
114	802.11be EHT20	189	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	189	20685.00	41.03	74.00	-32.97	H	Peak	Pass	-	Harmonic
115	802.11be EHT20	209	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	209	13990.00	55.25	88.20	-32.95	H	Peak	Pass	-	Harmonic
116	802.11be EHT20	233	7126.00	63.48	68.20	-4.72	H	Peak	Pass	Full RU	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
116	802.11be EHT20	233	14230.00	55.82	88.20	-32.38	H	Peak	Pass	Full RU	Harmonic
117	802.11be EHT20	233	7125.01	67.10	68.20	-1.10	V	Avg.	Pass	Partial RU 106/54	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	Partial RU 106/54	Harmonic
118	802.11be EHT40	195	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	195	13850.00	55.05	88.20	-33.15	V	Peak	Pass	-	Harmonic
119	802.11be EHT40	211	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	211	14010.00	55.64	88.20	-32.56	V	Peak	Pass	-	Harmonic
120	802.11be EHT40	227	7127.24	42.41	68.20	-25.79	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	227	14170.00	55.77	88.20	-32.43	H	Peak	Pass	Full RU	Harmonic
121	802.11be EHT40	227	7135.88	41.90	68.20	-26.30	V	Avg.	Pass	Partial RU 242/62	Band Edge
	802.11be EHT40	227	-	-	-	-	-	-	-	Partial RU 242/62	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
122	802.11be EHT80	199	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	199	13890.00	55.76	88.20	-32.44	H	Peak	Pass	-	Harmonic
123	802.11be EHT80	215	7178.56	42.71	68.20	-25.49	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	215	14050.00	55.80	88.20	-32.40	V	Peak	Pass	Full RU	Harmonic
124	802.11be EHT80	215	7178.56	42.42	68.20	-25.78	V	Avg.	Pass	Partial RU 484/66	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	Partial RU 484/66	Harmonic
125	802.11be EHT160	207	7125.16	50.51	68.20	-17.69	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	207	20955.00	41.51	74.00	-32.49	H	Peak	Pass	Full RU	Harmonic
126	802.11be EHT160	207	7125.16	60.37	68.20	-7.83	H	Avg.	Pass	Partial RU 996/68	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Partial RU 996/68	Harmonic
127	802.11be EHT320	31	5890.52	63.57	68.20	-4.63	H	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
127	802.11be EHT320	31	12210.00	41.53	54.00	-12.47	V	Avg.	Pass	Full RU	Harmonic
128	802.11be EHT320	31	5891.36	63.52	68.20	-4.68	H	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic
129	802.11be EHT320	95	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	95	19275.00	42.12	74.00	-31.88	H	Peak	Pass	-	Harmonic
130	802.11be EHT320	159	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	159	20235.00	43.17	74.00	-30.83	V	Peak	Pass	-	Harmonic
131	802.11be EHT320	63	5919.16	57.85	68.20	-10.35	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	63	12530.00	42.22	54.00	-11.78	H	Avg.	Pass	Full RU	Harmonic
132	802.11be EHT320	63	5923.56	50.55	68.20	-17.65	H	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic

**FCC RADIO TEST REPORT**

Report No. : FR5N0610-01J

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
133	802.11be EHT320	127	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	127	19755.00	41.69	74.00	-32.31	H	Peak	Pass	-	Harmonic
134	802.11be EHT320	191	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	191	20715.00	41.58	74.00	-32.42	V	Peak	Pass	-	Harmonic
149	802.11be EHT80	7	5925.00	65.55	68.20	-2.65	H	Avg.	Pass	20MHz Puncture Location 4	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	20MHz Puncture Location 4	Harmonic
150	802.11be EHT80	215	7129.50	43.04	68.20	-25.16	H	Avg.	Pass	20MHz Puncture Location 1	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	20MHz Puncture Location 1	Harmonic

151	802.11be EHT160	47	5922.20	59.91	68.20	-8.29	H	Avg.	Pass	20MHz Puncture Location 8	Band Edge
	802.11be EHT160	47	-	-	-	-	-	-	-	20MHz Puncture Location 8	Harmonic
152	802.11be EHT160	207	7128.52	55.71	68.20	-12.49	H	Avg.	Pass	20MHz Puncture Location 1	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
152	802.11be EHT160	207	-	-	-	-	-	-	-	20MHz Puncture Location 1	Harmonic
153	802.11be EHT160	47	5924.36	50.79	68.20	-17.41	H	Avg.	Pass	40MHz Puncture Location 4	Band Edge
	802.11be EHT160	47	-	-	-	-	-	-	-	40MHz Puncture Location 4	Harmonic
154	802.11be EHT160	207	7128.52	49.47	68.20	-18.73	V	Avg.	Pass	40MHz Puncture Location 1	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	40MHz Puncture Location 1	Harmonic
155	802.11be EHT320	63	5921.80	57.25	68.20	-10.95	V	Avg.	Pass	40MHz Puncture Location 8	Band Edge





	802.11be EHT320	63	-	-	-	-	-	-	-	40MHz Puncture Location 8	Harmonic
156	802.11be EHT320	63	5920.92	53.43	68.20	-14.77	V	Avg.	Pass	80MHz Puncture Location 4	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	80MHz Puncture Location 4	Harmonic
157	802.11be EHT320	63	5924.44	54.53	68.20	-13.67	V	Avg.	Pass	80+40MHz Puncture Location 6	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	80+40MHz Puncture Location 6	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
158	802.11be EHT320	191	7126.44	52.27	68.20	-15.93	V	Avg.	Pass	40MHz Puncture Location 1	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	40MHz Puncture Location 1	Harmonic
159	802.11be EHT320	191	7136.68	51.04	68.20	-17.16	H	Avg.	Pass	80MHz Puncture Location 1	Band Edge

**FCC RADIO TEST REPORT****Report No. : FR5N0610-01J**

	802.11be EHT320	191	-	-	-	-	-	-	-	80MHz Puncture Location 1	Harmonic
160	802.11be EHT320	191	7128.04	49.13	68.20	-19.07	V	Avg.	Pass	80+40MHz Puncture Location 7	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	80+40MHz Puncture Location 7	Harmonic
167	LF	233	166.77	34.30	43.50	-9.20	H	Peak	Pass	-	LF



Mode	67																																																																											
	Band Edge																																																																											
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																											
ANT	6+7																																																																											
Pol.	Horizontal						Fundamental																																																																					
Peak	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><td>1</td><td>5856.85</td><td>48.50</td><td>88.20</td><td>-39.70</td><td>39.69</td><td>33.71</td><td>13.12</td><td>38.02</td><td>0.00</td><td>193</td><td>44</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5856.85	48.50	88.20	-39.70	39.69	33.71	13.12	38.02	0.00	193	44	Peak	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><td>1</td><td>5955.00</td><td>100.59</td><td>-----</td><td>-----</td><td>91.29</td><td>33.71</td><td>13.58</td><td>37.99</td><td>0.00</td><td>193</td><td>44</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5955.00	100.59	-----	-----	91.29	33.71	13.58	37.99	0.00	193	44	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5856.85	48.50	88.20	-39.70	39.69	33.71	13.12	38.02	0.00	193	44	Peak																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5955.00	100.59	-----	-----	91.29	33.71	13.58	37.99	0.00	193	44	Peak																																																															
Avg	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><td>1</td><td>5923.02</td><td>38.34</td><td>68.20</td><td>-29.86</td><td>29.16</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>193</td><td>44</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5923.02	38.34	68.20	-29.86	29.16	33.75	13.43	38.00	0.00	193	44	Average	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><td>1</td><td>5955.00</td><td>94.34</td><td>-----</td><td>-----</td><td>84.99</td><td>33.73</td><td>13.61</td><td>37.99</td><td>0.00</td><td>193</td><td>44</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5955.00	94.34	-----	-----	84.99	33.73	13.61	37.99	0.00	193	44	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5923.02	38.34	68.20	-29.86	29.16	33.75	13.43	38.00	0.00	193	44	Average																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level	Factor	Loss	Factor	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg	1	5955.00	94.34	-----	-----	84.99	33.73	13.61	37.99	0.00	193	44	Average																																																															



Mode	67																																																																																							
	Band Edge																																																																																							
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																																							
ANT	6+7																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5915.87</td><td>48.16</td><td>88.28</td><td>-40.04</td><td>39.00</td><td>33.77</td><td>13.39</td><td>38.00</td><td>0.00</td><td>214</td><td>1 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	5915.87	48.16	88.28	-40.04	39.00	33.77	13.39	38.00	0.00	214	1 Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5955.00</td><td>100.96</td><td>-----</td><td>-----</td><td>91.66</td><td>33.71</td><td>13.58</td><td>37.99</td><td>0.00</td><td>214</td><td>1 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	5955.00	100.96	-----	-----	91.66	33.71	13.58	37.99	0.00	214	1 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																								
1	5915.87	48.16	88.28	-40.04	39.00	33.77	13.39	38.00	0.00	214	1 Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																								
1	5955.00	100.96	-----	-----	91.66	33.71	13.58	37.99	0.00	214	1 Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5921.33</td><td>38.29</td><td>68.28</td><td>-29.91</td><td>29.11</td><td>33.76</td><td>13.42</td><td>38.00</td><td>0.00</td><td>214</td><td>1 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	5921.33	38.29	68.28	-29.91	29.11	33.76	13.42	38.00	0.00	214	1 Average	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5955.00</td><td>93.86</td><td>-----</td><td>-----</td><td>84.56</td><td>33.71</td><td>13.58</td><td>37.99</td><td>0.00</td><td>214</td><td>1 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	5955.00	93.86	-----	-----	84.56	33.71	13.58	37.99	0.00	214	1 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																								
1	5921.33	38.29	68.28	-29.91	29.11	33.76	13.42	38.00	0.00	214	1 Average																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																								
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																								
1	5955.00	93.86	-----	-----	84.56	33.71	13.58	37.99	0.00	214	1 Average																																																																													



Mode	67																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																																																																																																																																	
ANT	6+7																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>39.37</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>181</td><td>310</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>29.42</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>181</td><td>310</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>35.66</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>25.72</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	55.05	74.00	-18.95	39.37	38.62	19.64	43.08	0.50	181	310	Peak	2	11910.00	45.10	54.00	-8.90	29.42	38.62	19.64	43.08	0.50	181	310	Average	3	17865.00	56.30	74.00	-17.70	35.66	41.49	24.19	45.75	0.71	--	--	Peak	4	17865.00	46.36	54.00	-7.64	25.72	41.49	24.19	45.75	0.71	--	--	Average	Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>39.20</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>398</td><td>337</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>29.56</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>398</td><td>337</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>57.33</td><td>74.00</td><td>-16.67</td><td>36.69</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>25.68</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	54.88	74.00	-19.12	39.20	38.62	19.64	43.08	0.50	398	337	Peak	2	11910.00	45.24	54.00	-8.76	29.56	38.62	19.64	43.08	0.50	398	337	Average	3	17865.00	57.33	74.00	-16.67	36.69	41.49	24.19	45.75	0.71	--	--	Peak	4	17865.00	46.32	54.00	-7.68	25.68	41.49	24.19	45.75	0.71	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11910.00	55.05	74.00	-18.95	39.37	38.62	19.64	43.08	0.50	181	310	Peak																																																																																																																																																																						
2	11910.00	45.10	54.00	-8.90	29.42	38.62	19.64	43.08	0.50	181	310	Average																																																																																																																																																																						
3	17865.00	56.30	74.00	-17.70	35.66	41.49	24.19	45.75	0.71	--	--	Peak																																																																																																																																																																						
4	17865.00	46.36	54.00	-7.64	25.72	41.49	24.19	45.75	0.71	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11910.00	54.88	74.00	-19.12	39.20	38.62	19.64	43.08	0.50	398	337	Peak																																																																																																																																																																						
2	11910.00	45.24	54.00	-8.76	29.56	38.62	19.64	43.08	0.50	398	337	Average																																																																																																																																																																						
3	17865.00	57.33	74.00	-16.67	36.69	41.49	24.19	45.75	0.71	--	--	Peak																																																																																																																																																																						
4	17865.00	46.32	54.00	-7.68	25.68	41.49	24.19	45.75	0.71	--	--	Average																																																																																																																																																																						



Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-05 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-05 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	68										
	Band Edge										
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz										
ANT	6+7										
Pol.	Horizontal					Fundamental					
Peak	Blank					</					



Mode	68										
	Band Edge										
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					Level (dBuV/m) <					



Mode	68																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																						
ANT	6+7																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1223_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>38.45</td><td>38.90</td><td>20.03</td><td>43.45</td><td>0.47</td><td>206</td><td>180</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>31.73</td><td>38.90</td><td>20.03</td><td>43.45</td><td>0.47</td><td>206</td><td>180</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>52.60</td><td>38.17</td><td>24.56</td><td>63.62</td><td>-9.54</td><td>300</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.40	74.00	-19.60	38.45	38.90	20.03	43.45	0.47	206	180	Peak	2	12390.00	47.68	54.00	-6.32	31.73	38.90	20.03	43.45	0.47	206	180	Average	3	18585.00	42.17	74.00	-31.83	52.60	38.17	24.56	63.62	-9.54	300	360	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1223_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>56.29</td><td>74.00</td><td>-17.71</td><td>40.34</td><td>38.90</td><td>20.03</td><td>43.45</td><td>0.47</td><td>290</td><td>45</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>50.32</td><td>54.00</td><td>-3.68</td><td>34.37</td><td>38.90</td><td>20.03</td><td>43.45</td><td>0.47</td><td>290</td><td>45</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>41.30</td><td>74.00</td><td>-32.70</td><td>51.73</td><td>38.17</td><td>24.56</td><td>63.62</td><td>-9.54</td><td>400</td><td>7</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	56.29	74.00	-17.71	40.34	38.90	20.03	43.45	0.47	290	45	Peak	2	12390.00	50.32	54.00	-3.68	34.37	38.90	20.03	43.45	0.47	290	45	Average	3	18585.00	41.30	74.00	-32.70	51.73	38.17	24.56	63.62	-9.54	400	7	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	12390.00	54.40	74.00	-19.60	38.45	38.90	20.03	43.45	0.47	206	180	Peak																																																																																																																																											
2	12390.00	47.68	54.00	-6.32	31.73	38.90	20.03	43.45	0.47	206	180	Average																																																																																																																																											
3	18585.00	42.17	74.00	-31.83	52.60	38.17	24.56	63.62	-9.54	300	360	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	12390.00	56.29	74.00	-17.71	40.34	38.90	20.03	43.45	0.47	290	45	Peak																																																																																																																																											
2	12390.00	50.32	54.00	-3.68	34.37	38.90	20.03	43.45	0.47	290	45	Average																																																																																																																																											
3	18585.00	41.30	74.00	-32.70	51.73	38.17	24.56	63.62	-9.54	400	7	Peak																																																																																																																																											



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-05 AVG(UNII)_6E Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-05 AVG(UNII)_6E Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	69	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	</





Mode	69																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-13 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>117.06</td><td>-----</td><td>105.45</td><td>35.92</td><td>13.85</td><td>38.16</td><td>0.00</td><td></td><td>304</td><td>16 Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6415.00	117.06	-----	105.45	35.92	13.85	38.16	0.00		304	16 Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6415.00	117.06	-----	105.45	35.92	13.85	38.16	0.00		304	16 Peak																											
Avg	Blank	Date: 2026-02-13 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>109.56</td><td>-----</td><td>97.95</td><td>35.92</td><td>13.85</td><td>38.16</td><td>0.00</td><td></td><td>304</td><td>16 Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6415.00	109.56	-----	97.95	35.92	13.85	38.16	0.00		304	16 Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6415.00	109.56	-----	97.95	35.92	13.85	38.16	0.00		304	16 Average																											



Mode	69																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.06</td><td>88.20</td><td>-34.14</td><td>36.98</td><td>39.92</td><td>20.34</td><td>43.62</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>52.21</td><td>38.10</td><td>24.91</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.06	88.20	-34.14	36.98	39.92	20.34	43.62	0.44	--	Peak	2	19245.00	42.27	74.00	-31.73	52.21	38.10	24.91	63.41	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>57.61</td><td>88.20</td><td>-30.59</td><td>40.53</td><td>39.92</td><td>20.34</td><td>43.62</td><td>0.44</td><td>218</td><td>169 Peak</td></tr><tr><td>2</td><td>19245.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>53.38</td><td>38.10</td><td>24.91</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	57.61	88.20	-30.59	40.53	39.92	20.34	43.62	0.44	218	169 Peak	2	19245.00	43.44	74.00	-30.56	53.38	38.10	24.91	63.41	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	54.06	88.20	-34.14	36.98	39.92	20.34	43.62	0.44	--	Peak																																																																																																															
2	19245.00	42.27	74.00	-31.73	52.21	38.10	24.91	63.41	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	57.61	88.20	-30.59	40.53	39.92	20.34	43.62	0.44	218	169 Peak																																																																																																															
2	19245.00	43.44	74.00	-30.56	53.38	38.10	24.91	63.41	-9.54	--	Peak																																																																																																															



Mode	69	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-05  Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-05  Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	70																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5924.71</td><td>73.85</td><td>88.20 -14.35</td><td>64.67</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.71	73.85	88.20 -14.35	64.67	33.75	13.43	38.00	0.00	161	360 Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>115.90</td><td>-----</td><td>106.55</td><td>33.73</td><td>13.61</td><td>37.99</td><td>0.00</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	115.90	-----	106.55	33.73	13.61	37.99	0.00	161	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5924.71	73.85	88.20 -14.35	64.67	33.75	13.43	38.00	0.00	161	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	115.90	-----	106.55	33.73	13.61	37.99	0.00	161	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5924.97</td><td>60.48</td><td>68.20 -7.72</td><td>51.30</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.97	60.48	68.20 -7.72	51.30	33.75	13.43	38.00	0.00	161	360 Average	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>106.30</td><td>-----</td><td>97.04</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	106.30	-----	97.04	33.70	13.55	37.99	0.00	161	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5924.97	60.48	68.20 -7.72	51.30	33.75	13.43	38.00	0.00	161	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	106.30	-----	97.04	33.70	13.55	37.99	0.00	161	360 Average																																																																																	



		70																																																																																															
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.00</td><td>75.38</td><td>88.20</td><td>-12.82</td><td>66.20</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>213</td><td>360 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.00	75.38	88.20	-12.82	66.20	33.75	13.43	38.00	0.00	213	360 Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.50</td><td>-----</td><td>-----</td><td>105.24</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>213</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.50	-----	-----	105.24	33.70	13.55	37.99	0.00	213	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.00	75.38	88.20	-12.82	66.20	33.75	13.43	38.00	0.00	213	360 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	114.50	-----	-----	105.24	33.70	13.55	37.99	0.00	213	360 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>62.39</td><td>68.20</td><td>-5.81</td><td>53.21</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>213</td><td>360 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	62.39	68.20	-5.81	53.21	33.75	13.43	38.00	0.00	213	360 Average	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.03</td><td>-----</td><td>-----</td><td>97.77</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>213</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.03	-----	-----	97.77	33.70	13.55	37.99	0.00	213	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.97	62.39	68.20	-5.81	53.21	33.75	13.43	38.00	0.00	213	360 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	107.03	-----	-----	97.77	33.70	13.55	37.99	0.00	213	360 Average																																																																																						



Mode	70																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																																																																	
ANT	6+7																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>39.52</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>137</td><td>308</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>44.36</td><td>54.00</td><td>-9.64</td><td>28.68</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>137</td><td>308</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.76</td><td>74.00</td><td>-17.24</td><td>36.12</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>25.66</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	55.20	74.00	-18.80	39.52	38.62	19.64	43.08	0.50	137	308	Peak	2	11910.00	44.36	54.00	-9.64	28.68	38.62	19.64	43.08	0.50	137	308	Average	3	17865.00	56.76	74.00	-17.24	36.12	41.49	24.19	45.75	0.71	--	--	Peak	4	17865.00	46.30	54.00	-7.70	25.66	41.49	24.19	45.75	0.71	--	--	Average	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>39.15</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>400</td><td>335</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>28.49</td><td>38.62</td><td>19.64</td><td>43.08</td><td>0.50</td><td>400</td><td>335</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>36.49</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>25.69</td><td>41.49</td><td>24.19</td><td>45.75</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	54.83	74.00	-19.17	39.15	38.62	19.64	43.08	0.50	400	335	Peak	2	11910.00	44.17	54.00	-9.83	28.49	38.62	19.64	43.08	0.50	400	335	Average	3	17865.00	57.13	74.00	-16.87	36.49	41.49	24.19	45.75	0.71	--	--	Peak	4	17865.00	46.33	54.00	-7.67	25.69	41.49	24.19	45.75	0.71	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11910.00	55.20	74.00	-18.80	39.52	38.62	19.64	43.08	0.50	137	308	Peak																																																																																																																																																																						
2	11910.00	44.36	54.00	-9.64	28.68	38.62	19.64	43.08	0.50	137	308	Average																																																																																																																																																																						
3	17865.00	56.76	74.00	-17.24	36.12	41.49	24.19	45.75	0.71	--	--	Peak																																																																																																																																																																						
4	17865.00	46.30	54.00	-7.70	25.66	41.49	24.19	45.75	0.71	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11910.00	54.83	74.00	-19.17	39.15	38.62	19.64	43.08	0.50	400	335	Peak																																																																																																																																																																						
2	11910.00	44.17	54.00	-9.83	28.49	38.62	19.64	43.08	0.50	400	335	Average																																																																																																																																																																						
3	17865.00	57.13	74.00	-16.87	36.49	41.49	24.19	45.75	0.71	--	--	Peak																																																																																																																																																																						
4	17865.00	46.33	54.00	-7.67	25.69	41.49	24.19	45.75	0.71	--	--	Average																																																																																																																																																																						



Mode	70	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-05 AVG(UNII)_6E Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-05 AVG(UNII)_6E Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	71																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5928.01</td><td>67.40</td><td>88.20</td><td>-20.80</td><td>58.22</td><td>33.76</td><td>13.42</td><td>38.00</td><td>0.00</td><td>200</td><td>49 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5928.01	67.40	88.20	-20.80	58.22	33.76	13.42	38.00	0.00	200	49 Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.01</td><td>-----</td><td>-----</td><td>107.71</td><td>33.71</td><td>13.58</td><td>37.99</td><td>0.00</td><td>200</td><td>49 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.01	-----	-----	107.71	33.71	13.58	37.99	0.00	200	49 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5928.01	67.40	88.20	-20.80	58.22	33.76	13.42	38.00	0.00	200	49 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	117.01	-----	-----	107.71	33.71	13.58	37.99	0.00	200	49 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>51.21</td><td>68.20</td><td>-16.99</td><td>42.03</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>200</td><td>49 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	51.21	68.20	-16.99	42.03	33.75	13.43	38.00	0.00	200	49 Average	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.58</td><td>-----</td><td>-----</td><td>100.32</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>200</td><td>49 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.58	-----	-----	100.32	33.70	13.55	37.99	0.00	200	49 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.97	51.21	68.20	-16.99	42.03	33.75	13.43	38.00	0.00	200	49 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	109.58	-----	-----	100.32	33.70	13.55	37.99	0.00	200	49 Average																																																																																						



Mode	71																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5922.63</td><td>73.17</td><td>88.20 -15.03</td><td>64.00</td><td>33.75</td><td>13.42</td><td>38.00</td><td>0.00</td><td>219</td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5922.63	73.17	88.20 -15.03	64.00	33.75	13.42	38.00	0.00	219	0 Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>117.57</td><td>-----</td><td>108.31</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>219</td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	117.57	-----	108.31	33.70	13.55	37.99	0.00	219	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5922.63	73.17	88.20 -15.03	64.00	33.75	13.42	38.00	0.00	219	0 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	117.57	-----	108.31	33.70	13.55	37.99	0.00	219	0 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5924.97</td><td>54.98</td><td>68.20 -13.22</td><td>45.00</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>219</td><td>0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.97	54.98	68.20 -13.22	45.00	33.75	13.43	38.00	0.00	219	0 Average	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>109.73</td><td>-----</td><td>100.47</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>219</td><td>0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	109.73	-----	100.47	33.70	13.55	37.99	0.00	219	0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5924.97	54.98	68.20 -13.22	45.00	33.75	13.43	38.00	0.00	219	0 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	109.73	-----	100.47	33.70	13.55	37.99	0.00	219	0 Average																																																																									



Mode	72										
	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz										
ANT	6+7										
Pol.	Horizontal					Fundamental					
Peak	Blank										





Mode	72																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-13 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6195.00</td><td>117.98</td><td>-----</td><td>-----</td><td>107.01</td><td>34.75</td><td>14.29</td><td>38.07</td><td>0.00</td><td>309</td><td>15</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6195.00	117.98	-----	-----	107.01	34.75	14.29	38.07	0.00	309	15	Peak
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6195.00	117.98	-----	-----	107.01	34.75	14.29	38.07	0.00	309	15	Peak																											
Avg	Blank	Date: 2026-02-13 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6195.00</td><td>109.96</td><td>-----</td><td>-----</td><td>98.99</td><td>34.75</td><td>14.29</td><td>38.07</td><td>0.00</td><td>309</td><td>15</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6195.00	109.96	-----	-----	98.99	34.75	14.29	38.07	0.00	309	15	Average
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6195.00	109.96	-----	-----	98.99	34.75	14.29	38.07	0.00	309	15	Average																											



Mode	72										
	Harmonic										
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz										
ANT	6+7										
Pol.	Horizontal										
Peak Avg	</										



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-05  Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-05  Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	73																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-13 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400 3800 5200 6600 8000 Frequency (MHz) Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6415.00 118.66 -----</td><td>107.05</td><td>35.92</td><td>13.85</td><td>38.16</td><td>0.00</td><td>112</td><td>360</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6415.00 118.66 -----	107.05	35.92	13.85	38.16	0.00	112	360	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin Level Factor Loss Factor Factor																																						
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																						
1 6415.00 118.66 -----	107.05	35.92	13.85	38.16	0.00	112	360	Peak																														
Avg	Blank	Date: 2026-02-13 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400 3800 5200 6600 8000 Frequency (MHz) Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6415.00 110.34 -----</td><td>98.73</td><td>35.92</td><td>13.85</td><td>38.16</td><td>0.00</td><td>112</td><td>360</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6415.00 110.34 -----	98.73	35.92	13.85	38.16	0.00	112	360	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin Level Factor Loss Factor Factor																																						
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																						
1 6415.00 110.34 -----	98.73	35.92	13.85	38.16	0.00	112	360	Average																														



Mode	73																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-13 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>116.70</td><td>-----</td><td>105.09</td><td>35.92</td><td>13.85</td><td>38.16</td><td>0.00</td><td>318</td><td>17</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6415.00	116.70	-----	105.09	35.92	13.85	38.16	0.00	318	17	Peak
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6415.00	116.70	-----	105.09	35.92	13.85	38.16	0.00	318	17	Peak																											
Avg	Blank	Date: 2026-02-13 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>108.68</td><td>-----</td><td>97.07</td><td>35.92</td><td>13.85</td><td>38.16</td><td>0.00</td><td>318</td><td>17</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6415.00	108.68	-----	97.07	35.92	13.85	38.16	0.00	318	17	Average
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6415.00	108.68	-----	97.07	35.92	13.85	38.16	0.00	318	17	Average																											



Mode	73																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.68</td><td>88.20</td><td>-34.52</td><td>36.60</td><td>39.92</td><td>20.34</td><td>43.62</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>41.57</td><td>74.00</td><td>-32.43</td><td>51.51</td><td>38.10</td><td>24.91</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.68	88.20	-34.52	36.60	39.92	20.34	43.62	0.44	--	Peak	2	19245.00	41.57	74.00	-32.43	51.51	38.10	24.91	63.41	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>56.68</td><td>88.20</td><td>-31.52</td><td>39.60</td><td>39.92</td><td>20.34</td><td>43.62</td><td>0.44</td><td>219</td><td>172 Peak</td></tr><tr><td>2</td><td>19245.00</td><td>42.85</td><td>74.00</td><td>-31.15</td><td>52.79</td><td>38.10</td><td>24.91</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	56.68	88.20	-31.52	39.60	39.92	20.34	43.62	0.44	219	172 Peak	2	19245.00	42.85	74.00	-31.15	52.79	38.10	24.91	63.41	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.68	88.20	-34.52	36.60	39.92	20.34	43.62	0.44	--	Peak																																																																																																															
2	19245.00	41.57	74.00	-32.43	51.51	38.10	24.91	63.41	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	56.68	88.20	-31.52	39.60	39.92	20.34	43.62	0.44	219	172 Peak																																																																																																															
2	19245.00	42.85	74.00	-31.15	52.79	38.10	24.91	63.41	-9.54	--	Peak																																																																																																															



Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-05 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-05 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL





Mode	74																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.66</td><td>78.78</td><td>88.20</td><td>-9.42</td><td>69.65</td><td>33.79</td><td>13.34</td><td>38.00</td><td>0.00</td><td>200</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5904.66	78.78	88.20	-9.42	69.65	33.79	13.34	38.00	0.00	200	42	Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.90</td><td>-----</td><td>-----</td><td>103.55</td><td>33.73</td><td>13.61</td><td>37.99</td><td>0.00</td><td>200</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.90	-----	-----	103.55	33.73	13.61	37.99	0.00	200	42	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5904.66	78.78	88.20	-9.42	69.65	33.79	13.34	38.00	0.00	200	42	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	112.90	-----	-----	103.55	33.73	13.61	37.99	0.00	200	42	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.98</td><td>67.06</td><td>68.20</td><td>-1.14</td><td>57.88</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>200</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	67.06	68.20	-1.14	57.88	33.75	13.43	38.00	0.00	200	42	Average	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.54</td><td>-----</td><td>-----</td><td>95.19</td><td>33.73</td><td>13.61</td><td>37.99</td><td>0.00</td><td>200</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.54	-----	-----	95.19	33.73	13.61	37.99	0.00	200	42	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.98	67.06	68.20	-1.14	57.88	33.75	13.43	38.00	0.00	200	42	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	104.54	-----	-----	95.19	33.73	13.61	37.99	0.00	200	42	Average																																																																																								



Mode	74																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5915.30</td><td>78.26</td><td>88.20</td><td>-9.94</td><td>69.10</td><td>33.77</td><td>13.39</td><td>38.00</td><td>0.00</td><td>211 0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5915.30	78.26	88.20	-9.94	69.10	33.77	13.39	38.00	0.00	211 0 Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>113.14</td><td>-----</td><td>-----</td><td>103.79</td><td>33.73</td><td>13.61</td><td>37.99</td><td>0.00</td><td>211 0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	113.14	-----	-----	103.79	33.73	13.61	37.99	0.00	211 0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5915.30	78.26	88.20	-9.94	69.10	33.77	13.39	38.00	0.00	211 0 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	113.14	-----	-----	103.79	33.73	13.61	37.99	0.00	211 0 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.92</td><td>66.24</td><td>68.20</td><td>-1.96</td><td>57.07</td><td>33.76</td><td>13.41</td><td>38.00</td><td>0.00</td><td>211 0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5919.92	66.24	68.20	-1.96	57.07	33.76	13.41	38.00	0.00	211 0 Average	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>104.00</td><td>-----</td><td>-----</td><td>94.65</td><td>33.73</td><td>13.61</td><td>37.99</td><td>0.00</td><td>211 0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	104.00	-----	-----	94.65	33.73	13.61	37.99	0.00	211 0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5919.92	66.24	68.20	-1.96	57.07	33.76	13.41	38.00	0.00	211 0 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	104.00	-----	-----	94.65	33.73	13.61	37.99	0.00	211 0 Average																																																																																	







Mode	74																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																																					
ANT	6+7																																																																																																																																																																																					
Pol.	Horizontal							Vertical																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-09  Site : 03CH17-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1223_250702 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>35.00</td><td>38.66</td><td>19.66</td><td>43.10</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.84</td><td>54.00</td><td>-12.16</td><td>26.12</td><td>38.66</td><td>19.66</td><td>43.10</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>35.63</td><td>41.67</td><td>24.22</td><td>45.79</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>26.18</td><td>41.67</td><td>24.22</td><td>45.79</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	50.80	74.00	-23.20	35.00	38.66	19.66	43.10	0.50	--	--	--	Peak	2	11930.00	41.84	54.00	-12.16	26.12	38.66	19.66	43.10	0.50	--	--	--	Average	3	17895.00	56.44	74.00	-17.56	35.63	41.67	24.22	45.79	0.71	--	--	--	Peak	4	17895.00	46.99	54.00	-7.01	26.18	41.67	24.22	45.79	0.71	--	--	--	Average	Level (dBuV/m) Date: 2026-02-09  Site : 03CH17-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1223_250702 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>51.75</td><td>74.00</td><td>-22.25</td><td>36.03</td><td>38.66</td><td>19.66</td><td>43.10</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>26.27</td><td>38.66</td><td>19.66</td><td>43.10</td><td>0.50</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>35.11</td><td>41.67</td><td>24.22</td><td>45.79</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>26.19</td><td>41.67</td><td>24.22</td><td>45.79</td><td>0.71</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	51.75	74.00	-22.25	36.03	38.66	19.66	43.10	0.50	--	--	--	Peak	2	11930.00	41.99	54.00	-12.01	26.27	38.66	19.66	43.10	0.50	--	--	--	Average	3	17895.00	55.92	74.00	-18.08	35.11	41.67	24.22	45.79	0.71	--	--	--	Peak	4	17895.00	47.00	54.00	-7.00	26.19	41.67	24.22	45.79	0.71	--	--	--	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																									
1	11930.00	50.80	74.00	-23.20	35.00	38.66	19.66	43.10	0.50	--	--	--	Peak																																																																																																																																																																									
2	11930.00	41.84	54.00	-12.16	26.12	38.66	19.66	43.10	0.50	--	--	--	Average																																																																																																																																																																									
3	17895.00	56.44	74.00	-17.56	35.63	41.67	24.22	45.79	0.71	--	--	--	Peak																																																																																																																																																																									
4	17895.00	46.99	54.00	-7.01	26.18	41.67	24.22	45.79	0.71	--	--	--	Average																																																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																										
1	11930.00	51.75	74.00	-22.25	36.03	38.66	19.66	43.10	0.50	--	--	--	Peak																																																																																																																																																																									
2	11930.00	41.99	54.00	-12.01	26.27	38.66	19.66	43.10	0.50	--	--	--	Average																																																																																																																																																																									
3	17895.00	55.92	74.00	-18.08	35.11	41.67	24.22	45.79	0.71	--	--	--	Peak																																																																																																																																																																									
4	17895.00	47.00	54.00	-7.00	26.19	41.67	24.22	45.79	0.71	--	--	--	Average																																																																																																																																																																									



Mode	74	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-05 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-05 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	75																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.68</td><td>77.28</td><td>88.20 -10.92</td><td>68.10</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>121</td><td>16 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.68	77.28	88.20 -10.92	68.10	33.75	13.43	38.00	0.00	121	16 Peak	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>114.94</td><td>-----</td><td>105.68</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>121</td><td>16 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	114.94	-----	105.68	33.70	13.55	37.99	0.00	121	16 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.68	77.28	88.20 -10.92	68.10	33.75	13.43	38.00	0.00	121	16 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	114.94	-----	105.68	33.70	13.55	37.99	0.00	121	16 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>65.18</td><td>68.20 -3.02</td><td>56.00</td><td>33.75</td><td>13.43</td><td>38.00</td><td>0.00</td><td>121</td><td>16 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	65.18	68.20 -3.02	56.00	33.75	13.43	38.00	0.00	121	16 Average	Level (dBuV/m) Date: 2026-01-28  Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>108.45</td><td>-----</td><td>99.19</td><td>33.70</td><td>13.55</td><td>37.99</td><td>0.00</td><td>121</td><td>16 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	108.45	-----	99.19	33.70	13.55	37.99	0.00	121	16 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.96	65.18	68.20 -3.02	56.00	33.75	13.43	38.00	0.00	121	16 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	108.45	-----	99.19	33.70	13.55	37.99	0.00	121	16 Average																																																																																	



Mode	75																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																									
ANT	6+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5920.90 76.08 88.20 -12.12 66.90 33.76 13.42 38.00 0.00 213 0 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5920.90 76.08 88.20 -12.12 66.90 33.76 13.42 38.00 0.00 213 0 Peak									Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 114.33 ----- 104.98 33.73 13.61 37.99 0.00 213 0 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5965.00 114.33 ----- 104.98 33.73 13.61 37.99 0.00 213 0 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5920.90 76.08 88.20 -12.12 66.90 33.76 13.42 38.00 0.00 213 0 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5965.00 114.33 ----- 104.98 33.73 13.61 37.99 0.00 213 0 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5920.20 62.92 68.20 -5.28 53.75 33.76 13.41 38.00 0.00 213 0 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5920.20 62.92 68.20 -5.28 53.75 33.76 13.41 38.00 0.00 213 0 Average									Level (dBuV/m) Date: 2026-01-28 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 107.19 ----- 97.84 33.73 13.61 37.99 0.00 213 0 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5965.00 107.19 ----- 97.84 33.73 13.61 37.99 0.00 213 0 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5920.20 62.92 68.20 -5.28 53.75 33.76 13.41 38.00 0.00 213 0 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5965.00 107.19 ----- 97.84 33.73 13.61 37.99 0.00 213 0 Average																																																																										



Mode	76																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-13 PEAK(UNII)_6E Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6205.00</td><td>115.64</td><td>-----</td><td>-----</td><td>104.67</td><td>34.75</td><td>14.29</td><td>38.07</td><td>0.00</td><td>295</td><td>354</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6205.00	115.64	-----	-----	104.67	34.75	14.29	38.07	0.00	295	354	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6205.00	115.64	-----	-----	104.67	34.75	14.29	38.07	0.00	295	354	Peak																											
Avg	Blank	Date: 2026-02-13 AVG(UNII)_6E Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6205.00</td><td>107.18</td><td>-----</td><td>-----</td><td>96.21</td><td>34.75</td><td>14.29</td><td>38.07</td><td>0.00</td><td>295</td><td>354</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6205.00	107.18	-----	-----	96.21	34.75	14.29	38.07	0.00	295	354	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6205.00	107.18	-----	-----	96.21	34.75	14.29	38.07	0.00	295	354	Average																											