Mode	76	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6205.00 114.58 ------ ------ 103.51 34.85 14.29 38.07 0.00 307 16 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6205.00 106.63 ------ ------ 95.56 34.85 14.29 38.07 0.00 307 16 Average

Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12410.00 51.10 74.00 -22.90 35.12 38.94 20.04 43.47 0.47 -- -- Peak 2 12410.00 42.06 54.00 -11.94 26.08 38.94 20.04 43.47 0.47 -- -- Average 3 18615.00 42.22 74.00 -31.78 52.60 38.20 24.58 63.62 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12410.00 51.52 74.00 -22.48 35.54 38.94 20.04 43.47 0.47 -- -- Peak 2 12410.00 42.10 54.00 -11.90 26.12 38.94 20.04 43.47 0.47 -- -- Average 3 18615.00 42.22 74.00 -31.78 52.60 38.20 24.58 63.62 -9.54 -- -- Peak

Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	77	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6405.00 116.86 ------ ------ 105.29 35.86 13.86 38.15 0.00 291 358 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6405.00 107.86 ------ ------ 96.29 35.86 13.86 38.15 0.00 291 358 Average

Mode	77	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6405.00 113.16 ------ ------ 101.56 35.91 13.85 38.16 0.00 305 18 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6405.00 105.80 ------ ------ 94.20 35.91 13.85 38.16 0.00 305 18 Average

Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12810.00 51.53 88.20 -36.67 34.53 39.84 20.33 43.61 0.44 -- -- Peak 2 19215.00 41.89 74.00 -32.11 51.88 38.10 24.89 63.44 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12810.00 53.71 88.20 -34.49 36.71 39.84 20.33 43.61 0.44 -- -- Peak 2 19215.00 41.81 74.00 -32.19 51.80 38.10 24.89 63.44 -9.54 -- -- Peak

Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	78	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.12 74.68 88.20 -13.52 65.50 33.76 13.42 38.00 0.00 200 42 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 111.76 ------ ------ 102.13 33.82 13.79 37.98 0.00 200 42 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5923.88 65.11 68.20 -3.09 55.93 33.75 13.43 38.00 0.00 200 42 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 101.90 ------ ------ 92.40 33.77 13.71 37.98 0.00 200 42 Average

Mode	78	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto 1 5923.88 76.54 88.20 -11.66 67.36 33.75 13.43 38.00 0.00 199 0 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto 1 5985.00 110.92 ------ ------ 101.62 33.71 13.58 37.99 0.00 199 0 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto 1 5920.68 64.34 68.20 -3.86 55.16 33.76 13.42 38.00 0.00 199 0 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto 1 5985.00 101.44 ------ ------ 92.01 33.75 13.67 37.99 0.00 199 0 Average

Mode	78	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11970.00 51.36 74.00 -22.64 35.59 38.70 19.71 43.13 0.49 -- -- Peak 2 11970.00 41.48 54.00 -12.52 25.71 38.70 19.71 43.13 0.49 -- -- Average 3 17955.00 55.92 74.00 -18.08 35.00 41.81 24.28 45.88 0.71 -- -- Peak 4 17955.00 46.88 54.00 -7.12 25.96 41.81 24.28 45.88 0.71 -- -- Average	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11970.00 50.95 74.00 -23.05 35.18 38.70 19.71 43.13 0.49 -- -- Peak 2 11970.00 41.47 54.00 -12.53 25.70 38.70 19.71 43.13 0.49 -- -- Average 3 17955.00 56.57 74.00 -17.43 35.65 41.81 24.28 45.88 0.71 -- -- Peak 4 17955.00 46.91 54.00 -7.09 25.99 41.81 24.28 45.88 0.71 -- -- Average

Mode	78	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	79	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.92 76.41 88.20 -11.79 67.23 33.75 13.43 38.00 0.00 200 42 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 111.90 ------ ------ 102.55 33.73 13.61 37.99 0.00 200 42 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.44 66.09 68.20 -2.11 56.91 33.76 13.42 38.00 0.00 200 42 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 104.37 ------ ------ 95.02 33.73 13.61 37.99 0.00 200 42 Average

Mode	79	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5920.84 77.77 88.20 -10.43 68.59 33.76 13.42 38.00 0.00 215 2 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 111.89 ------ ------ 102.59 33.71 13.58 37.99 0.00 215 2 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5919.88 64.85 68.20 -3.35 55.68 33.76 13.41 38.00 0.00 215 2 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 104.68 ------ ------ 95.33 33.73 13.61 37.99 0.00 215 2 Average

Mode	80	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6225.00 110.76 ------ ------ 99.54 35.13 14.18 38.09 0.00 300 330 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6225.00 102.65 ------ ------ 91.56 34.89 14.27 38.07 0.00 300 330 Average

Mode	80	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6225.00 112.74 ------ ------ 101.69 34.81 14.31 38.07 0.00 306 15 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6225.00 104.02 ------ ------ 92.95 34.85 14.29 38.07 0.00 306 15 Average

Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12450.00 51.71 74.00 -22.29 35.58 39.10 20.07 43.50 0.46 -- -- Peak 2 12450.00 42.16 54.00 -11.84 26.03 39.10 20.07 43.50 0.46 -- -- Average 3 18675.00 42.94 74.00 -31.06 53.31 38.20 24.60 63.63 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12450.00 52.31 74.00 -21.69 36.18 39.10 20.07 43.50 0.46 -- -- Peak 2 12450.00 42.18 54.00 -11.82 26.05 39.10 20.07 43.50 0.46 -- -- Average 3 18675.00 42.93 74.00 -31.07 53.30 38.20 24.60 63.63 -9.54 -- -- Peak

Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	81	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6385.00 112.76 ------ ------ 101.21 35.78 13.91 38.14 0.00 317 358 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6385.00 105.19 ------ ------ 93.64 35.78 13.91 38.14 0.00 317 358 Average

Mode	81	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6385.00 114.42 ------ ------ 102.88 35.75 13.93 38.14 0.00 309 16 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6385.00 103.86 ------ ------ 92.32 35.75 13.93 38.14 0.00 309 16 Average

Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 53.33 88.20 -34.87 36.51 39.68 20.30 43.60 0.44 -- -- Peak 2 19155.00 43.27 74.00 -30.73 53.20 38.28 24.84 63.51 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 53.52 88.20 -34.68 36.70 39.68 20.30 43.60 0.44 -- -- Peak 2 19155.00 43.23 74.00 -30.77 53.16 38.28 24.84 63.51 -9.54 -- -- Peak

Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	82	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5815.75 84.04 88.20 -4.16 75.37 33.77 12.93 38.03 0.00 149 19 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 107.02 ------ ------ 97.26 33.90 13.85 37.99 0.00 149 19 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5806.75 64.49 68.20 -3.71 55.84 33.79 12.89 38.03 0.00 149 19 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 98.22 ------ ------ 88.68 33.78 13.74 37.98 0.00 149 19 Average

Mode	82	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5807.20 80.12 88.20 -8.08 71.47 33.79 12.89 38.03 0.00 200 30 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 104.26 ------ ------ 94.45 33.93 13.87 37.99 0.00 200 30 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5806.98 58.57 68.20 -9.63 49.92 33.79 12.89 38.03 0.00 200 30 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 96.34 ------ ------ 86.67 33.85 13.81 37.99 0.00 200 30 Average

Mode	82	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 52.16 74.00 -21.84 36.37 38.70 19.79 43.19 0.49 -- -- Peak 2 12050.00 41.57 54.00 -12.43 25.78 38.70 19.79 43.19 0.49 -- -- Average 3 18075.00 42.65 74.00 -31.35 53.98 37.70 24.36 63.85 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 51.22 74.00 -22.78 35.32 38.70 19.79 43.19 0.60 -- -- Peak 2 12050.00 41.56 54.00 -12.44 25.66 38.70 19.79 43.19 0.60 -- -- Average 3 18075.00 41.80 74.00 -32.20 53.13 37.70 24.36 63.85 -9.54 -- -- Peak

Mode	82	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	83	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5892.03 77.85 88.20 -10.35 68.80 33.78 13.28 38.01 0.00 134 22 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 111.17 ------ ------ 101.54 33.82 13.79 37.98 0.00 134 22 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5890.68 67.10 68.20 -1.10 58.05 33.78 13.28 38.01 0.00 134 22 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 103.15 ------ ------ 93.65 33.77 13.71 37.98 0.00 134 22 Average

Mode	83
	Band Edge
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz
ANT	6+7

Pol.	Vertical	Fundamental
Peak	 Site : 03CH17-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5883.93 77.66 88.20 -10.54 68.65 33.77 13.25 38.01 0.00 226 0 Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 110.41 ------ ------ 100.91 33.77 13.71 37.98 0.00 226 0 Peak
Avg	 Site : 03CH17-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.40 66.59 68.20 -1.61 57.41 33.76 13.42 38.00 0.00 226 0 Average	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 101.70 ------ ------ 92.20 33.77 13.71 37.98 0.00 226 0 Average

Mode	84	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6185.00 109.88 ------ ------ 99.18 34.53 14.22 38.05 0.00 193 44 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6185.00 100.65 ------ ------ 89.81 34.64 14.26 38.06 0.00 193 44 Average

Mode	84	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6185.00 110.56 ------ ------ 99.45 34.93 14.26 38.08 0.00 207 0 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6185.00 101.39 ------ ------ 90.55 34.64 14.26 38.06 0.00 207 0 Average

Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 52.09 74.00 -21.91 36.15 38.90 20.01 43.44 0.47 -- -- Peak 2 12370.00 41.97 54.00 -12.03 26.03 38.90 20.01 43.44 0.47 -- -- Average 3 18555.00 43.50 74.00 -30.50 53.99 38.11 24.55 63.61 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 53.66 74.00 -20.34 37.72 38.90 20.01 43.44 0.47 -- -- Peak 2 12370.00 42.01 54.00 -11.99 26.07 38.90 20.01 43.44 0.47 -- -- Average 3 18555.00 42.41 74.00 -31.59 52.90 38.11 24.55 63.61 -9.54 -- -- Peak

Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	85	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6345.00 110.12 ------ ------ 98.56 35.83 13.88 38.15 0.00 189 41 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6345.00 101.22 ------ ------ 89.68 35.75 13.93 38.14 0.00 189 41 Average

Mode	85	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6345.00 111.62 ------ ------ 100.14 35.63 13.98 38.13 0.00 193 0 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6345.00 102.55 ------ ------ 91.07 35.63 13.98 38.13 0.00 193 0 Average

Mode	85	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 50.90 74.00 -23.10 34.20 39.60 20.24 43.59 0.45 -- -- Peak 2 12690.00 42.51 54.00 -11.49 25.81 39.60 20.24 43.59 0.45 -- -- Average 3 19035.00 43.37 74.00 -30.63 53.51 38.30 24.76 63.66 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 50.70 74.00 -23.30 34.00 39.60 20.24 43.59 0.45 -- -- Peak 2 12690.00 41.23 54.00 -12.77 24.53 39.60 20.24 43.59 0.45 -- -- Average 3 19035.00 42.85 74.00 -31.15 52.99 38.30 24.76 63.66 -9.54 -- -- Peak

Mode	85	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg		

Mode	86	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 104.41 ------ ------ 92.73 35.97 13.88 38.17 0.00 389 51 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 97.62 ------ ------ 85.94 35.97 13.88 38.17 0.00 389 51 Average

Mode	86	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 108.01 ------ ------ 96.33 35.97 13.88 38.17 0.00 201 1 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 100.84 ------ ------ 89.16 35.97 13.88 38.17 0.00 201 1 Average

Mode	86	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 52.08 88.20 -36.12 34.94 39.96 20.37 43.63 0.44 -- -- Peak 2 19305.00 41.69 74.00 -32.31 51.51 38.09 24.96 63.33 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 51.36 88.20 -36.84 34.22 39.96 20.37 43.63 0.44 -- -- Peak 2 19305.00 41.87 74.00 -32.13 51.69 38.09 24.96 63.33 -9.54 -- -- Peak

Mode	86	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	87	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 109.73 ------ ------ 97.99 36.00 13.93 38.19 0.00 400 44 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 107.32 ------ ------ 95.58 36.00 13.93 38.19 0.00 400 44 Average

Mode	87	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 112.25 ------ ------ 100.51 36.00 13.93 38.19 0.00 198 0 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 110.28 ------ ------ 98.54 36.00 13.93 38.19 0.00 198 0 Average

Mode	87	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 50.05 88.20 -38.15 32.95 39.90 20.42 43.65 0.43 -- -- Peak 2 19425.00 40.51 74.00 -33.49 50.20 38.00 25.04 63.19 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 51.32 88.20 -36.88 34.22 39.90 20.42 43.65 0.43 -- -- Peak 2 19425.00 40.63 74.00 -33.37 50.32 38.00 25.04 63.19 -9.54 -- -- Peak

Mode	87	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	88	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 104.91 ------ ------ 93.08 36.06 13.98 38.21 0.00 394 52 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 98.15 ------ ------ 86.32 36.06 13.98 38.21 0.00 394 52 Average

Mode	88	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 107.93 ------ ------ 96.10 36.06 13.98 38.21 0.00 206 1 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 100.72 ------ ------ 88.89 36.06 13.98 38.21 0.00 206 1 Average

Mode	88	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 51.93 88.20 -36.27 34.84 39.84 20.49 43.67 0.43 -- -- Peak 2 19545.00 41.02 74.00 -32.98 50.51 37.99 25.13 63.07 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 51.70 88.20 -36.50 34.61 39.84 20.49 43.67 0.43 -- -- Peak 2 19545.00 41.06 74.00 -32.94 50.55 37.99 25.13 63.07 -9.54 -- -- Peak

Mode	88	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	89	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 103.53 ------ ------ 91.86 35.96 13.88 38.17 0.00 185 39 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 96.19 ------ ------ 84.52 35.96 13.88 38.17 0.00 185 39 Average

Mode	89	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 106.12 ------ ------ 94.45 35.96 13.88 38.17 0.00 201 1 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6435.00 98.40 ------ ------ 86.73 35.96 13.88 38.17 0.00 201 1 Average

Mode	89	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 52.38 88.20 -35.82 35.24 39.96 20.37 43.63 0.44 -- -- Peak 2 19305.00 40.95 74.00 -33.05 50.77 38.09 24.96 63.33 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 52.64 88.20 -35.56 35.50 39.96 20.37 43.63 0.44 -- -- Peak 2 19305.00 40.95 74.00 -33.05 50.77 38.09 24.96 63.33 -9.54 -- -- Peak

Mode	89	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	90	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 106.13 ------ ------ 94.39 36.00 13.93 38.19 0.00 187 43 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 98.10 ------ ------ 86.37 36.00 13.92 38.19 0.00 187 43 Average

Mode	90	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 107.66 ------ ------ 95.92 36.00 13.93 38.19 0.00 199 2 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6475.00 100.09 ------ ------ 88.36 36.00 13.92 38.19 0.00 199 2 Average

Mode	90	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 51.24 88.20 -36.96 34.14 39.90 20.42 43.65 0.43 -- -- Peak 2 19425.00 39.87 74.00 -34.13 49.56 38.00 25.04 63.19 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 51.95 88.20 -36.25 34.85 39.90 20.42 43.65 0.43 -- -- Peak 2 19425.00 40.36 74.00 -33.64 50.05 38.00 25.04 63.19 -9.54 -- -- Peak

Mode	90	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	91	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 103.73 ------ ------ 91.92 36.04 13.98 38.21 0.00 195 41 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 97.24 ------ ------ 85.43 36.04 13.98 38.21 0.00 195 41 Average

Mode	91	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 108.67 ------ ------ 96.86 36.04 13.98 38.21 0.00 205 2 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6515.00 99.62 ------ ------ 87.81 36.04 13.98 38.21 0.00 205 2 Average

Mode	91	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 52.35 88.20 -35.85 35.26 39.84 20.49 43.67 0.43 -- -- Peak 2 19545.00 40.86 74.00 -33.14 50.35 37.99 25.13 63.07 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 52.88 88.20 -35.32 35.79 39.84 20.49 43.67 0.43 -- -- Peak 2 19545.00 40.61 74.00 -33.39 50.10 37.99 25.13 63.07 -9.54 -- -- Peak

Mode	91	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg		

Mode	92	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_6445MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6445.00 104.99 ------ ------ 93.26 36.00 13.91 38.18 0.00 196 41 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6445.00 97.23 ------ ------ 85.53 35.98 13.89 38.17 0.00 196 41 Average

Mode	92	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_6445MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6445.00 108.50 ------ ------ 96.77 36.00 13.91 38.18 0.00 197 1 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6445.00 99.06 ------ ------ 87.36 35.98 13.89 38.17 0.00 197 1 Average

Mode	92	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_6445MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12890.00 53.60 88.20 -34.60 36.49 39.92 20.38 43.63 0.44 -- -- Peak 2 19335.00 39.87 74.00 -34.13 49.70 38.03 24.98 63.30 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12890.00 53.91 88.20 -34.29 36.80 39.92 20.38 43.63 0.44 -- -- Peak 2 19335.00 40.34 74.00 -33.66 50.17 38.03 24.98 63.30 -9.54 -- -- Peak

Mode	92	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_6445MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg		

Mode	93	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_6485MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6485.00 106.22 ------ ------ 94.46 36.00 13.96 38.20 0.00 185 38 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6485.00 96.56 ------ ------ 84.81 36.00 13.94 38.19 0.00 185 38 Average

Mode	93	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_6485MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6485.00 107.93 ------ ------ 96.18 36.00 13.94 38.19 0.00 195 0 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6485.00 99.39 ------ ------ 87.64 36.00 13.94 38.19 0.00 195 0 Average

Mode	93	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_6485MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12970.00 53.51 88.20 -34.69 36.39 39.90 20.44 43.65 0.43 -- -- Peak 2 19455.00 40.87 74.00 -33.13 50.50 37.99 25.07 63.15 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12970.00 53.61 88.20 -34.59 36.49 39.90 20.44 43.65 0.43 -- -- Peak 2 19455.00 41.44 74.00 -32.56 51.07 37.99 25.07 63.15 -9.54 -- -- Peak

Mode	93	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_6485MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg		

Mode	94	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_6525MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6525.00 104.79 ------ ------ 92.85 36.15 14.01 38.22 0.00 182 43 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6525.00 97.09 ------ ------ 85.26 36.06 13.98 38.21 0.00 182 43 Average

Mode	94	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_6525MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6525.00 106.69 ------ ------ 94.86 36.06 13.98 38.21 0.00 205 2 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6525.00 99.44 ------ ------ 87.57 36.09 13.99 38.21 0.00 205 2 Average

Mode	94	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_6525MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 53.07 88.20 -35.13 36.01 39.80 20.51 43.68 0.43 -- -- Peak 2 19575.00 40.76 74.00 -33.24 50.25 37.95 25.16 63.06 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 53.57 88.20 -34.63 36.51 39.80 20.51 43.68 0.43 -- -- Peak 2 19575.00 40.54 74.00 -33.46 50.03 37.95 25.16 63.06 -9.54 -- -- Peak

Mode	94	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_6525MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg		

Mode	95	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_6465MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6465.00 105.07 ------ ------ 93.33 36.00 13.93 38.19 0.00 181 44 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6465.00 96.93 ------ ------ 85.20 36.00 13.91 38.18 0.00 181 44 Average

Mode	95	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_6465MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6465.00 109.62 ------ ------ 97.91 35.99 13.90 38.18 0.00 209 2 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6465.00 99.18 ------ ------ 87.48 35.98 13.89 38.17 0.00 209 2 Average

Mode	95	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_6465MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 53.44 88.20 -34.76 36.34 39.90 20.41 43.64 0.43 -- -- Peak 2 19395.00 41.30 74.00 -32.70 51.05 38.00 25.02 63.23 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 53.65 88.20 -34.55 36.55 39.90 20.41 43.64 0.43 -- -- Peak 2 19395.00 41.46 74.00 -32.54 51.21 38.00 25.02 63.23 -9.54 -- -- Peak

Mode	95	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_6465MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg		

Mode	96	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_6505MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6505.00 105.85 ------ ------ 94.12 36.00 13.91 38.18 0.00 190 44 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6505.00 97.25 ------ ------ 85.50 36.00 13.94 38.19 0.00 190 44 Average

Mode	96	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_6505MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6505.00 107.32 ------ ------ 95.49 36.06 13.98 38.21 0.00 207 1 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E_Indoor 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6505.00 99.44 ------ ------ 87.69 36.00 13.94 38.19 0.00 207 1 Average

Mode	96	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_6505MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 54.50 88.20 -33.70 37.38 39.88 20.47 43.66 0.43 -- -- Peak 2 19515.00 40.87 74.00 -33.13 50.46 37.93 25.11 63.09 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 53.71 88.20 -34.49 36.59 39.88 20.47 43.66 0.43 -- -- Peak 2 19515.00 40.57 74.00 -33.43 50.16 37.93 25.11 63.09 -9.54 -- -- Peak

Mode	96	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_6505MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	97	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 115.93 ------ ------ 104.03 36.12 14.00 38.22 0.00 390 45 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 109.45 ------ ------ 97.51 36.15 14.01 38.22 0.00 390 45 Average

Mode	97	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 118.75 ------ ------ 106.85 36.12 14.00 38.22 0.00 184 9 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 112.06 ------ ------ 100.12 36.15 14.01 38.22 0.00 184 9 Average

Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 59.80 88.20 -28.40 42.68 39.84 20.54 43.69 0.43 243 73 Peak 2 19605.00 40.28 74.00 -33.72 49.78 37.90 25.18 63.04 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 59.95 88.20 -28.25 42.83 39.84 20.54 43.69 0.43 239 181 Peak 2 19605.00 40.45 74.00 -33.55 49.95 37.90 25.18 63.04 -9.54 -- -- Peak

Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	98	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 115.36 ------ ------ 102.65 36.30 14.73 38.32 0.00 400 47 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 107.86 ------ ------ 95.15 36.30 14.73 38.32 0.00 400 47 Average

Mode	98	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 115.95 ------ ------ 103.32 36.30 14.64 38.31 0.00 183 9 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 109.98 ------ ------ 97.27 36.30 14.73 38.32 0.00 183 9 Average

Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 61.63 74.00 -12.37 44.08 40.10 20.89 43.85 0.41 301 290 Peak 2 13390.00 50.61 54.00 -3.39 33.06 40.10 20.89 43.85 0.41 301 290 Average 3 20085.00 41.25 74.00 -32.75 50.03 37.90 25.49 62.63 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 59.95 74.00 -14.05 42.40 40.10 20.89 43.85 0.41 224 167 Peak 2 13390.00 49.33 54.00 -4.67 31.78 40.10 20.89 43.85 0.41 224 167 Average 3 20085.00 41.52 74.00 -32.48 50.30 37.90 25.49 62.63 -9.54 -- -- Peak

Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	99	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 120.92 ------ ------ 107.67 36.50 15.18 38.43 0.00 398 45 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 118.71 ------ ------ 105.46 36.50 15.18 38.43 0.00 398 45 Average

Mode	99	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 120.84 ------ ------ 107.59 36.50 15.18 38.43 0.00 191 3 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 118.13 ------ ------ 104.88 36.50 15.18 38.43 0.00 191 3 Average

Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 63.81 88.20 -24.39 45.99 40.30 21.28 44.14 0.38 299 287 Peak 2 20625.00 40.53 74.00 -33.47 48.31 37.95 25.59 61.78 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 63.35 88.20 -24.85 45.53 40.30 21.28 44.14 0.38 100 324 Peak 2 20625.00 41.06 74.00 -32.94 48.84 37.95 25.59 61.78 -9.54 -- -- Peak

Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	100	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 114.28 ------ ------ 102.38 36.12 14.00 38.22 0.00 393 51 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 107.52 ------ ------ 95.62 36.12 14.00 38.22 0.00 393 51 Average

Mode	100	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 116.35 ------ ------ 104.45 36.12 14.00 38.22 0.00 190 360 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6535.00 109.01 ------ ------ 97.11 36.12 14.00 38.22 0.00 190 360 Average

Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 54.51 88.20 -33.69 37.39 39.84 20.54 43.69 0.43 -- -- Peak 2 19605.00 40.69 74.00 -33.31 50.19 37.90 25.18 63.04 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 57.81 88.20 -30.39 40.69 39.84 20.54 43.69 0.43 200 346 Peak 2 19605.00 40.80 74.00 -33.20 50.30 37.90 25.18 63.04 -9.54 -- -- Peak

Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg		

Mode	101	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 115.04 ------ ------ 102.38 36.30 14.68 38.32 0.00 388 45 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 107.46 ------ ------ 94.80 36.30 14.68 38.32 0.00 388 45 Average

Mode	101	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 116.30 ------ ------ 103.64 36.30 14.68 38.32 0.00 173 360 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6695.00 109.02 ------ ------ 96.36 36.30 14.68 38.32 0.00 173 360 Average

Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 13390.00 60.27 74.00 -13.73 42.72 40.10 20.89 43.85 0.41 305 291 Peak 2 13390.00 49.80 54.00 -4.20 32.25 40.10 20.89 43.85 0.41 305 291 Average 3 20085.00 40.95 74.00 -33.05 49.73 37.90 25.49 62.63 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 13390.00 59.15 74.00 -14.85 41.60 40.10 20.89 43.85 0.41 347 166 Peak 2 13390.00 48.32 54.00 -5.68 30.77 40.10 20.89 43.85 0.41 347 166 Average 3 20085.00 40.81 74.00 -33.19 49.59 37.90 25.49 62.63 -9.54 -- -- Peak

Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	102	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 117.64 ------ ------ 104.37 36.50 15.20 38.43 0.00 327 33 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 110.06 ------ ------ 96.81 36.50 15.18 38.43 0.00 327 33 Average

Mode	102	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 117.59 ------ ------ 104.32 36.50 15.20 38.43 0.00 157 0 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6875.00 110.32 ------ ------ 97.07 36.50 15.18 38.43 0.00 157 0 Average

Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 63.12 88.20 -25.08 45.30 40.30 21.28 44.14 0.38 282 286 Peak 2 20625.00 40.17 74.00 -33.83 47.95 37.95 25.59 61.78 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 60.95 88.20 -27.25 43.13 40.30 21.28 44.14 0.38 208 336 Peak 2 20625.00 40.48 74.00 -33.52 48.26 37.95 25.59 61.78 -9.54 -- -- Peak

Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	103	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6565.00 113.90 ------ ------ 101.90 36.20 14.04 38.24 0.00 389 52 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6565.00 105.55 ------ ------ 93.55 36.20 14.04 38.24 0.00 389 52 Average

Mode	103	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6565.00 114.69 ------ ------ 102.68 36.20 14.05 38.24 0.00 189 360 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6565.00 107.09 ------ ------ 95.08 36.20 14.05 38.24 0.00 189 360 Average

Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 55.98 88.20 -32.22 38.72 39.96 20.60 43.72 0.42 200 84 Peak 2 19695.00 41.24 74.00 -32.76 50.62 37.90 25.24 62.98 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 55.89 88.20 -32.31 38.63 39.96 20.60 43.72 0.42 203 338 Peak 2 19695.00 41.52 74.00 -32.48 50.90 37.90 25.24 62.98 -9.54 -- -- Peak

Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	104	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6685.00 114.19 ------ ------ 101.56 36.30 14.64 38.31 0.00 389 48 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6685.00 105.58 ------ ------ 93.00 36.30 14.59 38.31 0.00 389 48 Average

Mode	104	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6685.00 114.96 ------ ------ 102.38 36.30 14.59 38.31 0.00 172 360 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6685.00 106.96 ------ ------ 94.33 36.30 14.64 38.31 0.00 172 360 Average

Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 59.78 74.00 -14.22 42.24 40.10 20.87 43.84 0.41 301 290 Peak 2 13370.00 49.69 54.00 -4.31 32.15 40.10 20.87 43.84 0.41 301 290 Average 3 20055.00 40.31 74.00 -33.69 49.16 37.90 25.48 62.69 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 56.63 74.00 -17.37 39.09 40.10 20.87 43.84 0.41 300 169 Peak 2 13370.00 46.16 54.00 -7.84 28.62 40.10 20.87 43.84 0.41 300 169 Average 3 20055.00 40.43 74.00 -33.57 49.28 37.90 25.48 62.69 -9.54 -- -- Peak

Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	105	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6885.00 113.49 ------ ------ 100.31 36.50 15.12 38.44 0.00 393 49 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6885.00 105.71 ------ ------ 92.53 36.50 15.12 38.44 0.00 393 49 Average

Mode	105	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6885.00 114.52 ------ ------ 101.30 36.50 15.16 38.44 0.00 149 6 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6885.00 106.82 ------ ------ 93.60 36.50 15.16 38.44 0.00 149 6 Average

Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 59.71 88.20 -28.49 41.84 40.34 21.31 44.16 0.38 297 287 Peak 2 20655.00 39.98 74.00 -34.02 47.78 37.92 25.59 61.77 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 60.73 88.20 -27.47 42.86 40.34 21.31 44.16 0.38 208 332 Peak 2 20655.00 40.43 74.00 -33.57 48.23 37.92 25.59 61.77 -9.54 -- -- Peak

Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	106	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6625.00 110.34 ------ ------ 97.99 36.28 14.36 38.29 0.00 396 45 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6625.00 101.92 ------ ------ 89.73 36.24 14.23 38.28 0.00 396 45 Average

Mode	106	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6625.00 112.41 ------ ------ 100.06 36.28 14.36 38.29 0.00 180 360 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6625.00 104.04 ------ ------ 91.69 36.28 14.36 38.29 0.00 180 360 Average

Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL 1 13250.00 56.76 74.00 -17.24 39.39 40.00 20.74 43.78 0.41 305 291 Peak 2 13250.00 47.11 54.00 -6.89 29.74 40.00 20.73 43.78 0.42 305 291 Average 3 19875.00 41.27 74.00 -32.73 50.41 37.90 25.38 62.88 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL 1 13250.00 56.16 74.00 -17.84 38.79 40.00 20.74 43.78 0.41 -- -- Peak 2 13250.00 46.67 54.00 -7.33 29.30 40.00 20.73 43.78 0.42 -- -- Average 3 19875.00 40.97 74.00 -33.03 50.11 37.90 25.38 62.88 -9.54 -- -- Peak

Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL

Mode	107	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6705.00 111.63 ------ ------ 98.85 36.26 14.86 38.34 0.00 400 48 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6705.00 103.14 ------ ------ 90.36 36.26 14.86 38.34 0.00 400 48 Average

Mode	107	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6705.00 112.18 ------ ------ 99.55 36.30 14.64 38.31 0.00 165 358 Peak
Avg	Blank	 Site : 03CH17-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6705.00 104.44 ------ ------ 91.62 36.25 14.91 38.34 0.00 165 358 Average

Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 56.01 88.20 -32.19 38.45 40.10 20.91 43.86 0.41 300 292 Peak 2 20115.00 41.51 74.00 -32.49 50.23 37.90 25.49 62.57 -9.54 -- -- Peak	 Site : 03CH17-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1223_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 54.86 88.20 -33.34 37.30 40.10 20.91 43.86 0.41 300 167 Peak 2 20115.00 40.90 74.00 -33.10 49.62 37.90 25.49 62.57 -9.54 -- -- Peak

Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg