



Mode	39									
	Band Edge - R									
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz									
ANT	6									
Pol.	Vertical					Fundamental				
Peak										







Mode	39																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																																																																									
ANT	6																																																																																																																																																									
Pol.	Horizontal							Vertical																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>36.64</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>35.59</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>27.17</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4880.00	44.37	74.00	-29.63	36.64	32.42	12.27	37.72	0.76	--	--	--	Peak	2	7320.00	49.98	74.00	-24.02	35.59	37.00	15.39	38.92	0.92	--	--	--	Peak	3	7320.00	41.56	54.00	-12.44	27.17	37.00	15.39	38.92	0.92	--	--	--	Average	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>37.07</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>35.45</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>41.42</td><td>54.00</td><td>-12.58</td><td>27.03</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4880.00	44.80	74.00	-29.20	37.07	32.42	12.27	37.72	0.76	--	--	--	Peak	2	7320.00	49.84	74.00	-24.16	35.45	37.00	15.39	38.92	0.92	--	--	--	Peak	3	7320.00	41.42	54.00	-12.58	27.03	37.00	15.39	38.92	0.92	--	--	--	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	4880.00	44.37	74.00	-29.63	36.64	32.42	12.27	37.72	0.76	--	--	--	Peak																																																																																																																																													
2	7320.00	49.98	74.00	-24.02	35.59	37.00	15.39	38.92	0.92	--	--	--	Peak																																																																																																																																													
3	7320.00	41.56	54.00	-12.44	27.17	37.00	15.39	38.92	0.92	--	--	--	Average																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	4880.00	44.80	74.00	-29.20	37.07	32.42	12.27	37.72	0.76	--	--	--	Peak																																																																																																																																													
2	7320.00	49.84	74.00	-24.16	35.45	37.00	15.39	38.92	0.92	--	--	--	Peak																																																																																																																																													
3	7320.00	41.42	54.00	-12.58	27.03	37.00	15.39	38.92	0.92	--	--	--	Average																																																																																																																																													



Mode	39	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz	
ANT	6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	40																																																																																													
	Band Edge																																																																																													
	2400-2483.5 Bluetooth-LE CS_CH76_2478MHz																																																																																													
ANT	6																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2026-02-03 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2478 2482.4 2486.8 2491.2 2495.6 2500 Frequency (MHz) PEAK_BE_74 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2492.17</td><td>48.58</td><td>74.00</td><td>-25.42</td><td>40.58</td><td>26.72</td><td>7.84</td><td>36.59</td><td>10.03</td><td>100</td><td>267</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2492.17	48.58	74.00	-25.42	40.58	26.72	7.84	36.59	10.03	100	267	Peak	 Level (dBuV/m) Date: 2026-02-03 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) PEAK_74 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>105.51</td><td>-----</td><td>-----</td><td>97.57</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>100</td><td>267</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2478.00	105.51	-----	-----	97.57	26.68	7.81	36.58	10.03	100	267	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2492.17	48.58	74.00	-25.42	40.58	26.72	7.84	36.59	10.03	100	267	Peak																																																																																		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2478.00	105.51	-----	-----	97.57	26.68	7.81	36.58	10.03	100	267	Peak																																																																																		
Avg	 Level (dBuV/m) Date: 2026-02-03 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2478 2482.4 2486.8 2491.2 2495.6 2500 Frequency (MHz) AVG_BE_54 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.61</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>32.33</td><td>26.70</td><td>7.82</td><td>36.58</td><td>10.03</td><td>100</td><td>267</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2483.61	40.30	54.00	-13.70	32.33	26.70	7.82	36.58	10.03	100	267	Average	 Level (dBuV/m) Date: 2026-02-03 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) AVG_54 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>105.29</td><td>-----</td><td>-----</td><td>97.35</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>100</td><td>267</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2478.00	105.29	-----	-----	97.35	26.68	7.81	36.58	10.03	100	267	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2483.61	40.30	54.00	-13.70	32.33	26.70	7.82	36.58	10.03	100	267	Average																																																																																		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2478.00	105.29	-----	-----	97.35	26.68	7.81	36.58	10.03	100	267	Average																																																																																		



Mode	40																																																																																													
	Band Edge																																																																																													
	2400-2483.5_Bluetooth-LE_CS_CH76_2478MHz																																																																																													
ANT	6																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2026-02-03 PEAK_BE_74						Level (dBuV/m) Date: 2026-02-03 PEAK_74																																																																																							
	Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.59</td><td>48.36</td><td>74.00</td><td>-25.64</td><td>40.38</td><td>26.70</td><td>7.83</td><td>36.58</td><td>10.03</td><td></td><td>400</td><td></td><td>3 Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2485.59	48.36	74.00	-25.64	40.38	26.70	7.83	36.58	10.03		400		3 Peak	Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>100.27</td><td>-----</td><td>-----</td><td>92.33</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td></td><td>400</td><td></td><td>3 Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2478.00	100.27	-----	-----	92.33	26.68	7.81	36.58	10.03		400	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2485.59	48.36	74.00	-25.64	40.38	26.70	7.83	36.58	10.03		400		3 Peak																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2478.00	100.27	-----	-----	92.33	26.68	7.81	36.58	10.03		400		3 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-02-03 AVG_BE_54						Level (dBuV/m) Date: 2026-02-03 AVG_54																																																																																							
	Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2486.40</td><td>40.22</td><td>54.00</td><td>-13.78</td><td>32.24</td><td>26.70</td><td>7.83</td><td>36.58</td><td>10.03</td><td></td><td>400</td><td></td><td>3 Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2486.40	40.22	54.00	-13.78	32.24	26.70	7.83	36.58	10.03		400		3 Average	Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>100.19</td><td>-----</td><td>-----</td><td>92.25</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td></td><td>400</td><td></td><td>3 Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2478.00	100.19	-----	-----	92.25	26.68	7.81	36.58	10.03		400	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2486.40	40.22	54.00	-13.78	32.24	26.70	7.83	36.58	10.03		400		3 Average																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2478.00	100.19	-----	-----	92.25	26.68	7.81	36.58	10.03		400		3 Average																																																																																	



Mode	40																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																																																																							
ANT	6																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>38.03</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>35.16</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>41.33</td><td>54.00</td><td>-12.67</td><td>26.83</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	45.81	74.00	-28.19	38.03	32.71	12.13	37.75	0.69	--	--	Peak	2	7434.00	49.66	74.00	-24.34	35.16	37.03	15.61	39.07	0.93	--	--	Peak	3	7434.00	41.33	54.00	-12.67	26.83	37.03	15.61	39.07	0.93	--	--	Average	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>37.70</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>35.96</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>41.37</td><td>54.00</td><td>-12.63</td><td>26.87</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	45.48	74.00	-28.52	37.70	32.71	12.13	37.75	0.69	--	--	Peak	2	7434.00	50.46	74.00	-23.54	35.96	37.03	15.61	39.07	0.93	--	--	Peak	3	7434.00	41.37	54.00	-12.63	26.87	37.03	15.61	39.07	0.93	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4956.00	45.81	74.00	-28.19	38.03	32.71	12.13	37.75	0.69	--	--	Peak																																																																																																																																												
2	7434.00	49.66	74.00	-24.34	35.16	37.03	15.61	39.07	0.93	--	--	Peak																																																																																																																																												
3	7434.00	41.33	54.00	-12.67	26.83	37.03	15.61	39.07	0.93	--	--	Average																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4956.00	45.48	74.00	-28.52	37.70	32.71	12.13	37.75	0.69	--	--	Peak																																																																																																																																												
2	7434.00	50.46	74.00	-23.54	35.96	37.03	15.61	39.07	0.93	--	--	Peak																																																																																																																																												
3	7434.00	41.37	54.00	-12.63	26.87	37.03	15.61	39.07	0.93	--	--	Average																																																																																																																																												



Mode	40	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz	
ANT	6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	60																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																																																																																																					
ANT	6																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QP/ Peak	Level (dBuV/m) Date: 2026-02-13 Site : 03CH17-HY Condition: QP 3m Bilog_55606 & 08_251126_208illog HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>20.95</td><td>40.00</td><td>-19.05</td><td>28.25</td><td>24.49</td><td>0.84</td><td>32.64</td><td>0.01 -- -- Peak</td></tr><tr><td>2</td><td>159.01</td><td>31.69</td><td>43.50</td><td>-11.81</td><td>45.53</td><td>16.76</td><td>1.93</td><td>32.57</td><td>0.04 -- -- Peak</td></tr><tr><td>3</td><td>265.71</td><td>21.96</td><td>46.00</td><td>-24.04</td><td>32.17</td><td>19.74</td><td>2.57</td><td>32.59</td><td>0.07 -- -- Peak</td></tr><tr><td>4</td><td>452.92</td><td>24.36</td><td>46.00</td><td>-21.64</td><td>30.62</td><td>23.10</td><td>3.29</td><td>32.73</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>753.62</td><td>30.27</td><td>46.00</td><td>-15.73</td><td>30.25</td><td>28.11</td><td>4.44</td><td>32.67</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>900.09</td><td>34.28</td><td>46.00</td><td>-11.72</td><td>32.35</td><td>28.92</td><td>4.71</td><td>31.86</td><td>0.16 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.00	20.95	40.00	-19.05	28.25	24.49	0.84	32.64	0.01 -- -- Peak	2	159.01	31.69	43.50	-11.81	45.53	16.76	1.93	32.57	0.04 -- -- Peak	3	265.71	21.96	46.00	-24.04	32.17	19.74	2.57	32.59	0.07 -- -- Peak	4	452.92	24.36	46.00	-21.64	30.62	23.10	3.29	32.73	0.08 -- -- Peak	5	753.62	30.27	46.00	-15.73	30.25	28.11	4.44	32.67	0.14 -- -- Peak	6	900.09	34.28	46.00	-11.72	32.35	28.92	4.71	31.86	0.16 -- -- Peak	Level (dBuV/m) Date: 2026-02-13 Site : 03CH17-HY Condition: QP 3m Bilog_55606 & 08_251126_208illog VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>40.67</td><td>30.83</td><td>40.00</td><td>-9.17</td><td>43.29</td><td>19.09</td><td>1.06</td><td>32.62</td><td>0.01 -- -- Peak</td></tr><tr><td>2</td><td>133.79</td><td>30.92</td><td>43.50</td><td>-12.58</td><td>43.84</td><td>17.87</td><td>1.75</td><td>32.57</td><td>0.03 -- -- Peak</td></tr><tr><td>3</td><td>233.70</td><td>31.29</td><td>46.00</td><td>-14.71</td><td>44.85</td><td>16.58</td><td>2.37</td><td>32.59</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>440.31</td><td>27.17</td><td>46.00</td><td>-18.83</td><td>33.73</td><td>22.81</td><td>3.29</td><td>32.73</td><td>0.07 -- -- Peak</td></tr><tr><td>5</td><td>741.01</td><td>29.59</td><td>46.00</td><td>-16.41</td><td>29.73</td><td>28.00</td><td>4.42</td><td>32.70</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>948.59</td><td>33.13</td><td>46.00</td><td>-12.87</td><td>28.93</td><td>30.51</td><td>4.86</td><td>31.39</td><td>0.22 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	40.67	30.83	40.00	-9.17	43.29	19.09	1.06	32.62	0.01 -- -- Peak	2	133.79	30.92	43.50	-12.58	43.84	17.87	1.75	32.57	0.03 -- -- Peak	3	233.70	31.29	46.00	-14.71	44.85	16.58	2.37	32.59	0.08 -- -- Peak	4	440.31	27.17	46.00	-18.83	33.73	22.81	3.29	32.73	0.07 -- -- Peak	5	741.01	29.59	46.00	-16.41	29.73	28.00	4.42	32.70	0.14 -- -- Peak	6	948.59	33.13	46.00	-12.87	28.93	30.51	4.86	31.39	0.22 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	30.00	20.95	40.00	-19.05	28.25	24.49	0.84	32.64	0.01 -- -- Peak																																																																																																																																																																													
2	159.01	31.69	43.50	-11.81	45.53	16.76	1.93	32.57	0.04 -- -- Peak																																																																																																																																																																													
3	265.71	21.96	46.00	-24.04	32.17	19.74	2.57	32.59	0.07 -- -- Peak																																																																																																																																																																													
4	452.92	24.36	46.00	-21.64	30.62	23.10	3.29	32.73	0.08 -- -- Peak																																																																																																																																																																													
5	753.62	30.27	46.00	-15.73	30.25	28.11	4.44	32.67	0.14 -- -- Peak																																																																																																																																																																													
6	900.09	34.28	46.00	-11.72	32.35	28.92	4.71	31.86	0.16 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	40.67	30.83	40.00	-9.17	43.29	19.09	1.06	32.62	0.01 -- -- Peak																																																																																																																																																																													
2	133.79	30.92	43.50	-12.58	43.84	17.87	1.75	32.57	0.03 -- -- Peak																																																																																																																																																																													
3	233.70	31.29	46.00	-14.71	44.85	16.58	2.37	32.59	0.08 -- -- Peak																																																																																																																																																																													
4	440.31	27.17	46.00	-18.83	33.73	22.81	3.29	32.73	0.07 -- -- Peak																																																																																																																																																																													
5	741.01	29.59	46.00	-16.41	29.73	28.00	4.42	32.70	0.14 -- -- Peak																																																																																																																																																																													
6	948.59	33.13	46.00	-12.87	28.93	30.51	4.86	31.39	0.22 -- -- Peak																																																																																																																																																																													



Mode	61																																																																																	
	SHF																																																																																	
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak	Level (dBuV/m) Date: 2026-02-11 Site : 03CH17-HY Condition: PEAK_74 1m BBHA9170_00994_250109 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 19068.61</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>52.14</td><td>38.46</td><td>24.78</td><td>64.21</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 19068.61	41.63	74.00	-32.37	52.14	38.46	24.78	64.21	-9.54	-- -- PEAK	Level (dBuV/m) Date: 2026-02-11 Site : 03CH17-HY Condition: PEAK_74 1m BBHA9170_00994_250109 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 19067.38</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>51.03</td><td>38.47</td><td>24.78</td><td>64.21</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 19067.38	40.53	74.00	-33.47	51.03	38.47	24.78	64.21	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 19068.61	41.63	74.00	-32.37	52.14	38.46	24.78	64.21	-9.54	-- -- PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 19067.38	40.53	74.00	-33.47	51.03	38.47	24.78	64.21	-9.54	-- -- PEAK																																																																									



Mode	41																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2348.73</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>40.25</td><td>27.10</td><td>7.62</td><td>36.52</td><td>10.03</td><td>111</td><td>245</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2348.73	48.48	74.00	-25.52	40.25	27.10	7.62	36.52	10.03	111	245	Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>104.11</td><td>-----</td><td>-----</td><td>96.13</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>111</td><td>245</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	104.11	-----	-----	96.13	26.80	7.69	36.54	10.03	111	245	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2348.73	48.48	74.00	-25.52	40.25	27.10	7.62	36.52	10.03	111	245	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2404.00	104.11	-----	-----	96.13	26.80	7.69	36.54	10.03	111	245	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2310.28</td><td>39.45</td><td>54.00</td><td>-14.55</td><td>31.25</td><td>27.10</td><td>7.57</td><td>36.50</td><td>10.03</td><td>111</td><td>245</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.28	39.45	54.00	-14.55	31.25	27.10	7.57	36.50	10.03	111	245	Average	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>104.34</td><td>-----</td><td>-----</td><td>96.36</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>111</td><td>245</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	104.34	-----	-----	96.36	26.80	7.69	36.54	10.03	111	245	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2310.28	39.45	54.00	-14.55	31.25	27.10	7.57	36.50	10.03	111	245	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2404.00	104.34	-----	-----	96.36	26.80	7.69	36.54	10.03	111	245	Average																																																																																								



Mode	41																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Vertical																																																																																																									
Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2325.51</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>41.67</td><td>27.06</td><td>7.59</td><td>36.51</td><td>10.03</td><td>373</td><td></td><td></td><td>0 Peak</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2325.51	49.84	74.00	-24.16	41.67	27.06	7.59	36.51	10.03	373			0 Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>100.29</td><td>-----</td><td>-----</td><td>92.31</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>373</td><td></td><td></td><td>0 Peak</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2404.00	100.29	-----	-----	92.31	26.80	7.69	36.54	10.03	373			0 Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																														
1	2325.51	49.84	74.00	-24.16	41.67	27.06	7.59	36.51	10.03	373			0 Peak																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																														
1	2404.00	100.29	-----	-----	92.31	26.80	7.69	36.54	10.03	373			0 Peak																																																																																													
Avg	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2336.32</td><td>39.45</td><td>54.00</td><td>-14.55</td><td>31.23</td><td>27.10</td><td>7.60</td><td>36.51</td><td>10.03</td><td>373</td><td></td><td></td><td>0 Average</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2336.32	39.45	54.00	-14.55	31.23	27.10	7.60	36.51	10.03	373			0 Average	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>100.16</td><td>-----</td><td>-----</td><td>92.18</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>373</td><td></td><td></td><td>0 Average</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2404.00	100.16	-----	-----	92.18	26.80	7.69	36.54	10.03	373			0 Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																														
1	2336.32	39.45	54.00	-14.55	31.23	27.10	7.60	36.51	10.03	373			0 Average																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																														
1	2404.00	100.16	-----	-----	92.18	26.80	7.69	36.54	10.03	373			0 Average																																																																																													



Mode	41																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																							
ANT	6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4808.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>37.00</td><td>32.22</td><td>12.41</td><td>37.69</td><td>0.82</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4808.00	44.76	74.00	-29.24	37.00	32.22	12.41	37.69	0.82	--	--	Peak	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4808.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>36.91</td><td>32.22</td><td>12.41</td><td>37.69</td><td>0.82</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4808.00	44.67	74.00	-29.33	36.91	32.22	12.41	37.69	0.82	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	4808.00	44.76	74.00	-29.24	37.00	32.22	12.41	37.69	0.82	--	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	4808.00	44.67	74.00	-29.33	36.91	32.22	12.41	37.69	0.82	--	--	Peak																																																																																												



Mode	41	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS _CH02_2404MHz	
ANT	6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	42																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.63</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>40.76</td><td>26.91</td><td>7.64</td><td>36.53</td><td>10.03</td><td>104</td><td>276</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.63	48.81	74.00	-25.19	40.76	26.91	7.64	36.53	10.03	104	276	Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>92.57</td><td>-----</td><td>-----</td><td>84.75</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>400</td><td>162</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	92.57	-----	-----	84.75	26.60	7.75	36.56	10.03	400	162	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2368.63	48.81	74.00	-25.19	40.76	26.91	7.64	36.53	10.03	104	276	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	92.57	-----	-----	84.75	26.60	7.75	36.56	10.03	400	162	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.02</td><td>39.21</td><td>54.00</td><td>-14.79</td><td>31.15</td><td>26.90</td><td>7.66</td><td>36.53</td><td>10.03</td><td>104</td><td>276</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.02	39.21	54.00	-14.79	31.15	26.90	7.66	36.53	10.03	104	276	Average	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>92.54</td><td>-----</td><td>-----</td><td>84.72</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>400</td><td>162</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	92.54	-----	-----	84.72	26.60	7.75	36.56	10.03	400	162	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2382.02	39.21	54.00	-14.79	31.15	26.90	7.66	36.53	10.03	104	276	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	92.54	-----	-----	84.72	26.60	7.75	36.56	10.03	400	162	Average																																																																																								



Mode	42											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz											
ANT	6											
Pol.	Horizontal						Fundamental					
Peak												





Mode	42										
	Band Edge - L										
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz										
ANT	6										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m)										



Mode	42																																																					
	Band Edge - R																																																					
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																					
ANT	6																																																					
Pol.	Vertical						Fundamental																																															
Peak	Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.38</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>40.44</td><td>26.72</td><td>7.84</td><td>36.59</td><td>10.03</td><td>80</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.38	48.44	74.00	-25.56	40.44	26.72	7.84	36.59	10.03	80	Peak	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2492.38	48.44	74.00	-25.56	40.44	26.72	7.84	36.59	10.03	80	Peak																																											
Avg	Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.42</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>30.92</td><td>26.77</td><td>7.85</td><td>36.59</td><td>10.03</td><td>100</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.42	38.98	54.00	-15.02	30.92	26.77	7.85	36.59	10.03	100	Average	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2497.42	38.98	54.00	-15.02	30.92	26.77	7.85	36.59	10.03	100	Average																																											







Mode	42																																																																																																																																																					
	Harmonic																																																																																																																																																					
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																																																																					
ANT	6																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td></td><td>37.31</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>50.02</td><td>74.00</td><td>-23.98</td><td></td><td>35.63</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>40.43</td><td>54.00</td><td>-13.57</td><td></td><td>26.04</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	45.04	74.00	-28.96		37.31	32.42	12.27	37.72	0.76	--	--	Peak	2	7320.00	50.02	74.00	-23.98		35.63	37.00	15.39	38.92	0.92	--	--	Peak	3	7320.00	40.43	54.00	-13.57		26.04	37.00	15.39	38.92	0.92	--	--	Average	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td></td><td>37.50</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td></td><td>35.65</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>40.47</td><td>54.00</td><td>-13.53</td><td></td><td>26.08</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	45.23	74.00	-28.77		37.50	32.42	12.27	37.72	0.76	--	--	Peak	2	7320.00	50.04	74.00	-23.96		35.65	37.00	15.39	38.92	0.92	--	--	Peak	3	7320.00	40.47	54.00	-13.53		26.08	37.00	15.39	38.92	0.92	--	--	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	4880.00	45.04	74.00	-28.96		37.31	32.42	12.27	37.72	0.76	--	--	Peak																																																																																																																																									
2	7320.00	50.02	74.00	-23.98		35.63	37.00	15.39	38.92	0.92	--	--	Peak																																																																																																																																									
3	7320.00	40.43	54.00	-13.57		26.04	37.00	15.39	38.92	0.92	--	--	Average																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	4880.00	45.23	74.00	-28.77		37.50	32.42	12.27	37.72	0.76	--	--	Peak																																																																																																																																									
2	7320.00	50.04	74.00	-23.96		35.65	37.00	15.39	38.92	0.92	--	--	Peak																																																																																																																																									
3	7320.00	40.47	54.00	-13.53		26.08	37.00	15.39	38.92	0.92	--	--	Average																																																																																																																																									



Mode	42	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS _CH38_2440MHz	
ANT	6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL





Mode	43																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2026-02-03  PEAK_BE_74 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2487.75</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>40.94</td><td>26.70</td><td>7.83</td><td>36.58</td><td>10.03</td><td>124</td><td>277</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.75	48.92	74.00	-25.08	40.94	26.70	7.83	36.58	10.03	124	277	Peak	Level (dBuV/m) Date: 2026-02-03  PEAK_74 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>105.13</td><td>-----</td><td>-----</td><td>97.19</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>124</td><td>277</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	105.13	-----	-----	97.19	26.68	7.81	36.58	10.03	124	277	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2487.75	48.92	74.00	-25.08	40.94	26.70	7.83	36.58	10.03	124	277	Peak																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2478.00	105.13	-----	-----	97.19	26.68	7.81	36.58	10.03	124	277	Peak																																																																																										
Avg	Level (dBuV/m) Date: 2026-02-03  AVG_BE_54 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.36</td><td>39.33</td><td>54.00</td><td>-14.67</td><td>31.36</td><td>26.70</td><td>7.82</td><td>36.58</td><td>10.03</td><td>124</td><td>277</td><td>Average</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.36	39.33	54.00	-14.67	31.36	26.70	7.82	36.58	10.03	124	277	Average	Level (dBuV/m) Date: 2026-02-03  AVG_54 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>104.25</td><td>-----</td><td>-----</td><td>96.31</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>124</td><td>277</td><td>Average</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	104.25	-----	-----	96.31	26.68	7.81	36.58	10.03	124	277	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2484.36	39.33	54.00	-14.67	31.36	26.70	7.82	36.58	10.03	124	277	Average																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2478.00	104.25	-----	-----	96.31	26.68	7.81	36.58	10.03	124	277	Average																																																																																										



Mode	43										
	Band Edge										
	2400-2483.5_Bluetooth-LE_CS_CH76_2478MHz										
ANT	6										
Pol.	Vertical										
Peak											



Mode	43																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																																																																								
ANT	6																																																																																																																																																								
Pol.	Horizontal							Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																									
	Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td></td><td>38.04</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>50.15</td><td>74.00</td><td>-23.85</td><td></td><td>35.65</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>40.74</td><td>54.00</td><td>-13.26</td><td></td><td>26.24</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	45.82	74.00	-28.18		38.04	32.71	12.13	37.75	0.69	--	--	Peak	2	7434.00	50.15	74.00	-23.85		35.65	37.03	15.61	39.07	0.93	--	--	Peak	3	7434.00	40.74	54.00	-13.26		26.24	37.03	15.61	39.07	0.93	--	--	Average	Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td></td><td>39.08</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>49.99</td><td>74.00</td><td>-24.01</td><td></td><td>35.49</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>41.21</td><td>54.00</td><td>-12.79</td><td></td><td>26.71</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	46.86	74.00	-27.14		39.08	32.71	12.13	37.75	0.69	--	--	Peak	2	7434.00	49.99	74.00	-24.01		35.49	37.03	15.61	39.07	0.93	--	--	Peak	3	7434.00	41.21	54.00	-12.79		26.71	37.03	15.61	39.07	0.93	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4956.00	45.82	74.00	-28.18		38.04	32.71	12.13	37.75	0.69	--	--	Peak																																																																																																																																												
2	7434.00	50.15	74.00	-23.85		35.65	37.03	15.61	39.07	0.93	--	--	Peak																																																																																																																																												
3	7434.00	40.74	54.00	-13.26		26.24	37.03	15.61	39.07	0.93	--	--	Average																																																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4956.00	46.86	74.00	-27.14		39.08	32.71	12.13	37.75	0.69	--	--	Peak																																																																																																																																												
2	7434.00	49.99	74.00	-24.01		35.49	37.03	15.61	39.07	0.93	--	--	Peak																																																																																																																																												
3	7434.00	41.21	54.00	-12.79		26.71	37.03	15.61	39.07	0.93	--	--	Average																																																																																																																																												



Mode	43	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz	
ANT	6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	47																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5 Bluetooth-LE CS_CH02_2404MHz																																																																																																	
ANT	7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.92</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>41.40</td><td>26.90</td><td>7.66</td><td>36.53</td><td>10.03</td><td>155</td><td>52 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.92	49.46	74.00	-24.54	41.40	26.90	7.66	36.53	10.03	155	52 Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.58</td><td>-----</td><td>-----</td><td>95.60</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>155</td><td>52 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.58	-----	-----	95.60	26.80	7.69	36.54	10.03	155	52 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2384.92	49.46	74.00	-24.54	41.40	26.90	7.66	36.53	10.03	155	52 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2404.00	103.58	-----	-----	95.60	26.80	7.69	36.54	10.03	155	52 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2339.61</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>32.44</td><td>27.10</td><td>7.61</td><td>36.51</td><td>10.03</td><td>155</td><td>52 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2339.61	40.67	54.00	-13.33	32.44	27.10	7.61	36.51	10.03	155	52 Average	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.47</td><td>-----</td><td>-----</td><td>95.49</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>155</td><td>52 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.47	-----	-----	95.49	26.80	7.69	36.54	10.03	155	52 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2339.61	40.67	54.00	-13.33	32.44	27.10	7.61	36.51	10.03	155	52 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2404.00	103.47	-----	-----	95.49	26.80	7.69	36.54	10.03	155	52 Average																																																																																							



Mode	47																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																		
ANT	7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.08</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>40.38</td><td>26.90</td><td>7.66</td><td>36.54</td><td>10.03</td><td>100 274 Peak</td></tr></table> Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.51</td><td>-----</td><td>-----</td><td>95.53</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>100 274 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.08	48.43	74.00	-25.57	40.38	26.90	7.66	36.54	10.03	100 274 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.51	-----	-----	95.53	26.80	7.69	36.54	10.03	100 274 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.08	48.43	74.00	-25.57	40.38	26.90	7.66	36.54	10.03	100 274 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	103.51	-----	-----	95.53	26.80	7.69	36.54	10.03	100 274 Peak																																																																																									
Avg	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2354.65</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>32.32</td><td>27.05</td><td>7.63</td><td>36.52</td><td>10.03</td><td>100 274 Average</td></tr></table> Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.69</td><td>-----</td><td>-----</td><td>95.71</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>100 274 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2354.65	40.51	54.00	-13.49	32.32	27.05	7.63	36.52	10.03	100 274 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.69	-----	-----	95.71	26.80	7.69	36.54	10.03	100 274 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2354.65	40.51	54.00	-13.49	32.32	27.05	7.63	36.52	10.03	100 274 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	103.69	-----	-----	95.71	26.80	7.69	36.54	10.03	100 274 Average																																																																																									



Mode	47																																																																																																																																																
	Harmonic																																																																																																																																																
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																																																																
ANT	7																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>37.06</td><td>32.22</td><td>12.41</td><td>37.69</td><td>0.82</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7212.00</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>35.62</td><td>36.67</td><td>15.14</td><td>38.78</td><td>0.93</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7212.00</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>27.18</td><td>36.67</td><td>15.14</td><td>38.78</td><td>0.93</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	44.82	74.00	-29.18	37.06	32.22	12.41	37.69	0.82	--	Peak	2	7212.00	49.58	74.00	-24.42	35.62	36.67	15.14	38.78	0.93	--	Peak	3	7212.00	41.14	54.00	-12.86	27.18	36.67	15.14	38.78	0.93	--	Average	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>36.55</td><td>32.22</td><td>12.41</td><td>37.69</td><td>0.82</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7212.00</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>35.18</td><td>36.67</td><td>15.14</td><td>38.78</td><td>0.93</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7212.00</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>27.03</td><td>36.67</td><td>15.14</td><td>38.78</td><td>0.93</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	44.31	74.00	-29.69	36.55	32.22	12.41	37.69	0.82	--	Peak	2	7212.00	49.14	74.00	-24.86	35.18	36.67	15.14	38.78	0.93	--	Peak	3	7212.00	40.99	54.00	-13.01	27.03	36.67	15.14	38.78	0.93	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4808.00	44.82	74.00	-29.18	37.06	32.22	12.41	37.69	0.82	--	Peak																																																																																																																																						
2	7212.00	49.58	74.00	-24.42	35.62	36.67	15.14	38.78	0.93	--	Peak																																																																																																																																						
3	7212.00	41.14	54.00	-12.86	27.18	36.67	15.14	38.78	0.93	--	Average																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4808.00	44.31	74.00	-29.69	36.55	32.22	12.41	37.69	0.82	--	Peak																																																																																																																																						
2	7212.00	49.14	74.00	-24.86	35.18	36.67	15.14	38.78	0.93	--	Peak																																																																																																																																						
3	7212.00	40.99	54.00	-13.01	27.03	36.67	15.14	38.78	0.93	--	Average																																																																																																																																						



Mode	47	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz	
ANT	7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	48																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																	
ANT	7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>40.62</td><td>26.90</td><td>7.67</td><td>36.54</td><td>10.03</td><td>152</td><td>51 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	48.68	74.00	-25.32	40.62	26.90	7.67	36.54	10.03	152	51 Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.55</td><td>-----</td><td>-----</td><td>94.73</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>152</td><td>51 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.55	-----	-----	94.73	26.60	7.75	36.56	10.03	152	51 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2387.74	48.68	74.00	-25.32	40.62	26.90	7.67	36.54	10.03	152	51 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	102.55	-----	-----	94.73	26.60	7.75	36.56	10.03	152	51 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2338.60</td><td>40.53</td><td>54.00</td><td>-13.47</td><td>32.30</td><td>27.10</td><td>7.61</td><td>36.51</td><td>10.03</td><td>152</td><td>51 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2338.60	40.53	54.00	-13.47	32.30	27.10	7.61	36.51	10.03	152	51 Average	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.44</td><td>-----</td><td>-----</td><td>94.62</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>152</td><td>51 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.44	-----	-----	94.62	26.60	7.75	36.56	10.03	152	51 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2338.60	40.53	54.00	-13.47	32.30	27.10	7.61	36.51	10.03	152	51 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	102.44	-----	-----	94.62	26.60	7.75	36.56	10.03	152	51 Average																																																																																							



Mode	48											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz											
ANT	7											
Pol.	Horizontal						Fundamental					
Peak	<											



Mode	48																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																		
ANT	7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.49</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>41.16</td><td>26.90</td><td>7.65</td><td>36.53</td><td>10.03</td><td>301</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.49	49.21	74.00	-24.79	41.16	26.90	7.65	36.53	10.03	301	Peak	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>103.29</td><td>-----</td><td>-----</td><td>95.47</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>100</td><td>301</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	103.29	-----	-----	95.47	26.60	7.75	36.56	10.03	100	301	Peak	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2371.49	49.21	74.00	-24.79	41.16	26.90	7.65	36.53	10.03	301	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	103.29	-----	-----	95.47	26.60	7.75	36.56	10.03	100	301	Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2327.68</td><td>40.78</td><td>54.00</td><td>-13.22</td><td>32.59</td><td>27.08</td><td>7.59</td><td>36.51</td><td>10.03</td><td>100</td><td>301</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2327.68	40.78	54.00	-13.22	32.59	27.08	7.59	36.51	10.03	100	301	Average	Level (dBuV/m) Date: 2026-02-03 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>103.28</td><td>-----</td><td>-----</td><td>95.46</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>100</td><td>301</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	103.28	-----	-----	95.46	26.60	7.75	36.56	10.03	100	301	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2327.68	40.78	54.00	-13.22	32.59	27.08	7.59	36.51	10.03	100	301	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	103.28	-----	-----	95.46	26.60	7.75	36.56	10.03	100	301	Average																																																																																							



Mode	48											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz											
ANT	7											
Pol.	Vertical						Fundamental					
Peak	</											







Mode	48																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																																																							
ANT	7																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>37.22</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>36.79</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>26.02</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	44.95	74.00	-29.05	37.22	32.42	12.27	37.72	0.76	--	Peak	2	7320.00	51.18	74.00	-22.82	36.79	37.00	15.39	38.92	0.92	--	Peak	3	7320.00	40.41	54.00	-13.59	26.02	37.00	15.39	38.92	0.92	--	Average	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>37.26</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>34.81</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>40.29</td><td>54.00</td><td>-13.71</td><td>25.90</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	44.99	74.00	-29.01	37.26	32.42	12.27	37.72	0.76	--	Peak	2	7320.00	49.20	74.00	-24.80	34.81	37.00	15.39	38.92	0.92	--	Peak	3	7320.00	40.29	54.00	-13.71	25.90	37.00	15.39	38.92	0.92	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4880.00	44.95	74.00	-29.05	37.22	32.42	12.27	37.72	0.76	--	Peak																																																																																																																													
2	7320.00	51.18	74.00	-22.82	36.79	37.00	15.39	38.92	0.92	--	Peak																																																																																																																													
3	7320.00	40.41	54.00	-13.59	26.02	37.00	15.39	38.92	0.92	--	Average																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4880.00	44.99	74.00	-29.01	37.26	32.42	12.27	37.72	0.76	--	Peak																																																																																																																													
2	7320.00	49.20	74.00	-24.80	34.81	37.00	15.39	38.92	0.92	--	Peak																																																																																																																													
3	7320.00	40.29	54.00	-13.71	25.90	37.00	15.39	38.92	0.92	--	Average																																																																																																																													



Mode	48	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz	
ANT	7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	49																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																															
ANT	7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2026-02-03  PEAK_BE_74 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.65</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>40.22</td><td>26.80</td><td>7.85</td><td>36.59</td><td>10.03</td><td>100</td><td>321</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.65	48.31	74.00	-25.69	40.22	26.80	7.85	36.59	10.03	100	321	Peak	Level (dBuV/m) Date: 2026-02-03  PEAK_74 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.45</td><td>-----</td><td>-----</td><td>96.51</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>100</td><td>321</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.45	-----	-----	96.51	26.68	7.81	36.58	10.03	100	321	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2499.65	48.31	74.00	-25.69	40.22	26.80	7.85	36.59	10.03	100	321	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2478.00	104.45	-----	-----	96.51	26.68	7.81	36.58	10.03	100	321	Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2026-02-03  AVG_BE_54 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.62</td><td>40.17</td><td>54.00</td><td>-13.83</td><td>32.20</td><td>26.70</td><td>7.82</td><td>36.58</td><td>10.03</td><td>100</td><td>321</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.62	40.17	54.00	-13.83	32.20	26.70	7.82	36.58	10.03	100	321	Average	Level (dBuV/m) Date: 2026-02-03  AVG_54 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>103.85</td><td>-----</td><td>-----</td><td>95.91</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>100</td><td>321</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.85	-----	-----	95.91	26.68	7.81	36.58	10.03	100	321	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2484.62	40.17	54.00	-13.83	32.20	26.70	7.82	36.58	10.03	100	321	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2478.00	103.85	-----	-----	95.91	26.68	7.81	36.58	10.03	100	321	Average																																																																																																				



Mode	49																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																			
ANT	7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-02-03 PEAK_BE_74 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.79</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>40.37</td><td>26.70</td><td>7.82</td><td>36.58</td><td>10.03</td><td>100</td><td>269</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.79	48.34	74.00	-25.66	40.37	26.70	7.82	36.58	10.03	100	269	Peak	Level (dBuV/m) Date: 2026-02-03 PEAK_74 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.41</td><td>-----</td><td>-----</td><td>94.47</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>100</td><td>269</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.41	-----	-----	94.47	26.68	7.81	36.58	10.03	100	269	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.79	48.34	74.00	-25.66	40.37	26.70	7.82	36.58	10.03	100	269	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	102.41	-----	-----	94.47	26.68	7.81	36.58	10.03	100	269	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-02-03 AVG_BE_54 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.59</td><td>40.13</td><td>54.00</td><td>-13.87</td><td>32.05</td><td>26.79</td><td>7.85</td><td>36.59</td><td>10.03</td><td>100</td><td>269</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.59	40.13	54.00	-13.87	32.05	26.79	7.85	36.59	10.03	100	269	Average	Level (dBuV/m) Date: 2026-02-03 AVG_54 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:7.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.73</td><td>-----</td><td>-----</td><td>93.79</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>100</td><td>269</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	101.73	-----	-----	93.79	26.68	7.81	36.58	10.03	100	269	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2498.59	40.13	54.00	-13.87	32.05	26.79	7.85	36.59	10.03	100	269	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	101.73	-----	-----	93.79	26.68	7.81	36.58	10.03	100	269	Average																																																																																								



Mode	49																																																																																																																																																
	Harmonic																																																																																																																																																
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																																																																
ANT	7																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>37.31</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>49.68</td><td>74.00</td><td>-24.32</td><td>35.18</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>40.48</td><td>54.00</td><td>-13.52</td><td>25.98</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	45.09	74.00	-28.91	37.31	32.71	12.13	37.75	0.69	--	Peak	2	7434.00	49.68	74.00	-24.32	35.18	37.03	15.61	39.07	0.93	--	Peak	3	7434.00	40.48	54.00	-13.52	25.98	37.03	15.61	39.07	0.93	--	Average	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>37.97</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>50.15</td><td>74.00</td><td>-23.85</td><td>35.65</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>26.11</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	45.75	74.00	-28.25	37.97	32.71	12.13	37.75	0.69	--	Peak	2	7434.00	50.15	74.00	-23.85	35.65	37.03	15.61	39.07	0.93	--	Peak	3	7434.00	40.61	54.00	-13.39	26.11	37.03	15.61	39.07	0.93	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4956.00	45.09	74.00	-28.91	37.31	32.71	12.13	37.75	0.69	--	Peak																																																																																																																																						
2	7434.00	49.68	74.00	-24.32	35.18	37.03	15.61	39.07	0.93	--	Peak																																																																																																																																						
3	7434.00	40.48	54.00	-13.52	25.98	37.03	15.61	39.07	0.93	--	Average																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4956.00	45.75	74.00	-28.25	37.97	32.71	12.13	37.75	0.69	--	Peak																																																																																																																																						
2	7434.00	50.15	74.00	-23.85	35.65	37.03	15.61	39.07	0.93	--	Peak																																																																																																																																						
3	7434.00	40.61	54.00	-13.39	26.11	37.03	15.61	39.07	0.93	--	Average																																																																																																																																						



Mode	49	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz	
ANT	7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL





Mode	50											
	Band Edge											
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz											
ANT	7											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m) </											



Mode	50																																																																																							
	Band Edge																																																																																							
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																							
ANT	7																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.28</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>39.42</td><td>27.03</td><td>7.63</td><td>36.52</td><td>10.03</td><td>100</td><td>79</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2357.28	47.59	74.00	-26.41	39.42	27.03	7.63	36.52	10.03	100	79	Peak	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>96.58</td><td>-----</td><td>-----</td><td>88.60</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>100</td><td>79</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	96.58	-----	-----	88.60	26.80	7.69	36.54	10.03	100	79	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2357.28	47.59	74.00	-26.41	39.42	27.03	7.63	36.52	10.03	100	79	Peak																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2404.00	96.58	-----	-----	88.60	26.80	7.69	36.54	10.03	100	79	Peak																																																																												
Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.43</td><td>37.99</td><td>54.00</td><td>-16.01</td><td>29.92</td><td>26.93</td><td>7.64</td><td>36.53</td><td>10.03</td><td>100</td><td>79</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2367.43	37.99	54.00	-16.01	29.92	26.93	7.64	36.53	10.03	100	79	Average	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>95.99</td><td>-----</td><td>-----</td><td>88.01</td><td>26.80</td><td>7.69</td><td>36.54</td><td>10.03</td><td>100</td><td>79</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	95.99	-----	-----	88.01	26.80	7.69	36.54	10.03	100	79	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2367.43	37.99	54.00	-16.01	29.92	26.93	7.64	36.53	10.03	100	79	Average																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2404.00	95.99	-----	-----	88.01	26.80	7.69	36.54	10.03	100	79	Average																																																																												



Mode	50																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																		
ANT	7																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4808.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>36.46</td><td>32.22</td><td>12.41</td><td>37.69</td><td>0.82</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	44.22	74.00	-29.78	36.46	32.22	12.41	37.69	0.82	--	-- Peak	Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4808.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>36.22</td><td>32.22</td><td>12.41</td><td>37.69</td><td>0.82</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	43.98	74.00	-30.02	36.22	32.22	12.41	37.69	0.82	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	4808.00	44.22	74.00	-29.78	36.46	32.22	12.41	37.69	0.82	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	4808.00	43.98	74.00	-30.02	36.22	32.22	12.41	37.69	0.82	--	-- Peak																																																																																								



Mode	50	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz	
ANT	7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	51																																																																																													
	Band Edge - L																																																																																													
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																													
ANT	7																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2338.86</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>40.71</td><td>27.10</td><td>7.61</td><td>36.51</td><td>10.03</td><td>275 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2338.86	48.94	74.00	-25.06	40.71	27.10	7.61	36.51	10.03	275 Peak	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>105.38</td><td>-----</td><td>-----</td><td>97.56</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>275 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	105.38	-----	-----	97.56	26.60	7.75	36.56	10.03	275 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2338.86	48.94	74.00	-25.06	40.71	27.10	7.61	36.51	10.03	275 Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2440.00	105.38	-----	-----	97.56	26.60	7.75	36.56	10.03	275 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.41</td><td>38.95</td><td>54.00</td><td>-15.05</td><td>30.90</td><td>26.91</td><td>7.64</td><td>36.53</td><td>10.03</td><td>275 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.41	38.95	54.00	-15.05	30.90	26.91	7.64	36.53	10.03	275 Average	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>104.83</td><td>-----</td><td>-----</td><td>97.01</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>275 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	104.83	-----	-----	97.01	26.60	7.75	36.56	10.03	275 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2369.41	38.95	54.00	-15.05	30.90	26.91	7.64	36.53	10.03	275 Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2440.00	104.83	-----	-----	97.01	26.60	7.75	36.56	10.03	275 Average																																																																																				



Mode	51											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz											
ANT	7											
Pol.	Horizontal						Fundamental					
Peak	<											





Mode	51																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																	
ANT	7																																																																																	
Pol.	Vertical						Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2026-02-04						Level (dBuV/m) Date: 2026-02-04																																																																											
	Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2312.99</td><td>49.06</td><td>74.00</td><td>-24.94</td><td>40.88</td><td>27.07</td><td>7.58</td><td>36.50</td><td>10.03</td><td>100</td><td>81 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2312.99	49.06	74.00	-24.94	40.88	27.07	7.58	36.50	10.03	100	81 Peak	Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>99.09</td><td>-----</td><td>-----</td><td>91.27</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>100</td><td>81 Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	99.09	-----	-----	91.27	26.60	7.75	36.56	10.03	100
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	2312.99	49.06	74.00	-24.94	40.88	27.07	7.58	36.50	10.03	100	81 Peak																																																																							
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	2440.00	99.09	-----	-----	91.27	26.60	7.75	36.56	10.03	100	81 Peak																																																																							
Avg	Level (dBuV/m) Date: 2026-02-04						Level (dBuV/m) Date: 2026-02-04																																																																											
	Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2361.35</td><td>38.99</td><td>54.00</td><td>-15.01</td><td>30.06</td><td>26.99</td><td>7.63</td><td>36.52</td><td>10.03</td><td>100</td><td>81 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2361.35	38.99	54.00	-15.01	30.06	26.99	7.63	36.52	10.03	100	81 Average	Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>98.43</td><td>-----</td><td>-----</td><td>90.61</td><td>26.60</td><td>7.75</td><td>36.56</td><td>10.03</td><td>100</td><td>81 Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	98.43	-----	-----	90.61	26.60	7.75	36.56	10.03	100
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	2361.35	38.99	54.00	-15.01	30.06	26.99	7.63	36.52	10.03	100	81 Average																																																																							
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	2440.00	98.43	-----	-----	90.61	26.60	7.75	36.56	10.03	100	81 Average																																																																							



Mode	51										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE CS _CH38_ 2440MHz										
ANT	7										
Pol.	Vertical						Fundamental				
Peak	<										







Mode	51																																																																																																																																																					
	Harmonic																																																																																																																																																					
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																																																																					
ANT	7																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td></td><td>37.76</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>50.33</td><td>74.00</td><td>-23.67</td><td></td><td>35.94</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>40.60</td><td>54.00</td><td>-13.40</td><td></td><td>26.21</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	45.49	74.00	-28.51		37.76	32.42	12.27	37.72	0.76	--	--	Peak	2	7320.00	50.33	74.00	-23.67		35.94	37.00	15.39	38.92	0.92	--	--	Peak	3	7320.00	40.60	54.00	-13.40		26.21	37.00	15.39	38.92	0.92	--	--	Average	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td></td><td>37.32</td><td>32.42</td><td>12.27</td><td>37.72</td><td>0.76</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>49.37</td><td>74.00</td><td>-24.63</td><td></td><td>34.98</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>40.60</td><td>54.00</td><td>-13.40</td><td></td><td>26.21</td><td>37.00</td><td>15.39</td><td>38.92</td><td>0.92</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	45.05	74.00	-28.95		37.32	32.42	12.27	37.72	0.76	--	--	Peak	2	7320.00	49.37	74.00	-24.63		34.98	37.00	15.39	38.92	0.92	--	--	Peak	3	7320.00	40.60	54.00	-13.40		26.21	37.00	15.39	38.92	0.92	--	--	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	4880.00	45.49	74.00	-28.51		37.76	32.42	12.27	37.72	0.76	--	--	Peak																																																																																																																																									
2	7320.00	50.33	74.00	-23.67		35.94	37.00	15.39	38.92	0.92	--	--	Peak																																																																																																																																									
3	7320.00	40.60	54.00	-13.40		26.21	37.00	15.39	38.92	0.92	--	--	Average																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	4880.00	45.05	74.00	-28.95		37.32	32.42	12.27	37.72	0.76	--	--	Peak																																																																																																																																									
2	7320.00	49.37	74.00	-24.63		34.98	37.00	15.39	38.92	0.92	--	--	Peak																																																																																																																																									
3	7320.00	40.60	54.00	-13.40		26.21	37.00	15.39	38.92	0.92	--	--	Average																																																																																																																																									







Mode	51	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS _CH38_2440MHz	
ANT	7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	52																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal																																																																																																													
Peak	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.76</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>40.70</td><td>26.70</td><td>7.83</td><td>36.58</td><td>10.03</td><td>276 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.76	48.68	74.00	-25.32	40.70	26.70	7.83	36.58	10.03	276 Peak	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.56</td><td>-----</td><td>-----</td><td>97.62</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>276 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.56	-----	-----	97.62	26.68	7.81	36.58	10.03	276 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2486.76	48.68	74.00	-25.32	40.70	26.70	7.83	36.58	10.03	276 Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2478.00	105.56	-----	-----	97.62	26.68	7.81	36.58	10.03	276 Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.38</td><td>38.99</td><td>54.00</td><td>-15.01</td><td>31.02</td><td>26.70</td><td>7.82</td><td>36.58</td><td>10.03</td><td>276 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.38	38.99	54.00	-15.01	31.02	26.70	7.82	36.58	10.03	276 Average	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.87</td><td>-----</td><td>-----</td><td>97.93</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>276 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.87	-----	-----	97.93	26.68	7.81	36.58	10.03	276 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2484.38	38.99	54.00	-15.01	31.02	26.70	7.82	36.58	10.03	276 Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2478.00	105.87	-----	-----	97.93	26.68	7.81	36.58	10.03	276 Average																																																																																																				



Mode	52																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																			
ANT	7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.31</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>40.77</td><td>26.75</td><td>7.84</td><td>36.59</td><td>10.03</td><td>400</td><td>355</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.31	48.80	74.00	-25.20	40.77	26.75	7.84	36.59	10.03	400	355	Peak	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>99.98</td><td>-----</td><td>-----</td><td>92.04</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>400</td><td>355</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	99.98	-----	-----	92.04	26.68	7.81	36.58	10.03	400	355	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2495.31	48.80	74.00	-25.20	40.77	26.75	7.84	36.59	10.03	400	355	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	99.98	-----	-----	92.04	26.68	7.81	36.58	10.03	400	355	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.29</td><td>39.11</td><td>54.00</td><td>-14.89</td><td>31.05</td><td>26.77</td><td>7.85</td><td>36.59</td><td>10.03</td><td>400</td><td>355</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.29	39.11	54.00	-14.89	31.05	26.77	7.85	36.59	10.03	400	355	Average	Level (dBuV/m) Date: 2026-02-04  Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>99.80</td><td>-----</td><td>-----</td><td>91.86</td><td>26.68</td><td>7.81</td><td>36.58</td><td>10.03</td><td>400</td><td>355</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	99.80	-----	-----	91.86	26.68	7.81	36.58	10.03	400	355	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2497.29	39.11	54.00	-14.89	31.05	26.77	7.85	36.59	10.03	400	355	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	99.80	-----	-----	91.86	26.68	7.81	36.58	10.03	400	355	Average																																																																																								



Mode	52																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																																																																							
ANT	7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>37.45</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>34.97</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>40.45</td><td>54.00</td><td>-13.55</td><td>25.95</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	45.23	74.00	-28.77	37.45	32.71	12.13	37.75	0.69	--	--	Peak	2	7434.00	49.47	74.00	-24.53	34.97	37.03	15.61	39.07	0.93	--	--	Peak	3	7434.00	40.45	54.00	-13.55	25.95	37.03	15.61	39.07	0.93	--	--	Average	Level (dBuV/m) Date: 2026-02-04 Site : 03CH17-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>37.16</td><td>32.71</td><td>12.13</td><td>37.75</td><td>0.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>35.26</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>40.47</td><td>54.00</td><td>-13.53</td><td>25.97</td><td>37.03</td><td>15.61</td><td>39.07</td><td>0.93</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	44.94	74.00	-29.06	37.16	32.71	12.13	37.75	0.69	--	--	Peak	2	7434.00	49.76	74.00	-24.24	35.26	37.03	15.61	39.07	0.93	--	--	Peak	3	7434.00	40.47	54.00	-13.53	25.97	37.03	15.61	39.07	0.93	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4956.00	45.23	74.00	-28.77	37.45	32.71	12.13	37.75	0.69	--	--	Peak																																																																																																																																												
2	7434.00	49.47	74.00	-24.53	34.97	37.03	15.61	39.07	0.93	--	--	Peak																																																																																																																																												
3	7434.00	40.45	54.00	-13.55	25.95	37.03	15.61	39.07	0.93	--	--	Average																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4956.00	44.94	74.00	-29.06	37.16	32.71	12.13	37.75	0.69	--	--	Peak																																																																																																																																												
2	7434.00	49.76	74.00	-24.24	35.26	37.03	15.61	39.07	0.93	--	--	Peak																																																																																																																																												
3	7434.00	40.47	54.00	-13.53	25.97	37.03	15.61	39.07	0.93	--	--	Average																																																																																																																																												




Mode	52	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz	
ANT	7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-02-04 Frequency (MHz) Site : 03CH17-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
0	Bluetooth - cs for 1Mbps	11.54	144	6.94	7.5KHz
0	Bluetooth - cs for 2Mbps	30.80	385	2.60	2.7KHz
1	Bluetooth - cs for 1Mbps	11.54	144	6.94	7.5KHz
1	Bluetooth - cs for 2Mbps	30.77	384	2.60	2.7KHz

<Ant. 0>



<Ant. 1>

