




Ant. 8+9

Part 270 Mode 20

EN-DC B5+n77 10M + 40M Ch20525 1RB0 QPSK + Ch664000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n77 30M Ch664000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	Amp\Cb 1						
1	7885.00	-55.86	RMS	36.53	-21.49	1.78	-95.23	22.55	-13.00	-42.86	Horizontal
2	11827.00	-48.94	RMS	38.40	-21.86	2.04	-95.23	27.71	-13.00	-35.94	Horizontal
3	15769.00	-50.34	RMS	40.76	-23.52	2.14	-95.23	25.51	-13.00	-37.34	Horizontal
4	19716.00	-50.20	RMS	37.90	-37.56	-9.54	-95.23	54.23	-13.00	-37.20	Horizontal
5	23654.00	-48.51	RMS	39.00	-32.04	-9.54	-95.23	49.30	-13.00	-35.51	Horizontal
6	27592.00	-55.41	RMS	39.48	-31.04	-9.54	-95.23	40.92	-13.00	-42.41	Horizontal
7	31552.00	-56.41	RMS	40.40	-28.72	-9.54	-95.23	36.68	-13.00	-43.41	Horizontal
8	35490.00	-52.87	RMS	42.10	-23.90	-9.54	-95.23	33.70	-13.00	-39.87	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n77 30M Ch664000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	Amp\Cb 1						
1	7885.00	-55.53	RMS	36.53	-21.49	1.78	-95.23	22.88	-13.00	-42.53	Vertical
2	11827.00	-50.22	RMS	38.40	-21.86	2.04	-95.23	26.43	-13.00	-37.22	Vertical
3	15769.00	-50.52	RMS	40.76	-23.52	2.14	-95.23	25.33	-13.00	-37.52	Vertical
4	19716.00	-50.33	RMS	37.90	-37.56	-9.54	-95.23	54.10	-13.00	-37.33	Vertical
5	23654.00	-51.86	RMS	39.00	-32.04	-9.54	-95.23	45.95	-13.00	-38.86	Vertical
6	27592.00	-53.39	RMS	39.48	-31.04	-9.54	-95.23	42.94	-13.00	-40.39	Vertical
7	31552.00	-58.61	RMS	40.40	-28.72	-9.54	-95.23	34.48	-13.00	-45.61	Vertical
8	35490.00	-55.99	RMS	42.10	-23.90	-9.54	-95.23	30.58	-13.00	-42.99	Vertical




Ant. 8+9

Part 270 Mode 21

EN-DC B5+n78 10M + 40M Ch20525 1RB0 QPSK + Ch648000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch648000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7405.00	-52.32	RMS	36.89	-21.25	1.70	-95.23	-95.23	25.57	-13.00	-39.32	Horizontal
2	11107.00	-42.97	RMS	38.00	-21.72	1.91	-95.23	-95.23	34.07	-13.00	-29.97	Horizontal
3	14809.00	-50.26	RMS	41.30	-23.35	2.19	-95.23	-95.23	24.83	-13.00	-37.26	Horizontal
4	18528.00	-38.12	RMS	38.10	-39.02	-9.54	-95.23	-95.23	67.57	-13.00	-25.12	Horizontal
5	22224.00	-49.37	RMS	38.35	-33.34	-9.54	-95.23	-95.23	50.39	-13.00	-36.37	Horizontal
6	25920.00	-46.12	RMS	39.24	-30.99	-9.54	-95.23	-95.23	50.40	-13.00	-33.12	Horizontal
7	29616.00	-54.01	RMS	40.10	-30.35	-9.54	-95.23	-95.23	41.01	-13.00	-41.01	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch648000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7405.00	-52.55	RMS	36.89	-21.25	1.70	-95.23	-95.23	25.34	-13.00	-39.55	Vertical
2	11107.00	-40.54	RMS	38.00	-21.72	1.91	-95.23	-95.23	36.50	-13.00	-27.54	Vertical
3	14809.00	-49.72	RMS	41.30	-23.35	2.19	-95.23	-95.23	25.37	-13.00	-36.72	Vertical
4	18528.00	-39.44	RMS	38.10	-39.02	-9.54	-95.23	-95.23	66.25	-13.00	-26.44	Vertical
5	22224.00	-47.37	RMS	38.35	-33.34	-9.54	-95.23	-95.23	52.39	-13.00	-34.37	Vertical
6	25920.00	-47.17	RMS	39.24	-30.99	-9.54	-95.23	-95.23	49.35	-13.00	-34.17	Vertical
7	29616.00	-56.85	RMS	40.10	-30.35	-9.54	-95.23	-95.23	38.17	-13.00	-43.85	Vertical




Ant. 8+9

Part 270 Mode 21

EN-DC B5+n78 10M + 40M Ch20525 1RB0 QPSK + Ch650000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		g	dBm		
1	7465.00	-50.62	RMS	36.77	-21.19	1.78	-95.23	27.25	-13.00	-37.62	Horizontal
2	11197.00	-43.34	RMS	38.00	-21.73	1.93	-95.23	33.69	-13.00	-30.34	Horizontal
3	14929.00	-50.04	RMS	41.20	-23.46	2.18	-95.23	25.27	-13.00	-37.04	Horizontal
4	18660.00	-38.87	RMS	38.20	-38.94	-9.54	-95.23	66.64	-13.00	-25.87	Horizontal
5	22400.00	-45.60	RMS	38.40	-33.18	-9.54	-95.23	53.95	-13.00	-32.60	Horizontal
6	26140.00	-46.69	RMS	39.30	-30.99	-9.54	-95.23	49.77	-13.00	-33.69	Horizontal
7	29858.00	-52.96	RMS	40.10	-30.07	-9.54	-95.23	41.78	-13.00	-39.96	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7465.00	-52.97	RMS	36.77	-21.19	1.78	-95.23	24.90	-13.00	-39.97	Vertical
2	11197.00	-40.52	RMS	38.00	-21.73	1.93	-95.23	36.51	-13.00	-27.52	Vertical
3	14929.00	-49.74	RMS	41.20	-23.46	2.18	-95.23	25.57	-13.00	-36.74	Vertical
4	18660.00	-42.25	RMS	38.20	-38.94	-9.54	-95.23	63.26	-13.00	-29.25	Vertical
5	22400.00	-47.21	RMS	38.40	-33.18	-9.54	-95.23	52.34	-13.00	-34.21	Vertical
6	26140.00	-47.24	RMS	39.30	-30.99	-9.54	-95.23	49.22	-13.00	-34.24	Vertical
7	29858.00	-57.01	RMS	40.10	-30.07	-9.54	-95.23	37.73	-13.00	-44.01	Vertical




Ant. 8+9

Part 270 Mode 21

EN-DC B5+n78 10M + 40M Ch20525 1RB0 QPSK + Ch652000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch652000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin dBuV	Limit dBm	Margin dB	Pol
					dB/m	dB	dB	dB				
1	7525.00	-50.42	RMS	36.65	-21.17	1.87	-95.23	-95.23	27.47	-13.00	-37.42	Horizontal
2	11287.00	-41.15	RMS	38.27	-21.74	1.94	-95.23	-95.23	35.61	-13.00	-28.15	Horizontal
3	15049.00	-50.36	RMS	41.00	-23.52	2.18	-95.23	-95.23	25.21	-13.00	-37.36	Horizontal
4	18814.00	-37.67	RMS	38.23	-38.86	-9.54	-95.23	-95.23	67.73	-13.00	-24.67	Horizontal
5	22576.00	-42.49	RMS	38.60	-33.00	-9.54	-95.23	-95.23	56.68	-13.00	-29.49	Horizontal
6	26338.00	-47.11	RMS	39.55	-31.03	-9.54	-95.23	-95.23	49.14	-13.00	-34.11	Horizontal
7	30100.00	-52.22	RMS	40.20	-29.84	-9.54	-95.23	-95.23	42.19	-13.00	-39.22	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch652000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin dBuV	Limit dBm	Margin dB	Pol
					dB/m	dB	dB	dB				
1	7525.00	-52.69	RMS	36.65	-21.17	1.87	-95.23	-95.23	25.20	-13.00	-39.69	Vertical
2	11287.00	-42.60	RMS	38.27	-21.74	1.94	-95.23	-95.23	34.16	-13.00	-29.60	Vertical
3	15049.00	-50.05	RMS	41.00	-23.52	2.18	-95.23	-95.23	25.52	-13.00	-37.05	Vertical
4	18814.00	-40.51	RMS	38.23	-38.86	-9.54	-95.23	-95.23	64.89	-13.00	-27.51	Vertical
5	22576.00	-44.21	RMS	38.60	-33.00	-9.54	-95.23	-95.23	54.96	-13.00	-31.21	Vertical
6	26338.00	-49.32	RMS	39.55	-31.03	-9.54	-95.23	-95.23	46.93	-13.00	-36.32	Vertical
7	30100.00	-58.44	RMS	40.20	-29.84	-9.54	-95.23	-95.23	35.97	-13.00	-45.44	Vertical




Ant. 3+4

Part 270 Mode 22

NR SA n77 30M Ch647668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 30M Ch647668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	7404.00	-45.76	RMS		36.89	-21.25	1.70	-95.23	32.13	-13.00	-32.76	Horizontal	
2	11105.00	-42.83	RMS		38.00	-21.72	1.91	-95.23	34.21	-13.00	-29.83	Horizontal	
3	14807.00	-43.25	RMS		41.30	-23.35	2.19	-95.23	31.84	-13.00	-30.25	Horizontal	
4	18528.00	-47.59	RMS		38.10	-39.02	-9.54	-95.23	58.10	-13.00	-34.59	Horizontal	
5	22224.00	-47.46	RMS		38.35	-33.34	-9.54	-95.23	52.30	-13.00	-34.46	Horizontal	
6	25920.00	-45.55	RMS		39.24	-30.99	-9.54	-95.23	50.97	-13.00	-32.55	Horizontal	
7	29616.00	-53.09	RMS		40.10	-30.35	-9.54	-95.23	41.93	-13.00	-40.09	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 30M Ch647668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	7404.00	-46.34	RMS		36.89	-21.25	1.70	-95.23	31.55	-13.00	-33.34	Vertical	
2	11105.00	-42.70	RMS		38.00	-21.72	1.91	-95.23	34.34	-13.00	-29.70	Vertical	
3	14807.00	-45.03	RMS		41.30	-23.35	2.19	-95.23	30.06	-13.00	-32.03	Vertical	
4	18528.00	-42.48	RMS		38.10	-39.02	-9.54	-95.23	63.21	-13.00	-29.48	Vertical	
5	22224.00	-44.63	RMS		38.35	-33.34	-9.54	-95.23	55.13	-13.00	-31.63	Vertical	
6	25920.00	-45.90	RMS		39.24	-30.99	-9.54	-95.23	50.62	-13.00	-32.90	Vertical	
7	29616.00	-46.89	RMS		40.10	-30.35	-9.54	-95.23	48.13	-13.00	-33.89	Vertical	
8	33334.00	-55.91	RMS		41.27	-26.32	-9.54	-95.23	33.91	-13.00	-42.91	Vertical	




Ant. 3+4

Part 270 Mode 22

NR SA n77 30M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 30M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7654.00	-42.53	RMS	36.59	-21.27	1.89	-95.23	35.49	-13.00	-29.53	Horizontal
2	11480.00	-41.33	RMS	38.46	-21.75	1.98	-95.23	35.21	-13.00	-28.33	Horizontal
3	15307.00	-43.92	RMS	40.99	-23.47	2.16	-95.23	31.63	-13.00	-30.92	Horizontal
4	19144.00	-48.49	RMS	38.28	-38.48	-9.54	-95.23	56.48	-13.00	-35.49	Horizontal
5	22972.00	-45.41	RMS	39.00	-32.50	-9.54	-95.23	52.86	-13.00	-32.41	Horizontal
6	26800.00	-51.62	RMS	39.90	-30.99	-9.54	-95.23	44.24	-13.00	-38.62	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 30M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7654.00	-42.33	RMS	36.59	-21.27	1.89	-95.23	35.69	-13.00	-29.33	Vertical
2	11480.00	-40.98	RMS	38.46	-21.75	1.98	-95.23	35.56	-13.00	-27.98	Vertical
3	15307.00	-42.46	RMS	40.99	-23.47	2.16	-95.23	33.09	-13.00	-29.46	Vertical
4	19144.00	-50.22	RMS	38.28	-38.48	-9.54	-95.23	54.75	-13.00	-37.22	Vertical
5	22972.00	-48.11	RMS	39.00	-32.50	-9.54	-95.23	50.16	-13.00	-35.11	Vertical
6	26800.00	-54.72	RMS	39.90	-30.99	-9.54	-95.23	41.14	-13.00	-41.72	Vertical
7	30628.00	-57.52	RMS	40.40	-29.52	-9.54	-95.23	36.37	-13.00	-44.52	Vertical




Ant. 3+4

Part 270 Mode 22

NR SA n77 30M Ch664332 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 30M Ch664332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7904.00	-35.98	RMS	36.50	-21.51	1.80	-95.23	42.46	-13.00	-22.98	Horizontal	
2	11855.00	-35.28	RMS	38.41	-21.87	2.04	-95.23	41.37	-13.00	-22.28	Horizontal	
3	15807.00	-41.48	RMS	40.71	-23.54	2.14	-95.23	34.44	-13.00	-28.48	Horizontal	
4	19760.00	-54.75	RMS	37.88	-37.50	-9.54	-95.23	49.64	-13.00	-41.75	Horizontal	
5	23720.00	-50.43	RMS	39.04	-32.00	-9.54	-95.23	47.30	-13.00	-37.43	Horizontal	
6	27680.00	-48.24	RMS	39.44	-31.02	-9.54	-95.23	48.11	-13.00	-35.24	Horizontal	
7	35578.00	-51.14	RMS	42.29	-23.87	-9.54	-95.23	35.21	-13.00	-38.14	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 30M Ch664332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7904.00	-35.40	RMS	36.50	-21.51	1.80	-95.23	43.04	-13.00	-22.40	Vertical	
2	11855.00	-36.16	RMS	38.41	-21.87	2.04	-95.23	40.49	-13.00	-23.16	Vertical	
3	15807.00	-38.13	RMS	40.71	-23.54	2.14	-95.23	37.79	-13.00	-25.13	Vertical	
4	19760.00	-51.13	RMS	37.88	-37.50	-9.54	-95.23	53.26	-13.00	-38.13	Vertical	
5	23720.00	-49.51	RMS	39.04	-32.00	-9.54	-95.23	48.22	-13.00	-36.51	Vertical	
6	27680.00	-53.69	RMS	39.44	-31.02	-9.54	-95.23	42.66	-13.00	-40.69	Vertical	
7	31618.00	-55.12	RMS	40.50	-28.65	-9.54	-95.23	37.80	-13.00	-42.12	Vertical	
8	35578.00	-53.56	RMS	42.29	-23.87	-9.54	-95.23	32.79	-13.00	-40.56	Vertical	




Ant. 3+4

Part 270 Mode 23

NR SA n78 40M Ch648000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n78 40M Ch648000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7405.00	-48.36	RMS	36.89	-21.25	1.70	-95.23	29.53	-13.00	-35.36	Horizontal
2	11107.00	-40.93	RMS	38.00	-21.72	1.91	-95.23	36.11	-13.00	-27.93	Horizontal
3	14809.00	-45.11	RMS	41.30	-23.35	2.19	-95.23	29.98	-13.00	-32.11	Horizontal
4	18528.00	-39.04	RMS	38.10	-39.02	-9.54	-95.23	66.65	-13.00	-26.04	Horizontal
5	22224.00	-49.74	RMS	38.35	-33.34	-9.54	-95.23	50.02	-13.00	-36.74	Horizontal
6	25920.00	-45.99	RMS	39.24	-30.99	-9.54	-95.23	50.53	-13.00	-32.99	Horizontal
7	29616.00	-53.46	RMS	40.10	-30.35	-9.54	-95.23	41.56	-13.00	-40.46	Horizontal
8	33334.00	-56.75	RMS	41.27	-26.32	-9.54	-95.23	33.07	-13.00	-43.75	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n78 40M Ch648000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7405.00	-45.90	RMS	36.89	-21.25	1.70	-95.23	31.99	-13.00	-32.90	Vertical
2	11107.00	-37.61	RMS	38.00	-21.72	1.91	-95.23	39.43	-13.00	-24.61	Vertical
3	14809.00	-38.90	RMS	41.30	-23.35	2.19	-95.23	36.19	-13.00	-25.90	Vertical
4	18528.00	-40.35	RMS	38.10	-39.02	-9.54	-95.23	65.34	-13.00	-27.35	Vertical
5	22224.00	-48.76	RMS	38.35	-33.34	-9.54	-95.23	51.00	-13.00	-35.76	Vertical
6	25920.00	-47.02	RMS	39.24	-30.99	-9.54	-95.23	49.50	-13.00	-34.02	Vertical
7	29616.00	-55.99	RMS	40.10	-30.35	-9.54	-95.23	39.03	-13.00	-42.99	Vertical
8	33334.00	-59.53	RMS	41.27	-26.32	-9.54	-95.23	30.29	-13.00	-46.53	Vertical




Ant. 3+4

Part 270 Mode 23

NR SA n78 40M Ch650000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n78 40M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7465.00	-52.18	RMS	36.77	-21.19	1.78	-95.23	25.69	-13.00	-39.18	Horizontal
2	11197.00	-39.36	RMS	38.00	-21.73	1.93	-95.23	37.67	-13.00	-26.36	Horizontal
3	14929.00	-45.38	RMS	41.20	-23.46	2.18	-95.23	29.93	-13.00	-32.38	Horizontal
4	18660.00	-37.61	RMS	38.20	-38.94	-9.54	-95.23	67.90	-13.00	-24.61	Horizontal
5	22400.00	-50.78	RMS	38.40	-33.18	-9.54	-95.23	48.77	-13.00	-37.78	Horizontal
6	26140.00	-46.64	RMS	39.30	-30.99	-9.54	-95.23	49.82	-13.00	-33.64	Horizontal
7	29858.00	-56.74	RMS	40.10	-30.07	-9.54	-95.23	38.00	-13.00	-43.74	Horizontal
8	33598.00	-56.33	RMS	41.39	-25.91	-9.54	-95.23	32.96	-13.00	-43.33	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n78 40M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7465.00	-49.70	RMS	36.77	-21.19	1.78	-95.23	28.17	-13.00	-36.70	Vertical
2	11197.00	-38.86	RMS	38.00	-21.73	1.93	-95.23	38.17	-13.00	-25.86	Vertical
3	14929.00	-43.48	RMS	41.20	-23.46	2.18	-95.23	31.83	-13.00	-30.48	Vertical
4	18660.00	-42.18	RMS	38.20	-38.94	-9.54	-95.23	63.33	-13.00	-29.18	Vertical
5	22400.00	-49.17	RMS	38.40	-33.18	-9.54	-95.23	50.38	-13.00	-36.17	Vertical
6	26140.00	-48.34	RMS	39.30	-30.99	-9.54	-95.23	48.12	-13.00	-35.34	Vertical
7	29858.00	-58.65	RMS	40.10	-30.07	-9.54	-95.23	36.09	-13.00	-45.65	Vertical
8	33598.00	-59.16	RMS	41.39	-25.91	-9.54	-95.23	30.13	-13.00	-46.16	Vertical




Ant. 3+4

Part 270 Mode 23

NR SA n78 40M Ch652000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n78 40M Ch652000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7525.00	-42.94	RMS	36.65	-21.17	1.87	-95.23	-95.23	34.95	-13.00	-29.94	Horizontal
2	11287.00	-38.73	RMS	38.27	-21.74	1.94	-95.23	-95.23	38.03	-13.00	-25.73	Horizontal
3	15049.00	-44.82	RMS	41.00	-23.52	2.18	-95.23	-95.23	30.75	-13.00	-31.82	Horizontal
4	18814.00	-39.87	RMS	38.23	-38.86	-9.54	-95.23	-95.23	65.53	-13.00	-26.87	Horizontal
5	22576.00	-42.18	RMS	38.60	-33.00	-9.54	-95.23	-95.23	56.99	-13.00	-29.18	Horizontal
6	26338.00	-50.01	RMS	39.55	-31.03	-9.54	-95.23	-95.23	46.24	-13.00	-37.01	Horizontal
7	30100.00	-56.60	RMS	40.20	-29.84	-9.54	-95.23	-95.23	37.81	-13.00	-43.60	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n78 40M Ch652000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7525.00	-42.90	RMS	36.65	-21.17	1.87	-95.23	-95.23	34.99	-13.00	-29.90	Vertical
2	11287.00	-36.83	RMS	38.27	-21.74	1.94	-95.23	-95.23	39.93	-13.00	-23.83	Vertical
3	15049.00	-39.32	RMS	41.00	-23.52	2.18	-95.23	-95.23	36.25	-13.00	-26.32	Vertical
4	18814.00	-43.25	RMS	38.23	-38.86	-9.54	-95.23	-95.23	62.15	-13.00	-30.25	Vertical
5	22576.00	-43.71	RMS	38.60	-33.00	-9.54	-95.23	-95.23	55.46	-13.00	-30.71	Vertical
6	26338.00	-48.52	RMS	39.55	-31.03	-9.54	-95.23	-95.23	47.73	-13.00	-35.52	Vertical
7	30100.00	-56.89	RMS	40.20	-29.84	-9.54	-95.23	-95.23	37.52	-13.00	-43.89	Vertical




Ant. 8

Part 27Q Mode 24

NR SA n77 30M Ch631000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 30M Ch631000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6904.00	-41.45	RMS	36.01	-21.57	2.17	-95.23	37.17	-13.00	-28.45	Horizontal
2	10355.00	-38.65	RMS	37.38	-21.75	1.77	-95.23	39.18	-13.00	-25.65	Horizontal
3	13807.00	-38.39	RMS	40.40	-22.23	2.21	-95.23	36.46	-13.00	-25.39	Horizontal
4	17260.00	-47.60	RMS	39.92	-23.78	2.39	-95.23	29.10	-13.00	-34.60	Horizontal
5	20728.00	-48.86	RMS	37.99	-35.67	-9.54	-95.23	53.59	-13.00	-35.86	Horizontal
6	24182.00	-45.53	RMS	39.07	-31.68	-9.54	-95.23	51.85	-13.00	-32.53	Horizontal
7	27614.00	-50.11	RMS	39.50	-31.04	-9.54	-95.23	46.20	-13.00	-37.11	Horizontal
8	31068.00	-52.66	RMS	40.60	-29.22	-9.54	-95.23	40.73	-13.00	-39.66	Horizontal
9	34522.00	-55.58	RMS	41.60	-24.68	-9.54	-95.23	32.27	-13.00	-42.58	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 30M Ch631000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6904.00	-37.89	RMS	36.01	-21.57	2.17	-95.23	40.73	-13.00	-24.89	Vertical
2	10355.00	-36.70	RMS	37.38	-21.75	1.77	-95.23	41.13	-13.00	-23.70	Vertical
3	13807.00	-38.31	RMS	40.40	-22.23	2.21	-95.23	36.54	-13.00	-25.31	Vertical
4	17260.00	-44.78	RMS	39.92	-23.78	2.39	-95.23	31.92	-13.00	-31.78	Vertical
5	20728.00	-43.65	RMS	37.99	-35.67	-9.54	-95.23	58.80	-13.00	-30.65	Vertical
6	24182.00	-41.12	RMS	39.07	-31.68	-9.54	-95.23	56.26	-13.00	-28.12	Vertical
7	27614.00	-46.28	RMS	39.50	-31.04	-9.54	-95.23	50.03	-13.00	-33.28	Vertical
8	31068.00	-52.56	RMS	40.60	-29.22	-9.54	-95.23	40.83	-13.00	-39.56	Vertical
9	34522.00	-51.10	RMS	41.60	-24.68	-9.54	-95.23	36.75	-13.00	-38.10	Vertical




Ant. 8

Part 27Q Mode 24

NR SA n77 30M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 30M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6974.00	-46.26	RMS	36.15	-21.59	1.99	-95.23	32.42	-13.00	-33.26	Horizontal
2	10460.00	-39.92	RMS	37.22	-21.81	1.79	-95.23	38.11	-13.00	-26.92	Horizontal
3	13947.00	-44.17	RMS	40.69	-22.27	2.23	-95.23	30.41	-13.00	-31.17	Horizontal
4	17437.00	-47.87	RMS	39.90	-23.99	2.43	-95.23	29.02	-13.00	-34.87	Horizontal
5	20926.00	-53.99	RMS	38.00	-35.50	-9.54	-95.23	48.28	-13.00	-40.99	Horizontal
6	24424.00	-52.86	RMS	39.35	-31.49	-9.54	-95.23	44.05	-13.00	-39.86	Horizontal
7	27900.00	-53.32	RMS	39.60	-30.99	-9.54	-95.23	42.84	-13.00	-40.32	Horizontal
8	31398.00	-54.10	RMS	40.60	-28.88	-9.54	-95.23	38.95	-13.00	-41.10	Horizontal
9	34874.00	-56.58	RMS	41.79	-24.52	-9.54	-95.23	30.92	-13.00	-43.58	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 30M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6974.00	-44.62	RMS	36.15	-21.59	1.99	-95.23	34.06	-13.00	-31.62	Vertical
2	10460.00	-35.56	RMS	37.22	-21.81	1.79	-95.23	42.47	-13.00	-22.56	Vertical
3	13947.00	-39.14	RMS	40.69	-22.27	2.23	-95.23	35.44	-13.00	-26.14	Vertical
4	17437.00	-46.72	RMS	39.90	-23.99	2.43	-95.23	30.17	-13.00	-33.72	Vertical
5	20926.00	-44.34	RMS	38.00	-35.50	-9.54	-95.23	57.93	-13.00	-31.34	Vertical
6	24424.00	-43.96	RMS	39.35	-31.49	-9.54	-95.23	52.95	-13.00	-30.96	Vertical
7	27900.00	-49.93	RMS	39.60	-30.99	-9.54	-95.23	46.23	-13.00	-36.93	Vertical
8	31398.00	-57.44	RMS	40.60	-28.88	-9.54	-95.23	35.61	-13.00	-44.44	Vertical
9	34874.00	-53.82	RMS	41.79	-24.52	-9.54	-95.23	33.68	-13.00	-40.82	Vertical




Ant. 8

Part 27Q Mode 24

NR SA n77 30M Ch635666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 30M Ch635666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7044.00	-46.50 RMS	36.11	-21.56	1.95	-95.23	32.23	-13.00	-33.50	Horizontal
2	10565.00	-42.93 RMS	37.43	-21.81	1.81	-95.23	34.87	-13.00	-29.93	Horizontal
3	14087.00	-41.25 RMS	40.87	-22.41	2.23	-95.23	33.29	-13.00	-28.25	Horizontal
4	17617.00	-48.87 RMS	39.97	-23.86	2.47	-95.23	27.78	-13.00	-35.87	Horizontal
5	21146.00	-46.85 RMS	38.01	-35.13	-9.54	-95.23	55.04	-13.00	-33.85	Horizontal
6	24666.00	-42.36 RMS	39.53	-31.44	-9.54	-95.23	54.32	-13.00	-29.36	Horizontal
7	28186.00	-56.69 RMS	39.66	-30.91	-9.54	-95.23	39.33	-13.00	-43.69	Horizontal
8	31706.00	-57.08 RMS	40.41	-28.56	-9.54	-95.23	35.84	-13.00	-44.08	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 30M Ch635666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7044.00	-40.90 RMS	36.11	-21.56	1.95	-95.23	37.83	-13.00	-27.90	Vertical
2	10565.00	-37.84 RMS	37.43	-21.81	1.81	-95.23	39.96	-13.00	-24.84	Vertical
3	14087.00	-39.66 RMS	40.87	-22.41	2.23	-95.23	34.88	-13.00	-26.66	Vertical
4	17617.00	-47.48 RMS	39.97	-23.86	2.47	-95.23	29.17	-13.00	-34.48	Vertical
5	21146.00	-43.59 RMS	38.01	-35.13	-9.54	-95.23	58.30	-13.00	-30.59	Vertical
6	24666.00	-36.70 RMS	39.53	-31.44	-9.54	-95.23	59.98	-13.00	-23.70	Vertical
7	28186.00	-55.09 RMS	39.66	-30.91	-9.54	-95.23	40.93	-13.00	-42.09	Vertical
8	31706.00	-55.39 RMS	40.41	-28.56	-9.54	-95.23	37.53	-13.00	-42.39	Vertical




Ant. 8

Part 27Q Mode 25

NR SA n78 40M Ch631334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 40M Ch631334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	6905.00	-44.51	RMS	36.01	-21.57	2.17	-95.23	34.11	-13.00	-31.51	Horizontal	
2	10357.00	-39.26	RMS	37.37	-21.75	1.77	-95.23	38.58	-13.00	-26.26	Horizontal	
3	13809.00	-39.36	RMS	40.40	-22.23	2.21	-95.23	35.49	-13.00	-26.36	Horizontal	
4	17257.00	-48.54	RMS	39.91	-23.78	2.39	-95.23	28.17	-13.00	-35.54	Horizontal	
5	20728.00	-55.99	RMS	37.99	-35.67	-9.54	-95.23	46.46	-13.00	-42.99	Horizontal	
6	24160.00	-53.67	RMS	39.16	-31.70	-9.54	-95.23	43.64	-13.00	-40.67	Horizontal	
7	27614.00	-53.74	RMS	39.50	-31.04	-9.54	-95.23	42.57	-13.00	-40.74	Horizontal	
8	31068.00	-54.16	RMS	40.60	-29.22	-9.54	-95.23	39.23	-13.00	-41.16	Horizontal	
9	34522.00	-55.56	RMS	41.60	-24.68	-9.54	-95.23	32.29	-13.00	-42.56	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 40M Ch631334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	6905.00	-39.78	RMS	36.01	-21.57	2.17	-95.23	38.84	-13.00	-26.78	Vertical	
2	10357.00	-37.45	RMS	37.37	-21.75	1.77	-95.23	40.39	-13.00	-24.45	Vertical	
3	13809.00	-41.73	RMS	40.40	-22.23	2.21	-95.23	33.12	-13.00	-28.73	Vertical	
4	17257.00	-46.92	RMS	39.91	-23.78	2.39	-95.23	29.79	-13.00	-33.92	Vertical	
5	20728.00	-45.33	RMS	37.99	-35.67	-9.54	-95.23	57.12	-13.00	-32.33	Vertical	
6	24160.00	-44.23	RMS	39.16	-31.70	-9.54	-95.23	53.08	-13.00	-31.23	Vertical	
7	27614.00	-50.22	RMS	39.50	-31.04	-9.54	-95.23	46.09	-13.00	-37.22	Vertical	
8	31068.00	-49.32	RMS	40.60	-29.22	-9.54	-95.23	44.07	-13.00	-36.32	Vertical	
9	34522.00	-53.04	RMS	41.60	-24.68	-9.54	-95.23	34.81	-13.00	-40.04	Vertical	




Ant. 8

Part 27Q Mode 25

NR SA n78 40M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n78 40M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6965.00	-47.18	RMS	36.13	-21.59	2.01	-95.23	31.50	-13.00	-34.18	Horizontal
2	10447.00	-40.59	RMS	37.20	-21.80	1.79	-95.23	37.45	-13.00	-27.59	Horizontal
3	13929.00	-41.42	RMS	40.66	-22.26	2.22	-95.23	33.19	-13.00	-28.42	Horizontal
4	20904.00	-51.83	RMS	37.92	-35.52	-9.54	-95.23	50.54	-13.00	-38.83	Horizontal
5	24380.00	-55.88	RMS	39.28	-31.53	-9.54	-95.23	41.14	-13.00	-42.88	Horizontal
6	27856.00	-50.12	RMS	39.51	-30.99	-9.54	-95.23	46.13	-13.00	-37.12	Horizontal
7	31354.00	-57.00	RMS	40.60	-28.92	-9.54	-95.23	36.09	-13.00	-44.00	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n78 40M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6965.00	-43.08	RMS	36.13	-21.59	2.01	-95.23	35.60	-13.00	-30.08	Vertical
2	10447.00	-39.29	RMS	37.20	-21.80	1.79	-95.23	38.75	-13.00	-26.29	Vertical
3	13929.00	-39.01	RMS	40.66	-22.26	2.22	-95.23	35.60	-13.00	-26.01	Vertical
4	20904.00	-48.27	RMS	37.92	-35.52	-9.54	-95.23	54.10	-13.00	-35.27	Vertical
5	24380.00	-44.96	RMS	39.28	-31.53	-9.54	-95.23	52.06	-13.00	-31.96	Vertical
6	27856.00	-50.04	RMS	39.51	-30.99	-9.54	-95.23	46.21	-13.00	-37.04	Vertical
7	31354.00	-55.81	RMS	40.60	-28.92	-9.54	-95.23	37.28	-13.00	-42.81	Vertical




Ant. 8

Part 27Q Mode 25

NR SA n78 40M Ch635332 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 40M Ch635332 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7025.00	-51.71 RMS	36.15	-21.58	1.94	-95.23	27.01	-13.00	-38.71	Horizontal
2	10537.00	-42.10 RMS	37.37	-21.82	1.81	-95.23	35.77	-13.00	-29.10	Horizontal
3	14049.00	-43.00 RMS	40.80	-22.36	2.23	-95.23	31.56	-13.00	-30.00	Horizontal
4	17561.00	-48.98 RMS	39.84	-23.96	2.46	-95.23	27.91	-13.00	-35.98	Horizontal
5	21080.00	-48.67 RMS	38.02	-35.27	-9.54	-95.23	53.35	-13.00	-35.67	Horizontal
6	24600.00	-41.85 RMS	39.40	-31.44	-9.54	-95.23	54.96	-13.00	-28.85	Horizontal
7	28098.00	-57.61 RMS	39.60	-30.94	-9.54	-95.23	38.50	-13.00	-44.61	Horizontal
8	31618.00	-57.77 RMS	40.50	-28.65	-9.54	-95.23	35.15	-13.00	-44.77	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 40M Ch635332 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7025.00	-46.70 RMS	36.15	-21.58	1.94	-95.23	32.02	-13.00	-33.70	Vertical
2	10537.00	-40.26 RMS	37.37	-21.82	1.81	-95.23	37.61	-13.00	-27.26	Vertical
3	14049.00	-40.23 RMS	40.80	-22.36	2.23	-95.23	34.33	-13.00	-27.23	Vertical
4	17561.00	-48.08 RMS	39.84	-23.96	2.46	-95.23	28.81	-13.00	-35.08	Vertical
5	21080.00	-47.55 RMS	38.02	-35.27	-9.54	-95.23	54.47	-13.00	-34.55	Vertical
6	24600.00	-40.79 RMS	39.40	-31.44	-9.54	-95.23	56.02	-13.00	-27.79	Vertical
7	28098.00	-55.19 RMS	39.60	-30.94	-9.54	-95.23	40.92	-13.00	-42.19	Vertical
8	31618.00	-57.76 RMS	40.50	-28.65	-9.54	-95.23	35.16	-13.00	-44.76	Vertical




Ant. 8+9

Part 27Q Mode 26


EN-DC B5+n77 10M + 30M Ch20525 1RB0 QPSK + Ch631000 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: SA n77 30M Ch631000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	6904.00	-56.24	RMS	36.01	-21.57	2.17	-95.23	22.38	-13.00	-43.24	-13.00	-43.24	Horizontal
2	10355.00	-48.24	RMS	37.38	-21.75	1.77	-95.23	29.59	-13.00	-35.24	-13.00	-35.24	Horizontal
3	13807.00	-50.22	RMS	40.40	-22.23	2.21	-95.23	24.63	-13.00	-37.22	-13.00	-37.22	Horizontal
4	20728.00	-51.24	RMS	37.99	-35.67	-9.54	-95.23	51.21	-13.00	-38.24	-13.00	-38.24	Horizontal
5	24160.00	-45.54	RMS	39.16	-31.70	-9.54	-95.23	51.77	-13.00	-32.54	-13.00	-32.54	Horizontal
6	27614.00	-52.69	RMS	39.50	-31.04	-9.54	-95.23	43.62	-13.00	-39.69	-13.00	-39.69	Horizontal
7	31068.00	-55.27	RMS	40.60	-29.22	-9.54	-95.23	38.12	-13.00	-42.27	-13.00	-42.27	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: SA n77 30M Ch631000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	6904.00	-56.13	RMS	36.01	-21.57	2.17	-95.23	22.49	-13.00	-43.13	-13.00	-43.13	Vertical
2	10355.00	-49.76	RMS	37.38	-21.75	1.77	-95.23	28.07	-13.00	-36.76	-13.00	-36.76	Vertical
3	13807.00	-50.25	RMS	40.40	-22.23	2.21	-95.23	24.60	-13.00	-37.25	-13.00	-37.25	Vertical
4	20728.00	-56.41	RMS	37.99	-35.67	-9.54	-95.23	46.04	-13.00	-43.41	-13.00	-43.41	Vertical
5	24160.00	-45.45	RMS	39.16	-31.70	-9.54	-95.23	51.86	-13.00	-32.45	-13.00	-32.45	Vertical
6	27614.00	-52.74	RMS	39.50	-31.04	-9.54	-95.23	43.57	-13.00	-39.74	-13.00	-39.74	Vertical
7	31068.00	-59.52	RMS	40.60	-29.22	-9.54	-95.23	33.87	-13.00	-46.52	-13.00	-46.52	Vertical




Ant. 8+9

Part 27Q Mode 26

EN-DC B5+n77 10M + 30M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n77 30M Ch633334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
						dB	dB	dB	dBuV	dBm	dB	
1	6974.00	-55.39	RMS	36.15	-21.59	1.99	-95.23	23.29	-13.00	-42.39	Horizontal	
2	10460.00	-49.96	RMS	37.22	-21.81	1.79	-95.23	28.07	-13.00	-36.96	Horizontal	
3	13947.00	-50.11	RMS	40.69	-22.27	2.23	-95.23	24.47	-13.00	-37.11	Horizontal	
4	20926.00	-54.18	RMS	38.00	-35.50	-9.54	-95.23	48.09	-13.00	-41.18	Horizontal	
5	24424.00	-53.78	RMS	39.35	-31.49	-9.54	-95.23	43.13	-13.00	-40.78	Horizontal	
6	27900.00	-52.81	RMS	39.60	-30.99	-9.54	-95.23	43.35	-13.00	-39.81	Horizontal	
7	31398.00	-55.90	RMS	40.60	-28.88	-9.54	-95.23	37.15	-13.00	-42.90	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n77 30M Ch633334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
						dB	dB	dB	dBuV	dBm	dB	
1	6974.00	-55.56	RMS	36.15	-21.59	1.99	-95.23	23.12	-13.00	-42.56	Vertical	
2	10460.00	-49.74	RMS	37.22	-21.81	1.79	-95.23	28.29	-13.00	-36.74	Vertical	
3	13947.00	-50.06	RMS	40.69	-22.27	2.23	-95.23	24.52	-13.00	-37.06	Vertical	
4	20926.00	-59.63	RMS	38.00	-35.50	-9.54	-95.23	42.64	-13.00	-46.63	Vertical	
5	24424.00	-49.43	RMS	39.35	-31.49	-9.54	-95.23	47.48	-13.00	-36.43	Vertical	
6	27900.00	-54.18	RMS	39.60	-30.99	-9.54	-95.23	41.98	-13.00	-41.18	Vertical	
7	31398.00	-59.19	RMS	40.60	-28.88	-9.54	-95.23	33.86	-13.00	-46.19	Vertical	




Ant. 8+9

Part 27Q Mode 26

EN-DC B5+n77 10M + 30M Ch20525 1RB0 QPSK + Ch635666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n77 30M Ch635666 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	7044.00	-55.12	RMS	36.11	-21.56	1.95	-95.23	23.61	-13.00	-42.12	Horizontal
2	10565.00	-50.06	RMS	37.43	-21.81	1.81	-95.23	27.74	-13.00	-37.06	Horizontal
3	14087.00	-49.92	RMS	40.87	-22.41	2.23	-95.23	24.62	-13.00	-36.92	Horizontal
4	21146.00	-50.66	RMS	38.01	-35.13	-9.54	-95.23	51.23	-13.00	-37.66	Horizontal
5	24666.00	-45.81	RMS	39.53	-31.44	-9.54	-95.23	50.87	-13.00	-32.81	Horizontal
6	28186.00	-57.40	RMS	39.66	-30.91	-9.54	-95.23	38.62	-13.00	-44.40	Horizontal
7	31706.00	-59.29	RMS	40.41	-28.56	-9.54	-95.23	33.63	-13.00	-46.29	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n77 30M Ch635666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7044.00	-55.80	RMS	36.11	-21.56	1.95	-95.23	22.93	-13.00	-42.80	Vertical
2	10565.00	-50.06	RMS	37.43	-21.81	1.81	-95.23	27.74	-13.00	-37.06	Vertical
3	14087.00	-49.85	RMS	40.87	-22.41	2.23	-95.23	24.69	-13.00	-36.85	Vertical
4	21146.00	-55.25	RMS	38.01	-35.13	-9.54	-95.23	46.64	-13.00	-42.25	Vertical
5	24666.00	-44.03	RMS	39.53	-31.44	-9.54	-95.23	52.65	-13.00	-31.03	Vertical
6	28186.00	-60.48	RMS	39.66	-30.91	-9.54	-95.23	35.54	-13.00	-47.48	Vertical
7	31706.00	-59.54	RMS	40.41	-28.56	-9.54	-95.23	33.38	-13.00	-46.54	Vertical




Ant. 8+9

Part 27Q Mode 27

EN-DC B5+n78 10M + 40M Ch20525 1RB0 QPSK + Ch631334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch631334 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	dBuV		
1	6905.00	-56.24	RMS	36.01	-21.57	2.17	-95.23	22.38	-13.00	-43.24	Horizontal
2	10357.00	-52.56	RMS	37.37	-21.75	1.77	-95.23	25.28	-13.00	-39.56	Horizontal
3	13809.00	-50.19	RMS	40.40	-22.23	2.21	-95.23	24.66	-13.00	-37.19	Horizontal
4	20728.00	-49.38	RMS	37.99	-35.67	-9.54	-95.23	53.07	-13.00	-36.38	Horizontal
5	24160.00	-46.80	RMS	39.16	-31.70	-9.54	-95.23	50.51	-13.00	-33.80	Horizontal
6	27614.00	-53.62	RMS	39.50	-31.04	-9.54	-95.23	42.69	-13.00	-40.62	Horizontal
7	31068.00	-55.28	RMS	40.60	-29.22	-9.54	-95.23	38.11	-13.00	-42.28	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n78 40M Ch631334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6905.00	-56.35	RMS	36.01	-21.57	2.17	-95.23	22.27	-13.00	-43.35	Vertical
2	10357.00	-49.80	RMS	37.37	-21.75	1.77	-95.23	28.04	-13.00	-36.80	Vertical
3	13803.75	-50.36	RMS	40.40	-22.23	2.21	-95.23	24.49	-13.00	-37.36	Vertical
4	20728.00	-56.31	RMS	37.99	-35.67	-9.54	-95.23	46.14	-13.00	-43.31	Vertical
5	24160.00	-47.99	RMS	39.16	-31.70	-9.54	-95.23	49.32	-13.00	-34.99	Vertical
6	27614.00	-51.12	RMS	39.50	-31.04	-9.54	-95.23	45.19	-13.00	-38.12	Vertical
7	31068.00	-57.52	RMS	40.60	-29.22	-9.54	-95.23	35.87	-13.00	-44.52	Vertical




Ant. 8+9

Part 27Q Mode 27


EN-DC B5+n78 10M + 40M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n78 40M Ch633334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	6965.00	-56.13	RMS	36.13	-21.59	2.01	-95.23	22.55	-13.00	-43.13	Horizontal		
2	10447.00	-51.75	RMS	37.20	-21.80	1.79	-95.23	26.29	-13.00	-38.75	Horizontal		
3	13929.00	-50.00	RMS	40.66	-22.26	2.22	-95.23	24.61	-13.00	-37.00	Horizontal		
4	20904.00	-47.14	RMS	37.92	-35.52	-9.54	-95.23	55.23	-13.00	-34.14	Horizontal		
5	24380.00	-41.10	RMS	39.28	-31.53	-9.54	-95.23	55.92	-13.00	-28.10	Horizontal		
6	27856.00	-52.13	RMS	39.51	-30.99	-9.54	-95.23	44.12	-13.00	-39.13	Horizontal		
7	31332.00	-54.74	RMS	40.60	-28.94	-9.54	-95.23	38.37	-13.00	-41.74	Horizontal		



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n78 40M Ch633334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	6965.00	-56.14	RMS	36.13	-21.59	2.01	-95.23	22.54	-13.00	-43.14	Vertical		
2	10447.00	-50.27	RMS	37.20	-21.80	1.79	-95.23	27.77	-13.00	-37.27	Vertical		
3	13929.00	-50.31	RMS	40.66	-22.26	2.22	-95.23	24.30	-13.00	-37.31	Vertical		
4	20904.00	-51.45	RMS	37.92	-35.52	-9.54	-95.23	50.92	-13.00	-38.45	Vertical		
5	24380.00	-44.21	RMS	39.28	-31.53	-9.54	-95.23	52.81	-13.00	-31.21	Vertical		
6	27856.00	-53.37	RMS	39.51	-30.99	-9.54	-95.23	42.88	-13.00	-40.37	Vertical		
7	31332.00	-58.30	RMS	40.60	-28.94	-9.54	-95.23	34.81	-13.00	-45.30	Vertical		




Ant. 8+9

Part 27Q Mode 27


EN-DC B5+n78 10M + 40M Ch20525 1RB0 QPSK + Ch635332 1RB1 BPSK

H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n78 40M Ch635332 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	7025.00	-55.95	RMS	36.15	-21.58	1.94	-95.23	22.77	-13.00	-42.95	Horizontal		
2	10537.00	-52.84	RMS	37.37	-21.82	1.81	-95.23	25.03	-13.00	-39.84	Horizontal		
3	14049.00	-49.87	RMS	40.80	-22.36	2.23	-95.23	24.69	-13.00	-36.87	Horizontal		
4	21080.00	-50.09	RMS	38.02	-35.27	-9.54	-95.23	51.93	-13.00	-37.09	Horizontal		
5	24600.00	-38.29	RMS	39.40	-31.44	-9.54	-95.23	58.52	-13.00	-25.29	Horizontal		
6	28098.00	-56.64	RMS	39.60	-30.94	-9.54	-95.23	39.47	-13.00	-43.64	Horizontal		
7	31618.00	-58.35	RMS	40.50	-28.65	-9.54	-95.23	34.57	-13.00	-45.35	Horizontal		



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n78 40M Ch635332 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	7025.00	-55.66	RMS	36.15	-21.58	1.94	-95.23	23.06	-13.00	-42.66	Vertical		
2	10537.00	-49.81	RMS	37.37	-21.82	1.81	-95.23	28.06	-13.00	-36.81	Vertical		
3	14049.00	-49.52	RMS	40.80	-22.36	2.23	-95.23	25.04	-13.00	-36.52	Vertical		
4	21080.00	-55.20	RMS	38.02	-35.27	-9.54	-95.23	46.82	-13.00	-42.20	Vertical		
5	24600.00	-41.00	RMS	39.40	-31.44	-9.54	-95.23	55.81	-13.00	-28.00	Vertical		
6	28098.00	-56.62	RMS	39.60	-30.94	-9.54	-95.23	39.49	-13.00	-43.62	Vertical		
7	31618.00	-60.00	RMS	40.50	-28.65	-9.54	-95.23	32.92	-13.00	-47.00	Vertical		




Ant. 3+4

Part 27Q Mode 28

NR SA n77 25M Ch630834 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 25M Ch630834 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-37.81	RMS	36.01	-21.57	2.17	-95.23	40.81	-13.00	-24.81	Horizontal
2	10355.00	-38.99	RMS	37.38	-21.75	1.77	-95.23	38.84	-13.00	-25.99	Horizontal
3	13806.00	-36.22	RMS	40.40	-22.23	2.21	-95.23	38.63	-13.00	-23.22	Horizontal
4	17257.00	-47.32	RMS	39.91	-23.78	2.39	-95.23	29.39	-13.00	-34.32	Horizontal
5	20728.00	-51.66	RMS	37.99	-35.67	-9.54	-95.23	50.79	-13.00	-38.66	Horizontal
6	24160.00	-45.85	RMS	39.16	-31.70	-9.54	-95.23	51.46	-13.00	-32.85	Horizontal
7	27614.00	-47.12	RMS	39.50	-31.04	-9.54	-95.23	49.19	-13.00	-34.12	Horizontal
8	31068.00	-55.81	RMS	40.60	-29.22	-9.54	-95.23	37.58	-13.00	-42.81	Horizontal
9	34522.00	-54.39	RMS	41.60	-24.68	-9.54	-95.23	33.46	-13.00	-41.39	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 25M Ch630834 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-36.84	RMS	36.01	-21.57	2.17	-95.23	41.78	-13.00	-23.84	Vertical
2	10355.00	-34.18	RMS	37.38	-21.75	1.77	-95.23	43.65	-13.00	-21.18	Vertical
3	13806.00	-37.07	RMS	40.40	-22.23	2.21	-95.23	37.78	-13.00	-24.07	Vertical
4	17257.00	-44.95	RMS	39.91	-23.78	2.39	-95.23	31.76	-13.00	-31.95	Vertical
5	20728.00	-46.42	RMS	37.99	-35.67	-9.54	-95.23	56.03	-13.00	-33.42	Vertical
6	24160.00	-37.83	RMS	39.16	-31.70	-9.54	-95.23	59.48	-13.00	-24.83	Vertical
7	27614.00	-47.36	RMS	39.50	-31.04	-9.54	-95.23	48.95	-13.00	-34.36	Vertical
8	31068.00	-54.30	RMS	40.60	-29.22	-9.54	-95.23	39.09	-13.00	-41.30	Vertical
9	34522.00	-52.36	RMS	41.60	-24.68	-9.54	-95.23	35.49	-13.00	-39.36	Vertical




Ant. 3+4

Part 27Q Mode 28

NR SA n77 25M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 25M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6978.00	-47.00	RMS	36.16	-21.59	1.98	-95.23	31.68	-13.00	-34.00	Horizontal
2	10467.00	-39.08	RMS	37.23	-21.81	1.79	-95.23	38.94	-13.00	-26.08	Horizontal
3	13956.00	-39.67	RMS	40.71	-22.27	2.23	-95.23	34.89	-13.00	-26.67	Horizontal
4	17445.00	-46.64	RMS	39.90	-24.00	2.43	-95.23	30.26	-13.00	-33.64	Horizontal
5	20948.00	-52.80	RMS	38.09	-35.48	-9.54	-95.23	49.36	-13.00	-39.80	Horizontal
6	24424.00	-39.17	RMS	39.35	-31.49	-9.54	-95.23	57.74	-13.00	-26.17	Horizontal
7	27922.00	-50.09	RMS	39.56	-30.98	-9.54	-95.23	46.10	-13.00	-37.09	Horizontal
8	31420.00	-57.69	RMS	40.56	-28.85	-9.54	-95.23	35.37	-13.00	-44.69	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 25M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6978.00	-43.71	RMS	36.16	-21.59	1.98	-95.23	34.97	-13.00	-30.71	Vertical
2	10467.00	-36.61	RMS	37.23	-21.81	1.79	-95.23	41.41	-13.00	-23.61	Vertical
3	13956.00	-39.43	RMS	40.71	-22.27	2.23	-95.23	35.13	-13.00	-26.43	Vertical
4	17445.00	-44.75	RMS	39.90	-24.00	2.43	-95.23	32.15	-13.00	-31.75	Vertical
5	20948.00	-45.55	RMS	38.09	-35.48	-9.54	-95.23	56.61	-13.00	-32.55	Vertical
6	24424.00	-36.79	RMS	39.35	-31.49	-9.54	-95.23	60.12	-13.00	-23.79	Vertical
7	27922.00	-49.34	RMS	39.56	-30.98	-9.54	-95.23	46.85	-13.00	-36.34	Vertical
8	31420.00	-55.11	RMS	40.56	-28.85	-9.54	-95.23	37.95	-13.00	-42.11	Vertical




Ant. 3+4

Part 27Q Mode 28

NR SA n77 25M Ch635832 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 25M Ch635832 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7053.00	-50.04	RMS	36.10	-21.55	1.95	-95.23	28.69	-13.00	-37.04	-13.00	-37.04	Horizontal
2	10580.00	-43.52	RMS	37.46	-21.81	1.81	-95.23	34.25	-13.00	-30.52	-13.00	-30.52	Horizontal
3	14106.00	-41.32	RMS	40.91	-22.44	2.22	-95.23	33.22	-13.00	-28.32	-13.00	-28.32	Horizontal
4	17632.00	-49.19	RMS	39.94	-23.83	2.47	-95.23	27.46	-13.00	-36.19	-13.00	-36.19	Horizontal
5	21168.00	-51.75	RMS	38.00	-35.09	-9.54	-95.23	50.11	-13.00	-38.75	-13.00	-38.75	Horizontal
6	24688.00	-40.58	RMS	39.58	-31.44	-9.54	-95.23	56.05	-13.00	-27.58	-13.00	-27.58	Horizontal
7	28230.00	-54.93	RMS	39.72	-30.90	-9.54	-95.23	41.02	-13.00	-41.93	-13.00	-41.93	Horizontal
8	31750.00	-61.69	RMS	40.50	-28.51	-9.54	-95.23	31.09	-13.00	-48.69	-13.00	-48.69	Horizontal
9	35270.00	-55.95	RMS	42.24	-24.15	-9.54	-95.23	30.73	-13.00	-42.95	-13.00	-42.95	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 25M Ch635832 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7053.00	-45.13	RMS	36.10	-21.55	1.95	-95.23	33.60	-13.00	-32.13	-13.00	-32.13	Vertical
2	10580.00	-37.42	RMS	37.46	-21.81	1.81	-95.23	40.35	-13.00	-24.42	-13.00	-24.42	Vertical
3	14106.00	-38.11	RMS	40.91	-22.44	2.22	-95.23	36.43	-13.00	-25.11	-13.00	-25.11	Vertical
4	17632.00	-43.13	RMS	39.94	-23.83	2.47	-95.23	33.52	-13.00	-30.13	-13.00	-30.13	Vertical
5	21168.00	-44.54	RMS	38.00	-35.09	-9.54	-95.23	57.32	-13.00	-31.54	-13.00	-31.54	Vertical
6	24688.00	-35.41	RMS	39.58	-31.44	-9.54	-95.23	61.22	-13.00	-22.41	-13.00	-22.41	Vertical
7	28230.00	-55.41	RMS	39.72	-30.90	-9.54	-95.23	40.54	-13.00	-42.41	-13.00	-42.41	Vertical
8	31750.00	-56.91	RMS	40.50	-28.51	-9.54	-95.23	35.87	-13.00	-43.91	-13.00	-43.91	Vertical
9	35270.00	-51.45	RMS	42.24	-24.15	-9.54	-95.23	35.23	-13.00	-38.45	-13.00	-38.45	Vertical




Ant. 3+4

Part 27Q Mode 29

NR SA n78 40M Ch631334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 40M Ch631334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6905.00	-38.18	RMS	36.01	-21.57	2.17	-95.23	40.44	-13.00	-25.18	Horizontal
2	10357.00	-34.75	RMS	37.37	-21.75	1.77	-95.23	43.09	-13.00	-21.75	Horizontal
3	13809.00	-41.05	RMS	40.40	-22.23	2.21	-95.23	33.80	-13.00	-28.05	Horizontal
4	17258.00	-45.38	RMS	39.92	-23.78	2.39	-95.23	31.32	-13.00	-32.38	Horizontal
5	20728.00	-56.03	RMS	37.99	-35.67	-9.54	-95.23	46.42	-13.00	-43.03	Horizontal
6	24182.00	-50.17	RMS	39.07	-31.68	-9.54	-95.23	47.21	-13.00	-37.17	Horizontal
7	27614.00	-47.69	RMS	39.50	-31.04	-9.54	-95.23	48.62	-13.00	-34.69	Horizontal
8	31068.00	-52.31	RMS	40.60	-29.22	-9.54	-95.23	41.08	-13.00	-39.31	Horizontal
9	34522.00	-55.71	RMS	41.60	-24.68	-9.54	-95.23	32.14	-13.00	-42.71	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 40M Ch631334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6905.00	-40.43	RMS	36.01	-21.57	2.17	-95.23	38.19	-13.00	-27.43	Vertical
2	10357.00	-37.49	RMS	37.37	-21.75	1.77	-95.23	40.35	-13.00	-24.49	Vertical
3	13809.00	-37.15	RMS	40.40	-22.23	2.21	-95.23	37.70	-13.00	-24.15	Vertical
4	17258.00	-47.51	RMS	39.92	-23.78	2.39	-95.23	29.19	-13.00	-34.51	Vertical
5	20728.00	-49.76	RMS	37.99	-35.67	-9.54	-95.23	52.69	-13.00	-36.76	Vertical
6	24182.00	-40.97	RMS	39.07	-31.68	-9.54	-95.23	56.41	-13.00	-27.97	Vertical
7	27614.00	-48.56	RMS	39.50	-31.04	-9.54	-95.23	47.75	-13.00	-35.56	Vertical
8	31068.00	-52.57	RMS	40.60	-29.22	-9.54	-95.23	40.82	-13.00	-39.57	Vertical
9	34522.00	-52.29	RMS	41.60	-24.68	-9.54	-95.23	35.56	-13.00	-39.29	Vertical




Ant. 3+4

Part 27Q Mode 29

NR SA n78 40M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n78 40M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6965.00	-38.72	RMS	36.13	-21.59	2.01	-95.23	39.96	-13.00	-25.72	Horizontal
2	10447.00	-36.38	RMS	37.20	-21.80	1.79	-95.23	41.66	-13.00	-23.38	Horizontal
3	13929.00	-40.69	RMS	40.66	-22.26	2.22	-95.23	33.92	-13.00	-27.69	Horizontal
4	17415.00	-45.55	RMS	39.90	-23.96	2.43	-95.23	31.31	-13.00	-32.55	Horizontal
5	20904.00	-51.45	RMS	37.92	-35.52	-9.54	-95.23	50.92	-13.00	-38.45	Horizontal
6	24380.00	-48.53	RMS	39.28	-31.53	-9.54	-95.23	48.49	-13.00	-35.53	Horizontal
7	27856.00	-49.98	RMS	39.51	-30.99	-9.54	-95.23	46.27	-13.00	-36.98	Horizontal
8	31354.00	-55.96	RMS	40.60	-28.92	-9.54	-95.23	37.13	-13.00	-42.96	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n78 40M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6965.00	-42.42	RMS	36.13	-21.59	2.01	-95.23	36.26	-13.00	-29.42	Vertical
2	10447.00	-40.03	RMS	37.20	-21.80	1.79	-95.23	38.01	-13.00	-27.03	Vertical
3	13929.00	-36.80	RMS	40.66	-22.26	2.22	-95.23	37.81	-13.00	-23.80	Vertical
4	17415.00	-46.84	RMS	39.90	-23.96	2.43	-95.23	30.02	-13.00	-33.84	Vertical
5	20904.00	-49.58	RMS	37.92	-35.52	-9.54	-95.23	52.79	-13.00	-36.58	Vertical
6	24380.00	-48.07	RMS	39.28	-31.53	-9.54	-95.23	48.95	-13.00	-35.07	Vertical
7	27856.00	-50.93	RMS	39.51	-30.99	-9.54	-95.23	45.32	-13.00	-37.93	Vertical
8	31354.00	-52.69	RMS	40.60	-28.92	-9.54	-95.23	40.40	-13.00	-39.69	Vertical




Ant. 3+4

Part 27Q Mode 29

NR SA n78 40M Ch635332 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n77 40M Ch635332 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7025.00	-44.75 RMS	36.15	-21.58	1.94	-95.23	33.97	-13.00	-31.75	Horizontal
2	10537.00	-38.06 RMS	37.37	-21.82	1.81	-95.23	39.81	-13.00	-25.06	Horizontal
3	14049.00	-41.94 RMS	40.80	-22.36	2.23	-95.23	32.62	-13.00	-28.94	Horizontal
4	17561.00	-46.42 RMS	39.84	-23.96	2.46	-95.23	30.47	-13.00	-33.42	Horizontal
5	21080.00	-49.53 RMS	38.02	-35.27	-9.54	-95.23	52.49	-13.00	-36.53	Horizontal
6	24600.00	-41.75 RMS	39.40	-31.44	-9.54	-95.23	55.06	-13.00	-28.75	Horizontal
7	28098.00	-60.07 RMS	39.60	-30.94	-9.54	-95.23	36.04	-13.00	-47.07	Horizontal
8	31618.00	-57.42 RMS	40.50	-28.65	-9.54	-95.23	35.50	-13.00	-44.42	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n77 40M Ch635332 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7025.00	-48.41 RMS	36.15	-21.58	1.94	-95.23	30.31	-13.00	-35.41	Vertical
2	10537.00	-42.36 RMS	37.37	-21.82	1.81	-95.23	35.51	-13.00	-29.36	Vertical
3	14049.00	-38.22 RMS	40.80	-22.36	2.23	-95.23	36.34	-13.00	-25.22	Vertical
4	17561.00	-46.45 RMS	39.84	-23.96	2.46	-95.23	30.44	-13.00	-33.45	Vertical
5	21080.00	-49.18 RMS	38.02	-35.27	-9.54	-95.23	52.84	-13.00	-36.18	Vertical
6	24600.00	-38.30 RMS	39.40	-31.44	-9.54	-95.23	58.51	-13.00	-25.30	Vertical
7	28098.00	-52.79 RMS	39.60	-30.94	-9.54	-95.23	43.32	-13.00	-39.79	Vertical
8	31618.00	-55.30 RMS	40.50	-28.65	-9.54	-95.23	37.62	-13.00	-42.30	Vertical




Ant. 8

Part 90S Mode 1

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		Factor	dB		dB	dB	dBuV	dBm	dB		
1	1629.00	-68.19	RMS	24.60	-25.15	1.07	-95.23	26.52	-13.00	-55.19	Horizontal		
2	2444.00	-65.26	RMS	26.68	-24.25	0.91	-95.23	26.63	-13.00	-52.26	Horizontal		
3	3258.00	-64.46	RMS	27.93	-23.81	1.05	-95.23	25.60	-13.00	-51.46	Horizontal		



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB			dB	dBuV		
1	1629.00	-68.09	RMS	24.60	-25.15	1.07	-95.23	26.62	-13.00	-55.09	Vertical
2	2444.00	-63.20	RMS	26.68	-24.25	0.91	-95.23	28.69	-13.00	-50.20	Vertical
3	3258.00	-64.65	RMS	27.93	-23.81	1.05	-95.23	25.41	-13.00	-51.65	Vertical




Ant. 8

Part 90S Mode 1

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit g	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-67.84	RMS	24.64	-25.15	1.07	-95.23	26.83	-13.00	-54.84	Horizontal
2	2451.00	-64.75	RMS	26.79	-24.24	0.91	-95.23	27.02	-13.00	-51.75	Horizontal
3	3268.00	-64.67	RMS	27.97	-23.81	1.05	-95.23	25.35	-13.00	-51.67	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit g	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-68.02	RMS	24.64	-25.15	1.07	-95.23	26.65	-13.00	-55.02	Vertical
2	2451.00	-64.30	RMS	26.79	-24.24	0.91	-95.23	27.47	-13.00	-51.30	Vertical
3	3268.00	-64.82	RMS	27.97	-23.81	1.05	-95.23	25.20	-13.00	-51.82	Vertical




Ant. 8

Part 90S Mode 1

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n26 10M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-68.09	RMS	24.69	-25.14	1.07	-95.23	26.52	-13.00	-55.09	Horizontal
2	2459.00	-65.65	RMS	26.71	-24.23	0.91	-95.23	26.19	-13.00	-52.65	Horizontal
3	3278.00	-64.71	RMS	28.01	-23.82	1.05	-95.23	25.28	-13.00	-51.71	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n26 10M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-67.97	RMS	24.69	-25.14	1.07	-95.23	26.64	-13.00	-54.97	Vertical
2	2459.00	-65.03	RMS	26.71	-24.23	0.91	-95.23	26.81	-13.00	-52.03	Vertical
3	3278.00	-64.46	RMS	28.01	-23.82	1.05	-95.23	25.53	-13.00	-51.46	Vertical




Ant. 8

Part 90S Mode 2

NR SA n26 10M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-67.70	RMS	24.60	-25.15	1.07	-95.23	27.01	-13.00	-54.70	Horizontal
2	2444.00	-65.55	RMS	26.68	-24.25	0.91	-95.23	26.34	-13.00	-52.55	Horizontal
3	3259.00	-64.23	RMS	27.94	-23.81	1.05	-95.23	25.82	-13.00	-51.23	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB			dB	dBuV		
1	1630.00	-67.70	RMS	24.60	-25.15	1.07	-95.23	27.01	-13.00	-54.70	Vertical
2	2444.00	-63.68	RMS	26.68	-24.25	0.91	-95.23	28.21	-13.00	-50.68	Vertical
3	3259.00	-64.24	RMS	27.94	-23.81	1.05	-95.23	25.81	-13.00	-51.24	Vertical




Ant. 8

Part 90S Mode 3

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-67.94	RMS	24.65	-25.15	1.07	-95.23	26.72	-13.00	-54.94	Horizontal
2	2453.00	-65.87	RMS	26.77	-24.24	0.91	-95.23	25.92	-13.00	-52.87	Horizontal
3	3270.00	-64.84	RMS	27.98	-23.81	1.05	-95.23	25.17	-13.00	-51.84	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-67.59	RMS	24.65	-25.15	1.07	-95.23	27.07	-13.00	-54.59	Vertical
2	2453.00	-65.64	RMS	26.77	-24.24	0.91	-95.23	26.15	-13.00	-52.64	Vertical
3	3270.00	-64.77	RMS	27.98	-23.81	1.05	-95.23	25.24	-13.00	-51.77	Vertical




Ant. 8

Part 90R Mode 4

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1577.00	-67.77	RMS	24.50	-25.20	1.06	-95.23	27.10	-42.15	-25.62	Horizontal		
2	2366.00	-64.67	RMS	26.90	-24.35	0.91	-95.23	27.10	-13.00	-51.67	Horizontal		
3	3154.00	-64.88	RMS	28.00	-23.73	1.02	-95.23	25.06	-13.00	-51.88	Horizontal		



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1577.00	-68.37	RMS	24.50	-25.20	1.06	-95.23	26.50	-42.15	-26.22	Vertical		
2	2366.00	-63.16	RMS	26.90	-24.35	0.91	-95.23	28.61	-13.00	-50.16	Vertical		
3	3154.00	-64.96	RMS	28.00	-23.73	1.02	-95.23	24.98	-13.00	-51.96	Vertical		




Ant. 8

Part 90R Mode 4

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1582.00	-66.98	RMS	24.52	-25.19	1.06	-95.23	27.86	-42.15	-24.83	Horizontal		
2	2373.00	-63.01	RMS	26.84	-24.34	0.91	-95.23	28.81	-13.00	-50.01	Horizontal		
3	3164.00	-64.39	RMS	28.00	-23.73	1.02	-95.23	25.55	-13.00	-51.39	Horizontal		



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1582.00	-68.19	RMS	24.52	-25.19	1.06	-95.23	26.65	-42.15	-26.04	Vertical		
2	2373.00	-61.33	RMS	26.84	-24.34	0.91	-95.23	30.49	-13.00	-48.33	Vertical		
3	3164.00	-65.01	RMS	28.00	-23.73	1.02	-95.23	24.93	-13.00	-52.01	Vertical		




Ant. 8

Part 90R Mode 4

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1		dB	dB		dBuV	dBm	dB	
1	1587.00	-68.27	RMS	24.57	-25.19	1.06	-95.23	26.52	-42.15	-26.12	Horizontal		
2	2381.00	-65.98	RMS	26.69	-24.33	0.91	-95.23	25.98	-13.00	-52.98	Horizontal		
3	3174.00	-64.72	RMS	28.00	-23.74	1.03	-95.23	25.22	-13.00	-51.72	Horizontal		



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1		dB	dB		dBuV	dBm	dB	
1	1587.00	-68.54	RMS	24.57	-25.19	1.06	-95.23	26.25	-42.15	-26.39	Vertical		
2	2381.00	-62.81	RMS	26.69	-24.33	0.91	-95.23	29.15	-13.00	-49.81	Vertical		
3	3174.00	-64.59	RMS	28.00	-23.74	1.03	-95.23	25.35	-13.00	-51.59	Vertical		




Ant. 8

Part 27D Mode 5


NR SA n40 10M Ch462000 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -40 3m LF_63303&001_251126 Horizontal
: SA n40 10M Ch471000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	2352.00	-3.69	RMS	--	8.43	0.59	-95.23	582.52	-40.00	36.31	Horizontal



Site : 03CH21-HY
Condition: -40 3m LF_63303&001_251126 Vertical
: SA n40 10M Ch471000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	2352.00	-9.05	RMS	--	8.43	0.59	-95.23	577.16	-40.00	30.95	Vertical