





EUT Mode

802.11be EHT320 Puncture40 8


Plot on 6105 MHz




Plot on 6265 MHz



Plot on 6425 MHz




Plot on 6585 MHz





Plot on 6745 MHz




Date: 20.MAR.2026 20:26:52



EUT Mode

802.11be EHT320 Puncture80 1

Plot on 6905 MHz




Date: 20.MAR.2026 20:47:14



EUT Mode


802.11be EHT320 Puncture80 4

Plot on 6105 MHz




Date: 20.MAR.2026 18:53:48

Plot on 6265 MHz




Date: 20.MAR.2026 19:32:42

Plot on 6425 MHz



Date: 20.MAR.2026 20:02:43


Plot on 6585 MHz



Date: 20.MAR.2026 20:14:14



Plot on 6745 MHz




Date: 20.MAR.2026 20:29:46



EUT Mode


802.11be EHT320 Puncture120 6

Plot on 6105 MHz




Date: 20.MAR.2026 20:59:01

Plot on 6265 MHz




Date: 20.MAR.2026 21:05:22

Plot on 6425 MHz



Date: 20.MAR.2026 21:12:18


Plot on 6585 MHz



Date: 20.MAR.2026 21:15:28




Plot on 6745 MHz



Date: 20.MAR.2026 21:18:06

Plot on 6905 MHz



Date: 20.MAR.2026 21:20:57






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	19.2~22.3℃
		Relative Humidity :	45.2~47.3%

EUT Information

Report NO : 5N0611-01
Test Mode : Mode 1
Test Voltage : Power from system
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.151035	---	32.89	55.94	23.05	L1	ON	19.9
0.151035	46.07	---	65.94	19.87	L1	ON	19.9
0.204000	---	27.19	53.45	26.26	L1	ON	19.9
0.204000	36.67	---	63.45	26.78	L1	ON	19.9
0.256920	---	25.31	51.53	26.22	L1	ON	19.9
0.256920	32.91	---	61.53	28.62	L1	ON	19.9
0.393000	---	29.24	48.00	18.76	L1	ON	19.9
0.393000	37.85	---	58.00	20.15	L1	ON	19.9
0.458250	---	30.42	46.72	16.30	L1	ON	19.9
0.458250	36.54	---	56.72	20.18	L1	ON	19.9
4.971750	---	20.63	46.00	25.37	L1	ON	20.0
4.971750	29.35	---	56.00	26.65	L1	ON	20.0

EUT Information

Report NO : 5N0611-01
Test Mode : Mode 1
Test Voltage : Power from system
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	32.80	56.00	23.20	N	ON	20.0
0.150000	46.29	---	66.00	19.71	N	ON	20.0
0.156750	---	31.35	55.63	24.28	N	ON	19.9
0.156750	44.27	---	65.63	21.36	N	ON	19.9
0.186000	---	28.59	54.21	25.62	N	ON	19.9
0.186000	39.33	---	64.21	24.88	N	ON	19.9
0.370500	---	26.52	48.49	21.97	N	ON	19.9
0.370500	31.52	---	58.49	26.97	N	ON	19.9
0.456000	---	27.68	46.77	19.09	N	ON	19.9
0.456000	35.20	---	56.77	21.57	N	ON	19.9
0.478500	---	33.30	46.37	13.07	N	ON	19.9
0.478500	40.39	---	56.37	15.98	N	ON	19.9
3.936750	---	17.16	46.00	28.84	N	ON	20.0
3.936750	23.29	---	56.00	32.71	N	ON	20.0



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, York Huang, and Bill Chang	Temperature :	20.8 ~ 24.5°C
		Relative Humidity :	55.7 ~ 61.2%

Note symbol

-L	Low channel location
-R	High channel location



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 68	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 69	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 70	U-NII-5	5.925-6.425	6+7	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 71	U-NII-5	5.925-6.425	6+7	802.11be EHT20	1	5955	MCS0	Partial RU 106/53	-
Mode 72	U-NII-5	5.925-6.425	6+7	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 73	U-NII-5	5.925-6.425	6+7	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 74	U-NII-5	5.925-6.425	6+7	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 75	U-NII-5	5.925-6.425	6+7	802.11be EHT40	3	5965	MCS0	Partial RU 242/61	-
Mode 76	U-NII-5	5.925-6.425	6+7	802.11be EHT40	51	6205	MCS0	Full RU	-
Mode 77	U-NII-5	5.925-6.425	6+7	802.11be EHT40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 78	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 79	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Partial RU 484/65	-
Mode 80	U-NII-5	5.925-6.425	6+7	802.11be EHT80	55	6225	MCS0	Full RU	-
Mode 81	U-NII-5	5.925-6.425	6+7	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 82	U-NII-5	5.925-6.425	6+7	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 83	U-NII-5	5.925-6.425	6+7	802.11be EHT160	15	6025	MCS0	Partial RU 996/67	-
Mode 84	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 85	U-NII-5	5.925-6.425	6+7	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 86	U-NII-6	6.425-6.525	6+7	802.11a	97	6435	6Mbps	-	-
Mode 87	U-NII-6	6.425-6.525	6+7	802.11a	105	6475	6Mbps	-	-
Mode 88	U-NII-6	6.425-6.525	6+7	802.11a	113	6515	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 89	U-NII-6	6.425-6.525	6+7	802.11be EHT20	97	6435	MCS0	Full RU	-
Mode 90	U-NII-6	6.425-6.525	6+7	802.11be EHT20	105	6475	MCS0	Full RU	-
Mode 91	U-NII-6	6.425-6.525	6+7	802.11be EHT20	113	6515	MCS0	Full RU	-
Mode 92	U-NII-6	6.425-6.525	6+7	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 93	U-NII-6	6.425-6.525	6+7	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 94	U-NII-6	6.425-6.525	6+7	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 95	U-NII-6	6.425-6.525	6+7	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 96	U-NII-6	6.425-6.525	6+7	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 97	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	MCS0	-	-
Mode 98	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	MCS0	-	-
Mode 99	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 100	U-NII-7	6.525-6.875	6+7	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 101	U-NII-7	6.525-6.875	6+7	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 102	U-NII-7	6.525-6.875	6+7	802.11be EHT20	185	6875	MCS0	Full RU	-
Mode 103	U-NII-7	6.525-6.875	6+7	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 104	U-NII-7	6.525-6.875	6+7	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 105	U-NII-7	6.525-6.875	6+7	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 106	U-NII-7	6.525-6.875	6+7	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 107	U-NII-7	6.525-6.875	6+7	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 108	U-NII-7	6.525-6.875	6+7	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 109	U-NII-7	6.525-6.875	6+7	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 110	U-NII-7	6.525-6.875	6+7	802.11be EHT160	175	6825	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 111	U-NII-8	6.875-7.125	6+7	802.11a	189	6895	MCS0	-	-
Mode 112	U-NII-8	6.875-7.125	6+7	802.11a	209	6995	MCS0	-	-
Mode 113	U-NII-8	6.875-7.125	6+7	802.11a	233	7115	MCS0	-	-
Mode 114	U-NII-8	6.875-7.125	6+7	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 115	U-NII-8	6.875-7.125	6+7	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 116	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 117	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Partial RU 106/54	-
Mode 118	U-NII-8	6.875-7.125	6+7	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 119	U-NII-8	6.875-7.125	6+7	802.11be EHT40	211	7005	MCS0	Full RU	-
Mode 120	U-NII-8	6.875-7.125	6+7	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 121	U-NII-8	6.875-7.125	6+7	802.11be EHT40	227	7085	MCS0	Partial RU 242/62	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 122	U-NII-8	6.875-7.125	6+7	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 123	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 124	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Partial RU 484/66	-
Mode 125	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 126	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Partial RU 996/68	-
Mode 127	U-NII-5	5.925-6.425	6+7	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 128	U-NII-5	5.925-6.425	6+7	802.11be EHT320	31	6105	MCS0	Partial RU 996*2/67	-
Mode 129	U-NII-6	6.425-6.525	6+7	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 130	U-NII-6	6.425-6.525	6+7	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 131	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 132	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Partial RU 996*2/68	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 133	U-NII-8	6.875-7.125	6+7	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 134	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 149	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Test 20MHz Channel Puncture Location 4	-
Mode 150	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 151	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	Test 20MHz Channel Puncture Location 8	-
Mode 152	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 153	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	Test 40MHz Channel Puncture Location 4	-
Mode 154	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 155	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Test 40MHz Channel Puncture Location 8	-
Mode 156	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Test 80MHz Channel Puncture Location 4	-
Mode 157	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Test 80+40MHz Channel Puncture Location 6	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 158	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 159	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Test 80MHz Channel Puncture Location 1	-
Mode 160	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Test 80+40MHz Channel Puncture Location 7	-
Mode 165	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Partial RU 106/54	LF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
67	802.11a	1	5924.97	64.12	68.20	-4.08	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.24	54.00	-8.76	V	Avg.	Pass	-	Harmonic
68	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	44.40	54.00	-9.60	V	Avg.	Pass	-	Harmonic
69	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	51.73	68.20	-16.47	V	Avg.	Pass	-	Harmonic
70	802.11be EHT20	1	5924.84	62.21	68.20	-5.99	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17860.00	45.56	54.00	-8.44	V	Avg.	Pass	Full RU	Harmonic
71	802.11be EHT20	1	5924.58	72.61	88.20	-15.59	V	Peak	Pass	Partial RU 106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
72	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
72	802.11be EHT20	49	12390.00	45.65	54.00	-8.35	V	Avg.	Pass	Full RU	Harmonic
73	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	93	12830.00	47.97	68.20	-20.23	H	Avg.	Pass	Full RU	Harmonic
74	802.11be EHT40	3	5912.50	63.26	68.20	-4.94	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	45.96	54.00	-8.04	V	Avg.	Pass	Full RU	Harmonic
75	802.11be EHT40	3	5924.96	65.97	68.20	-2.23	V	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11be EHT40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
76	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	44.39	54.00	-9.61	V	Avg.	Pass	Full RU	Harmonic
77	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	12810.00	54.25	88.20	-33.95	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
78	802.11be EHT80	7	5914.28	61.84	68.20	-6.36	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	46.26	54.00	-7.74	V	Avg.	Pass	Full RU	Harmonic
79	802.11be EHT80	7	5925.00	63.89	68.20	-4.31	V	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
80	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	43.64	54.00	-10.36	H	Avg.	Pass	Full RU	Harmonic
81	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	12770.00	53.40	88.20	-34.80	V	Peak	Pass	Full RU	Harmonic
82	802.11be EHT160	15	5913.20	59.58	68.20	-8.62	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	44.08	54.00	-9.92	H	Avg.	Pass	Full RU	Harmonic
83	802.11be EHT160	15	5920.20	64.94	68.20	-3.26	V	Avg.	Pass	Partial RU 996/67	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
83	802.11be EHT160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
84	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	47	12370.00	43.90	54.00	-10.10	V	Avg.	Pass	Full RU	Harmonic
85	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	45.35	54.00	-8.65	H	Avg.	Pass	Full RU	Harmonic
86	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	12870.00	53.28	88.20	-34.92	H	Peak	Pass	-	Harmonic
87	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	12950.00	53.42	88.20	-34.78	H	Peak	Pass	-	Harmonic
88	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	13030.00	53.16	88.20	-35.04	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
89	802.11be EHT20	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	97	12870.00	53.56	88.20	-34.64	V	Peak	Pass	Full RU	Harmonic
90	802.11be EHT20	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	105	12950.00	53.84	88.20	-34.36	H	Peak	Pass	Full RU	Harmonic
91	802.11be EHT20	113	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	113	13030.00	53.19	88.20	-35.01	H	Peak	Pass	Full RU	Harmonic
92	802.11be EHT40	99	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	99	12890.00	53.58	88.20	-34.62	V	Peak	Pass	Full RU	Harmonic
93	802.11be EHT40	107	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	107	12970.00	54.59	88.20	-33.61	H	Peak	Pass	Full RU	Harmonic
94	802.11be EHT40	115	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
94	802.11be EHT40	115	13050.00	52.78	88.20	-35.42	V	Peak	Pass	Full RU	Harmonic
95	802.11be EHT80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	103	12930.00	54.11	88.20	-34.09	H	Peak	Pass	Full RU	Harmonic
96	802.11be EHT160	111	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	111	13010.00	54.11	88.20	-34.09	H	Peak	Pass	Full RU	Harmonic
97	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	53.89	68.20	-14.31	V	Avg.	Pass	-	Harmonic
98	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	50.92	54.00	-3.08	V	Avg.	Pass	-	Harmonic
99	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	13750.00	58.15	68.20	-10.05	H	Avg.	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
100	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	117	13070.00	46.71	68.20	-21.49	H	Avg.	Pass	Full RU	Harmonic
101	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	149	13390.00	49.39	54.00	-4.61	V	Avg.	Pass	Full RU	Harmonic
102	802.11be EHT20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	185	13750.00	51.24	68.20	-16.96	V	Avg.	Pass	Full RU	Harmonic
103	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	123	19695.00	30.67	54.00	-23.33	V	Avg.	Pass	Full RU	Harmonic
104	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	147	13370.00	47.15	54.00	-6.85	V	Avg.	Pass	Full RU	Harmonic
105	802.11be EHT40	187	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
105	802.11be EHT40	187	13770.00	56.57	88.20	-31.63	V	Peak	Pass	Full RU	Harmonic
106	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	135	13250.00	45.16	54.00	-8.84	V	Avg.	Pass	Full RU	Harmonic
107	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	13410.00	54.87	88.20	-33.33	V	Peak	Pass	Full RU	Harmonic
108	802.11be EHT80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	183	13730.00	55.91	88.20	-32.29	V	Peak	Pass	Full RU	Harmonic
109	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	143	13330.00	44.82	54.00	-9.18	H	Avg.	Pass	Full RU	Harmonic
110	802.11be EHT160	175	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	175	13650.00	56.10	88.20	-32.10	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
111	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	13790.00	55.16	88.20	-33.04	V	Peak	Pass	-	Harmonic
112	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	13990.00	55.17	88.20	-33.03	V	Peak	Pass	-	Harmonic
113	802.11a	233	7125.01	61.97	68.20	-6.23	V	Avg.	Pass	-	Band Edge
	802.11a	233	14230.00	55.31	88.20	-32.89	V	Peak	Pass	-	Harmonic
114	802.11be EHT20	189	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	189	13790.00	56.07	88.20	-32.13	V	Peak	Pass	Full RU	Harmonic
115	802.11be EHT20	209	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	209	13990.00	55.44	88.20	-32.76	H	Peak	Pass	Full RU	Harmonic
116	802.11be EHT20	233	7125.01	64.73	68.20	-3.47	V	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
116	802.11be EHT20	233	14230.00	55.99	88.20	-32.21	H	Peak	Pass	Full RU	Harmonic
117	802.11be EHT20	233	7125.01	66.49	68.20	-1.71	V	Avg.	Pass	Partial RU 106/54	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	Partial RU 106/54	Harmonic
118	802.11be EHT40	195	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	195	13850.00	55.21	88.20	-32.99	V	Peak	Pass	Full RU	Harmonic
119	802.11be EHT40	211	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	211	14010.00	54.87	88.20	-33.33	V	Peak	Pass	Full RU	Harmonic
120	802.11be EHT40	227	7236.84	44.51	68.20	-23.69	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	227	14170.00	55.46	88.20	-32.74	V	Peak	Pass	Full RU	Harmonic
121	802.11be EHT40	227	7244.36	44.50	68.20	-23.70	V	Avg.	Pass	Partial RU 242/62	Band Edge
	802.11be EHT40	227	-	-	-	-	-	-	-	Partial RU 242/62	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
122	802.11be EHT80	199	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	199	13890.00	54.82	88.20	-33.38	H	Peak	Pass	Full RU	Harmonic
123	802.11be EHT80	215	7242.14	44.47	68.20	-23.73	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	215	14050.00	55.99	88.20	-32.21	H	Peak	Pass	Full RU	Harmonic
124	802.11be EHT80	215	7241.04	44.48	68.20	-23.72	V	Avg.	Pass	Partial RU 484/66	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	Partial RU 484/66	Harmonic
125	802.11be EHT160	207	7137.16	48.81	68.20	-19.39	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	207	13970.00	56.26	88.20	-31.94	V	Peak	Pass	Full RU	Harmonic
126	802.11be EHT160	207	7126.12	56.33	68.20	-11.87	H	Avg.	Pass	Partial RU 996/68	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Partial RU 996/68	Harmonic
127	802.11be EHT320	31	5917.12	60.49	68.20	-7.71	V	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
127	802.11be EHT320	31	12210.00	43.92	54.00	-10.08	V	Avg.	Pass	Full RU	Harmonic
128	802.11be EHT320	31	5889.96	65.87	68.20	-2.33	V	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic
129	802.11be EHT320	95	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	95	12850.00	45.25	68.20	-22.95	V	Avg.	Pass	Full RU	Harmonic
130	802.11be EHT320	159	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	159	13490.00	55.77	88.20	-32.43	V	Peak	Pass	Full RU	Harmonic
131	802.11be EHT320	63	5913.88	58.34	68.20	-9.86	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	63	12530.00	44.80	54.00	-9.20	V	Avg.	Pass	Full RU	Harmonic
132	802.11be EHT320	63	5911.24	59.35	68.20	-8.85	V	Avg.	Pass	Partial RU 996*2/68	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Partial RU 996*2/68	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
133	802.11be EHT320	127	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	127	13170.00	55.26	88.20	-32.94	H	Peak	Pass	Full RU	Harmonic
134	802.11be EHT320	191	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	191	13810.00	56.36	88.20	-31.84	V	Peak	Pass	Full RU	Harmonic
149	802.11be EHT80	7	5925.00	65.28	68.20	-2.92	V	Avg.	Pass	Test 20MHz Channel Puncture Location 4	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 4	Harmonic
150	802.11be EHT80	215	7241.26	44.65	68.20	-23.55	V	Avg.	Pass	Test 20MHz Channel Puncture Location 1	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 1	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
151	802.11be EHT160	47	5924.72	54.87	68.20	-13.33	V	Avg.	Pass	Test 20MHz Channel Puncture Location 8	Band Edge
	802.11be EHT160	47	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 8	Harmonic
152	802.11be EHT160	207	7127.32	48.67	68.20	-19.53	V	Avg.	Pass	Test 20MHz Channel Puncture Location 1	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 1	Harmonic
153	802.11be EHT160	47	5924.72	50.18	68.20	-18.02	V	Avg.	Pass	Test 40MHz Channel Puncture Location 4	Band Edge
	802.11be EHT160	47	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 4	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
154	802.11be EHT160	207	7132.60	52.21	68.20	-15.99	V	Avg.	Pass	Test 40MHz Channel Puncture Location 1	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 1	Harmonic
155	802.11be EHT320	63	5924.88	62.21	68.20	-5.99	V	Avg.	Pass	Test 40MHz Channel Puncture Location 8	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 8	Harmonic
156	802.11be EHT320	63	5916.08	56.02	68.20	-12.18	V	Avg.	Pass	Test 80MHz Channel Puncture Location 4	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Test 80MHz Channel Puncture Location 4	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
157	802.11be EHT320	63	5921.80	50.08	68.20	-18.12	V	Avg.	Pass	Test 80+40MHz Channel Puncture Location 6	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Test 80+40MHz Channel Puncture Location 6	Harmonic
158	802.11be EHT320	191	7161.32	49.76	68.20	-18.44	V	Avg.	Pass	Test 40MHz Channel Puncture Location 1	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 1	Harmonic
159	802.11be EHT320	191	7132.20	51.16	68.20	-17.04	V	Avg.	Pass	Test 80MHz Channel Puncture Location 1	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 80MHz Channel Puncture Location 1	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
160	802.11be EHT320	191	7129.64	50.57	68.20	-17.63	V	Avg.	Pass	Test 80+40MHz Channel Puncture Location 7	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 80+40MHz Channel Puncture Location 7	Harmonic
165	LF	233	730.34	39.11	46.00	-6.89	V	Peak	Pass	-	LF



		67																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT		6+7																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak		Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.02</td><td>69.76</td><td>88.20 -18.44</td><td>57.09</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>58 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>110.81</td><td>-----</td><td>98.18</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>58 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5923.02	69.76	88.20 -18.44	57.09	33.65	12.78	34.80	1.04	200	58 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	110.81	-----	98.18	33.60	12.84	34.82	1.01	200	58 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5923.02	69.76	88.20 -18.44	57.09	33.65	12.78	34.80	1.04	200	58 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5955.00	110.81	-----	98.18	33.60	12.84	34.82	1.01	200	58 Peak																																																																																		
Avg		Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.41</td><td>59.67</td><td>68.20 -8.53</td><td>47.00</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>58 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>104.02</td><td>-----</td><td>91.37</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200</td><td>58 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5923.41	59.67	68.20 -8.53	47.00	33.65	12.78	34.80	1.04	200	58 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	104.02	-----	91.37	33.62	12.86	34.83	1.00	200	58 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5923.41	59.67	68.20 -8.53	47.00	33.65	12.78	34.80	1.04	200	58 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5955.00	104.02	-----	91.37	33.62	12.86	34.83	1.00	200	58 Average																																																																																		



		67																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																	
ANT		6+7																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>75.03</td><td>88.20</td><td>-13.17</td><td>62.36</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200 28 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>117.96</td><td>-----</td><td>-----</td><td>105.28</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>200 28 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	75.03	88.20	-13.17	62.36	33.65	12.78	34.80	1.04	200 28 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.96	-----	-----	105.28	33.65	12.88	34.84	0.99	200 28 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.71	75.03	88.20	-13.17	62.36	33.65	12.78	34.80	1.04	200 28 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	117.96	-----	-----	105.28	33.65	12.88	34.84	0.99	200 28 Peak																																																																																									
Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>64.12</td><td>68.20</td><td>-4.08</td><td>51.45</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200 28 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.76</td><td>-----</td><td>-----</td><td>98.13</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200 28 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	64.12	68.20	-4.08	51.45	33.65	12.78	34.80	1.04	200 28 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.76	-----	-----	98.13	33.60	12.84	34.82	1.01	200 28 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	64.12	68.20	-4.08	51.45	33.65	12.78	34.80	1.04	200 28 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	110.76	-----	-----	98.13	33.60	12.84	34.82	1.01	200 28 Average																																																																																									



		67																																																																																																																																																																																		
Mode		Harmonic																																																																																																																																																																																		
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																																		
ANT		6+7																																																																																																																																																																																		
Pol.		Horizontal						Vertical																																																																																																																																																																												
Peak Avg		Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>30.50</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>100</td><td>349</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>23.97</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>100</td><td>349</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>34.79</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>25.49</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.88	74.00	-25.12	30.50	39.12	18.12	40.62	0.30	100	349	Peak	2	11910.00	42.35	54.00	-11.65	23.97	39.12	18.12	40.62	0.30	100	349	Average	3	17865.00	54.40	74.00	-19.60	34.79	41.26	22.22	46.20	0.38	--	--	Peak	4	17865.00	45.10	54.00	-8.90	25.49	41.26	22.22	46.20	0.38	--	--	Average	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>31.00</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>290</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>24.96</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>290</td><td>339</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>34.83</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>25.63</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	49.38	74.00	-24.62	31.00	39.12	18.12	40.62	0.30	290	339	Peak	2	11910.00	43.34	54.00	-10.66	24.96	39.12	18.12	40.62	0.30	290	339	Average	3	17865.00	54.44	74.00	-19.56	34.83	41.26	22.22	46.20	0.38	--	--	Peak	4	17865.00	45.24	54.00	-8.76	25.63	41.26	22.22	46.20	0.38	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																										
1	11910.00	48.88	74.00	-25.12	30.50	39.12	18.12	40.62	0.30	100	349	Peak																																																																																																																																																																								
2	11910.00	42.35	54.00	-11.65	23.97	39.12	18.12	40.62	0.30	100	349	Average																																																																																																																																																																								
3	17865.00	54.40	74.00	-19.60	34.79	41.26	22.22	46.20	0.38	--	--	Peak																																																																																																																																																																								
4	17865.00	45.10	54.00	-8.90	25.49	41.26	22.22	46.20	0.38	--	--	Average																																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																										
1	11910.00	49.38	74.00	-24.62	31.00	39.12	18.12	40.62	0.30	290	339	Peak																																																																																																																																																																								
2	11910.00	43.34	54.00	-10.66	24.96	39.12	18.12	40.62	0.30	290	339	Average																																																																																																																																																																								
3	17865.00	54.44	74.00	-19.56	34.83	41.26	22.22	46.20	0.38	--	--	Peak																																																																																																																																																																								
4	17865.00	45.24	54.00	-8.76	25.63	41.26	22.22	46.20	0.38	--	--	Average																																																																																																																																																																								



Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	68	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	Level (dBuV/m)



Mode	68									
	Band Edge									
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz									
ANT	6+7									
Pol.	Vertical					Fundamental				
Peak	Blank									



Mode	68																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																			
ANT	6+7																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>33.46</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>232</td><td>335 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>23.63</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>232</td><td>335 Average</td></tr><tr><td>3</td><td>18594.00</td><td>38.30</td><td>74.00</td><td>-35.70</td><td>54.36</td><td>38.38</td><td>22.85</td><td>67.75</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.01	74.00	-20.99	33.46	39.88	18.66	40.77	0.31	232	335 Peak	2	12390.00	43.18	54.00	-10.82	23.63	39.88	18.66	40.77	0.31	232	335 Average	3	18594.00	38.30	74.00	-35.70	54.36	38.38	22.85	67.75	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>34.00</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>134</td><td>16 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>24.85</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>134</td><td>16 Average</td></tr><tr><td>3</td><td>18594.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>62.30</td><td>38.38</td><td>22.85</td><td>67.75</td><td>-9.54</td><td>145</td><td>64 Peak</td></tr><tr><td>4</td><td>18594.00</td><td>39.10</td><td>54.00</td><td>-14.90</td><td>55.16</td><td>38.38</td><td>22.85</td><td>67.75</td><td>-9.54</td><td>145</td><td>64 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.35	74.00	-19.65	34.00	39.88	18.66	40.77	0.31	134	16 Peak	2	12390.00	44.40	54.00	-9.60	24.85	39.88	18.66	40.77	0.31	134	16 Average	3	18594.00	46.24	74.00	-27.76	62.30	38.38	22.85	67.75	-9.54	145	64 Peak	4	18594.00	39.10	54.00	-14.90	55.16	38.38	22.85	67.75	-9.54	145	64 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	12390.00	53.01	74.00	-20.99	33.46	39.88	18.66	40.77	0.31	232	335 Peak																																																																																																																																									
2	12390.00	43.18	54.00	-10.82	23.63	39.88	18.66	40.77	0.31	232	335 Average																																																																																																																																									
3	18594.00	38.30	74.00	-35.70	54.36	38.38	22.85	67.75	-9.54	--	-- Peak																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	12390.00	54.35	74.00	-19.65	34.00	39.88	18.66	40.77	0.31	134	16 Peak																																																																																																																																									
2	12390.00	44.40	54.00	-9.60	24.85	39.88	18.66	40.77	0.31	134	16 Average																																																																																																																																									
3	18594.00	46.24	74.00	-27.76	62.30	38.38	22.85	67.75	-9.54	145	64 Peak																																																																																																																																									
4	18594.00	39.10	54.00	-14.90	55.16	38.38	22.85	67.75	-9.54	145	64 Average																																																																																																																																									



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	69	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	Level (dBuV/m) <





Mode	69										
	Band Edge										
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					<					







Mode	69																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																																							
ANT	6+7																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12830.00</td><td>58.49</td><td>88.20</td><td>-29.71</td><td>38.00</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>178</td><td>71</td><td>Peak</td></tr><tr><td>2 12830.00</td><td>48.39</td><td>68.20</td><td>-19.81</td><td>27.90</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>178</td><td>71</td><td>Average</td></tr><tr><td>3 19254.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>53.89</td><td>38.20</td><td>23.29</td><td>66.74</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	58.49	88.20	-29.71	38.00	40.64	18.98	40.84	0.23	178	71	Peak	2 12830.00	48.39	68.20	-19.81	27.90	40.64	18.98	40.84	0.23	178	71	Average	3 19254.00	39.10	74.00	-34.90	53.89	38.20	23.29	66.74	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12830.00</td><td>61.77</td><td>88.20</td><td>-26.43</td><td>41.28</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>122</td><td>337</td><td>Peak</td></tr><tr><td>2 12830.00</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>31.24</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>122</td><td>337</td><td>Average</td></tr><tr><td>3 19254.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>54.78</td><td>38.20</td><td>23.29</td><td>66.74</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	61.77	88.20	-26.43	41.28	40.64	18.98	40.84	0.23	122	337	Peak	2 12830.00	51.73	68.20	-16.47	31.24	40.64	18.98	40.84	0.23	122	337	Average	3 19254.00	39.99	74.00	-34.01	54.78	38.20	23.29	66.74	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12830.00	58.49	88.20	-29.71	38.00	40.64	18.98	40.84	0.23	178	71	Peak																																																																																																																													
2 12830.00	48.39	68.20	-19.81	27.90	40.64	18.98	40.84	0.23	178	71	Average																																																																																																																													
3 19254.00	39.10	74.00	-34.90	53.89	38.20	23.29	66.74	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12830.00	61.77	88.20	-26.43	41.28	40.64	18.98	40.84	0.23	122	337	Peak																																																																																																																													
2 12830.00	51.73	68.20	-16.47	31.24	40.64	18.98	40.84	0.23	122	337	Average																																																																																																																													
3 19254.00	39.99	74.00	-34.01	54.78	38.20	23.29	66.74	-9.54	--	--	Peak																																																																																																																													



Mode	69	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	70																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.71</td><td>62.23</td><td>88.20 -25.97</td><td>49.56</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>66 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.71	62.23	88.20 -25.97	49.56	33.65	12.78	34.80	1.04	200	66 Peak	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>110.47</td><td>-----</td><td>97.84</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>66 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	110.47	-----	97.84	33.60	12.84	34.82	1.01	200	66 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.71	62.23	88.20 -25.97	49.56	33.65	12.78	34.80	1.04	200	66 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	110.47	-----	97.84	33.60	12.84	34.82	1.01	200	66 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>51.48</td><td>68.20 -16.72</td><td>38.81</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>66 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	51.48	68.20 -16.72	38.81	33.65	12.78	34.80	1.04	200	66 Average	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>102.69</td><td>-----</td><td>90.06</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>66 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	102.69	-----	90.06	33.60	12.84	34.82	1.01	200	66 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.97	51.48	68.20 -16.72	38.81	33.65	12.78	34.80	1.04	200	66 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	102.69	-----	90.06	33.60	12.84	34.82	1.01	200	66 Average																																																																																	



		70																																																	
Mode	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																		
ANT	6+7																																																		
Pol.																																																			
	Vertical																																																		
Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.59</td><td>76.62</td><td>88.20 -11.58</td><td>63.95</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>235</td><td>10 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5921.59	76.62	88.20 -11.58	63.95	33.66	12.77	34.80	1.04	235	10 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5921.59	76.62	88.20 -11.58	63.95	33.66	12.77	34.80	1.04	235	10 Peak																																										
	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>117.09</td><td>-----</td><td>104.44</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>235</td><td>10 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	117.09	-----	104.44	33.62	12.86	34.83	1.00	235	10 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5955.00	117.09	-----	104.44	33.62	12.86	34.83	1.00	235	10 Peak																																										
Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.84</td><td>62.21</td><td>68.20 -5.99</td><td>49.54</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>235</td><td>10 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.84	62.21	68.20 -5.99	49.54	33.65	12.78	34.80	1.04	235	10 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5924.84	62.21	68.20 -5.99	49.54	33.65	12.78	34.80	1.04	235	10 Average																																										
	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>109.89</td><td>-----</td><td>97.21</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>235</td><td>10 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	109.89	-----	97.21	33.65	12.88	34.84	0.99	235	10 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5955.00	109.89	-----	97.21	33.65	12.88	34.84	0.99	235	10 Average																																										



	70																																																																																																																																																																																	
Mode	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																																																																	
ANT	6+7																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>34.41</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>214</td><td>296</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>24.59</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>214</td><td>296</td><td>Average</td></tr><tr><td>3</td><td>17860.00</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>34.31</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17860.00</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>25.12</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	52.79	74.00	-21.21	34.41	39.12	18.12	40.62	0.30	214	296	Peak	2	11910.00	42.97	54.00	-11.03	24.59	39.12	18.12	40.62	0.30	214	296	Average	3	17860.00	53.89	74.00	-20.11	34.31	41.24	22.22	46.21	0.38	--	--	Peak	4	17860.00	44.70	54.00	-9.30	25.12	41.24	22.22	46.21	0.38	--	--	Average	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>35.19</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>296</td><td>334</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>24.88</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>296</td><td>334</td><td>Average</td></tr><tr><td>3</td><td>17860.00</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>35.19</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17860.00</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>25.98</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	53.57	74.00	-20.43	35.19	39.12	18.12	40.62	0.30	296	334	Peak	2	11910.00	43.26	54.00	-10.74	24.88	39.12	18.12	40.62	0.30	296	334	Average	3	17860.00	54.77	74.00	-19.23	35.19	41.24	22.22	46.21	0.38	--	--	Peak	4	17860.00	45.56	54.00	-8.44	25.98	41.24	22.22	46.21	0.38	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11910.00	52.79	74.00	-21.21	34.41	39.12	18.12	40.62	0.30	214	296	Peak																																																																																																																																																																						
2	11910.00	42.97	54.00	-11.03	24.59	39.12	18.12	40.62	0.30	214	296	Average																																																																																																																																																																						
3	17860.00	53.89	74.00	-20.11	34.31	41.24	22.22	46.21	0.38	--	--	Peak																																																																																																																																																																						
4	17860.00	44.70	54.00	-9.30	25.12	41.24	22.22	46.21	0.38	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11910.00	53.57	74.00	-20.43	35.19	39.12	18.12	40.62	0.30	296	334	Peak																																																																																																																																																																						
2	11910.00	43.26	54.00	-10.74	24.88	39.12	18.12	40.62	0.30	296	334	Average																																																																																																																																																																						
3	17860.00	54.77	74.00	-19.23	35.19	41.24	22.22	46.21	0.38	--	--	Peak																																																																																																																																																																						
4	17860.00	45.56	54.00	-8.44	25.98	41.24	22.22	46.21	0.38	--	--	Average																																																																																																																																																																						



Mode	70	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	71																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>43.60</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>57 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	56.27	88.20	-31.93	43.60	33.65	12.78	34.80	1.04	200	57 Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.52</td><td>-----</td><td>-----</td><td>100.09</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>57 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.52	-----	-----	100.09	33.60	12.84	34.82	1.01	200	57 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.06	56.27	88.20	-31.93	43.60	33.65	12.78	34.80	1.04	200	57 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	113.52	-----	-----	100.09	33.60	12.84	34.82	1.01	200	57 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>45.92</td><td>68.20</td><td>-22.28</td><td>33.25</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>57 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	45.92	68.20	-22.28	33.25	33.65	12.78	34.80	1.04	200	57 Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.79</td><td>-----</td><td>-----</td><td>94.16</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>57 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.79	-----	-----	94.16	33.60	12.84	34.82	1.01	200	57 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.97	45.92	68.20	-22.28	33.25	33.65	12.78	34.80	1.04	200	57 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	106.79	-----	-----	94.16	33.60	12.84	34.82	1.01	200	57 Average																																																																																						



		71																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																				
ANT		6+7																																																																																																				
Pol.	Vertical										Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>72.61</td><td>88.20 -15.59</td><td>59.94</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>35 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	72.61	88.20 -15.59	59.94	33.65	12.78	34.80	1.04	200	35 Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>118.15</td><td>-----</td><td>105.52</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>35 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	118.15	-----	105.52	33.60	12.84	34.82	1.01	200	35 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.58	72.61	88.20 -15.59	59.94	33.65	12.78	34.80	1.04	200	35 Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	118.15	-----	105.52	33.60	12.84	34.82	1.01	200	35 Peak																																																																																												
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>49.05</td><td>68.20 -19.15</td><td>36.38</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>35 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	49.05	68.20 -19.15	36.38	33.65	12.78	34.80	1.04	200	35 Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.24</td><td>-----</td><td>98.59</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200</td><td>35 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.24	-----	98.59	33.62	12.86	34.83	1.00	200	35 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.32	49.05	68.20 -19.15	36.38	33.65	12.78	34.80	1.04	200	35 Average																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	111.24	-----	98.59	33.62	12.86	34.83	1.00	200	35 Average																																																																																												



Mode	72										
	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz										
ANT	6+7										
Pol.	Horizontal					Fundamental					
Peak	Blank					Level (dBuV/m) </					





Mode	72	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m)



Mode	72																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																																																																																																																																				
ANT	6+7																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>34.81</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>205</td><td>209</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>24.08</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>205</td><td>209</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>54.89</td><td>38.34</td><td>22.85</td><td>67.76</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.36	74.00	-19.64	34.81	39.88	18.66	40.77	0.31	205	209	Peak	2	12390.00	43.63	54.00	-10.37	24.08	39.88	18.66	40.77	0.31	205	209	Average	3	18585.00	38.78	74.00	-35.22	54.89	38.34	22.85	67.76	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>36.63</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>149</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>26.18</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>149</td><td>11</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>60.20</td><td>38.34</td><td>22.85</td><td>67.76</td><td>-9.54</td><td>145</td><td>67</td><td>Peak</td></tr><tr><td>4</td><td>18585.00</td><td>33.60</td><td>54.00</td><td>-20.40</td><td>49.71</td><td>38.34</td><td>22.85</td><td>67.76</td><td>-9.54</td><td>145</td><td>67</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	56.18	74.00	-17.82	36.63	39.88	18.66	40.77	0.31	149	11	Peak	2	12390.00	45.65	54.00	-8.35	26.18	39.88	18.66	40.77	0.31	149	11	Average	3	18585.00	44.09	74.00	-29.91	60.20	38.34	22.85	67.76	-9.54	145	67	Peak	4	18585.00	33.60	54.00	-20.40	49.71	38.34	22.85	67.76	-9.54	145	67	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	12390.00	54.36	74.00	-19.64	34.81	39.88	18.66	40.77	0.31	205	209	Peak																																																																																																																																																									
2	12390.00	43.63	54.00	-10.37	24.08	39.88	18.66	40.77	0.31	205	209	Average																																																																																																																																																									
3	18585.00	38.78	74.00	-35.22	54.89	38.34	22.85	67.76	-9.54	--	--	Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	12390.00	56.18	74.00	-17.82	36.63	39.88	18.66	40.77	0.31	149	11	Peak																																																																																																																																																									
2	12390.00	45.65	54.00	-8.35	26.18	39.88	18.66	40.77	0.31	149	11	Average																																																																																																																																																									
3	18585.00	44.09	74.00	-29.91	60.20	38.34	22.85	67.76	-9.54	145	67	Peak																																																																																																																																																									
4	18585.00	33.60	54.00	-20.40	49.71	38.34	22.85	67.76	-9.54	145	67	Average																																																																																																																																																									



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	73	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	Level (dBuV/m) </



Mode	73	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m) </



Mode	73																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																																																																																																																									
ANT	6+7																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>58.11</td><td>88.20</td><td>-30.09</td><td>37.62</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>177</td><td>70 Peak</td></tr><tr><td>2</td><td>12830.00</td><td>47.97</td><td>68.20</td><td>-20.23</td><td>27.48</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>177</td><td>70 Average</td></tr><tr><td>3</td><td>19245.00</td><td>41.33</td><td>74.00</td><td>-32.67</td><td>56.14</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>199</td><td>239 Peak</td></tr><tr><td>4</td><td>19245.00</td><td>31.39</td><td>54.00</td><td>-22.61</td><td>46.20</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>199</td><td>239 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	58.11	88.20	-30.09	37.62	40.64	18.98	40.84	0.23	177	70 Peak	2	12830.00	47.97	68.20	-20.23	27.48	40.64	18.98	40.84	0.23	177	70 Average	3	19245.00	41.33	74.00	-32.67	56.14	38.20	23.29	66.76	-9.54	199	239 Peak	4	19245.00	31.39	54.00	-22.61	46.20	38.20	23.29	66.76	-9.54	199	239 Average	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>56.92</td><td>88.20</td><td>-31.28</td><td>36.43</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>100</td><td>10 Peak</td></tr><tr><td>2</td><td>12830.00</td><td>46.75</td><td>68.20</td><td>-21.45</td><td>26.26</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>100</td><td>10 Average</td></tr><tr><td>3</td><td>19245.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>57.00</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>143</td><td>85 Peak</td></tr><tr><td>4</td><td>19245.00</td><td>32.96</td><td>54.00</td><td>-21.04</td><td>47.77</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>143</td><td>85 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	56.92	88.20	-31.28	36.43	40.64	18.98	40.84	0.23	100	10 Peak	2	12830.00	46.75	68.20	-21.45	26.26	40.64	18.98	40.84	0.23	100	10 Average	3	19245.00	42.99	74.00	-31.01	57.00	38.20	23.29	66.76	-9.54	143	85 Peak	4	19245.00	32.96	54.00	-21.04	47.77	38.20	23.29	66.76	-9.54	143	85 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12830.00	58.11	88.20	-30.09	37.62	40.64	18.98	40.84	0.23	177	70 Peak																																																																																																																																																															
2	12830.00	47.97	68.20	-20.23	27.48	40.64	18.98	40.84	0.23	177	70 Average																																																																																																																																																															
3	19245.00	41.33	74.00	-32.67	56.14	38.20	23.29	66.76	-9.54	199	239 Peak																																																																																																																																																															
4	19245.00	31.39	54.00	-22.61	46.20	38.20	23.29	66.76	-9.54	199	239 Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12830.00	56.92	88.20	-31.28	36.43	40.64	18.98	40.84	0.23	100	10 Peak																																																																																																																																																															
2	12830.00	46.75	68.20	-21.45	26.26	40.64	18.98	40.84	0.23	100	10 Average																																																																																																																																																															
3	19245.00	42.99	74.00	-31.01	57.00	38.20	23.29	66.76	-9.54	143	85 Peak																																																																																																																																																															
4	19245.00	32.96	54.00	-21.04	47.77	38.20	23.29	66.76	-9.54	143	85 Average																																																																																																																																																															



Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	74																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																									
ANT	6+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5917.40 67.72 88.20 -20.48 55.04 33.67 12.76 34.80 1.05 200 60 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg	1 5917.40 67.72 88.20 -20.48 55.04 33.67 12.76 34.80 1.05 200 60 Peak									Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5965.00 100.27 ----- 95.62 33.62 12.86 34.83 1.00 200 60 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg	1 5965.00 100.27 ----- 95.62 33.62 12.86 34.83 1.00 200 60 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg																																																																		
1 5917.40 67.72 88.20 -20.48 55.04 33.67 12.76 34.80 1.05 200 60 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg																																																																		
1 5965.00 100.27 ----- 95.62 33.62 12.86 34.83 1.00 200 60 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5917.54 52.32 68.20 -15.88 39.65 33.66 12.76 34.80 1.05 200 60 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg	1 5917.54 52.32 68.20 -15.88 39.65 33.66 12.76 34.80 1.05 200 60 Average									Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5965.00 100.93 ----- 88.28 33.62 12.86 34.83 1.00 200 60 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg	1 5965.00 100.93 ----- 88.28 33.62 12.86 34.83 1.00 200 60 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg																																																																		
1 5917.54 52.32 68.20 -15.88 39.65 33.66 12.76 34.80 1.05 200 60 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB dB dB dB dB	MHz dBuV/m dBuV/m dB dB dB dB dB dB	dB	dB	dB/m	dB	dB	dB	cm deg																																																																		
1 5965.00 100.93 ----- 88.28 33.62 12.86 34.83 1.00 200 60 Average																																																																										



Mode	74																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5906.90</td><td>80.06</td><td>88.20</td><td>-8.14</td><td>67.36</td><td>33.69</td><td>12.74</td><td>34.79</td><td>1.06</td><td>200 11 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5906.90	80.06	88.20	-8.14	67.36	33.69	12.74	34.79	1.06	200 11 Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>115.81</td><td>-----</td><td>-----</td><td>103.09</td><td>33.68</td><td>12.90</td><td>34.84</td><td>0.98</td><td>200 11 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	115.81	-----	-----	103.09	33.68	12.90	34.84	0.98	200 11 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5906.90	80.06	88.20	-8.14	67.36	33.69	12.74	34.79	1.06	200 11 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	115.81	-----	-----	103.09	33.68	12.90	34.84	0.98	200 11 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5912.50</td><td>63.26</td><td>68.20</td><td>-4.94</td><td>50.58</td><td>33.67</td><td>12.75</td><td>34.79</td><td>1.05</td><td>200 11 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5912.50	63.26	68.20	-4.94	50.58	33.67	12.75	34.79	1.05	200 11 Average	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>107.46</td><td>-----</td><td>-----</td><td>94.81</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200 11 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	107.46	-----	-----	94.81	33.62	12.86	34.83	1.00	200 11 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5912.50	63.26	68.20	-4.94	50.58	33.67	12.75	34.79	1.05	200 11 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	107.46	-----	-----	94.81	33.62	12.86	34.83	1.00	200 11 Average																																																																																	



	74																																																																																																																																																																																	
Mode	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																																	
ANT	6+7																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UUNI)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>34.44</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>235</td><td>349</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>24.10</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>235</td><td>349</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>54.92</td><td>74.00</td><td>-19.08</td><td>35.13</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>25.81</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	52.86	74.00	-21.14	34.44	39.16	18.13	40.63	0.30	235	349	Peak	2	11930.00	42.52	54.00	-11.48	24.10	39.16	18.13	40.63	0.30	235	349	Average	3	17895.00	54.92	74.00	-19.08	35.13	41.38	22.25	46.16	0.37	--	--	Peak	4	17895.00	45.60	54.00	-8.40	25.81	41.38	22.25	46.16	0.37	--	--	Average	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UUNI)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>32.18</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>308</td><td>337</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>23.93</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>308</td><td>337</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>55.28</td><td>74.00</td><td>-18.72</td><td>35.49</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>26.17</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	50.60	74.00	-23.40	32.18	39.16	18.13	40.63	0.30	308	337	Peak	2	11930.00	42.35	54.00	-11.65	23.93	39.16	18.13	40.63	0.30	308	337	Average	3	17895.00	55.28	74.00	-18.72	35.49	41.38	22.25	46.16	0.37	--	--	Peak	4	17895.00	45.96	54.00	-8.04	26.17	41.38	22.25	46.16	0.37	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	52.86	74.00	-21.14	34.44	39.16	18.13	40.63	0.30	235	349	Peak																																																																																																																																																																						
2	11930.00	42.52	54.00	-11.48	24.10	39.16	18.13	40.63	0.30	235	349	Average																																																																																																																																																																						
3	17895.00	54.92	74.00	-19.08	35.13	41.38	22.25	46.16	0.37	--	--	Peak																																																																																																																																																																						
4	17895.00	45.60	54.00	-8.40	25.81	41.38	22.25	46.16	0.37	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	50.60	74.00	-23.40	32.18	39.16	18.13	40.63	0.30	308	337	Peak																																																																																																																																																																						
2	11930.00	42.35	54.00	-11.65	23.93	39.16	18.13	40.63	0.30	308	337	Average																																																																																																																																																																						
3	17895.00	55.28	74.00	-18.72	35.49	41.38	22.25	46.16	0.37	--	--	Peak																																																																																																																																																																						
4	17895.00	45.96	54.00	-8.04	26.17	41.38	22.25	46.16	0.37	--	--	Average																																																																																																																																																																						



Mode	74	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	75																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.42</td><td>67.56</td><td>88.20 -20.64</td><td>54.89</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>300</td><td>294 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5923.42	67.56	88.20 -20.64	54.89	33.65	12.78	34.80	1.04	300	294 Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>109.00</td><td>-----</td><td>96.37</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>300</td><td>294 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	109.00	-----	96.37	33.60	12.84	34.82	1.01	300	294 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5923.42	67.56	88.20 -20.64	54.89	33.65	12.78	34.80	1.04	300	294 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	109.00	-----	96.37	33.60	12.84	34.82	1.01	300	294 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>56.39</td><td>68.20 -11.81</td><td>43.72</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>300</td><td>294 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	56.39	68.20 -11.81	43.72	33.65	12.78	34.80	1.04	300	294 Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>101.75</td><td>-----</td><td>89.12</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>300</td><td>294 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	101.75	-----	89.12	33.60	12.84	34.82	1.01	300	294 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.96	56.39	68.20 -11.81	43.72	33.65	12.78	34.80	1.04	300	294 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	101.75	-----	89.12	33.60	12.84	34.82	1.01	300	294 Average																																																																									



Mode	75																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>78.95</td><td>88.20</td><td>-9.25</td><td>66.28</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>222</td><td>30</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	78.95	88.20	-9.25	66.28	33.65	12.78	34.80	1.04	222	30	Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>117.38</td><td>-----</td><td>-----</td><td>104.75</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>222</td><td>30</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	117.38	-----	-----	104.75	33.60	12.84	34.82	1.01	222	30	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.82	78.95	88.20	-9.25	66.28	33.65	12.78	34.80	1.04	222	30	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	117.38	-----	-----	104.75	33.60	12.84	34.82	1.01	222	30	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>65.97</td><td>68.20</td><td>-2.23</td><td>53.30</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>222</td><td>30</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	65.97	68.20	-2.23	53.30	33.65	12.78	34.80	1.04	222	30	Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>109.93</td><td>-----</td><td>-----</td><td>97.30</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>222</td><td>30</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.93	-----	-----	97.30	33.60	12.84	34.82	1.01	222	30	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.96	65.97	68.20	-2.23	53.30	33.65	12.78	34.80	1.04	222	30	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	109.93	-----	-----	97.30	33.60	12.84	34.82	1.01	222	30	Average																																																																																								



Mode	76	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	





Mode	76	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m)



Mode	76																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																																																																																																			
ANT	6+7																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>33.01</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>-- Peak</td></tr><tr><td>2 12410.00</td><td>42.92</td><td>54.00</td><td>-11.08</td><td>23.32</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>-- Average</td></tr><tr><td>3 18615.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>54.79</td><td>38.37</td><td>22.87</td><td>67.72</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12410.00	52.61	74.00	-21.39	33.01	39.90	18.69	40.77	0.31	-- Peak	2 12410.00	42.92	54.00	-11.08	23.32	39.90	18.69	40.77	0.31	-- Average	3 18615.00	38.77	74.00	-35.23	54.79	38.37	22.87	67.72	-9.54	-- Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>35.60</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>16 Peak</td></tr><tr><td>2 12410.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>24.79</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>16 Average</td></tr><tr><td>3 18615.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>60.57</td><td>38.37</td><td>22.87</td><td>67.72</td><td>-9.54</td><td>145 Peak</td></tr><tr><td>4 18615.00</td><td>32.92</td><td>54.00</td><td>-21.08</td><td>48.94</td><td>38.37</td><td>22.87</td><td>67.72</td><td>-9.54</td><td>145 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12410.00	55.20	74.00	-18.80	35.60	39.90	18.69	40.77	0.31	16 Peak	2 12410.00	44.39	54.00	-9.61	24.79	39.90	18.69	40.77	0.31	16 Average	3 18615.00	44.55	74.00	-29.45	60.57	38.37	22.87	67.72	-9.54	145 Peak	4 18615.00	32.92	54.00	-21.08	48.94	38.37	22.87	67.72	-9.54	145 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1 12410.00	52.61	74.00	-21.39	33.01	39.90	18.69	40.77	0.31	-- Peak																																																																																																																											
2 12410.00	42.92	54.00	-11.08	23.32	39.90	18.69	40.77	0.31	-- Average																																																																																																																											
3 18615.00	38.77	74.00	-35.23	54.79	38.37	22.87	67.72	-9.54	-- Peak																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1 12410.00	55.20	74.00	-18.80	35.60	39.90	18.69	40.77	0.31	16 Peak																																																																																																																											
2 12410.00	44.39	54.00	-9.61	24.79	39.90	18.69	40.77	0.31	16 Average																																																																																																																											
3 18615.00	44.55	74.00	-29.45	60.57	38.37	22.87	67.72	-9.54	145 Peak																																																																																																																											
4 18615.00	32.92	54.00	-21.08	48.94	38.37	22.87	67.72	-9.54	145 Average																																																																																																																											



Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	77										
	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz										
ANT	6+7										
Pol.	Horizontal					Fundamental					
Peak	Blank										





Mode	77	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	







Mode	77																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>33.64</td><td>40.68</td><td>18.97</td><td>40.83</td><td>0.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>38.05</td><td>74.00</td><td>-35.95</td><td>52.92</td><td>38.20</td><td>23.27</td><td>66.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	54.17	88.20	-34.03	33.64	40.68	18.97	40.83	0.23	--	Peak	2	19215.00	38.05	74.00	-35.95	52.92	38.20	23.27	66.80	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>54.25</td><td>88.20</td><td>-33.95</td><td>33.72</td><td>40.68</td><td>18.97</td><td>40.83</td><td>0.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>38.17</td><td>74.00</td><td>-35.83</td><td>53.04</td><td>38.20</td><td>23.27</td><td>66.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	54.25	88.20	-33.95	33.72	40.68	18.97	40.83	0.23	--	Peak	2	19215.00	38.17	74.00	-35.83	53.04	38.20	23.27	66.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	54.17	88.20	-34.03	33.64	40.68	18.97	40.83	0.23	--	Peak																																																																																																					
2	19215.00	38.05	74.00	-35.95	52.92	38.20	23.27	66.80	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	54.25	88.20	-33.95	33.72	40.68	18.97	40.83	0.23	--	Peak																																																																																																					
2	19215.00	38.17	74.00	-35.83	53.04	38.20	23.27	66.80	-9.54	--	Peak																																																																																																					



Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	78																																																																																																											
Mode	Band Edge																																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5918.44</td><td>65.15</td><td>88.20</td><td>-23.05</td><td>52.47</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.05</td><td>190</td><td>52 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>106.13</td><td>-----</td><td>-----</td><td>93.39</td><td>33.71</td><td>12.91</td><td>34.85</td><td>0.97</td><td>190</td><td>52 Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			1	5918.44	65.15	88.20	-23.05	52.47	33.66	12.77	34.80	1.05	190	52 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			1	5985.00	106.13	-----	-----	93.39	33.71	12.91	34.85	0.97	190	52 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																			
1	5918.44	65.15	88.20	-23.05	52.47	33.66	12.77	34.80	1.05	190	52 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																			
1	5985.00	106.13	-----	-----	93.39	33.71	12.91	34.85	0.97	190	52 Peak																																																																																																	
Avg	Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5917.96</td><td>53.39</td><td>68.20</td><td>-14.81</td><td>40.72</td><td>33.66</td><td>12.76</td><td>34.80</td><td>1.05</td><td>190</td><td>52 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>96.41</td><td>-----</td><td>-----</td><td>83.58</td><td>33.79</td><td>12.97</td><td>34.87</td><td>0.94</td><td>190</td><td>52 Average</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			1	5917.96	53.39	68.20	-14.81	40.72	33.66	12.76	34.80	1.05	190	52 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			1	5985.00	96.41	-----	-----	83.58	33.79	12.97	34.87	0.94	190	52 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																			
1	5917.96	53.39	68.20	-14.81	40.72	33.66	12.76	34.80	1.05	190	52 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																			
1	5985.00	96.41	-----	-----	83.58	33.79	12.97	34.87	0.94	190	52 Average																																																																																																	



	78																																																																																																
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.36</td><td>72.30</td><td>88.20</td><td>-15.90</td><td>59.61</td><td>33.68</td><td>12.75</td><td>34.79</td><td>1.05</td><td>182</td><td>1 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5912.36	72.30	88.20	-15.90	59.61	33.68	12.75	34.79	1.05	182	1 Peak	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>112.54</td><td>-----</td><td>-----</td><td>99.65</td><td>33.85</td><td>12.98</td><td>34.88</td><td>0.94</td><td>182</td><td>1 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	112.54	-----	-----	99.65	33.85	12.98	34.88	0.94	182	1 Peak	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5912.36	72.30	88.20	-15.90	59.61	33.68	12.75	34.79	1.05	182	1 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	112.54	-----	-----	99.65	33.85	12.98	34.88	0.94	182	1 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.28</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>49.15</td><td>33.67</td><td>12.76</td><td>34.79</td><td>1.05</td><td>182</td><td>1 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.28	61.84	68.20	-6.36	49.15	33.67	12.76	34.79	1.05	182	1 Average	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>104.17</td><td>-----</td><td>-----</td><td>91.34</td><td>33.79</td><td>12.97</td><td>34.87</td><td>0.94</td><td>182</td><td>1 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	104.17	-----	-----	91.34	33.79	12.97	34.87	0.94	182	1 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5914.28	61.84	68.20	-6.36	49.15	33.67	12.76	34.79	1.05	182	1 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	104.17	-----	-----	91.34	33.79	12.97	34.87	0.94	182	1 Average																																																																																						



	78																																																																																																																																																																								
Mode	Harmonic																																																																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																																																								
ANT	6+7																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>33.11</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>23.90</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>35.09</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>25.94</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.59	74.00	-22.41	33.11	39.24	18.15	40.67	0.29	--	Peak	2	11970.00	42.38	54.00	-11.62	23.90	39.24	18.15	40.67	0.29	--	Average	3	17955.00	55.20	74.00	-18.80	35.09	41.53	22.32	46.07	0.37	--	Peak	4	17955.00	46.05	54.00	-7.95	25.94	41.53	22.32	46.07	0.37	--	Average	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.70</td><td>74.00</td><td>-22.30</td><td>33.22</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>24.03</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>35.32</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>26.15</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.70	74.00	-22.30	33.22	39.24	18.15	40.67	0.29	--	Peak	2	11970.00	42.51	54.00	-11.49	24.03	39.24	18.15	40.67	0.29	--	Average	3	17955.00	55.43	74.00	-18.57	35.32	41.53	22.32	46.07	0.37	--	Peak	4	17955.00	46.26	54.00	-7.74	26.15	41.53	22.32	46.07	0.37	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11970.00	51.59	74.00	-22.41	33.11	39.24	18.15	40.67	0.29	--	Peak																																																																																																																																																														
2	11970.00	42.38	54.00	-11.62	23.90	39.24	18.15	40.67	0.29	--	Average																																																																																																																																																														
3	17955.00	55.20	74.00	-18.80	35.09	41.53	22.32	46.07	0.37	--	Peak																																																																																																																																																														
4	17955.00	46.05	54.00	-7.95	25.94	41.53	22.32	46.07	0.37	--	Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11970.00	51.70	74.00	-22.30	33.22	39.24	18.15	40.67	0.29	--	Peak																																																																																																																																																														
2	11970.00	42.51	54.00	-11.49	24.03	39.24	18.15	40.67	0.29	--	Average																																																																																																																																																														
3	17955.00	55.43	74.00	-18.57	35.32	41.53	22.32	46.07	0.37	--	Peak																																																																																																																																																														
4	17955.00	46.26	54.00	-7.74	26.15	41.53	22.32	46.07	0.37	--	Average																																																																																																																																																														



Mode	78	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	79																																																																																																			
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.88</td><td>71.12</td><td>88.20</td><td>-17.08</td><td>58.45</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>169</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.88	71.12	88.20	-17.08	58.45	33.66	12.77	34.80	1.04	169	360	Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.37</td><td>-----</td><td>-----</td><td>94.69</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>169</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.37	-----	-----	94.69	33.65	12.88	34.84	0.99	169	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5919.88	71.12	88.20	-17.08	58.45	33.66	12.77	34.80	1.04	169	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	107.37	-----	-----	94.69	33.65	12.88	34.84	0.99	169	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.36</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>43.03</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>169</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	55.70	68.20	-12.50	43.03	33.65	12.78	34.80	1.04	169	360	Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.28</td><td>-----</td><td>-----</td><td>87.60</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>169</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.28	-----	-----	87.60	33.65	12.88	34.84	0.99	169	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.36	55.70	68.20	-12.50	43.03	33.65	12.78	34.80	1.04	169	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	100.28	-----	-----	87.60	33.65	12.88	34.84	0.99	169	360	Average																																																																																								



		79																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.56</td><td>76.37</td><td>88.20 -11.83</td><td>63.70</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>200</td><td>28 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5919.56	76.37	88.20 -11.83	63.70	33.66	12.77	34.80	1.04	200	28 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>114.22</td><td>-----</td><td>101.59</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>28 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	114.22	-----	101.59	33.60	12.84	34.82	1.01	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5919.56	76.37	88.20 -11.83	63.70	33.66	12.77	34.80	1.04	200	28 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	114.22	-----	101.59	33.60	12.84	34.82	1.01	200	28 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5925.00</td><td>63.89</td><td>68.20 -4.31</td><td>51.22</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>28 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5925.00	63.89	68.20 -4.31	51.22	33.65	12.78	34.80	1.04	200	28 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>106.91</td><td>-----</td><td>94.28</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>28 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	106.91	-----	94.28	33.60	12.84	34.82	1.01	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5925.00	63.89	68.20 -4.31	51.22	33.65	12.78	34.80	1.04	200	28 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	106.91	-----	94.28	33.60	12.84	34.82	1.01	200	28 Average																																																																																	



Mode	80	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	Level (dBuV/m) </





Mode	80	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m)





Mode	80																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																																																																																																	
ANT	6+7																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12450.00</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>33.20</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>--</td><td>Peak</td></tr><tr><td>2 12450.00</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>23.99</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>--</td><td>Average</td></tr><tr><td>3 18675.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>54.26</td><td>38.35</td><td>22.91</td><td>67.62</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12450.00	52.85	74.00	-21.15	33.20	39.90	18.74	40.78	0.32	--	Peak	2 12450.00	43.64	54.00	-10.36	23.99	39.90	18.74	40.78	0.32	--	Average	3 18675.00	38.36	74.00	-35.64	54.26	38.35	22.91	67.62	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12450.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>33.29</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>--</td><td>Peak</td></tr><tr><td>2 12450.00</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>23.96</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>--</td><td>Average</td></tr><tr><td>3 18675.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>54.17</td><td>38.35</td><td>22.91</td><td>67.62</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12450.00	52.94	74.00	-21.06	33.29	39.90	18.74	40.78	0.32	--	Peak	2 12450.00	43.61	54.00	-10.39	23.96	39.90	18.74	40.78	0.32	--	Average	3 18675.00	38.27	74.00	-35.73	54.17	38.35	22.91	67.62	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12450.00	52.85	74.00	-21.15	33.20	39.90	18.74	40.78	0.32	--	Peak																																																																																																																								
2 12450.00	43.64	54.00	-10.36	23.99	39.90	18.74	40.78	0.32	--	Average																																																																																																																								
3 18675.00	38.36	74.00	-35.64	54.26	38.35	22.91	67.62	-9.54	--	Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12450.00	52.94	74.00	-21.06	33.29	39.90	18.74	40.78	0.32	--	Peak																																																																																																																								
2 12450.00	43.61	54.00	-10.39	23.96	39.90	18.74	40.78	0.32	--	Average																																																																																																																								
3 18675.00	38.27	74.00	-35.73	54.17	38.35	22.91	67.62	-9.54	--	Peak																																																																																																																								



Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	81																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																	
ANT	6+7																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Blank					Level (dBuV/m) Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>107.11</td><td>-----</td><td>-----</td><td>92.30</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>100</td><td>347</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6385.00	107.11	-----	-----	92.30	35.55	13.34	35.06	0.98	100	347	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																						
1	6385.00	107.11	-----	-----	92.30	35.55	13.34	35.06	0.98	100	347	Peak																																						
Avg	Blank					Level (dBuV/m) Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>98.33</td><td>-----</td><td>-----</td><td>83.52</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>100</td><td>347</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6385.00	98.33	-----	-----	83.52	35.55	13.34	35.06	0.98	100	347	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																						
1	6385.00	98.33	-----	-----	83.52	35.55	13.34	35.06	0.98	100	347	Average																																						





Mode	81																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6385.00</td><td>111.98</td><td>-----</td><td>-----</td><td>97.17</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>200</td><td>28</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6385.00	111.98	-----	-----	97.17	35.55	13.34	35.06	0.98	200	28	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6385.00	111.98	-----	-----	97.17	35.55	13.34	35.06	0.98	200	28	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6385.00</td><td>102.13</td><td>-----</td><td>-----</td><td>87.32</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>200</td><td>28</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6385.00	102.13	-----	-----	87.32	35.55	13.34	35.06	0.98	200	28	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6385.00	102.13	-----	-----	87.32	35.55	13.34	35.06	0.98	200	28	Average																											



Mode	81																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.10</td><td>88.20</td><td>-35.10</td><td>32.68</td><td>40.58</td><td>18.95</td><td>40.83</td><td>0.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>37.38</td><td>74.00</td><td>-36.62</td><td>52.28</td><td>38.29</td><td>23.23</td><td>66.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.10	88.20	-35.10	32.68	40.58	18.95	40.83	0.24	--	Peak	2	19155.00	37.38	74.00	-36.62	52.28	38.29	23.23	66.88	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.40</td><td>88.20</td><td>-34.80</td><td>32.98</td><td>40.58</td><td>18.95</td><td>40.83</td><td>0.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>38.03</td><td>74.00</td><td>-35.97</td><td>52.93</td><td>38.29</td><td>23.23</td><td>66.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.40	88.20	-34.80	32.98	40.58	18.95	40.83	0.24	--	Peak	2	19155.00	38.03	74.00	-35.97	52.93	38.29	23.23	66.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12770.00	53.10	88.20	-35.10	32.68	40.58	18.95	40.83	0.24	--	Peak																																																																																																														
2	19155.00	37.38	74.00	-36.62	52.28	38.29	23.23	66.88	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12770.00	53.40	88.20	-34.80	32.98	40.58	18.95	40.83	0.24	--	Peak																																																																																																														
2	19155.00	38.03	74.00	-35.97	52.93	38.29	23.23	66.88	-9.54	--	Peak																																																																																																														



Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	82																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.40</td><td>69.37</td><td>88.20</td><td>-18.83</td><td>56.68</td><td>33.67</td><td>12.76</td><td>34.79</td><td>1.05</td><td>167</td><td>356</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.40	69.37	88.20	-18.83	56.68	33.67	12.76	34.79	1.05	167	356	Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>103.17</td><td>-----</td><td>-----</td><td>90.49</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>167</td><td>356</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	103.17	-----	-----	90.49	33.65	12.88	34.84	0.99	167	356	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5915.40	69.37	88.20	-18.83	56.68	33.67	12.76	34.79	1.05	167	356	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	103.17	-----	-----	90.49	33.65	12.88	34.84	0.99	167	356	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.20</td><td>54.20</td><td>68.20</td><td>-14.00</td><td>41.53</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>167</td><td>356</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.20	54.20	68.20	-14.00	41.53	33.66	12.77	34.80	1.04	167	356	Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>95.13</td><td>-----</td><td>-----</td><td>82.16</td><td>33.90</td><td>13.00</td><td>34.88</td><td>0.95</td><td>167</td><td>356</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.13	-----	-----	82.16	33.90	13.00	34.88	0.95	167	356	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.20	54.20	68.20	-14.00	41.53	33.66	12.77	34.80	1.04	167	356	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	95.13	-----	-----	82.16	33.90	13.00	34.88	0.95	167	356	Average																																																																																								





Mode	82																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5896.40</td><td>75.55</td><td>88.20 -12.65</td><td>62.86</td><td>33.69</td><td>12.71</td><td>34.78</td><td>1.07</td><td>222</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5896.40	75.55	88.20 -12.65	62.86	33.69	12.71	34.78	1.07	222	360 Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>100.29</td><td>-----</td><td>95.35</td><td>33.88</td><td>12.99</td><td>34.88</td><td>0.95</td><td>222</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	100.29	-----	95.35	33.88	12.99	34.88	0.95	222	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5896.40	75.55	88.20 -12.65	62.86	33.69	12.71	34.78	1.07	222	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6025.00	100.29	-----	95.35	33.88	12.99	34.88	0.95	222	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5913.20</td><td>59.58</td><td>68.20 -8.62</td><td>46.90</td><td>33.67</td><td>12.75</td><td>34.79</td><td>1.05</td><td>222</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5913.20	59.58	68.20 -8.62	46.90	33.67	12.75	34.79	1.05	222	360 Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>100.53</td><td>-----</td><td>87.56</td><td>33.90</td><td>13.00</td><td>34.88</td><td>0.95</td><td>222</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	100.53	-----	87.56	33.90	13.00	34.88	0.95	222	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5913.20	59.58	68.20 -8.62	46.90	33.67	12.75	34.79	1.05	222	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6025.00	100.53	-----	87.56	33.90	13.00	34.88	0.95	222	360 Average																																																																																	



Mode	82																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>34.51</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>44.00</td><td>54.00</td><td>-9.92</td><td>25.40</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>56.29</td><td>38.00</td><td>22.43</td><td>68.15</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	53.19	74.00	-20.81	34.51	39.40	18.23	40.71	0.29	--	--	Peak	2	12050.00	44.00	54.00	-9.92	25.40	39.40	18.23	40.71	0.29	--	--	Average	3	18075.00	39.03	74.00	-34.97	56.29	38.00	22.43	68.15	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>33.98</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>24.77</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>56.01</td><td>38.00</td><td>22.43</td><td>68.15</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	52.66	74.00	-21.34	33.98	39.40	18.23	40.71	0.29	--	--	Peak	2	12050.00	43.45	54.00	-10.55	24.77	39.40	18.23	40.71	0.29	--	--	Average	3	18075.00	38.75	74.00	-35.25	56.01	38.00	22.43	68.15	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12050.00	53.19	74.00	-20.81	34.51	39.40	18.23	40.71	0.29	--	--	Peak																																																																																																																																		
2	12050.00	44.00	54.00	-9.92	25.40	39.40	18.23	40.71	0.29	--	--	Average																																																																																																																																		
3	18075.00	39.03	74.00	-34.97	56.29	38.00	22.43	68.15	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12050.00	52.66	74.00	-21.34	33.98	39.40	18.23	40.71	0.29	--	--	Peak																																																																																																																																		
2	12050.00	43.45	54.00	-10.55	24.77	39.40	18.23	40.71	0.29	--	--	Average																																																																																																																																		
3	18075.00	38.75	74.00	-35.25	56.01	38.00	22.43	68.15	-9.54	--	--	Peak																																																																																																																																		



Mode	82	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-20  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-20  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	83																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																											
ANT	6+7																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>66.60</td><td>88.20</td><td>-21.60</td><td>53.93</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04 300 312 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5925.00	66.60	88.20	-21.60	53.93	33.65	12.78	34.80	1.04 300 312 Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>106.58</td><td>-----</td><td>-----</td><td>93.71</td><td>33.82</td><td>12.98</td><td>34.87</td><td>0.94 300 312 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6025.00	106.58	-----	-----	93.71	33.82	12.98	34.87	0.94 300 312 Peak	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																			
1	5925.00	66.60	88.20	-21.60	53.93	33.65	12.78	34.80	1.04 300 312 Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																		
1	6025.00	106.58	-----	-----	93.71	33.82	12.98	34.87	0.94 300 312 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>58.40</td><td>68.20</td><td>-9.80</td><td>45.73</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04 300 312 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5925.00	58.40	68.20	-9.80	45.73	33.65	12.78	34.80	1.04 300 312 Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>96.51</td><td>-----</td><td>-----</td><td>83.57</td><td>33.88</td><td>12.99</td><td>34.88</td><td>0.95 300 312 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6025.00	96.51	-----	-----	83.57	33.88	12.99	34.88	0.95 300 312 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5925.00	58.40	68.20	-9.80	45.73	33.65	12.78	34.80	1.04 300 312 Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																		
1	6025.00	96.51	-----	-----	83.57	33.88	12.99	34.88	0.95 300 312 Average																																																																																			



Mode	83									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz									
ANT	6+7									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m)									



Mode	84	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	Level (dBuV/m)





Mode	84	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	



Mode	84																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>33.08</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Peak</td></tr><tr><td>2 12370.00</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>23.83</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Average</td></tr><tr><td>3 18555.00</td><td>38.83</td><td>74.00</td><td>-35.17</td><td>55.13</td><td>38.22</td><td>22.83</td><td>67.81</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	52.57	74.00	-21.43	33.08	39.84	18.64	40.77	0.31	-- Peak	2 12370.00	43.32	54.00	-10.68	23.83	39.84	18.64	40.77	0.31	-- Average	3 18555.00	38.83	74.00	-35.17	55.13	38.22	22.83	67.81	-9.54	-- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>33.52</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Peak</td></tr><tr><td>2 12370.00</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>24.41</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Average</td></tr><tr><td>3 18555.00</td><td>38.63</td><td>74.00</td><td>-35.37</td><td>54.93</td><td>38.22</td><td>22.83</td><td>67.81</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	53.01	74.00	-20.99	33.52	39.84	18.64	40.77	0.31	-- Peak	2 12370.00	43.90	54.00	-10.10	24.41	39.84	18.64	40.77	0.31	-- Average	3 18555.00	38.63	74.00	-35.37	54.93	38.22	22.83	67.81	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12370.00	52.57	74.00	-21.43	33.08	39.84	18.64	40.77	0.31	-- Peak																																																																																																																	
2 12370.00	43.32	54.00	-10.68	23.83	39.84	18.64	40.77	0.31	-- Average																																																																																																																	
3 18555.00	38.83	74.00	-35.17	55.13	38.22	22.83	67.81	-9.54	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12370.00	53.01	74.00	-20.99	33.52	39.84	18.64	40.77	0.31	-- Peak																																																																																																																	
2 12370.00	43.90	54.00	-10.10	24.41	39.84	18.64	40.77	0.31	-- Average																																																																																																																	
3 18555.00	38.63	74.00	-35.37	54.93	38.22	22.83	67.81	-9.54	-- Peak																																																																																																																	
Avg																																																																																																																										



Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	85																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6345.00</td><td>103.74</td><td>-----</td><td>-----</td><td>89.04</td><td>35.45</td><td>13.32</td><td>35.05</td><td>0.98</td><td>102</td><td>357</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6345.00	103.74	-----	-----	89.04	35.45	13.32	35.05	0.98	102	357	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6345.00	103.74	-----	-----	89.04	35.45	13.32	35.05	0.98	102	357	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6345.00</td><td>95.66</td><td>-----</td><td>-----</td><td>80.96</td><td>35.45</td><td>13.32</td><td>35.05</td><td>0.98</td><td>102</td><td>357</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6345.00	95.66	-----	-----	80.96	35.45	13.32	35.05	0.98	102	357	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6345.00	95.66	-----	-----	80.96	35.45	13.32	35.05	0.98	102	357	Average																											



Mode	85										
	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					Level (dBuV/m)					



Mode	85																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12690.00</td><td>55.25</td><td>74.00</td><td>-18.75</td><td>34.91</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Peak</td></tr><tr><td>2 12690.00</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>25.01</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>38.58</td><td>74.00</td><td>-35.42</td><td>53.70</td><td>38.33</td><td>23.14</td><td>67.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	55.25	74.00	-18.75	34.91	40.50	18.91	40.82	0.27	-- -- Peak	2 12690.00	45.35	54.00	-8.65	25.01	40.50	18.91	40.82	0.27	-- -- Average	3 19035.00	38.58	74.00	-35.42	53.70	38.33	23.14	67.05	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12690.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>34.06</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Peak</td></tr><tr><td>2 12690.00</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>24.44</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>54.15</td><td>38.33</td><td>23.14</td><td>67.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	54.40	74.00	-19.60	34.06	40.50	18.91	40.82	0.27	-- -- Peak	2 12690.00	44.78	54.00	-9.22	24.44	40.50	18.91	40.82	0.27	-- -- Average	3 19035.00	39.03	74.00	-34.97	54.15	38.33	23.14	67.05	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12690.00	55.25	74.00	-18.75	34.91	40.50	18.91	40.82	0.27	-- -- Peak																																																																																																																	
2 12690.00	45.35	54.00	-8.65	25.01	40.50	18.91	40.82	0.27	-- -- Average																																																																																																																	
3 19035.00	38.58	74.00	-35.42	53.70	38.33	23.14	67.05	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12690.00	54.40	74.00	-19.60	34.06	40.50	18.91	40.82	0.27	-- -- Peak																																																																																																																	
2 12690.00	44.78	54.00	-9.22	24.44	40.50	18.91	40.82	0.27	-- -- Average																																																																																																																	
3 19035.00	39.03	74.00	-34.97	54.15	38.33	23.14	67.05	-9.54	-- -- Peak																																																																																																																	



Mode	85	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	86	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	Level (dBuV/m) <





Mode	86	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m) </



Mode	86																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																																											
ANT	6+7																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>53.28</td><td>88.20</td><td>-34.92</td><td>32.73</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>37.29</td><td>74.00</td><td>-36.71</td><td>51.97</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12870.00	53.28	88.20	-34.92	32.73	40.68	19.01	40.84	0.22	--	--	Peak	2	19305.00	37.29	74.00	-36.71	51.97	38.20	23.33	66.67	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>53.13</td><td>88.20</td><td>-35.07</td><td>32.58</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>52.60</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12870.00	53.13	88.20	-35.07	32.58	40.68	19.01	40.84	0.22	--	--	Peak	2	19305.00	37.92	74.00	-36.08	52.60	38.20	23.33	66.67	-9.54	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	12870.00	53.28	88.20	-34.92	32.73	40.68	19.01	40.84	0.22	--	--	Peak																																																																																																																																
2	19305.00	37.29	74.00	-36.71	51.97	38.20	23.33	66.67	-9.54	--	--	Peak																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	12870.00	53.13	88.20	-35.07	32.58	40.68	19.01	40.84	0.22	--	--	Peak																																																																																																																																
2	19305.00	37.92	74.00	-36.08	52.60	38.20	23.33	66.67	-9.54	--	--	Peak																																																																																																																																



Mode	86	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	87										
	Band Edge										
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz										
ANT	6+7										
Pol.	Horizontal					Fundamental					
Peak	Blank					Level (dBuV/m)					



Mode	87	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m)



Mode	87																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.42</td><td>88.20</td><td>-34.78</td><td>32.65</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.32</td><td>74.00</td><td>-37.68</td><td>50.76</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.42	88.20	-34.78	32.65	40.90	19.05	40.85	0.19	--	Peak	2	19425.00	36.32	74.00	-37.68	50.76	38.20	23.41	66.51	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.13</td><td>88.20</td><td>-35.07</td><td>32.36</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.81</td><td>74.00</td><td>-36.19</td><td>52.25</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.13	88.20	-35.07	32.36	40.90	19.05	40.85	0.19	--	Peak	2	19425.00	37.81	74.00	-36.19	52.25	38.20	23.41	66.51	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	53.42	88.20	-34.78	32.65	40.90	19.05	40.85	0.19	--	Peak																																																																																																															
2	19425.00	36.32	74.00	-37.68	50.76	38.20	23.41	66.51	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	53.13	88.20	-35.07	32.36	40.90	19.05	40.85	0.19	--	Peak																																																																																																															
2	19425.00	37.81	74.00	-36.19	52.25	38.20	23.41	66.51	-9.54	--	Peak																																																																																																															



Mode	87	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL