



Mode	88																																								
	Band Edge																																								
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																								
ANT	6+7																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400 3800 5200 6600 8000 Frequency (MHz) PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6515.00</td><td>97.47</td><td>-----</td><td>-----</td><td>82.18</td><td>36.03</td><td>13.42</td><td>35.15</td><td>0.99</td><td>106</td><td></td><td>346 Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6515.00	97.47	-----	-----	82.18	36.03	13.42	35.15	0.99	106		346 Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6515.00	97.47	-----	-----	82.18	36.03	13.42	35.15	0.99	106		346 Peak																													
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400 3800 5200 6600 8000 Frequency (MHz) AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6515.00</td><td>90.44</td><td>-----</td><td>-----</td><td>75.15</td><td>36.03</td><td>13.42</td><td>35.15</td><td>0.99</td><td>106</td><td></td><td>346 Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6515.00	90.44	-----	-----	75.15	36.03	13.42	35.15	0.99	106		346 Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6515.00	90.44	-----	-----	75.15	36.03	13.42	35.15	0.99	106		346 Average																													



Mode	88	
	Band Edge	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m)



Mode	88																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.16</td><td>88.20</td><td>-35.04</td><td>32.75</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>51.17</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.16	88.20	-35.04	32.75	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	36.89	74.00	-37.11	51.17	38.10	23.48	66.32	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>52.87</td><td>88.20</td><td>-35.33</td><td>32.46</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>52.23</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	52.87	88.20	-35.33	32.46	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	37.95	74.00	-36.05	52.23	38.10	23.48	66.32	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	53.16	88.20	-35.04	32.75	40.56	19.11	40.92	0.18	--	Peak																																																																																																															
2	19545.00	36.89	74.00	-37.11	51.17	38.10	23.48	66.32	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	52.87	88.20	-35.33	32.46	40.56	19.11	40.92	0.18	--	Peak																																																																																																															
2	19545.00	37.95	74.00	-36.05	52.23	38.10	23.48	66.32	-9.54	--	Peak																																																																																																															



Mode	88	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	89	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	Level (dBuV/m)



Mode	89	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	<



Mode	89																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>52.54</td><td>88.20</td><td>-35.66</td><td>31.99</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>36.55</td><td>74.00</td><td>-37.45</td><td>51.23</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	52.54	88.20	-35.66	31.99	40.68	19.01	40.84	0.22	--	Peak	2	19305.00	36.55	74.00	-37.45	51.23	38.20	23.33	66.67	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>33.01</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.44</td><td>74.00</td><td>-35.56</td><td>53.12</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.56	88.20	-34.64	33.01	40.68	19.01	40.84	0.22	--	Peak	2	19305.00	38.44	74.00	-35.56	53.12	38.20	23.33	66.67	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12870.00	52.54	88.20	-35.66	31.99	40.68	19.01	40.84	0.22	--	Peak																																																																																																														
2	19305.00	36.55	74.00	-37.45	51.23	38.20	23.33	66.67	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12870.00	53.56	88.20	-34.64	33.01	40.68	19.01	40.84	0.22	--	Peak																																																																																																														
2	19305.00	38.44	74.00	-35.56	53.12	38.20	23.33	66.67	-9.54	--	Peak																																																																																																														



Mode	89	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	90																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6475.00</td><td>99.72</td><td>-----</td><td>-----</td><td>84.46</td><td>36.00</td><td>13.39</td><td>35.11</td><td>0.98</td><td>101</td><td>345</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6475.00	99.72	-----	-----	84.46	36.00	13.39	35.11	0.98	101	345	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6475.00	99.72	-----	-----	84.46	36.00	13.39	35.11	0.98	101	345	Peak																											
Avg	Blank	Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6475.00</td><td>92.41</td><td>-----</td><td>-----</td><td>77.15</td><td>36.00</td><td>13.39</td><td>35.11</td><td>0.98</td><td>101</td><td>345</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6475.00	92.41	-----	-----	77.15	36.00	13.39	35.11	0.98	101	345	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6475.00	92.41	-----	-----	77.15	36.00	13.39	35.11	0.98	101	345	Average																											





Mode	90	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	



Mode	90																																																																
	Harmonic																																																																
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																																																
ANT	6+7																																																																
Pol.	Horizontal								Vertical																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E								Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E																																																								
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12950.00</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>33.07</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>-- -- Peak</td></tr><tr><td>2 19425.00</td><td>37.17</td><td>74.00</td><td>-36.83</td><td>51.61</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>-- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12950.00	53.84	88.20	-34.36	33.07	40.90	19.05	40.85	0.19	-- -- Peak	2 19425.00	37.17	74.00	-36.83	51.61	38.20	23.41	66.51	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																								
1 12950.00	53.84	88.20	-34.36	33.07	40.90	19.05	40.85	0.19	-- -- Peak																																																								
2 19425.00	37.17	74.00	-36.83	51.61	38.20	23.41	66.51	-9.54	-- -- Peak																																																								
Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12950.00</td><td>52.84</td><td>88.20</td><td>-35.36</td><td>32.07</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>-- -- Peak</td></tr><tr><td>2 19425.00</td><td>36.85</td><td>74.00</td><td>-37.15</td><td>51.29</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>-- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12950.00	52.84	88.20	-35.36	32.07	40.90	19.05	40.85	0.19	-- -- Peak	2 19425.00	36.85	74.00	-37.15	51.29	38.20	23.41	66.51	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																								
1 12950.00	52.84	88.20	-35.36	32.07	40.90	19.05	40.85	0.19	-- -- Peak																																																								
2 19425.00	36.85	74.00	-37.15	51.29	38.20	23.41	66.51	-9.54	-- -- Peak																																																								



Mode	90	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	91																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6515.00</td><td>98.65</td><td>-----</td><td>-----</td><td>83.37</td><td>36.02</td><td>13.41</td><td>35.14</td><td>0.99</td><td>100</td><td>342</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6515.00	98.65	-----	-----	83.37	36.02	13.41	35.14	0.99	100	342	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6515.00	98.65	-----	-----	83.37	36.02	13.41	35.14	0.99	100	342	Peak																											
Avg	Blank	Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6515.00</td><td>91.52</td><td>-----</td><td>-----</td><td>76.24</td><td>36.02</td><td>13.41</td><td>35.14</td><td>0.99</td><td>100</td><td>342</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6515.00	91.52	-----	-----	76.24	36.02	13.41	35.14	0.99	100	342	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6515.00	91.52	-----	-----	76.24	36.02	13.41	35.14	0.99	100	342	Average																											



Mode	91	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m) </





Mode	91																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.19</td><td>88.20</td><td>-35.01</td><td>32.78</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.99</td><td>74.00</td><td>-37.01</td><td>51.27</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.19	88.20	-35.01	32.78	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	36.99	74.00	-37.01	51.27	38.10	23.48	66.32	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>32.68</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.00</td><td>74.00</td><td>-36.00</td><td>52.28</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.09	88.20	-35.11	32.68	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	38.00	74.00	-36.00	52.28	38.10	23.48	66.32	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	53.19	88.20	-35.01	32.78	40.56	19.11	40.92	0.18	--	Peak																																																																																																															
2	19545.00	36.99	74.00	-37.01	51.27	38.10	23.48	66.32	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	53.09	88.20	-35.11	32.68	40.56	19.11	40.92	0.18	--	Peak																																																																																																															
2	19545.00	38.00	74.00	-36.00	52.28	38.10	23.48	66.32	-9.54	--	Peak																																																																																																															



Mode	91	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	92																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6445.00</td><td>99.92</td><td>-----</td><td>-----</td><td>84.72</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>100</td><td>346</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6445.00	99.92	-----	-----	84.72	35.93	13.39	35.10	0.98	100	346	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6445.00	99.92	-----	-----	84.72	35.93	13.39	35.10	0.98	100	346	Peak																											
Avg	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6445.00</td><td>91.80</td><td>-----</td><td>-----</td><td>76.60</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>100</td><td>346</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6445.00	91.80	-----	-----	76.60	35.93	13.39	35.10	0.98	100	346	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6445.00	91.80	-----	-----	76.60	35.93	13.39	35.10	0.98	100	346	Average																											





Mode	92	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m) </



Mode	92																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																																																																																									
ANT	6+7																																																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="3">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12890.00</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>32.71</td><td>40.76</td><td>19.02</td><td>40.84</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>36.36</td><td>74.00</td><td>-37.64</td><td>50.98</td><td>38.20</td><td>23.35</td><td>66.63</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th colspan="2"></th><th colspan="3">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12890.00</td><td>53.58</td><td>88.20</td><td>-34.62</td><td>32.95</td><td>40.76</td><td>19.02</td><td>40.84</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>37.33</td><td>74.00</td><td>-36.67</td><td>51.95</td><td>38.20</td><td>23.35</td><td>66.63</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>																										Limit			Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12890.00	53.34	88.20	-34.86	32.71	40.76	19.02	40.84	0.21	--	--	Peak	2	19335.00	36.36	74.00	-37.64	50.98	38.20	23.35	66.63	-9.54	--	--	Peak			Limit			Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12890.00	53.58	88.20	-34.62	32.95	40.76	19.02	40.84	0.21	--	--	Peak	2	19335.00	37.33	74.00	-36.67	51.95	38.20	23.35	66.63	-9.54	--	--	Peak
			Limit			Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	12890.00	53.34	88.20	-34.86	32.71	40.76	19.02	40.84	0.21	--	--	Peak																																																																																																																																														
2	19335.00	36.36	74.00	-37.64	50.98	38.20	23.35	66.63	-9.54	--	--	Peak																																																																																																																																														
		Limit			Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	12890.00	53.58	88.20	-34.62	32.95	40.76	19.02	40.84	0.21	--	--	Peak																																																																																																																																														
2	19335.00	37.33	74.00	-36.67	51.95	38.20	23.35	66.63	-9.54	--	--	Peak																																																																																																																																														





Mode	92	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	93																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6485.00</td><td>100.87</td><td>-----</td><td>-----</td><td>85.61</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>127</td><td>346</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6485.00	100.87	-----	-----	85.61	36.00	13.40	35.13	0.99	127	346	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6485.00	100.87	-----	-----	85.61	36.00	13.40	35.13	0.99	127	346	Peak																											
Avg	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6485.00</td><td>92.53</td><td>-----</td><td>-----</td><td>77.27</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>127</td><td>346</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6485.00	92.53	-----	-----	77.27	36.00	13.40	35.13	0.99	127	346	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6485.00	92.53	-----	-----	77.27	36.00	13.40	35.13	0.99	127	346	Average																											



Mode	93																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6485.00</td><td>104.62</td><td>-----</td><td>-----</td><td>89.35</td><td>36.00</td><td>13.40</td><td>35.12</td><td>0.99</td><td>181</td><td>36</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6485.00	104.62	-----	-----	89.35	36.00	13.40	35.12	0.99	181	36	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6485.00	104.62	-----	-----	89.35	36.00	13.40	35.12	0.99	181	36	Peak																											
Avg	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6485.00</td><td>97.30</td><td>-----</td><td>-----</td><td>82.03</td><td>36.00</td><td>13.40</td><td>35.12</td><td>0.99</td><td>181</td><td>36</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6485.00	97.30	-----	-----	82.03	36.00	13.40	35.12	0.99	181	36	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6485.00	97.30	-----	-----	82.03	36.00	13.40	35.12	0.99	181	36	Average																											



Mode	93																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>54.59</td><td>88.20</td><td>-33.61</td><td>33.86</td><td>40.86</td><td>19.06</td><td>40.86</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>37.93</td><td>74.00</td><td>-36.07</td><td>52.31</td><td>38.19</td><td>23.43</td><td>66.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	54.59	88.20	-33.61	33.86	40.86	19.06	40.86	0.19	--	Peak	2	19455.00	37.93	74.00	-36.07	52.31	38.19	23.43	66.46	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>53.30</td><td>88.20</td><td>-34.90</td><td>32.57</td><td>40.86</td><td>19.06</td><td>40.86</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>37.04</td><td>74.00</td><td>-36.96</td><td>51.42</td><td>38.19</td><td>23.43</td><td>66.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	53.30	88.20	-34.90	32.57	40.86	19.06	40.86	0.19	--	Peak	2	19455.00	37.04	74.00	-36.96	51.42	38.19	23.43	66.46	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	54.59	88.20	-33.61	33.86	40.86	19.06	40.86	0.19	--	Peak																																																																																																															
2	19455.00	37.93	74.00	-36.07	52.31	38.19	23.43	66.46	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	53.30	88.20	-34.90	32.57	40.86	19.06	40.86	0.19	--	Peak																																																																																																															
2	19455.00	37.04	74.00	-36.96	51.42	38.19	23.43	66.46	-9.54	--	Peak																																																																																																															



Mode	93	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	94																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6525.00</td><td>100.09</td><td>-----</td><td>-----</td><td>85.54</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>125</td><td>348</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6525.00	100.09	-----	-----	85.54	36.07	13.46	35.18	1.00	125	348	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6525.00	100.09	-----	-----	85.54	36.07	13.46	35.18	1.00	125	348	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6525.00</td><td>93.16</td><td>-----</td><td>-----</td><td>77.81</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>125</td><td>348</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6525.00	93.16	-----	-----	77.81	36.07	13.46	35.18	1.00	125	348	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6525.00	93.16	-----	-----	77.81	36.07	13.46	35.18	1.00	125	348	Average																											



Mode	94																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 1 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6525.00</td><td>105.70</td><td>-----</td><td>-----</td><td>90.35</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>181</td><td>38</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6525.00	105.70	-----	-----	90.35	36.07	13.46	35.18	1.00	181	38	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6525.00	105.70	-----	-----	90.35	36.07	13.46	35.18	1.00	181	38	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 1 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6525.00</td><td>97.14</td><td>-----</td><td>-----</td><td>81.79</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>181</td><td>38</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6525.00	97.14	-----	-----	81.79	36.07	13.46	35.18	1.00	181	38	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6525.00	97.14	-----	-----	81.79	36.07	13.46	35.18	1.00	181	38	Average																											



Mode	94																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>32.39</td><td>40.40</td><td>19.12</td><td>40.96</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>52.39</td><td>38.10</td><td>23.50</td><td>66.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	52.61	88.20	-35.59	32.39	40.40	19.12	40.96	0.18	--	Peak	2	19575.00	38.19	74.00	-35.81	52.39	38.10	23.50	66.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>32.56</td><td>40.40</td><td>19.12</td><td>40.96</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>37.30</td><td>74.00</td><td>-36.70</td><td>51.50</td><td>38.10</td><td>23.50</td><td>66.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	52.78	88.20	-35.42	32.56	40.40	19.12	40.96	0.18	--	Peak	2	19575.00	37.30	74.00	-36.70	51.50	38.10	23.50	66.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	52.61	88.20	-35.59	32.39	40.40	19.12	40.96	0.18	--	Peak																																																																																																					
2	19575.00	38.19	74.00	-35.81	52.39	38.10	23.50	66.26	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	52.78	88.20	-35.42	32.56	40.40	19.12	40.96	0.18	--	Peak																																																																																																					
2	19575.00	37.30	74.00	-36.70	51.50	38.10	23.50	66.26	-9.54	--	Peak																																																																																																					



Mode	94	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	95	
	Band Edge	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	



Mode	95																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6465.00</td><td>103.57</td><td>-----</td><td>88.32</td><td>36.00</td><td>13.39</td><td>35.12</td><td>0.98</td><td>200</td><td>37</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6465.00	103.57	-----	88.32	36.00	13.39	35.12	0.98	200	37	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6465.00	103.57	-----	88.32	36.00	13.39	35.12	0.98	200	37	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6465.00</td><td>95.67</td><td>-----</td><td>80.47</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>200</td><td>37</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6465.00	95.67	-----	80.47	35.93	13.39	35.10	0.98	200	37	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6465.00	95.67	-----	80.47	35.93	13.39	35.10	0.98	200	37	Average																											





Mode	95																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>33.38</td><td>40.86</td><td>19.04</td><td>40.85</td><td>0.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>36.92</td><td>74.00</td><td>-37.08</td><td>51.42</td><td>38.20</td><td>23.39</td><td>66.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.11	88.20	-34.09	33.38	40.86	19.04	40.85	0.20	--	Peak	2	19395.00	36.92	74.00	-37.08	51.42	38.20	23.39	66.55	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>53.85</td><td>88.20</td><td>-34.35</td><td>33.12</td><td>40.86</td><td>19.04</td><td>40.85</td><td>0.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>37.53</td><td>74.00</td><td>-36.47</td><td>52.03</td><td>38.20</td><td>23.39</td><td>66.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	53.85	88.20	-34.35	33.12	40.86	19.04	40.85	0.20	--	Peak	2	19395.00	37.53	74.00	-36.47	52.03	38.20	23.39	66.55	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12930.00	54.11	88.20	-34.09	33.38	40.86	19.04	40.85	0.20	--	Peak																																																																																																					
2	19395.00	36.92	74.00	-37.08	51.42	38.20	23.39	66.55	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12930.00	53.85	88.20	-34.35	33.12	40.86	19.04	40.85	0.20	--	Peak																																																																																																					
2	19395.00	37.53	74.00	-36.47	52.03	38.20	23.39	66.55	-9.54	--	Peak																																																																																																					



Mode	95	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





Mode	96																																																	
	Band Edge																																																	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																	
ANT	6+7																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6505.00</td><td>102.04</td><td>-----</td><td>-----</td><td>86.67</td><td>36.09</td><td>13.47</td><td>35.19</td><td>1.00</td><td>100</td><td>342</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6505.00	102.04	-----	-----	86.67	36.09	13.47	35.19	1.00	100	342	Peak
							Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																						
1	6505.00	102.04	-----	-----	86.67	36.09	13.47	35.19	1.00	100	342	Peak																																						
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6505.00</td><td>91.88</td><td>-----</td><td>-----</td><td>76.62</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>100</td><td>342</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6505.00	91.88	-----	-----	76.62	36.00	13.40	35.13	0.99	100	342	Average
							Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																						
1	6505.00	91.88	-----	-----	76.62	36.00	13.40	35.13	0.99	100	342	Average																																						





Mode	96																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6505.00</td><td>105.17</td><td>-----</td><td>-----</td><td>89.91</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>183</td><td>39</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6505.00	105.17	-----	-----	89.91	36.00	13.40	35.13	0.99	183	39	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6505.00	105.17	-----	-----	89.91	36.00	13.40	35.13	0.99	183	39	Peak																											
Avg	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6505.00</td><td>97.89</td><td>-----</td><td>-----</td><td>82.60</td><td>36.03</td><td>13.42</td><td>35.15</td><td>0.99</td><td>183</td><td>39</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6505.00	97.89	-----	-----	82.60	36.03	13.42	35.15	0.99	183	39	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6505.00	97.89	-----	-----	82.60	36.03	13.42	35.15	0.99	183	39	Average																											



	96																																																																																																															
Mode	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>33.52</td><td>40.72</td><td>19.09</td><td>40.88</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>37.86</td><td>74.00</td><td>-36.14</td><td>52.20</td><td>38.10</td><td>23.47</td><td>66.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.11	88.20	-34.09	33.52	40.72	19.09	40.88	0.18	--	Peak	2	19515.00	37.86	74.00	-36.14	52.20	38.10	23.47	66.37	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>53.92</td><td>88.20</td><td>-34.28</td><td>33.33</td><td>40.72</td><td>19.09</td><td>40.88</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>52.29</td><td>38.10</td><td>23.47</td><td>66.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	53.92	88.20	-34.28	33.33	40.72	19.09	40.88	0.18	--	Peak	2	19515.00	37.95	74.00	-36.05	52.29	38.10	23.47	66.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	54.11	88.20	-34.09	33.52	40.72	19.09	40.88	0.18	--	Peak																																																																																																					
2	19515.00	37.86	74.00	-36.14	52.20	38.10	23.47	66.37	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	53.92	88.20	-34.28	33.33	40.72	19.09	40.88	0.18	--	Peak																																																																																																					
2	19515.00	37.95	74.00	-36.05	52.29	38.10	23.47	66.37	-9.54	--	Peak																																																																																																					



Mode	96	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





Mode	97																																								
	Band Edge																																								
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																								
ANT	6+7																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	Level (dBuV/m) Date: 2026-02-14 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>113.08</td><td>-----</td><td>-----</td><td>98.53</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>100</td><td>346</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	113.08	-----	-----	98.53	36.07	13.46	35.18	1.00	100	346	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6535.00	113.08	-----	-----	98.53	36.07	13.46	35.18	1.00	100	346	Peak																													
Avg	Blank	Level (dBuV/m) Date: 2026-02-14 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>111.10</td><td>-----</td><td>-----</td><td>95.75</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>100</td><td>346</td><td>Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	111.10	-----	-----	95.75	36.07	13.46	35.18	1.00	100	346	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6535.00	111.10	-----	-----	95.75	36.07	13.46	35.18	1.00	100	346	Average																													





Mode	97																																								
	Band Edge																																								
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																								
ANT	6+7																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	Date: 2026-02-14 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>115.53</td><td>-----</td><td>-----</td><td>100.18</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>100</td><td>78</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	115.53	-----	-----	100.18	36.07	13.46	35.18	1.00	100	78	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6535.00	115.53	-----	-----	100.18	36.07	13.46	35.18	1.00	100	78	Peak																													
Avg	Blank	Date: 2026-02-14 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>112.70</td><td>-----</td><td>-----</td><td>97.35</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>100</td><td>78</td><td>Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	112.70	-----	-----	97.35	36.07	13.46	35.18	1.00	100	78	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6535.00	112.70	-----	-----	97.35	36.07	13.46	35.18	1.00	100	78	Average																													



Mode	97																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																																																
ANT	6+7																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>57.34</td><td>88.20</td><td>-30.86</td><td>36.98</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>108</td><td>9</td><td>Peak</td></tr><tr><td>2 13070.00</td><td>51.24</td><td>68.20</td><td>-16.96</td><td>30.88</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>108</td><td>9</td><td>Average</td></tr><tr><td>3 19605.00</td><td>38.01</td><td>74.00</td><td>-35.99</td><td>52.14</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	57.34	88.20	-30.86	36.98	40.56	19.14	41.00	0.18	108	9	Peak	2 13070.00	51.24	68.20	-16.96	30.88	40.56	19.14	41.00	0.18	108	9	Average	3 19605.00	38.01	74.00	-35.99	52.14	38.10	23.52	66.21	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>59.44</td><td>88.20</td><td>-28.76</td><td>39.08</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>100</td><td>337</td><td>Peak</td></tr><tr><td>2 13070.00</td><td>53.89</td><td>68.20</td><td>-14.31</td><td>33.53</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>100</td><td>337</td><td>Average</td></tr><tr><td>3 19605.00</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>53.20</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	59.44	88.20	-28.76	39.08	40.56	19.14	41.00	0.18	100	337	Peak	2 13070.00	53.89	68.20	-14.31	33.53	40.56	19.14	41.00	0.18	100	337	Average	3 19605.00	39.07	74.00	-34.93	53.20	38.10	23.52	66.21	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13070.00	57.34	88.20	-30.86	36.98	40.56	19.14	41.00	0.18	108	9	Peak																																																																																																																																						
2 13070.00	51.24	68.20	-16.96	30.88	40.56	19.14	41.00	0.18	108	9	Average																																																																																																																																						
3 19605.00	38.01	74.00	-35.99	52.14	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 13070.00	59.44	88.20	-28.76	39.08	40.56	19.14	41.00	0.18	100	337	Peak																																																																																																																																						
2 13070.00	53.89	68.20	-14.31	33.53	40.56	19.14	41.00	0.18	100	337	Average																																																																																																																																						
3 19605.00	39.07	74.00	-34.93	53.20	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																																						



Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	98																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 1 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>109.44</td><td>-----</td><td>-----</td><td>93.68</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>328</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	109.44	-----	-----	93.68	36.46	13.69	35.39	1.00	100	328	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6695.00	109.44	-----	-----	93.68	36.46	13.69	35.39	1.00	100	328	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 1 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>102.34</td><td>-----</td><td>-----</td><td>86.58</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>328</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	102.34	-----	-----	86.58	36.46	13.69	35.39	1.00	100	328	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6695.00	102.34	-----	-----	86.58	36.46	13.69	35.39	1.00	100	328	Average																											



Mode	98	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m) <



	98																																																																																																																																							
Mode	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																							
ANT	6+7																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>36.14</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>200</td><td>89</td><td>Peak</td></tr><tr><td>2 13390.00</td><td>48.43</td><td>54.00</td><td>-5.57</td><td>28.00</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>200</td><td>89</td><td>Average</td></tr><tr><td>3 20805.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>49.83</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	56.57	74.00	-17.43	36.14	40.96	19.42	41.62	0.19	200	89	Peak	2 13390.00	48.43	54.00	-5.57	28.00	40.96	19.42	41.62	0.19	200	89	Average	3 20805.00	36.70	74.00	-37.30	49.83	38.00	23.79	65.38	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>60.08</td><td>74.00</td><td>-13.92</td><td>39.65</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>180</td><td>1</td><td>Peak</td></tr><tr><td>2 13390.00</td><td>50.92</td><td>54.00</td><td>-3.08</td><td>30.49</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>180</td><td>1</td><td>Average</td></tr><tr><td>3 20805.00</td><td>37.93</td><td>74.00</td><td>-36.07</td><td>51.06</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	60.08	74.00	-13.92	39.65	40.96	19.42	41.62	0.19	180	1	Peak	2 13390.00	50.92	54.00	-3.08	30.49	40.96	19.42	41.62	0.19	180	1	Average	3 20805.00	37.93	74.00	-36.07	51.06	38.00	23.79	65.38	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13390.00	56.57	74.00	-17.43	36.14	40.96	19.42	41.62	0.19	200	89	Peak																																																																																																																													
2 13390.00	48.43	54.00	-5.57	28.00	40.96	19.42	41.62	0.19	200	89	Average																																																																																																																													
3 20805.00	36.70	74.00	-37.30	49.83	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13390.00	60.08	74.00	-13.92	39.65	40.96	19.42	41.62	0.19	180	1	Peak																																																																																																																													
2 13390.00	50.92	54.00	-3.08	30.49	40.96	19.42	41.62	0.19	180	1	Average																																																																																																																													
3 20805.00	37.93	74.00	-36.07	51.06	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																													



Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	99	
	Band Edge	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Fundamental
Peak	Blank	



Mode	99										
	Band Edge										
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					Level (dBuV/m)					



Mode	99																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																																																																									
ANT	6+7																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>62.69</td><td>88.20</td><td>-25.51</td><td>42.15</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>200</td><td>286 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>58.15</td><td>68.20</td><td>-10.05</td><td>37.61</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>200</td><td>286 Average</td></tr><tr><td>3</td><td>20625.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>52.58</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>287</td><td>351 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>32.88</td><td>54.00</td><td>-21.12</td><td>44.81</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>287</td><td>351 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	62.69	88.20	-25.51	42.15	41.50	19.51	42.13	0.17	200	286 Peak	2	13750.00	58.15	68.20	-10.05	37.61	41.50	19.51	42.13	0.17	200	286 Average	3	20625.00	40.65	74.00	-33.35	52.58	38.10	24.11	64.60	-9.54	287	351 Peak	4	20625.00	32.88	54.00	-21.12	44.81	38.10	24.11	64.60	-9.54	287	351 Average	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>62.58</td><td>88.20</td><td>-25.62</td><td>42.04</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>201</td><td>308 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>37.19</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>201</td><td>308 Average</td></tr><tr><td>3</td><td>20625.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>52.18</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>196</td><td>360 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>31.65</td><td>54.00</td><td>-22.35</td><td>43.58</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>196</td><td>360 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	62.58	88.20	-25.62	42.04	41.50	19.51	42.13	0.17	201	308 Peak	2	13750.00	57.73	68.20	-10.47	37.19	41.50	19.51	42.13	0.17	201	308 Average	3	20625.00	40.25	74.00	-33.75	52.18	38.10	24.11	64.60	-9.54	196	360 Peak	4	20625.00	31.65	54.00	-22.35	43.58	38.10	24.11	64.60	-9.54	196	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	13750.00	62.69	88.20	-25.51	42.15	41.50	19.51	42.13	0.17	200	286 Peak																																																																																																																																																															
2	13750.00	58.15	68.20	-10.05	37.61	41.50	19.51	42.13	0.17	200	286 Average																																																																																																																																																															
3	20625.00	40.65	74.00	-33.35	52.58	38.10	24.11	64.60	-9.54	287	351 Peak																																																																																																																																																															
4	20625.00	32.88	54.00	-21.12	44.81	38.10	24.11	64.60	-9.54	287	351 Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	13750.00	62.58	88.20	-25.62	42.04	41.50	19.51	42.13	0.17	201	308 Peak																																																																																																																																																															
2	13750.00	57.73	68.20	-10.47	37.19	41.50	19.51	42.13	0.17	201	308 Average																																																																																																																																																															
3	20625.00	40.25	74.00	-33.75	52.18	38.10	24.11	64.60	-9.54	196	360 Peak																																																																																																																																																															
4	20625.00	31.65	54.00	-22.35	43.58	38.10	24.11	64.60	-9.54	196	360 Average																																																																																																																																																															



Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	100																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6535.00</td><td>112.09</td><td>-----</td><td>-----</td><td>96.76</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>100</td><td>345</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6535.00	112.09	-----	-----	96.76	36.06	13.44	35.17	1.00	100	345	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6535.00	112.09	-----	-----	96.76	36.06	13.44	35.17	1.00	100	345	Peak																											
Avg	Blank	Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6535.00</td><td>103.56</td><td>-----</td><td>-----</td><td>88.23</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>100</td><td>345</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6535.00	103.56	-----	-----	88.23	36.06	13.44	35.17	1.00	100	345	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6535.00	103.56	-----	-----	88.23	36.06	13.44	35.17	1.00	100	345	Average																											





Mode	100																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6535.00</td><td>115.18</td><td>-----</td><td>-----</td><td>99.85</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>200</td><td>29</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6535.00	115.18	-----	-----	99.85	36.06	13.44	35.17	1.00	200	29	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6535.00	115.18	-----	-----	99.85	36.06	13.44	35.17	1.00	200	29	Peak																											
Avg	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6535.00</td><td>107.15</td><td>-----</td><td>-----</td><td>91.82</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>200</td><td>29</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6535.00	107.15	-----	-----	91.82	36.06	13.44	35.17	1.00	200	29	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6535.00	107.15	-----	-----	91.82	36.06	13.44	35.17	1.00	200	29	Average																											



		100																																																																																																																																																						
Mode	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>56.19</td><td>88.20</td><td>-32.01</td><td>46.59</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>242</td><td>60</td><td>Peak</td></tr><tr><td>2</td><td>13070.00</td><td>46.71</td><td>68.20</td><td>-21.49</td><td>37.11</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>242</td><td>60</td><td>Average</td></tr><tr><td>3</td><td>19605.00</td><td>38.72</td><td>74.00</td><td>-35.28</td><td>52.85</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	56.19	88.20	-32.01	46.59	--	19.14	0.00	-9.54	242	60	Peak	2	13070.00	46.71	68.20	-21.49	37.11	--	19.14	0.00	-9.54	242	60	Average	3	19605.00	38.72	74.00	-35.28	52.85	38.10	23.52	66.21	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>56.71</td><td>88.20</td><td>-31.49</td><td>47.11</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>199</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>13070.00</td><td>46.64</td><td>68.20</td><td>-21.56</td><td>37.04</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>199</td><td>11</td><td>Average</td></tr><tr><td>3</td><td>19605.00</td><td>37.98</td><td>74.00</td><td>-36.02</td><td>52.11</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	56.71	88.20	-31.49	47.11	--	19.14	0.00	-9.54	199	11	Peak	2	13070.00	46.64	68.20	-21.56	37.04	--	19.14	0.00	-9.54	199	11	Average	3	19605.00	37.98	74.00	-36.02	52.11	38.10	23.52	66.21	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13070.00	56.19	88.20	-32.01	46.59	--	19.14	0.00	-9.54	242	60	Peak																																																																																																																																												
2	13070.00	46.71	68.20	-21.49	37.11	--	19.14	0.00	-9.54	242	60	Average																																																																																																																																												
3	19605.00	38.72	74.00	-35.28	52.85	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13070.00	56.71	88.20	-31.49	47.11	--	19.14	0.00	-9.54	199	11	Peak																																																																																																																																												
2	13070.00	46.64	68.20	-21.56	37.04	--	19.14	0.00	-9.54	199	11	Average																																																																																																																																												
3	19605.00	37.98	74.00	-36.02	52.11	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																																												



Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	101																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>110.24</td><td>-----</td><td>-----</td><td>94.48</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>329</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	110.24	-----	-----	94.48	36.46	13.69	35.39	1.00	100	329	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6695.00	110.24	-----	-----	94.48	36.46	13.69	35.39	1.00	100	329	Peak																											
Avg	Blank	Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>102.48</td><td>-----</td><td>-----</td><td>86.72</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>329</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	102.48	-----	-----	86.72	36.46	13.69	35.39	1.00	100	329	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6695.00	102.48	-----	-----	86.72	36.46	13.69	35.39	1.00	100	329	Average																											



Mode	101	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	



Mode	101																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>36.44</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>209</td><td>283</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>26.64</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>209</td><td>283</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>50.67</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	56.87	74.00	-17.13	36.44	40.96	19.42	41.62	0.19	209	283	Peak	2	13390.00	47.07	54.00	-6.93	26.64	40.96	19.42	41.62	0.19	209	283	Average	3	20805.00	37.54	74.00	-36.46	50.67	38.00	23.79	65.38	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>38.60</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>291</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>49.39</td><td>54.00</td><td>-4.61</td><td>28.96</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>291</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>38.01</td><td>74.00</td><td>-35.99</td><td>51.14</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	59.03	74.00	-14.97	38.60	40.96	19.42	41.62	0.19	291	360	Peak	2	13390.00	49.39	54.00	-4.61	28.96	40.96	19.42	41.62	0.19	291	360	Average	3	20805.00	38.01	74.00	-35.99	51.14	38.00	23.79	65.38	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13390.00	56.87	74.00	-17.13	36.44	40.96	19.42	41.62	0.19	209	283	Peak																																																																																																																																												
2	13390.00	47.07	54.00	-6.93	26.64	40.96	19.42	41.62	0.19	209	283	Average																																																																																																																																												
3	20805.00	37.54	74.00	-36.46	50.67	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13390.00	59.03	74.00	-14.97	38.60	40.96	19.42	41.62	0.19	291	360	Peak																																																																																																																																												
2	13390.00	49.39	54.00	-4.61	28.96	40.96	19.42	41.62	0.19	291	360	Average																																																																																																																																												
3	20805.00	38.01	74.00	-35.99	51.14	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																																												





Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	102																																								
	Band Edge																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																								
ANT	6+7																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 1 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>109.94</td><td>-----</td><td>-----</td><td>94.07</td><td>36.65</td><td>13.88</td><td>35.64</td><td>0.98</td><td>300</td><td>286</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6875.00	109.94	-----	-----	94.07	36.65	13.88	35.64	0.98	300	286	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6875.00	109.94	-----	-----	94.07	36.65	13.88	35.64	0.98	300	286	Peak																													
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 1 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>102.01</td><td>-----</td><td>-----</td><td>86.14</td><td>36.65</td><td>13.88</td><td>35.64</td><td>0.98</td><td>300</td><td>286</td><td>Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6875.00	102.01	-----	-----	86.14	36.65	13.88	35.64	0.98	300	286	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6875.00	102.01	-----	-----	86.14	36.65	13.88	35.64	0.98	300	286	Average																													





Mode	102																																								
	Band Edge																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																								
ANT	6+7																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>114.90</td><td>-----</td><td>-----</td><td>99.03</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>250</td><td>356</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6875.00	114.90	-----	-----	99.03	36.66	13.88	35.65	0.98	250	356	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6875.00	114.90	-----	-----	99.03	36.66	13.88	35.65	0.98	250	356	Peak																													
Avg	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>106.58</td><td>-----</td><td>-----</td><td>90.71</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>250</td><td>356</td><td>Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6875.00	106.58	-----	-----	90.71	36.66	13.88	35.65	0.98	250	356	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6875.00	106.58	-----	-----	90.71	36.66	13.88	35.65	0.98	250	356	Average																													



Mode	102																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																																																																																																																																																								
ANT	6+7																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>60.67</td><td>88.20</td><td>-27.53</td><td>40.13</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>198</td><td>286 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>50.97</td><td>68.20</td><td>-17.23</td><td>30.43</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>198</td><td>286 Average</td></tr><tr><td>3</td><td>20625.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>54.16</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>291</td><td>340 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>31.28</td><td>54.00</td><td>-22.72</td><td>43.21</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>291</td><td>340 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	60.67	88.20	-27.53	40.13	41.50	19.51	42.13	0.17	198	286 Peak	2	13750.00	50.97	68.20	-17.23	30.43	41.50	19.51	42.13	0.17	198	286 Average	3	20625.00	42.23	74.00	-31.77	54.16	38.10	24.11	64.60	-9.54	291	340 Peak	4	20625.00	31.28	54.00	-22.72	43.21	38.10	24.11	64.60	-9.54	291	340 Average	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>60.46</td><td>88.20</td><td>-27.74</td><td>39.92</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>374</td><td>29 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>51.24</td><td>68.20</td><td>-16.96</td><td>30.70</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>374</td><td>29 Average</td></tr><tr><td>3</td><td>20625.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>52.78</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>195</td><td>0 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>30.70</td><td>54.00</td><td>-23.30</td><td>42.63</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>195</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	60.46	88.20	-27.74	39.92	41.50	19.51	42.13	0.17	374	29 Peak	2	13750.00	51.24	68.20	-16.96	30.70	41.50	19.51	42.13	0.17	374	29 Average	3	20625.00	40.85	74.00	-33.15	52.78	38.10	24.11	64.60	-9.54	195	0 Peak	4	20625.00	30.70	54.00	-23.30	42.63	38.10	24.11	64.60	-9.54	195	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	13750.00	60.67	88.20	-27.53	40.13	41.50	19.51	42.13	0.17	198	286 Peak																																																																																																																																																														
2	13750.00	50.97	68.20	-17.23	30.43	41.50	19.51	42.13	0.17	198	286 Average																																																																																																																																																														
3	20625.00	42.23	74.00	-31.77	54.16	38.10	24.11	64.60	-9.54	291	340 Peak																																																																																																																																																														
4	20625.00	31.28	54.00	-22.72	43.21	38.10	24.11	64.60	-9.54	291	340 Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	13750.00	60.46	88.20	-27.74	39.92	41.50	19.51	42.13	0.17	374	29 Peak																																																																																																																																																														
2	13750.00	51.24	68.20	-16.96	30.70	41.50	19.51	42.13	0.17	374	29 Average																																																																																																																																																														
3	20625.00	40.85	74.00	-33.15	52.78	38.10	24.11	64.60	-9.54	195	0 Peak																																																																																																																																																														
4	20625.00	30.70	54.00	-23.30	42.63	38.10	24.11	64.60	-9.54	195	0 Average																																																																																																																																																														



Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	103																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>109.50</td><td>-----</td><td>94.05</td><td>36.16</td><td>13.52</td><td>35.24</td><td>1.01</td><td>100</td><td>329</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6565.00	109.50	-----	94.05	36.16	13.52	35.24	1.01	100	329	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6565.00	109.50	-----	94.05	36.16	13.52	35.24	1.01	100	329	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>100.49</td><td>-----</td><td>85.08</td><td>36.13</td><td>13.50</td><td>35.22</td><td>1.00</td><td>100</td><td>329</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6565.00	100.49	-----	85.08	36.13	13.50	35.22	1.00	100	329	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6565.00	100.49	-----	85.08	36.13	13.50	35.22	1.00	100	329	Average																											





Mode	103																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6565.00</td><td>111.09</td><td>-----</td><td>95.69</td><td>36.12</td><td>13.49</td><td>35.21</td><td>1.00</td><td>100</td><td>39</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6565.00	111.09	-----	95.69	36.12	13.49	35.21	1.00	100	39	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	6565.00	111.09	-----	95.69	36.12	13.49	35.21	1.00	100	39	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6565.00</td><td>103.17</td><td>-----</td><td>87.77</td><td>36.12</td><td>13.49</td><td>35.21</td><td>1.00</td><td>100</td><td>39</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6565.00	103.17	-----	87.77	36.12	13.49	35.21	1.00	100	39	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	6565.00	103.17	-----	87.77	36.12	13.49	35.21	1.00	100	39	Average																											



Mode	103																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																																																						
ANT	6+7																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>55.37</td><td>88.20</td><td>-32.83</td><td>34.71</td><td>40.92</td><td>19.19</td><td>41.11</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>53.73</td><td>38.10</td><td>23.57</td><td>66.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	55.37	88.20	-32.83	34.71	40.92	19.19	41.11	0.18	--	Peak	2	19695.00	39.81	74.00	-34.19	53.73	38.10	23.57	66.05	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>34.91</td><td>40.92</td><td>19.19</td><td>41.11</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>54.44</td><td>38.10</td><td>23.57</td><td>66.05</td><td>-9.54</td><td>211</td><td>11 Peak</td></tr><tr><td>3</td><td>19695.00</td><td>30.67</td><td>54.00</td><td>-23.33</td><td>44.59</td><td>38.10</td><td>23.57</td><td>66.05</td><td>-9.54</td><td>211</td><td>11 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	55.57	88.20	-32.63	34.91	40.92	19.19	41.11	0.18	--	Peak	2	19695.00	40.52	74.00	-33.48	54.44	38.10	23.57	66.05	-9.54	211	11 Peak	3	19695.00	30.67	54.00	-23.33	44.59	38.10	23.57	66.05	-9.54	211	11 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	13130.00	55.37	88.20	-32.83	34.71	40.92	19.19	41.11	0.18	--	Peak																																																																																																																												
2	19695.00	39.81	74.00	-34.19	53.73	38.10	23.57	66.05	-9.54	--	Peak																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	13130.00	55.57	88.20	-32.63	34.91	40.92	19.19	41.11	0.18	--	Peak																																																																																																																												
2	19695.00	40.52	74.00	-33.48	54.44	38.10	23.57	66.05	-9.54	211	11 Peak																																																																																																																												
3	19695.00	30.67	54.00	-23.33	44.59	38.10	23.57	66.05	-9.54	211	11 Average																																																																																																																												



Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	104																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6685.00</td><td>108.05</td><td>-----</td><td>-----</td><td>93.14</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>344</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6685.00	108.05	-----	-----	93.14	36.41	13.67	35.37	1.00	100	344	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6685.00	108.05	-----	-----	93.14	36.41	13.67	35.37	1.00	100	344	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6685.00</td><td>101.05</td><td>-----</td><td>-----</td><td>85.34</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>344</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6685.00	101.05	-----	-----	85.34	36.41	13.67	35.37	1.00	100	344	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6685.00	101.05	-----	-----	85.34	36.41	13.67	35.37	1.00	100	344	Average																											



Mode	104																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6685.00</td><td>112.70</td><td>-----</td><td>-----</td><td>96.99</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>175</td><td>43</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6685.00	112.70	-----	-----	96.99	36.41	13.67	35.37	1.00	175	43	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6685.00	112.70	-----	-----	96.99	36.41	13.67	35.37	1.00	175	43	Peak																											
Avg	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6685.00</td><td>104.84</td><td>-----</td><td>-----</td><td>89.13</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>175</td><td>43</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6685.00	104.84	-----	-----	89.13	36.41	13.67	35.37	1.00	175	43	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6685.00	104.84	-----	-----	89.13	36.41	13.67	35.37	1.00	175	43	Average																											



		104																																																																																																																																															
Mode		Harmonic																																																																																																																																															
		U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																																																															
ANT		6+7																																																																																																																																															
Pol.		Horizontal					Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>34.22</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>200</td><td>292 Peak</td></tr><tr><td>2</td><td>13370.00</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>25.05</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>200</td><td>292 Average</td></tr><tr><td>3</td><td>20055.00</td><td>38.45</td><td>74.00</td><td>-35.55</td><td>51.64</td><td>38.00</td><td>23.77</td><td>65.42</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>36.46</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>351</td><td>0 Peak</td></tr><tr><td>2</td><td>13370.00</td><td>47.15</td><td>54.00</td><td>-6.85</td><td>26.59</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>351</td><td>0 Average</td></tr><tr><td>3</td><td>20055.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>51.14</td><td>38.00</td><td>23.77</td><td>65.42</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	54.78	74.00	-19.22	34.22	41.08	19.40	41.59	0.19	200	292 Peak	2	13370.00	45.61	54.00	-8.39	25.05	41.08	19.40	41.59	0.19	200	292 Average	3	20055.00	38.45	74.00	-35.55	51.64	38.00	23.77	65.42	-9.54	--	-- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	57.02	74.00	-16.98	36.46	41.08	19.40	41.59	0.19	351	0 Peak	2	13370.00	47.15	54.00	-6.85	26.59	41.08	19.40	41.59	0.19	351	0 Average	3	20055.00	37.95	74.00	-36.05	51.14	38.00	23.77	65.42	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13370.00	54.78	74.00	-19.22	34.22	41.08	19.40	41.59	0.19	200	292 Peak																																																																																																																																						
2	13370.00	45.61	54.00	-8.39	25.05	41.08	19.40	41.59	0.19	200	292 Average																																																																																																																																						
3	20055.00	38.45	74.00	-35.55	51.64	38.00	23.77	65.42	-9.54	--	-- Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13370.00	57.02	74.00	-16.98	36.46	41.08	19.40	41.59	0.19	351	0 Peak																																																																																																																																						
2	13370.00	47.15	54.00	-6.85	26.59	41.08	19.40	41.59	0.19	351	0 Average																																																																																																																																						
3	20055.00	37.95	74.00	-36.05	51.14	38.00	23.77	65.42	-9.54	--	-- Peak																																																																																																																																						





Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	105																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6885.00</td><td>106.28</td><td>-----</td><td>-----</td><td>90.41</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>300</td><td>283</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6885.00	106.28	-----	-----	90.41	36.66	13.88	35.65	0.98	300	283	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6885.00	106.28	-----	-----	90.41	36.66	13.88	35.65	0.98	300	283	Peak																											
Avg	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6885.00</td><td>98.17</td><td>-----</td><td>-----</td><td>82.30</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>300</td><td>283</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6885.00	98.17	-----	-----	82.30	36.66	13.88	35.65	0.98	300	283	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6885.00	98.17	-----	-----	82.30	36.66	13.88	35.65	0.98	300	283	Average																											



Mode	105																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6885.00</td><td>113.00</td><td>-----</td><td>-----</td><td>97.21</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>100</td><td>32</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6885.00	113.00	-----	-----	97.21	36.66	13.88	35.65	0.98	100	32	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6885.00	113.00	-----	-----	97.21	36.66	13.88	35.65	0.98	100	32	Peak																											
Avg	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6885.00</td><td>102.82</td><td>-----</td><td>-----</td><td>86.95</td><td>36.65</td><td>13.88</td><td>35.64</td><td>0.98</td><td>100</td><td>32</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6885.00	102.82	-----	-----	86.95	36.65	13.88	35.64	0.98	100	32	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6885.00	102.82	-----	-----	86.95	36.65	13.88	35.64	0.98	100	32	Average																											



Mode	105																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>55.60</td><td>88.20</td><td>-32.60</td><td>35.09</td><td>41.50</td><td>19.50</td><td>42.15</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>37.83</td><td>74.00</td><td>-36.17</td><td>49.70</td><td>30.10</td><td>24.12</td><td>64.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	55.60	88.20	-32.60	35.09	41.50	19.50	42.15	0.17	--	Peak	2	20655.00	37.83	74.00	-36.17	49.70	30.10	24.12	64.55	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>56.57</td><td>88.20</td><td>-31.63</td><td>36.06</td><td>41.50</td><td>19.50</td><td>42.15</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>38.48</td><td>74.00</td><td>-35.52</td><td>50.35</td><td>30.10</td><td>24.12</td><td>64.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	56.57	88.20	-31.63	36.06	41.50	19.50	42.15	0.17	--	Peak	2	20655.00	38.48	74.00	-35.52	50.35	30.10	24.12	64.55	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13770.00	55.60	88.20	-32.60	35.09	41.50	19.50	42.15	0.17	--	Peak																																																																																																														
2	20655.00	37.83	74.00	-36.17	49.70	30.10	24.12	64.55	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13770.00	56.57	88.20	-31.63	36.06	41.50	19.50	42.15	0.17	--	Peak																																																																																																														
2	20655.00	38.48	74.00	-35.52	50.35	30.10	24.12	64.55	-9.54	--	Peak																																																																																																														



Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	106																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00</td><td>107.44</td><td>-----</td><td>-----</td><td>91.90</td><td>36.24</td><td>13.58</td><td>35.29</td><td>1.01</td><td>114</td><td>345</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6625.00	107.44	-----	-----	91.90	36.24	13.58	35.29	1.01	114	345	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6625.00	107.44	-----	-----	91.90	36.24	13.58	35.29	1.01	114	345	Peak																											
Avg	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00</td><td>98.56</td><td>-----</td><td>-----</td><td>83.07</td><td>36.20</td><td>13.55</td><td>35.27</td><td>1.01</td><td>114</td><td>345</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6625.00	98.56	-----	-----	83.07	36.20	13.55	35.27	1.01	114	345	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6625.00	98.56	-----	-----	83.07	36.20	13.55	35.27	1.01	114	345	Average																											



Mode	106	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	</





Mode	106																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>33.54</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>44.06</td><td>54.00</td><td>-9.14</td><td>24.34</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>37.71</td><td>74.00</td><td>-36.29</td><td>51.21</td><td>38.10</td><td>23.66</td><td>65.72</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	54.06	74.00	-19.94	33.54	40.90	19.30	41.35	0.19	--	--	Peak	2	13250.00	44.06	54.00	-9.14	24.34	40.90	19.30	41.35	0.19	--	--	Average	3	19875.00	37.71	74.00	-36.29	51.21	38.10	23.66	65.72	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>33.89</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>24.64</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>37.74</td><td>74.00</td><td>-36.26</td><td>51.24</td><td>38.10</td><td>23.66</td><td>65.72</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	54.41	74.00	-19.59	33.89	40.90	19.30	41.35	0.19	--	--	Peak	2	13250.00	45.16	54.00	-8.84	24.64	40.90	19.30	41.35	0.19	--	--	Average	3	19875.00	37.74	74.00	-36.26	51.24	38.10	23.66	65.72	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13250.00	54.06	74.00	-19.94	33.54	40.90	19.30	41.35	0.19	--	--	Peak																																																																																																																																												
2	13250.00	44.06	54.00	-9.14	24.34	40.90	19.30	41.35	0.19	--	--	Average																																																																																																																																												
3	19875.00	37.71	74.00	-36.29	51.21	38.10	23.66	65.72	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13250.00	54.41	74.00	-19.59	33.89	40.90	19.30	41.35	0.19	--	--	Peak																																																																																																																																												
2	13250.00	45.16	54.00	-8.84	24.64	40.90	19.30	41.35	0.19	--	--	Average																																																																																																																																												
3	19875.00	37.74	74.00	-36.26	51.24	38.10	23.66	65.72	-9.54	--	--	Peak																																																																																																																																												



Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	107																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6705.00</td><td>105.38</td><td>-----</td><td>-----</td><td>89.67</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>342</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6705.00	105.38	-----	-----	89.67	36.41	13.67	35.37	1.00	100	342	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6705.00	105.38	-----	-----	89.67	36.41	13.67	35.37	1.00	100	342	Peak																											
Avg	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6705.00</td><td>96.49</td><td>-----</td><td>-----</td><td>80.78</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>342</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6705.00	96.49	-----	-----	80.78	36.41	13.67	35.37	1.00	100	342	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6705.00	96.49	-----	-----	80.78	36.41	13.67	35.37	1.00	100	342	Average																											



Mode	107																																								
	Band Edge																																								
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																								
ANT	6+7																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	Level (dBuV/m) Date: 2026-02-27 1 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>109.84</td><td>-----</td><td>-----</td><td>94.13</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>137</td><td>44</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6705.00	109.84	-----	-----	94.13	36.41	13.67	35.37	1.00	137	44	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6705.00	109.84	-----	-----	94.13	36.41	13.67	35.37	1.00	137	44	Peak																													
Avg	Blank	Level (dBuV/m) Date: 2026-02-27 1 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>101.91</td><td>-----</td><td>-----</td><td>86.12</td><td>36.49</td><td>13.70</td><td>35.40</td><td>1.00</td><td>137</td><td>44</td><td>Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6705.00	101.91	-----	-----	86.12	36.49	13.70	35.40	1.00	137	44	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6705.00	101.91	-----	-----	86.12	36.49	13.70	35.40	1.00	137	44	Average																													



Mode	107																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.26</td><td>88.20</td><td>-33.94</td><td>33.86</td><td>40.96</td><td>19.43</td><td>41.66</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.38</td><td>74.00</td><td>-35.62</td><td>51.44</td><td>38.00</td><td>23.82</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.26	88.20	-33.94	33.86	40.96	19.43	41.66	0.19	--	Peak	2	20115.00	38.38	74.00	-35.62	51.44	38.00	23.82	65.34	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>34.47</td><td>40.96</td><td>19.43</td><td>41.66</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>50.67</td><td>38.00</td><td>23.82</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.87	88.20	-33.33	34.47	40.96	19.43	41.66	0.19	--	Peak	2	20115.00	37.61	74.00	-36.39	50.67	38.00	23.82	65.34	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	54.26	88.20	-33.94	33.86	40.96	19.43	41.66	0.19	--	Peak																																																																																																					
2	20115.00	38.38	74.00	-35.62	51.44	38.00	23.82	65.34	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	54.87	88.20	-33.33	34.47	40.96	19.43	41.66	0.19	--	Peak																																																																																																					
2	20115.00	37.61	74.00	-36.39	50.67	38.00	23.82	65.34	-9.54	--	Peak																																																																																																					



Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	108																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6865.00</td><td>106.38</td><td>-----</td><td>-----</td><td>90.53</td><td>36.60</td><td>13.87</td><td>35.60</td><td>0.98</td><td>285</td><td>285</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6865.00	106.38	-----	-----	90.53	36.60	13.87	35.60	0.98	285	285	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6865.00	106.38	-----	-----	90.53	36.60	13.87	35.60	0.98	285	285	Peak																											
Avg	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6865.00</td><td>97.61</td><td>-----</td><td>-----</td><td>81.75</td><td>36.63</td><td>13.88</td><td>35.63</td><td>0.98</td><td>285</td><td>285</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6865.00	97.61	-----	-----	81.75	36.63	13.88	35.63	0.98	285	285	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6865.00	97.61	-----	-----	81.75	36.63	13.88	35.63	0.98	285	285	Average																											



Mode	108																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6865.00</td><td>109.83</td><td>-----</td><td>93.98</td><td>36.60</td><td>13.88</td><td>35.61</td><td>0.98</td><td>100</td><td>33</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6865.00	109.83	-----	93.98	36.60	13.88	35.61	0.98	100	33	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6865.00	109.83	-----	93.98	36.60	13.88	35.61	0.98	100	33	Peak																											
Avg	Blank	Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6865.00</td><td>101.43</td><td>-----</td><td>85.56</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>100</td><td>33</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6865.00	101.43	-----	85.56	36.66	13.88	35.65	0.98	100	33	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6865.00	101.43	-----	85.56	36.66	13.88	35.65	0.98	100	33	Average																											



		108										
Mode		Harmonic										
		U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz										
ANT		6+7										
Pol.		Horizontal										
Peak Avg												



Mode	108	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	109																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6665.00</td><td>103.99</td><td>-----</td><td>-----</td><td>88.34</td><td>36.35</td><td>13.65</td><td>35.35</td><td>1.00</td><td>100</td><td>332</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6665.00	103.99	-----	-----	88.34	36.35	13.65	35.35	1.00	100	332	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6665.00	103.99	-----	-----	88.34	36.35	13.65	35.35	1.00	100	332	Peak																											
Avg	Blank	Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6665.00</td><td>95.54</td><td>-----</td><td>-----</td><td>79.80</td><td>36.44</td><td>13.68</td><td>35.38</td><td>1.00</td><td>100</td><td>332</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6665.00	95.54	-----	-----	79.80	36.44	13.68	35.38	1.00	100	332	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6665.00	95.54	-----	-----	79.80	36.44	13.68	35.38	1.00	100	332	Average																											





Mode	109										
	Band Edge										
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank										



	109																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>33.36</td><td>41.16</td><td>19.36</td><td>41.51</td><td>0.19</td><td>-- -- Peak</td></tr><tr><td>2 13330.00</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>24.14</td><td>41.16</td><td>19.36</td><td>41.51</td><td>0.19</td><td>-- -- Average</td></tr><tr><td>3 19995.00</td><td>38.40</td><td>74.00</td><td>-35.60</td><td>51.72</td><td>38.00</td><td>23.73</td><td>65.51</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	54.04	74.00	-19.96	33.36	41.16	19.36	41.51	0.19	-- -- Peak	2 13330.00	44.82	54.00	-9.18	24.14	41.16	19.36	41.51	0.19	-- -- Average	3 19995.00	38.40	74.00	-35.60	51.72	38.00	23.73	65.51	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>33.21</td><td>41.16</td><td>19.36</td><td>41.51</td><td>0.19</td><td>-- -- Peak</td></tr><tr><td>2 13330.00</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>24.05</td><td>41.16</td><td>19.36</td><td>41.51</td><td>0.19</td><td>-- -- Average</td></tr><tr><td>3 19995.00</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>50.93</td><td>38.00</td><td>23.73</td><td>65.51</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	53.89	74.00	-20.11	33.21	41.16	19.36	41.51	0.19	-- -- Peak	2 13330.00	44.73	54.00	-9.27	24.05	41.16	19.36	41.51	0.19	-- -- Average	3 19995.00	37.61	74.00	-36.39	50.93	38.00	23.73	65.51	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	54.04	74.00	-19.96	33.36	41.16	19.36	41.51	0.19	-- -- Peak																																																																																																																	
2 13330.00	44.82	54.00	-9.18	24.14	41.16	19.36	41.51	0.19	-- -- Average																																																																																																																	
3 19995.00	38.40	74.00	-35.60	51.72	38.00	23.73	65.51	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	53.89	74.00	-20.11	33.21	41.16	19.36	41.51	0.19	-- -- Peak																																																																																																																	
2 13330.00	44.73	54.00	-9.27	24.05	41.16	19.36	41.51	0.19	-- -- Average																																																																																																																	
3 19995.00	37.61	74.00	-36.39	50.93	38.00	23.73	65.51	-9.54	-- -- Peak																																																																																																																	



Mode	109	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	110										
	Band Edge										
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz										
ANT	6+7										
Pol.	Horizontal					Fundamental					
Peak	Blank					</					



Mode	110	
	Band Edge	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Blank	Level (dBuV/m) <





Mode	110										
	Harmonic										
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz										
ANT	6+7										
Pol.	Horizontal										
Peak Avg											



Mode	110	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	111																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>93.00</td><td>-----</td><td>-----</td><td>77.92</td><td>36.67</td><td>13.89</td><td>35.66</td><td>0.98</td><td>300</td><td>282</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6895.00	93.00	-----	-----	77.92	36.67	13.89	35.66	0.98	300	282	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6895.00	93.00	-----	-----	77.92	36.67	13.89	35.66	0.98	300	282	Peak																											
Avg	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>86.74</td><td>-----</td><td>-----</td><td>70.86</td><td>36.67</td><td>13.89</td><td>35.66</td><td>0.98</td><td>300</td><td>282</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6895.00	86.74	-----	-----	70.86	36.67	13.89	35.66	0.98	300	282	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6895.00	86.74	-----	-----	70.86	36.67	13.89	35.66	0.98	300	282	Average																											



Mode	111										
	Band Edge										
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					<					





Mode	111																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.32</td><td>88.20</td><td>-33.88</td><td>33.84</td><td>41.50</td><td>19.50</td><td>42.18</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>36.68</td><td>74.00</td><td>-37.32</td><td>48.50</td><td>30.10</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.32	88.20	-33.88	33.84	41.50	19.50	42.18	0.17	--	Peak	2	20685.00	36.68	74.00	-37.32	48.50	30.10	24.12	64.50	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>55.16</td><td>88.20</td><td>-33.04</td><td>34.68</td><td>41.50</td><td>19.50</td><td>42.18</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>36.30</td><td>74.00</td><td>-37.70</td><td>48.12</td><td>30.10</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	55.16	88.20	-33.04	34.68	41.50	19.50	42.18	0.17	--	Peak	2	20685.00	36.30	74.00	-37.70	48.12	30.10	24.12	64.50	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	54.32	88.20	-33.88	33.84	41.50	19.50	42.18	0.17	--	Peak																																																																																																					
2	20685.00	36.68	74.00	-37.32	48.50	30.10	24.12	64.50	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	55.16	88.20	-33.04	34.68	41.50	19.50	42.18	0.17	--	Peak																																																																																																					
2	20685.00	36.30	74.00	-37.70	48.12	30.10	24.12	64.50	-9.54	--	Peak																																																																																																					



Mode	111	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	112																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6995.00</td><td>92.47</td><td>-----</td><td>-----</td><td>76.85</td><td>36.52</td><td>13.92</td><td>35.80</td><td>0.98</td><td>100</td><td>46</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6995.00	92.47	-----	-----	76.85	36.52	13.92	35.80	0.98	100	46	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6995.00	92.47	-----	-----	76.85	36.52	13.92	35.80	0.98	100	46	Peak																											
Avg	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6995.00</td><td>87.31</td><td>-----</td><td>-----</td><td>71.69</td><td>36.52</td><td>13.92</td><td>35.80</td><td>0.98</td><td>100</td><td>46</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6995.00	87.31	-----	-----	71.69	36.52	13.92	35.80	0.98	100	46	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6995.00	87.31	-----	-----	71.69	36.52	13.92	35.80	0.98	100	46	Average																											



Mode	112										
	Band Edge										
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					Level (dBuV/m) </					



Mode	112																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.35</td><td>88.20</td><td>-33.85</td><td>33.74</td><td>41.88</td><td>19.50</td><td>42.41</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>37.72</td><td>74.00</td><td>-36.28</td><td>49.02</td><td>38.10</td><td>24.16</td><td>64.02</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.35	88.20	-33.85	33.74	41.88	19.50	42.41	0.15	--	Peak	2	20905.00	37.72	74.00	-36.28	49.02	38.10	24.16	64.02	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>55.17</td><td>88.20</td><td>-33.03</td><td>34.56</td><td>41.88</td><td>19.50</td><td>42.41</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>37.53</td><td>74.00</td><td>-36.47</td><td>48.83</td><td>38.10</td><td>24.16</td><td>64.02</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	55.17	88.20	-33.03	34.56	41.88	19.50	42.41	0.15	--	Peak	2	20905.00	37.53	74.00	-36.47	48.83	38.10	24.16	64.02	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	54.35	88.20	-33.85	33.74	41.88	19.50	42.41	0.15	--	Peak																																																																																																														
2	20905.00	37.72	74.00	-36.28	49.02	38.10	24.16	64.02	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	55.17	88.20	-33.03	34.56	41.88	19.50	42.41	0.15	--	Peak																																																																																																														
2	20905.00	37.53	74.00	-36.47	48.83	38.10	24.16	64.02	-9.54	--	Peak																																																																																																														



Mode	112	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	113																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																			
ANT	6+7																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-01-19 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>66.42</td><td>88.20</td><td>-21.78</td><td>50.45</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>100</td><td>291</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	66.42	88.20	-21.78	50.45	36.70	14.15	35.90	1.02	100	291	Peak	Level (dBuV/m) Date: 2026-01-19 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>92.74</td><td>-----</td><td>-----</td><td>76.77</td><td>36.70</td><td>14.14</td><td>35.89</td><td>1.02</td><td>100</td><td>291</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	92.74	-----	-----	76.77	36.70	14.14	35.89	1.02	100	291	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	66.42	88.20	-21.78	50.45	36.70	14.15	35.90	1.02	100	291	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	92.74	-----	-----	76.77	36.70	14.14	35.89	1.02	100	291	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-19 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>40.74</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>100</td><td>291</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	56.71	68.20	-11.49	40.74	36.70	14.15	35.90	1.02	100	291	Average	Level (dBuV/m) Date: 2026-01-19 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>89.16</td><td>-----</td><td>-----</td><td>73.19</td><td>36.70</td><td>14.14</td><td>35.89</td><td>1.02</td><td>100</td><td>291</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	89.16	-----	-----	73.19	36.70	14.14	35.89	1.02	100	291	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	56.71	68.20	-11.49	40.74	36.70	14.15	35.90	1.02	100	291	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	89.16	-----	-----	73.19	36.70	14.14	35.89	1.02	100	291	Average																																																																									





	113																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																			
ANT	6+7																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-01-19 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.14</td><td>72.47</td><td>88.20</td><td>-15.73</td><td>56.50</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>166</td><td></td><td>0 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.14	72.47	88.20	-15.73	56.50	36.70	14.15	35.90	1.02	166		0 Peak	Level (dBuV/m) Date: 2026-01-19 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>95.14</td><td>-----</td><td>-----</td><td>79.18</td><td>36.70</td><td>14.13</td><td>35.89</td><td>1.02</td><td>166</td><td></td><td>0 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	95.14	-----	-----	79.18	36.70	14.13	35.89	1.02	166		0 Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.14	72.47	88.20	-15.73	56.50	36.70	14.15	35.90	1.02	166		0 Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	95.14	-----	-----	79.18	36.70	14.13	35.89	1.02	166		0 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-19 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>61.97</td><td>68.20</td><td>-6.23</td><td>46.00</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>166</td><td></td><td>0 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	61.97	68.20	-6.23	46.00	36.70	14.15	35.90	1.02	166		0 Average	Level (dBuV/m) Date: 2026-01-19 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>87.92</td><td>-----</td><td>-----</td><td>71.95</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>166</td><td></td><td>0 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	87.92	-----	-----	71.95	36.70	14.15	35.90	1.02	166		0 Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	61.97	68.20	-6.23	46.00	36.70	14.15	35.90	1.02	166		0 Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	87.92	-----	-----	71.95	36.70	14.15	35.90	1.02	166		0 Average																																																																									



Mode	113																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.00</td><td>88.20</td><td>-33.20</td><td>34.30</td><td>42.08</td><td>19.80</td><td>42.89</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>37.49</td><td>74.00</td><td>-36.51</td><td>47.68</td><td>38.20</td><td>24.46</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.00	88.20	-33.20	34.30	42.08	19.80	42.89	0.19	--	Peak	2	21345.00	37.49	74.00	-36.51	47.68	38.20	24.46	63.31	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.31</td><td>88.20</td><td>-32.89</td><td>34.61</td><td>42.08</td><td>19.80</td><td>42.89</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>47.08</td><td>38.20</td><td>24.46</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.31	88.20	-32.89	34.61	42.08	19.80	42.89	0.19	--	Peak	2	21345.00	36.89	74.00	-37.11	47.08	38.20	24.46	63.31	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14230.00	55.00	88.20	-33.20	34.30	42.08	19.80	42.89	0.19	--	Peak																																																																																																					
2	21345.00	37.49	74.00	-36.51	47.68	38.20	24.46	63.31	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14230.00	55.31	88.20	-32.89	34.61	42.08	19.80	42.89	0.19	--	Peak																																																																																																					
2	21345.00	36.89	74.00	-37.11	47.08	38.20	24.46	63.31	-9.54	--	Peak																																																																																																					



Mode	113	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-21  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-21  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	114																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27 1 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>96.70</td><td>-----</td><td>-----</td><td>80.81</td><td>36.69</td><td>13.89</td><td>35.67</td><td>0.98</td><td>300</td><td>284</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6895.00	96.70	-----	-----	80.81	36.69	13.89	35.67	0.98	300	284	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6895.00	96.70	-----	-----	80.81	36.69	13.89	35.67	0.98	300	284	Peak																											
Avg	Blank	Date: 2026-02-27 1 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>90.25</td><td>-----</td><td>-----</td><td>74.37</td><td>36.67</td><td>13.89</td><td>35.66</td><td>0.98</td><td>300</td><td>284</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6895.00	90.25	-----	-----	74.37	36.67	13.89	35.66	0.98	300	284	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6895.00	90.25	-----	-----	74.37	36.67	13.89	35.66	0.98	300	284	Average																											





Mode	114																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>102.75</td><td>-----</td><td>-----</td><td>86.87</td><td>36.67</td><td>13.89</td><td>35.66</td><td>0.98</td><td>135</td><td>351</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6895.00	102.75	-----	-----	86.87	36.67	13.89	35.66	0.98	135	351	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6895.00	102.75	-----	-----	86.87	36.67	13.89	35.66	0.98	135	351	Peak																											
Avg	Blank	Date: 2026-02-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6895.00</td><td>96.17</td><td>-----</td><td>-----</td><td>80.28</td><td>36.69</td><td>13.89</td><td>35.67</td><td>0.98</td><td>135</td><td>351</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6895.00	96.17	-----	-----	80.28	36.69	13.89	35.67	0.98	135	351	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6895.00	96.17	-----	-----	80.28	36.69	13.89	35.67	0.98	135	351	Average																											



	114																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>55.08</td><td>88.20</td><td>-33.12</td><td>34.60</td><td>41.50</td><td>19.50</td><td>42.18</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>36.33</td><td>74.00</td><td>-37.67</td><td>48.15</td><td>30.10</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	55.08	88.20	-33.12	34.60	41.50	19.50	42.18	0.17	--	Peak	2	20685.00	36.33	74.00	-37.67	48.15	30.10	24.12	64.50	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>56.07</td><td>88.20</td><td>-32.13</td><td>35.59</td><td>41.50</td><td>19.50</td><td>42.18</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>36.61</td><td>74.00</td><td>-37.39</td><td>48.43</td><td>30.10</td><td>24.12</td><td>64.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	56.07	88.20	-32.13	35.59	41.50	19.50	42.18	0.17	--	Peak	2	20685.00	36.61	74.00	-37.39	48.43	30.10	24.12	64.50	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	55.08	88.20	-33.12	34.60	41.50	19.50	42.18	0.17	--	Peak																																																																																																															
2	20685.00	36.33	74.00	-37.67	48.15	30.10	24.12	64.50	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	56.07	88.20	-32.13	35.59	41.50	19.50	42.18	0.17	--	Peak																																																																																																															
2	20685.00	36.61	74.00	-37.39	48.43	30.10	24.12	64.50	-9.54	--	Peak																																																																																																															



Mode	114	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





Mode	115																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27 1 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6995.00</td><td>97.67</td><td>-----</td><td>-----</td><td>82.05</td><td>36.52</td><td>13.92</td><td>35.80</td><td>0.98</td><td>300</td><td>290</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6995.00	97.67	-----	-----	82.05	36.52	13.92	35.80	0.98	300	290	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6995.00	97.67	-----	-----	82.05	36.52	13.92	35.80	0.98	300	290	Peak																											
Avg	Blank	Date: 2026-02-27 1 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6995.00</td><td>90.62</td><td>-----</td><td>-----</td><td>75.00</td><td>36.52</td><td>13.92</td><td>35.80</td><td>0.98</td><td>300</td><td>290</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6995.00	90.62	-----	-----	75.00	36.52	13.92	35.80	0.98	300	290	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6995.00	90.62	-----	-----	75.00	36.52	13.92	35.80	0.98	300	290	Average																											



Mode	115																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6995.00</td><td>101.03</td><td>-----</td><td>-----</td><td>85.41</td><td>36.52</td><td>13.92</td><td>35.80</td><td>0.98</td><td>100</td><td>30</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6995.00	101.03	-----	-----	85.41	36.52	13.92	35.80	0.98	100	30	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6995.00	101.03	-----	-----	85.41	36.52	13.92	35.80	0.98	100	30	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6995.00</td><td>93.66</td><td>-----</td><td>-----</td><td>78.04</td><td>36.52</td><td>13.92</td><td>35.80</td><td>0.98</td><td>100</td><td>30</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6995.00	93.66	-----	-----	78.04	36.52	13.92	35.80	0.98	100	30	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6995.00	93.66	-----	-----	78.04	36.52	13.92	35.80	0.98	100	30	Average																											







Mode	115																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>55.44</td><td>88.20</td><td>-32.76</td><td>34.83</td><td>41.88</td><td>19.50</td><td>42.41</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>37.57</td><td>74.00</td><td>-36.43</td><td>48.87</td><td>38.10</td><td>24.16</td><td>64.02</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	55.44	88.20	-32.76	34.83	41.88	19.50	42.41	0.15	--	Peak	2	20905.00	37.57	74.00	-36.43	48.87	38.10	24.16	64.02	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.98</td><td>88.20</td><td>-33.22</td><td>34.37</td><td>41.88</td><td>19.50</td><td>42.41</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>48.84</td><td>38.10</td><td>24.16</td><td>64.02</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.98	88.20	-33.22	34.37	41.88	19.50	42.41	0.15	--	Peak	2	20905.00	37.54	74.00	-36.46	48.84	38.10	24.16	64.02	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	55.44	88.20	-32.76	34.83	41.88	19.50	42.41	0.15	--	Peak																																																																																																															
2	20905.00	37.57	74.00	-36.43	48.87	38.10	24.16	64.02	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	54.98	88.20	-33.22	34.37	41.88	19.50	42.41	0.15	--	Peak																																																																																																															
2	20905.00	37.54	74.00	-36.46	48.84	38.10	24.16	64.02	-9.54	--	Peak																																																																																																															



Mode	115	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	116																																																																																																											
Mode	Band Edge																																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak																																																																																																												
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>73.35</td><td>88.20</td><td>-14.85</td><td>57.38</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>100</td><td>68 Peak</td></tr><tr><td>2</td><td>7126.05</td><td>73.16</td><td>88.20</td><td>-15.04</td><td>57.19</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>100</td><td>68 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	73.35	88.20	-14.85	57.38	36.70	14.15	35.90	1.02	100	68 Peak	2	7126.05	73.16	88.20	-15.04	57.19	36.70	14.15	35.90	1.02	100	68 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>99.46</td><td>-----</td><td>-----</td><td>83.49</td><td>36.70</td><td>14.14</td><td>35.89</td><td>1.02</td><td>100</td><td>68 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	99.46	-----	-----	83.49	36.70	14.14	35.89	1.02	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7125.01	73.35	88.20	-14.85	57.38	36.70	14.15	35.90	1.02	100	68 Peak																																																																																																	
2	7126.05	73.16	88.20	-15.04	57.19	36.70	14.15	35.90	1.02	100	68 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7115.00	99.46	-----	-----	83.49	36.70	14.14	35.89	1.02	100	68 Peak																																																																																																	
Avg																																																																																																												
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto						Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>45.87</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>100</td><td>68 Average</td></tr><tr><td>2</td><td>7126.18</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>41.57</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02</td><td>100</td><td>68 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	61.84	68.20	-6.36	45.87	36.70	14.15	35.90	1.02	100	68 Average	2	7126.18	57.54	68.20	-10.66	41.57	36.70	14.15	35.90	1.02	100	68 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>90.80</td><td>-----</td><td>-----</td><td>74.83</td><td>36.70</td><td>14.14</td><td>35.89</td><td>1.02</td><td>100</td><td>68 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	90.80	-----	-----	74.83	36.70	14.14	35.89	1.02	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7125.01	61.84	68.20	-6.36	45.87	36.70	14.15	35.90	1.02	100	68 Average																																																																																																	
2	7126.18	57.54	68.20	-10.66	41.57	36.70	14.15	35.90	1.02	100	68 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7115.00	90.80	-----	-----	74.83	36.70	14.14	35.89	1.02	100	68 Average																																																																																																	



Mode	116																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2026-01-19 PEAK_BE(UNII)_6E Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>74.79</td><td>88.20</td><td>-13.41</td><td>58.82</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 350 Peak</td></tr><tr><td>2</td><td>7126.18</td><td>77.98</td><td>88.20</td><td>-10.22</td><td>62.01</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 350 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.01	74.79	88.20	-13.41	58.82	36.70	14.15	35.90	1.02 100 350 Peak	2	7126.18	77.98	88.20	-10.22	62.01	36.70	14.15	35.90	1.02 100 350 Peak	Level (dBuV/m) Date: 2026-01-19 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>100.12</td><td>-----</td><td>-----</td><td>84.15</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 350 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	100.12	-----	-----	84.15	36.70	14.15	35.90	1.02 100 350 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	7125.01	74.79	88.20	-13.41	58.82	36.70	14.15	35.90	1.02 100 350 Peak																																																																																											
2	7126.18	77.98	88.20	-10.22	62.01	36.70	14.15	35.90	1.02 100 350 Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	7115.00	100.12	-----	-----	84.15	36.70	14.15	35.90	1.02 100 350 Peak																																																																																											
Avg	Level (dBuV/m) Date: 2026-01-19 AVG_BE(UNII)_6E Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>64.73</td><td>68.20</td><td>-3.47</td><td>48.76</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 350 Average</td></tr><tr><td>2</td><td>7126.05</td><td>61.18</td><td>68.20</td><td>-7.02</td><td>45.21</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 350 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.01	64.73	68.20	-3.47	48.76	36.70	14.15	35.90	1.02 100 350 Average	2	7126.05	61.18	68.20	-7.02	45.21	36.70	14.15	35.90	1.02 100 350 Average	Level (dBuV/m) Date: 2026-01-19 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>91.53</td><td>-----</td><td>-----</td><td>75.56</td><td>36.70</td><td>14.14</td><td>35.89</td><td>1.02 100 350 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	91.53	-----	-----	75.56	36.70	14.14	35.89	1.02 100 350 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	7125.01	64.73	68.20	-3.47	48.76	36.70	14.15	35.90	1.02 100 350 Average																																																																																											
2	7126.05	61.18	68.20	-7.02	45.21	36.70	14.15	35.90	1.02 100 350 Average																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	7115.00	91.53	-----	-----	75.56	36.70	14.14	35.89	1.02 100 350 Average																																																																																											



Mode	116																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.99</td><td>88.20</td><td>-32.21</td><td>35.29</td><td>42.08</td><td>19.80</td><td>42.89</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>38.13</td><td>74.00</td><td>-35.87</td><td>48.32</td><td>38.20</td><td>24.46</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.99	88.20	-32.21	35.29	42.08	19.80	42.89	0.19	--	Peak	2	21345.00	38.13	74.00	-35.87	48.32	38.20	24.46	63.31	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.09</td><td>88.20</td><td>-33.11</td><td>34.39</td><td>42.08</td><td>19.80</td><td>42.89</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>38.41</td><td>74.00</td><td>-35.59</td><td>48.60</td><td>38.20</td><td>24.46</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.09	88.20	-33.11	34.39	42.08	19.80	42.89	0.19	--	Peak	2	21345.00	38.41	74.00	-35.59	48.60	38.20	24.46	63.31	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	55.99	88.20	-32.21	35.29	42.08	19.80	42.89	0.19	--	Peak																																																																																																															
2	21345.00	38.13	74.00	-35.87	48.32	38.20	24.46	63.31	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	55.09	88.20	-33.11	34.39	42.08	19.80	42.89	0.19	--	Peak																																																																																																															
2	21345.00	38.41	74.00	-35.59	48.60	38.20	24.46	63.31	-9.54	--	Peak																																																																																																															



Mode	116	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	117																																																																																																																																																																																																
Mode	Band Edge																																																																																																																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Partial RU 106/54_7115MHz																																																																																																																																																																																																
ANT	6+7																																																																																																																																																																																																
Pol.	Horizontal					Fundamental																																																																																																																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-19 711571417167719372197245 Frequency (MHz) Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.14</td><td>73.43</td><td>88.20</td><td>-14.77</td><td>57.46</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Peak</td></tr><tr><td>2</td><td>7126.05</td><td>76.25</td><td>88.20</td><td>-11.95</td><td>60.28</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Peak</td></tr></table> <td> Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>96.70</td><td>-----</td><td>-----</td><td>80.73</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Peak</td></tr></table> <tr><td rowspan="2">Avg</td><td colspan="5"> Level (dBuV/m) Date: 2026-01-19 711571417167719372197245 Frequency (MHz) Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>62.97</td><td>68.20</td><td>-5.23</td><td>47.00</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr><tr><td>2</td><td>7126.05</td><td>59.18</td><td>68.20</td><td>-9.02</td><td>43.21</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> <td> Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.94</td><td>-----</td><td>-----</td><td>73.97</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> </td></td></tr></td>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.14	73.43	88.20	-14.77	57.46	36.70	14.15	35.90	1.02 100 46 Peak	2	7126.05	76.25	88.20	-11.95	60.28	36.70	14.15	35.90	1.02 100 46 Peak	Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>96.70</td><td>-----</td><td>-----</td><td>80.73</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Peak</td></tr></table> <tr><td rowspan="2">Avg</td><td colspan="5"> Level (dBuV/m) Date: 2026-01-19 711571417167719372197245 Frequency (MHz) Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>62.97</td><td>68.20</td><td>-5.23</td><td>47.00</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr><tr><td>2</td><td>7126.05</td><td>59.18</td><td>68.20</td><td>-9.02</td><td>43.21</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> <td> Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.94</td><td>-----</td><td>-----</td><td>73.97</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> </td></td></tr>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	96.70	-----	-----	80.73	36.70	14.15	35.90	1.02 100 46 Peak	Avg	Level (dBuV/m) Date: 2026-01-19 711571417167719372197245 Frequency (MHz) Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>62.97</td><td>68.20</td><td>-5.23</td><td>47.00</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr><tr><td>2</td><td>7126.05</td><td>59.18</td><td>68.20</td><td>-9.02</td><td>43.21</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> <td> Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.94</td><td>-----</td><td>-----</td><td>73.97</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> </td>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.01	62.97	68.20	-5.23	47.00	36.70	14.15	35.90	1.02 100 46 Average	2	7126.05	59.18	68.20	-9.02	43.21	36.70	14.15	35.90	1.02 100 46 Average	Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.94</td><td>-----</td><td>-----</td><td>73.97</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	89.94	-----	-----	73.97	36.70	14.15	35.90	1.02 100 46 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																								
1	7125.14	73.43	88.20	-14.77	57.46	36.70	14.15	35.90	1.02 100 46 Peak																																																																																																																																																																																								
2	7126.05	76.25	88.20	-11.95	60.28	36.70	14.15	35.90	1.02 100 46 Peak																																																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																								
1	7115.00	96.70	-----	-----	80.73	36.70	14.15	35.90	1.02 100 46 Peak																																																																																																																																																																																								
Avg	Level (dBuV/m) Date: 2026-01-19 711571417167719372197245 Frequency (MHz) Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>62.97</td><td>68.20</td><td>-5.23</td><td>47.00</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr><tr><td>2</td><td>7126.05</td><td>59.18</td><td>68.20</td><td>-9.02</td><td>43.21</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> <td> Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.94</td><td>-----</td><td>-----</td><td>73.97</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table> </td>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.01	62.97	68.20	-5.23	47.00	36.70	14.15	35.90	1.02 100 46 Average	2	7126.05	59.18	68.20	-9.02	43.21	36.70	14.15	35.90	1.02 100 46 Average	Level (dBuV/m) Date: 2026-01-19 100024003800520066008000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.94</td><td>-----</td><td>-----</td><td>73.97</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 100 46 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	89.94	-----	-----	73.97	36.70	14.15	35.90	1.02 100 46 Average																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																								
1	7125.01	62.97	68.20	-5.23	47.00	36.70	14.15	35.90	1.02 100 46 Average																																																																																																																																																																																								
2	7126.05	59.18	68.20	-9.02	43.21	36.70	14.15	35.90	1.02 100 46 Average																																																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																								
1	7115.00	89.94	-----	-----	73.97	36.70	14.15	35.90	1.02 100 46 Average																																																																																																																																																																																								



	117																																																																																											
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Partial RU 106/54_7115MHz																																																																																											
ANT	6+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>76.86</td><td>88.20</td><td>-11.34</td><td>60.89</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 105 348 Peak</td></tr><tr><td>2</td><td>7126.18</td><td>78.73</td><td>88.20</td><td>-9.47</td><td>62.76</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 105 348 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.01	76.86	88.20	-11.34	60.89	36.70	14.15	35.90	1.02 105 348 Peak	2	7126.18	78.73	88.20	-9.47	62.76	36.70	14.15	35.90	1.02 105 348 Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>101.36</td><td>-----</td><td>-----</td><td>85.39</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 105 348 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	101.36	-----	-----	85.39	36.70	14.15	35.90	1.02 105 348 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	7125.01	76.86	88.20	-11.34	60.89	36.70	14.15	35.90	1.02 105 348 Peak																																																																																			
2	7126.18	78.73	88.20	-9.47	62.76	36.70	14.15	35.90	1.02 105 348 Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	7115.00	101.36	-----	-----	85.39	36.70	14.15	35.90	1.02 105 348 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.01</td><td>66.49</td><td>68.20</td><td>-1.71</td><td>50.52</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 105 348 Average</td></tr><tr><td>2</td><td>7126.05</td><td>62.63</td><td>68.20</td><td>-5.57</td><td>46.66</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 105 348 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7125.01	66.49	68.20	-1.71	50.52	36.70	14.15	35.90	1.02 105 348 Average	2	7126.05	62.63	68.20	-5.57	46.66	36.70	14.15	35.90	1.02 105 348 Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7115.00</td><td>93.44</td><td>-----</td><td>-----</td><td>77.47</td><td>36.70</td><td>14.15</td><td>35.90</td><td>1.02 105 348 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7115.00	93.44	-----	-----	77.47	36.70	14.15	35.90	1.02 105 348 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	7125.01	66.49	68.20	-1.71	50.52	36.70	14.15	35.90	1.02 105 348 Average																																																																																			
2	7126.05	62.63	68.20	-5.57	46.66	36.70	14.15	35.90	1.02 105 348 Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	7115.00	93.44	-----	-----	77.47	36.70	14.15	35.90	1.02 105 348 Average																																																																																			



Mode	118																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6925.00</td><td>99.27</td><td>-----</td><td>-----</td><td>83.43</td><td>36.66</td><td>13.90</td><td>35.70</td><td>0.98</td><td>300</td><td>286</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6925.00	99.27	-----	-----	83.43	36.66	13.90	35.70	0.98	300	286	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6925.00	99.27	-----	-----	83.43	36.66	13.90	35.70	0.98	300	286	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6925.00</td><td>91.29</td><td>-----</td><td>-----</td><td>75.45</td><td>36.66</td><td>13.90</td><td>35.70</td><td>0.98</td><td>300</td><td>286</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6925.00	91.29	-----	-----	75.45	36.66	13.90	35.70	0.98	300	286	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1 6925.00	91.29	-----	-----	75.45	36.66	13.90	35.70	0.98	300	286	Average																											



Mode	118																																								
	Band Edge																																								
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																								
ANT	6+7																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	Date: 2026-02-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6925.00</td><td>102.61</td><td>-----</td><td>-----</td><td>86.76</td><td>36.67</td><td>13.89</td><td>35.69</td><td>0.98</td><td>100</td><td>28</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6925.00	102.61	-----	-----	86.76	36.67	13.89	35.69	0.98	100	28	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6925.00	102.61	-----	-----	86.76	36.67	13.89	35.69	0.98	100	28	Peak																													
Avg	Blank	Date: 2026-02-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6925.00</td><td>95.26</td><td>-----</td><td>-----</td><td>79.41</td><td>36.67</td><td>13.89</td><td>35.69</td><td>0.98</td><td>100</td><td>28</td><td>Average</td></tr></table>		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6925.00	95.26	-----	-----	79.41	36.67	13.89	35.69	0.98	100	28	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																													
1	6925.00	95.26	-----	-----	79.41	36.67	13.89	35.69	0.98	100	28	Average																													





Mode	118																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>54.44</td><td>88.20</td><td>-33.76</td><td>34.04</td><td>41.50</td><td>19.50</td><td>42.25</td><td>0.16</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>37.90</td><td>74.00</td><td>-36.10</td><td>49.57</td><td>38.10</td><td>24.13</td><td>64.36</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	54.44	88.20	-33.76	34.04	41.50	19.50	42.25	0.16	--	Peak	2	20775.00	37.90	74.00	-36.10	49.57	38.10	24.13	64.36	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>55.21</td><td>88.20</td><td>-32.99</td><td>34.81</td><td>41.50</td><td>19.50</td><td>42.25</td><td>0.16</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>37.55</td><td>74.00</td><td>-36.45</td><td>49.22</td><td>38.10</td><td>24.13</td><td>64.36</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	55.21	88.20	-32.99	34.81	41.50	19.50	42.25	0.16	--	Peak	2	20775.00	37.55	74.00	-36.45	49.22	38.10	24.13	64.36	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13850.00	54.44	88.20	-33.76	34.04	41.50	19.50	42.25	0.16	--	Peak																																																																																																															
2	20775.00	37.90	74.00	-36.10	49.57	38.10	24.13	64.36	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13850.00	55.21	88.20	-32.99	34.81	41.50	19.50	42.25	0.16	--	Peak																																																																																																															
2	20775.00	37.55	74.00	-36.45	49.22	38.10	24.13	64.36	-9.54	--	Peak																																																																																																															



Mode	118	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	119																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7005.00</td><td>100.16</td><td>-----</td><td>-----</td><td>84.57</td><td>36.50</td><td>13.92</td><td>35.81</td><td>0.98</td><td>286</td><td>286</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7005.00	100.16	-----	-----	84.57	36.50	13.92	35.81	0.98	286	286	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 7005.00	100.16	-----	-----	84.57	36.50	13.92	35.81	0.98	286	286	Peak																											
Avg	Blank	Date: 2026-02-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7005.00</td><td>92.13</td><td>-----</td><td>-----</td><td>76.53</td><td>36.50</td><td>13.93</td><td>35.81</td><td>0.98</td><td>286</td><td>286</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7005.00	92.13	-----	-----	76.53	36.50	13.93	35.81	0.98	286	286	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 7005.00	92.13	-----	-----	76.53	36.50	13.93	35.81	0.98	286	286	Average																											





Mode	119																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Level (dBuV/m) Date: 2026-02-27 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7005.00</td><td>101.91</td><td>-----</td><td>-----</td><td>86.32</td><td>36.50</td><td>13.92</td><td>35.81</td><td>0.98</td><td>100</td><td>26</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7005.00	101.91	-----	-----	86.32	36.50	13.92	35.81	0.98	100	26	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 7005.00	101.91	-----	-----	86.32	36.50	13.92	35.81	0.98	100	26	Peak																											
Avg	Blank	Level (dBuV/m) Date: 2026-02-27 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7005.00</td><td>92.89</td><td>-----</td><td>-----</td><td>77.30</td><td>36.50</td><td>13.92</td><td>35.81</td><td>0.98</td><td>100</td><td>26</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 7005.00	92.89	-----	-----	77.30	36.50	13.92	35.81	0.98	100	26	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 7005.00	92.89	-----	-----	77.30	36.50	13.92	35.81	0.98	100	26	Average																											



Mode	119																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>54.82</td><td>88.20</td><td>-33.38</td><td>34.19</td><td>41.92</td><td>19.51</td><td>42.44</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>37.69</td><td>74.00</td><td>-36.31</td><td>48.93</td><td>38.10</td><td>24.17</td><td>63.97</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	54.82	88.20	-33.38	34.19	41.92	19.51	42.44	0.15	--	Peak	2	21015.00	37.69	74.00	-36.31	48.93	38.10	24.17	63.97	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>34.24</td><td>41.92</td><td>19.51</td><td>42.44</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>38.06</td><td>74.00</td><td>-35.94</td><td>49.30</td><td>38.10</td><td>24.17</td><td>63.97</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	54.87	88.20	-33.33	34.24	41.92	19.51	42.44	0.15	--	Peak	2	21015.00	38.06	74.00	-35.94	49.30	38.10	24.17	63.97	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	14010.00	54.82	88.20	-33.38	34.19	41.92	19.51	42.44	0.15	--	Peak																																																																																																														
2	21015.00	37.69	74.00	-36.31	48.93	38.10	24.17	63.97	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	14010.00	54.87	88.20	-33.33	34.24	41.92	19.51	42.44	0.15	--	Peak																																																																																																														
2	21015.00	38.06	74.00	-35.94	49.30	38.10	24.17	63.97	-9.54	--	Peak																																																																																																														



Mode	119	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL