




EUT Mode


802.11be EHT160 996RUS67

Plot on 6345 MHz




Date: 27.MAR.2026 01:15:21

Plot on 6665 MHz



Date: 27.MAR.2026 01:29:14

Plot on 6985 MHz




Date: 27.MAR.2026 20:25:27



EUT Mode


802.11be EHT160 Puncture20 1

Plot on 6345 MHz



Date: 27.MAR.2026 01:17:17

Plot on 6985 MHz




Date: 27.MAR.2026 21:06:04



EUT Mode


802.11be EHT160 Puncture20 8

Plot on 6025 MHz




Date: 27.MAR.2026 00:56:05

Plot on 6185 MHz




Date: 27.MAR.2026 01:09:29

Plot on 6665 MHz



Date: 27.MAR.2026 01:35:59


Plot on 6825 MHz



Date: 27.MAR.2026 01:42:51



Plot on 6505 MHz




Date: 27.MAR.2026 01:23:43



EUT Mode


802.11be EHT160 Puncture40 1

Plot on 6345 MHz



Date: 27.MAR.2026 01:19:13

Plot on 6985 MHz




Date: 27.MAR.2026 22:57:08



EUT Mode


802.11be EHT160 Puncture40 4

Plot on 6025 MHz




Date: 27.MAR.2026 01:02:51

Plot on 6185 MHz




Date: 27.MAR.2026 01:11:36

Plot on 6665 MHz



Date: 27.MAR.2026 01:38:20


Plot on 6825 MHz



Date: 27.MAR.2026 01:44:16



Plot on 6505 MHz




Date: 27.MAR.2026 01:25:36



EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz




Date: 21.MAR.2026 01:30:55

Plot on 6265 MHz




Date: 21.MAR.2026 01:32:29

Plot on 6425 MHz



Date: 21.MAR.2026 01:36:48


Plot on 6585 MHz



Date: 21.MAR.2026 01:38:31




Plot on 6745 MHz



Date: 21.MAR.2026 01:40:06

Plot on 6905 MHz




Date: 21.MAR.2026 01:43:03



EUT Mode


802.11be EHT320 1992RU69

Plot on 6105 MHz




Date: 28.MAR.2026 00:13:02

Plot on 6265 MHz



Date: 28.MAR.2026 00:28:22

Plot on 6585 MHz




Date: 28.MAR.2026 00:51:00



EUT Mode


802.11be EHT320 1992RU70

Plot on 6425 MHz




Date: 28.MAR.2026 00:38:05

Plot on 6745 MHz



Date: 28.MAR.2026 01:07:29

Plot on 6905 MHz




Date: 28.MAR.2026 01:21:54



EUT Mode

802.11be EHT320 Puncture40 1

Plot on 6905 MHz




Date: 28.MAR.2026 01:25:43



EUT Mode


802.11be EHT320 Puncture40 8

Plot on 6105 MHz




Date: 28.MAR.2026 00:15:18

Plot on 6265 MHz




Date: 28.MAR.2026 00:30:30

Plot on 6425 MHz



Date: 28.MAR.2026 00:40:17


Plot on 6585 MHz



Date: 28.MAR.2026 00:54:43



Plot on 6745 MHz




Date: 28.MAR.2026 01:11:40



EUT Mode

802.11be EHT320 Puncture80 1

Plot on 6905 MHz




Date: 28.MAR.2026 01:28:09




EUT Mode

802.11be EHT320 Puncture80 4


Plot on 6105 MHz




Plot on 6265 MHz



Plot on 6425 MHz




Plot on 6585 MHz





Plot on 6745 MHz




Date: 28.MAR.2026 01:16:44



EUT Mode


802.11be EHT320 Puncture120 6

Plot on 6105 MHz




Date: 28.MAR.2026 01:52:07

Plot on 6265 MHz




Date: 28.MAR.2026 01:47:56

Plot on 6425 MHz



Date: 28.MAR.2026 01:44:52


Plot on 6585 MHz



Date: 28.MAR.2026 01:42:42




Plot on 6745 MHz



Date: 28.MAR.2026 01:39:34

Plot on 6905 MHz



Date: 28.MAR.2026 01:35:41




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	19.2~22.3℃
		Relative Humidity :	45.2~47.3%

EUT Information

Report NO : 5N0611-01
Test Mode : Mode 1
Test Voltage : Power from system
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.151035	---	32.89	55.94	23.05	L1	ON	19.9
0.151035	46.07	---	65.94	19.87	L1	ON	19.9
0.204000	---	27.19	53.45	26.26	L1	ON	19.9
0.204000	36.67	---	63.45	26.78	L1	ON	19.9
0.256920	---	25.31	51.53	26.22	L1	ON	19.9
0.256920	32.91	---	61.53	28.62	L1	ON	19.9
0.393000	---	29.24	48.00	18.76	L1	ON	19.9
0.393000	37.85	---	58.00	20.15	L1	ON	19.9
0.458250	---	30.42	46.72	16.30	L1	ON	19.9
0.458250	36.54	---	56.72	20.18	L1	ON	19.9
4.971750	---	20.63	46.00	25.37	L1	ON	20.0
4.971750	29.35	---	56.00	26.65	L1	ON	20.0

EUT Information

Report NO : 5N0611-01
Test Mode : Mode 1
Test Voltage : Power from system
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	32.80	56.00	23.20	N	ON	20.0
0.150000	46.29	---	66.00	19.71	N	ON	20.0
0.156750	---	31.35	55.63	24.28	N	ON	19.9
0.156750	44.27	---	65.63	21.36	N	ON	19.9
0.186000	---	28.59	54.21	25.62	N	ON	19.9
0.186000	39.33	---	64.21	24.88	N	ON	19.9
0.370500	---	26.52	48.49	21.97	N	ON	19.9
0.370500	31.52	---	58.49	26.97	N	ON	19.9
0.456000	---	27.68	46.77	19.09	N	ON	19.9
0.456000	35.20	---	56.77	21.57	N	ON	19.9
0.478500	---	33.30	46.37	13.07	N	ON	19.9
0.478500	40.39	---	56.37	15.98	N	ON	19.9
3.936750	---	17.16	46.00	28.84	N	ON	20.0
3.936750	23.29	---	56.00	32.71	N	ON	20.0



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, York Huang and Bill Chang	Temperature :	20.8~24.5°C
		Relative Humidity :	55.7~61.2%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 68	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 69	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 70	U-NII-5	5.925-6.425	6+7	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 71	U-NII-5	5.925-6.425	6+7	802.11be EHT20	1	5955	MCS0	Partial RU 106/53	-
Mode 72	U-NII-5	5.925-6.425	6+7	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 73	U-NII-5	5.925-6.425	6+7	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 74	U-NII-5	5.925-6.425	6+7	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 75	U-NII-5	5.925-6.425	6+7	802.11be EHT40	3	5965	MCS0	Partial RU 242/61	-
Mode 76	U-NII-5	5.925-6.425	6+7	802.11be EHT40	51	6205	MCS0	Full RU	-
Mode 77	U-NII-5	5.925-6.425	6+7	802.11be EHT40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 78	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 79	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Partial RU 484/65	-
Mode 80	U-NII-5	5.925-6.425	6+7	802.11be EHT80	55	6225	MCS0	Full RU	-
Mode 81	U-NII-5	5.925-6.425	6+7	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 82	U-NII-5	5.925-6.425	6+7	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 83	U-NII-5	5.925-6.425	6+7	802.11be EHT160	15	6025	MCS0	Partial RU 996/67	-
Mode 84	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 85	U-NII-5	5.925-6.425	6+7	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 86	U-NII-6	6.425-6.525	6+7	802.11a	97	6435	6Mbps	-	-
Mode 87	U-NII-6	6.425-6.525	6+7	802.11a	105	6475	6Mbps	-	-
Mode 88	U-NII-6	6.425-6.525	6+7	802.11a	113	6515	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 89	U-NII-6	6.425-6.525	6+7	802.11be EHT20	97	6435	MCS0	Full RU	-
Mode 90	U-NII-6	6.425-6.525	6+7	802.11be EHT20	105	6475	MCS0	Full RU	-
Mode 91	U-NII-6	6.425-6.525	6+7	802.11be EHT20	113	6515	MCS0	Full RU	-
Mode 92	U-NII-6	6.425-6.525	6+7	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 93	U-NII-6	6.425-6.525	6+7	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 94	U-NII-6	6.425-6.525	6+7	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 95	U-NII-6	6.425-6.525	6+7	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 96	U-NII-6	6.425-6.525	6+7	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 97	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	MCS0	-	-
Mode 98	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	MCS0	-	-
Mode 99	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 100	U-NII-7	6.525-6.875	6+7	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 101	U-NII-7	6.525-6.875	6+7	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 102	U-NII-7	6.525-6.875	6+7	802.11be EHT20	185	6875	MCS0	Full RU	-
Mode 103	U-NII-7	6.525-6.875	6+7	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 104	U-NII-7	6.525-6.875	6+7	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 105	U-NII-7	6.525-6.875	6+7	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 106	U-NII-7	6.525-6.875	6+7	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 107	U-NII-7	6.525-6.875	6+7	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 108	U-NII-7	6.525-6.875	6+7	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 109	U-NII-7	6.525-6.875	6+7	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 110	U-NII-7	6.525-6.875	6+7	802.11be EHT160	175	6825	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 111	U-NII-8	6.875-7.125	6+7	802.11a	189	6895	MCS0	-	-
Mode 112	U-NII-8	6.875-7.125	6+7	802.11a	209	6995	MCS0	-	-
Mode 113	U-NII-8	6.875-7.125	6+7	802.11a	233	7115	MCS0	-	-
Mode 114	U-NII-8	6.875-7.125	6+7	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 115	U-NII-8	6.875-7.125	6+7	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 116	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 117	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Partial RU 106/54	-
Mode 118	U-NII-8	6.875-7.125	6+7	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 119	U-NII-8	6.875-7.125	6+7	802.11be EHT40	211	7005	MCS0	Full RU	-
Mode 120	U-NII-8	6.875-7.125	6+7	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 121	U-NII-8	6.875-7.125	6+7	802.11be EHT40	227	7085	MCS0	Partial RU 242/62	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 122	U-NII-8	6.875-7.125	6+7	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 123	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 124	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Partial RU 484/66	-
Mode 125	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 126	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Partial RU 996/68	-
Mode 127	U-NII-5	5.925-6.425	6+7	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 128	U-NII-5	5.925-6.425	6+7	802.11be EHT320	31	6105	MCS0	Partial RU 996*2/67	-
Mode 129	U-NII-6	6.425-6.525	6+7	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 130	U-NII-6	6.425-6.525	6+7	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 131	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 132	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Partial RU 996*2/68	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 133	U-NII-8	6.875-7.125	6+7	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 134	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 149	U-NII-5	5.925-6.425	6+7	802.11be EHT80	7	5985	MCS0	Test 20MHz Channel Puncture Location 4	-
Mode 150	U-NII-8	6.875-7.125	6+7	802.11be EHT80	215	7025	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 151	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	Test 20MHz Channel Puncture Location 8	-
Mode 152	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 153	U-NII-5	5.925-6.425	6+7	802.11be EHT160	47	6185	MCS0	Test 40MHz Channel Puncture Location 4	-
Mode 154	U-NII-8	6.875-7.125	6+7	802.11be EHT160	207	6985	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 155	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Test 40MHz Channel Puncture Location 8	-
Mode 156	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Test 80MHz Channel Puncture Location 4	-
Mode 157	U-NII-5	5.925-6.425	6+7	802.11be EHT320	63	6265	MCS0	Test 80+40MHz Channel Puncture Location 6	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 158	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 159	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Test 80MHz Channel Puncture Location 1	-
Mode 160	U-NII-8	6.875-7.125	6+7	802.11be EHT320	191	6905	MCS0	Test 80+40MHz Channel Puncture Location 7	-
Mode 165	U-NII-8	6.875-7.125	6+7	802.11be EHT20	233	7115	MCS0	Partial RU 106/54	LF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
67	802.11a	1	5924.97	64.12	68.20	-4.08	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.24	54.00	-8.76	V	Avg.	Pass	-	Harmonic
68	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	44.40	54.00	-9.60	V	Avg.	Pass	-	Harmonic
69	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	51.73	68.20	-16.47	V	Avg.	Pass	-	Harmonic
70	802.11be EHT20	1	5924.84	62.21	68.20	-5.99	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17860.00	45.56	54.00	-8.44	V	Avg.	Pass	Full RU	Harmonic
71	802.11be EHT20	1	5924.58	72.61	88.20	-15.59	V	Peak	Pass	Partial RU 106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
72	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
72	802.11be EHT20	49	12390.00	45.65	54.00	-8.35	V	Avg.	Pass	Full RU	Harmonic
73	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	93	12830.00	47.97	68.20	-20.23	H	Avg.	Pass	Full RU	Harmonic
74	802.11be EHT40	3	5912.50	63.26	68.20	-4.94	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	45.96	54.00	-8.04	V	Avg.	Pass	Full RU	Harmonic
75	802.11be EHT40	3	5924.96	65.97	68.20	-2.23	V	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11be EHT40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
76	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	44.39	54.00	-9.61	V	Avg.	Pass	Full RU	Harmonic
77	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	12810.00	54.25	88.20	-33.95	V	Peak	Pass	Full RU	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
78	802.11be EHT80	7	5914.28	61.84	68.20	-6.36	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	46.26	54.00	-7.74	V	Avg.	Pass	Full RU	Harmonic
79	802.11be EHT80	7	5925.00	63.89	68.20	-4.31	V	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
80	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	43.64	54.00	-10.36	H	Avg.	Pass	Full RU	Harmonic
81	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	12770.00	53.40	88.20	-34.80	V	Peak	Pass	Full RU	Harmonic
82	802.11be EHT160	15	5913.20	59.58	68.20	-8.62	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	44.08	54.00	-9.92	H	Avg.	Pass	Full RU	Harmonic
83	802.11be EHT160	15	5920.20	64.94	68.20	-3.26	V	Avg.	Pass	Partial RU 996/67	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
83	802.11be EHT160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
84	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	47	12370.00	43.90	54.00	-10.10	V	Avg.	Pass	Full RU	Harmonic
85	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	45.35	54.00	-8.65	H	Avg.	Pass	Full RU	Harmonic
86	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	12870.00	53.28	88.20	-34.92	H	Peak	Pass	-	Harmonic
87	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	12950.00	53.42	88.20	-34.78	H	Peak	Pass	-	Harmonic
88	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	13030.00	53.16	88.20	-35.04	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
89	802.11be EHT20	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	97	12870.00	53.56	88.20	-34.64	V	Peak	Pass	Full RU	Harmonic
90	802.11be EHT20	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	105	12950.00	53.84	88.20	-34.36	H	Peak	Pass	Full RU	Harmonic
91	802.11be EHT20	113	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	113	13030.00	53.19	88.20	-35.01	H	Peak	Pass	Full RU	Harmonic
92	802.11be EHT40	99	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	99	12890.00	53.58	88.20	-34.62	V	Peak	Pass	Full RU	Harmonic
93	802.11be EHT40	107	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	107	12970.00	54.59	88.20	-33.61	H	Peak	Pass	Full RU	Harmonic
94	802.11be EHT40	115	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
94	802.11be EHT40	115	13050.00	52.78	88.20	-35.42	V	Peak	Pass	Full RU	Harmonic
95	802.11be EHT80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	103	12930.00	54.11	88.20	-34.09	H	Peak	Pass	Full RU	Harmonic
96	802.11be EHT160	111	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	111	13010.00	54.11	88.20	-34.09	H	Peak	Pass	Full RU	Harmonic
97	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	53.89	68.20	-14.31	V	Avg.	Pass	-	Harmonic
98	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	50.92	54.00	-3.08	V	Avg.	Pass	-	Harmonic
99	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	13750.00	58.15	68.20	-10.05	H	Avg.	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
100	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	117	13070.00	46.71	68.20	-21.49	H	Avg.	Pass	Full RU	Harmonic
101	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	149	13390.00	49.39	54.00	-4.61	V	Avg.	Pass	Full RU	Harmonic
102	802.11be EHT20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	185	13750.00	51.24	68.20	-16.96	V	Avg.	Pass	Full RU	Harmonic
103	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	123	19695.00	30.67	54.00	-23.33	V	Avg.	Pass	Full RU	Harmonic
104	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	147	13370.00	47.15	54.00	-6.85	V	Avg.	Pass	Full RU	Harmonic
105	802.11be EHT40	187	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
105	802.11be EHT40	187	13770.00	56.57	88.20	-31.63	V	Peak	Pass	Full RU	Harmonic
106	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	135	13250.00	45.16	54.00	-8.84	V	Avg.	Pass	Full RU	Harmonic
107	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	13410.00	54.87	88.20	-33.33	V	Peak	Pass	Full RU	Harmonic
108	802.11be EHT80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	183	13730.00	55.91	88.20	-32.29	V	Peak	Pass	Full RU	Harmonic
109	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	143	13330.00	44.82	54.00	-9.18	H	Avg.	Pass	Full RU	Harmonic
110	802.11be EHT160	175	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	175	13650.00	56.10	88.20	-32.10	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
111	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	13790.00	55.16	88.20	-33.04	V	Peak	Pass	-	Harmonic
112	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	13990.00	55.17	88.20	-33.03	V	Peak	Pass	-	Harmonic
113	802.11a	233	7125.01	61.97	68.20	-6.23	V	Avg.	Pass	-	Band Edge
	802.11a	233	14230.00	55.31	88.20	-32.89	V	Peak	Pass	-	Harmonic
114	802.11be EHT20	189	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	189	13790.00	56.07	88.20	-32.13	V	Peak	Pass	Full RU	Harmonic
115	802.11be EHT20	209	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	209	13990.00	55.44	88.20	-32.76	H	Peak	Pass	Full RU	Harmonic
116	802.11be EHT20	233	7125.01	64.73	68.20	-3.47	V	Avg.	Pass	Full RU	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
116	802.11be EHT20	233	14230.00	55.99	88.20	-32.21	H	Peak	Pass	Full RU	Harmonic
117	802.11be EHT20	233	7125.01	66.49	68.20	-1.71	V	Avg.	Pass	Partial RU 106/54	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	Partial RU 106/54	Harmonic
118	802.11be EHT40	195	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	195	13850.00	55.21	88.20	-32.99	V	Peak	Pass	Full RU	Harmonic
119	802.11be EHT40	211	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	211	14010.00	54.87	88.20	-33.33	V	Peak	Pass	Full RU	Harmonic
120	802.11be EHT40	227	7236.84	44.51	68.20	-23.69	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	227	14170.00	55.46	88.20	-32.74	V	Peak	Pass	Full RU	Harmonic
121	802.11be EHT40	227	7244.36	44.50	68.20	-23.70	V	Avg.	Pass	Partial RU 242/62	Band Edge
	802.11be EHT40	227	-	-	-	-	-	-	-	Partial RU 242/62	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
122	802.11be EHT80	199	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	199	13890.00	54.82	88.20	-33.38	H	Peak	Pass	Full RU	Harmonic
123	802.11be EHT80	215	7242.14	44.47	68.20	-23.73	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	215	14050.00	55.99	88.20	-32.21	H	Peak	Pass	Full RU	Harmonic
124	802.11be EHT80	215	7241.04	44.48	68.20	-23.72	V	Avg.	Pass	Partial RU 484/66	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	Partial RU 484/66	Harmonic
125	802.11be EHT160	207	7137.16	48.81	68.20	-19.39	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	207	13970.00	56.26	88.20	-31.94	V	Peak	Pass	Full RU	Harmonic
126	802.11be EHT160	207	7126.12	56.33	68.20	-11.87	H	Avg.	Pass	Partial RU 996/68	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Partial RU 996/68	Harmonic
127	802.11be EHT320	31	5917.12	60.49	68.20	-7.71	V	Avg.	Pass	Full RU	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
127	802.11be EHT320	31	12210.00	43.92	54.00	-10.08	V	Avg.	Pass	Full RU	Harmonic
128	802.11be EHT320	31	5889.96	65.87	68.20	-2.33	V	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic
129	802.11be EHT320	95	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	95	12850.00	45.25	68.20	-22.95	V	Avg.	Pass	Full RU	Harmonic
130	802.11be EHT320	159	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	159	13490.00	55.77	88.20	-32.43	V	Peak	Pass	Full RU	Harmonic
131	802.11be EHT320	63	5913.88	58.34	68.20	-9.86	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	63	12530.00	44.80	54.00	-9.20	V	Avg.	Pass	Full RU	Harmonic
132	802.11be EHT320	63	5911.24	59.35	68.20	-8.85	V	Avg.	Pass	Partial RU 996*2/68	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Partial RU 996*2/68	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
133	802.11be EHT320	127	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	127	13170.00	55.26	88.20	-32.94	H	Peak	Pass	Full RU	Harmonic
134	802.11be EHT320	191	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	191	13810.00	56.36	88.20	-31.84	V	Peak	Pass	Full RU	Harmonic
149	802.11be EHT80	7	5925.00	65.28	68.20	-2.92	V	Avg.	Pass	Test 20MHz Channel Puncture Location 4	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 4	Harmonic
150	802.11be EHT80	215	7241.26	44.65	68.20	-23.55	V	Avg.	Pass	Test 20MHz Channel Puncture Location 1	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 1	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
151	802.11be EHT160	47	5924.72	54.87	68.20	-13.33	V	Avg.	Pass	Test 20MHz Channel Puncture Location 8	Band Edge
	802.11be EHT160	47	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 8	Harmonic
152	802.11be EHT160	207	7127.32	48.67	68.20	-19.53	V	Avg.	Pass	Test 20MHz Channel Puncture Location 1	Band Edge
152	802.11be EHT160	207	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 1	Harmonic
153	802.11be EHT160	47	5924.72	50.18	68.20	-18.02	V	Avg.	Pass	Test 40MHz Channel Puncture Location 4	Band Edge
	802.11be EHT160	47	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 4	Harmonic

**FCC RADIO TEST REPORT**

Report No. : FR5N0611-01H

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
154	802.11be EHT160	207	7132.60	52.21	68.20	-15.99	V	Avg.	Pass	Test 40MHz Channel Puncture Location 1	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 1	Harmonic
155	802.11be EHT320	63	5924.88	62.21	68.20	-5.99	V	Avg.	Pass	Test 40MHz Channel Puncture Location 8	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 8	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
156	802.11be EHT320	63	5916.08	56.02	68.20	-12.18	V	Avg.	Pass	Test 80MHz Channel Puncture Location 4	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Test 80MHz Channel Puncture Location 4	Harmonic
157	802.11be EHT320	63	5921.80	50.08	68.20	-18.12	V	Avg.	Pass	Test 80+40MHz Channel Puncture Location 6	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Test 80+40MHz Channel Puncture Location 6	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
158	802.11be EHT320	191	7161.32	49.76	68.20	-18.44	V	Avg.	Pass	Test 40MHz Channel Puncture Location 1	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 1	Harmonic
159	802.11be EHT320	191	7132.20	51.16	68.20	-17.04	V	Avg.	Pass	Test 80MHz Channel Puncture Location 1	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 80MHz Channel Puncture Location 1	Harmonic
160	802.11be EHT320	191	7129.64	50.57	68.20	-17.63	V	Avg.	Pass	Test 80+40MHz Channel Puncture Location 7	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 80+40MHz Channel Puncture Location 7	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
165	LF	233	730.34	39.11	46.00	-6.89	V	Peak	Pass	-	LF





		67																																																																																															
Mode		Band Edge																																																																																															
		U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																																															
ANT		6+7																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak		Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.02</td><td>69.76</td><td>88.20</td><td>-18.44</td><td>57.09</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>58 Peak</td></tr></table> Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.81</td><td>-----</td><td>-----</td><td>90.18</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>58 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.02	69.76	88.20	-18.44	57.09	33.65	12.78	34.80	1.04	200	58 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.81	-----	-----	90.18	33.60	12.84	34.82	1.01	200	58 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.02	69.76	88.20	-18.44	57.09	33.65	12.78	34.80	1.04	200	58 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	110.81	-----	-----	90.18	33.60	12.84	34.82	1.01	200	58 Peak																																																																																						
Avg		Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>59.67</td><td>68.20</td><td>-8.53</td><td>47.00</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>58 Average</td></tr></table> Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.02</td><td>-----</td><td>-----</td><td>91.37</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200</td><td>58 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	59.67	68.20	-8.53	47.00	33.65	12.78	34.80	1.04	200	58 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.02	-----	-----	91.37	33.62	12.86	34.83	1.00	200	58 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.41	59.67	68.20	-8.53	47.00	33.65	12.78	34.80	1.04	200	58 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	104.02	-----	-----	91.37	33.62	12.86	34.83	1.00	200	58 Average																																																																																						



Mode	67																																																																																																	
	Band Edge																																																																																																	
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.71</td><td>75.03</td><td>88.20</td><td>-13.17</td><td>62.36</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>28 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	75.03	88.20	-13.17	62.36	33.65	12.78	34.80	1.04	200	28 Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.96</td><td>-----</td><td>-----</td><td>105.28</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>200</td><td>28 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.96	-----	-----	105.28	33.65	12.88	34.84	0.99	200	28 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.71	75.03	88.20	-13.17	62.36	33.65	12.78	34.80	1.04	200	28 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	117.96	-----	-----	105.28	33.65	12.88	34.84	0.99	200	28 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>64.12</td><td>68.20</td><td>-4.08</td><td>51.45</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>28 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	64.12	68.20	-4.08	51.45	33.65	12.78	34.80	1.04	200	28 Average	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.76</td><td>-----</td><td>-----</td><td>98.13</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>28 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.76	-----	-----	98.13	33.60	12.84	34.82	1.01	200	28 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.97	64.12	68.20	-4.08	51.45	33.65	12.78	34.80	1.04	200	28 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	110.76	-----	-----	98.13	33.60	12.84	34.82	1.01	200	28 Average																																																																																							



Mode	67																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																																
ANT	6+7																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL																																																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>30.50</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>100</td><td>349</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>23.97</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>100</td><td>349</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>34.79</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>25.49</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.88	74.00	-25.12	30.50	39.12	18.12	40.62	0.30	100	349	Peak	2	11910.00	42.35	54.00	-11.65	23.97	39.12	18.12	40.62	0.30	100	349	Average	3	17865.00	54.40	74.00	-19.60	34.79	41.26	22.22	46.20	0.38	--	--	Peak	4	17865.00	45.10	54.00	-8.90	25.49	41.26	22.22	46.20	0.38	--	--	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>31.00</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>290</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>24.96</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>290</td><td>339</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>34.83</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>25.63</td><td>41.26</td><td>22.22</td><td>46.20</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	49.38	74.00	-24.62	31.00	39.12	18.12	40.62	0.30	290	339	Peak	2	11910.00	43.34	54.00	-10.66	24.96	39.12	18.12	40.62	0.30	290	339	Average	3	17865.00	54.44	74.00	-19.56	34.83	41.26	22.22	46.20	0.38	--	--	Peak	4	17865.00	45.24	54.00	-8.76	25.63	41.26	22.22	46.20	0.38	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	11910.00	48.88	74.00	-25.12	30.50	39.12	18.12	40.62	0.30	100	349	Peak																																																																																																																																																																					
2	11910.00	42.35	54.00	-11.65	23.97	39.12	18.12	40.62	0.30	100	349	Average																																																																																																																																																																					
3	17865.00	54.40	74.00	-19.60	34.79	41.26	22.22	46.20	0.38	--	--	Peak																																																																																																																																																																					
4	17865.00	45.10	54.00	-8.90	25.49	41.26	22.22	46.20	0.38	--	--	Average																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	11910.00	49.38	74.00	-24.62	31.00	39.12	18.12	40.62	0.30	290	339	Peak																																																																																																																																																																					
2	11910.00	43.34	54.00	-10.66	24.96	39.12	18.12	40.62	0.30	290	339	Average																																																																																																																																																																					
3	17865.00	54.44	74.00	-19.56	34.83	41.26	22.22	46.20	0.38	--	--	Peak																																																																																																																																																																					
4	17865.00	45.24	54.00	-8.76	25.63	41.26	22.22	46.20	0.38	--	--	Average																																																																																																																																																																					



Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode

68

Band Edge

U-NII-5_5.925-6.425_802.11a_CH49_6195MHz

ANT

6+7

Pol.

Horizontal

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400.

3800.

5200.

6600.

8000

Date: 2026-02-14

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Pream	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	6195.00	113.39	-----	-----		99.40	34.76	13.18	34.97	1.02	100	89	Peak

Avg

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400.

3800.

5200.

6600.

8000

Date: 2026-02-14

1

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Pream	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	6195.00	110.27	-----	-----		96.28	34.76	13.18	34.97	1.02	100	89	Average

Mode	68																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																	
ANT	6+7																																																	
Pol.	Vertical					Fundamental																																												
Peak	Blank					Level (dBuV/m) Date: 2026-02-14 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6195.00</td><td>119.61</td><td>-----</td><td>-----</td><td>105.62</td><td>34.76</td><td>13.18</td><td>34.97</td><td>1.02</td><td>172</td><td>17</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6195.00	119.61	-----	-----	105.62	34.76	13.18	34.97	1.02	172	17	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6195.00	119.61	-----	-----	105.62	34.76	13.18	34.97	1.02	172	17	Peak																																						
Avg	Blank					Level (dBuV/m) Date: 2026-02-14 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6195.00</td><td>116.63</td><td>-----</td><td>-----</td><td>102.64</td><td>34.76</td><td>13.18</td><td>34.97</td><td>1.02</td><td>172</td><td>17</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6195.00	116.63	-----	-----	102.64	34.76	13.18	34.97	1.02	172	17	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6195.00	116.63	-----	-----	102.64	34.76	13.18	34.97	1.02	172	17	Average																																						



Mode	68																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																												
ANT	6+7																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12390.00</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>33.46</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>232</td><td>335</td><td>Peak</td></tr><tr><td>2 12390.00</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>23.63</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>232</td><td>335</td><td>Average</td></tr><tr><td>3 18594.00</td><td>38.30</td><td>74.00</td><td>-35.70</td><td>54.36</td><td>38.38</td><td>22.85</td><td>67.75</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12390.00	53.01	74.00	-20.99	33.46	39.88	18.66	40.77	0.31	232	335	Peak	2 12390.00	43.18	54.00	-10.82	23.63	39.88	18.66	40.77	0.31	232	335	Average	3 18594.00	38.30	74.00	-35.70	54.36	38.38	22.85	67.75	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12390.00</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>34.00</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>134</td><td>16</td><td>Peak</td></tr><tr><td>2 12390.00</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>24.85</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>134</td><td>16</td><td>Average</td></tr><tr><td>3 18594.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>62.30</td><td>38.38</td><td>22.85</td><td>67.75</td><td>-9.54</td><td>145</td><td>64</td><td>Peak</td></tr><tr><td>4 18594.00</td><td>39.10</td><td>54.00</td><td>-14.90</td><td>55.16</td><td>38.38</td><td>22.85</td><td>67.75</td><td>-9.54</td><td>145</td><td>64</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12390.00	54.35	74.00	-19.65	34.00	39.88	18.66	40.77	0.31	134	16	Peak	2 12390.00	44.40	54.00	-9.60	24.85	39.88	18.66	40.77	0.31	134	16	Average	3 18594.00	46.24	74.00	-27.76	62.30	38.38	22.85	67.75	-9.54	145	64	Peak	4 18594.00	39.10	54.00	-14.90	55.16	38.38	22.85	67.75	-9.54	145	64	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1 12390.00	53.01	74.00	-20.99	33.46	39.88	18.66	40.77	0.31	232	335	Peak																																																																																																																																																		
2 12390.00	43.18	54.00	-10.82	23.63	39.88	18.66	40.77	0.31	232	335	Average																																																																																																																																																		
3 18594.00	38.30	74.00	-35.70	54.36	38.38	22.85	67.75	-9.54	--	--	Peak																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1 12390.00	54.35	74.00	-19.65	34.00	39.88	18.66	40.77	0.31	134	16	Peak																																																																																																																																																		
2 12390.00	44.40	54.00	-9.60	24.85	39.88	18.66	40.77	0.31	134	16	Average																																																																																																																																																		
3 18594.00	46.24	74.00	-27.76	62.30	38.38	22.85	67.75	-9.54	145	64	Peak																																																																																																																																																		
4 18594.00	39.10	54.00	-14.90	55.16	38.38	22.85	67.75	-9.54	145	64	Average																																																																																																																																																		



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	69																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Level (dBuV/m) Date: 2026-02-14 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6415.00</td><td>111.89</td><td>-----</td><td>96.82</td><td>35.81</td><td>13.38</td><td>35.09</td><td>0.97</td><td>100</td><td>348</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6415.00	111.89	-----	96.82	35.81	13.38	35.09	0.97	100	348	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6415.00	111.89	-----	96.82	35.81	13.38	35.09	0.97	100	348	Peak																																				
Avg	Blank					Level (dBuV/m) Date: 2026-02-14 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6415.00</td><td>104.61</td><td>-----</td><td>89.54</td><td>35.81</td><td>13.38</td><td>35.09</td><td>0.97</td><td>100</td><td>348</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6415.00	104.61	-----	89.54	35.81	13.38	35.09	0.97	100	348	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6415.00	104.61	-----	89.54	35.81	13.38	35.09	0.97	100	348	Average																																				



Report No. : FR5N0611-01H

69

Mode

Band Edge

U-NII-5_5.925-6.425_802.11a_CH93_6415MHz

ANT

6+7

Pol.

Vertical

Peak

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

Date: 2026-02-14

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	6415.00	116.30	-----	-----		101.26	35.77	13.38	35.08	0.97	168	23	Peak

Avg

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

Date: 2026-02-14

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	6415.00	110.05	-----	-----		95.01	35.77	13.38	35.08	0.97	168	23	Average



Mode	69																																																																												
	Harmonic																																																																												
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																												
ANT	6+7																																																																												
Pol.	Horizontal																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-02-09 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 12830.00</td><td>58.49</td><td>88.20</td><td>-29.71</td><td>38.00</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>178</td><td>71 Peak</td></tr><tr><td>2 12830.00</td><td>48.39</td><td>68.20</td><td>-19.81</td><td>27.90</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>178</td><td>71 Average</td></tr><tr><td>3 19254.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>53.09</td><td>38.20</td><td>23.29</td><td>66.74</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 12830.00	58.49	88.20	-29.71	38.00	40.64	18.98	40.84	0.23	178	71 Peak	2 12830.00	48.39	68.20	-19.81	27.90	40.64	18.98	40.84	0.23	178	71 Average	3 19254.00	39.10	74.00	-34.90	53.09	38.20	23.29	66.74	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																					
1 12830.00	58.49	88.20	-29.71	38.00	40.64	18.98	40.84	0.23	178	71 Peak																																																																			
2 12830.00	48.39	68.20	-19.81	27.90	40.64	18.98	40.84	0.23	178	71 Average																																																																			
3 19254.00	39.10	74.00	-34.90	53.09	38.20	23.29	66.74	-9.54	--	-- Peak																																																																			
Level (dBuV/m) Date: 2026-02-09 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 12830.00</td><td>61.77</td><td>88.20</td><td>-26.43</td><td>41.28</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>122</td><td>337 Peak</td></tr><tr><td>2 12830.00</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>31.24</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>122</td><td>337 Average</td></tr><tr><td>3 19254.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>54.78</td><td>38.20</td><td>23.29</td><td>66.74</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 12830.00	61.77	88.20	-26.43	41.28	40.64	18.98	40.84	0.23	122	337 Peak	2 12830.00	51.73	68.20	-16.47	31.24	40.64	18.98	40.84	0.23	122	337 Average	3 19254.00	39.99	74.00	-34.01	54.78	38.20	23.29	66.74	-9.54	--	-- Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																					
1 12830.00	61.77	88.20	-26.43	41.28	40.64	18.98	40.84	0.23	122	337 Peak																																																																			
2 12830.00	51.73	68.20	-16.47	31.24	40.64	18.98	40.84	0.23	122	337 Average																																																																			
3 19254.00	39.99	74.00	-34.01	54.78	38.20	23.29	66.74	-9.54	--	-- Peak																																																																			



Mode	69	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





Mode	70																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.71</td><td>62.23</td><td>88.20 -25.97</td><td>49.56</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>66 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.71	62.23	88.20 -25.97	49.56	33.65	12.78	34.80	1.04	200	66 Peak	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>110.47</td><td>-----</td><td>97.84</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>66 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	110.47	-----	97.84	33.60	12.84	34.82	1.01	200	66 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.71	62.23	88.20 -25.97	49.56	33.65	12.78	34.80	1.04	200	66 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	110.47	-----	97.84	33.60	12.84	34.82	1.01	200	66 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>51.48</td><td>68.20 -16.72</td><td>38.81</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>66 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	51.48	68.20 -16.72	38.81	33.65	12.78	34.80	1.04	200	66 Average	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>102.69</td><td>-----</td><td>90.06</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>66 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	102.69	-----	90.06	33.60	12.84	34.82	1.01	200	66 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.97	51.48	68.20 -16.72	38.81	33.65	12.78	34.80	1.04	200	66 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	102.69	-----	90.06	33.60	12.84	34.82	1.01	200	66 Average																																																																									



		70																																																																																															
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.59</td><td>76.62</td><td>88.20</td><td>-11.58</td><td>63.95</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>235</td><td>10 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.59	76.62	88.20	-11.58	63.95	33.66	12.77	34.80	1.04	235	10 Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.09</td><td>-----</td><td>-----</td><td>104.44</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>235</td><td>10 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.09	-----	-----	104.44	33.62	12.86	34.83	1.00	235	10 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5921.59	76.62	88.20	-11.58	63.95	33.66	12.77	34.80	1.04	235	10 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	117.09	-----	-----	104.44	33.62	12.86	34.83	1.00	235	10 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>62.21</td><td>68.20</td><td>-5.99</td><td>49.54</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>235</td><td>10 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	62.21	68.20	-5.99	49.54	33.65	12.78	34.80	1.04	235	10 Average	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.89</td><td>-----</td><td>-----</td><td>97.21</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>235</td><td>10 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.89	-----	-----	97.21	33.65	12.88	34.84	0.99	235	10 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.84	62.21	68.20	-5.99	49.54	33.65	12.78	34.80	1.04	235	10 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	109.89	-----	-----	97.21	33.65	12.88	34.84	0.99	235	10 Average																																																																																						



Mode	70																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																																																																														
ANT	6+7																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																															
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL																																																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>34.41</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>214</td><td>296</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>24.59</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>214</td><td>296</td><td>Average</td></tr><tr><td>3</td><td>17860.00</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>34.31</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17860.00</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>25.12</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11910.00	52.79	74.00	-21.21	34.41	39.12	18.12	40.62	0.30	214	296	Peak	2	11910.00	42.97	54.00	-11.03	24.59	39.12	18.12	40.62	0.30	214	296	Average	3	17860.00	53.89	74.00	-20.11	34.31	41.24	22.22	46.21	0.38	--	--	Peak	4	17860.00	44.70	54.00	-9.30	25.12	41.24	22.22	46.21	0.38	--	--	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>35.19</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>296</td><td>334</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>24.88</td><td>39.12</td><td>18.12</td><td>40.62</td><td>0.30</td><td>296</td><td>334</td><td>Average</td></tr><tr><td>3</td><td>17860.00</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>35.19</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17860.00</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>25.98</td><td>41.24</td><td>22.22</td><td>46.21</td><td>0.38</td><td>--</td><td>--</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11910.00	53.57	74.00	-20.43	35.19	39.12	18.12	40.62	0.30	296	334	Peak	2	11910.00	43.26	54.00	-10.74	24.88	39.12	18.12	40.62	0.30	296	334	Average	3	17860.00	54.77	74.00	-19.23	35.19	41.24	22.22	46.21	0.38	--	--	Peak	4	17860.00	45.56	54.00	-8.44	25.98	41.24	22.22	46.21	0.38	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	11910.00	52.79	74.00	-21.21	34.41	39.12	18.12	40.62	0.30	214	296	Peak																																																																																																																																																																																			
2	11910.00	42.97	54.00	-11.03	24.59	39.12	18.12	40.62	0.30	214	296	Average																																																																																																																																																																																			
3	17860.00	53.89	74.00	-20.11	34.31	41.24	22.22	46.21	0.38	--	--	Peak																																																																																																																																																																																			
4	17860.00	44.70	54.00	-9.30	25.12	41.24	22.22	46.21	0.38	--	--	Average																																																																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	11910.00	53.57	74.00	-20.43	35.19	39.12	18.12	40.62	0.30	296	334	Peak																																																																																																																																																																																			
2	11910.00	43.26	54.00	-10.74	24.88	39.12	18.12	40.62	0.30	296	334	Average																																																																																																																																																																																			
3	17860.00	54.77	74.00	-19.23	35.19	41.24	22.22	46.21	0.38	--	--	Peak																																																																																																																																																																																			
4	17860.00	45.56	54.00	-8.44	25.98	41.24	22.22	46.21	0.38	--	--	Average																																																																																																																																																																																			



Mode	70	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	71																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>43.60</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>57 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	56.27	88.20	-31.93	43.60	33.65	12.78	34.80	1.04	200	57 Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.52</td><td>-----</td><td>-----</td><td>100.09</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>57 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.52	-----	-----	100.09	33.60	12.84	34.82	1.01	200	57 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.06	56.27	88.20	-31.93	43.60	33.65	12.78	34.80	1.04	200	57 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	113.52	-----	-----	100.09	33.60	12.84	34.82	1.01	200	57 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>45.92</td><td>68.20</td><td>-22.28</td><td>33.25</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>57 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	45.92	68.20	-22.28	33.25	33.65	12.78	34.80	1.04	200	57 Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.79</td><td>-----</td><td>-----</td><td>94.16</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>57 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.79	-----	-----	94.16	33.60	12.84	34.82	1.01	200	57 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.97	45.92	68.20	-22.28	33.25	33.65	12.78	34.80	1.04	200	57 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	106.79	-----	-----	94.16	33.60	12.84	34.82	1.01	200	57 Average																																																																																							



	71																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>72.61</td><td>88.20</td><td>-15.59</td><td>59.94</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>35 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	72.61	88.20	-15.59	59.94	33.65	12.78	34.80	1.04	200	35 Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>118.15</td><td>-----</td><td>-----</td><td>105.52</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>35 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	118.15	-----	-----	105.52	33.60	12.84	34.82	1.01	200	35 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.58	72.61	88.20	-15.59	59.94	33.65	12.78	34.80	1.04	200	35 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	118.15	-----	-----	105.52	33.60	12.84	34.82	1.01	200	35 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>49.05</td><td>68.20</td><td>-19.15</td><td>36.38</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>35 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	49.05	68.20	-19.15	36.38	33.65	12.78	34.80	1.04	200	35 Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.24</td><td>-----</td><td>-----</td><td>98.59</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200</td><td>35 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.24	-----	-----	98.59	33.62	12.86	34.83	1.00	200	35 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.32	49.05	68.20	-19.15	36.38	33.65	12.78	34.80	1.04	200	35 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	111.24	-----	-----	98.59	33.62	12.86	34.83	1.00	200	35 Average																																																																																							

Mode	72																																										
	Band Edge																																										
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																										
ANT	6+7																																										
Pol.	Horizontal					Fundamental																																					
Peak	Blank					Date: 2026-02-14 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>109.05</td><td>-----</td><td>95.11</td><td>34.72</td><td>13.18</td><td>34.97</td><td>1.01</td><td>170</td><td>16 Peak</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6195.00	109.05	-----	95.11	34.72	13.18	34.97	1.01	170	16 Peak
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	6195.00	109.05	-----	95.11	34.72	13.18	34.97	1.01	170	16 Peak																																	
Avg	Blank					Date: 2026-02-14 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>101.54</td><td>-----</td><td>87.49</td><td>34.81</td><td>13.19</td><td>34.97</td><td>1.02</td><td>170</td><td>16 Average</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6195.00	101.54	-----	87.49	34.81	13.19	34.97	1.02	170	16 Average
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	6195.00	101.54	-----	87.49	34.81	13.19	34.97	1.02	170	16 Average																																	

Mode	72																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Level (dBuV/m) Date: 2026-02-14 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6195.00</td><td>116.82</td><td>- - - - -</td><td>102.83</td><td>34.76</td><td>13.18</td><td>34.97</td><td>1.02</td><td>235</td><td>39</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6195.00	116.82	- - - - -	102.83	34.76	13.18	34.97	1.02	235	39	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6195.00	116.82	- - - - -	102.83	34.76	13.18	34.97	1.02	235	39	Peak																																				
Avg	Blank					Level (dBuV/m) Date: 2026-02-14 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6195.00</td><td>108.87</td><td>- - - - -</td><td>94.88</td><td>34.76</td><td>13.18</td><td>34.97</td><td>1.02</td><td>235</td><td>39</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6195.00	108.87	- - - - -	94.88	34.76	13.18	34.97	1.02	235	39	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6195.00	108.87	- - - - -	94.88	34.76	13.18	34.97	1.02	235	39	Average																																				



Mode	72																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																																																																																																			
ANT	6+7																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12390.00</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>34.81</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>205 209 Peak</td></tr><tr><td>2 12390.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>24.08</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>205 209 Average</td></tr><tr><td>3 18585.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>54.89</td><td>38.34</td><td>22.85</td><td>67.76</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12390.00	54.36	74.00	-19.64	34.81	39.88	18.66	40.77	0.31	205 209 Peak	2 12390.00	43.63	54.00	-10.37	24.08	39.88	18.66	40.77	0.31	205 209 Average	3 18585.00	38.78	74.00	-35.22	54.89	38.34	22.85	67.76	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12390.00</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>36.63</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>149 11 Peak</td></tr><tr><td>2 12390.00</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>26.18</td><td>39.88</td><td>18.66</td><td>40.77</td><td>0.31</td><td>149 11 Average</td></tr><tr><td>3 18585.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>60.20</td><td>38.34</td><td>22.85</td><td>67.76</td><td>-9.54</td><td>145 67 Peak</td></tr><tr><td>4 18585.00</td><td>33.60</td><td>54.00</td><td>-20.40</td><td>49.71</td><td>38.34</td><td>22.85</td><td>67.76</td><td>-9.54</td><td>145 67 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12390.00	56.18	74.00	-17.82	36.63	39.88	18.66	40.77	0.31	149 11 Peak	2 12390.00	45.65	54.00	-8.35	26.18	39.88	18.66	40.77	0.31	149 11 Average	3 18585.00	44.09	74.00	-29.91	60.20	38.34	22.85	67.76	-9.54	145 67 Peak	4 18585.00	33.60	54.00	-20.40	49.71	38.34	22.85	67.76	-9.54	145 67 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1 12390.00	54.36	74.00	-19.64	34.81	39.88	18.66	40.77	0.31	205 209 Peak																																																																																																																											
2 12390.00	43.63	54.00	-10.37	24.08	39.88	18.66	40.77	0.31	205 209 Average																																																																																																																											
3 18585.00	38.78	74.00	-35.22	54.89	38.34	22.85	67.76	-9.54	-- -- Peak																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1 12390.00	56.18	74.00	-17.82	36.63	39.88	18.66	40.77	0.31	149 11 Peak																																																																																																																											
2 12390.00	45.65	54.00	-8.35	26.18	39.88	18.66	40.77	0.31	149 11 Average																																																																																																																											
3 18585.00	44.09	74.00	-29.91	60.20	38.34	22.85	67.76	-9.54	145 67 Peak																																																																																																																											
4 18585.00	33.60	54.00	-20.40	49.71	38.34	22.85	67.76	-9.54	145 67 Average																																																																																																																											



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	73																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-14 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>112.00</td><td>-----</td><td>96.96</td><td>35.77</td><td>13.38</td><td>35.08</td><td>0.97</td><td>101</td><td>349</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6415.00	112.00	-----	96.96	35.77	13.38	35.08	0.97	101	349	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6415.00	112.00	-----	96.96	35.77	13.38	35.08	0.97	101	349	Peak																																				
Avg	Blank					Date: 2026-02-14 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>103.71</td><td>-----</td><td>88.67</td><td>35.77</td><td>13.38</td><td>35.08</td><td>0.97</td><td>101</td><td>349</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6415.00	103.71	-----	88.67	35.77	13.38	35.08	0.97	101	349	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6415.00	103.71	-----	88.67	35.77	13.38	35.08	0.97	101	349	Average																																				

Mode	73										
	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					<					



Mode	73																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12830.00</td><td>58.11</td><td>88.20</td><td>-30.09</td><td>37.62</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>177 70 Peak</td></tr><tr><td>2 12830.00</td><td>47.97</td><td>68.20</td><td>-20.23</td><td>27.48</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>177 70 Average</td></tr><tr><td>3 19245.00</td><td>41.33</td><td>74.00</td><td>-32.67</td><td>56.14</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>199 239 Peak</td></tr><tr><td>4 19245.00</td><td>31.39</td><td>54.00</td><td>-22.61</td><td>46.20</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>199 239 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12830.00	58.11	88.20	-30.09	37.62	40.64	18.98	40.84	0.23	177 70 Peak	2 12830.00	47.97	68.20	-20.23	27.48	40.64	18.98	40.84	0.23	177 70 Average	3 19245.00	41.33	74.00	-32.67	56.14	38.20	23.29	66.76	-9.54	199 239 Peak	4 19245.00	31.39	54.00	-22.61	46.20	38.20	23.29	66.76	-9.54	199 239 Average	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12830.00</td><td>56.92</td><td>88.20</td><td>-31.28</td><td>36.43</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>100 10 Peak</td></tr><tr><td>2 12830.00</td><td>46.75</td><td>68.20</td><td>-21.45</td><td>26.26</td><td>40.64</td><td>18.98</td><td>40.84</td><td>0.23</td><td>100 10 Average</td></tr><tr><td>3 19245.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>57.00</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>143 85 Peak</td></tr><tr><td>4 19245.00</td><td>32.96</td><td>54.00</td><td>-21.04</td><td>47.77</td><td>38.20</td><td>23.29</td><td>66.76</td><td>-9.54</td><td>143 85 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12830.00	56.92	88.20	-31.28	36.43	40.64	18.98	40.84	0.23	100 10 Peak	2 12830.00	46.75	68.20	-21.45	26.26	40.64	18.98	40.84	0.23	100 10 Average	3 19245.00	42.99	74.00	-31.01	57.00	38.20	23.29	66.76	-9.54	143 85 Peak	4 19245.00	32.96	54.00	-21.04	47.77	38.20	23.29	66.76	-9.54	143 85 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 12830.00	58.11	88.20	-30.09	37.62	40.64	18.98	40.84	0.23	177 70 Peak																																																																																																																																					
2 12830.00	47.97	68.20	-20.23	27.48	40.64	18.98	40.84	0.23	177 70 Average																																																																																																																																					
3 19245.00	41.33	74.00	-32.67	56.14	38.20	23.29	66.76	-9.54	199 239 Peak																																																																																																																																					
4 19245.00	31.39	54.00	-22.61	46.20	38.20	23.29	66.76	-9.54	199 239 Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 12830.00	56.92	88.20	-31.28	36.43	40.64	18.98	40.84	0.23	100 10 Peak																																																																																																																																					
2 12830.00	46.75	68.20	-21.45	26.26	40.64	18.98	40.84	0.23	100 10 Average																																																																																																																																					
3 19245.00	42.99	74.00	-31.01	57.00	38.20	23.29	66.76	-9.54	143 85 Peak																																																																																																																																					
4 19245.00	32.96	54.00	-21.04	47.77	38.20	23.29	66.76	-9.54	143 85 Average																																																																																																																																					



Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





	74																																																																																																
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.40</td><td>67.72</td><td>88.20</td><td>-20.48</td><td>55.04</td><td>33.67</td><td>12.76</td><td>34.80</td><td>1.05</td><td>200</td><td>60 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5917.40	67.72	88.20	-20.48	55.04	33.67	12.76	34.80	1.05	200	60 Peak	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.27</td><td>-----</td><td>-----</td><td>95.62</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200</td><td>60 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5965.00	100.27	-----	-----	95.62	33.62	12.86	34.83	1.00	200	60 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5917.40	67.72	88.20	-20.48	55.04	33.67	12.76	34.80	1.05	200	60 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	100.27	-----	-----	95.62	33.62	12.86	34.83	1.00	200	60 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.54</td><td>52.32</td><td>68.20</td><td>-15.88</td><td>39.65</td><td>33.66</td><td>12.76</td><td>34.80</td><td>1.05</td><td>200</td><td>60 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5917.54	52.32	68.20	-15.88	39.65	33.66	12.76	34.80	1.05	200	60 Average	Level (dBuV/m) Date: 2026-01-16 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.93</td><td>-----</td><td>-----</td><td>88.28</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200</td><td>60 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5965.00	100.93	-----	-----	88.28	33.62	12.86	34.83	1.00	200	60 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5917.54	52.32	68.20	-15.88	39.65	33.66	12.76	34.80	1.05	200	60 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	100.93	-----	-----	88.28	33.62	12.86	34.83	1.00	200	60 Average																																																																																						



	74																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5906.90</td><td>80.06</td><td>88.20</td><td>-8.14</td><td>67.36</td><td>33.69</td><td>12.74</td><td>34.79</td><td>1.06</td><td>200 11 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5906.90	80.06	88.20	-8.14	67.36	33.69	12.74	34.79	1.06	200 11 Peak	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>115.81</td><td>-----</td><td>-----</td><td>103.09</td><td>33.68</td><td>12.90</td><td>34.84</td><td>0.98</td><td>200 11 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	115.81	-----	-----	103.09	33.68	12.90	34.84	0.98	200 11 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5906.90	80.06	88.20	-8.14	67.36	33.69	12.74	34.79	1.06	200 11 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	115.81	-----	-----	103.09	33.68	12.90	34.84	0.98	200 11 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5912.50</td><td>63.26</td><td>68.20</td><td>-4.94</td><td>50.58</td><td>33.67</td><td>12.75</td><td>34.79</td><td>1.05</td><td>200 11 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5912.50	63.26	68.20	-4.94	50.58	33.67	12.75	34.79	1.05	200 11 Average	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>107.46</td><td>-----</td><td>-----</td><td>94.81</td><td>33.62</td><td>12.86</td><td>34.83</td><td>1.00</td><td>200 11 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	107.46	-----	-----	94.81	33.62	12.86	34.83	1.00	200 11 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5912.50	63.26	68.20	-4.94	50.58	33.67	12.75	34.79	1.05	200 11 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	107.46	-----	-----	94.81	33.62	12.86	34.83	1.00	200 11 Average																																																																																	



Mode	74																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																																
ANT	6+7																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>34.44</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>235</td><td>349</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>24.10</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>235</td><td>349</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>54.92</td><td>74.00</td><td>-19.08</td><td>35.13</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>25.01</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	52.86	74.00	-21.14	34.44	39.16	18.13	40.63	0.30	235	349	Peak	2	11930.00	42.52	54.00	-11.48	24.10	39.16	18.13	40.63	0.30	235	349	Average	3	17895.00	54.92	74.00	-19.08	35.13	41.38	22.25	46.16	0.37	--	--	Peak	4	17895.00	45.60	54.00	-8.40	25.01	41.38	22.25	46.16	0.37	--	--	Average	Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>32.18</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>308</td><td>337</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>23.93</td><td>39.16</td><td>18.13</td><td>40.63</td><td>0.30</td><td>308</td><td>337</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>55.28</td><td>74.00</td><td>-18.72</td><td>35.49</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>26.17</td><td>41.38</td><td>22.25</td><td>46.16</td><td>0.37</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	50.60	74.00	-23.40	32.18	39.16	18.13	40.63	0.30	308	337	Peak	2	11930.00	42.35	54.00	-11.65	23.93	39.16	18.13	40.63	0.30	308	337	Average	3	17895.00	55.28	74.00	-18.72	35.49	41.38	22.25	46.16	0.37	--	--	Peak	4	17895.00	45.96	54.00	-8.04	26.17	41.38	22.25	46.16	0.37	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	11930.00	52.86	74.00	-21.14	34.44	39.16	18.13	40.63	0.30	235	349	Peak																																																																																																																																																																					
2	11930.00	42.52	54.00	-11.48	24.10	39.16	18.13	40.63	0.30	235	349	Average																																																																																																																																																																					
3	17895.00	54.92	74.00	-19.08	35.13	41.38	22.25	46.16	0.37	--	--	Peak																																																																																																																																																																					
4	17895.00	45.60	54.00	-8.40	25.01	41.38	22.25	46.16	0.37	--	--	Average																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	11930.00	50.60	74.00	-23.40	32.18	39.16	18.13	40.63	0.30	308	337	Peak																																																																																																																																																																					
2	11930.00	42.35	54.00	-11.65	23.93	39.16	18.13	40.63	0.30	308	337	Average																																																																																																																																																																					
3	17895.00	55.28	74.00	-18.72	35.49	41.38	22.25	46.16	0.37	--	--	Peak																																																																																																																																																																					
4	17895.00	45.96	54.00	-8.04	26.17	41.38	22.25	46.16	0.37	--	--	Average																																																																																																																																																																					



Mode	74	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	75																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.42</td><td>67.56</td><td>88.20</td><td>-20.64</td><td>54.89</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>300</td><td>294 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.42	67.56	88.20	-20.64	54.89	33.65	12.78	34.80	1.04	300	294 Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>109.00</td><td>-----</td><td>-----</td><td>96.37</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>300</td><td>294 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.00	-----	-----	96.37	33.60	12.84	34.82	1.01	300	294 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.42	67.56	88.20	-20.64	54.89	33.65	12.78	34.80	1.04	300	294 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	109.00	-----	-----	96.37	33.60	12.84	34.82	1.01	300	294 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>56.39</td><td>68.20</td><td>-11.81</td><td>43.72</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>300</td><td>294 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	56.39	68.20	-11.81	43.72	33.65	12.78	34.80	1.04	300	294 Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>181.75</td><td>-----</td><td>-----</td><td>89.12</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>300</td><td>294 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	181.75	-----	-----	89.12	33.60	12.84	34.82	1.01	300	294 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.96	56.39	68.20	-11.81	43.72	33.65	12.78	34.80	1.04	300	294 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	181.75	-----	-----	89.12	33.60	12.84	34.82	1.01	300	294 Average																																																																																							



	75																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.82</td><td>78.95</td><td>88.20</td><td>-9.25</td><td>66.28</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>222 30 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.82	78.95	88.20	-9.25	66.28	33.65	12.78	34.80	1.04	222 30 Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>117.38</td><td>-----</td><td>-----</td><td>104.75</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>222 30 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	117.38	-----	-----	104.75	33.60	12.84	34.82	1.01	222 30 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.82	78.95	88.20	-9.25	66.28	33.65	12.78	34.80	1.04	222 30 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	117.38	-----	-----	104.75	33.60	12.84	34.82	1.01	222 30 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>65.97</td><td>68.20</td><td>-2.23</td><td>53.30</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>222 30 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	65.97	68.20	-2.23	53.30	33.65	12.78	34.80	1.04	222 30 Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>109.93</td><td>-----</td><td>-----</td><td>97.30</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>222 30 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	109.93	-----	-----	97.30	33.60	12.84	34.82	1.01	222 30 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.96	65.97	68.20	-2.23	53.30	33.65	12.78	34.80	1.04	222 30 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	109.93	-----	-----	97.30	33.60	12.84	34.82	1.01	222 30 Average																																																																																	

Mode

ANT

Pol.

Peak

Avg

Horizontal

Blank

Blank

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400.

3800.

5200.

6600.

8000

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Limit	Read	Ant	Cable	Pream	Aux	APos	TPos	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6205.00	110.67	-----	96.62	34.81	13.19	34.97	1.02	100	357 Peak

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400.

3800.

5200.

6600.

8000

1

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Limit	Read	Ant	Cable	Pream	Aux	APos	TPos	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6205.00	102.73	-----	88.68	34.81	13.19	34.97	1.02	100	357 Average

Mode	76																																										
	Band Edge																																										
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																										
ANT	6+7																																										
Pol.	Vertical					Fundamental																																					
Peak	Blank					Level (dBuV/m) Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6205.00</td><td>113.72</td><td>-----</td><td>99.73</td><td>34.76</td><td>13.18</td><td>34.97</td><td>1.02</td><td>193</td><td>4</td><td>Peak</td></tr></table>					Freq	Level	Limit	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1 6205.00	113.72	-----	99.73	34.76	13.18	34.97	1.02	193	4	Peak
Freq	Level	Limit	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																		
1 6205.00	113.72	-----	99.73	34.76	13.18	34.97	1.02	193	4	Peak																																	
Avg	Blank					Level (dBuV/m) Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6205.00</td><td>105.99</td><td>-----</td><td>92.00</td><td>34.76</td><td>13.18</td><td>34.97</td><td>1.02</td><td>193</td><td>4</td><td>Average</td></tr></table>					Freq	Level	Limit	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1 6205.00	105.99	-----	92.00	34.76	13.18	34.97	1.02	193	4	Average
Freq	Level	Limit	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																		
1 6205.00	105.99	-----	92.00	34.76	13.18	34.97	1.02	193	4	Average																																	



Mode	76																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																																																																																																			
ANT	6+7																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-09 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12410.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>33.01</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>-- -- Peak</td></tr><tr><td>2 12410.00</td><td>42.92</td><td>54.00</td><td>-11.08</td><td>23.32</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>-- -- Average</td></tr><tr><td>3 18615.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>54.79</td><td>38.37</td><td>22.87</td><td>67.72</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12410.00	52.61	74.00	-21.39	33.01	39.90	18.69	40.77	0.31	-- -- Peak	2 12410.00	42.92	54.00	-11.08	23.32	39.90	18.69	40.77	0.31	-- -- Average	3 18615.00	38.77	74.00	-35.23	54.79	38.37	22.87	67.72	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-09 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12410.00</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>35.68</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>100 16 Peak</td></tr><tr><td>2 12410.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>24.79</td><td>39.90</td><td>18.69</td><td>40.77</td><td>0.31</td><td>100 16 Average</td></tr><tr><td>3 18615.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>60.57</td><td>38.37</td><td>22.87</td><td>67.72</td><td>-9.54</td><td>145 64 Peak</td></tr><tr><td>4 18615.00</td><td>32.92</td><td>54.00</td><td>-21.08</td><td>48.94</td><td>38.37</td><td>22.87</td><td>67.72</td><td>-9.54</td><td>145 64 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12410.00	55.20	74.00	-18.80	35.68	39.90	18.69	40.77	0.31	100 16 Peak	2 12410.00	44.39	54.00	-9.61	24.79	39.90	18.69	40.77	0.31	100 16 Average	3 18615.00	44.55	74.00	-29.45	60.57	38.37	22.87	67.72	-9.54	145 64 Peak	4 18615.00	32.92	54.00	-21.08	48.94	38.37	22.87	67.72	-9.54	145 64 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1 12410.00	52.61	74.00	-21.39	33.01	39.90	18.69	40.77	0.31	-- -- Peak																																																																																																																											
2 12410.00	42.92	54.00	-11.08	23.32	39.90	18.69	40.77	0.31	-- -- Average																																																																																																																											
3 18615.00	38.77	74.00	-35.23	54.79	38.37	22.87	67.72	-9.54	-- -- Peak																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1 12410.00	55.20	74.00	-18.80	35.68	39.90	18.69	40.77	0.31	100 16 Peak																																																																																																																											
2 12410.00	44.39	54.00	-9.61	24.79	39.90	18.69	40.77	0.31	100 16 Average																																																																																																																											
3 18615.00	44.55	74.00	-29.45	60.57	38.37	22.87	67.72	-9.54	145 64 Peak																																																																																																																											
4 18615.00	32.92	54.00	-21.08	48.94	38.37	22.87	67.72	-9.54	145 64 Average																																																																																																																											



Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	77																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6405.00</td><td>108.73</td><td>-</td><td>93.66</td><td>35.81</td><td>13.38</td><td>35.09</td><td>0.97</td><td>100</td><td>345</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6405.00	108.73	-	93.66	35.81	13.38	35.09	0.97	100	345	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6405.00	108.73	-	93.66	35.81	13.38	35.09	0.97	100	345	Peak																																				
Avg	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6405.00</td><td>100.90</td><td>-</td><td>85.94</td><td>35.69</td><td>13.38</td><td>35.08</td><td>0.97</td><td>100</td><td>345</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6405.00	100.90	-	85.94	35.69	13.38	35.08	0.97	100	345	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6405.00	100.90	-	85.94	35.69	13.38	35.08	0.97	100	345	Average																																				