



Report No. : FR5N0611-01H

77

Mode

Band Edge

U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz

ANT

6+7

Pol.

Vertical

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6405.00	113.87	-----	98.91	35.69	13.38	35.08	0.97	189	41	Peak

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

1

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6405.00	106.39	-----	91.43	35.69	13.38	35.08	0.97	189	41	Average







Mode	77																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>33.64</td><td>40.68</td><td>18.97</td><td>40.83</td><td>0.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>38.05</td><td>74.00</td><td>-35.95</td><td>52.92</td><td>38.20</td><td>23.27</td><td>66.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	54.17	88.20	-34.03	33.64	40.68	18.97	40.83	0.23	--	Peak	2	19215.00	38.05	74.00	-35.95	52.92	38.20	23.27	66.80	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>54.25</td><td>88.20</td><td>-33.95</td><td>33.72</td><td>40.68</td><td>18.97</td><td>40.83</td><td>0.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>38.17</td><td>74.00</td><td>-35.83</td><td>53.04</td><td>38.20</td><td>23.27</td><td>66.80</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	54.25	88.20	-33.95	33.72	40.68	18.97	40.83	0.23	--	Peak	2	19215.00	38.17	74.00	-35.83	53.04	38.20	23.27	66.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	54.17	88.20	-34.03	33.64	40.68	18.97	40.83	0.23	--	Peak																																																																																																					
2	19215.00	38.05	74.00	-35.95	52.92	38.20	23.27	66.80	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	54.25	88.20	-33.95	33.72	40.68	18.97	40.83	0.23	--	Peak																																																																																																					
2	19215.00	38.17	74.00	-35.83	53.04	38.20	23.27	66.80	-9.54	--	Peak																																																																																																					



Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	78																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5918.44</td><td>65.15</td><td>88.20 -23.05</td><td>52.47</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.05</td><td>190</td><td>52 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>106.13</td><td>-----</td><td>93.39</td><td>33.71</td><td>12.91</td><td>34.85</td><td>0.97</td><td>190</td><td>52 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5918.44	65.15	88.20 -23.05	52.47	33.66	12.77	34.80	1.05	190	52 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	106.13	-----	93.39	33.71	12.91	34.85	0.97	190	52 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5918.44	65.15	88.20 -23.05	52.47	33.66	12.77	34.80	1.05	190	52 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	106.13	-----	93.39	33.71	12.91	34.85	0.97	190	52 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.96</td><td>53.39</td><td>68.20 -14.81</td><td>40.72</td><td>33.66</td><td>12.76</td><td>34.80</td><td>1.05</td><td>190</td><td>52 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-02-11  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>96.41</td><td>-----</td><td>83.58</td><td>33.79</td><td>12.97</td><td>34.87</td><td>0.94</td><td>190</td><td>52 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5917.96	53.39	68.20 -14.81	40.72	33.66	12.76	34.80	1.05	190	52 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	96.41	-----	83.58	33.79	12.97	34.87	0.94	190	52 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5917.96	53.39	68.20 -14.81	40.72	33.66	12.76	34.80	1.05	190	52 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	96.41	-----	83.58	33.79	12.97	34.87	0.94	190	52 Average																																																																																	



	78																																																																																																
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																
ANT	6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.36</td><td>72.30</td><td>88.20</td><td>-15.90</td><td>59.61</td><td>33.68</td><td>12.75</td><td>34.79</td><td>1.05</td><td>182</td><td>1 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.36	72.30	88.20	-15.90	59.61	33.68	12.75	34.79	1.05	182	1 Peak	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>112.54</td><td>-----</td><td>-----</td><td>99.65</td><td>33.85</td><td>12.98</td><td>34.88</td><td>0.94</td><td>182</td><td>1 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	112.54	-----	-----	99.65	33.85	12.98	34.88	0.94	182	1 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5912.36	72.30	88.20	-15.90	59.61	33.68	12.75	34.79	1.05	182	1 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	112.54	-----	-----	99.65	33.85	12.98	34.88	0.94	182	1 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.28</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>49.15</td><td>33.67</td><td>12.76</td><td>34.79</td><td>1.05</td><td>182</td><td>1 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.28	61.84	68.20	-6.36	49.15	33.67	12.76	34.79	1.05	182	1 Average	Level (dBuV/m) Date: 2026-02-11 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>104.17</td><td>-----</td><td>-----</td><td>91.34</td><td>33.79</td><td>12.97</td><td>34.87</td><td>0.94</td><td>182</td><td>1 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	104.17	-----	-----	91.34	33.79	12.97	34.87	0.94	182	1 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5914.28	61.84	68.20	-6.36	49.15	33.67	12.76	34.79	1.05	182	1 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	104.17	-----	-----	91.34	33.79	12.97	34.87	0.94	182	1 Average																																																																																						



Mode	78																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																																																									
ANT	6+7																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>33.11</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>23.90</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>35.09</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>25.94</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.59	74.00	-22.41	33.11	39.24	18.15	40.67	0.29	--	Peak	2	11970.00	42.38	54.00	-11.62	23.90	39.24	18.15	40.67	0.29	--	Average	3	17955.00	55.20	74.00	-18.80	35.09	41.53	22.32	46.07	0.37	--	Peak	4	17955.00	46.05	54.00	-7.95	25.94	41.53	22.32	46.07	0.37	--	Average	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.70</td><td>74.00</td><td>-22.30</td><td>33.22</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>24.03</td><td>39.24</td><td>18.15</td><td>40.67</td><td>0.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>35.32</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>26.15</td><td>41.53</td><td>22.32</td><td>46.07</td><td>0.37</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.70	74.00	-22.30	33.22	39.24	18.15	40.67	0.29	--	Peak	2	11970.00	42.51	54.00	-11.49	24.03	39.24	18.15	40.67	0.29	--	Average	3	17955.00	55.43	74.00	-18.57	35.32	41.53	22.32	46.07	0.37	--	Peak	4	17955.00	46.26	54.00	-7.74	26.15	41.53	22.32	46.07	0.37	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11970.00	51.59	74.00	-22.41	33.11	39.24	18.15	40.67	0.29	--	Peak																																																																																																																																																															
2	11970.00	42.38	54.00	-11.62	23.90	39.24	18.15	40.67	0.29	--	Average																																																																																																																																																															
3	17955.00	55.20	74.00	-18.80	35.09	41.53	22.32	46.07	0.37	--	Peak																																																																																																																																																															
4	17955.00	46.05	54.00	-7.95	25.94	41.53	22.32	46.07	0.37	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11970.00	51.70	74.00	-22.30	33.22	39.24	18.15	40.67	0.29	--	Peak																																																																																																																																																															
2	11970.00	42.51	54.00	-11.49	24.03	39.24	18.15	40.67	0.29	--	Average																																																																																																																																																															
3	17955.00	55.43	74.00	-18.57	35.32	41.53	22.32	46.07	0.37	--	Peak																																																																																																																																																															
4	17955.00	46.26	54.00	-7.74	26.15	41.53	22.32	46.07	0.37	--	Average																																																																																																																																																															



Mode	78	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-19 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	79																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.88</td><td>71.12</td><td>88.20 -17.08</td><td>58.45</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>169</td><td>360 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5919.88	71.12	88.20 -17.08	58.45	33.66	12.77	34.80	1.04	169	360 Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>107.37</td><td>-----</td><td>94.69</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>169</td><td>360 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	107.37	-----	94.69	33.65	12.88	34.84	0.99	169	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5919.88	71.12	88.20 -17.08	58.45	33.66	12.77	34.80	1.04	169	360 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	107.37	-----	94.69	33.65	12.88	34.84	0.99	169	360 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.36</td><td>55.70</td><td>68.20 -12.50</td><td>43.03</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>169</td><td>360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.36	55.70	68.20 -12.50	43.03	33.65	12.78	34.80	1.04	169	360 Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>100.28</td><td>-----</td><td>87.60</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>169</td><td>360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.28	-----	87.60	33.65	12.88	34.84	0.99	169	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.36	55.70	68.20 -12.50	43.03	33.65	12.78	34.80	1.04	169	360 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	100.28	-----	87.60	33.65	12.88	34.84	0.99	169	360 Average																																																																									



	79																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.56</td><td>76.37</td><td>88.20 -11.83</td><td>63.70</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>200</td><td>28 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5919.56	76.37	88.20 -11.83	63.70	33.66	12.77	34.80	1.04	200	28 Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>114.22</td><td>-----</td><td>101.59</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>28 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	114.22	-----	101.59	33.60	12.84	34.82	1.01	200	28 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5919.56	76.37	88.20 -11.83	63.70	33.66	12.77	34.80	1.04	200	28 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	114.22	-----	101.59	33.60	12.84	34.82	1.01	200	28 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5925.00</td><td>63.89</td><td>68.20 -4.31</td><td>51.22</td><td>33.65</td><td>12.78</td><td>34.80</td><td>1.04</td><td>200</td><td>28 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5925.00	63.89	68.20 -4.31	51.22	33.65	12.78	34.80	1.04	200	28 Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>106.91</td><td>-----</td><td>94.28</td><td>33.60</td><td>12.84</td><td>34.82</td><td>1.01</td><td>200</td><td>28 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	106.91	-----	94.28	33.60	12.84	34.82	1.01	200	28 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5925.00	63.89	68.20 -4.31	51.22	33.65	12.78	34.80	1.04	200	28 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	106.91	-----	94.28	33.60	12.84	34.82	1.01	200	28 Average																																																																																	

Mode

80

Band Edge

U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz

ANT

6+7

Pol.

Horizontal

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400.

3800.

5200.

6600.

8000

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Limit	Read	Ant	Cable	Pream	Aux	APos	TPos	Remark
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6225.00	108.17	-----	94.12	34.81	13.19	34.97	1.02	119	360 Peak

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400.

3800.

5200.

6600.

8000

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Limit	Read	Ant	Cable	Pream	Aux	APos	TPos	Remark
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6225.00	99.95	-----	85.74	34.98	13.21	34.99	1.01	119	360 Average



	80																																																		
Mode	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																		
ANT	6+7																																																		
Pol.	Vertical						Fundamental																																												
Peak	Blank						Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6225.00</td><td>111.40</td><td>-----</td><td>-----</td><td>97.02</td><td>35.14</td><td>13.23</td><td>35.00</td><td>1.01</td><td>177</td><td>22</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6225.00	111.40	-----	-----	97.02	35.14	13.23	35.00	1.01	177	22	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	6225.00	111.40	-----	-----	97.02	35.14	13.23	35.00	1.01	177	22	Peak																																							
Avg	Blank						Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6225.00</td><td>103.42</td><td>-----</td><td>-----</td><td>89.15</td><td>35.03</td><td>13.22</td><td>34.99</td><td>1.01</td><td>177</td><td>22</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6225.00	103.42	-----	-----	89.15	35.03	13.22	34.99	1.01	177	22	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	6225.00	103.42	-----	-----	89.15	35.03	13.22	34.99	1.01	177	22	Average																																							



Mode	80																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12450.00</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>33.20</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>-- -- Peak</td></tr><tr><td>2 12450.00</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>23.99</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>-- -- Average</td></tr><tr><td>3 18675.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>54.26</td><td>38.35</td><td>22.91</td><td>67.62</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12450.00	52.85	74.00	-21.15	33.20	39.90	18.74	40.78	0.32	-- -- Peak	2 12450.00	43.64	54.00	-10.36	23.99	39.90	18.74	40.78	0.32	-- -- Average	3 18675.00	38.36	74.00	-35.64	54.26	38.35	22.91	67.62	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12450.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>33.29</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>-- -- Peak</td></tr><tr><td>2 12450.00</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>23.96</td><td>39.90</td><td>18.74</td><td>40.78</td><td>0.32</td><td>-- -- Average</td></tr><tr><td>3 18675.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>54.17</td><td>38.35</td><td>22.91</td><td>67.62</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12450.00	52.94	74.00	-21.06	33.29	39.90	18.74	40.78	0.32	-- -- Peak	2 12450.00	43.61	54.00	-10.39	23.96	39.90	18.74	40.78	0.32	-- -- Average	3 18675.00	38.27	74.00	-35.73	54.17	38.35	22.91	67.62	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12450.00	52.85	74.00	-21.15	33.20	39.90	18.74	40.78	0.32	-- -- Peak																																																																																																																	
2 12450.00	43.64	54.00	-10.36	23.99	39.90	18.74	40.78	0.32	-- -- Average																																																																																																																	
3 18675.00	38.36	74.00	-35.64	54.26	38.35	22.91	67.62	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12450.00	52.94	74.00	-21.06	33.29	39.90	18.74	40.78	0.32	-- -- Peak																																																																																																																	
2 12450.00	43.61	54.00	-10.39	23.96	39.90	18.74	40.78	0.32	-- -- Average																																																																																																																	
3 18675.00	38.27	74.00	-35.73	54.17	38.35	22.91	67.62	-9.54	-- -- Peak																																																																																																																	



Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	81																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400 3800 5200 6600 8000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>107.11</td><td>-----</td><td>92.30</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>100</td><td>347</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6385.00	107.11	-----	92.30	35.55	13.34	35.06	0.98	100	347	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6385.00	107.11	-----	92.30	35.55	13.34	35.06	0.98	100	347	Peak																											
Avg	Blank	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2400 3800 5200 6600 8000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>98.33</td><td>-----</td><td>83.52</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>100</td><td>347</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6385.00	98.33	-----	83.52	35.55	13.34	35.06	0.98	100	347	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6385.00	98.33	-----	83.52	35.55	13.34	35.06	0.98	100	347	Average																											

Mode	81																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Level (dBuV/m) Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6385.00</td><td>111.98</td><td>-----</td><td>97.17</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>200</td><td>28</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6385.00	111.98	-----	97.17	35.55	13.34	35.06	0.98	200	28	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6385.00	111.98	-----	97.17	35.55	13.34	35.06	0.98	200	28	Peak																																				
Avg	Blank					Level (dBuV/m) Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6385.00</td><td>102.13</td><td>-----</td><td>87.32</td><td>35.55</td><td>13.34</td><td>35.06</td><td>0.98</td><td>200</td><td>28</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6385.00	102.13	-----	87.32	35.55	13.34	35.06	0.98	200	28	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6385.00	102.13	-----	87.32	35.55	13.34	35.06	0.98	200	28	Average																																				







Mode	81																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.10</td><td>88.20</td><td>-35.10</td><td>32.68</td><td>40.58</td><td>18.95</td><td>40.83</td><td>0.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>37.38</td><td>74.00</td><td>-36.62</td><td>52.28</td><td>38.29</td><td>23.23</td><td>66.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.10	88.20	-35.10	32.68	40.58	18.95	40.83	0.24	--	Peak	2	19155.00	37.38	74.00	-36.62	52.28	38.29	23.23	66.88	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.40</td><td>88.20</td><td>-34.80</td><td>32.98</td><td>40.58</td><td>18.95</td><td>40.83</td><td>0.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>38.03</td><td>74.00</td><td>-35.97</td><td>52.93</td><td>38.29</td><td>23.23</td><td>66.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.40	88.20	-34.80	32.98	40.58	18.95	40.83	0.24	--	Peak	2	19155.00	38.03	74.00	-35.97	52.93	38.29	23.23	66.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	53.10	88.20	-35.10	32.68	40.58	18.95	40.83	0.24	--	Peak																																																																																																					
2	19155.00	37.38	74.00	-36.62	52.28	38.29	23.23	66.88	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	53.40	88.20	-34.80	32.98	40.58	18.95	40.83	0.24	--	Peak																																																																																																					
2	19155.00	38.03	74.00	-35.97	52.93	38.29	23.23	66.88	-9.54	--	Peak																																																																																																					



Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



	82																																																																																																											
Mode	Band Edge																																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2026-01-19  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5915.40</td><td>69.37</td><td>88.20</td><td>-18.83</td><td>56.68</td><td>33.67</td><td>12.76</td><td>34.79</td><td>1.05</td><td>167</td><td>356 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-01-19  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>103.17</td><td>-----</td><td>-----</td><td>90.49</td><td>33.65</td><td>12.88</td><td>34.84</td><td>0.99</td><td>167</td><td>356 Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5915.40	69.37	88.20	-18.83	56.68	33.67	12.76	34.79	1.05	167	356 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	103.17	-----	-----	90.49	33.65	12.88	34.84	0.99	167	356 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5915.40	69.37	88.20	-18.83	56.68	33.67	12.76	34.79	1.05	167	356 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6025.00	103.17	-----	-----	90.49	33.65	12.88	34.84	0.99	167	356 Peak																																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-19  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5921.20</td><td>54.20</td><td>68.20</td><td>-14.00</td><td>41.53</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>167</td><td>356 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-01-19  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>95.13</td><td>-----</td><td>-----</td><td>82.16</td><td>33.90</td><td>13.00</td><td>34.88</td><td>0.95</td><td>167</td><td>356 Average</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5921.20	54.20	68.20	-14.00	41.53	33.66	12.77	34.80	1.04	167	356 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	95.13	-----	-----	82.16	33.90	13.00	34.88	0.95	167	356 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5921.20	54.20	68.20	-14.00	41.53	33.66	12.77	34.80	1.04	167	356 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6025.00	95.13	-----	-----	82.16	33.90	13.00	34.88	0.95	167	356 Average																																																																																																	



	82																																																																																																		
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 5896.40</td><td>75.55</td><td>88.20 -12.65</td><td>62.86</td><td>33.69</td><td>12.71</td><td>34.78</td><td>1.07</td><td>222</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1 5896.40	75.55	88.20 -12.65	62.86	33.69	12.71	34.78	1.07	222	360	Peak	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 6025.00</td><td>100.29</td><td>-----</td><td>95.35</td><td>33.88</td><td>12.99</td><td>34.88</td><td>0.95</td><td>222</td><td>360</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1 6025.00	100.29	-----	95.35	33.88	12.99	34.88	0.95	222	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 5896.40	75.55	88.20 -12.65	62.86	33.69	12.71	34.78	1.07	222	360	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 6025.00	100.29	-----	95.35	33.88	12.99	34.88	0.95	222	360	Peak																																																																																									
Avg	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 5913.20</td><td>59.58</td><td>68.20 -8.62</td><td>46.90</td><td>33.67</td><td>12.75</td><td>34.79</td><td>1.05</td><td>222</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1 5913.20	59.58	68.20 -8.62	46.90	33.67	12.75	34.79	1.05	222	360	Average	Level (dBuV/m) Date: 2026-01-19 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 6025.00</td><td>100.53</td><td>-----</td><td>87.56</td><td>33.90</td><td>13.00</td><td>34.88</td><td>0.95</td><td>222</td><td>360</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1 6025.00	100.53	-----	87.56	33.90	13.00	34.88	0.95	222	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 5913.20	59.58	68.20 -8.62	46.90	33.67	12.75	34.79	1.05	222	360	Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 6025.00	100.53	-----	87.56	33.90	13.00	34.88	0.95	222	360	Average																																																																																									



Mode	82																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																							
ANT	6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>34.51</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12850.00</td><td>44.08</td><td>54.00</td><td>-9.92</td><td>25.40</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>56.29</td><td>38.00</td><td>22.43</td><td>68.15</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	53.19	74.00	-20.81	34.51	39.40	18.23	40.71	0.29	--	--	Peak	2	12850.00	44.08	54.00	-9.92	25.40	39.40	18.23	40.71	0.29	--	--	Average	3	18075.00	39.03	74.00	-34.97	56.29	38.00	22.43	68.15	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>33.98</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12050.00</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>24.77</td><td>39.40</td><td>18.23</td><td>40.71</td><td>0.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>56.01</td><td>38.00</td><td>22.43</td><td>68.15</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	52.66	74.00	-21.34	33.98	39.40	18.23	40.71	0.29	--	--	Peak	2	12050.00	43.45	54.00	-10.55	24.77	39.40	18.23	40.71	0.29	--	--	Average	3	18075.00	38.75	74.00	-35.25	56.01	38.00	22.43	68.15	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12850.00	53.19	74.00	-20.81	34.51	39.40	18.23	40.71	0.29	--	--	Peak																																																																																																																																												
2	12850.00	44.08	54.00	-9.92	25.40	39.40	18.23	40.71	0.29	--	--	Average																																																																																																																																												
3	18075.00	39.03	74.00	-34.97	56.29	38.00	22.43	68.15	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12050.00	52.66	74.00	-21.34	33.98	39.40	18.23	40.71	0.29	--	--	Peak																																																																																																																																												
2	12050.00	43.45	54.00	-10.55	24.77	39.40	18.23	40.71	0.29	--	--	Average																																																																																																																																												
3	18075.00	38.75	74.00	-35.25	56.01	38.00	22.43	68.15	-9.54	--	--	Peak																																																																																																																																												



Mode	82	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-20 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-20 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	83																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																									
ANT	6+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5925.00 66.60 88.20 -21.60 53.93 33.65 12.78 34.80 1.04 300 312 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5925.00 66.60 88.20 -21.60 53.93 33.65 12.78 34.80 1.04 300 312 Peak									Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 106.58 ----- 93.71 33.82 12.98 34.87 0.94 300 312 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 106.58 ----- 93.71 33.82 12.98 34.87 0.94 300 312 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5925.00 66.60 88.20 -21.60 53.93 33.65 12.78 34.80 1.04 300 312 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 6025.00 106.58 ----- 93.71 33.82 12.98 34.87 0.94 300 312 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5925.00 58.40 68.20 -9.80 45.73 33.65 12.78 34.80 1.04 300 312 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5925.00 58.40 68.20 -9.80 45.73 33.65 12.78 34.80 1.04 300 312 Average									Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 96.51 ----- 83.57 33.88 12.99 34.88 0.95 300 312 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 96.51 ----- 83.57 33.88 12.99 34.88 0.95 300 312 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5925.00 58.40 68.20 -9.80 45.73 33.65 12.78 34.80 1.04 300 312 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 6025.00 96.51 ----- 83.57 33.88 12.99 34.88 0.95 300 312 Average																																																																										



	83																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5917.40</td><td>74.83</td><td>88.20 -13.37</td><td>62.15</td><td>33.67</td><td>12.76</td><td>34.80</td><td>1.05</td><td>214</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5917.40	74.83	88.20 -13.37	62.15	33.67	12.76	34.80	1.05	214	360 Peak	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>113.28</td><td>-----</td><td>100.39</td><td>33.85</td><td>12.98</td><td>34.88</td><td>0.94</td><td>214</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	113.28	-----	100.39	33.85	12.98	34.88	0.94	214	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5917.40	74.83	88.20 -13.37	62.15	33.67	12.76	34.80	1.05	214	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	113.28	-----	100.39	33.85	12.98	34.88	0.94	214	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.20</td><td>64.94</td><td>68.20 -3.26</td><td>52.27</td><td>33.66</td><td>12.77</td><td>34.80</td><td>1.04</td><td>214</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5920.20	64.94	68.20 -3.26	52.27	33.66	12.77	34.80	1.04	214	360 Average	Level (dBuV/m) Date: 2026-01-20 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>104.86</td><td>-----</td><td>91.92</td><td>33.88</td><td>12.99</td><td>34.88</td><td>0.95</td><td>214</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	104.86	-----	91.92	33.88	12.99	34.88	0.95	214	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5920.20	64.94	68.20 -3.26	52.27	33.66	12.77	34.80	1.04	214	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	104.86	-----	91.92	33.88	12.99	34.88	0.95	214	360 Average																																																																																	

Mode	84																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6185.00</td><td>104.86</td><td>-----</td><td>-----</td><td>91.06</td><td>34.60</td><td>13.15</td><td>34.96</td><td>1.01</td><td>118</td><td></td><td>360 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6185.00	104.86	-----	-----	91.06	34.60	13.15	34.96	1.01	118		360 Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6185.00	104.86	-----	-----	91.06	34.60	13.15	34.96	1.01	118		360 Peak																																				
Avg	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6185.00</td><td>96.82</td><td>-----</td><td>-----</td><td>82.92</td><td>34.68</td><td>13.17</td><td>34.96</td><td>1.01</td><td>118</td><td></td><td>360 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6185.00	96.82	-----	-----	82.92	34.68	13.17	34.96	1.01	118		360 Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6185.00	96.82	-----	-----	82.92	34.68	13.17	34.96	1.01	118		360 Average																																				

Mode	84																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 Frequency (MHz) 1000 2400. 3800. 5200. 6600. 8000 PEAK(UNII)_6E 1 6185.00 110.17 ----- 96.43 34.55 13.14 34.95 1.00 186 5 Peak Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6185.00</td><td>110.17</td><td>-----</td><td>96.43</td><td>34.55</td><td>13.14</td><td>34.95</td><td>1.00</td><td>186</td><td>5</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6185.00	110.17	-----	96.43	34.55	13.14	34.95	1.00	186	5	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6185.00	110.17	-----	96.43	34.55	13.14	34.95	1.00	186	5	Peak																																				
Avg	Blank					Date: 2026-02-26 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 Frequency (MHz) 1000 2400. 3800. 5200. 6600. 8000 AVG(UNII)_6E 1 6185.00 100.99 ----- 87.29 34.51 13.14 34.95 1.00 186 5 Average Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6185.00</td><td>100.99</td><td>-----</td><td>87.29</td><td>34.51</td><td>13.14</td><td>34.95</td><td>1.00</td><td>186</td><td>5</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6185.00	100.99	-----	87.29	34.51	13.14	34.95	1.00	186	5	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6185.00	100.99	-----	87.29	34.51	13.14	34.95	1.00	186	5	Average																																				



Mode	84																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>33.08</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Peak</td></tr><tr><td>2 12370.00</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>23.83</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Average</td></tr><tr><td>3 18555.00</td><td>38.83</td><td>74.00</td><td>-35.17</td><td>55.13</td><td>38.22</td><td>22.83</td><td>67.81</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	52.57	74.00	-21.43	33.08	39.84	18.64	40.77	0.31	-- Peak	2 12370.00	43.32	54.00	-10.68	23.83	39.84	18.64	40.77	0.31	-- Average	3 18555.00	38.83	74.00	-35.17	55.13	38.22	22.83	67.81	-9.54	-- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>33.52</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Peak</td></tr><tr><td>2 12370.00</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>24.41</td><td>39.84</td><td>18.64</td><td>40.77</td><td>0.31</td><td>-- Average</td></tr><tr><td>3 18555.00</td><td>38.63</td><td>74.00</td><td>-35.37</td><td>54.93</td><td>38.22</td><td>22.83</td><td>67.81</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	53.01	74.00	-20.99	33.52	39.84	18.64	40.77	0.31	-- Peak	2 12370.00	43.90	54.00	-10.10	24.41	39.84	18.64	40.77	0.31	-- Average	3 18555.00	38.63	74.00	-35.37	54.93	38.22	22.83	67.81	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12370.00	52.57	74.00	-21.43	33.08	39.84	18.64	40.77	0.31	-- Peak																																																																																																																	
2 12370.00	43.32	54.00	-10.68	23.83	39.84	18.64	40.77	0.31	-- Average																																																																																																																	
3 18555.00	38.83	74.00	-35.17	55.13	38.22	22.83	67.81	-9.54	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12370.00	53.01	74.00	-20.99	33.52	39.84	18.64	40.77	0.31	-- Peak																																																																																																																	
2 12370.00	43.90	54.00	-10.10	24.41	39.84	18.64	40.77	0.31	-- Average																																																																																																																	
3 18555.00	38.63	74.00	-35.37	54.93	38.22	22.83	67.81	-9.54	-- Peak																																																																																																																	



Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode

85

Band Edge

U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz

ANT

6+7

Pol.

Horizontal

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Loss Factor	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1 6345.00	103.74	-----	-----	89.04	35.45	13.32	35.05	0.98	102	357	Peak

Avg

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

1

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Loss Factor	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1 6345.00	95.66	-----	-----	80.96	35.45	13.32	35.05	0.98	102	357	Average

Mode

ANT

Pol.

Peak

Avg

85

Band Edge

U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz

6+7

Vertical

Blank

Blank

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400.

3800.

5200.

6600.

8000

Frequency (MHz)

1

6345.00

107.24

92.79

35.28

13.28

35.03

1.00

185

29

Peak

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

6345.00

107.24

92.79

35.28

13.28

35.03

1.00

185

29

Peak

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400.

3800.

5200.

6600.

8000

Frequency (MHz)

1

6345.00

98.77

84.15

35.36

13.31

35.04

0.99

185

29

Average

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto





Mode	85																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>55.25</td><td>74.00</td><td>-18.75</td><td>34.91</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Peak</td></tr><tr><td>2 12690.00</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>25.01</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>38.58</td><td>74.00</td><td>-35.42</td><td>53.70</td><td>38.33</td><td>23.14</td><td>67.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12690.00	55.25	74.00	-18.75	34.91	40.50	18.91	40.82	0.27	-- -- Peak	2 12690.00	45.35	54.00	-8.65	25.01	40.50	18.91	40.82	0.27	-- -- Average	3 19035.00	38.58	74.00	-35.42	53.70	38.33	23.14	67.05	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>34.06</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Peak</td></tr><tr><td>2 12690.00</td><td>44.70</td><td>54.00</td><td>-9.22</td><td>24.44</td><td>40.50</td><td>18.91</td><td>40.82</td><td>0.27</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>54.15</td><td>38.33</td><td>23.14</td><td>67.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12690.00	54.40	74.00	-19.60	34.06	40.50	18.91	40.82	0.27	-- -- Peak	2 12690.00	44.70	54.00	-9.22	24.44	40.50	18.91	40.82	0.27	-- -- Average	3 19035.00	39.03	74.00	-34.97	54.15	38.33	23.14	67.05	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12690.00	55.25	74.00	-18.75	34.91	40.50	18.91	40.82	0.27	-- -- Peak																																																																																																																	
2 12690.00	45.35	54.00	-8.65	25.01	40.50	18.91	40.82	0.27	-- -- Average																																																																																																																	
3 19035.00	38.58	74.00	-35.42	53.70	38.33	23.14	67.05	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12690.00	54.40	74.00	-19.60	34.06	40.50	18.91	40.82	0.27	-- -- Peak																																																																																																																	
2 12690.00	44.70	54.00	-9.22	24.44	40.50	18.91	40.82	0.27	-- -- Average																																																																																																																	
3 19035.00	39.03	74.00	-34.97	54.15	38.33	23.14	67.05	-9.54	-- -- Peak																																																																																																																	





Mode	85	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-20 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-20 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	86																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6435.00</td><td>96.69</td><td>-----</td><td>81.49</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>109</td><td>346</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6435.00	96.69	-----	81.49	35.93	13.39	35.10	0.98	109	346	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6435.00	96.69	-----	81.49	35.93	13.39	35.10	0.98	109	346	Peak																																				
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6435.00</td><td>89.48</td><td>-----</td><td>74.28</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>109</td><td>346</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6435.00	89.48	-----	74.28	35.93	13.39	35.10	0.98	109	346	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6435.00	89.48	-----	74.28	35.93	13.39	35.10	0.98	109	346	Average																																				



Mode	86																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6435.00</td><td>101.36</td><td>-----</td><td>86.16</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>199</td><td>39</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6435.00	101.36	-----	86.16	35.93	13.39	35.10	0.98	199	39	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6435.00	101.36	-----	86.16	35.93	13.39	35.10	0.98	199	39	Peak																																				
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6435.00</td><td>94.35</td><td>-----</td><td>79.15</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>199</td><td>39</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6435.00	94.35	-----	79.15	35.93	13.39	35.10	0.98	199	39	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6435.00	94.35	-----	79.15	35.93	13.39	35.10	0.98	199	39	Average																																				



Mode	86																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.28</td><td>88.20</td><td>-34.92</td><td>32.73</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>37.29</td><td>74.00</td><td>-36.71</td><td>51.97</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.28	88.20	-34.92	32.73	40.68	19.01	40.84	0.22	--	Peak	2	19305.00	37.29	74.00	-36.71	51.97	38.20	23.33	66.67	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.13</td><td>88.20</td><td>-35.07</td><td>32.58</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>52.60</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.13	88.20	-35.07	32.58	40.68	19.01	40.84	0.22	--	Peak	2	19305.00	37.92	74.00	-36.08	52.60	38.20	23.33	66.67	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	53.28	88.20	-34.92	32.73	40.68	19.01	40.84	0.22	--	Peak																																																																																																					
2	19305.00	37.29	74.00	-36.71	51.97	38.20	23.33	66.67	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	53.13	88.20	-35.07	32.58	40.68	19.01	40.84	0.22	--	Peak																																																																																																					
2	19305.00	37.92	74.00	-36.08	52.60	38.20	23.33	66.67	-9.54	--	Peak																																																																																																					



Mode	86	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode

87

Band Edge

U-NII-6_6.425-6.525_802.11a_CH105_6475MHz

ANT

6+7

Pol.

Horizontal

Peak

Blank

Fundamental

Date: 2026-02-26

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Frequency (MHz)

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	6475.00	96.80	-----	-----		81.53	36.00	13.40	35.12	0.99	106	346	Peak

Avg

Blank

Date: 2026-02-26

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Frequency (MHz)

1

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	6475.00	89.60	-----	-----		74.33	36.00	13.40	35.12	0.99	106	346	Average

Mode	87																																													
	Band Edge																																													
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																													
ANT	6+7																																													
Pol.	Vertical					Fundamental																																								
Peak	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6475.00</td><td>101.72</td><td>-----</td><td>-----</td><td>86.45</td><td>36.00</td><td>13.40</td><td>35.12</td><td>0.99</td><td>199</td><td>39</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6475.00	101.72	-----	-----	86.45	36.00	13.40	35.12	0.99	199	39	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 6475.00	101.72	-----	-----	86.45	36.00	13.40	35.12	0.99	199	39	Peak																																			
Avg	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6475.00</td><td>94.77</td><td>-----</td><td>-----</td><td>79.50</td><td>36.00</td><td>13.40</td><td>35.12</td><td>0.99</td><td>199</td><td>39</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6475.00	94.77	-----	-----	79.50	36.00	13.40	35.12	0.99	199	39	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 6475.00	94.77	-----	-----	79.50	36.00	13.40	35.12	0.99	199	39	Average																																			





Mode	87																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.42</td><td>88.20</td><td>-34.78</td><td>32.65</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.32</td><td>74.00</td><td>-37.68</td><td>50.76</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.42	88.20	-34.78	32.65	40.90	19.05	40.85	0.19	--	Peak	2	19425.00	36.32	74.00	-37.68	50.76	38.20	23.41	66.51	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.13</td><td>88.20</td><td>-35.07</td><td>32.36</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.81</td><td>74.00</td><td>-36.19</td><td>52.25</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.13	88.20	-35.07	32.36	40.90	19.05	40.85	0.19	--	Peak	2	19425.00	37.81	74.00	-36.19	52.25	38.20	23.41	66.51	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	53.42	88.20	-34.78	32.65	40.90	19.05	40.85	0.19	--	Peak																																																																																																					
2	19425.00	36.32	74.00	-37.68	50.76	38.20	23.41	66.51	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	53.13	88.20	-35.07	32.36	40.90	19.05	40.85	0.19	--	Peak																																																																																																					
2	19425.00	37.81	74.00	-36.19	52.25	38.20	23.41	66.51	-9.54	--	Peak																																																																																																					





Mode	87	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	88																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6515.00</td><td>97.47</td><td>-----</td><td>82.18</td><td>36.83</td><td>13.42</td><td>35.15</td><td>0.99</td><td></td><td>106</td><td>346 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6515.00	97.47	-----	82.18	36.83	13.42	35.15	0.99		106	346 Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6515.00	97.47	-----	82.18	36.83	13.42	35.15	0.99		106	346 Peak																																				
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6515.00</td><td>90.44</td><td>-----</td><td>75.15</td><td>36.83</td><td>13.42</td><td>35.15</td><td>0.99</td><td></td><td>106</td><td>346 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6515.00	90.44	-----	75.15	36.83	13.42	35.15	0.99		106	346 Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6515.00	90.44	-----	75.15	36.83	13.42	35.15	0.99		106	346 Average																																				



Mode	88																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6515.00</td><td>102.01</td><td>-----</td><td>86.72</td><td>36.03</td><td>13.42</td><td>35.15</td><td>0.99</td><td>196</td><td>38</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6515.00	102.01	-----	86.72	36.03	13.42	35.15	0.99	196	38	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	6515.00	102.01	-----	86.72	36.03	13.42	35.15	0.99	196	38	Peak																											
Avg	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6515.00</td><td>95.02</td><td>-----</td><td>79.73</td><td>36.03</td><td>13.42</td><td>35.15</td><td>0.99</td><td>196</td><td>38</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6515.00	95.02	-----	79.73	36.03	13.42	35.15	0.99	196	38	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	6515.00	95.02	-----	79.73	36.03	13.42	35.15	0.99	196	38	Average																											



Mode	88																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.16</td><td>88.20</td><td>-35.04</td><td>32.75</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>51.17</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.16	88.20	-35.04	32.75	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	36.89	74.00	-37.11	51.17	38.10	23.48	66.32	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>52.87</td><td>88.20</td><td>-35.33</td><td>32.46</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>52.23</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	52.87	88.20	-35.33	32.46	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	37.95	74.00	-36.05	52.23	38.10	23.48	66.32	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	53.16	88.20	-35.04	32.75	40.56	19.11	40.92	0.18	--	Peak																																																																																																					
2	19545.00	36.89	74.00	-37.11	51.17	38.10	23.48	66.32	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	52.87	88.20	-35.33	32.46	40.56	19.11	40.92	0.18	--	Peak																																																																																																					
2	19545.00	37.95	74.00	-36.05	52.23	38.10	23.48	66.32	-9.54	--	Peak																																																																																																					



Mode	88	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode

89

Band Edge

U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz

ANT

6+7

Pol.

Horizontal

Peak

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Frequency (MHz)

Site : 03CH22-HY
Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL
: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6435.00	99.33	-----	-----	84.16	35.89	13.39	35.09	0.98	100	346	Peak

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Frequency (MHz)

Site : 03CH22-HY
Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL
: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6435.00	91.59	-----	-----	76.42	35.89	13.39	35.09	0.98	100	346	Average

	89																																						
Mode	Band Edge																																						
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz																																						
ANT	6+7																																						
Pol.	Vertical				Fundamental																																		
Peak	Blank				Date: 2026-02-26 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table border="1"><thead><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6435.00</td><td>105.13</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>Peak</td></tr></tbody></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	m	dB	dB	cm	deg		1	6435.00	105.13	-	-	-	-	-	-	Peak
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
MHz	dBuV/m	dB	dBuV	m	dB	dB	cm	deg																															
1	6435.00	105.13	-	-	-	-	-	-	Peak																														
Avg	Blank				Date: 2026-02-26 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table border="1"><thead><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6435.00</td><td>96.78</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>Average</td></tr></tbody></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	m	dB	dB	cm	deg		1	6435.00	96.78	-	-	-	-	-	-	Average
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
MHz	dBuV/m	dB	dBuV	m	dB	dB	cm	deg																															
1	6435.00	96.78	-	-	-	-	-	-	Average																														





Mode	89																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>52.54</td><td>88.20</td><td>-35.66</td><td>31.99</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>36.55</td><td>74.00</td><td>-37.45</td><td>51.23</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	52.54	88.20	-35.66	31.99	40.68	19.01	40.84	0.22	--	Peak	2	19305.00	36.55	74.00	-37.45	51.23	38.20	23.33	66.67	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>33.01</td><td>40.68</td><td>19.01</td><td>40.84</td><td>0.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.44</td><td>74.00</td><td>-35.56</td><td>53.12</td><td>38.20</td><td>23.33</td><td>66.67</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.56	88.20	-34.64	33.01	40.68	19.01	40.84	0.22	--	Peak	2	19305.00	38.44	74.00	-35.56	53.12	38.20	23.33	66.67	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	52.54	88.20	-35.66	31.99	40.68	19.01	40.84	0.22	--	Peak																																																																																																					
2	19305.00	36.55	74.00	-37.45	51.23	38.20	23.33	66.67	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	53.56	88.20	-34.64	33.01	40.68	19.01	40.84	0.22	--	Peak																																																																																																					
2	19305.00	38.44	74.00	-35.56	53.12	38.20	23.33	66.67	-9.54	--	Peak																																																																																																					



Mode	89	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	90																																										
	Band Edge																																										
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																										
ANT	6+7																																										
Pol.	Horizontal					Fundamental																																					
Peak	Blank					Date: 2026-02-26 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6475.00</td><td>99.72</td><td>-----</td><td>84.46</td><td>36.00</td><td>13.39</td><td>35.11</td><td>0.98</td><td>101</td><td>345 Peak</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6475.00	99.72	-----	84.46	36.00	13.39	35.11	0.98	101	345 Peak
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	6475.00	99.72	-----	84.46	36.00	13.39	35.11	0.98	101	345 Peak																																	
Avg	Blank					Date: 2026-02-26 Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6475.00</td><td>92.41</td><td>-----</td><td>77.15</td><td>36.00</td><td>13.39</td><td>35.11</td><td>0.98</td><td>101</td><td>345 Average</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6475.00	92.41	-----	77.15	36.00	13.39	35.11	0.98	101	345 Average
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	6475.00	92.41	-----	77.15	36.00	13.39	35.11	0.98	101	345 Average																																	



Mode	90																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6475.00</td><td>103.25</td><td>-----</td><td>-----</td><td>87.99</td><td>36.00</td><td>13.39</td><td>35.11</td><td>0.98</td><td>200</td><td>36</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6475.00	103.25	-----	-----	87.99	36.00	13.39	35.11	0.98	200	36	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6475.00	103.25	-----	-----	87.99	36.00	13.39	35.11	0.98	200	36	Peak																																				
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6475.00</td><td>95.73</td><td>-----</td><td>-----</td><td>80.47</td><td>36.00</td><td>13.39</td><td>35.11</td><td>0.98</td><td>200</td><td>36</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6475.00	95.73	-----	-----	80.47	36.00	13.39	35.11	0.98	200	36	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6475.00	95.73	-----	-----	80.47	36.00	13.39	35.11	0.98	200	36	Average																																				



Mode	90																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>33.07</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.17</td><td>74.00</td><td>-36.83</td><td>51.61</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.84	88.20	-34.36	33.07	40.90	19.05	40.85	0.19	--	Peak	2	19425.00	37.17	74.00	-36.83	51.61	38.20	23.41	66.51	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>52.84</td><td>88.20</td><td>-35.36</td><td>32.07</td><td>40.90</td><td>19.05</td><td>40.85</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.85</td><td>74.00</td><td>-37.15</td><td>51.29</td><td>38.20</td><td>23.41</td><td>66.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	52.84	88.20	-35.36	32.07	40.90	19.05	40.85	0.19	--	Peak	2	19425.00	36.85	74.00	-37.15	51.29	38.20	23.41	66.51	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	53.84	88.20	-34.36	33.07	40.90	19.05	40.85	0.19	--	Peak																																																																																																					
2	19425.00	37.17	74.00	-36.83	51.61	38.20	23.41	66.51	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	52.84	88.20	-35.36	32.07	40.90	19.05	40.85	0.19	--	Peak																																																																																																					
2	19425.00	36.85	74.00	-37.15	51.29	38.20	23.41	66.51	-9.54	--	Peak																																																																																																					



Mode	90	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	91																																							
	Band Edge																																							
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																							
ANT	6+7																																							
Pol.	Horizontal					Fundamental																																		
Peak	Blank					Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6515.00</td><td>98.65</td><td>-----</td><td>83.37</td><td>36.02</td><td>13.41</td><td>35.14</td><td>0.99</td><td>100</td><td>342 Peak</td></tr></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 6515.00	98.65	-----	83.37	36.02	13.41	35.14	0.99	100	342 Peak
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 6515.00	98.65	-----	83.37	36.02	13.41	35.14	0.99	100	342 Peak																															
Avg	Blank					Level (dBuV/m) Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6515.00</td><td>91.52</td><td>-----</td><td>76.24</td><td>36.02</td><td>13.41</td><td>35.14</td><td>0.99</td><td>100</td><td>342 Average</td></tr></table>					Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 6515.00	91.52	-----	76.24	36.02	13.41	35.14	0.99	100	342 Average
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 6515.00	91.52	-----	76.24	36.02	13.41	35.14	0.99	100	342 Average																															

Mode	91																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6515.00</td><td>103.95</td><td>-----</td><td>-----</td><td>88.67</td><td>36.02</td><td>13.41</td><td>35.14</td><td>0.99</td><td>181</td><td>37</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6515.00	103.95	-----	-----	88.67	36.02	13.41	35.14	0.99	181	37	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6515.00	103.95	-----	-----	88.67	36.02	13.41	35.14	0.99	181	37	Peak																																				
Avg	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6515.00</td><td>96.63</td><td>-----</td><td>-----</td><td>81.35</td><td>36.02</td><td>13.41</td><td>35.14</td><td>0.99</td><td>181</td><td>37</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6515.00	96.63	-----	-----	81.35	36.02	13.41	35.14	0.99	181	37	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6515.00	96.63	-----	-----	81.35	36.02	13.41	35.14	0.99	181	37	Average																																				



Mode	91																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.19</td><td>88.20</td><td>-35.01</td><td>32.78</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.99</td><td>74.00</td><td>-37.01</td><td>51.27</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.19	88.20	-35.01	32.78	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	36.99	74.00	-37.01	51.27	38.10	23.48	66.32	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>32.68</td><td>40.56</td><td>19.11</td><td>40.92</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.00</td><td>74.00</td><td>-36.00</td><td>52.28</td><td>38.10</td><td>23.48</td><td>66.32</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.09	88.20	-35.11	32.68	40.56	19.11	40.92	0.18	--	Peak	2	19545.00	38.00	74.00	-36.00	52.28	38.10	23.48	66.32	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	53.19	88.20	-35.01	32.78	40.56	19.11	40.92	0.18	--	Peak																																																																																																					
2	19545.00	36.99	74.00	-37.01	51.27	38.10	23.48	66.32	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	53.09	88.20	-35.11	32.68	40.56	19.11	40.92	0.18	--	Peak																																																																																																					
2	19545.00	38.00	74.00	-36.00	52.28	38.10	23.48	66.32	-9.54	--	Peak																																																																																																					



Mode	91	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII_6E) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Report No. : FR5N0611-01H

Mode

ANT

Pol.

92

Band Edge

U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz

6+7

Horizontal

Blank

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

Date: 2026-02-26

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	6445.00	99.92	-----	84.72	35.93	13.39	35.10	0.98	100	346	Peak

Blank

Blank

Avg

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

Date: 2026-02-26

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	6445.00	91.80	-----	76.60	35.93	13.39	35.10	0.98	100	346	Average

Mode	92																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6445.00</td><td>106.58</td><td>-----</td><td>91.38</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>176</td><td>40</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6445.00	106.58	-----	91.38	35.93	13.39	35.10	0.98	176	40	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6445.00	106.58	-----	91.38	35.93	13.39	35.10	0.98	176	40	Peak																																				
Avg	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6445.00</td><td>97.35</td><td>-----</td><td>82.15</td><td>35.93</td><td>13.39</td><td>35.10</td><td>0.98</td><td>176</td><td>40</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6445.00	97.35	-----	82.15	35.93	13.39	35.10	0.98	176	40	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6445.00	97.35	-----	82.15	35.93	13.39	35.10	0.98	176	40	Average																																				





Mode	92																																																																																																													
	Harmonic																																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																																													
ANT	6+7																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>32.71</td><td>40.76</td><td>19.02</td><td>40.84</td><td>0.21</td><td>-- Peak</td></tr><tr><td>2</td><td>19335.00</td><td>36.36</td><td>74.00</td><td>-37.64</td><td>50.98</td><td>38.20</td><td>23.35</td><td>66.63</td><td>-9.54</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	53.34	88.20	-34.86	32.71	40.76	19.02	40.84	0.21	-- Peak	2	19335.00	36.36	74.00	-37.64	50.98	38.20	23.35	66.63	-9.54	-- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>53.58</td><td>88.20</td><td>-34.62</td><td>32.95</td><td>40.76</td><td>19.02</td><td>40.84</td><td>0.21</td><td>-- Peak</td></tr><tr><td>2</td><td>19335.00</td><td>37.33</td><td>74.00</td><td>-36.67</td><td>51.95</td><td>38.20</td><td>23.35</td><td>66.63</td><td>-9.54</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	53.58	88.20	-34.62	32.95	40.76	19.02	40.84	0.21	-- Peak	2	19335.00	37.33	74.00	-36.67	51.95	38.20	23.35	66.63	-9.54	-- Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	12890.00	53.34	88.20	-34.86	32.71	40.76	19.02	40.84	0.21	-- Peak																																																																																																				
2	19335.00	36.36	74.00	-37.64	50.98	38.20	23.35	66.63	-9.54	-- Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	12890.00	53.58	88.20	-34.62	32.95	40.76	19.02	40.84	0.21	-- Peak																																																																																																				
2	19335.00	37.33	74.00	-36.67	51.95	38.20	23.35	66.63	-9.54	-- Peak																																																																																																				



Mode	92	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	93																																																	
	Band Edge																																																	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																	
ANT	6+7																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Blank					Level (dBuV/m) Date: 2026-02-26 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6485.00</td><td>100.87</td><td>-----</td><td>-----</td><td>85.61</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>127</td><td>346</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6485.00	100.87	-----	-----	85.61	36.00	13.40	35.13	0.99	127	346	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6485.00	100.87	-----	-----	85.61	36.00	13.40	35.13	0.99	127	346	Peak																																						
Avg	Blank					Level (dBuV/m) Date: 2026-02-26 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6485.00</td><td>92.53</td><td>-----</td><td>-----</td><td>77.27</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>127</td><td>346</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6485.00	92.53	-----	-----	77.27	36.00	13.40	35.13	0.99	127	346	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6485.00	92.53	-----	-----	77.27	36.00	13.40	35.13	0.99	127	346	Average																																						



Mode	93																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																					
ANT	6+7																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6485.00</td><td>104.62</td><td>-----</td><td>89.35</td><td>36.00</td><td>13.40</td><td>35.12</td><td>0.99</td><td>181</td><td>36</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6485.00	104.62	-----	89.35	36.00	13.40	35.12	0.99	181	36	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	6485.00	104.62	-----	89.35	36.00	13.40	35.12	0.99	181	36	Peak																											
Avg	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6485.00</td><td>97.30</td><td>-----</td><td>82.03</td><td>36.00</td><td>13.40</td><td>35.12</td><td>0.99</td><td>181</td><td>36</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6485.00	97.30	-----	82.03	36.00	13.40	35.12	0.99	181	36	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	6485.00	97.30	-----	82.03	36.00	13.40	35.12	0.99	181	36	Average																											







Mode	93																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>54.59</td><td>88.20</td><td>-33.61</td><td>33.86</td><td>40.86</td><td>19.06</td><td>40.86</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>37.93</td><td>74.00</td><td>-36.07</td><td>52.31</td><td>38.19</td><td>23.43</td><td>66.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	54.59	88.20	-33.61	33.86	40.86	19.06	40.86	0.19	--	Peak	2	19455.00	37.93	74.00	-36.07	52.31	38.19	23.43	66.46	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>53.30</td><td>88.20</td><td>-34.90</td><td>32.57</td><td>40.86</td><td>19.06</td><td>40.86</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>37.04</td><td>74.00</td><td>-36.96</td><td>51.42</td><td>38.19</td><td>23.43</td><td>66.46</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	53.30	88.20	-34.90	32.57	40.86	19.06	40.86	0.19	--	Peak	2	19455.00	37.04	74.00	-36.96	51.42	38.19	23.43	66.46	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	54.59	88.20	-33.61	33.86	40.86	19.06	40.86	0.19	--	Peak																																																																																																															
2	19455.00	37.93	74.00	-36.07	52.31	38.19	23.43	66.46	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	53.30	88.20	-34.90	32.57	40.86	19.06	40.86	0.19	--	Peak																																																																																																															
2	19455.00	37.04	74.00	-36.96	51.42	38.19	23.43	66.46	-9.54	--	Peak																																																																																																															



Mode	93	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	94																																					
	Band Edge																																					
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																					
ANT	6+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6525.00</td><td>100.89</td><td>-----</td><td>85.54</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>125</td><td>348</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6525.00	100.89	-----	85.54	36.07	13.46	35.18	1.00	125	348	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6525.00	100.89	-----	85.54	36.07	13.46	35.18	1.00	125	348	Peak																											
Avg	Blank	Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6525.00</td><td>93.16</td><td>-----</td><td>77.81</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>125</td><td>348</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6525.00	93.16	-----	77.81	36.07	13.46	35.18	1.00	125	348	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6525.00	93.16	-----	77.81	36.07	13.46	35.18	1.00	125	348	Average																											

Mode	94																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Loss Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6525.00</td><td>105.70</td><td>-----</td><td>90.35</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>181</td><td>38</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6525.00	105.70	-----	90.35	36.07	13.46	35.18	1.00	181	38	Peak
Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6525.00	105.70	-----	90.35	36.07	13.46	35.18	1.00	181	38	Peak																																				
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Loss Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6525.00</td><td>97.14</td><td>-----</td><td>81.79</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>181</td><td>38</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6525.00	97.14	-----	81.79	36.07	13.46	35.18	1.00	181	38	Average
Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6525.00	97.14	-----	81.79	36.07	13.46	35.18	1.00	181	38	Average																																				



Mode	94																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>32.39</td><td>40.40</td><td>19.12</td><td>40.96</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>52.39</td><td>38.10</td><td>23.50</td><td>66.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	52.61	88.20	-35.59	32.39	40.40	19.12	40.96	0.18	--	Peak	2	19575.00	38.19	74.00	-35.81	52.39	38.10	23.50	66.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>32.56</td><td>40.40</td><td>19.12</td><td>40.96</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>37.30</td><td>74.00</td><td>-36.70</td><td>51.50</td><td>38.10</td><td>23.50</td><td>66.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	52.78	88.20	-35.42	32.56	40.40	19.12	40.96	0.18	--	Peak	2	19575.00	37.30	74.00	-36.70	51.50	38.10	23.50	66.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	52.61	88.20	-35.59	32.39	40.40	19.12	40.96	0.18	--	Peak																																																																																																					
2	19575.00	38.19	74.00	-35.81	52.39	38.10	23.50	66.26	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	52.78	88.20	-35.42	32.56	40.40	19.12	40.96	0.18	--	Peak																																																																																																					
2	19575.00	37.30	74.00	-36.70	51.50	38.10	23.50	66.26	-9.54	--	Peak																																																																																																					



Mode	94	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode

ANT

Pol.

95

Band Edge

U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz

6+7

Horizontal

Blank

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400


3800

5200

6600

8000

Date: 2026-02-26



Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6465.00	98.62	-----	83.37	35.98	13.39	35.10	0.98	100	351	Peak

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400


3800

5200

6600

8000

Date: 2026-02-26



Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 6465.00	90.58	-----	75.32	36.00	13.39	35.11	0.98	100	351	Average

Mode	95									
	Band Edge									
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz									
ANT	6+7									
Pol.	Vertical					Fundamental				
Peak	Blank					<				





Mode	95																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>33.38</td><td>40.86</td><td>19.04</td><td>40.85</td><td>0.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>36.92</td><td>74.00</td><td>-37.08</td><td>51.42</td><td>38.20</td><td>23.39</td><td>66.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.11	88.20	-34.09	33.38	40.86	19.04	40.85	0.20	--	Peak	2	19395.00	36.92	74.00	-37.08	51.42	38.20	23.39	66.55	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>53.85</td><td>88.20</td><td>-34.35</td><td>33.12</td><td>40.86</td><td>19.04</td><td>40.85</td><td>0.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>37.53</td><td>74.00</td><td>-36.47</td><td>52.03</td><td>38.20</td><td>23.39</td><td>66.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	53.85	88.20	-34.35	33.12	40.86	19.04	40.85	0.20	--	Peak	2	19395.00	37.53	74.00	-36.47	52.03	38.20	23.39	66.55	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	54.11	88.20	-34.09	33.38	40.86	19.04	40.85	0.20	--	Peak																																																																																																														
2	19395.00	36.92	74.00	-37.08	51.42	38.20	23.39	66.55	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	53.85	88.20	-34.35	33.12	40.86	19.04	40.85	0.20	--	Peak																																																																																																														
2	19395.00	37.53	74.00	-36.47	52.03	38.20	23.39	66.55	-9.54	--	Peak																																																																																																														



Mode	95	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	96																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6505.00</td><td>102.04</td><td>-----</td><td>86.67</td><td>36.09</td><td>13.47</td><td>35.19</td><td>1.00</td><td>100</td><td>342</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6505.00	102.04	-----	86.67	36.09	13.47	35.19	1.00	100	342	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6505.00	102.04	-----	86.67	36.09	13.47	35.19	1.00	100	342	Peak																																				
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6505.00</td><td>91.88</td><td>-----</td><td>76.62</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>100</td><td>342</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6505.00	91.88	-----	76.62	36.00	13.40	35.13	0.99	100	342	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6505.00	91.88	-----	76.62	36.00	13.40	35.13	0.99	100	342	Average																																				

Mode	96																																														
	Band Edge																																														
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Level (dBuV/m) Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6505.00</td><td>105.17</td><td>-</td><td>89.91</td><td>36.00</td><td>13.40</td><td>35.13</td><td>0.99</td><td>183</td><td>39</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6505.00	105.17	-	89.91	36.00	13.40	35.13	0.99	183	39	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6505.00	105.17	-	89.91	36.00	13.40	35.13	0.99	183	39	Peak																																				
Avg	Blank					Level (dBuV/m) Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6505.00</td><td>97.89</td><td>-</td><td>82.60</td><td>36.03</td><td>13.42</td><td>35.15</td><td>0.99</td><td>183</td><td>39</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6505.00	97.89	-	82.60	36.03	13.42	35.15	0.99	183	39	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6505.00	97.89	-	82.60	36.03	13.42	35.15	0.99	183	39	Average																																				





Mode	96																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>33.52</td><td>40.72</td><td>19.09</td><td>40.88</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>37.86</td><td>74.00</td><td>-36.14</td><td>52.20</td><td>38.10</td><td>23.47</td><td>66.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.11	88.20	-34.09	33.52	40.72	19.09	40.88	0.18	--	Peak	2	19515.00	37.86	74.00	-36.14	52.20	38.10	23.47	66.37	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>53.92</td><td>88.20</td><td>-34.28</td><td>33.33</td><td>40.72</td><td>19.09</td><td>40.88</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>52.29</td><td>38.10</td><td>23.47</td><td>66.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	53.92	88.20	-34.28	33.33	40.72	19.09	40.88	0.18	--	Peak	2	19515.00	37.95	74.00	-36.05	52.29	38.10	23.47	66.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	54.11	88.20	-34.09	33.52	40.72	19.09	40.88	0.18	--	Peak																																																																																																					
2	19515.00	37.86	74.00	-36.14	52.20	38.10	23.47	66.37	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13010.00	53.92	88.20	-34.28	33.33	40.72	19.09	40.88	0.18	--	Peak																																																																																																					
2	19515.00	37.95	74.00	-36.05	52.29	38.10	23.47	66.37	-9.54	--	Peak																																																																																																					



Mode	96	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	97																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-14  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>113.88</td><td>-----</td><td>98.53</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>100</td><td>346</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	113.88	-----	98.53	36.07	13.46	35.18	1.00	100	346	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6535.00	113.88	-----	98.53	36.07	13.46	35.18	1.00	100	346	Peak																																				
Avg	Blank					Date: 2026-02-14  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>111.10</td><td>-----</td><td>95.75</td><td>36.07</td><td>13.46</td><td>35.18</td><td>1.00</td><td>100</td><td>346</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	111.10	-----	95.75	36.07	13.46	35.18	1.00	100	346	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6535.00	111.10	-----	95.75	36.07	13.46	35.18	1.00	100	346	Average																																				

Mode

97

Band Edge

U-NII-7_6.525-6.875_802.11a_CH117_6535MHz

ANT

6+7

Pol.

Vertical

Peak

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line Margin

Level Factor

Loss Factor

Factor

Factor

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

6535.00

115.53

100.18

36.07

13.46

35.18

1.00

100

78 Peak

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line Margin

Level Factor

Loss Factor

Factor

Factor

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

6535.00

112.70

97.35

36.07

13.46

35.18

1.00

100

78 Average



Mode	97																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																																							
ANT	6+7																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>57.34</td><td>88.20</td><td>-30.86</td><td>36.98</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>108</td><td>9</td><td>Peak</td></tr><tr><td>2 13070.00</td><td>51.24</td><td>68.20</td><td>-16.96</td><td>30.88</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>108</td><td>9</td><td>Average</td></tr><tr><td>3 19605.00</td><td>38.01</td><td>74.00</td><td>-35.99</td><td>52.14</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	57.34	88.20	-30.86	36.98	40.56	19.14	41.00	0.18	108	9	Peak	2 13070.00	51.24	68.20	-16.96	30.88	40.56	19.14	41.00	0.18	108	9	Average	3 19605.00	38.01	74.00	-35.99	52.14	38.10	23.52	66.21	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>59.44</td><td>88.20</td><td>-28.76</td><td>39.08</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>100</td><td>337</td><td>Peak</td></tr><tr><td>2 13070.00</td><td>53.89</td><td>68.20</td><td>-14.31</td><td>33.53</td><td>40.56</td><td>19.14</td><td>41.00</td><td>0.18</td><td>100</td><td>337</td><td>Average</td></tr><tr><td>3 19605.00</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>53.20</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	59.44	88.20	-28.76	39.08	40.56	19.14	41.00	0.18	100	337	Peak	2 13070.00	53.89	68.20	-14.31	33.53	40.56	19.14	41.00	0.18	100	337	Average	3 19605.00	39.07	74.00	-34.93	53.20	38.10	23.52	66.21	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13070.00	57.34	88.20	-30.86	36.98	40.56	19.14	41.00	0.18	108	9	Peak																																																																																																																													
2 13070.00	51.24	68.20	-16.96	30.88	40.56	19.14	41.00	0.18	108	9	Average																																																																																																																													
3 19605.00	38.01	74.00	-35.99	52.14	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13070.00	59.44	88.20	-28.76	39.08	40.56	19.14	41.00	0.18	100	337	Peak																																																																																																																													
2 13070.00	53.89	68.20	-14.31	33.53	40.56	19.14	41.00	0.18	100	337	Average																																																																																																																													
3 19605.00	39.07	74.00	-34.93	53.20	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																													



Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 AVG(UNII_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 AVG(UNII_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode

98

Band Edge

U-NII-7_6.525-6.875_802.11a_CH149_6695MHz

ANT

6+7

Pol.

Horizontal

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Frequency (MHz)

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Freq

Level

Limit

Line Margin

Read

Level

Ant

Cable

Preamp

Aux

APos

TPos

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

dB

cm

deg

1

6695.00

109.44

93.68

36.46

13.69

35.39

1.00

100

328

Peak

Avg

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

Frequency (MHz)

1

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Freq

Level

Limit

Line Margin

Read

Level

Ant

Cable

Preamp

Aux

APos

TPos

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

dB

cm

deg

1

6695.00

102.34

86.58

36.46

13.69

35.39



1.00

100

328

Average



Mode	98																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>113.65</td><td>-----</td><td>-----</td><td>97.86</td><td>36.49</td><td>13.70</td><td>35.40</td><td>1.00</td><td>100</td><td>40</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	113.65	-----	-----	97.86	36.49	13.70	35.40	1.00	100	40	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6695.00	113.65	-----	-----	97.86	36.49	13.70	35.40	1.00	100	40	Peak																																				
Avg	Blank					Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>106.88</td><td>-----</td><td>-----</td><td>91.12</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>40</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	106.88	-----	-----	91.12	36.46	13.69	35.39	1.00	100	40	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6695.00	106.88	-----	-----	91.12	36.46	13.69	35.39	1.00	100	40	Average																																				



Mode	98																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																																											
ANT	6+7																																																																																																																																																											
Pol.	Horizontal																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E 3 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>36.14</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>200</td><td>89</td><td>Peak</td></tr><tr><td>2 13390.00</td><td>48.43</td><td>54.00</td><td>-5.57</td><td>28.00</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>200</td><td>89</td><td>Average</td></tr><tr><td>3 20805.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>49.83</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	56.57	74.00	-17.43	36.14	40.96	19.42	41.62	0.19	200	89	Peak	2 13390.00	48.43	54.00	-5.57	28.00	40.96	19.42	41.62	0.19	200	89	Average	3 20805.00	36.70	74.00	-37.30	49.83	38.00	23.79	65.38	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E AVG(UNII)_6E 3 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>60.08</td><td>74.00</td><td>-13.92</td><td>39.65</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>180</td><td>1</td><td>Peak</td></tr><tr><td>2 13390.00</td><td>50.92</td><td>54.00</td><td>-3.08</td><td>30.49</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>180</td><td>1</td><td>Average</td></tr><tr><td>3 20805.00</td><td>37.93</td><td>74.00</td><td>-36.07</td><td>51.06</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13390.00	60.08	74.00	-13.92	39.65	40.96	19.42	41.62	0.19	180	1	Peak	2 13390.00	50.92	54.00	-3.08	30.49	40.96	19.42	41.62	0.19	180	1	Average	3 20805.00	37.93	74.00	-36.07	51.06	38.00	23.79	65.38	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 13390.00	56.57	74.00	-17.43	36.14	40.96	19.42	41.62	0.19	200	89	Peak																																																																																																																																																	
2 13390.00	48.43	54.00	-5.57	28.00	40.96	19.42	41.62	0.19	200	89	Average																																																																																																																																																	
3 20805.00	36.70	74.00	-37.30	49.83	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 13390.00	60.08	74.00	-13.92	39.65	40.96	19.42	41.62	0.19	180	1	Peak																																																																																																																																																	
2 13390.00	50.92	54.00	-3.08	30.49	40.96	19.42	41.62	0.19	180	1	Average																																																																																																																																																	
3 20805.00	37.93	74.00	-36.07	51.06	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																																																	



Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-16 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-16 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

	99																																																		
Mode	Band Edge																																																		
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																		
ANT	6+7																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Blank						Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6875.00</td><td>109.99</td><td>-----</td><td>-----</td><td></td><td>94.12</td><td>36.65</td><td>13.88</td><td>35.64</td><td>0.98</td><td>320</td><td>289</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 6875.00	109.99	-----	-----		94.12	36.65	13.88	35.64	0.98	320	289	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1 6875.00	109.99	-----	-----		94.12	36.65	13.88	35.64	0.98	320	289	Peak																																							
Avg	Blank						Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6875.00</td><td>103.49</td><td>-----</td><td>-----</td><td></td><td>87.63</td><td>36.63</td><td>13.88</td><td>35.63</td><td>0.98</td><td>320</td><td>289</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 6875.00	103.49	-----	-----		87.63	36.63	13.88	35.63	0.98	320	289	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1 6875.00	103.49	-----	-----		87.63	36.63	13.88	35.63	0.98	320	289	Average																																							

Mode	99										
	Band Edge										
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz										
ANT	6+7										
Pol.	Vertical					Fundamental					
Peak	Blank					</					



Mode	99																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																																																															
ANT	6+7																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E Avg(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>62.69</td><td>88.20</td><td>-25.51</td><td>42.15</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>200</td><td>286 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>58.15</td><td>68.20</td><td>-10.05</td><td>37.61</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>200</td><td>286 Average</td></tr><tr><td>3</td><td>20625.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>52.58</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>287</td><td>351 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>32.88</td><td>54.00</td><td>-21.12</td><td>44.01</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>287</td><td>351 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	62.69	88.20	-25.51	42.15	41.50	19.51	42.13	0.17	200	286 Peak	2	13750.00	58.15	68.20	-10.05	37.61	41.50	19.51	42.13	0.17	200	286 Average	3	20625.00	40.65	74.00	-33.35	52.58	38.10	24.11	64.60	-9.54	287	351 Peak	4	20625.00	32.88	54.00	-21.12	44.01	38.10	24.11	64.60	-9.54	287	351 Average	Level (dBuV/m) Date: 2026-02-10 PEAK(UNII)_6E Avg(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>62.58</td><td>88.20</td><td>-25.62</td><td>42.04</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>201</td><td>300 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>37.19</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>201</td><td>300 Average</td></tr><tr><td>3</td><td>20625.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>52.18</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>196</td><td>360 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>31.65</td><td>54.00</td><td>-22.35</td><td>43.58</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>196</td><td>360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	62.58	88.20	-25.62	42.04	41.50	19.51	42.13	0.17	201	300 Peak	2	13750.00	57.73	68.20	-10.47	37.19	41.50	19.51	42.13	0.17	201	300 Average	3	20625.00	40.25	74.00	-33.75	52.18	38.10	24.11	64.60	-9.54	196	360 Peak	4	20625.00	31.65	54.00	-22.35	43.58	38.10	24.11	64.60	-9.54	196	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	13750.00	62.69	88.20	-25.51	42.15	41.50	19.51	42.13	0.17	200	286 Peak																																																																																																																																																					
2	13750.00	58.15	68.20	-10.05	37.61	41.50	19.51	42.13	0.17	200	286 Average																																																																																																																																																					
3	20625.00	40.65	74.00	-33.35	52.58	38.10	24.11	64.60	-9.54	287	351 Peak																																																																																																																																																					
4	20625.00	32.88	54.00	-21.12	44.01	38.10	24.11	64.60	-9.54	287	351 Average																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	13750.00	62.58	88.20	-25.62	42.04	41.50	19.51	42.13	0.17	201	300 Peak																																																																																																																																																					
2	13750.00	57.73	68.20	-10.47	37.19	41.50	19.51	42.13	0.17	201	300 Average																																																																																																																																																					
3	20625.00	40.25	74.00	-33.75	52.18	38.10	24.11	64.60	-9.54	196	360 Peak																																																																																																																																																					
4	20625.00	31.65	54.00	-22.35	43.58	38.10	24.11	64.60	-9.54	196	360 Average																																																																																																																																																					



Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	100																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Level (dBuV/m) Date: 2026-02-26 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6535.00</td><td>112.09</td><td>-</td><td>96.76</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>100</td><td>345</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6535.00	112.09	-	96.76	36.06	13.44	35.17	1.00	100	345	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6535.00	112.09	-	96.76	36.06	13.44	35.17	1.00	100	345	Peak																																				
Avg	Blank					Level (dBuV/m) Date: 2026-02-26 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6535.00</td><td>103.56</td><td>-</td><td>88.23</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>100</td><td>345</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6535.00	103.56	-	88.23	36.06	13.44	35.17	1.00	100	345	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6535.00	103.56	-	88.23	36.06	13.44	35.17	1.00	100	345	Average																																				

Mode	100																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6535.00</td><td>115.18</td><td>-----</td><td>-----</td><td>99.85</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>200</td><td>29</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6535.00	115.18	-----	-----	99.85	36.06	13.44	35.17	1.00	200	29	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6535.00	115.18	-----	-----	99.85	36.06	13.44	35.17	1.00	200	29	Peak																																				
Avg	Blank					Date: 2026-02-26 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6535.00</td><td>107.15</td><td>-----</td><td>-----</td><td>91.82</td><td>36.06</td><td>13.44</td><td>35.17</td><td>1.00</td><td>200</td><td>29</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6535.00	107.15	-----	-----	91.82	36.06	13.44	35.17	1.00	200	29	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6535.00	107.15	-----	-----	91.82	36.06	13.44	35.17	1.00	200	29	Average																																				



Mode	100																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																																							
ANT	6+7																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>56.19</td><td>88.20</td><td>-32.01</td><td>46.59</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>242</td><td>60</td><td>Peak</td></tr><tr><td>2 13070.00</td><td>46.71</td><td>68.20</td><td>-21.49</td><td>37.11</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>242</td><td>60</td><td>Average</td></tr><tr><td>3 19605.00</td><td>38.72</td><td>74.00</td><td>-35.28</td><td>52.85</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	56.19	88.20	-32.01	46.59	--	19.14	0.00	-9.54	242	60	Peak	2 13070.00	46.71	68.20	-21.49	37.11	--	19.14	0.00	-9.54	242	60	Average	3 19605.00	38.72	74.00	-35.28	52.85	38.10	23.52	66.21	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>56.71</td><td>88.20</td><td>-31.49</td><td>47.11</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>199</td><td>11</td><td>Peak</td></tr><tr><td>2 13070.00</td><td>46.64</td><td>68.20</td><td>-21.56</td><td>37.04</td><td>--</td><td>19.14</td><td>0.00</td><td>-9.54</td><td>199</td><td>11</td><td>Average</td></tr><tr><td>3 19605.00</td><td>37.98</td><td>74.00</td><td>-36.02</td><td>52.11</td><td>38.10</td><td>23.52</td><td>66.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	56.71	88.20	-31.49	47.11	--	19.14	0.00	-9.54	199	11	Peak	2 13070.00	46.64	68.20	-21.56	37.04	--	19.14	0.00	-9.54	199	11	Average	3 19605.00	37.98	74.00	-36.02	52.11	38.10	23.52	66.21	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13070.00	56.19	88.20	-32.01	46.59	--	19.14	0.00	-9.54	242	60	Peak																																																																																																																													
2 13070.00	46.71	68.20	-21.49	37.11	--	19.14	0.00	-9.54	242	60	Average																																																																																																																													
3 19605.00	38.72	74.00	-35.28	52.85	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13070.00	56.71	88.20	-31.49	47.11	--	19.14	0.00	-9.54	199	11	Peak																																																																																																																													
2 13070.00	46.64	68.20	-21.56	37.04	--	19.14	0.00	-9.54	199	11	Average																																																																																																																													
3 19605.00	37.98	74.00	-36.02	52.11	38.10	23.52	66.21	-9.54	--	--	Peak																																																																																																																													



Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	101																																																		
	Band Edge																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																		
ANT	6+7																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Blank						Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6695.00</td><td>110.24</td><td>-</td><td>-</td><td>94.48</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>329</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6695.00	110.24	-	-	94.48	36.46	13.69	35.39	1.00	100	329	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	6695.00	110.24	-	-	94.48	36.46	13.69	35.39	1.00	100	329	Peak																																							
Avg	Blank						Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6695.00</td><td>102.48</td><td>-</td><td>-</td><td>86.72</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>329</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6695.00	102.48	-	-	86.72	36.46	13.69	35.39	1.00	100	329	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Loss	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	6695.00	102.48	-	-	86.72	36.46	13.69	35.39	1.00	100	329	Average																																							

	101																																										
Mode	Band Edge																																										
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																										
ANT	6+7																																										
Pol.	Vertical					Fundamental																																					
Peak	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamplifier</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6695.00</td><td>115.48</td><td>-----</td><td>99.72</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>39 Peak</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamplifier	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6695.00	115.48	-----	99.72	36.46	13.69	35.39	1.00	100	39 Peak
Freq	Level	Limit	Read	Ant	Cable	Preamplifier	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6695.00	115.48	-----	99.72	36.46	13.69	35.39	1.00	100	39 Peak																																	
Avg	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamplifier</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6695.00</td><td>106.65</td><td>-----</td><td>90.89</td><td>36.46</td><td>13.69</td><td>35.39</td><td>1.00</td><td>100</td><td>39 Average</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamplifier	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6695.00	106.65	-----	90.89	36.46	13.69	35.39	1.00	100	39 Average
Freq	Level	Limit	Read	Ant	Cable	Preamplifier	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6695.00	106.65	-----	90.89	36.46	13.69	35.39	1.00	100	39 Average																																	





Mode	101																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>36.44</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>209</td><td>283</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>26.64</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>209</td><td>283</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>50.67</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	56.87	74.00	-17.13	36.44	40.96	19.42	41.62	0.19	209	283	Peak	2	13390.00	47.07	54.00	-6.93	26.64	40.96	19.42	41.62	0.19	209	283	Average	3	20085.00	37.54	74.00	-36.46	50.67	38.00	23.79	65.38	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>38.60</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>291</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>49.39</td><td>54.00</td><td>-4.61</td><td>28.96</td><td>40.96</td><td>19.42</td><td>41.62</td><td>0.19</td><td>291</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>38.01</td><td>74.00</td><td>-35.99</td><td>51.14</td><td>38.00</td><td>23.79</td><td>65.38</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	59.03	74.00	-14.97	38.60	40.96	19.42	41.62	0.19	291	360	Peak	2	13390.00	49.39	54.00	-4.61	28.96	40.96	19.42	41.62	0.19	291	360	Average	3	20085.00	38.01	74.00	-35.99	51.14	38.00	23.79	65.38	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13390.00	56.87	74.00	-17.13	36.44	40.96	19.42	41.62	0.19	209	283	Peak																																																																																																																																		
2	13390.00	47.07	54.00	-6.93	26.64	40.96	19.42	41.62	0.19	209	283	Average																																																																																																																																		
3	20085.00	37.54	74.00	-36.46	50.67	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13390.00	59.03	74.00	-14.97	38.60	40.96	19.42	41.62	0.19	291	360	Peak																																																																																																																																		
2	13390.00	49.39	54.00	-4.61	28.96	40.96	19.42	41.62	0.19	291	360	Average																																																																																																																																		
3	20085.00	38.01	74.00	-35.99	51.14	38.00	23.79	65.38	-9.54	--	--	Peak																																																																																																																																		





Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	102																																															
	Band Edge																																															
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																															
ANT	6+7																																															
Pol.	Horizontal						Fundamental																																									
Peak	Blank						Date: 2026-02-26  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>109.94</td><td>-----</td><td>94.07</td><td>36.65</td><td>13.88</td><td>35.64</td><td>0.98</td><td></td><td>300</td><td>286 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6875.00	109.94	-----	94.07	36.65	13.88	35.64	0.98		300	286 Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																					
1	6875.00	109.94	-----	94.07	36.65	13.88	35.64	0.98		300	286 Peak																																					
Avg	Blank						Date: 2026-02-26  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6875.00</td><td>102.01</td><td>-----</td><td>86.14</td><td>36.65</td><td>13.88</td><td>35.64</td><td>0.98</td><td></td><td>300</td><td>286 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6875.00	102.01	-----	86.14	36.65	13.88	35.64	0.98		300	286 Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																					
1	6875.00	102.01	-----	86.14	36.65	13.88	35.64	0.98		300	286 Average																																					

Mode	102																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6875.00</td><td>114.90</td><td>-</td><td>99.03</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>250</td><td>356</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6875.00	114.90	-	99.03	36.66	13.88	35.65	0.98	250	356	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6875.00	114.90	-	99.03	36.66	13.88	35.65	0.98	250	356	Peak																																				
Avg	Blank					Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6875.00</td><td>106.58</td><td>-</td><td>90.71</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>250</td><td>356</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6875.00	106.58	-	90.71	36.66	13.88	35.65	0.98	250	356	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	6875.00	106.58	-	90.71	36.66	13.88	35.65	0.98	250	356	Average																																				



Mode	102																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																																																																																																																																																								
ANT	6+7																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg																																																																																																																																																																									
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL																																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>60.67</td><td>88.20</td><td>-27.53</td><td>40.13</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>198</td><td>286 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>50.97</td><td>68.20</td><td>-17.23</td><td>30.43</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>198</td><td>286 Average</td></tr><tr><td>3</td><td>20625.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>54.16</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>291</td><td>340 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>31.28</td><td>54.00</td><td>-22.72</td><td>43.21</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>291</td><td>340 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	60.67	88.20	-27.53	40.13	41.50	19.51	42.13	0.17	198	286 Peak	2	13750.00	50.97	68.20	-17.23	30.43	41.50	19.51	42.13	0.17	198	286 Average	3	20625.00	42.23	74.00	-31.77	54.16	38.10	24.11	64.60	-9.54	291	340 Peak	4	20625.00	31.28	54.00	-22.72	43.21	38.10	24.11	64.60	-9.54	291	340 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>60.46</td><td>88.20</td><td>-27.74</td><td>39.92</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>374</td><td>29 Peak</td></tr><tr><td>2</td><td>13750.00</td><td>51.24</td><td>68.20</td><td>-16.96</td><td>30.70</td><td>41.50</td><td>19.51</td><td>42.13</td><td>0.17</td><td>374</td><td>29 Average</td></tr><tr><td>3</td><td>20625.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>52.78</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>195</td><td>0 Peak</td></tr><tr><td>4</td><td>20625.00</td><td>30.70</td><td>54.00</td><td>-23.30</td><td>42.63</td><td>38.10</td><td>24.11</td><td>64.60</td><td>-9.54</td><td>195</td><td>0 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	60.46	88.20	-27.74	39.92	41.50	19.51	42.13	0.17	374	29 Peak	2	13750.00	51.24	68.20	-16.96	30.70	41.50	19.51	42.13	0.17	374	29 Average	3	20625.00	40.85	74.00	-33.15	52.78	38.10	24.11	64.60	-9.54	195	0 Peak	4	20625.00	30.70	54.00	-23.30	42.63	38.10	24.11	64.60	-9.54	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	13750.00	60.67	88.20	-27.53	40.13	41.50	19.51	42.13	0.17	198	286 Peak																																																																																																																																																														
2	13750.00	50.97	68.20	-17.23	30.43	41.50	19.51	42.13	0.17	198	286 Average																																																																																																																																																														
3	20625.00	42.23	74.00	-31.77	54.16	38.10	24.11	64.60	-9.54	291	340 Peak																																																																																																																																																														
4	20625.00	31.28	54.00	-22.72	43.21	38.10	24.11	64.60	-9.54	291	340 Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	13750.00	60.46	88.20	-27.74	39.92	41.50	19.51	42.13	0.17	374	29 Peak																																																																																																																																																														
2	13750.00	51.24	68.20	-16.96	30.70	41.50	19.51	42.13	0.17	374	29 Average																																																																																																																																																														
3	20625.00	40.85	74.00	-33.15	52.78	38.10	24.11	64.60	-9.54	195	0 Peak																																																																																																																																																														
4	20625.00	30.70	54.00	-23.30	42.63	38.10	24.11	64.60	-9.54	195	0 Average																																																																																																																																																														



Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	103																																										
	Band Edge																																										
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																										
ANT	6+7																																										
Pol.	Horizontal					Fundamental																																					
Peak	Blank					Level (dBuV/m) Date: 2026-02-26 PEAK(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>109.50</td><td>-----</td><td>94.05</td><td>36.16</td><td>13.52</td><td>35.24</td><td>1.01</td><td>100</td><td>329 Peak</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	109.50	-----	94.05	36.16	13.52	35.24	1.01	100	329 Peak
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	6565.00	109.50	-----	94.05	36.16	13.52	35.24	1.01	100	329 Peak																																	
Avg	Blank					Level (dBuV/m) Date: 2026-02-26 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>100.49</td><td>-----</td><td>85.08</td><td>36.13</td><td>13.50</td><td>35.22</td><td>1.00</td><td>100</td><td>329 Average</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	100.49	-----	85.08	36.13	13.50	35.22	1.00	100	329 Average
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	6565.00	100.49	-----	85.08	36.13	13.50	35.22	1.00	100	329 Average																																	

Mode

103

Band Edge

U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz

ANT

6+7

Pol.

Vertical

Fundamental

Peak

Blank

Level (dBuV/m)

Date: 2026-02-26

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

6565.00

111.09

95.69

36.12

13.49

35.21

1.00

100

39

Peak

Avg

Blank

Level (dBuV/m)

Date: 2026-02-26

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

6565.00

103.17

87.77

36.12

13.49

35.21



1.00

100

39

Average



Mode	103																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																																											
ANT	6+7																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>55.37</td><td>88.20</td><td>-32.83</td><td>34.71</td><td>40.92</td><td>19.19</td><td>41.11</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>53.73</td><td>38.10</td><td>23.57</td><td>66.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	55.37	88.20	-32.83	34.71	40.92	19.19	41.11	0.18	--	Peak	2	19695.00	39.81	74.00	-34.19	53.73	38.10	23.57	66.05	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>34.91</td><td>40.92</td><td>19.19</td><td>41.11</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>54.44</td><td>38.10</td><td>23.57</td><td>66.05</td><td>-9.54</td><td>211</td><td>11 Peak</td></tr><tr><td>3</td><td>19695.00</td><td>30.67</td><td>54.00</td><td>-23.33</td><td>44.59</td><td>38.10</td><td>23.57</td><td>66.05</td><td>-9.54</td><td>211</td><td>11 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	55.57	88.20	-32.63	34.91	40.92	19.19	41.11	0.18	--	Peak	2	19695.00	40.52	74.00	-33.48	54.44	38.10	23.57	66.05	-9.54	211	11 Peak	3	19695.00	30.67	54.00	-23.33	44.59	38.10	23.57	66.05	-9.54	211	11 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	13130.00	55.37	88.20	-32.83	34.71	40.92	19.19	41.11	0.18	--	Peak																																																																																																																	
2	19695.00	39.81	74.00	-34.19	53.73	38.10	23.57	66.05	-9.54	--	Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	13130.00	55.57	88.20	-32.63	34.91	40.92	19.19	41.11	0.18	--	Peak																																																																																																																	
2	19695.00	40.52	74.00	-33.48	54.44	38.10	23.57	66.05	-9.54	211	11 Peak																																																																																																																	
3	19695.00	30.67	54.00	-23.33	44.59	38.10	23.57	66.05	-9.54	211	11 Average																																																																																																																	



Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	104																																																	
	Band Edge																																																	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																	
ANT	6+7																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6685.00</td><td>108.85</td><td>-----</td><td>-----</td><td>93.14</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>344</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6685.00	108.85	-----	-----	93.14	36.41	13.67	35.37	1.00	100	344	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6685.00	108.85	-----	-----	93.14	36.41	13.67	35.37	1.00	100	344	Peak																																						
Avg	Blank					Date: 2026-02-26 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6685.00</td><td>101.05</td><td>-----</td><td>-----</td><td>85.34</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>344</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6685.00	101.05	-----	-----	85.34	36.41	13.67	35.37	1.00	100	344	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6685.00	101.05	-----	-----	85.34	36.41	13.67	35.37	1.00	100	344	Average																																						



	104																																																		
Mode	Band Edge																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																		
ANT	6+7																																																		
Pol.	Vertical						Fundamental																																												
Peak	Blank						Level (dBuV/m) Date: 2026-02-26 Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6685.00</td><td>112.70</td><td>-----</td><td>-----</td><td>96.99</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>175</td><td>43</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	6685.00	112.70	-----	-----	96.99	36.41	13.67	35.37	1.00	175	43	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	6685.00	112.70	-----	-----	96.99	36.41	13.67	35.37	1.00	175	43	Peak																																							
Avg	Blank						Level (dBuV/m) Date: 2026-02-26 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6685.00</td><td>104.84</td><td>-----</td><td>-----</td><td>89.13</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>175</td><td>43</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	6685.00	104.84	-----	-----	89.13	36.41	13.67	35.37	1.00	175	43	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	6685.00	104.84	-----	-----	89.13	36.41	13.67	35.37	1.00	175	43	Average																																							



Mode	104																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13370.00</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>34.22</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>200 292 Peak</td></tr><tr><td>2 13370.00</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>25.05</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>200 292 Average</td></tr><tr><td>3 20855.00</td><td>38.45</td><td>74.00</td><td>-35.55</td><td>51.64</td><td>38.00</td><td>23.77</td><td>65.42</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13370.00	54.78	74.00	-19.22	34.22	41.08	19.40	41.59	0.19	200 292 Peak	2 13370.00	45.61	54.00	-8.39	25.05	41.08	19.40	41.59	0.19	200 292 Average	3 20855.00	38.45	74.00	-35.55	51.64	38.00	23.77	65.42	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13370.00</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>36.46</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>351 0 Peak</td></tr><tr><td>2 13370.00</td><td>47.15</td><td>54.00</td><td>-6.85</td><td>26.59</td><td>41.08</td><td>19.40</td><td>41.59</td><td>0.19</td><td>351 0 Average</td></tr><tr><td>3 20855.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>51.14</td><td>38.00</td><td>23.77</td><td>65.42</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13370.00	57.02	74.00	-16.98	36.46	41.08	19.40	41.59	0.19	351 0 Peak	2 13370.00	47.15	54.00	-6.85	26.59	41.08	19.40	41.59	0.19	351 0 Average	3 20855.00	37.95	74.00	-36.05	51.14	38.00	23.77	65.42	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 13370.00	54.78	74.00	-19.22	34.22	41.08	19.40	41.59	0.19	200 292 Peak																																																																																																																	
2 13370.00	45.61	54.00	-8.39	25.05	41.08	19.40	41.59	0.19	200 292 Average																																																																																																																	
3 20855.00	38.45	74.00	-35.55	51.64	38.00	23.77	65.42	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 13370.00	57.02	74.00	-16.98	36.46	41.08	19.40	41.59	0.19	351 0 Peak																																																																																																																	
2 13370.00	47.15	54.00	-6.85	26.59	41.08	19.40	41.59	0.19	351 0 Average																																																																																																																	
3 20855.00	37.95	74.00	-36.05	51.14	38.00	23.77	65.42	-9.54	-- -- Peak																																																																																																																	



Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode

105

Band Edge

U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz

ANT

6+7

Pol.

Horizontal

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

Date: 2026-02-27

1

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1 6885.00	106.28	-----	-----		90.41	36.66	13.88	35.65	0.98	300	283	Peak

Avg

Blank

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

Frequency (MHz)

1000

2400

3800

5200

6600

8000

Date: 2026-02-27

AVG(UNII)_6E



Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1 6885.00	98.17	-----	-----		82.30	36.66	13.88	35.65	0.98	300	283	Average



Mode	105																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Date: 2026-02-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6885.00</td><td>113.00</td><td>-----</td><td>97.21</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>100</td><td>32</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6885.00	113.00	-----	97.21	36.66	13.88	35.65	0.98	100	32	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6885.00	113.00	-----	97.21	36.66	13.88	35.65	0.98	100	32	Peak																																				
Avg	Blank					Date: 2026-02-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6885.00</td><td>102.82</td><td>-----</td><td>86.95</td><td>36.65</td><td>13.88</td><td>35.64</td><td>0.98</td><td>100</td><td>32</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6885.00	102.82	-----	86.95	36.65	13.88	35.64	0.98	100	32	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6885.00	102.82	-----	86.95	36.65	13.88	35.64	0.98	100	32	Average																																				



Mode	105																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>55.60</td><td>88.20</td><td>-32.60</td><td>35.09</td><td>41.50</td><td>19.50</td><td>42.15</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>37.83</td><td>74.00</td><td>-36.17</td><td>49.70</td><td>30.10</td><td>24.12</td><td>64.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	55.60	88.20	-32.60	35.09	41.50	19.50	42.15	0.17	--	Peak	2	20655.00	37.83	74.00	-36.17	49.70	30.10	24.12	64.55	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>56.57</td><td>88.20</td><td>-31.63</td><td>36.06</td><td>41.50</td><td>19.50</td><td>42.15</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>38.48</td><td>74.00</td><td>-35.52</td><td>50.35</td><td>30.10</td><td>24.12</td><td>64.55</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	56.57	88.20	-31.63	36.06	41.50	19.50	42.15	0.17	--	Peak	2	20655.00	38.48	74.00	-35.52	50.35	30.10	24.12	64.55	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	55.60	88.20	-32.60	35.09	41.50	19.50	42.15	0.17	--	Peak																																																																																																					
2	20655.00	37.83	74.00	-36.17	49.70	30.10	24.12	64.55	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	56.57	88.20	-31.63	36.06	41.50	19.50	42.15	0.17	--	Peak																																																																																																					
2	20655.00	38.48	74.00	-35.52	50.35	30.10	24.12	64.55	-9.54	--	Peak																																																																																																					



Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	106										
	Band Edge										
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz										
ANT	6+7										
Pol.	Horizontal					Fundamental					
Peak	Blank					<					

Mode	106																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																														
ANT	6+7																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					Level (dBuV/m) Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6625.00</td><td>108.82</td><td>-----</td><td>-----</td><td>93.33</td><td>36.20</td><td>13.55</td><td>35.27</td><td>1.01</td><td>176</td><td>41</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6625.00	108.82	-----	-----	93.33	36.20	13.55	35.27	1.01	176	41	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6625.00	108.82	-----	-----	93.33	36.20	13.55	35.27	1.01	176	41	Peak																																				
Avg	Blank					Level (dBuV/m) Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamplifier</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6625.00</td><td>101.72</td><td>-----</td><td>-----</td><td>86.23</td><td>36.20</td><td>13.55</td><td>35.27</td><td>1.01</td><td>176</td><td>41</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6625.00	101.72	-----	-----	86.23	36.20	13.55	35.27	1.01	176	41	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamplifier	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6625.00	101.72	-----	-----	86.23	36.20	13.55	35.27	1.01	176	41	Average																																				



Mode	106																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>33.54</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>-- -- Peak</td></tr><tr><td>2 13250.00</td><td>44.06</td><td>54.00</td><td>-9.14</td><td>24.34</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>-- -- Average</td></tr><tr><td>3 19875.00</td><td>37.71</td><td>74.00</td><td>-36.29</td><td>51.21</td><td>38.10</td><td>23.66</td><td>65.72</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	54.06	74.00	-19.94	33.54	40.90	19.30	41.35	0.19	-- -- Peak	2 13250.00	44.06	54.00	-9.14	24.34	40.90	19.30	41.35	0.19	-- -- Average	3 19875.00	37.71	74.00	-36.29	51.21	38.10	23.66	65.72	-9.54	-- -- Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>33.89</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>-- -- Peak</td></tr><tr><td>2 13250.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>24.64</td><td>40.90</td><td>19.30</td><td>41.35</td><td>0.19</td><td>-- -- Average</td></tr><tr><td>3 19875.00</td><td>37.74</td><td>74.00</td><td>-36.26</td><td>51.24</td><td>38.10</td><td>23.66</td><td>65.72</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	54.41	74.00	-19.59	33.89	40.90	19.30	41.35	0.19	-- -- Peak	2 13250.00	45.16	54.00	-8.84	24.64	40.90	19.30	41.35	0.19	-- -- Average	3 19875.00	37.74	74.00	-36.26	51.24	38.10	23.66	65.72	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	54.06	74.00	-19.94	33.54	40.90	19.30	41.35	0.19	-- -- Peak																																																																																																																	
2 13250.00	44.06	54.00	-9.14	24.34	40.90	19.30	41.35	0.19	-- -- Average																																																																																																																	
3 19875.00	37.71	74.00	-36.29	51.21	38.10	23.66	65.72	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	54.41	74.00	-19.59	33.89	40.90	19.30	41.35	0.19	-- -- Peak																																																																																																																	
2 13250.00	45.16	54.00	-8.84	24.64	40.90	19.30	41.35	0.19	-- -- Average																																																																																																																	
3 19875.00	37.74	74.00	-36.26	51.24	38.10	23.66	65.72	-9.54	-- -- Peak																																																																																																																	



Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

Mode	107																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6705.00</td><td>105.38</td><td>-----</td><td>-----</td><td>89.67</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>342</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6705.00	105.38	-----	-----	89.67	36.41	13.67	35.37	1.00	100	342	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6705.00	105.38	-----	-----	89.67	36.41	13.67	35.37	1.00	100	342	Peak																																				
Avg	Blank					Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamplifier Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6705.00</td><td>96.49</td><td>-----</td><td>-----</td><td>80.78</td><td>36.41</td><td>13.67</td><td>35.37</td><td>1.00</td><td>100</td><td>342</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6705.00	96.49	-----	-----	80.78	36.41	13.67	35.37	1.00	100	342	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamplifier Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 6705.00	96.49	-----	-----	80.78	36.41	13.67	35.37	1.00	100	342	Average																																				

Mode

107

Band Edge

U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz

ANT

6+7

Pol.

Vertical

Fundamental

Level (dBuV/m)

Date: 2026-02-27

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

PEAK(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	6705.00	109.84	-----	-----		94.13	36.41	13.67	35.37	1.00	137	44	Peak

Avg

Blank

Level (dBuV/m)

Date: 2026-02-27

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400

3800

5200

6600

8000

AVG(UNII)_6E

Site : 03CH22-HY

Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	6705.00	101.91	-----	-----		86.12	36.49	13.70	35.40	1.00	137	44	Average





Mode	107																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.26</td><td>88.20</td><td>-33.94</td><td>33.86</td><td>40.96</td><td>19.43</td><td>41.66</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.38</td><td>74.00</td><td>-35.62</td><td>51.44</td><td>38.00</td><td>23.82</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.26	88.20	-33.94	33.86	40.96	19.43	41.66	0.19	--	Peak	2	20115.00	38.38	74.00	-35.62	51.44	38.00	23.82	65.34	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>34.47</td><td>40.96</td><td>19.43</td><td>41.66</td><td>0.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>50.67</td><td>38.00</td><td>23.82</td><td>65.34</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.87	88.20	-33.33	34.47	40.96	19.43	41.66	0.19	--	Peak	2	20115.00	37.61	74.00	-36.39	50.67	38.00	23.82	65.34	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	54.26	88.20	-33.94	33.86	40.96	19.43	41.66	0.19	--	Peak																																																																																																					
2	20115.00	38.38	74.00	-35.62	51.44	38.00	23.82	65.34	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	54.87	88.20	-33.33	34.47	40.96	19.43	41.66	0.19	--	Peak																																																																																																					
2	20115.00	37.61	74.00	-36.39	50.67	38.00	23.82	65.34	-9.54	--	Peak																																																																																																					



Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	108																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																														
ANT	6+7																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					Date: 2026-02-27  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6865.00</td><td>106.38</td><td>-----</td><td>90.53</td><td>36.60</td><td>13.87</td><td>35.60</td><td>0.98</td><td>285</td><td>285</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6865.00	106.38	-----	90.53	36.60	13.87	35.60	0.98	285	285	Peak
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6865.00	106.38	-----	90.53	36.60	13.87	35.60	0.98	285	285	Peak																																				
Avg	Blank					Date: 2026-02-27  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6865.00</td><td>97.61</td><td>-----</td><td>81.75</td><td>36.63</td><td>13.88</td><td>35.63</td><td>0.98</td><td>285</td><td>285</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6865.00	97.61	-----	81.75	36.63	13.88	35.63	0.98	285	285	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1	6865.00	97.61	-----	81.75	36.63	13.88	35.63	0.98	285	285	Average																																				



	108																																																		
Mode	Band Edge																																																		
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																																		
ANT	6+7																																																		
Pol.	Vertical						Fundamental																																												
Peak	Blank						Date: 2026-02-27 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6865.00</td><td>109.83</td><td>-----</td><td>-----</td><td>93.98</td><td>36.60</td><td>13.88</td><td>35.61</td><td>0.98</td><td>100</td><td>33</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6865.00	109.83	-----	-----	93.98	36.60	13.88	35.61	0.98	100	33	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	6865.00	109.83	-----	-----	93.98	36.60	13.88	35.61	0.98	100	33	Peak																																							
Avg	Blank						Date: 2026-02-27 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6865.00</td><td>101.43</td><td>-----</td><td>-----</td><td>85.56</td><td>36.66</td><td>13.88</td><td>35.65</td><td>0.98</td><td>100</td><td>33</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6865.00	101.43	-----	-----	85.56	36.66	13.88	35.65	0.98	100	33	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	6865.00	101.43	-----	-----	85.56	36.66	13.88	35.65	0.98	100	33	Average																																							



Mode	108																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																																																																																															
ANT	6+7																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.79</td><td>88.20</td><td>-32.41</td><td>35.31</td><td>41.42</td><td>19.51</td><td>42.11</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>38.38</td><td>74.00</td><td>-35.62</td><td>50.36</td><td>38.10</td><td>24.11</td><td>64.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.79	88.20	-32.41	35.31	41.42	19.51	42.11	0.17	--	Peak	2	20595.00	38.38	74.00	-35.62	50.36	38.10	24.11	64.65	-9.54	--	Peak	Level (dBuV/m) Date: 2026-02-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.91</td><td>88.20</td><td>-32.29</td><td>35.43</td><td>41.42</td><td>19.51</td><td>42.11</td><td>0.17</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>37.64</td><td>74.00</td><td>-36.36</td><td>49.62</td><td>38.10</td><td>24.11</td><td>64.65</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.91	88.20	-32.29	35.43	41.42	19.51	42.11	0.17	--	Peak	2	20595.00	37.64	74.00	-36.36	49.62	38.10	24.11	64.65	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	55.79	88.20	-32.41	35.31	41.42	19.51	42.11	0.17	--	Peak																																																																																																					
2	20595.00	38.38	74.00	-35.62	50.36	38.10	24.11	64.65	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	55.91	88.20	-32.29	35.43	41.42	19.51	42.11	0.17	--	Peak																																																																																																					
2	20595.00	37.64	74.00	-36.36	49.62	38.10	24.11	64.65	-9.54	--	Peak																																																																																																					



Mode	108	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-01-17 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL