




LTE Band 66C / 10MHz+15MHz


QPSK

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB49 and 1RB0



Date: 24.MAR.2026 22:35:21



Date: 24.MAR.2026 22:33:50




LTE Band 66C / 10MHz+20MHz


QPSK

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB49 and 1RB0




Date: 24.MAR.2026 22:47:52




Date: 24.MAR.2026 22:46:22

Middle Channel / 1RB0 and 1RB99

Middle Channel / 1RB49 and 1RB0



Date: 24.MAR.2026 22:49:27



Date: 24.MAR.2026 22:50:57




LTE Band 66C / 10MHz+20MHz


QPSK

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB49 and 1RB0



Date: 24.MAR.2026 22:53:55



Date: 24.MAR.2026 22:52:28




LTE Band 66C / 15MHz+10MHz


QPSK

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB74 and 1RB0




Date: 24.MAR.2026 22:38:34




Date: 24.MAR.2026 22:37:04

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB74 and 1RB0



Date: 24.MAR.2026 22:40:07



Date: 24.MAR.2026 22:41:35




LTE Band 66C / 15MHz+10MHz


QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB74 and 1RB0



Date: 24.MAR.2026 22:44:40



Date: 24.MAR.2026 22:43:09




LTE Band 66C / 15MHz+15MHz


QPSK

Lowest Channel / 1RB0 and 1RB74

Lowest Channel / 1RB74 and 1RB0




Date: 24.MAR.2026 23:06:03




Date: 24.MAR.2026 23:04:33

Middle Channel / 1RB0 and 1RB74

Middle Channel / 1RB74 and 1RB0



Date: 24.MAR.2026 23:07:34



Date: 24.MAR.2026 23:09:04




LTE Band 66C / 15MHz+15MHz


QPSK

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB74 and 1RB0



Date: 24.MAR.2026 23:12:06



Date: 24.MAR.2026 23:10:35




LTE Band 66C / 15MHz+20MHz


QPSK

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB74 and 1RB0




Date: 24.MAR.2026 23:15:07




Date: 24.MAR.2026 23:13:37

Middle Channel / 1RB0 and 1RB99

Middle Channel / 1RB74 and 1RB0



Date: 24.MAR.2026 23:16:43



Date: 24.MAR.2026 23:18:11




LTE Band 66C / 15MHz+20MHz


QPSK

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB74 and 1RB0



Date: 24.MAR.2026 23:21:10



Date: 24.MAR.2026 23:19:41




LTE Band 66C / 20MHz+5MHz


QPSK

Lowest Channel / 1RB0 and 1RB24

Lowest Channel / 1RB99 and 1RB0




Date: 24.MAR.2026 23:33:15




Date: 24.MAR.2026 23:31:46

Middle Channel / 1RB0 and 1RB24

Middle Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 23:34:46



Date: 24.MAR.2026 23:36:16




LTE Band 66C / 20MHz+5MHz


QPSK

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 23:39:16



Date: 24.MAR.2026 23:37:47




LTE Band 66C / 20MHz+10MHz


QPSK

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB99 and 1RB0




Date: 24.MAR.2026 22:56:55




Date: 24.MAR.2026 22:55:26

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 22:58:29



Date: 24.MAR.2026 22:59:59




LTE Band 66C / 20MHz+10MHz


QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 23:02:59



Date: 24.MAR.2026 23:01:32




LTE Band 66C / 20MHz+15MHz


QPSK

Lowest Channel / 1RB0 and 1RB74

Lowest Channel / 1RB99 and 1RB0




Date: 24.MAR.2026 23:24:16




Date: 24.MAR.2026 23:22:45

Middle Channel / 1RB0 and 1RB74

Middle Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 23:25:47



Date: 24.MAR.2026 23:27:16




LTE Band 66C / 20MHz+15MHz


QPSK

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 23:30:16



Date: 24.MAR.2026 23:28:48




LTE Band 66C / 20MHz+20MHz


QPSK

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB99 and 1RB0




Date: 24.MAR.2026 23:53:08




Date: 24.MAR.2026 23:51:41

MiddleChannel / 1RB0 and 1RB99

Middle Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 23:54:40



Date: 24.MAR.2026 23:56:05




LTE Band 66C / 20MHz+20MHz


QPSK

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB99 and 1RB0



Date: 24.MAR.2026 23:59:08



Date: 24.MAR.2026 23:57:37



Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Ken Ku and York Huang	Relative Humidity(%):	50.7 ~ 59.8
		Temperature(°C):	20.2 ~ 23.5

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 22H	LTE B5	L	3298	-63.93	RMS	28.09	-23.63	0.86	-95.23	25.98	-13.00	-50.93	V	8
2	Part 22H	LTE B26	M	2475	-61.20	RMS	26.65	-24.46	0.89	-95.23	30.95	-13.00	-48.20	H	8
3	Part 22H	LTE CA 5B	H	2531	-52.26	RMS	26.90	-24.43	0.92	-95.23	39.58	-13.00	-39.26	V	8
1	Part 24E	LTE B25	H	7584	-54.72	RMS	36.93	-21.79	1.11	-95.23	24.26	-13.00	-41.72	H	1
2	Part 24E	LTE CA 2C	L	7476	-53.75	RMS	37.30	-21.84	1.10	-95.23	24.92	-13.00	-40.75	H	1
1	Part 27L	LTE B4	M	5170	-53.87	RMS	32.52	-21.94	1.05	-95.23	29.73	-13.00	-40.87	V	1
4	Part 27L	LTE CA 66B	M	5278	-50.16	RMS	32.24	-21.93	1.09	-95.23	33.67	-13.00	-37.16	V	1
5	Part 27L	LTE CA 66C	H	5304	-53.34	RMS	32.21	-21.91	1.10	-95.23	30.49	-13.00	-40.34	V	1
6	Part 27D	LTE B30	L	6916	-52.10	RMS	36.67	-21.80	1.06	-95.23	27.20	-40.00	-12.10	V	5
7	Part 27D	LTE B30	M	9222	-53.21	RMS	37.24	-22.11	1.16	-95.23	25.73	-40.00	-13.21	V	5
8	Part 27D	LTE B40	H	6931	-51.45	RMS	36.64	-21.82	1.07	-95.23	27.89	-40.00	-11.45	H	5
9	Part 27D	LTE B40	M	9402	-51.71	RMS	37.20	-22.33	1.16	-95.23	27.49	-40.00	-11.71	H	5
9	Part 27F	LTE B13	M	1559	-68.18	RMS	24.29	-25.51	1.05	-95.23	27.22	-42.15	-26.03	V	1
10	Part 27F	LTE B13	M	2332	-62.17	RMS	26.86	-24.56	0.85	-95.23	29.91	-13.00	-49.17	H	1



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
11	Part 27H	LTE B17	L	2114	-61.30	RMS	26.30	-24.78	0.92	-95.23	31.49	-13.00	-48.30	V	8
12	Part 27N	LTE B71	L	1992	-56.64	RMS	26.02	-24.92	1.02	-95.23	36.47	-13.00	-43.64	H	1
14	Part 27M	LTE B7	H	22959	-47.56	RMS	39.10	-36.47	-9.54	-95.23	54.58	-25.00	-22.56	H	5
15	Part 27M	LTE B41	L	7491	-43.18	RMS	37.30	-21.85	1.10	-95.23	35.50	-25.00	-18.18	H	5
16	Part 27M	LTE B41	H	10684	-41.20	RMS	37.53	-22.20	1.29	-95.23	37.41	-25.00	-16.20	V	5
17	Part 27M	LTE CA 7C	H	5106	-48.55	RMS	32.34	-21.88	1.03	-95.23	35.19	-25.00	-23.55	V	5
18	Part 27M	LTE CA 38C	M	5188	-47.22	RMS	32.45	-21.96	1.06	-95.23	36.46	-25.00	-22.22	V	5
19	Part 27M	LTE CA 41C	H	8025	-43.30	RMS	37.10	-21.90	1.09	-95.23	35.64	-25.00	-18.30	H	1
1	Part 90R	LTE B14	H	1587	-67.70	RMS	24.47	-25.46	1.05	-95.23	27.47	-42.15	-25.55	V	8
2	Part 90R	LTE B14	M	1577	-67.92	RMS	24.40	-25.48	1.05	-95.23	27.34	-42.15	-25.77	V	8
3	Part 90S	LTE B26	M	3267	-63.93	RMS	27.97	-23.65	0.86	-95.23	26.12	-13.00	-50.93	H	2
4	Part 90S	LTE B26	M	3256	-64.25	RMS	27.92	-23.65	0.86	-95.23	25.85	-13.00	-51.25	H	2
5	Part 90S	LTE B26	M	3260	-64.18	RMS	27.94	-23.65	0.86	-95.23	25.90	-13.00	-51.18	V	2




8

Part 22H Mode 1

LTE B5 10M Ch20450 1RB0 QPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 5 10M Ch20450 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1649.00	-68.08	RMS	24.60	-25.37	1.08	-95.23	26.84	-13.00	-55.08	Horizontal			
2	2474.00	-65.59	RMS	26.64	-24.46	0.89	-95.23	26.57	-13.00	-52.59	Horizontal			
3	3298.00	-64.05	RMS	28.09	-23.63	0.86	-95.23	25.86	-13.00	-51.05	Horizontal			



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 5 10M Ch20450 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1649.00	-68.23	RMS	24.60	-25.37	1.08	-95.23	26.69	-13.00	-55.23	Vertical			
2	2474.00	-65.63	RMS	26.64	-24.46	0.89	-95.23	26.53	-13.00	-52.63	Vertical			
3	3298.00	-63.93	RMS	28.09	-23.63	0.86	-95.23	25.98	-13.00	-50.93	Vertical			




8

Part 22H Mode 1

LTE B5 10M Ch20525 1RB0 QPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1664.00	-68.15	RMS	24.56	-25.36	1.09	-95.23	26.79	-13.00	-55.15	Horizontal
2	2496.00	-65.86	RMS	26.80	-24.45	0.90	-95.23	26.12	-13.00	-52.86	Horizontal
3	3328.00	-64.27	RMS	28.16	-23.62	0.85	-95.23	25.57	-13.00	-51.27	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1664.00	-68.35	RMS	24.56	-25.36	1.09	-95.23	26.59	-13.00	-55.35	Vertical
2	2496.00	-66.12	RMS	26.80	-24.45	0.90	-95.23	25.86	-13.00	-53.12	Vertical
3	3328.00	-64.29	RMS	28.16	-23.62	0.85	-95.23	25.55	-13.00	-51.29	Vertical




8

Part 22H Mode 1

LTE B5 10M Ch20600 1RB0 QPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1679.00	-67.97	RMS	24.68	-25.34	1.10	-95.23	26.82	-13.00	-54.97 Horizontal
2	2519.00	-65.29	RMS	26.89	-24.44	0.91	-95.23	26.58	-13.00	-52.29 Horizontal
3	3358.00	-64.02	RMS	28.22	-23.61	0.85	-95.23	25.75	-13.00	-51.02 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1679.00	-68.19	RMS	24.68	-25.34	1.10	-95.23	26.60	-13.00	-55.19 Vertical
2	2519.00	-65.57	RMS	26.89	-24.44	0.91	-95.23	26.30	-13.00	-52.57 Vertical
3	3358.00	-63.95	RMS	28.22	-23.61	0.85	-95.23	25.82	-13.00	-50.95 Vertical




8

Part 22H Mode 2

LTE B26 15M Ch26765 1RB0 QPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE B26 15M Ch26765 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1630.00	-66.42	RMS	24.60	-25.40	1.07	-95.23	28.54	-13.00	-53.42	Horizontal		
2	2445.00	-64.26	RMS	26.75	-24.48	0.87	-95.23	27.83	-13.00	-51.26	Horizontal		
3	3259.00	-64.30	RMS	27.94	-23.65	0.86	-95.23	25.78	-13.00	-51.30	Horizontal		



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE B26 15M Ch26765 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1630.00	-66.65	RMS	24.60	-25.40	1.07	-95.23	28.31	-13.00	-53.65	Vertical		
2	2445.00	-65.11	RMS	26.75	-24.48	0.87	-95.23	26.98	-13.00	-52.11	Vertical		
3	3259.00	-64.33	RMS	27.94	-23.65	0.86	-95.23	25.75	-13.00	-51.33	Vertical		




8

Part 22H Mode 2

LTE B26 15M Ch26865 1RB0 QPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE B26 15M Ch26865 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBm	dB		
1	1650.00	-68.19	RMS	24.60	-25.37	1.08	-95.23	26.73	-13.00	-55.19	Horizontal		
2	2475.00	-61.20	RMS	26.65	-24.46	0.89	-95.23	30.95	-13.00	-48.20	Horizontal		
3	3299.00	-64.21	RMS	28.10	-23.63	0.86	-95.23	25.69	-13.00	-51.21	Horizontal		



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE B26 15M Ch26865 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBm	dB		
1	1650.00	-67.97	RMS	24.60	-25.37	1.08	-95.23	26.95	-13.00	-54.97	Vertical		
2	2475.00	-64.33	RMS	26.65	-24.46	0.89	-95.23	27.82	-13.00	-51.33	Vertical		
3	3299.00	-63.99	RMS	28.10	-23.63	0.86	-95.23	25.91	-13.00	-50.99	Vertical		




8

Part 22H Mode 2

LTE B26 15M Ch26965 1RB0 QPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE B26 15M Ch26965 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1670.00	-68.33	RMS	24.50	-25.35	1.09	-95.23	26.66	-13.00	-55.33	Horizontal			
2	2505.00	-65.39	RMS	26.80	-24.45	0.90	-95.23	26.59	-13.00	-52.39	Horizontal			
3	3339.00	-64.49	RMS	28.18	-23.62	0.85	-95.23	25.33	-13.00	-51.49	Horizontal			



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE B26 15M Ch26965 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1670.00	-68.40	RMS	24.50	-25.35	1.09	-95.23	26.59	-13.00	-55.40	Vertical			
2	2505.00	-64.33	RMS	26.80	-24.45	0.90	-95.23	27.65	-13.00	-51.33	Vertical			
3	3339.00	-64.22	RMS	28.18	-23.62	0.85	-95.23	25.60	-13.00	-51.22	Vertical			




8

Part 22H Mode 3

LTE CA 5B Ch20416 + Ch20455

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 5 3M Ch20416 1RB14 QPSK

: LTE Band 5 5M Ch20455 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1653.00	-67.51	RMS	24.60	-25.37	1.08	-95.23	27.41	-13.00	-54.51 Horizontal
2	2480.00	-56.23	RMS	26.70	-24.46	0.89	-95.23	35.87	-13.00	-43.23 Horizontal
3	3307.00	-64.07	RMS	28.11	-23.63	0.85	-95.23	25.83	-13.00	-51.07 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 5 3M Ch20416 1RB14 QPSK

: LTE Band 5 5M Ch20455 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1653.00	-66.99	RMS	24.60	-25.37	1.08	-95.23	27.93	-13.00	-53.99 Vertical
2	2480.00	-55.63	RMS	26.70	-24.46	0.89	-95.23	36.47	-13.00	-42.63 Vertical
3	3307.00	-64.13	RMS	28.11	-23.63	0.85	-95.23	25.77	-13.00	-51.13 Vertical




8

Part 22H Mode 3

LTE CA 5B Ch20501 + Ch20540

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 5 3M Ch20501 1RB14 QPSK

: LTE Band 5 5M Ch20540 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1670.00	-67.93	RMS	24.50	-25.35	1.09	-95.23	27.06	-13.00	-54.93 Horizontal
2	2506.00	-53.90	RMS	26.80	-24.45	0.90	-95.23	38.08	-13.00	-40.90 Horizontal
3	3341.00	-63.99	RMS	28.18	-23.62	0.85	-95.23	25.83	-13.00	-50.99 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 5 3M Ch20501 1RB14 QPSK

: LTE Band 5 5M Ch20540 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1670.00	-67.69	RMS	24.50	-25.35	1.09	-95.23	27.30	-13.00	-54.69 Vertical
2	2506.00	-53.50	RMS	26.80	-24.45	0.90	-95.23	38.48	-13.00	-40.50 Vertical
3	3341.00	-63.63	RMS	28.18	-23.62	0.85	-95.23	26.19	-13.00	-50.63 Vertical




8

Part 22H Mode 3

LTE CA 5B Ch20586 + Ch20625

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 5 3M Ch20586 1RB14 QPSK

: LTE Band 5 5M Ch20625 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1687.00	-68.11	RMS	24.77	-25.33	1.10	-95.23	26.58	-13.00	-55.11 Horizontal
2	2531.00	-55.90	RMS	26.90	-24.43	0.92	-95.23	35.94	-13.00	-42.90 Horizontal
3	3375.00	-63.94	RMS	28.25	-23.60	0.85	-95.23	25.79	-13.00	-50.94 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 5 3M Ch20586 1RB14 QPSK

: LTE Band 5 5M Ch20625 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1687.00	-67.74	RMS	24.77	-25.33	1.10	-95.23	26.95	-13.00	-54.74 Vertical
2	2531.00	-52.26	RMS	26.90	-24.43	0.92	-95.23	39.58	-13.00	-39.26 Vertical
3	3375.00	-64.11	RMS	28.25	-23.60	0.85	-95.23	25.62	-13.00	-51.11 Vertical




1

Part 24E Mode 1


LTE B25 20M Ch26140 1RB0 QPSK

L



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 25 20M Ch26140 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3702.00	-60.88	RMS	29.61	-23.29	1.25	-95.23	26.78	-13.00	-47.88 Horizontal
2	5553.00	-59.12	RMS	32.71	-22.06	1.45	-95.23	24.01	-13.00	-46.12 Horizontal
3	7404.00	-54.75	RMS	37.12	-21.82	1.10	-95.23	24.08	-13.00	-41.75 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 25 20M Ch26140 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3702.00	-61.73	RMS	29.61	-23.29	1.25	-95.23	25.93	-13.00	-48.73 Vertical
2	5553.00	-59.01	RMS	32.71	-22.06	1.45	-95.23	24.12	-13.00	-46.01 Vertical
3	7404.00	-55.22	RMS	37.12	-21.82	1.10	-95.23	23.61	-13.00	-42.22 Vertical




1

Part 24E Mode 1


LTE B25 20M Ch26340 1RB0 QPSK

M



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 25 20M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3742.00	-60.56	RMS	29.85	-23.26	1.28	-95.23	26.80	-13.00	-47.56 Horizontal
2	5613.00	-56.42	RMS	32.90	-22.10	1.51	-95.23	26.50	-13.00	-43.42 Horizontal
3	7484.00	-54.96	RMS	37.30	-21.84	1.10	-95.23	23.71	-13.00	-41.96 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 25 20M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3742.00	-61.31	RMS	29.85	-23.26	1.28	-95.23	26.05	-13.00	-48.31 Vertical
2	5613.00	-56.94	RMS	32.90	-22.10	1.51	-95.23	25.98	-13.00	-43.94 Vertical
3	7484.00	-55.27	RMS	37.30	-21.84	1.10	-95.23	23.40	-13.00	-42.27 Vertical




1

Part 24E Mode 1


LTE B25 20M Ch26590 1RB0 QPSK

H



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 25 20M Ch26590 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3792.00	-60.08	RMS	30.07	-23.23	1.32	-95.23	26.99	-13.00	-47.08 Horizontal
2	5688.00	-58.13	RMS	33.58	-22.15	1.31	-95.23	24.36	-13.00	-45.13 Horizontal
3	7584.00	-54.72	RMS	36.93	-21.79	1.11	-95.23	24.26	-13.00	-41.72 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 25 20M Ch26590 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3792.00	-60.85	RMS	30.07	-23.23	1.32	-95.23	26.22	-13.00	-47.85 Vertical
2	5688.00	-58.68	RMS	33.58	-22.15	1.31	-95.23	23.81	-13.00	-45.68 Vertical
3	7584.00	-55.16	RMS	36.93	-21.79	1.11	-95.23	23.82	-13.00	-42.16 Vertical




1

Part 24E Mode 2


LTE CA 2C 20M + 15M Ch18700 1RB99 QPSK + Ch18871 1RB0 QPSK

L



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 2 20M Ch18700 1RB99 QPSK
: LTE Band 2 15M Ch18871 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3738.00	-60.93	RMS	29.83	-23.26	1.28	-95.23	26.45	-13.00	-47.93 Horizontal
2	5607.00	-58.35	RMS	32.86	-22.09	1.53	-95.23	24.58	-13.00	-45.35 Horizontal
3	7476.00	-53.75	RMS	37.30	-21.84	1.10	-95.23	24.92	-13.00	-40.75 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 2 20M Ch18700 1RB99 QPSK
: LTE Band 2 15M Ch18871 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3738.00	-60.79	RMS	29.83	-23.26	1.28	-95.23	26.59	-13.00	-47.79 Vertical
2	5607.00	-58.15	RMS	32.86	-22.09	1.53	-95.23	24.78	-13.00	-45.15 Vertical
3	7476.00	-54.44	RMS	37.30	-21.84	1.10	-95.23	24.23	-13.00	-41.44 Vertical




1

Part 24E Mode 2


LTE CA 2C 20M + 15M Ch18826 1RB99 QPSK + Ch18997 1RB0 QPSK

M



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 2 20M Ch18826 1RB99 QPSK
: LTE Band 2 15M Ch18997 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3763.00	-60.59	RMS	29.95	-23.25	1.30	-95.23	26.64	-13.00	-47.59 Horizontal
2	5645.00	-58.09	RMS	33.16	-22.12	1.43	-95.23	24.67	-13.00	-45.09 Horizontal
3	7526.00	-54.75	RMS	37.14	-21.83	1.11	-95.23	24.06	-13.00	-41.75 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 2 20M Ch18826 1RB99 QPSK
: LTE Band 2 15M Ch18997 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3763.00	-60.37	RMS	29.95	-23.25	1.30	-95.23	26.86	-13.00	-47.37 Vertical
2	5645.00	-58.10	RMS	33.16	-22.12	1.43	-95.23	24.66	-13.00	-45.10 Vertical
3	7526.00	-54.85	RMS	37.14	-21.83	1.11	-95.23	23.96	-13.00	-41.85 Vertical




1

Part 24E Mode 2


LTE CA 2C 20M + 15M Ch18951 1RB99 QPSK + Ch19122 1RB0 QPSK

H



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 2 20M Ch18951 1RB99 QPSK
: LTE Band 2 15M Ch19122 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3788.00	-60.56	RMS	30.05	-23.23	1.32	-95.23	26.53	-13.00	-47.56 Horizontal
2	5682.00	-57.41	RMS	33.52	-22.14	1.33	-95.23	25.11	-13.00	-44.41 Horizontal
3	7576.00	-54.25	RMS	36.95	-21.80	1.11	-95.23	24.72	-13.00	-41.25 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 2 20M Ch18951 1RB99 QPSK
: LTE Band 2 15M Ch19122 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3788.00	-60.54	RMS	30.05	-23.23	1.32	-95.23	26.55	-13.00	-47.54 Vertical
2	5682.00	-58.13	RMS	33.52	-22.14	1.33	-95.23	24.39	-13.00	-45.13 Vertical
3	7576.00	-54.79	RMS	36.95	-21.80	1.11	-95.23	24.18	-13.00	-41.79 Vertical




1

Part 27L Mode 1


LTE B4 20M Ch20050 1RB0 QPSK

L



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 4 20M Ch20050 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3420.00	-63.72	RMS	28.38	-23.59	1.23	-95.23	25.49	-13.00	-50.72 Horizontal
2	5145.00	-54.81	RMS	32.57	-21.92	1.04	-95.23	28.73	-13.00	-41.81 Horizontal
3	6840.00	-56.10	RMS	36.60	-21.72	1.05	-95.23	23.20	-13.00	-43.10 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 4 20M Ch20050 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3420.00	-63.96	RMS	28.38	-23.59	1.23	-95.23	25.25	-13.00	-50.96 Vertical
2	5145.00	-54.70	RMS	32.57	-21.92	1.04	-95.23	28.84	-13.00	-41.70 Vertical
3	6840.00	-55.86	RMS	36.60	-21.72	1.05	-95.23	23.44	-13.00	-42.86 Vertical




1

Part 27L Mode 1


LTE B4 20M Ch20175 1RB0 QPSK

M



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 4 20M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3447.00	-63.56	RMS	28.49	-23.60	1.22	-95.23	25.56	-13.00	-50.56 Horizontal
2	5170.00	-54.77	RMS	32.52	-21.94	1.05	-95.23	28.83	-13.00	-41.77 Horizontal
3	6894.00	-55.71	RMS	36.69	-21.78	1.06	-95.23	23.55	-13.00	-42.71 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 4 20M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	3447.00	-63.83	RMS	28.49	-23.60	1.22	-95.23	25.29	-13.00	-50.83 Vertical
2	5170.00	-53.87	RMS	32.52	-21.94	1.05	-95.23	29.73	-13.00	-40.87 Vertical
3	6894.00	-55.68	RMS	36.69	-21.78	1.06	-95.23	23.58	-13.00	-42.68 Vertical




1

Part 27L Mode 1


LTE B4 20M Ch20300 1RB0 QPSK

H



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Horizontal
: LTE Band 4 20M Ch20300 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3472.00	-63.73	Average	28.59	-23.60	1.21	-95.23	25.30	-13.00	-50.73 Horizontal
2	5208.00	-55.32	Average	32.38	-21.97	1.06	-95.23	28.44	-13.00	-42.32 Horizontal
3	6944.00	-55.10	Average	36.61	-21.83	1.07	-95.23	24.28	-13.00	-42.10 Horizontal



Site : 03CH22-HY
Condition: -13 1m SHF_1225_250702 Vertical
: LTE Band 4 20M Ch20300 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3472.00	-63.79	Average	28.59	-23.60	1.21	-95.23	25.24	-13.00	-50.79 Vertical
2	5208.00	-53.89	Average	32.38	-21.97	1.06	-95.23	29.87	-13.00	-40.89 Vertical
3	6944.00	-55.43	Average	36.61	-21.83	1.07	-95.23	23.95	-13.00	-42.43 Vertical




1

Part 27L Mode 4

LTE CA 66B 15M + 5M Ch132047 1RB74 QPSK + Ch132140 1RB0 QPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 66 15M Ch132047 1RB74 QPSK

: LTE Band 66 5M Ch132140 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3448.00	-62.12	RMS	28.49	-23.60	1.22	-95.23	27.00	-13.00	-49.12 Horizontal
2	5172.00	-53.35	RMS	32.51	-21.94	1.05	-95.23	30.26	-13.00	-40.35 Horizontal
3	6897.00	-55.54	RMS	36.69	-21.78	1.06	-95.23	23.72	-13.00	-42.54 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 66 15M Ch132047 1RB74 QPSK

: LTE Band 66 5M Ch132140 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3448.00	-62.69	RMS	28.49	-23.60	1.22	-95.23	26.43	-13.00	-49.69 Vertical
2	5172.00	-53.17	RMS	32.51	-21.94	1.05	-95.23	30.44	-13.00	-40.17 Vertical
3	6897.00	-55.39	RMS	36.69	-21.78	1.06	-95.23	23.87	-13.00	-42.39 Vertical




1

Part 27L Mode 4

LTE CA 66B 15M + 5M Ch132398 1RB74 QPSK + Ch132491 1RB0 QPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 66 15M Ch132398 1RB74 QPSK

: LTE Band 66 5M Ch132491 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3519.00	-62.17	RMS	28.89	-23.55	1.20	-95.23	26.52	-13.00	-49.17 Horizontal
2	5278.00	-52.44	RMS	32.24	-21.93	1.09	-95.23	31.39	-13.00	-39.44 Horizontal
3	7037.00	-55.19	RMS	36.50	-21.85	1.07	-95.23	24.32	-13.00	-42.19 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 66 15M Ch132398 1RB74 QPSK

: LTE Band 66 5M Ch132491 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3519.00	-62.73	RMS	28.89	-23.55	1.20	-95.23	25.96	-13.00	-49.73 Vertical
2	5278.00	-50.16	RMS	32.24	-21.93	1.09	-95.23	33.67	-13.00	-37.16 Vertical
3	7037.00	-55.20	RMS	36.50	-21.85	1.07	-95.23	24.31	-13.00	-42.20 Vertical




1

Part 27L Mode 4

LTE CA 66B 15M + 5M Ch132549 1RB74 QPSK + Ch132642 1RB0 QPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 66 15M Ch132549 1RB74 QPSK

: LTE Band 66 5M Ch132642 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	Amp\Cb							
	MHz	dBm			1							
1	3549.00	-62.46	RMS	29.19	-23.48	1.19	-95.23	25.87	-13.00	-49.46		Horizontal
2	5323.00	-54.14	RMS	32.25	-21.90	1.10	-95.23	29.64	-13.00	-41.14		Horizontal
3	7097.00	-55.38	RMS	36.69	-21.78	1.07	-95.23	23.87	-13.00	-42.38		Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 66 15M Ch132549 1RB74 QPSK

: LTE Band 66 5M Ch132642 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	Amp\Cb							
	MHz	dBm			1							
1	3549.00	-62.42	RMS	29.19	-23.48	1.19	-95.23	25.91	-13.00	-49.42		Vertical
2	5323.00	-52.96	RMS	32.25	-21.90	1.10	-95.23	30.82	-13.00	-39.96		Vertical
3	7097.00	-54.95	RMS	36.69	-21.78	1.07	-95.23	24.30	-13.00	-41.95		Vertical




1

Part 27L Mode 5

LTE CA 66C 5M + 20M Ch132005 1RB24 QPSK + Ch132122 1RB0 QPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 66 20M Ch132005 1RB24 QPSK

: LTE Band 66 20M Ch132122 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3446.00	-63.75	RMS	28.48	-23.60	1.22	-95.23	25.38	-13.00	-50.75	Horizontal		
2	5169.00	-59.12	RMS	32.52	-21.94	1.05	-95.23	24.48	-13.00	-46.12	Horizontal		
3	6892.00	-55.20	RMS	36.68	-21.78	1.06	-95.23	24.07	-13.00	-42.20	Horizontal		



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 66 20M Ch132005 1RB24 QPSK

: LTE Band 66 20M Ch132122 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3446.00	-63.75	RMS	28.48	-23.60	1.22	-95.23	25.38	-13.00	-50.75	Vertical		
2	5169.00	-56.42	RMS	32.52	-21.94	1.05	-95.23	27.18	-13.00	-43.42	Vertical		
3	6892.00	-55.61	RMS	36.68	-21.78	1.06	-95.23	23.66	-13.00	-42.61	Vertical		




1

Part 27L Mode 5

LTE CA 66C 5M + 20M Ch132330 1RB24 QPSK + Ch132447 1RB0 QPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 66 20M Ch132330 1RB24 QPSK

: LTE Band 66 20M Ch132447 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g			
1	3510.00	-63.23	RMS	28.80	-23.58	1.20	-95.23	25.58	-13.00	-50.23 Horizontal
2	5265.00	-59.30	RMS	32.27	-21.93	1.08	-95.23	24.51	-13.00	-46.30 Horizontal
3	7020.00	-55.24	RMS	36.50	-21.87	1.08	-95.23	24.28	-13.00	-42.24 Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 66 20M Ch132330 1RB24 QPSK

: LTE Band 66 20M Ch132447 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g			
1	3510.00	-63.26	RMS	28.80	-23.58	1.20	-95.23	25.55	-13.00	-50.26 Vertical
2	5265.00	-58.66	RMS	32.27	-21.93	1.08	-95.23	25.15	-13.00	-45.66 Vertical
3	7020.00	-55.78	RMS	36.50	-21.87	1.08	-95.23	23.74	-13.00	-42.78 Vertical




1

Part 27L Mode 5

LTE CA 66C 5M + 20M Ch132455 1RB24 QPSK + Ch132572 1RB0 QPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 66 20M Ch132455 1RB24 QPSK

: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	Amp\Cb							
	MHz	dBm			1							
1	3536.00	-62.72	RMS	29.06	-23.51	1.19	-95.23	25.77	-13.00	-49.72	Horizontal	
2	5304.00	-54.79	RMS	32.21	-21.91	1.10	-95.23	29.04	-13.00	-41.79	Horizontal	
3	7072.00	-55.13	RMS	36.59	-21.81	1.07	-95.23	24.25	-13.00	-42.13	Horizontal	



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 66 20M Ch132455 1RB24 QPSK

: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	Amp\Cb							
	MHz	dBm			1							
1	3536.00	-63.02	RMS	29.06	-23.51	1.19	-95.23	25.47	-13.00	-50.02	Vertical	
2	5304.00	-53.34	RMS	32.21	-21.91	1.10	-95.23	30.49	-13.00	-40.34	Vertical	
3	7072.00	-55.47	RMS	36.59	-21.81	1.07	-95.23	23.91	-13.00	-42.47	Vertical	




5

Part 27D Mode 6


LTE B30 5M Ch27685 1RB0 QPSK

L



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Horizontal
: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	4610.00	-55.61	RMS	31.74	-22.00	0.99	-95.23	28.89	-40.00	-15.61	Horizontal
2	6916.00	-53.90	RMS	36.67	-21.80	1.06	-95.23	25.40	-40.00	-13.90	Horizontal
3	9221.00	-53.36	RMS	37.24	-22.10	1.16	-95.23	25.57	-40.00	-13.36	Horizontal
4	18442.00	-62.65	RMS	38.20	-45.19	-9.54	-95.23	49.11	-40.00	-22.65	Horizontal
5	20748.00	-63.39	RMS	38.10	-40.27	-9.54	-95.23	43.55	-40.00	-23.39	Horizontal
6	23053.00	-55.51	RMS	39.10	-36.35	-9.54	-95.23	46.51	-40.00	-15.51	Horizontal



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Vertical
: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	4610.00	-57.36	RMS	31.74	-22.00	0.99	-95.23	27.14	-40.00	-17.36	Vertical
2	6916.00	-52.10	RMS	36.67	-21.80	1.06	-95.23	27.20	-40.00	-12.10	Vertical
3	9221.00	-52.77	RMS	37.24	-22.10	1.16	-95.23	26.16	-40.00	-12.77	Vertical
4	20748.00	-61.92	RMS	38.10	-40.27	-9.54	-95.23	45.02	-40.00	-21.92	Vertical
5	23053.00	-61.21	RMS	39.10	-36.35	-9.54	-95.23	40.81	-40.00	-21.21	Vertical




5

Part 27D Mode 6


LTE B30 5M Ch27710 1RB0 QPSK

M



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Horizontal
: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4615.00	-55.67	RMS	31.76	-22.00	1.01	-95.23	28.79	-40.00	-15.67	Horizontal
2	6923.00	-52.84	RMS	36.65	-21.81	1.06	-95.23	26.49	-40.00	-12.84	Horizontal
3	9231.00	-53.50	RMS	37.26	-22.12	1.16	-95.23	25.43	-40.00	-13.50	Horizontal
4	18462.00	-59.90	RMS	38.25	-45.16	-9.54	-95.23	51.78	-40.00	-19.90	Horizontal
5	20770.00	-62.83	RMS	38.10	-40.24	-9.54	-95.23	44.08	-40.00	-22.83	Horizontal
6	23078.00	-56.45	RMS	39.10	-36.29	-9.54	-95.23	45.51	-40.00	-16.45	Horizontal



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Vertical
: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4615.00	-56.90	RMS	31.76	-22.00	1.01	-95.23	27.56	-40.00	-16.90	Vertical
2	6923.00	-53.85	RMS	36.65	-21.81	1.06	-95.23	25.48	-40.00	-13.85	Vertical
3	9231.00	-52.16	RMS	37.26	-22.12	1.16	-95.23	26.77	-40.00	-12.16	Vertical
4	18462.00	-64.36	RMS	38.25	-45.16	-9.54	-95.23	47.32	-40.00	-24.36	Vertical
5	20770.00	-63.81	RMS	38.10	-40.24	-9.54	-95.23	43.10	-40.00	-23.81	Vertical
6	23078.00	-57.23	RMS	39.10	-36.29	-9.54	-95.23	44.73	-40.00	-17.23	Vertical




5

Part 27D Mode 6


LTE B30 5M Ch27735 1RB0 QPSK

H



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Horizontal
: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4620.00	-55.43	RMS	31.78	-22.00	1.02	-95.23	29.00	-40.00	-15.43	Horizontal
2	6931.00	-53.71	RMS	36.64	-21.82	1.07	-95.23	25.63	-40.00	-13.71	Horizontal
3	9241.00	-54.06	RMS	37.28	-22.13	1.16	-95.23	24.86	-40.00	-14.06	Horizontal
4	18482.00	-62.81	RMS	38.33	-45.14	-9.54	-95.23	48.77	-40.00	-22.81	Horizontal
5	23103.00	-60.96	RMS	39.10	-36.24	-9.54	-95.23	40.95	-40.00	-20.96	Horizontal



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Vertical
: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4620.00	-56.22	RMS	31.78	-22.00	1.02	-95.23	28.21	-40.00	-16.22	Vertical
2	6931.00	-53.40	RMS	36.64	-21.82	1.07	-95.23	25.94	-40.00	-13.40	Vertical
3	9241.00	-52.44	RMS	37.28	-22.13	1.16	-95.23	26.48	-40.00	-12.44	Vertical




5

Part 27D Mode 7


LTE B30 10M Ch27710 1RB0 QPSK

M



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Horizontal
: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	4611.00	-54.89	RMS	31.74	-22.00	1.00	-95.23	29.60	-40.00	-14.89	Horizontal
2	6916.00	-54.15	RMS	36.67	-21.80	1.06	-95.23	25.15	-40.00	-14.15	Horizontal
3	9222.00	-53.69	RMS	37.24	-22.11	1.16	-95.23	25.25	-40.00	-13.69	Horizontal
4	18444.00	-61.19	RMS	38.20	-45.19	-9.54	-95.23	50.57	-40.00	-21.19	Horizontal
5	20750.00	-62.97	RMS	38.10	-40.27	-9.54	-95.23	43.97	-40.00	-22.97	Horizontal
6	23055.00	-59.05	RMS	39.10	-36.35	-9.54	-95.23	42.97	-40.00	-19.05	Horizontal



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Vertical
: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	4611.00	-57.28	RMS	31.74	-22.00	1.00	-95.23	27.21	-40.00	-17.28	Vertical
2	6916.00	-53.32	RMS	36.67	-21.80	1.06	-95.23	25.98	-40.00	-13.32	Vertical
3	9222.00	-53.21	RMS	37.24	-22.11	1.16	-95.23	25.73	-40.00	-13.21	Vertical
4	20750.00	-63.71	RMS	38.10	-40.27	-9.54	-95.23	43.23	-40.00	-23.71	Vertical
5	23055.00	-63.08	RMS	39.10	-36.35	-9.54	-95.23	38.94	-40.00	-23.08	Vertical




5

Part 27D Mode 8


LTE B40 5M Ch38725 1RB0 QPSK

L



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Horizontal
: LTE Band 40 5M Ch38725 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4610.00	-56.85	RMS	31.74	-22.00	0.99	-95.23	27.65	-40.00	-16.85	Horizontal
2	6916.00	-53.89	RMS	36.67	-21.80	1.06	-95.23	25.41	-40.00	-13.89	Horizontal
3	9221.00	-53.88	RMS	37.24	-22.10	1.16	-95.23	25.05	-40.00	-13.88	Horizontal
4	18442.00	-64.01	RMS	38.20	-45.19	-9.54	-95.23	47.75	-40.00	-24.01	Horizontal
5	23053.00	-62.79	RMS	39.10	-36.35	-9.54	-95.23	39.23	-40.00	-22.79	Horizontal



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Vertical
: LTE Band 40 5M Ch38725 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4610.00	-57.99	RMS	31.74	-22.00	0.99	-95.23	26.51	-40.00	-17.99	Vertical
2	6916.00	-53.59	RMS	36.67	-21.80	1.06	-95.23	25.71	-40.00	-13.59	Vertical
3	9221.00	-54.09	RMS	37.24	-22.10	1.16	-95.23	24.84	-40.00	-14.09	Vertical




5

Part 27D Mode 8


LTE B40 5M Ch38750 1RB0 QPSK

M



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Horizontal
: LTE Band 40 5M Ch38750 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4615.00	-58.48	RMS	31.76	-22.00	1.01	-95.23	25.98	-40.00	-18.48	Horizontal
2	6923.00	-53.42	RMS	36.65	-21.81	1.06	-95.23	25.91	-40.00	-13.42	Horizontal
3	9231.00	-53.81	RMS	37.26	-22.12	1.16	-95.23	25.12	-40.00	-13.81	Horizontal
4	23078.00	-62.52	RMS	39.10	-36.29	-9.54	-95.23	39.44	-40.00	-22.52	Horizontal



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Vertical
: LTE Band 40 5M Ch38750 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4615.00	-58.71	RMS	31.76	-22.00	1.01	-95.23	25.75	-40.00	-18.71	Vertical
2	6923.00	-53.43	RMS	36.65	-21.81	1.06	-95.23	25.90	-40.00	-13.43	Vertical
3	9231.00	-52.75	RMS	37.26	-22.12	1.16	-95.23	26.18	-40.00	-12.75	Vertical




5

Part 27D Mode 8


LTE B40 5M Ch38775 1RB0 QPSK

H



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Horizontal
: LTE Band 40 5M Ch38775 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4620.00	-59.78	RMS	31.78	-22.00	1.02	-95.23	24.65	-40.00	-19.78 Horizontal
2	6931.00	-51.45	RMS	36.64	-21.82	1.07	-95.23	27.89	-40.00	-11.45 Horizontal
3	9241.00	-52.63	RMS	37.28	-22.13	1.16	-95.23	26.29	-40.00	-12.63 Horizontal



Site : 03CH22-HY
Condition: -40 1m SHF_1225_250702 Vertical
: LTE Band 40 5M Ch38775 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4620.00	-59.79	RMS	31.78	-22.00	1.02	-95.23	24.64	-40.00	-19.79 Vertical
2	6931.00	-52.92	RMS	36.64	-21.82	1.07	-95.23	26.42	-40.00	-12.92 Vertical
3	9241.00	-52.66	RMS	37.28	-22.13	1.16	-95.23	26.26	-40.00	-12.66 Vertical




5


Part 27D Mode 9

LTE B40 10M Ch39200 1RB0 QPSK

M



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4701.00	-57.52	RMS	32.00	-22.02	1.22	-95.23	26.51	-40.00	-17.52	Horizontal
2	7051.00	-53.80	RMS	36.50	-21.83	1.07	-95.23	25.69	-40.00	-13.80	Horizontal
3	9402.00	-51.71	RMS	37.20	-22.33	1.16	-95.23	27.49	-40.00	-11.71	Horizontal
4	23505.00	-61.05	RMS	39.00	-35.34	-9.54	-95.23	40.06	-40.00	-21.05	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4701.00	-58.17	RMS	32.00	-22.02	1.22	-95.23	25.86	-40.00	-18.17	Vertical
2	7051.00	-55.34	RMS	36.50	-21.83	1.07	-95.23	24.15	-40.00	-15.34	Vertical
3	9402.00	-54.78	RMS	37.20	-22.33	1.16	-95.23	24.42	-40.00	-14.78	Vertical




1

Part 27F Mode 9

LTE B13 5M Ch23205 1RB0 QPSK

L




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 13 5M Ch23205 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1554.00	-68.71	RMS	24.24	-25.52	1.05	-95.23	26.75	-13.00	-55.71
2	2332.00	-63.20	RMS	26.86	-24.56	0.85	-95.23	28.88	-13.00	-50.20
3	3109.00	-63.06	RMS	28.00	-23.70	0.87	-95.23	27.00	-13.00	-50.06



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 13 5M Ch23205 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1554.00	-68.73	RMS	24.24	-25.52	1.05	-95.23	26.73	-13.00	-55.73
2	2332.00	-63.81	RMS	26.86	-24.56	0.85	-95.23	28.27	-13.00	-50.81
3	3109.00	-63.19	RMS	28.00	-23.70	0.87	-95.23	26.87	-13.00	-50.19




1

Part 27F Mode 9

LTE B13 5M Ch23230 1RB0 QPSK

M




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1559.00	-68.37	RMS	24.29	-25.51	1.05	-95.23	27.03	-42.15	-26.22
2	2339.00	-63.78	RMS	26.72	-24.56	0.85	-95.23	28.44	-13.00	-50.78
3	3119.00	-63.99	RMS	28.00	-23.70	0.87	-95.23	26.07	-13.00	-50.99



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1559.00	-68.18	RMS	24.29	-25.51	1.05	-95.23	27.22	-42.15	-26.03
2	2339.00	-59.71	RMS	26.72	-24.56	0.85	-95.23	32.51	-13.00	-46.71
3	3119.00	-64.16	RMS	28.00	-23.70	0.87	-95.23	25.90	-13.00	-51.16




1

Part 27F Mode 9

LTE B13 5M Ch23255 1RB0 QPSK

H




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1564.00	-69.04	RMS	24.34	-25.50	1.05	-95.23	26.30	-42.15	-26.89 Horizontal
2	2347.00	-63.08	RMS	26.77	-24.55	0.85	-95.23	29.08	-13.00	-50.08 Horizontal
3	3129.00	-63.78	RMS	28.00	-23.70	0.87	-95.23	26.28	-13.00	-50.78 Horizontal



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1564.00	-68.55	RMS	24.34	-25.50	1.05	-95.23	26.79	-42.15	-26.40 Vertical
2	2347.00	-63.95	RMS	26.77	-24.55	0.85	-95.23	28.21	-13.00	-50.95 Vertical
3	3129.00	-63.40	RMS	28.00	-23.70	0.87	-95.23	26.66	-13.00	-50.40 Vertical




1

Part 27F Mode 10

LTE B13 10M Ch23230 1RB0 QPSK

M




Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 13 10M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-68.81	RMS	24.25	-25.52	1.05	-95.23	26.64	-13.00	-55.81
2	2332.00	-62.17	RMS	26.86	-24.56	0.85	-95.23	29.91	-13.00	-49.17
3	3110.00	-63.77	RMS	28.00	-23.70	0.87	-95.23	26.29	-13.00	-50.77



Site : 03CH22-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 13 10M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-68.66	RMS	24.25	-25.52	1.05	-95.23	26.79	-13.00	-55.66
2	2332.00	-63.66	RMS	26.86	-24.56	0.85	-95.23	28.42	-13.00	-50.66
3	3110.00	-63.37	RMS	28.00	-23.70	0.87	-95.23	26.69	-13.00	-50.37




8

Part 27H Mode 11

LTE B17 10M Ch23780 1RB1 BPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 17 10M Ch23780 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	1409.00	-67.83	RMS	24.59	-25.83	1.04	-95.23	27.60	-13.00	-54.83	Horizontal			
2	2114.00	-61.61	RMS	26.30	-24.78	0.92	-95.23	31.18	-13.00	-48.61	Horizontal			
3	2818.00	-63.78	RMS	27.70	-24.06	0.87	-95.23	26.94	-13.00	-50.78	Horizontal			



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 17 10M Ch23780 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	1409.00	-68.51	RMS	24.59	-25.83	1.04	-95.23	26.92	-13.00	-55.51	Vertical			
2	2114.00	-61.30	RMS	26.30	-24.78	0.92	-95.23	31.49	-13.00	-48.30	Vertical			
3	2818.00	-63.42	RMS	27.70	-24.06	0.87	-95.23	27.30	-13.00	-50.42	Vertical			




8

Part 27H Mode 11

LTE B17 10M Ch23790 1RB1 BPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 17 10M Ch23790 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1411.00	-68.26	RMS	24.59	-25.82	1.04	-95.23	27.16	-13.00	-55.26	Horizontal
2	2117.00	-63.12	RMS	26.30	-24.78	0.92	-95.23	29.67	-13.00	-50.12	Horizontal
3	2822.00	-64.07	RMS	27.70	-24.06	0.87	-95.23	26.65	-13.00	-51.07	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 17 10M Ch23790 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1411.00	-68.02	RMS	24.59	-25.82	1.04	-95.23	27.40	-13.00	-55.02	Vertical
2	2117.00	-61.44	RMS	26.30	-24.78	0.92	-95.23	31.35	-13.00	-48.44	Vertical
3	2822.00	-64.09	RMS	27.70	-24.06	0.87	-95.23	26.63	-13.00	-51.09	Vertical




8

Part 27H Mode 11

LTE B17 10M Ch23800 1RB1 BPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 17 10M Ch23800 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1413.00	-68.52	RMS	24.57	-25.82	1.04	-95.23	26.92	-13.00	-55.52	Horizontal			
2	2120.00	-63.96	RMS	26.30	-24.77	0.91	-95.23	28.83	-13.00	-50.96	Horizontal			
3	2826.00	-64.31	RMS	27.70	-24.05	0.87	-95.23	26.40	-13.00	-51.31	Horizontal			



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 17 10M Ch23800 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1413.00	-68.38	RMS	24.57	-25.82	1.04	-95.23	27.06	-13.00	-55.38	Vertical			
2	2120.00	-61.79	RMS	26.30	-24.77	0.91	-95.23	31.00	-13.00	-48.79	Vertical			
3	2826.00	-64.10	RMS	27.70	-24.05	0.87	-95.23	26.61	-13.00	-51.10	Vertical			




1

Part 27N Mode 12

LTE B71 20M Ch133222 1RB1 QPSK

L




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 71 20M Ch133222 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1328.00	-65.98	RMS	24.40	-25.99	1.22	-95.23	29.62	-13.00	-52.98	Horizontal
2	1992.00	-56.64	RMS	26.02	-24.92	1.02	-95.23	36.47	-13.00	-43.64	Horizontal
3	2656.00	-62.74	RMS	27.44	-24.30	0.93	-95.23	28.42	-13.00	-49.74	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 71 20M Ch133222 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1328.00	-68.04	RMS	24.40	-25.99	1.22	-95.23	27.56	-13.00	-55.04	Vertical
2	1992.00	-62.36	RMS	26.02	-24.92	1.02	-95.23	30.75	-13.00	-49.36	Vertical
3	2656.00	-64.71	RMS	27.44	-24.30	0.93	-95.23	26.45	-13.00	-51.71	Vertical




1

Part 27N Mode 12

LTE B71 20M Ch133322 1RB1 QPSK

M




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 71 20M Ch133322 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	1348.00	-67.58	RMS	24.48	-25.95	1.17	-95.23	27.95	-13.00	-54.58	Horizontal
2	2022.00	-58.17	RMS	26.28	-24.88	0.99	-95.23	34.67	-13.00	-45.17	Horizontal
3	2696.00	-61.69	RMS	27.50	-24.24	0.91	-95.23	29.37	-13.00	-48.69	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 71 20M Ch133322 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	1348.00	-67.77	RMS	24.48	-25.95	1.17	-95.23	27.76	-13.00	-54.77	Vertical
2	2022.00	-63.53	RMS	26.28	-24.88	0.99	-95.23	29.31	-13.00	-50.53	Vertical
3	2696.00	-64.94	RMS	27.50	-24.24	0.91	-95.23	26.12	-13.00	-51.94	Vertical




1

Part 27N Mode 12

LTE B71 20M Ch133372 1RB1 QPSK

H




Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBm	dB		
1	1358.00	-67.96	RMS	24.58	-25.93	1.15	-95.23	27.47	-13.00	-54.96	Horizontal
2	2037.00	-58.91	RMS	26.20	-24.87	0.98	-95.23	34.01	-13.00	-45.91	Horizontal
3	2716.00	-65.38	RMS	27.50	-24.22	0.90	-95.23	25.67	-13.00	-52.38	Horizontal



Site : 03CH22-HY

Condition: -13 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBm	dB		
1	1358.00	-67.80	RMS	24.58	-25.93	1.15	-95.23	27.63	-13.00	-54.80	Vertical
2	2037.00	-64.39	RMS	26.20	-24.87	0.98	-95.23	28.53	-13.00	-51.39	Vertical
3	2716.00	-65.15	RMS	27.50	-24.22	0.90	-95.23	25.90	-13.00	-52.15	Vertical




5

Part 27M Mode 14

LTE B7 20M Ch20850 1RB0 QPSK

L




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 7 20M Ch20850 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5002.00	-55.93	RMS	32.59	-21.77	1.00	-95.23	27.48	-25.00	-30.93	Horizontal	
2	7503.00	-55.56	RMS	37.28	-21.85	1.11	-95.23	23.13	-25.00	-30.56	Horizontal	
3	10004.00	-50.57	RMS	37.29	-21.94	1.22	-95.23	28.09	-25.00	-25.57	Horizontal	
4	20008.00	-61.10	RMS	38.00	-41.75	-9.54	-95.23	47.42	-25.00	-36.10	Horizontal	
5	22509.00	-51.63	RMS	38.62	-36.44	-9.54	-95.23	50.96	-25.00	-26.63	Horizontal	
6	25010.00	-61.65	RMS	39.60	-33.89	-9.54	-95.23	37.41	-25.00	-36.65	Horizontal	



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 7 20M Ch20850 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5002.00	-58.06	RMS	32.59	-21.77	1.00	-95.23	25.35	-25.00	-33.06	Vertical	
2	7503.00	-53.69	RMS	37.28	-21.85	1.11	-95.23	25.00	-25.00	-28.69	Vertical	
3	10004.00	-52.05	RMS	37.29	-21.94	1.22	-95.23	26.61	-25.00	-27.05	Vertical	
4	20008.00	-62.63	RMS	38.00	-41.75	-9.54	-95.23	45.89	-25.00	-37.63	Vertical	
5	22509.00	-57.72	RMS	38.62	-36.44	-9.54	-95.23	44.87	-25.00	-32.72	Vertical	
6	25010.00	-59.42	RMS	39.60	-33.89	-9.54	-95.23	39.64	-25.00	-34.42	Vertical	




5

Part 27M Mode 14

LTE B7 20M Ch21100 1RB0 QPSK

M




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 7 20M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-50.39	RMS	32.40	-21.82	1.02	-95.23	33.24	-25.00	-25.39	Horizontal
2	7578.00	-52.02	RMS	36.94	-21.80	1.11	-95.23	26.96	-25.00	-27.02	Horizontal
3	10104.00	-49.95	RMS	37.21	-21.99	1.23	-95.23	28.83	-25.00	-24.95	Horizontal
4	20208.00	-62.43	RMS	38.00	-41.32	-9.54	-95.23	45.66	-25.00	-37.43	Horizontal
5	22734.00	-59.29	RMS	38.80	-36.45	-9.54	-95.23	43.13	-25.00	-34.29	Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 7 20M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-52.24	RMS	32.40	-21.82	1.02	-95.23	31.39	-25.00	-27.24	Vertical
2	7578.00	-53.12	RMS	36.94	-21.80	1.11	-95.23	25.86	-25.00	-28.12	Vertical
3	10104.00	-51.05	RMS	37.21	-21.99	1.23	-95.23	27.73	-25.00	-26.05	Vertical
4	20208.00	-64.02	RMS	38.00	-41.32	-9.54	-95.23	44.07	-25.00	-39.02	Vertical




5

Part 27M Mode 14

LTE B7 20M Ch21350 1RB0 QPSK

H




Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN_250520 Horizontal

: LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5102.00	-51.06 RMS	32.31	-21.87	1.03	-95.23	32.70	-25.00	-26.06	Horizontal
2	7653.00	-53.05 RMS	37.00	-21.83	1.10	-95.23	25.91	-25.00	-28.05	Horizontal
3	10204.00	-49.95 RMS	37.39	-22.04	1.24	-95.23	28.69	-25.00	-24.95	Horizontal
4	20408.00	-58.24 RMS	38.02	-40.90	-9.54	-95.23	49.41	-25.00	-33.24	Horizontal
5	22959.00	-47.56 RMS	39.10	-36.47	-9.54	-95.23	54.58	-25.00	-22.56	Horizontal
6	25510.00	-56.83 RMS	39.40	-34.00	-9.54	-95.23	42.54	-25.00	-31.83	Horizontal



Site : 03CH22-HY

Condition: -25 3m DRH18-E_LE2C04A18EN_250520 Vertical

: LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5102.00	-51.13 RMS	32.31	-21.87	1.03	-95.23	32.63	-25.00	-26.13	Vertical
2	7653.00	-52.57 RMS	37.00	-21.83	1.10	-95.23	26.39	-25.00	-27.57	Vertical
3	10204.00	-49.52 RMS	37.39	-22.04	1.24	-95.23	29.12	-25.00	-24.52	Vertical
4	20408.00	-62.32 RMS	38.02	-40.90	-9.54	-95.23	45.33	-25.00	-37.32	Vertical
5	22959.00	-54.61 RMS	39.10	-36.47	-9.54	-95.23	47.53	-25.00	-29.61	Vertical
6	25510.00	-56.89 RMS	39.40	-34.00	-9.54	-95.23	42.48	-25.00	-31.89	Vertical




5

Part 27M Mode 15


LTE B41 20M Ch39750 1RB0 QPSK

L




Site : 03CH22-HY
Condition: -25 1m SHF_1225_250702 Horizontal
: LTE Band 41 20M Ch39750 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-54.27	RMS		32.60	-21.78	1.01	-95.23	29.13	-25.00	-29.27
2	7491.00	-43.18	RMS		37.30	-21.85	1.10	-95.23	35.50	-25.00	-18.18
3	9988.00	-49.59	RMS		37.30	-21.94	1.22	-95.23	29.06	-25.00	-24.59
4	22473.00	-54.76	RMS		38.60	-36.49	-9.54	-95.23	47.90	-25.00	-29.76
5	24970.00	-53.30	RMS		39.60	-33.96	-9.54	-95.23	45.83	-25.00	-28.30




Site : 03CH22-HY
Condition: -25 1m SHF_1225_250702 Horizontal
: LTE Band 41 20M Ch39790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-51.70	RMS		32.59	-21.77	1.00	-95.23	31.71	-25.00	-26.70
2	7503.00	-49.42	RMS		37.28	-21.85	1.11	-95.23	29.27	-25.00	-24.42
3	10004.00	-49.72	RMS		37.29	-21.94	1.22	-95.23	28.94	-25.00	-24.72
4	20008.00	-62.70	RMS		38.00	-41.75	-9.54	-95.23	45.82	-25.00	-37.70
5	22509.00	-56.23	RMS		38.62	-36.44	-9.54	-95.23	46.36	-25.00	-31.23
6	25010.00	-53.30	RMS		39.60	-33.89	-9.54	-95.23	45.76	-25.00	-28.30



Site : 03CH22-HY
Condition: -25 1m SHF_1225_250702 Vertical
: LTE Band 41 20M Ch39750 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4994.00	-55.48	RMS	32.60	-21.78	1.01	-95.23	27.92	-25.00	-30.48	Vertical
2	7491.00	-45.14	RMS	37.30	-21.85	1.10	-95.23	33.54	-25.00	-20.14	Vertical
3	9988.00	-51.25	RMS	37.30	-21.94	1.22	-95.23	27.40	-25.00	-26.25	Vertical
4	22473.00	-58.63	RMS	38.60	-36.49	-9.54	-95.23	44.03	-25.00	-33.63	Vertical
5	24970.00	-55.55	RMS	39.60	-33.96	-9.54	-95.23	43.58	-25.00	-30.55	Vertical



Site : 03CH22-HY
Condition: -25 1m SHF_1225_250702 Vertical
: LTE Band 41 20M Ch39790 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5002.00	-56.28	RMS	32.59	-21.77	1.00	-95.23	27.13	-25.00	-31.28	Vertical
2	7503.00	-52.00	RMS	37.28	-21.85	1.11	-95.23	26.69	-25.00	-27.00	Vertical
3	10004.00	-51.73	RMS	37.29	-21.94	1.22	-95.23	26.93	-25.00	-26.73	Vertical
4	22509.00	-59.84	RMS	38.62	-36.44	-9.54	-95.23	42.75	-25.00	-34.84	Vertical
5	25010.00	-54.63	RMS	39.60	-33.89	-9.54	-95.23	44.43	-25.00	-29.63	Vertical




5


Part 27M Mode 15

LTE B41 20M Ch40620 1RB0 QPSK

M



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5168.00	-44.62	RMS	32.53	-21.94	1.05	-95.23	38.97	-25.00	-19.62	Horizontal	
2	7752.00	-49.22	RMS	36.90	-21.91	1.07	-95.23	29.95	-25.00	-24.22	Horizontal	
3	10336.00	-47.37	RMS	37.44	-22.11	1.25	-95.23	31.28	-25.00	-22.37	Horizontal	
4	18088.00	-62.30	RMS	38.05	-45.70	-9.54	-95.23	50.12	-25.00	-37.30	Horizontal	
5	20672.00	-57.17	RMS	38.10	-40.40	-9.54	-95.23	49.90	-25.00	-32.17	Horizontal	
6	23256.00	-50.49	RMS	39.10	-35.89	-9.54	-95.23	51.07	-25.00	-25.49	Horizontal	
7	25840.00	-55.77	RMS	39.40	-33.93	-9.54	-95.23	43.53	-25.00	-30.77	Horizontal	



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5168.00	-44.89	RMS	32.53	-21.94	1.05	-95.23	38.70	-25.00	-19.89	Vertical	
2	7752.00	-49.79	RMS	36.90	-21.91	1.07	-95.23	29.38	-25.00	-24.79	Vertical	
3	10336.00	-48.02	RMS	37.44	-22.11	1.25	-95.23	30.63	-25.00	-23.02	Vertical	
4	18088.00	-61.65	RMS	38.05	-45.70	-9.54	-95.23	50.77	-25.00	-36.65	Vertical	
5	20672.00	-60.03	RMS	38.10	-40.40	-9.54	-95.23	47.04	-25.00	-35.03	Vertical	
6	23256.00	-57.11	RMS	39.10	-35.89	-9.54	-95.23	44.45	-25.00	-32.11	Vertical	
7	25840.00	-54.75	RMS	39.40	-33.93	-9.54	-95.23	44.55	-25.00	-29.75	Vertical	