




EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz




Date: 21.NOV.2025 01:34:53

Plot on 6265 MHz




Date: 21.NOV.2025 01:38:27

Plot on 6425 MHz



Date: 21.NOV.2025 21:46:48


Plot on 6585 MHz



Date: 21.NOV.2025 21:51:14




Plot on 6745 MHz



Date: 21.NOV.2025 21:55:46

Plot on 6905 MHz




Date: 21.NOV.2025 22:00:08



EUT Mode


802.11be EHT320 2*996RU69

Plot on 6105 MHz




Date: 1.DEC.2025 20:18:43

Plot on 6265 MHz



Date: 1.DEC.2025 20:21:59

Plot on 6585 MHz




Date: 1.DEC.2025 20:31:57



EUT Mode


802.11be EHT320 2*996RU70

Plot on 6425 MHz




Date: 1.DEC.2025 20:28:24

Plot on 6745 MHz



Date: 1.DEC.2025 20:35:40

Plot on 6905 MHz




Date: 1.DEC.2025 20:39:02



EUT Mode


802.11be EHT320 Puncture80+40 6

Plot on 6105 MHz




Date: 1.DEC.2025 21:16:27

Plot on 6265 MHz




Date: 1.DEC.2025 21:18:27

Plot on 6425 MHz



Date: 1.DEC.2025 21:21:02


Plot on 6585 MHz



Date: 1.DEC.2025 21:28:11



Plot on 6745 MHz




Date: 1.DEC.2025 21:35:21



EUT Mode

802.11be EHT320 Puncture80+40 7

Plot on 6905 MHz




Date: 1.DEC.2025 21:40:48



EUT Mode

802.11be EHT320 Puncture40 1

Plot on 6905 MHz




Date: 1.DEC.2025 20:58:36



EUT Mode


802.11be EHT320 Puncture40 8

Plot on 6105 MHz




Date: 1.DEC.2025 20:42:10

Plot on 6265 MHz




Date: 1.DEC.2025 20:45:06

Plot on 6425 MHz



Date: 1.DEC.2025 20:48:30


Plot on 6585 MHz



Date: 1.DEC.2025 20:51:44



Plot on 6745 MHz




Date: 1.DEC.2025 20:54:30



EUT Mode

802.11be EHT320 Puncture80 1

Plot on 6905 MHz




Date: 1.DEC.2025 21:13:30



EUT Mode


802.11be EHT320 Puncture80 4

Plot on 6105 MHz




Date: 1.DEC.2025 21:02:03

Plot on 6265 MHz




Date: 1.DEC.2025 21:04:21

Plot on 6425 MHz



Date: 1.DEC.2025 21:06:49


Plot on 6585 MHz



Date: 1.DEC.2025 21:08:43



Plot on 6745 MHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Brian Chen	Temperature :	23.0~26.0℃
		Relative Humidity :	45.0~55.0%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

571515-01
Mode 1
120Vac/60Hz
Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.150000	---	25.71	56.00	30.29	L1	FLO	20.2
0.150000	35.10	---	66.00	30.90	L1	FLO	20.2
0.174000	---	20.36	54.77	34.41	L1	FLO	20.1
0.174000	33.97	---	64.77	30.80	L1	FLO	20.1
0.206000	---	15.02	53.37	38.35	L1	FLO	20.1
0.206000	26.56	---	63.37	36.81	L1	FLO	20.1
0.574000	---	27.85	46.00	18.15	L1	FLO	20.0
0.574000	34.51	---	56.00	21.49	L1	FLO	20.0
1.754000	---	14.61	46.00	31.39	L1	FLO	20.0
1.754000	22.47	---	56.00	33.53	L1	FLO	20.0
16.194000	---	18.07	50.00	31.93	L1	FLO	20.7
16.194000	27.71	---	60.00	32.29	L1	FLO	20.7

EUT Information

Report NO : 571515-01
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.162000	---	22.83	55.36	32.53	N	FLO	20.1
0.162000	35.09	---	65.36	30.27	N	FLO	20.1
0.170000	---	20.97	54.96	33.99	N	FLO	20.1
0.170000	33.37	---	64.96	31.59	N	FLO	20.1
0.186000	---	20.59	54.21	33.62	N	FLO	20.1
0.186000	31.24	---	64.21	32.97	N	FLO	20.1
0.574000	---	23.72	46.00	22.28	N	FLO	20.0
0.574000	30.67	---	56.00	25.33	N	FLO	20.0
2.098000	---	12.22	46.00	33.78	N	FLO	20.0
2.098000	21.38	---	56.00	34.62	N	FLO	20.0
17.698000	---	20.04	50.00	29.96	N	FLO	20.7
17.698000	26.68	---	60.00	33.32	N	FLO	20.7



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jack Cheng, Ray Lung and Sky Chang	Temperature :	21.1~25.7°C
		Relative Humidity :	55.8~63.2%

Note symbol

-L	Low channel location
-R	High channel location

<Sample 1>

C1-1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-5	5.925-6.425	7+6	802.11a	1	5955	6Mbps	-	Sample1
Mode 68	U-NII-5	5.925-6.425	7+6	802.11a	49	6195	6Mbps	-	Sample1
Mode 69	U-NII-5	5.925-6.425	7+6	802.11a	93	6415	6Mbps	-	Sample1
Mode 70	U-NII-5	5.925-6.425	7+6	802.11be EHT20	1	5955	MCS0	Full RU	Sample1
Mode 71	U-NII-5	5.925-6.425	7+6	802.11be EHT20	1	5955	MCS0	Partial RU 106/53	Sample1
Mode 72	U-NII-5	5.925-6.425	7+6	802.11be EHT20	49	6195	MCS0	-	Sample1
Mode 73	U-NII-5	5.925-6.425	7+6	802.11be EHT20	93	6415	MCS0	-	Sample1
Mode 74	U-NII-5	5.925-6.425	7+6	802.11be EHT40	3	5965	MCS0	Full RU	Sample1
Mode 75	U-NII-5	5.925-6.425	7+6	802.11be EHT40	3	5965	MCS0	Partial RU 242/61	Sample1
Mode 76	U-NII-5	5.925-6.425	7+6	802.11be EHT40	51	6205	MCS0	-	Sample1
Mode 77	U-NII-5	5.925-6.425	7+6	802.11be EHT40	91	6405	MCS0	-	Sample1



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 78	U-NII-5	5.925-6.425	7+6	802.11be EHT80	7	5985	MCS0	Full RU	Sample1
Mode 79	U-NII-5	5.925-6.425	7+6	802.11be EHT80	7	5985	MCS0	Partial RU 484/65	Sample1
Mode 80	U-NII-5	5.925-6.425	7+6	802.11be EHT80	55	6225	MCS0	-	Sample1
Mode 81	U-NII-5	5.925-6.425	7+6	802.11be EHT80	87	6385	MCS0	-	Sample1
Mode 82	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Full RU	Sample1
Mode 83	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Partial RU 996/67	Sample1
Mode 84	U-NII-5	5.925-6.425	7+6	802.11be EHT160	47	6185	MCS0	-	Sample1
Mode 85	U-NII-5	5.925-6.425	7+6	802.11be EHT160	79	6345	MCS0	-	Sample1
Mode 86	U-NII-6	6.425-6.525	7+6	802.11a	97	6435	6Mbps	-	Sample1
Mode 87	U-NII-6	6.425-6.525	7+6	802.11a	105	6475	6Mbps	-	Sample1
Mode 88	U-NII-6	6.425-6.525	7+6	802.11a	113	6515	6Mbps	-	Sample1



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 89	U-NII-6	6.425-6.525	7+6	802.11be EHT20	97	6435	MCS0	-	Sample1
Mode 90	U-NII-6	6.425-6.525	7+6	802.11be EHT20	105	6475	MCS0	-	Sample1
Mode 91	U-NII-6	6.425-6.525	7+6	802.11be EHT20	113	6515	MCS0	-	Sample1
Mode 92	U-NII-6	6.425-6.525	7+6	802.11be EHT40	99	6445	MCS0	-	Sample1
Mode 93	U-NII-6	6.425-6.525	7+6	802.11be EHT40	107	6485	MCS0	-	Sample1
Mode 94	U-NII-6	6.425-6.525	7+6	802.11be EHT40	115	6525	MCS0	-	Sample1
Mode 95	U-NII-6	6.425-6.525	7+6	802.11be EHT80	103	6465	MCS0	-	Sample1
Mode 96	U-NII-6	6.425-6.525	7+6	802.11be EHT160	111	6505	MCS0	-	Sample1
Mode 97	U-NII-7	6.525-6.875	7+6	802.11a	117	6535	6Mbps	-	Sample1
Mode 98	U-NII-7	6.525-6.875	7+6	802.11a	149	6695	6Mbps	-	Sample1
Mode 99	U-NII-7	6.525-6.875	7+6	802.11a	185	6875	6Mbps	-	Sample1



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 100	U-NII-7	6.525-6.875	7+6	802.11be EHT20	117	6535	MCS0	-	Sample1
Mode 101	U-NII-7	6.525-6.875	7+6	802.11be EHT20	149	6695	MCS0	-	Sample1
Mode 102	U-NII-7	6.525-6.875	7+6	802.11be EHT20	185	6875	MCS0	-	Sample1
Mode 103	U-NII-7	6.525-6.875	7+6	802.11be EHT40	123	6565	MCS0	-	Sample1
Mode 104	U-NII-7	6.525-6.875	7+6	802.11be EHT40	147	6685	MCS0	-	Sample1
Mode 105	U-NII-7	6.525-6.875	7+6	802.11be EHT40	187	6885	MCS0	-	Sample1
Mode 106	U-NII-7	6.525-6.875	7+6	802.11be EHT80	135	6625	MCS0	-	Sample1
Mode 107	U-NII-7	6.525-6.875	7+6	802.11be EHT80	151	6705	MCS0	-	Sample1
Mode 108	U-NII-7	6.525-6.875	7+6	802.11be EHT80	183	6865	MCS0	-	Sample1
Mode 109	U-NII-7	6.525-6.875	7+6	802.11be EHT160	143	6665	MCS0	-	Sample1
Mode 110	U-NII-7	6.525-6.875	7+6	802.11be EHT160	175	6825	MCS0	-	Sample1

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 111	U-NII-8	6.875-7.125	7+6	802.11a	189	6895	6Mbps	-	Sample1
Mode 112	U-NII-8	6.875-7.125	7+6	802.11a	209	6995	6Mbps	-	Sample1
Mode 113	U-NII-8	6.875-7.125	7+6	802.11a	233	7115	6Mbps	-	Sample1
Mode 114	U-NII-8	6.875-7.125	7+6	802.11be EHT20	189	6895	MCS0	-	Sample1
Mode 115	U-NII-8	6.875-7.125	7+6	802.11be EHT20	209	6995	MCS0	-	Sample1
Mode 116	U-NII-8	6.875-7.125	7+6	802.11be EHT20	233	7115	MCS0	Full RU	Sample1
Mode 117	U-NII-8	6.875-7.125	7+6	802.11be EHT20	233	7115	MCS0	Partial RU 106/54	Sample1
Mode 118	U-NII-8	6.875-7.125	7+6	802.11be EHT40	195	6925	MCS0	-	Sample1
Mode 119	U-NII-8	6.875-7.125	7+6	802.11be EHT40	211	7005	MCS0	-	Sample1
Mode 120	U-NII-8	6.875-7.125	7+6	802.11be EHT40	227	7085	MCS0	Full RU	Sample1
Mode 121	U-NII-8	6.875-7.125	7+6	802.11be EHT40	227	7085	MCS0	Partial RU 242/62	Sample1

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 122	U-NII-8	6.875-7.125	7+6	802.11be EHT80	199	6945	MCS0	-	Sample1
Mode 123	U-NII-8	6.875-7.125	7+6	802.11be EHT80	215	7025	MCS0	Full RU	Sample1
Mode 124	U-NII-8	6.875-7.125	7+6	802.11be EHT80	215	7025	MCS0	Partial RU 484/66	Sample1
Mode 125	U-NII-8	6.875-7.125	7+6	802.11be EHT160	207	6985	MCS0	Full RU	Sample1
Mode 126	U-NII-8	6.875-7.125	7+6	802.11be EHT160	207	6985	MCS0	Partial RU 996/68	Sample1
Mode 127	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Full RU	Sample1
Mode 128	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Partial RU 996*2/67	Sample1
Mode 129	U-NII-5	5.925-6.425	7+6	802.11be EHT320	95	6425	MCS0	-	Sample1
Mode 130	U-NII-7	6.525-6.875	7+6	802.11be EHT320	159	6745	MCS0	-	Sample1
Mode 131	U-NII-5	5.925-6.425	7+6	802.11be EHT320	63	6265	MCS0	Full RU	Sample1
Mode 132	U-NII-5	5.925-6.425	7+6	802.11be EHT320	63	6265	MCS0	Partial RU 996*2/67	Sample1



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 133	U-NII-7	6.525-6.875	7+6	802.11be EHT320	127	6585	MCS0	-	Sample1
Mode 134	U-NII-8	6.875-7.125	7+6	802.11be EHT320	191	6905	MCS0	-	Sample1
Mode 149	U-NII-5	5.925-6.425	7+6	802.11be EHT80	7	5985	MCS0	Test 20MHz Channel Puncture Location 4	Sample1
Mode 150	U-NII-8	6.875-7.125	7+6	802.11be EHT80	215	7025	MCS0	Test 20MHz Channel Puncture Location 1	Sample1
Mode 151	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Test 20MHz Channel Puncture Location 8	Sample1
Mode 152	U-NII-8	6.875-7.125	7+6	802.11be EHT160	207	6985	MCS0	Test 20MHz Channel Puncture Location 1	Sample1
Mode 153	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Test 40MHz Channel Puncture Location 4	Sample1
Mode 154	U-NII-8	6.875-7.125	7+6	802.11be EHT160	207	6985	MCS0	Test 40MHz Channel Puncture Location 1	Sample1
Mode 155	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Test 40MHz Channel Puncture Location 8	Sample1

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 156	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Test 80MHz Channel Puncture Location 4	Sample1
Mode 157	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Test 80+40MHz Channel Puncture Location 6	Sample1
Mode 158	U-NII-8	6.875-7.125	7+6	802.11be EHT320	191	6905	MCS0	Test 40MHz Channel Puncture Location 1	Sample1
Mode 159	U-NII-8	6.875-7.125	7+6	802.11be EHT320	191	6905	MCS0	Test 80MHz Channel Puncture Location 1	Sample1
Mode 160	U-NII-8	6.875-7.125	7+6	802.11be EHT320	191	6905	MCS0	Test 80+40MHz Channel Puncture Location 7	Sample1
Mode 168	U-NII-5	5.925-6.425	7+6	802.11a	1	5955	6Mbps	-	LF

C1-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
67	802.11a	1	5924.97	67.09	68.20	-1.11	H	Avg.	Pass	-	Band Edge
	802.11a	1	11910.00	45.26	54.00	-8.74	H	Avg.	Pass	-	Harmonic
68	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	44.80	54.00	-9.20	H	Avg.	Pass	-	Harmonic
69	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	54.91	88.20	-33.29	V	Peak	Pass	-	Harmonic
70	802.11be EHT20	1	5923.80	65.67	68.20	-2.53	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	11910.00	45.23	54.00	-8.77	H	Avg.	Pass	Full RU	Harmonic
71	802.11be EHT20	1	5919.25	63.07	68.20	-5.13	V	Avg.	Pass	Partial RU 106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
72	802.11be EHT20	49	-	-	-	-	-	-	-	-	Band Edge

**FCC RADIO TEST REPORT**

Report No. : FR571515-01H

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
72	802.11be EHT20	49	12390.00	44.95	54.00	-9.05	H	Avg.	Pass	-	Harmonic
73	802.11be EHT20	93	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	93	12830.00	58.40	88.20	-29.80	H	Peak	Pass	-	Harmonic
74	802.11be EHT40	3	5922.02	66.22	68.20	-1.98	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	43.16	54.00	-10.84	V	Avg.	Pass	Full RU	Harmonic
75	802.11be EHT40	3	5920.62	66.40	68.20	-1.80	H	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11be EHT40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
76	802.11be EHT40	51	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	51	12410.00	45.93	54.00	-8.07	V	Avg.	Pass	-	Harmonic
77	802.11be EHT40	91	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	91	12810.00	56.16	88.20	-32.04	V	Peak	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
78	802.11be EHT80	7	5922.28	65.57	68.20	-2.63	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	43.64	54.00	-10.36	H	Avg.	Pass	Full RU	Harmonic
79	802.11be EHT80	7	5919.88	63.14	68.20	-5.06	H	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
80	802.11be EHT80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	55	12450.00	44.55	54.00	-9.45	V	Avg.	Pass	-	Harmonic
81	802.11be EHT80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	87	12770.00	54.79	88.20	-33.41	V	Peak	Pass	-	Harmonic
82	802.11be EHT160	15	5887.40	66.67	68.20	-1.53	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	43.33	54.00	-10.67	V	Avg.	Pass	Full RU	Harmonic
83	802.11be EHT160	15	5920.60	67.07	68.20	-1.13	H	Avg.	Pass	Partial RU 996/67	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
83	802.11be EHT160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
84	802.11be EHT160	47	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	47	12370.00	42.52	54.00	-11.48	V	Avg.	Pass	-	Harmonic
85	802.11be EHT160	79	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	79	12690.00	42.02	54.00	-11.98	H	Avg.	Pass	-	Harmonic
86	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	19305.00	38.99	74.00	-35.01	H	Peak	Pass	-	Harmonic
87	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	19425.00	39.00	74.00	-35.00	H	Peak	Pass	-	Harmonic
88	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	19545.00	39.05	74.00	-34.95	V	Peak	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
89	802.11be EHT20	97	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	97	19305.00	39.00	74.00	-35.00	V	Peak	Pass	-	Harmonic
90	802.11be EHT20	105	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	105	19425.00	38.95	74.00	-35.05	H	Peak	Pass	-	Harmonic
91	802.11be EHT20	113	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	113	19545.00	39.79	74.00	-34.21	H	Peak	Pass	-	Harmonic
92	802.11be EHT40	99	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	99	19335.00	39.28	74.00	-34.72	H	Peak	Pass	-	Harmonic
93	802.11be EHT40	107	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	107	19455.00	39.64	74.00	-34.36	V	Peak	Pass	-	Harmonic
94	802.11be EHT40	115	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
94	802.11be EHT40	115	19575.00	39.55	74.00	-34.45	V	Peak	Pass	-	Harmonic
95	802.11be EHT80	103	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	103	19395.00	39.28	74.00	-34.72	V	Peak	Pass	-	Harmonic
96	802.11be EHT160	111	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	111	19515.00	40.00	74.00	-34.00	H	Peak	Pass	-	Harmonic
97	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	60.71	88.20	-27.49	V	Peak	Pass	-	Harmonic
98	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	48.36	54.00	-5.64	V	Avg.	Pass	-	Harmonic
99	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	20625.00	43.72	54.00	-10.28	H	Avg.	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
100	802.11be EHT20	117	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	117	13070.00	57.66	88.20	-30.54	V	Peak	Pass	-	Harmonic
101	802.11be EHT20	149	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	149	13390.00	48.06	54.00	-5.94	V	Avg.	Pass	-	Harmonic
102	802.11be EHT20	185	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	185	20625.00	43.83	54.00	-10.17	V	Avg.	Pass	-	Harmonic
103	802.11be EHT40	123	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	123	13130.00	57.59	88.20	-30.61	V	Peak	Pass	-	Harmonic
104	802.11be EHT40	147	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	147	13370.00	44.23	54.00	-9.77	H	Avg.	Pass	-	Harmonic
105	802.11be EHT40	187	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
105	802.11be EHT40	187	20655.00	40.11	54.00	-13.89	V	Avg.	Pass	-	Harmonic
106	802.11be EHT80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	135	13250.00	44.11	54.00	-9.89	V	Avg.	Pass	-	Harmonic
107	802.11be EHT80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	151	20115.00	40.45	74.00	-33.55	V	Peak	Pass	-	Harmonic
108	802.11be EHT80	183	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	183	7261.20	46.61	54.00	-7.39	H	Avg.	Pass	-	Harmonic
109	802.11be EHT160	143	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	143	7304.40	51.01	54.00	-2.99	H	Avg.	Pass	-	Harmonic
110	802.11be EHT160	175	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	175	7250.00	48.61	54.00	-5.39	H	Avg.	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
111	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	20685.00	39.36	74.00	-34.64	V	Peak	Pass	-	Harmonic
112	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	13990.00	53.31	88.20	-34.89	H	Peak	Pass	-	Harmonic
113	802.11a	233	7125.01	66.88	68.20	-1.32	H	Avg.	Pass	-	Band Edge
	802.11a	233	21345.00	39.76	74.00	-34.24	H	Peak	Pass	-	Harmonic
114	802.11be EHT20	189	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	189	13790.00	53.11	88.20	-35.09	V	Peak	Pass	-	Harmonic
115	802.11be EHT20	209	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	209	13990.00	53.61	88.20	-34.59	H	Peak	Pass	-	Harmonic
116	802.11be EHT20	233	7125.01	66.20	68.20	-2.00	H	Avg.	Pass	Full RU	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
116	802.11be EHT20	233	14230.00	53.79	88.20	-34.41	H	Peak	Pass	Full RU	Harmonic
117	802.11be EHT20	233	7125.01	66.77	68.20	-1.43	H	Avg.	Pass	Partial RU 106/54	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	Partial RU 106/54	Harmonic
118	802.11be EHT40	195	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	195	20775.00	40.09	74.00	-33.91	V	Peak	Pass	-	Harmonic
119	802.11be EHT40	211	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	211	21015.00	39.37	74.00	-34.63	H	Peak	Pass	-	Harmonic
120	802.11be EHT40	227	7126.44	46.78	68.20	-21.42	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	227	21255.00	40.48	74.00	-33.52	V	Peak	Pass	Full RU	Harmonic
121	802.11be EHT40	227	7192.68	46.49	68.20	-21.71	H	Avg.	Pass	Partial RU 242/62	Band Edge
	802.11be EHT40	227	-	-	-	-	-	-	-	Partial RU 242/62	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
122	802.11be EHT80	199	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	199	13890.00	53.69	88.20	-34.51	H	Peak	Pass	-	Harmonic
123	802.11be EHT80	215	7177.68	47.15	68.20	-21.05	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	215	14050.00	54.33	88.20	-33.87	H	Peak	Pass	Full RU	Harmonic
124	802.11be EHT80	215	7202.10	46.76	68.20	-21.44	H	Avg.	Pass	Partial RU 484/66	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	Partial RU 484/66	Harmonic
125	802.11be EHT160	207	7129.96	61.57	68.20	-6.63	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	207	7263.00	50.29	54.00	-3.71	H	Avg.	Pass	Full RU	Harmonic
126	802.11be EHT160	207	7126.12	54.52	68.20	-13.68	H	Avg.	Pass	Partial RU 996/68	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Partial RU 996/68	Harmonic
127	802.11be EHT320	31	5847.40	65.04	68.20	-3.16	H	Avg.	Pass	Full RU	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
127	802.11be EHT320	31	12210.00	40.58	54.00	-13.42	V	Avg.	Pass	Full RU	Harmonic
128	802.11be EHT320	31	5917.12	66.70	68.20	-1.50	H	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic
129	802.11be EHT320	95	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	95	7270.20	43.07	54.00	-10.93	H	Avg.	Pass	-	Harmonic
130	802.11be EHT320	159	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	159	7275.60	45.20	54.00	-8.80	H	Avg.	Pass	-	Harmonic
131	802.11be EHT320	63	5923.12	65.39	68.20	-2.81	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	63	12530.00	41.48	54.00	-12.52	V	Avg.	Pass	Full RU	Harmonic
132	802.11be EHT320	63	5919.60	55.38	68.20	-12.82	H	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
133	802.11be EHT320	127	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	127	7284.60	49.16	54.00	-4.84	H	Avg.	Pass	-	Harmonic
134	802.11be EHT320	191	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	191	7303.00	50.44	54.00	-3.56	H	Avg.	Pass	-	Harmonic
149	802.11be EHT80	7	5919.56	65.47	68.20	-2.73	H	Avg.	Pass	Test 20MHz Channel Puncture Location 4	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 4	Harmonic
150	802.11be EHT80	215	7131.26	47.38	68.20	-20.82	H	Avg.	Pass	Test 20MHz Channel Puncture Location 1	Band Edge
	802.11be EHT80	215	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 1	Harmonic
151	802.11be EHT160	15	5915.00	54.90	68.20	-13.30	H	Avg.	Pass	Test 20MHz Channel Puncture Location 8	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 8	Harmonic
152	802.11be EHT160	207	7125.64	54.21	68.20	-13.99	H	Avg.	Pass	Test 20MHz Channel Puncture Location 1	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
152	802.11be EHT160	207	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 1	Harmonic
153	802.11be EHT160	15	5882.40	63.94	68.20	-4.26	H	Avg.	Pass	Test 40MHz Channel Puncture Location 4	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 4	Harmonic
154	802.11be EHT160	207	7127.32	57.93	68.20	-10.27	H	Avg.	Pass	Test 40MHz Channel Puncture Location 1	Band Edge
	802.11be EHT160	207	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 1	Harmonic
155	802.11be EHT320	31	5858.04	64.96	68.20	-3.24	H	Avg.	Pass	Test 40MHz Channel Puncture Location 8	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 8	Harmonic
156	802.11be EHT320	31	5919.08	65.93	68.20	-2.27	H	Avg.	Pass	Test 80MHz Channel Puncture Location 4	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Test 80MHz Channel Puncture Location 4	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
157	802.11be EHT320	31	5899.20	65.16	68.20	-3.04	H	Avg.	Pass	Test 80+40MHz Channel Puncture Location 6	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Test 80+40MHz Channel Puncture Location 6	Harmonic
158	802.11be EHT320	191	7191.08	65.97	68.20	-2.23	H	Avg.	Pass	Test 40MHz Channel Puncture Location 1	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 1	Harmonic
159	802.11be EHT320	191	7188.52	65.36	68.20	-2.84	H	Avg.	Pass	Test 80MHz Channel Puncture Location 1	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 80MHz Channel Puncture Location 1	Harmonic
160	802.11be EHT320	191	7135.69	61.17	68.20	-7.03	V	Avg.	Pass	Test 80+40MHz Channel Puncture Location 7	Band Edge
	802.11be EHT320	191	-	-	-	-	-	-	-	Test 80+40MHz Channel Puncture Location 7	Harmonic
168	LF	1	62.98	32.55	40.00	-7.45	V	Peak	Pass	-	LF



Mode	67																																																																																	
	Band Edge																																																																																	
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN 250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5922.50 79.34 88.20 -8.86 65.01 33.65 15.00 35.30 0.98 193 30 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5922.50 79.34 88.20 -8.86 65.01 33.65 15.00 35.30 0.98 193 30 Peak									Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN 250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 117.72 ----- 103.47 33.60 15.06 35.34 0.93 193 30 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5955.00 117.72 ----- 103.47 33.60 15.06 35.34 0.93 193 30 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5922.50 79.34 88.20 -8.86 65.01 33.65 15.00 35.30 0.98 193 30 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5955.00 117.72 ----- 103.47 33.60 15.06 35.34 0.93 193 30 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN 250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.97 67.09 68.20 -1.11 52.75 33.65 15.01 35.30 0.98 193 30 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5924.97 67.09 68.20 -1.11 52.75 33.65 15.01 35.30 0.98 193 30 Average									Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN 250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 110.37 ----- 96.12 33.60 15.06 35.34 0.93 193 30 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5955.00 110.37 ----- 96.12 33.60 15.06 35.34 0.93 193 30 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5924.97 67.09 68.20 -1.11 52.75 33.65 15.01 35.30 0.98 193 30 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5955.00 110.37 ----- 96.12 33.60 15.06 35.34 0.93 193 30 Average																																																																																		



Mode	67																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-23 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.24</td><td>74.61</td><td>88.20 -13.59</td><td>62.44</td><td>33.66</td><td>13.81</td><td>35.30</td><td>0.00</td><td>161</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5922.24	74.61	88.20 -13.59	62.44	33.66	13.81	35.30	0.00	161	0 Peak	Level (dBuV/m) Date: 2025-10-23 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>115.02</td><td>-----</td><td>102.90</td><td>33.60</td><td>13.86</td><td>35.34</td><td>0.00</td><td>161</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	115.02	-----	102.90	33.60	13.86	35.34	0.00	161	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5922.24	74.61	88.20 -13.59	62.44	33.66	13.81	35.30	0.00	161	0 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	115.02	-----	102.90	33.60	13.86	35.34	0.00	161	0 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-23 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.41</td><td>60.90</td><td>68.20 -7.30</td><td>48.74</td><td>33.65</td><td>13.81</td><td>35.30</td><td>0.00</td><td>161</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5923.41	60.90	68.20 -7.30	48.74	33.65	13.81	35.30	0.00	161	0 Average	Level (dBuV/m) Date: 2025-10-23 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>107.27</td><td>-----</td><td>95.16</td><td>33.60</td><td>13.84</td><td>35.33</td><td>0.00</td><td>161</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	107.27	-----	95.16	33.60	13.84	35.33	0.00	161	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5923.41	60.90	68.20 -7.30	48.74	33.65	13.81	35.30	0.00	161	0 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	107.27	-----	95.16	33.60	13.84	35.33	0.00	161	0 Average																																																																																	



Mode	67																																																																																																																																																		
	Harmonic																																																																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																		
ANT	7+6																																																																																																																																																		
Pol.	Horizontal							Vertical																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-24 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 67 Setting : 20.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>36.58</td><td>38.50</td><td>19.81</td><td>41.27</td><td>0.73</td><td>114 345 Peak</td></tr><tr><td>2 11910.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>27.49</td><td>38.50</td><td>19.81</td><td>41.27</td><td>0.73</td><td>114 345 Average</td></tr><tr><td>3 17865.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>34.70</td><td>40.19</td><td>24.70</td><td>47.50</td><td>0.62</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>25.18</td><td>40.19</td><td>24.70</td><td>47.50</td><td>0.62</td><td>-- -- Average</td></tr></tbody></table> Level (dBuV/m) Date: 2025-10-24 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 67 Setting : 20.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>36.95</td><td>38.50</td><td>19.81</td><td>41.27</td><td>0.73</td><td>321 356 Peak</td></tr><tr><td>2 11910.00</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>27.44</td><td>38.50</td><td>19.81</td><td>41.27</td><td>0.73</td><td>321 356 Average</td></tr><tr><td>3 17865.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>35.07</td><td>40.19</td><td>24.70</td><td>47.50</td><td>0.62</td><td>-- -- Peak</td></tr><tr><td>4 17865.00</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>25.67</td><td>40.19</td><td>24.70</td><td>47.50</td><td>0.62</td><td>-- -- Average</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	54.35	74.00	-19.65	36.58	38.50	19.81	41.27	0.73	114 345 Peak	2 11910.00	45.26	54.00	-8.74	27.49	38.50	19.81	41.27	0.73	114 345 Average	3 17865.00	52.71	74.00	-21.29	34.70	40.19	24.70	47.50	0.62	-- -- Peak	4 17865.00	43.19	54.00	-10.81	25.18	40.19	24.70	47.50	0.62	-- -- Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	54.72	74.00	-19.28	36.95	38.50	19.81	41.27	0.73	321 356 Peak	2 11910.00	45.21	54.00	-8.79	27.44	38.50	19.81	41.27	0.73	321 356 Average	3 17865.00	53.08	74.00	-20.92	35.07	40.19	24.70	47.50	0.62	-- -- Peak	4 17865.00	43.68	54.00	-10.32	25.67	40.19	24.70	47.50	0.62	-- -- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																										
1 11910.00	54.35	74.00	-19.65	36.58	38.50	19.81	41.27	0.73	114 345 Peak																																																																																																																																										
2 11910.00	45.26	54.00	-8.74	27.49	38.50	19.81	41.27	0.73	114 345 Average																																																																																																																																										
3 17865.00	52.71	74.00	-21.29	34.70	40.19	24.70	47.50	0.62	-- -- Peak																																																																																																																																										
4 17865.00	43.19	54.00	-10.81	25.18	40.19	24.70	47.50	0.62	-- -- Average																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																										
1 11910.00	54.72	74.00	-19.28	36.95	38.50	19.81	41.27	0.73	321 356 Peak																																																																																																																																										
2 11910.00	45.21	54.00	-8.79	27.44	38.50	19.81	41.27	0.73	321 356 Average																																																																																																																																										
3 17865.00	53.08	74.00	-20.92	35.07	40.19	24.70	47.50	0.62	-- -- Peak																																																																																																																																										
4 17865.00	43.68	54.00	-10.32	25.67	40.19	24.70	47.50	0.62	-- -- Average																																																																																																																																										



Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-24 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 67 Setting : 20.5	Level (dBuV/m) Date: 2025-10-24 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 67 Setting : 20.5



Mode	68																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>35.21</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>213</td><td>44 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>44.80</td><td>54.00</td><td>-9.20</td><td>26.51</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>213</td><td>44 Average</td></tr><tr><td>3</td><td>18585.00</td><td>49.22</td><td>74.00</td><td>-24.78</td><td>59.02</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>102</td><td>284 Peak</td></tr><tr><td>4</td><td>18585.00</td><td>39.31</td><td>54.00</td><td>-14.69</td><td>49.11</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>102</td><td>284 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.50	74.00	-20.50	35.21	38.82	20.22	41.26	0.51	213	44 Peak	2	12390.00	44.80	54.00	-9.20	26.51	38.82	20.22	41.26	0.51	213	44 Average	3	18585.00	49.22	74.00	-24.78	59.02	38.17	25.19	63.62	-9.54	102	284 Peak	4	18585.00	39.31	54.00	-14.69	49.11	38.17	25.19	63.62	-9.54	102	284 Average	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>36.51</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>392</td><td>360 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>26.26</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>392</td><td>360 Average</td></tr><tr><td>3</td><td>18585.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>58.28</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>105</td><td>235 Peak</td></tr><tr><td>4</td><td>18585.00</td><td>38.25</td><td>54.00</td><td>-15.75</td><td>48.05</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>105</td><td>235 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.80	74.00	-19.20	36.51	38.82	20.22	41.26	0.51	392	360 Peak	2	12390.00	44.55	54.00	-9.45	26.26	38.82	20.22	41.26	0.51	392	360 Average	3	18585.00	48.48	74.00	-25.52	58.28	38.17	25.19	63.62	-9.54	105	235 Peak	4	18585.00	38.25	54.00	-15.75	48.05	38.17	25.19	63.62	-9.54	105	235 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12390.00	53.50	74.00	-20.50	35.21	38.82	20.22	41.26	0.51	213	44 Peak																																																																																																																																																															
2	12390.00	44.80	54.00	-9.20	26.51	38.82	20.22	41.26	0.51	213	44 Average																																																																																																																																																															
3	18585.00	49.22	74.00	-24.78	59.02	38.17	25.19	63.62	-9.54	102	284 Peak																																																																																																																																																															
4	18585.00	39.31	54.00	-14.69	49.11	38.17	25.19	63.62	-9.54	102	284 Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12390.00	54.80	74.00	-19.20	36.51	38.82	20.22	41.26	0.51	392	360 Peak																																																																																																																																																															
2	12390.00	44.55	54.00	-9.45	26.26	38.82	20.22	41.26	0.51	392	360 Average																																																																																																																																																															
3	18585.00	48.48	74.00	-25.52	58.28	38.17	25.19	63.62	-9.54	105	235 Peak																																																																																																																																																															
4	18585.00	38.25	54.00	-15.75	48.05	38.17	25.19	63.62	-9.54	105	235 Average																																																																																																																																																															



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	69																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.13</td><td>88.20</td><td>-34.07</td><td>34.57</td><td>39.92</td><td>20.60</td><td>41.49</td><td>0.53</td><td>208</td><td>82</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>40.36</td><td>74.00</td><td>-33.64</td><td>49.59</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.13	88.20	-34.07	34.57	39.92	20.60	41.49	0.53	208	82	Peak	2	19245.00	40.36	74.00	-33.64	49.59	38.10	25.62	63.41	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.91</td><td>88.20</td><td>-33.29</td><td>35.35</td><td>39.92</td><td>20.60</td><td>41.49</td><td>0.53</td><td>192</td><td>332</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>49.09</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.91	88.20	-33.29	35.35	39.92	20.60	41.49	0.53	192	332	Peak	2	19245.00	39.86	74.00	-34.14	49.09	38.10	25.62	63.41	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12830.00	54.13	88.20	-34.07	34.57	39.92	20.60	41.49	0.53	208	82	Peak																																																																																																																		
2	19245.00	40.36	74.00	-33.64	49.59	38.10	25.62	63.41	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12830.00	54.91	88.20	-33.29	35.35	39.92	20.60	41.49	0.53	192	332	Peak																																																																																																																		
2	19245.00	39.86	74.00	-34.14	49.09	38.10	25.62	63.41	-9.54	--	--	Peak																																																																																																																		







Mode	69	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	70																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5920.94 76.92 88.20 -11.28</td><td>62.57</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.98</td><td>205</td><td>28</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5920.94 76.92 88.20 -11.28	62.57	33.66	15.00	35.29	0.98	205	28	Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00 116.49 -----</td><td>102.23</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>205</td><td>28</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00 116.49 -----	102.23	33.60	15.05	35.33	0.94	205	28	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5920.94 76.92 88.20 -11.28	62.57	33.66	15.00	35.29	0.98	205	28	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5955.00 116.49 -----	102.23	33.60	15.05	35.33	0.94	205	28	Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5924.97 64.26 68.20 -3.94</td><td>49.92</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>205</td><td>28</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5924.97 64.26 68.20 -3.94	49.92	33.65	15.01	35.30	0.98	205	28	Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00 108.90 -----</td><td>94.64</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>205</td><td>28</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00 108.90 -----	94.64	33.60	15.05	35.33	0.94	205	28	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5924.97 64.26 68.20 -3.94	49.92	33.65	15.01	35.30	0.98	205	28	Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5955.00 108.90 -----	94.64	33.60	15.05	35.33	0.94	205	28	Average																																																																										



Mode	70																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-31  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5918.99</td><td>79.20</td><td>88.20</td><td>-9.00</td><td>64.84</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>200 343 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5918.99	79.20	88.20	-9.00	64.84	33.66	15.00	35.29	0.99	200 343 Peak	Level (dBuV/m) Date: 2025-10-31  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>113.33</td><td>-----</td><td>-----</td><td>99.00</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>200 343 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	113.33	-----	-----	99.00	33.60	15.06	35.34	0.93	200 343 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5918.99	79.20	88.20	-9.00	64.84	33.66	15.00	35.29	0.99	200 343 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	113.33	-----	-----	99.00	33.60	15.06	35.34	0.93	200 343 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-31  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.00</td><td>65.67</td><td>68.20</td><td>-2.53</td><td>51.33</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>200 343 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5923.00	65.67	68.20	-2.53	51.33	33.65	15.01	35.30	0.98	200 343 Average	Level (dBuV/m) Date: 2025-10-31  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>106.00</td><td>-----</td><td>-----</td><td>91.75</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>200 343 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	106.00	-----	-----	91.75	33.60	15.06	35.34	0.93	200 343 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5923.00	65.67	68.20	-2.53	51.33	33.65	15.01	35.30	0.98	200 343 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	106.00	-----	-----	91.75	33.60	15.06	35.34	0.93	200 343 Average																																																																																	



Mode	70																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>36.70</td><td>38.50</td><td>21.42</td><td>41.27</td><td>2.05</td><td>100 352 Peak</td></tr><tr><td>2 11910.00</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>24.53</td><td>38.50</td><td>21.42</td><td>41.27</td><td>2.05</td><td>100 352 Average</td></tr><tr><td>3 17865.00</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>33.53</td><td>40.19</td><td>26.60</td><td>47.50</td><td>2.52</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	57.40	74.00	-16.60	36.70	38.50	21.42	41.27	2.05	100 352 Peak	2 11910.00	45.23	54.00	-8.77	24.53	38.50	21.42	41.27	2.05	100 352 Average	3 17865.00	55.34	74.00	-18.66	33.53	40.19	26.60	47.50	2.52	-- -- Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>33.93</td><td>38.50</td><td>21.42</td><td>41.27</td><td>2.05</td><td>376 360 Peak</td></tr><tr><td>2 11910.00</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>24.39</td><td>38.50</td><td>21.42</td><td>41.27</td><td>2.05</td><td>376 360 Average</td></tr><tr><td>3 17865.00</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>34.62</td><td>40.19</td><td>26.60</td><td>47.50</td><td>2.52</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	54.63	74.00	-19.37	33.93	38.50	21.42	41.27	2.05	376 360 Peak	2 11910.00	45.09	54.00	-8.91	24.39	38.50	21.42	41.27	2.05	376 360 Average	3 17865.00	56.43	74.00	-17.57	34.62	40.19	26.60	47.50	2.52	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11910.00	57.40	74.00	-16.60	36.70	38.50	21.42	41.27	2.05	100 352 Peak																																																																																																																	
2 11910.00	45.23	54.00	-8.77	24.53	38.50	21.42	41.27	2.05	100 352 Average																																																																																																																	
3 17865.00	55.34	74.00	-18.66	33.53	40.19	26.60	47.50	2.52	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11910.00	54.63	74.00	-19.37	33.93	38.50	21.42	41.27	2.05	376 360 Peak																																																																																																																	
2 11910.00	45.09	54.00	-8.91	24.39	38.50	21.42	41.27	2.05	376 360 Average																																																																																																																	
3 17865.00	56.43	74.00	-17.57	34.62	40.19	26.60	47.50	2.52	-- -- Peak																																																																																																																	







Mode	70	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	Level (dBuV/m) Date: 2025-10-31 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-31 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	71																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.82</td><td>70.66</td><td>88.20</td><td>-17.54</td><td>56.25</td><td>33.69</td><td>14.98</td><td>35.27</td><td>1.01</td><td>281</td><td>59</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5904.82	70.66	88.20	-17.54	56.25	33.69	14.98	35.27	1.01	281	59	Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.96</td><td>-----</td><td>-----</td><td>103.70</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>281</td><td>59</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5955.00	117.96	-----	-----	103.70	33.60	15.04	35.33	0.95	281	59	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5904.82	70.66	88.20	-17.54	56.25	33.69	14.98	35.27	1.01	281	59	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	117.96	-----	-----	103.70	33.60	15.04	35.33	0.95	281	59	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>62.77</td><td>68.20</td><td>-5.43</td><td>48.43</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>281</td><td>59</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5924.97	62.77	68.20	-5.43	48.43	33.65	15.01	35.30	0.98	281	59	Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.39</td><td>-----</td><td>-----</td><td>96.13</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>281</td><td>59</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5955.00	110.39	-----	-----	96.13	33.60	15.04	35.33	0.95	281	59	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	62.77	68.20	-5.43	48.43	33.65	15.01	35.30	0.98	281	59	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	110.39	-----	-----	96.13	33.60	15.04	35.33	0.95	281	59	Average																																																																																						



Mode	71																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-30  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5918.06</td><td>75.34</td><td>88.20 -12.86</td><td>60.98</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5918.06	75.34	88.20 -12.86	60.98	33.66	15.00	35.29	0.99	161	360 Peak	Level (dBuV/m) Date: 2025-10-30  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>116.97</td><td>-----</td><td>102.71</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5955.00	116.97	-----	102.71	33.60	15.05	35.33	0.94	161	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5918.06	75.34	88.20 -12.86	60.98	33.66	15.00	35.29	0.99	161	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	116.97	-----	102.71	33.60	15.05	35.33	0.94	161	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-30  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.25</td><td>63.07</td><td>68.20 -5.13</td><td>48.71</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5919.25	63.07	68.20 -5.13	48.71	33.66	15.00	35.29	0.99	161	360 Average	Level (dBuV/m) Date: 2025-10-30  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>109.61</td><td>-----</td><td>95.35</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5955.00	109.61	-----	95.35	33.60	15.05	35.33	0.94	161	360 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5919.25	63.07	68.20 -5.13	48.71	33.66	15.00	35.29	0.99	161	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	109.61	-----	95.35	33.60	15.05	35.33	0.94	161	360 Average																																																																																	



Mode	72																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>35.14</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>304</td><td>295 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>26.66</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>304</td><td>295 Average</td></tr><tr><td>3</td><td>18585.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>56.75</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>102</td><td>282 Peak</td></tr><tr><td>4</td><td>18585.00</td><td>36.88</td><td>54.00</td><td>-17.12</td><td>46.68</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>102</td><td>282 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.43	74.00	-20.57	35.14	38.82	20.22	41.26	0.51	304	295 Peak	2	12390.00	44.95	54.00	-9.05	26.66	38.82	20.22	41.26	0.51	304	295 Average	3	18585.00	46.95	74.00	-27.05	56.75	38.17	25.19	63.62	-9.54	102	282 Peak	4	18585.00	36.88	54.00	-17.12	46.68	38.17	25.19	63.62	-9.54	102	282 Average	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>34.83</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>223</td><td>11 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>25.36</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>223</td><td>11 Average</td></tr><tr><td>3</td><td>18585.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>55.23</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>295</td><td>324 Peak</td></tr><tr><td>4</td><td>18585.00</td><td>36.53</td><td>54.00</td><td>-17.47</td><td>46.33</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>295</td><td>324 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.12	74.00	-20.88	34.83	38.82	20.22	41.26	0.51	223	11 Peak	2	12390.00	43.65	54.00	-10.35	25.36	38.82	20.22	41.26	0.51	223	11 Average	3	18585.00	45.43	74.00	-28.57	55.23	38.17	25.19	63.62	-9.54	295	324 Peak	4	18585.00	36.53	54.00	-17.47	46.33	38.17	25.19	63.62	-9.54	295	324 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12390.00	53.43	74.00	-20.57	35.14	38.82	20.22	41.26	0.51	304	295 Peak																																																																																																																																																															
2	12390.00	44.95	54.00	-9.05	26.66	38.82	20.22	41.26	0.51	304	295 Average																																																																																																																																																															
3	18585.00	46.95	74.00	-27.05	56.75	38.17	25.19	63.62	-9.54	102	282 Peak																																																																																																																																																															
4	18585.00	36.88	54.00	-17.12	46.68	38.17	25.19	63.62	-9.54	102	282 Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12390.00	53.12	74.00	-20.88	34.83	38.82	20.22	41.26	0.51	223	11 Peak																																																																																																																																																															
2	12390.00	43.65	54.00	-10.35	25.36	38.82	20.22	41.26	0.51	223	11 Average																																																																																																																																																															
3	18585.00	45.43	74.00	-28.57	55.23	38.17	25.19	63.62	-9.54	295	324 Peak																																																																																																																																																															
4	18585.00	36.53	54.00	-17.47	46.33	38.17	25.19	63.62	-9.54	295	324 Average																																																																																																																																																															



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	73																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																																																								
ANT	7+6																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>58.40</td><td>88.20</td><td>-29.80</td><td>38.84</td><td>39.92</td><td>20.60</td><td>41.49</td><td>0.53</td><td>233</td><td>76 Peak</td></tr><tr><td>2</td><td>19245.00</td><td>40.51</td><td>74.00</td><td>-33.49</td><td>49.74</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	58.40	88.20	-29.80	38.84	39.92	20.60	41.49	0.53	233	76 Peak	2	19245.00	40.51	74.00	-33.49	49.74	38.10	25.62	63.41	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>55.21</td><td>88.20</td><td>-32.99</td><td>35.65</td><td>39.92</td><td>20.60</td><td>41.49</td><td>0.53</td><td>200</td><td>11 Peak</td></tr><tr><td>2</td><td>19245.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>50.36</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	55.21	88.20	-32.99	35.65	39.92	20.60	41.49	0.53	200	11 Peak	2	19245.00	41.13	74.00	-32.87	50.36	38.10	25.62	63.41	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	58.40	88.20	-29.80	38.84	39.92	20.60	41.49	0.53	233	76 Peak																																																																																																														
2	19245.00	40.51	74.00	-33.49	49.74	38.10	25.62	63.41	-9.54	--	-- Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	55.21	88.20	-32.99	35.65	39.92	20.60	41.49	0.53	200	11 Peak																																																																																																														
2	19245.00	41.13	74.00	-32.87	50.36	38.10	25.62	63.41	-9.54	--	-- Peak																																																																																																														



Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	74																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																									
ANT	7+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.34 77.99 88.20 -10.21</td><td>63.63</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>181</td><td>33</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5920.34 77.99 88.20 -10.21	63.63	33.66	15.00	35.29	0.99	181	33	Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00 113.70 -----</td><td>99.46</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>181</td><td>33</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5965.00 113.70 -----	99.46	33.60	15.07	35.35	0.92	181	33	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5920.34 77.99 88.20 -10.21	63.63	33.66	15.00	35.29	0.99	181	33	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5965.00 113.70 -----	99.46	33.60	15.07	35.35	0.92	181	33	Peak																																																																		
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.02 66.22 68.20 -1.98</td><td>51.87</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.98</td><td>181</td><td>33</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5922.02 66.22 68.20 -1.98	51.87	33.66	15.00	35.29	0.98	181	33	Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00 105.65 -----</td><td>91.40</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>181</td><td>33</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5965.00 105.65 -----	91.40	33.60	15.06	35.34	0.93	181	33	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5922.02 66.22 68.20 -1.98	51.87	33.66	15.00	35.29	0.98	181	33	Average																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1 5965.00 105.65 -----	91.40	33.60	15.06	35.34	0.93	181	33	Average																																																																		



Mode	74																																																																																																											
	Band Edge																																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																											
ANT	7+6																																																																																																											
Pol.	Vertical																																																																																																											
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.54</td><td>76.10</td><td>88.20</td><td>-12.10</td><td>61.76</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>200</td><td>0 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	76.10	88.20	-12.10	61.76	33.65	15.01	35.30	0.98	200	0 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>110.22</td><td>-----</td><td>-----</td><td>95.98</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>200</td><td>0 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	110.22	-----	-----	95.98	33.60	15.07	35.35	0.92	200	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5924.54	76.10	88.20	-12.10	61.76	33.65	15.01	35.30	0.98	200	0 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5965.00	110.22	-----	-----	95.98	33.60	15.07	35.35	0.92	200	0 Peak																																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.26</td><td>64.46</td><td>68.20</td><td>-3.74</td><td>50.12</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>200</td><td>0 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	64.46	68.20	-3.74	50.12	33.65	15.01	35.30	0.98	200	0 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.16</td><td>-----</td><td>-----</td><td>87.92</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>200</td><td>0 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.16	-----	-----	87.92	33.60	15.07	35.35	0.92	200	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5924.26	64.46	68.20	-3.74	50.12	33.65	15.01	35.30	0.98	200	0 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5965.00	102.16	-----	-----	87.92	33.60	15.07	35.35	0.92	200	0 Average																																																																																																	



Mode	74																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>33.09</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>117</td><td>346</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>23.40</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>117</td><td>346</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>34.81</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>24.88</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	50.86	74.00	-23.14	33.09	38.50	19.83	41.29	0.73	117	346	Peak	2	11930.00	41.17	54.00	-12.83	23.40	38.50	19.83	41.29	0.73	117	346	Average	3	17895.00	53.07	74.00	-20.93	34.81	40.37	24.72	47.46	0.63	--	--	Peak	4	17895.00	43.14	54.00	-10.86	24.88	40.37	24.72	47.46	0.63	--	--	Average	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>51.24</td><td>74.00</td><td>-22.76</td><td>33.47</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>317</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.36</td><td>54.00</td><td>-12.64</td><td>23.59</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>317</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>53.18</td><td>74.00</td><td>-20.82</td><td>34.92</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>24.90</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	51.24	74.00	-22.76	33.47	38.50	19.83	41.29	0.73	317	360	Peak	2	11930.00	41.36	54.00	-12.64	23.59	38.50	19.83	41.29	0.73	317	360	Average	3	17895.00	53.18	74.00	-20.82	34.92	40.37	24.72	47.46	0.63	--	--	Peak	4	17895.00	43.16	54.00	-10.84	24.90	40.37	24.72	47.46	0.63	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	50.86	74.00	-23.14	33.09	38.50	19.83	41.29	0.73	117	346	Peak																																																																																																																																																																						
2	11930.00	41.17	54.00	-12.83	23.40	38.50	19.83	41.29	0.73	117	346	Average																																																																																																																																																																						
3	17895.00	53.07	74.00	-20.93	34.81	40.37	24.72	47.46	0.63	--	--	Peak																																																																																																																																																																						
4	17895.00	43.14	54.00	-10.86	24.88	40.37	24.72	47.46	0.63	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	51.24	74.00	-22.76	33.47	38.50	19.83	41.29	0.73	317	360	Peak																																																																																																																																																																						
2	11930.00	41.36	54.00	-12.64	23.59	38.50	19.83	41.29	0.73	317	360	Average																																																																																																																																																																						
3	17895.00	53.18	74.00	-20.82	34.92	40.37	24.72	47.46	0.63	--	--	Peak																																																																																																																																																																						
4	17895.00	43.16	54.00	-10.84	24.90	40.37	24.72	47.46	0.63	--	--	Average																																																																																																																																																																						



Mode	74	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	75																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.16</td><td>78.09</td><td>88.20</td><td>-10.11</td><td>63.75</td><td>33.66</td><td>15.00</td><td>35.30</td><td>0.98</td><td>188</td><td>37</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5922.16	78.09	88.20	-10.11	63.75	33.66	15.00	35.30	0.98	188	37	Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>117.21</td><td>-----</td><td>-----</td><td>102.96</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>188</td><td>37</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5965.00	117.21	-----	-----	102.96	33.60	15.06	35.34	0.93	188	37	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	5922.16	78.09	88.20	-10.11	63.75	33.66	15.00	35.30	0.98	188	37	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	5965.00	117.21	-----	-----	102.96	33.60	15.06	35.34	0.93	188	37	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.62</td><td>66.40</td><td>68.20</td><td>-1.80</td><td>52.04</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>188</td><td>37</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5920.62	66.40	68.20	-1.80	52.04	33.66	15.00	35.29	0.99	188	37	Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>108.97</td><td>-----</td><td>-----</td><td>94.72</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>188</td><td>37</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5965.00	108.97	-----	-----	94.72	33.60	15.06	35.34	0.93	188	37	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	5920.62	66.40	68.20	-1.80	52.04	33.66	15.00	35.29	0.99	188	37	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	5965.00	108.97	-----	-----	94.72	33.60	15.06	35.34	0.93	188	37	Average																																																																																						



Mode	75																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5923.00 76.98 88.20 -11.22 62.65 33.65 15.00 35.30 0.98 178 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 5923.00 76.98 88.20 -11.22 62.65 33.65 15.00 35.30 0.98 178 360 Peak									Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 113.97 ----- 99.73 33.60 15.07 35.35 0.92 178 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 5965.00 113.97 ----- 99.73 33.60 15.07 35.35 0.92 178 360 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5923.00 76.98 88.20 -11.22 62.65 33.65 15.00 35.30 0.98 178 360 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5965.00 113.97 ----- 99.73 33.60 15.07 35.35 0.92 178 360 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.26 64.99 68.20 -3.21 50.65 33.65 15.01 35.30 0.98 178 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 5924.26 64.99 68.20 -3.21 50.65 33.65 15.01 35.30 0.98 178 360 Average									Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 105.49 ----- 91.24 33.60 15.06 35.34 0.93 178 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 5965.00 105.49 ----- 91.24 33.60 15.06 35.34 0.93 178 360 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5924.26 64.99 68.20 -3.21 50.65 33.65 15.01 35.30 0.98 178 360 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5965.00 105.49 ----- 91.24 33.60 15.06 35.34 0.93 178 360 Average																																																																																		



Mode	76																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.58</td><td>74.00</td><td>-20.42</td><td>35.25</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>279</td><td>299</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>26.62</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>279</td><td>299</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>59.33</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>102</td><td>277</td><td>Peak</td></tr><tr><td>4</td><td>18615.00</td><td>41.19</td><td>54.00</td><td>-12.81</td><td>50.94</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>102</td><td>277</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.58	74.00	-20.42	35.25	38.84	20.24	41.26	0.51	279	299	Peak	2	12410.00	44.95	54.00	-9.05	26.62	38.84	20.24	41.26	0.51	279	299	Average	3	18615.00	49.58	74.00	-24.42	59.33	38.20	25.21	63.62	-9.54	102	277	Peak	4	18615.00	41.19	54.00	-12.81	50.94	38.20	25.21	63.62	-9.54	102	277	Average	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>55.16</td><td>74.00</td><td>-18.84</td><td>36.83</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>145</td><td>235</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>27.60</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>145</td><td>235</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>58.71</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>295</td><td>327</td><td>Peak</td></tr><tr><td>4</td><td>18615.00</td><td>41.00</td><td>54.00</td><td>-13.00</td><td>50.75</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>295</td><td>327</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	55.16	74.00	-18.84	36.83	38.84	20.24	41.26	0.51	145	235	Peak	2	12410.00	45.93	54.00	-8.07	27.60	38.84	20.24	41.26	0.51	145	235	Average	3	18615.00	48.96	74.00	-25.04	58.71	38.20	25.21	63.62	-9.54	295	327	Peak	4	18615.00	41.00	54.00	-13.00	50.75	38.20	25.21	63.62	-9.54	295	327	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	12410.00	53.58	74.00	-20.42	35.25	38.84	20.24	41.26	0.51	279	299	Peak																																																																																																																																																																						
2	12410.00	44.95	54.00	-9.05	26.62	38.84	20.24	41.26	0.51	279	299	Average																																																																																																																																																																						
3	18615.00	49.58	74.00	-24.42	59.33	38.20	25.21	63.62	-9.54	102	277	Peak																																																																																																																																																																						
4	18615.00	41.19	54.00	-12.81	50.94	38.20	25.21	63.62	-9.54	102	277	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	12410.00	55.16	74.00	-18.84	36.83	38.84	20.24	41.26	0.51	145	235	Peak																																																																																																																																																																						
2	12410.00	45.93	54.00	-8.07	27.60	38.84	20.24	41.26	0.51	145	235	Average																																																																																																																																																																						
3	18615.00	48.96	74.00	-25.04	58.71	38.20	25.21	63.62	-9.54	295	327	Peak																																																																																																																																																																						
4	18615.00	41.00	54.00	-13.00	50.75	38.20	25.21	63.62	-9.54	295	327	Average																																																																																																																																																																						



Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	77																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz																																																																																											
ANT	7+6																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>55.40</td><td>88.20</td><td>-32.80</td><td>35.92</td><td>39.84</td><td>20.58</td><td>41.47</td><td>0.53</td><td>331</td><td>290 Peak</td></tr><tr><td>2</td><td>19215.00</td><td>41.29</td><td>74.00</td><td>-32.71</td><td>50.56</td><td>38.10</td><td>25.61</td><td>63.44</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		1	12810.00	55.40	88.20	-32.80	35.92	39.84	20.58	41.47	0.53	331	290 Peak	2	19215.00	41.29	74.00	-32.71	50.56	38.10	25.61	63.44	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>56.16</td><td>88.20</td><td>-32.04</td><td>36.68</td><td>39.84</td><td>20.58</td><td>41.47</td><td>0.53</td><td>205</td><td>12 Peak</td></tr><tr><td>2</td><td>19215.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>50.05</td><td>38.10</td><td>25.61</td><td>63.44</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		1	12810.00	56.16	88.20	-32.04	36.68	39.84	20.58	41.47	0.53	205	12 Peak	2	19215.00	40.78	74.00	-33.22	50.05	38.10	25.61	63.44	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
1	12810.00	55.40	88.20	-32.80	35.92	39.84	20.58	41.47	0.53	331	290 Peak																																																																																	
2	19215.00	41.29	74.00	-32.71	50.56	38.10	25.61	63.44	-9.54	--	-- Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
1	12810.00	56.16	88.20	-32.04	36.68	39.84	20.58	41.47	0.53	205	12 Peak																																																																																	
2	19215.00	40.78	74.00	-33.22	50.05	38.10	25.61	63.44	-9.54	--	-- Peak																																																																																	



Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	78																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5904.20 74.12 88.20 -14.08</td><td>59.71</td><td>33.69</td><td>14.98</td><td>35.27</td><td>1.01</td><td>182</td><td>33</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5904.20 74.12 88.20 -14.08	59.71	33.69	14.98	35.27	1.01	182	33	Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5985.00 110.79 -----</td><td>96.59</td><td>33.60</td><td>15.12</td><td>35.39</td><td>0.87</td><td>182</td><td>33</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5985.00 110.79 -----	96.59	33.60	15.12	35.39	0.87	182	33	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5904.20 74.12 88.20 -14.08	59.71	33.69	14.98	35.27	1.01	182	33	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5985.00 110.79 -----	96.59	33.60	15.12	35.39	0.87	182	33	Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5922.28 65.57 68.20 -2.63</td><td>51.23</td><td>33.66</td><td>15.00</td><td>35.30</td><td>0.98</td><td>182</td><td>33</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5922.28 65.57 68.20 -2.63	51.23	33.66	15.00	35.30	0.98	182	33	Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5985.00 102.75 -----</td><td>88.50</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>182</td><td>33</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5985.00 102.75 -----	88.50	33.60	15.06	35.34	0.93	182	33	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5922.28 65.57 68.20 -2.63	51.23	33.66	15.00	35.30	0.98	182	33	Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5985.00 102.75 -----	88.50	33.60	15.06	35.34	0.93	182	33	Average																																																																										



Mode	78																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																									
ANT	7+6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5904.84 74.04 88.20 -14.16 59.63 33.69 14.98 35.27 1.01 183 357 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1 5904.84 74.04 88.20 -14.16 59.63 33.69 14.98 35.27 1.01 183 357 Peak									Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5985.00 109.21 ----- 94.97 33.60 15.07 35.35 0.92 183 357 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1 5985.00 109.21 ----- 94.97 33.60 15.07 35.35 0.92 183 357 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																										
1 5904.84 74.04 88.20 -14.16 59.63 33.69 14.98 35.27 1.01 183 357 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																										
1 5985.00 109.21 ----- 94.97 33.60 15.07 35.35 0.92 183 357 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.36 63.23 68.20 -4.97 48.09 33.65 15.01 35.30 0.98 183 357 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1 5924.36 63.23 68.20 -4.97 48.09 33.65 15.01 35.30 0.98 183 357 Average									Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5985.00 99.97 ----- 85.73 33.60 15.07 35.35 0.92 183 357 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1 5985.00 99.97 ----- 85.73 33.60 15.07 35.35 0.92 183 357 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																										
1 5924.36 63.23 68.20 -4.97 48.09 33.65 15.01 35.30 0.98 183 357 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																										
1 5985.00 99.97 ----- 85.73 33.60 15.07 35.35 0.92 183 357 Average																																																																										



Mode	78																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>33.09</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>100</td><td>348</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>23.14</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>100</td><td>348</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>35.22</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>25.14</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	50.84	74.00	-23.16	33.09	38.50	19.86	41.34	0.73	100	348	Peak	2	11970.00	40.89	54.00	-13.11	23.14	38.50	19.86	41.34	0.73	100	348	Average	3	17955.00	53.72	74.00	-20.28	35.22	40.50	24.77	47.40	0.63	--	--	Peak	4	17955.00	43.64	54.00	-10.36	25.14	40.50	24.77	47.40	0.63	--	--	Average	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UUNI)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>33.67</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>301</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>23.19</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>301</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>53.90</td><td>74.00</td><td>-20.02</td><td>35.48</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>25.13</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.42	74.00	-22.58	33.67	38.50	19.86	41.34	0.73	301	360	Peak	2	11970.00	40.94	54.00	-13.06	23.19	38.50	19.86	41.34	0.73	301	360	Average	3	17955.00	53.90	74.00	-20.02	35.48	40.50	24.77	47.40	0.63	--	--	Peak	4	17955.00	43.63	54.00	-10.37	25.13	40.50	24.77	47.40	0.63	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11970.00	50.84	74.00	-23.16	33.09	38.50	19.86	41.34	0.73	100	348	Peak																																																																																																																																																																						
2	11970.00	40.89	54.00	-13.11	23.14	38.50	19.86	41.34	0.73	100	348	Average																																																																																																																																																																						
3	17955.00	53.72	74.00	-20.28	35.22	40.50	24.77	47.40	0.63	--	--	Peak																																																																																																																																																																						
4	17955.00	43.64	54.00	-10.36	25.14	40.50	24.77	47.40	0.63	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11970.00	51.42	74.00	-22.58	33.67	38.50	19.86	41.34	0.73	301	360	Peak																																																																																																																																																																						
2	11970.00	40.94	54.00	-13.06	23.19	38.50	19.86	41.34	0.73	301	360	Average																																																																																																																																																																						
3	17955.00	53.90	74.00	-20.02	35.48	40.50	24.77	47.40	0.63	--	--	Peak																																																																																																																																																																						
4	17955.00	43.63	54.00	-10.37	25.13	40.50	24.77	47.40	0.63	--	--	Average																																																																																																																																																																						



Mode	78	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	79																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.20</td><td>74.55</td><td>88.20 -13.65</td><td>60.19</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>200</td><td>38 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5920.20	74.55	88.20 -13.65	60.19	33.66	15.00	35.29	0.99	200	38 Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>113.49</td><td>-----</td><td>99.26</td><td>33.60</td><td>15.09</td><td>35.36</td><td>0.90</td><td>200</td><td>38 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5985.00	113.49	-----	99.26	33.60	15.09	35.36	0.90	200	38 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5920.20	74.55	88.20 -13.65	60.19	33.66	15.00	35.29	0.99	200	38 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	113.49	-----	99.26	33.60	15.09	35.36	0.90	200	38 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.88</td><td>63.14</td><td>68.20 -5.06</td><td>48.78</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>200</td><td>38 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5919.88	63.14	68.20 -5.06	48.78	33.66	15.00	35.29	0.99	200	38 Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>105.73</td><td>-----</td><td>91.48</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>200</td><td>38 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5985.00	105.73	-----	91.48	33.60	15.06	35.34	0.93	200	38 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5919.88	63.14	68.20 -5.06	48.78	33.66	15.00	35.29	0.99	200	38 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	105.73	-----	91.48	33.60	15.06	35.34	0.93	200	38 Average																																																																																	



Mode	79																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.52</td><td>69.73</td><td>88.20</td><td>-18.47</td><td>55.37</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>163</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5920.52	69.73	88.20	-18.47	55.37	33.66	15.00	35.29	0.99	163	0	Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>110.27</td><td>-----</td><td>-----</td><td>96.02</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>163</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	110.27	-----	-----	96.02	33.60	15.06	35.34	0.93	163	0	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5920.52	69.73	88.20	-18.47	55.37	33.66	15.00	35.29	0.99	163	0	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	110.27	-----	-----	96.02	33.60	15.06	35.34	0.93	163	0	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.52</td><td>61.04</td><td>68.20</td><td>-7.16</td><td>46.70</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>163</td><td>0</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5924.52	61.04	68.20	-7.16	46.70	33.65	15.01	35.30	0.98	163	0	Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.28</td><td>-----</td><td>-----</td><td>88.03</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>163</td><td>0</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	102.28	-----	-----	88.03	33.60	15.06	35.34	0.93	163	0	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5924.52	61.04	68.20	-7.16	46.70	33.65	15.01	35.30	0.98	163	0	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	102.28	-----	-----	88.03	33.60	15.06	35.34	0.93	163	0	Average																																																																																						



Mode	80																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz																																																																																																																																																							
ANT	7+6																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>35.05</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>200</td><td>294</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>25.32</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>200</td><td>294</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>52.13</td><td>38.20</td><td>25.25</td><td>63.63</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	53.59	74.00	-20.41	35.05	39.00	20.27	41.24	0.51	200	294	Peak	2	12450.00	43.86	54.00	-10.14	25.32	39.00	20.27	41.24	0.51	200	294	Average	3	18675.00	42.41	74.00	-31.59	52.13	38.20	25.25	63.63	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>35.15</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>135</td><td>232</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>26.01</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>135</td><td>232</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>41.34</td><td>74.00</td><td>-32.66</td><td>51.06</td><td>38.20</td><td>25.25</td><td>63.63</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	53.69	74.00	-20.31	35.15	39.00	20.27	41.24	0.51	135	232	Peak	2	12450.00	44.55	54.00	-9.45	26.01	39.00	20.27	41.24	0.51	135	232	Average	3	18675.00	41.34	74.00	-32.66	51.06	38.20	25.25	63.63	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12450.00	53.59	74.00	-20.41	35.05	39.00	20.27	41.24	0.51	200	294	Peak																																																																																																																																												
2	12450.00	43.86	54.00	-10.14	25.32	39.00	20.27	41.24	0.51	200	294	Average																																																																																																																																												
3	18675.00	42.41	74.00	-31.59	52.13	38.20	25.25	63.63	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12450.00	53.69	74.00	-20.31	35.15	39.00	20.27	41.24	0.51	135	232	Peak																																																																																																																																												
2	12450.00	44.55	54.00	-9.45	26.01	39.00	20.27	41.24	0.51	135	232	Average																																																																																																																																												
3	18675.00	41.34	74.00	-32.66	51.06	38.20	25.25	63.63	-9.54	--	--	Peak																																																																																																																																												



Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	81																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz																																																																																																																																																																							
ANT	7+6																																																																																																																																																																							
Pol.	Horizontal									Vertical																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12770.00</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>33.86</td><td>39.80</td><td>20.54</td><td>41.44</td><td>0.53</td><td>184</td><td>294</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>19155.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>49.75</td><td>38.28</td><td>25.57</td><td>63.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>											Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg			1	12770.00	53.29	88.20	-34.91	33.86	39.80	20.54	41.44	0.53	184	294	Peak							2	19155.00	40.55	74.00	-33.45	49.75	38.28	25.57	63.51	-9.54	--	--	Peak							Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12770.00</td><td>54.79</td><td>88.20</td><td>-33.41</td><td>35.36</td><td>39.80</td><td>20.54</td><td>41.44</td><td>0.53</td><td>206</td><td>9</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>19155.00</td><td>39.57</td><td>74.00</td><td>-34.43</td><td>48.77</td><td>38.28</td><td>25.57</td><td>63.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>											Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg			1	12770.00	54.79	88.20	-33.41	35.36	39.80	20.54	41.44	0.53	206	9	Peak							2	19155.00	39.57	74.00	-34.43	48.77	38.28	25.57	63.51	-9.54	--	--	Peak						
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																								
1	12770.00	53.29	88.20	-34.91	33.86	39.80	20.54	41.44	0.53	184	294	Peak																																																																																																																																																												
2	19155.00	40.55	74.00	-33.45	49.75	38.28	25.57	63.51	-9.54	--	--	Peak																																																																																																																																																												
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																									
1	12770.00	54.79	88.20	-33.41	35.36	39.80	20.54	41.44	0.53	206	9	Peak																																																																																																																																																												
2	19155.00	39.57	74.00	-34.43	48.77	38.28	25.57	63.51	-9.54	--	--	Peak																																																																																																																																																												



Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	82																																																																																														
	Band Edge																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																														
ANT	7+6																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5902.40</td><td>78.43</td><td>88.20</td><td>-9.77</td><td>64.02</td><td>33.70</td><td>14.97</td><td>35.27</td><td>1.01</td><td>241</td><td>52 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5902.40	78.43	88.20	-9.77	64.02	33.70	14.97	35.27	1.01	241	52 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>107.41</td><td>-----</td><td>-----</td><td>93.21</td><td>33.60</td><td>15.12</td><td>35.39</td><td>0.87</td><td>241</td><td>52 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	107.41	-----	-----	93.21	33.60	15.12	35.39	0.87	241	52 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5902.40	78.43	88.20	-9.77	64.02	33.70	14.97	35.27	1.01	241	52 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 6025.00	107.41	-----	-----	93.21	33.60	15.12	35.39	0.87	241	52 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5807.40</td><td>66.67</td><td>68.20</td><td>-1.53</td><td>52.24</td><td>33.70</td><td>14.95</td><td>35.25</td><td>1.03</td><td>241</td><td>52 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5807.40	66.67	68.20	-1.53	52.24	33.70	14.95	35.25	1.03	241	52 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>98.66</td><td>-----</td><td>-----</td><td>84.37</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>241</td><td>52 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	98.66	-----	-----	84.37	33.66	15.14	35.40	0.89	241	52 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5807.40	66.67	68.20	-1.53	52.24	33.70	14.95	35.25	1.03	241	52 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 6025.00	98.66	-----	-----	84.37	33.66	15.14	35.40	0.89	241	52 Average																																																																																					



Mode	82																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5895.20</td><td>76.68</td><td>88.20</td><td>-11.52</td><td>62.26</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.02</td><td>230</td><td>358</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5895.20	76.68	88.20	-11.52	62.26	33.70	14.96	35.26	1.02	230	358	Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>104.27</td><td>-----</td><td>-----</td><td>90.01</td><td>33.64</td><td>15.13</td><td>35.39</td><td>0.88</td><td>230</td><td>358</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	104.27	-----	-----	90.01	33.64	15.13	35.39	0.88	230	358	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5895.20	76.68	88.20	-11.52	62.26	33.70	14.96	35.26	1.02	230	358	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	104.27	-----	-----	90.01	33.64	15.13	35.39	0.88	230	358	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5894.80</td><td>63.83</td><td>68.20</td><td>-4.37</td><td>49.41</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.02</td><td>230</td><td>358</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5894.80	63.83	68.20	-4.37	49.41	33.70	14.96	35.26	1.02	230	358	Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>95.15</td><td>-----</td><td>-----</td><td>80.94</td><td>33.61</td><td>15.12</td><td>35.39</td><td>0.87</td><td>230</td><td>358</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.15	-----	-----	80.94	33.61	15.12	35.39	0.87	230	358	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5894.80	63.83	68.20	-4.37	49.41	33.70	14.96	35.26	1.02	230	358	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	95.15	-----	-----	80.94	33.61	15.12	35.39	0.87	230	358	Average																																																																																						



Mode	82																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-11-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>32.32</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12050.00</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>22.43</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Average</td></tr><tr><td>3 18075.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>50.47</td><td>37.70</td><td>24.85</td><td>63.85</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	52.79	74.00	-21.21	32.32	38.60	21.55	41.37	1.69	--	-- Peak	2 12050.00	42.90	54.00	-11.10	22.43	38.60	21.55	41.37	1.69	--	-- Average	3 18075.00	39.63	74.00	-34.37	50.47	37.70	24.85	63.85	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>32.96</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12050.00</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>22.86</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Average</td></tr><tr><td>3 18075.00</td><td>39.61</td><td>74.00</td><td>-34.39</td><td>50.45</td><td>37.70</td><td>24.85</td><td>63.85</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	53.43	74.00	-20.57	32.96	38.60	21.55	41.37	1.69	--	-- Peak	2 12050.00	43.33	54.00	-10.67	22.86	38.60	21.55	41.37	1.69	--	-- Average	3 18075.00	39.61	74.00	-34.39	50.45	37.70	24.85	63.85	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12050.00	52.79	74.00	-21.21	32.32	38.60	21.55	41.37	1.69	--	-- Peak																																																																																																																								
2 12050.00	42.90	54.00	-11.10	22.43	38.60	21.55	41.37	1.69	--	-- Average																																																																																																																								
3 18075.00	39.63	74.00	-34.37	50.47	37.70	24.85	63.85	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12050.00	53.43	74.00	-20.57	32.96	38.60	21.55	41.37	1.69	--	-- Peak																																																																																																																								
2 12050.00	43.33	54.00	-10.67	22.86	38.60	21.55	41.37	1.69	--	-- Average																																																																																																																								
3 18075.00	39.61	74.00	-34.39	50.45	37.70	24.85	63.85	-9.54	--	-- Peak																																																																																																																								



Mode	82	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	Level (dBuV/m) Date: 2025-10-31 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-31 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	83																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5800.40</td><td>74.20</td><td>88.20 -14.00</td><td>59.76</td><td>33.70</td><td>14.94</td><td>35.24</td><td>1.04</td><td>206</td><td>35 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5800.40	74.20	88.20 -14.00	59.76	33.70	14.94	35.24	1.04	206	35 Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>110.94</td><td>-----</td><td>96.69</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>206</td><td>35 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 6025.00	110.94	-----	96.69	33.60	15.06	35.34	0.93	206	35 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5800.40	74.20	88.20 -14.00	59.76	33.70	14.94	35.24	1.04	206	35 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	110.94	-----	96.69	33.60	15.06	35.34	0.93	206	35 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.60</td><td>67.07</td><td>68.20 -1.13</td><td>52.71</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>206</td><td>35 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5920.60	67.07	68.20 -1.13	52.71	33.66	15.00	35.29	0.99	206	35 Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>102.48</td><td>-----</td><td>88.27</td><td>33.61</td><td>15.12</td><td>35.39</td><td>0.87</td><td>206</td><td>35 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 6025.00	102.48	-----	88.27	33.61	15.12	35.39	0.87	206	35 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5920.60	67.07	68.20 -1.13	52.71	33.66	15.00	35.29	0.99	206	35 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	102.48	-----	88.27	33.61	15.12	35.39	0.87	206	35 Average																																																																																	



Mode	83																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5923.40</td><td>75.02</td><td>88.20 -13.18</td><td>60.68</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.40	75.02	88.20 -13.18	60.68	33.65	15.01	35.30	0.98	161	360 Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>107.31</td><td>-----</td><td>93.07</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	107.31	-----	93.07	33.60	15.07	35.35	0.92	161	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5923.40	75.02	88.20 -13.18	60.68	33.65	15.01	35.30	0.98	161	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	107.31	-----	93.07	33.60	15.07	35.35	0.92	161	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5923.60</td><td>64.66</td><td>68.20 -3.54</td><td>50.32</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.60	64.66	68.20 -3.54	50.32	33.65	15.01	35.30	0.98	161	360 Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>99.64</td><td>-----</td><td>85.43</td><td>33.61</td><td>15.12</td><td>35.39</td><td>0.87</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	99.64	-----	85.43	33.61	15.12	35.39	0.87	161	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5923.60	64.66	68.20 -3.54	50.32	33.65	15.01	35.30	0.98	161	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	99.64	-----	85.43	33.61	15.12	35.39	0.87	161	360 Average																																																																																	



Mode	84																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>33.06</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>41.24</td><td>54.00</td><td>-12.76</td><td>22.95</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>50.49</td><td>38.11</td><td>25.17</td><td>63.61</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	51.35	74.00	-22.65	33.06	38.86	20.20	41.27	0.50	-- -- Peak	2 12370.00	41.24	54.00	-12.76	22.95	38.86	20.20	41.27	0.50	-- -- Average	3 18555.00	40.62	74.00	-33.38	50.49	38.11	25.17	63.61	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>34.16</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>24.23</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>40.60</td><td>74.00</td><td>-33.40</td><td>50.47</td><td>38.11</td><td>25.17</td><td>63.61</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	52.45	74.00	-21.55	34.16	38.86	20.20	41.27	0.50	-- -- Peak	2 12370.00	42.52	54.00	-11.48	24.23	38.86	20.20	41.27	0.50	-- -- Average	3 18555.00	40.60	74.00	-33.40	50.47	38.11	25.17	63.61	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	51.35	74.00	-22.65	33.06	38.86	20.20	41.27	0.50	-- -- Peak																																																																																																																	
2 12370.00	41.24	54.00	-12.76	22.95	38.86	20.20	41.27	0.50	-- -- Average																																																																																																																	
3 18555.00	40.62	74.00	-33.38	50.49	38.11	25.17	63.61	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	52.45	74.00	-21.55	34.16	38.86	20.20	41.27	0.50	-- -- Peak																																																																																																																	
2 12370.00	42.52	54.00	-11.48	24.23	38.86	20.20	41.27	0.50	-- -- Average																																																																																																																	
3 18555.00	40.60	74.00	-33.40	50.47	38.11	25.17	63.61	-9.54	-- -- Peak																																																																																																																	



Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



	85																																																																																																																																	
Mode	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>32.76</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12690.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>22.60</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>-- Average</td></tr><tr><td>3 19035.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>49.27</td><td>38.30</td><td>25.49</td><td>63.66</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12690.00	52.18	74.00	-21.82	32.76	39.80	20.48	41.38	0.52	--	-- Peak	2 12690.00	42.02	54.00	-11.98	22.60	39.80	20.48	41.38	0.52	--	-- Average	3 19035.00	39.86	74.00	-34.14	49.27	38.30	25.49	63.66	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>32.90</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12690.00</td><td>41.89</td><td>54.00</td><td>-12.11</td><td>22.47</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>-- Average</td></tr><tr><td>3 19035.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>50.26</td><td>38.30</td><td>25.49</td><td>63.66</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12690.00	52.32	74.00	-21.68	32.90	39.80	20.48	41.38	0.52	--	-- Peak	2 12690.00	41.89	54.00	-12.11	22.47	39.80	20.48	41.38	0.52	--	-- Average	3 19035.00	40.85	74.00	-33.15	50.26	38.30	25.49	63.66	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12690.00	52.18	74.00	-21.82	32.76	39.80	20.48	41.38	0.52	--	-- Peak																																																																																																																								
2 12690.00	42.02	54.00	-11.98	22.60	39.80	20.48	41.38	0.52	--	-- Average																																																																																																																								
3 19035.00	39.86	74.00	-34.14	49.27	38.30	25.49	63.66	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12690.00	52.32	74.00	-21.68	32.90	39.80	20.48	41.38	0.52	--	-- Peak																																																																																																																								
2 12690.00	41.89	54.00	-12.11	22.47	39.80	20.48	41.38	0.52	--	-- Average																																																																																																																								
3 19035.00	40.85	74.00	-33.15	50.26	38.30	25.49	63.66	-9.54	--	-- Peak																																																																																																																								



Mode	85	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	86																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																								
ANT	7+6																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>52.31</td><td>88.20</td><td>-35.89</td><td>32.70</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.99</td><td>74.00</td><td>-35.01</td><td>48.11</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	52.31	88.20	-35.89	32.70	39.96	20.63	41.52	0.54	--	Peak	2	19305.00	38.99	74.00	-35.01	48.11	38.09	25.66	63.33	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>51.44</td><td>88.20</td><td>-36.76</td><td>31.83</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.38</td><td>74.00</td><td>-35.62</td><td>47.50</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	51.44	88.20	-36.76	31.83	39.96	20.63	41.52	0.54	--	Peak	2	19305.00	38.38	74.00	-35.62	47.50	38.09	25.66	63.33	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12870.00	52.31	88.20	-35.89	32.70	39.96	20.63	41.52	0.54	--	Peak																																																																																																														
2	19305.00	38.99	74.00	-35.01	48.11	38.09	25.66	63.33	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12870.00	51.44	88.20	-36.76	31.83	39.96	20.63	41.52	0.54	--	Peak																																																																																																														
2	19305.00	38.38	74.00	-35.62	47.50	38.09	25.66	63.33	-9.54	--	Peak																																																																																																														



Mode	86	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	87																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>51.51</td><td>88.20</td><td>-36.69</td><td>31.75</td><td>40.10</td><td>20.70</td><td>41.58</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>47.99</td><td>38.00</td><td>25.74</td><td>63.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	51.51	88.20	-36.69	31.75	40.10	20.70	41.58	0.54	--	Peak	2	19425.00	39.00	74.00	-35.00	47.99	38.00	25.74	63.19	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>52.30</td><td>88.20</td><td>-35.90</td><td>32.54</td><td>40.10</td><td>20.70</td><td>41.58</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>47.35</td><td>38.00</td><td>25.74</td><td>63.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	52.30	88.20	-35.90	32.54	40.10	20.70	41.58	0.54	--	Peak	2	19425.00	38.36	74.00	-35.64	47.35	38.00	25.74	63.19	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	51.51	88.20	-36.69	31.75	40.10	20.70	41.58	0.54	--	Peak																																																																																																															
2	19425.00	39.00	74.00	-35.00	47.99	38.00	25.74	63.19	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	52.30	88.20	-35.90	32.54	40.10	20.70	41.58	0.54	--	Peak																																																																																																															
2	19425.00	38.36	74.00	-35.64	47.35	38.00	25.74	63.19	-9.54	--	Peak																																																																																																															



Mode	87	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	88																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>13030.00</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>32.95</td><td>40.04</td><td>20.77</td><td>41.70</td><td>0.55</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>19545.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>47.84</td><td>37.99</td><td>25.81</td><td>63.07</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	13030.00	52.61	88.20	-35.59	32.95	40.04	20.77	41.70	0.55	--	--	Peak						2	19545.00	39.03	74.00	-34.97	47.84	37.99	25.81	63.07	-9.54	--	--	Peak						Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>13030.00</td><td>52.40</td><td>88.20</td><td>-35.80</td><td>32.74</td><td>40.04</td><td>20.77</td><td>41.70</td><td>0.55</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>19545.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>47.86</td><td>37.99</td><td>25.81</td><td>63.07</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	13030.00	52.40	88.20	-35.80	32.74	40.04	20.77	41.70	0.55	--	--	Peak						2	19545.00	39.05	74.00	-34.95	47.86	37.99	25.81	63.07	-9.54	--	--	Peak					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	13030.00	52.61	88.20	-35.59	32.95	40.04	20.77	41.70	0.55	--	--	Peak																																																																																																																																																																						
2	19545.00	39.03	74.00	-34.97	47.84	37.99	25.81	63.07	-9.54	--	--	Peak																																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	13030.00	52.40	88.20	-35.80	32.74	40.04	20.77	41.70	0.55	--	--	Peak																																																																																																																																																																						
2	19545.00	39.05	74.00	-34.95	47.86	37.99	25.81	63.07	-9.54	--	--	Peak																																																																																																																																																																						



Mode	88	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	89																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>51.79</td><td>88.20</td><td>-36.41</td><td>32.18</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.31</td><td>74.00</td><td>-35.69</td><td>47.43</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12870.00	51.79	88.20	-36.41	32.18	39.96	20.63	41.52	0.54	--	-- Peak	2	19305.00	38.31	74.00	-35.69	47.43	38.09	25.66	63.33	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>52.29</td><td>88.20</td><td>-35.91</td><td>32.68</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>19305.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>48.12</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12870.00	52.29	88.20	-35.91	32.68	39.96	20.63	41.52	0.54	--	-- Peak	2	19305.00	39.00	74.00	-35.00	48.12	38.09	25.66	63.33	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12870.00	51.79	88.20	-36.41	32.18	39.96	20.63	41.52	0.54	--	-- Peak																																																																																																																			
2	19305.00	38.31	74.00	-35.69	47.43	38.09	25.66	63.33	-9.54	--	-- Peak																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12870.00	52.29	88.20	-35.91	32.68	39.96	20.63	41.52	0.54	--	-- Peak																																																																																																																			
2	19305.00	39.00	74.00	-35.00	48.12	38.09	25.66	63.33	-9.54	--	-- Peak																																																																																																																			