





Mode	72																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>35.14</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>304</td><td>295 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>26.66</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>304</td><td>295 Average</td></tr><tr><td>3</td><td>18585.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>56.75</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>102</td><td>282 Peak</td></tr><tr><td>4</td><td>18585.00</td><td>36.88</td><td>54.00</td><td>-17.12</td><td>46.68</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>102</td><td>282 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.43	74.00	-20.57	35.14	38.82	20.22	41.26	0.51	304	295 Peak	2	12390.00	44.95	54.00	-9.05	26.66	38.82	20.22	41.26	0.51	304	295 Average	3	18585.00	46.95	74.00	-27.05	56.75	38.17	25.19	63.62	-9.54	102	282 Peak	4	18585.00	36.88	54.00	-17.12	46.68	38.17	25.19	63.62	-9.54	102	282 Average	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>34.83</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>223</td><td>11 Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>25.36</td><td>38.82</td><td>20.22</td><td>41.26</td><td>0.51</td><td>223</td><td>11 Average</td></tr><tr><td>3</td><td>18585.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>55.23</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>295</td><td>324 Peak</td></tr><tr><td>4</td><td>18585.00</td><td>36.53</td><td>54.00</td><td>-17.47</td><td>46.33</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>295</td><td>324 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	53.12	74.00	-20.88	34.83	38.82	20.22	41.26	0.51	223	11 Peak	2	12390.00	43.65	54.00	-10.35	25.36	38.82	20.22	41.26	0.51	223	11 Average	3	18585.00	45.43	74.00	-28.57	55.23	38.17	25.19	63.62	-9.54	295	324 Peak	4	18585.00	36.53	54.00	-17.47	46.33	38.17	25.19	63.62	-9.54	295	324 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12390.00	53.43	74.00	-20.57	35.14	38.82	20.22	41.26	0.51	304	295 Peak																																																																																																																																																															
2	12390.00	44.95	54.00	-9.05	26.66	38.82	20.22	41.26	0.51	304	295 Average																																																																																																																																																															
3	18585.00	46.95	74.00	-27.05	56.75	38.17	25.19	63.62	-9.54	102	282 Peak																																																																																																																																																															
4	18585.00	36.88	54.00	-17.12	46.68	38.17	25.19	63.62	-9.54	102	282 Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	12390.00	53.12	74.00	-20.88	34.83	38.82	20.22	41.26	0.51	223	11 Peak																																																																																																																																																															
2	12390.00	43.65	54.00	-10.35	25.36	38.82	20.22	41.26	0.51	223	11 Average																																																																																																																																																															
3	18585.00	45.43	74.00	-28.57	55.23	38.17	25.19	63.62	-9.54	295	324 Peak																																																																																																																																																															
4	18585.00	36.53	54.00	-17.47	46.33	38.17	25.19	63.62	-9.54	295	324 Average																																																																																																																																																															



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	73																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>58.40</td><td>88.20</td><td>-29.80</td><td>38.84</td><td>39.92</td><td>20.60</td><td>41.49</td><td>0.53</td><td>233</td><td>76</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>40.51</td><td>74.00</td><td>-33.49</td><td>49.74</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	58.40	88.20	-29.80	38.84	39.92	20.60	41.49	0.53	233	76	Peak	2	19245.00	40.51	74.00	-33.49	49.74	38.10	25.62	63.41	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>55.21</td><td>88.20</td><td>-32.99</td><td>35.65</td><td>39.92</td><td>20.60</td><td>41.49</td><td>0.53</td><td>200</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>50.36</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	55.21	88.20	-32.99	35.65	39.92	20.60	41.49	0.53	200	11	Peak	2	19245.00	41.13	74.00	-32.87	50.36	38.10	25.62	63.41	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12830.00	58.40	88.20	-29.80	38.84	39.92	20.60	41.49	0.53	233	76	Peak																																																																																																																		
2	19245.00	40.51	74.00	-33.49	49.74	38.10	25.62	63.41	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12830.00	55.21	88.20	-32.99	35.65	39.92	20.60	41.49	0.53	200	11	Peak																																																																																																																		
2	19245.00	41.13	74.00	-32.87	50.36	38.10	25.62	63.41	-9.54	--	--	Peak																																																																																																																		



Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	74																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																									
ANT	7+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5920.34 77.99 88.20 -10.21 63.63 33.66 15.00 35.29 0.99 181 33 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 5920.34 77.99 88.20 -10.21 63.63 33.66 15.00 35.29 0.99 181 33 Peak									Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 113.70 ----- 99.46 33.60 15.07 35.35 0.92 181 33 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 5965.00 113.70 ----- 99.46 33.60 15.07 35.35 0.92 181 33 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 5920.34 77.99 88.20 -10.21 63.63 33.66 15.00 35.29 0.99 181 33 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 5965.00 113.70 ----- 99.46 33.60 15.07 35.35 0.92 181 33 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5922.02 66.22 68.20 -1.98 51.87 33.66 15.00 35.29 0.98 181 33 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 5922.02 66.22 68.20 -1.98 51.87 33.66 15.00 35.29 0.98 181 33 Average									Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5965.00 105.65 ----- 91.40 33.60 15.06 35.34 0.93 181 33 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 5965.00 105.65 ----- 91.40 33.60 15.06 35.34 0.93 181 33 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 5922.02 66.22 68.20 -1.98 51.87 33.66 15.00 35.29 0.98 181 33 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 5965.00 105.65 ----- 91.40 33.60 15.06 35.34 0.93 181 33 Average																																																																										



Mode	74																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.54</td><td>76.10</td><td>88.20 -12.10</td><td>61.76</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>200</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5924.54	76.10	88.20 -12.10	61.76	33.65	15.01	35.30	0.98	200	0 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>110.22</td><td>-----</td><td>95.98</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>200</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5965.00	110.22	-----	95.98	33.60	15.07	35.35	0.92	200	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5924.54	76.10	88.20 -12.10	61.76	33.65	15.01	35.30	0.98	200	0 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	110.22	-----	95.98	33.60	15.07	35.35	0.92	200	0 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.26</td><td>64.46</td><td>68.20 -3.74</td><td>50.12</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>200</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5924.26	64.46	68.20 -3.74	50.12	33.65	15.01	35.30	0.98	200	0 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>102.16</td><td>-----</td><td>87.92</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>200</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5965.00	102.16	-----	87.92	33.60	15.07	35.35	0.92	200	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5924.26	64.46	68.20 -3.74	50.12	33.65	15.01	35.30	0.98	200	0 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5965.00	102.16	-----	87.92	33.60	15.07	35.35	0.92	200	0 Average																																																																																	



Mode	74																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>33.09</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>117</td><td>346</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>23.40</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>117</td><td>346</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>34.81</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>24.88</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	50.86	74.00	-23.14	33.09	38.50	19.83	41.29	0.73	117	346	Peak	2	11930.00	41.17	54.00	-12.83	23.40	38.50	19.83	41.29	0.73	117	346	Average	3	17895.00	53.07	74.00	-20.93	34.81	40.37	24.72	47.46	0.63	--	--	Peak	4	17895.00	43.14	54.00	-10.86	24.88	40.37	24.72	47.46	0.63	--	--	Average	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>51.24</td><td>74.00</td><td>-22.76</td><td>33.47</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>317</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.36</td><td>54.00</td><td>-12.64</td><td>23.59</td><td>38.50</td><td>19.83</td><td>41.29</td><td>0.73</td><td>317</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>53.18</td><td>74.00</td><td>-20.82</td><td>34.92</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>24.90</td><td>40.37</td><td>24.72</td><td>47.46</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	51.24	74.00	-22.76	33.47	38.50	19.83	41.29	0.73	317	360	Peak	2	11930.00	41.36	54.00	-12.64	23.59	38.50	19.83	41.29	0.73	317	360	Average	3	17895.00	53.18	74.00	-20.82	34.92	40.37	24.72	47.46	0.63	--	--	Peak	4	17895.00	43.16	54.00	-10.84	24.90	40.37	24.72	47.46	0.63	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	50.86	74.00	-23.14	33.09	38.50	19.83	41.29	0.73	117	346	Peak																																																																																																																																																																						
2	11930.00	41.17	54.00	-12.83	23.40	38.50	19.83	41.29	0.73	117	346	Average																																																																																																																																																																						
3	17895.00	53.07	74.00	-20.93	34.81	40.37	24.72	47.46	0.63	--	--	Peak																																																																																																																																																																						
4	17895.00	43.14	54.00	-10.86	24.88	40.37	24.72	47.46	0.63	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11930.00	51.24	74.00	-22.76	33.47	38.50	19.83	41.29	0.73	317	360	Peak																																																																																																																																																																						
2	11930.00	41.36	54.00	-12.64	23.59	38.50	19.83	41.29	0.73	317	360	Average																																																																																																																																																																						
3	17895.00	53.18	74.00	-20.82	34.92	40.37	24.72	47.46	0.63	--	--	Peak																																																																																																																																																																						
4	17895.00	43.16	54.00	-10.84	24.90	40.37	24.72	47.46	0.63	--	--	Average																																																																																																																																																																						



Mode	74	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	75																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																																			
ANT	7+6																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.16</td><td>78.09</td><td>88.20</td><td>-10.11</td><td>63.75</td><td>33.66</td><td>15.00</td><td>35.30</td><td>0.98</td><td>188</td><td>37</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.16	78.09	88.20	-10.11	63.75	33.66	15.00	35.30	0.98	188	37	Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>117.21</td><td>-----</td><td>-----</td><td>102.96</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>188</td><td>37</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	117.21	-----	-----	102.96	33.60	15.06	35.34	0.93	188	37	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.16	78.09	88.20	-10.11	63.75	33.66	15.00	35.30	0.98	188	37	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	117.21	-----	-----	102.96	33.60	15.06	35.34	0.93	188	37	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.62</td><td>66.40</td><td>68.20</td><td>-1.80</td><td>52.04</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>188</td><td>37</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.62	66.40	68.20	-1.80	52.04	33.66	15.00	35.29	0.99	188	37	Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>108.97</td><td>-----</td><td>-----</td><td>94.72</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>188</td><td>37</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	108.97	-----	-----	94.72	33.60	15.06	35.34	0.93	188	37	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5920.62	66.40	68.20	-1.80	52.04	33.66	15.00	35.29	0.99	188	37	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	108.97	-----	-----	94.72	33.60	15.06	35.34	0.93	188	37	Average																																																																																								



Mode	75																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																																			
ANT	7+6																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.00</td><td>76.98</td><td>88.20</td><td>-11.22</td><td>62.65</td><td>33.65</td><td>15.00</td><td>35.30</td><td>0.98</td><td>178</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.00	76.98	88.20	-11.22	62.65	33.65	15.00	35.30	0.98	178	360	Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.97</td><td>-----</td><td>-----</td><td>99.73</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>178</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.97	-----	-----	99.73	33.60	15.07	35.35	0.92	178	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.00	76.98	88.20	-11.22	62.65	33.65	15.00	35.30	0.98	178	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	113.97	-----	-----	99.73	33.60	15.07	35.35	0.92	178	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.26</td><td>64.99</td><td>68.20</td><td>-3.21</td><td>50.65</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>178</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	64.99	68.20	-3.21	50.65	33.65	15.01	35.30	0.98	178	360	Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.49</td><td>-----</td><td>-----</td><td>91.24</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>178</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.49	-----	-----	91.24	33.60	15.06	35.34	0.93	178	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.26	64.99	68.20	-3.21	50.65	33.65	15.01	35.30	0.98	178	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	105.49	-----	-----	91.24	33.60	15.06	35.34	0.93	178	360	Average																																																																																								



Mode	76																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.58</td><td>74.00</td><td>-20.42</td><td>35.25</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>279</td><td>299</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>26.62</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>279</td><td>299</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>59.33</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>102</td><td>277</td><td>Peak</td></tr><tr><td>4</td><td>18615.00</td><td>41.19</td><td>54.00</td><td>-12.81</td><td>50.94</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>102</td><td>277</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.58	74.00	-20.42	35.25	38.84	20.24	41.26	0.51	279	299	Peak	2	12410.00	44.95	54.00	-9.05	26.62	38.84	20.24	41.26	0.51	279	299	Average	3	18615.00	49.58	74.00	-24.42	59.33	38.20	25.21	63.62	-9.54	102	277	Peak	4	18615.00	41.19	54.00	-12.81	50.94	38.20	25.21	63.62	-9.54	102	277	Average	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>55.16</td><td>74.00</td><td>-18.84</td><td>36.83</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>145</td><td>235</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>27.60</td><td>38.84</td><td>20.24</td><td>41.26</td><td>0.51</td><td>145</td><td>235</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>58.71</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>295</td><td>327</td><td>Peak</td></tr><tr><td>4</td><td>18615.00</td><td>41.00</td><td>54.00</td><td>-13.00</td><td>50.75</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>295</td><td>327</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	55.16	74.00	-18.84	36.83	38.84	20.24	41.26	0.51	145	235	Peak	2	12410.00	45.93	54.00	-8.07	27.60	38.84	20.24	41.26	0.51	145	235	Average	3	18615.00	48.96	74.00	-25.04	58.71	38.20	25.21	63.62	-9.54	295	327	Peak	4	18615.00	41.00	54.00	-13.00	50.75	38.20	25.21	63.62	-9.54	295	327	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	12410.00	53.58	74.00	-20.42	35.25	38.84	20.24	41.26	0.51	279	299	Peak																																																																																																																																																																						
2	12410.00	44.95	54.00	-9.05	26.62	38.84	20.24	41.26	0.51	279	299	Average																																																																																																																																																																						
3	18615.00	49.58	74.00	-24.42	59.33	38.20	25.21	63.62	-9.54	102	277	Peak																																																																																																																																																																						
4	18615.00	41.19	54.00	-12.81	50.94	38.20	25.21	63.62	-9.54	102	277	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	12410.00	55.16	74.00	-18.84	36.83	38.84	20.24	41.26	0.51	145	235	Peak																																																																																																																																																																						
2	12410.00	45.93	54.00	-8.07	27.60	38.84	20.24	41.26	0.51	145	235	Average																																																																																																																																																																						
3	18615.00	48.96	74.00	-25.04	58.71	38.20	25.21	63.62	-9.54	295	327	Peak																																																																																																																																																																						
4	18615.00	41.00	54.00	-13.00	50.75	38.20	25.21	63.62	-9.54	295	327	Average																																																																																																																																																																						



Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	77																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>55.40</td><td>88.20</td><td>-32.80</td><td>35.92</td><td>39.84</td><td>20.58</td><td>41.47</td><td>0.53</td><td>331</td><td>290</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>41.29</td><td>74.00</td><td>-32.71</td><td>50.56</td><td>38.10</td><td>25.61</td><td>63.44</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	55.40	88.20	-32.80	35.92	39.84	20.58	41.47	0.53	331	290	Peak	2	19215.00	41.29	74.00	-32.71	50.56	38.10	25.61	63.44	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>56.16</td><td>88.20</td><td>-32.04</td><td>36.68</td><td>39.84</td><td>20.58</td><td>41.47</td><td>0.53</td><td>205</td><td>12</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>50.05</td><td>38.10</td><td>25.61</td><td>63.44</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	56.16	88.20	-32.04	36.68	39.84	20.58	41.47	0.53	205	12	Peak	2	19215.00	40.78	74.00	-33.22	50.05	38.10	25.61	63.44	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12810.00	55.40	88.20	-32.80	35.92	39.84	20.58	41.47	0.53	331	290	Peak																																																																																																																		
2	19215.00	41.29	74.00	-32.71	50.56	38.10	25.61	63.44	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12810.00	56.16	88.20	-32.04	36.68	39.84	20.58	41.47	0.53	205	12	Peak																																																																																																																		
2	19215.00	40.78	74.00	-33.22	50.05	38.10	25.61	63.44	-9.54	--	--	Peak																																																																																																																		



Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	78												
	Band Edge												
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz												
ANT	7+6												
Pol.	Horizontal												
Peak	Fundamental												
	Date: 2025-10-31												
Peak	Date: 2025-10-31												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto												
Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m												



Mode	78																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5904.84</td><td>74.04</td><td>88.20 -14.16</td><td>59.63</td><td>33.69</td><td>14.98</td><td>35.27</td><td>1.01</td><td>183</td><td>357 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5904.84	74.04	88.20 -14.16	59.63	33.69	14.98	35.27	1.01	183	357 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>109.21</td><td>-----</td><td>94.97</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>183</td><td>357 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	109.21	-----	94.97	33.60	15.07	35.35	0.92	183	357 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5904.84	74.04	88.20 -14.16	59.63	33.69	14.98	35.27	1.01	183	357 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	109.21	-----	94.97	33.60	15.07	35.35	0.92	183	357 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.36</td><td>63.23</td><td>68.20 -4.97</td><td>48.89</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>183</td><td>357 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.36	63.23	68.20 -4.97	48.89	33.65	15.01	35.30	0.98	183	357 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>99.97</td><td>-----</td><td>85.73</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>183</td><td>357 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	99.97	-----	85.73	33.60	15.07	35.35	0.92	183	357 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.36	63.23	68.20 -4.97	48.89	33.65	15.01	35.30	0.98	183	357 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	99.97	-----	85.73	33.60	15.07	35.35	0.92	183	357 Average																																																																																	



Mode	78																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>33.09</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>100</td><td>348</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>23.14</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>100</td><td>348</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>35.22</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>25.14</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	50.84	74.00	-23.16	33.09	38.50	19.86	41.34	0.73	100	348	Peak	2	11970.00	40.89	54.00	-13.11	23.14	38.50	19.86	41.34	0.73	100	348	Average	3	17955.00	53.72	74.00	-20.28	35.22	40.50	24.77	47.40	0.63	--	--	Peak	4	17955.00	43.64	54.00	-10.36	25.14	40.50	24.77	47.40	0.63	--	--	Average	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>33.67</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>301</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>23.19</td><td>38.50</td><td>19.86</td><td>41.34</td><td>0.73</td><td>301</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>53.90</td><td>74.00</td><td>-20.02</td><td>35.48</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>25.13</td><td>40.50</td><td>24.77</td><td>47.40</td><td>0.63</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	51.42	74.00	-22.58	33.67	38.50	19.86	41.34	0.73	301	360	Peak	2	11970.00	40.94	54.00	-13.06	23.19	38.50	19.86	41.34	0.73	301	360	Average	3	17955.00	53.90	74.00	-20.02	35.48	40.50	24.77	47.40	0.63	--	--	Peak	4	17955.00	43.63	54.00	-10.37	25.13	40.50	24.77	47.40	0.63	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11970.00	50.84	74.00	-23.16	33.09	38.50	19.86	41.34	0.73	100	348	Peak																																																																																																																																																																						
2	11970.00	40.89	54.00	-13.11	23.14	38.50	19.86	41.34	0.73	100	348	Average																																																																																																																																																																						
3	17955.00	53.72	74.00	-20.28	35.22	40.50	24.77	47.40	0.63	--	--	Peak																																																																																																																																																																						
4	17955.00	43.64	54.00	-10.36	25.14	40.50	24.77	47.40	0.63	--	--	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	11970.00	51.42	74.00	-22.58	33.67	38.50	19.86	41.34	0.73	301	360	Peak																																																																																																																																																																						
2	11970.00	40.94	54.00	-13.06	23.19	38.50	19.86	41.34	0.73	301	360	Average																																																																																																																																																																						
3	17955.00	53.90	74.00	-20.02	35.48	40.50	24.77	47.40	0.63	--	--	Peak																																																																																																																																																																						
4	17955.00	43.63	54.00	-10.37	25.13	40.50	24.77	47.40	0.63	--	--	Average																																																																																																																																																																						



Mode	78	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	79																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.20</td><td>74.55</td><td>88.20 -13.65</td><td>60.19</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>200</td><td>38 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5920.20	74.55	88.20 -13.65	60.19	33.66	15.00	35.29	0.99	200	38 Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>113.49</td><td>-----</td><td>99.26</td><td>33.60</td><td>15.09</td><td>35.36</td><td>0.90</td><td>200</td><td>38 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5985.00	113.49	-----	99.26	33.60	15.09	35.36	0.90	200	38 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5920.20	74.55	88.20 -13.65	60.19	33.66	15.00	35.29	0.99	200	38 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	113.49	-----	99.26	33.60	15.09	35.36	0.90	200	38 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.88</td><td>63.14</td><td>68.20 -5.06</td><td>48.78</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>200</td><td>38 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5919.88	63.14	68.20 -5.06	48.78	33.66	15.00	35.29	0.99	200	38 Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>105.73</td><td>-----</td><td>91.48</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>200</td><td>38 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5985.00	105.73	-----	91.48	33.60	15.06	35.34	0.93	200	38 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5919.88	63.14	68.20 -5.06	48.78	33.66	15.00	35.29	0.99	200	38 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	105.73	-----	91.48	33.60	15.06	35.34	0.93	200	38 Average																																																																																	



Mode	79																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.52</td><td>69.73</td><td>88.20</td><td>-18.47</td><td>55.37</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>163</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.52	69.73	88.20	-18.47	55.37	33.66	15.00	35.29	0.99	163	0 Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>110.27</td><td>-----</td><td>-----</td><td>96.02</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>163</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	110.27	-----	-----	96.02	33.60	15.06	35.34	0.93	163	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5920.52	69.73	88.20	-18.47	55.37	33.66	15.00	35.29	0.99	163	0 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	110.27	-----	-----	96.02	33.60	15.06	35.34	0.93	163	0 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.52</td><td>61.04</td><td>68.20</td><td>-7.16</td><td>46.70</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>163</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.52	61.04	68.20	-7.16	46.70	33.65	15.01	35.30	0.98	163	0 Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.28</td><td>-----</td><td>-----</td><td>88.03</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>163</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.28	-----	-----	88.03	33.60	15.06	35.34	0.93	163	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.52	61.04	68.20	-7.16	46.70	33.65	15.01	35.30	0.98	163	0 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	102.28	-----	-----	88.03	33.60	15.06	35.34	0.93	163	0 Average																																																																																							



Mode	80																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz																																																																																																																																																							
ANT	7+6																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>35.05</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>200</td><td>294</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>25.32</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>200</td><td>294</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>52.13</td><td>38.20</td><td>25.25</td><td>63.63</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	53.59	74.00	-20.41	35.05	39.00	20.27	41.24	0.51	200	294	Peak	2	12450.00	43.86	54.00	-10.14	25.32	39.00	20.27	41.24	0.51	200	294	Average	3	18675.00	42.41	74.00	-31.59	52.13	38.20	25.25	63.63	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>35.15</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>135</td><td>232</td><td>Peak</td></tr><tr><td>2</td><td>12450.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>26.01</td><td>39.00</td><td>20.27</td><td>41.24</td><td>0.51</td><td>135</td><td>232</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>41.34</td><td>74.00</td><td>-32.66</td><td>51.06</td><td>38.20</td><td>25.25</td><td>63.63</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	53.69	74.00	-20.31	35.15	39.00	20.27	41.24	0.51	135	232	Peak	2	12450.00	44.55	54.00	-9.45	26.01	39.00	20.27	41.24	0.51	135	232	Average	3	18675.00	41.34	74.00	-32.66	51.06	38.20	25.25	63.63	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12450.00	53.59	74.00	-20.41	35.05	39.00	20.27	41.24	0.51	200	294	Peak																																																																																																																																												
2	12450.00	43.86	54.00	-10.14	25.32	39.00	20.27	41.24	0.51	200	294	Average																																																																																																																																												
3	18675.00	42.41	74.00	-31.59	52.13	38.20	25.25	63.63	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12450.00	53.69	74.00	-20.31	35.15	39.00	20.27	41.24	0.51	135	232	Peak																																																																																																																																												
2	12450.00	44.55	54.00	-9.45	26.01	39.00	20.27	41.24	0.51	135	232	Average																																																																																																																																												
3	18675.00	41.34	74.00	-32.66	51.06	38.20	25.25	63.63	-9.54	--	--	Peak																																																																																																																																												



Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	81																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>33.86</td><td>39.80</td><td>20.54</td><td>41.44</td><td>0.53</td><td>184</td><td>294</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>49.75</td><td>38.28</td><td>25.57</td><td>63.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.29	88.20	-34.91	33.86	39.80	20.54	41.44	0.53	184	294	Peak	2	19155.00	40.55	74.00	-33.45	49.75	38.28	25.57	63.51	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.79</td><td>88.20</td><td>-33.41</td><td>35.36</td><td>39.80</td><td>20.54</td><td>41.44</td><td>0.53</td><td>206</td><td>9</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.57</td><td>74.00</td><td>-34.43</td><td>48.77</td><td>38.28</td><td>25.57</td><td>63.51</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.79	88.20	-33.41	35.36	39.80	20.54	41.44	0.53	206	9	Peak	2	19155.00	39.57	74.00	-34.43	48.77	38.28	25.57	63.51	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12770.00	53.29	88.20	-34.91	33.86	39.80	20.54	41.44	0.53	184	294	Peak																																																																																																																		
2	19155.00	40.55	74.00	-33.45	49.75	38.28	25.57	63.51	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12770.00	54.79	88.20	-33.41	35.36	39.80	20.54	41.44	0.53	206	9	Peak																																																																																																																		
2	19155.00	39.57	74.00	-34.43	48.77	38.28	25.57	63.51	-9.54	--	--	Peak																																																																																																																		



Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	82																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.40</td><td>78.43</td><td>88.20</td><td>-9.77</td><td>64.02</td><td>33.70</td><td>14.97</td><td>35.27</td><td>1.01</td><td>241 52 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5907.40	78.43	88.20	-9.77	64.02	33.70	14.97	35.27	1.01	241 52 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>107.41</td><td>-----</td><td>-----</td><td>93.21</td><td>33.60</td><td>15.12</td><td>35.39</td><td>0.87</td><td>241 52 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	107.41	-----	-----	93.21	33.60	15.12	35.39	0.87	241 52 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5907.40	78.43	88.20	-9.77	64.02	33.70	14.97	35.27	1.01	241 52 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	107.41	-----	-----	93.21	33.60	15.12	35.39	0.87	241 52 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.40</td><td>66.67</td><td>68.20</td><td>-1.53</td><td>52.24</td><td>33.70</td><td>14.95</td><td>35.25</td><td>1.03</td><td>241 52 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5907.40	66.67	68.20	-1.53	52.24	33.70	14.95	35.25	1.03	241 52 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>98.66</td><td>-----</td><td>-----</td><td>84.37</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>241 52 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	98.66	-----	-----	84.37	33.66	15.14	35.40	0.89	241 52 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5907.40	66.67	68.20	-1.53	52.24	33.70	14.95	35.25	1.03	241 52 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	98.66	-----	-----	84.37	33.66	15.14	35.40	0.89	241 52 Average																																																																																	



Mode	82																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																										
ANT	7+6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5895.20</td><td>76.68</td><td>88.20 -11.52</td><td>62.26</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.02</td><td>230</td><td>358 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5895.20	76.68	88.20 -11.52	62.26	33.70	14.96	35.26	1.02	230	358 Peak	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>104.27</td><td>-----</td><td>90.01</td><td>33.64</td><td>15.13</td><td>35.39</td><td>0.88</td><td>230</td><td>358 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	104.27	-----	90.01	33.64	15.13	35.39	0.88	230	358 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5895.20	76.68	88.20 -11.52	62.26	33.70	14.96	35.26	1.02	230	358 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 6025.00	104.27	-----	90.01	33.64	15.13	35.39	0.88	230	358 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5894.80</td><td>63.83</td><td>68.20 -4.37</td><td>49.41</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.02</td><td>230</td><td>358 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5894.80	63.83	68.20 -4.37	49.41	33.70	14.96	35.26	1.02	230	358 Average	Level (dBuV/m) Date: 2025-10-31 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>95.15</td><td>-----</td><td>80.94</td><td>33.61</td><td>15.12</td><td>35.39</td><td>0.87</td><td>230</td><td>358 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	95.15	-----	80.94	33.61	15.12	35.39	0.87	230	358 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5894.80	63.83	68.20 -4.37	49.41	33.70	14.96	35.26	1.02	230	358 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 6025.00	95.15	-----	80.94	33.61	15.12	35.39	0.87	230	358 Average																																																																																		



	82																																																																																																																																	
Mode	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-11-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>32.32</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12050.00</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>22.43</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Average</td></tr><tr><td>3 18075.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>50.47</td><td>37.70</td><td>24.85</td><td>63.85</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	52.79	74.00	-21.21	32.32	38.60	21.55	41.37	1.69	--	-- Peak	2 12050.00	42.90	54.00	-11.10	22.43	38.60	21.55	41.37	1.69	--	-- Average	3 18075.00	39.63	74.00	-34.37	50.47	37.70	24.85	63.85	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>32.96</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12050.00</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>22.86</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>-- Average</td></tr><tr><td>3 18075.00</td><td>39.61</td><td>74.00</td><td>-34.39</td><td>50.45</td><td>37.70</td><td>24.85</td><td>63.85</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	53.43	74.00	-20.57	32.96	38.60	21.55	41.37	1.69	--	-- Peak	2 12050.00	43.33	54.00	-10.67	22.86	38.60	21.55	41.37	1.69	--	-- Average	3 18075.00	39.61	74.00	-34.39	50.45	37.70	24.85	63.85	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12050.00	52.79	74.00	-21.21	32.32	38.60	21.55	41.37	1.69	--	-- Peak																																																																																																																								
2 12050.00	42.90	54.00	-11.10	22.43	38.60	21.55	41.37	1.69	--	-- Average																																																																																																																								
3 18075.00	39.63	74.00	-34.37	50.47	37.70	24.85	63.85	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12050.00	53.43	74.00	-20.57	32.96	38.60	21.55	41.37	1.69	--	-- Peak																																																																																																																								
2 12050.00	43.33	54.00	-10.67	22.86	38.60	21.55	41.37	1.69	--	-- Average																																																																																																																								
3 18075.00	39.61	74.00	-34.39	50.45	37.70	24.85	63.85	-9.54	--	-- Peak																																																																																																																								



Mode	82	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	Level (dBuV/m) Date: 2025-10-31 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-31 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	83																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5800.40</td><td>74.20</td><td>88.20 -14.00</td><td>59.76</td><td>33.70</td><td>14.94</td><td>35.24</td><td>1.04</td><td>206</td><td>35 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5800.40	74.20	88.20 -14.00	59.76	33.70	14.94	35.24	1.04	206	35 Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>110.94</td><td>-----</td><td>96.69</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>206</td><td>35 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	110.94	-----	96.69	33.60	15.06	35.34	0.93	206	35 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5800.40	74.20	88.20 -14.00	59.76	33.70	14.94	35.24	1.04	206	35 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	110.94	-----	96.69	33.60	15.06	35.34	0.93	206	35 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5920.60</td><td>67.07</td><td>68.20 -1.13</td><td>52.71</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>206</td><td>35 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5920.60	67.07	68.20 -1.13	52.71	33.66	15.00	35.29	0.99	206	35 Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>102.48</td><td>-----</td><td>88.27</td><td>33.61</td><td>15.12</td><td>35.39</td><td>0.87</td><td>206</td><td>35 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	102.48	-----	88.27	33.61	15.12	35.39	0.87	206	35 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5920.60	67.07	68.20 -1.13	52.71	33.66	15.00	35.29	0.99	206	35 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	102.48	-----	88.27	33.61	15.12	35.39	0.87	206	35 Average																																																																																	



Mode	83																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5923.40</td><td>75.02</td><td>88.20 -13.18</td><td>60.68</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.40	75.02	88.20 -13.18	60.68	33.65	15.01	35.30	0.98	161	360 Peak	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>107.31</td><td>-----</td><td>93.07</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>161</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	107.31	-----	93.07	33.60	15.07	35.35	0.92	161	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5923.40	75.02	88.20 -13.18	60.68	33.65	15.01	35.30	0.98	161	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	107.31	-----	93.07	33.60	15.07	35.35	0.92	161	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5923.60</td><td>64.66</td><td>68.20 -3.54</td><td>50.32</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5923.60	64.66	68.20 -3.54	50.32	33.65	15.01	35.30	0.98	161	360 Average	Level (dBuV/m) Date: 2025-10-30 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>99.64</td><td>-----</td><td>85.43</td><td>33.61</td><td>15.12</td><td>35.39</td><td>0.87</td><td>161</td><td>360 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	99.64	-----	85.43	33.61	15.12	35.39	0.87	161	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5923.60	64.66	68.20 -3.54	50.32	33.65	15.01	35.30	0.98	161	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	99.64	-----	85.43	33.61	15.12	35.39	0.87	161	360 Average																																																																																	





Mode	84																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>33.06</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12370.00</td><td>41.24</td><td>54.00</td><td>-12.76</td><td>22.95</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>--</td><td>-- Average</td></tr><tr><td>3 18555.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>50.49</td><td>38.11</td><td>25.17</td><td>63.61</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12370.00	51.35	74.00	-22.65	33.06	38.86	20.20	41.27	0.50	--	-- Peak	2 12370.00	41.24	54.00	-12.76	22.95	38.86	20.20	41.27	0.50	--	-- Average	3 18555.00	40.62	74.00	-33.38	50.49	38.11	25.17	63.61	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>34.16</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12370.00</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>24.23</td><td>38.86</td><td>20.20</td><td>41.27</td><td>0.50</td><td>--</td><td>-- Average</td></tr><tr><td>3 18555.00</td><td>40.60</td><td>74.00</td><td>-33.40</td><td>50.47</td><td>38.11</td><td>25.17</td><td>63.61</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12370.00	52.45	74.00	-21.55	34.16	38.86	20.20	41.27	0.50	--	-- Peak	2 12370.00	42.52	54.00	-11.48	24.23	38.86	20.20	41.27	0.50	--	-- Average	3 18555.00	40.60	74.00	-33.40	50.47	38.11	25.17	63.61	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12370.00	51.35	74.00	-22.65	33.06	38.86	20.20	41.27	0.50	--	-- Peak																																																																																																																								
2 12370.00	41.24	54.00	-12.76	22.95	38.86	20.20	41.27	0.50	--	-- Average																																																																																																																								
3 18555.00	40.62	74.00	-33.38	50.49	38.11	25.17	63.61	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12370.00	52.45	74.00	-21.55	34.16	38.86	20.20	41.27	0.50	--	-- Peak																																																																																																																								
2 12370.00	42.52	54.00	-11.48	24.23	38.86	20.20	41.27	0.50	--	-- Average																																																																																																																								
3 18555.00	40.60	74.00	-33.40	50.47	38.11	25.17	63.61	-9.54	--	-- Peak																																																																																																																								



Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



		85																																																																																																																																																				
Mode		Harmonic																																																																																																																																																				
		U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz																																																																																																																																																				
ANT		7+6																																																																																																																																																				
Pol.		Horizontal					Vertical																																																																																																																																															
Peak Avg		Level (dBuV/m) Date: 2025-10-27  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>52.18</td><td>74.00 -21.82</td><td>32.76</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12690.00</td><td>42.02</td><td>54.00 -11.98</td><td>22.60</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 19035.00</td><td>39.86</td><td>74.00 -34.14</td><td>49.27</td><td>38.30</td><td>25.49</td><td>63.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12690.00	52.18	74.00 -21.82	32.76	39.80	20.48	41.38	0.52	--	--	Peak	2 12690.00	42.02	54.00 -11.98	22.60	39.80	20.48	41.38	0.52	--	--	Average	3 19035.00	39.86	74.00 -34.14	49.27	38.30	25.49	63.66	-9.54	--	--	Peak		Level (dBuV/m) Date: 2025-10-27  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>52.32</td><td>74.00 -21.68</td><td>32.90</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12690.00</td><td>41.89</td><td>54.00 -12.11</td><td>22.47</td><td>39.80</td><td>20.48</td><td>41.38</td><td>0.52</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 19035.00</td><td>40.85</td><td>74.00 -33.15</td><td>50.26</td><td>38.30</td><td>25.49</td><td>63.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12690.00	52.32	74.00 -21.68	32.90	39.80	20.48	41.38	0.52	--	--	Peak	2 12690.00	41.89	54.00 -12.11	22.47	39.80	20.48	41.38	0.52	--	--	Average	3 19035.00	40.85	74.00 -33.15	50.26	38.30	25.49	63.66	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 12690.00	52.18	74.00 -21.82	32.76	39.80	20.48	41.38	0.52	--	--	Peak																																																																																																																																												
2 12690.00	42.02	54.00 -11.98	22.60	39.80	20.48	41.38	0.52	--	--	Average																																																																																																																																												
3 19035.00	39.86	74.00 -34.14	49.27	38.30	25.49	63.66	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 12690.00	52.32	74.00 -21.68	32.90	39.80	20.48	41.38	0.52	--	--	Peak																																																																																																																																												
2 12690.00	41.89	54.00 -12.11	22.47	39.80	20.48	41.38	0.52	--	--	Average																																																																																																																																												
3 19035.00	40.85	74.00 -33.15	50.26	38.30	25.49	63.66	-9.54	--	--	Peak																																																																																																																																												



Mode	85	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	86																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>52.31</td><td>88.20</td><td>-35.89</td><td>32.70</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.99</td><td>74.00</td><td>-35.01</td><td>48.11</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	52.31	88.20	-35.89	32.70	39.96	20.63	41.52	0.54	--	Peak	2	19305.00	38.99	74.00	-35.01	48.11	38.09	25.66	63.33	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>51.44</td><td>88.20</td><td>-36.76</td><td>31.83</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.38</td><td>74.00</td><td>-35.62</td><td>47.50</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	51.44	88.20	-36.76	31.83	39.96	20.63	41.52	0.54	--	Peak	2	19305.00	38.38	74.00	-35.62	47.50	38.09	25.66	63.33	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	52.31	88.20	-35.89	32.70	39.96	20.63	41.52	0.54	--	Peak																																																																																																															
2	19305.00	38.99	74.00	-35.01	48.11	38.09	25.66	63.33	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	51.44	88.20	-36.76	31.83	39.96	20.63	41.52	0.54	--	Peak																																																																																																															
2	19305.00	38.38	74.00	-35.62	47.50	38.09	25.66	63.33	-9.54	--	Peak																																																																																																															



Mode	86	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	87																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>51.51</td><td>88.20</td><td>-36.69</td><td>31.75</td><td>40.10</td><td>20.70</td><td>41.58</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>47.99</td><td>38.00</td><td>25.74</td><td>63.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	51.51	88.20	-36.69	31.75	40.10	20.70	41.58	0.54	--	Peak	2	19425.00	39.00	74.00	-35.00	47.99	38.00	25.74	63.19	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>52.30</td><td>88.20</td><td>-35.90</td><td>32.54</td><td>40.10</td><td>20.70</td><td>41.58</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>47.35</td><td>38.00</td><td>25.74</td><td>63.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	52.30	88.20	-35.90	32.54	40.10	20.70	41.58	0.54	--	Peak	2	19425.00	38.36	74.00	-35.64	47.35	38.00	25.74	63.19	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	51.51	88.20	-36.69	31.75	40.10	20.70	41.58	0.54	--	Peak																																																																																																															
2	19425.00	39.00	74.00	-35.00	47.99	38.00	25.74	63.19	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	52.30	88.20	-35.90	32.54	40.10	20.70	41.58	0.54	--	Peak																																																																																																															
2	19425.00	38.36	74.00	-35.64	47.35	38.00	25.74	63.19	-9.54	--	Peak																																																																																																															



Mode	87	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	88																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>32.95</td><td>40.04</td><td>20.77</td><td>41.70</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>47.84</td><td>37.99</td><td>25.81</td><td>63.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	52.61	88.20	-35.59	32.95	40.04	20.77	41.70	0.55	--	Peak	2	19545.00	39.03	74.00	-34.97	47.84	37.99	25.81	63.07	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>52.40</td><td>88.20</td><td>-35.80</td><td>32.74</td><td>40.04</td><td>20.77</td><td>41.70</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>47.86</td><td>37.99</td><td>25.81</td><td>63.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	52.40	88.20	-35.80	32.74	40.04	20.77	41.70	0.55	--	Peak	2	19545.00	39.05	74.00	-34.95	47.86	37.99	25.81	63.07	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	52.61	88.20	-35.59	32.95	40.04	20.77	41.70	0.55	--	Peak																																																																																																															
2	19545.00	39.03	74.00	-34.97	47.84	37.99	25.81	63.07	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	52.40	88.20	-35.80	32.74	40.04	20.77	41.70	0.55	--	Peak																																																																																																															
2	19545.00	39.05	74.00	-34.95	47.86	37.99	25.81	63.07	-9.54	--	Peak																																																																																																															



Mode	88	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	89																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz																																																																																																																										
ANT	7+6																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>51.79</td><td>88.20</td><td>-36.41</td><td>32.18</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.31</td><td>74.00</td><td>-35.69</td><td>47.43</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	51.79	88.20	-36.41	32.18	39.96	20.63	41.52	0.54	--	Peak	2	19305.00	38.31	74.00	-35.69	47.43	38.09	25.66	63.33	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>52.29</td><td>88.20</td><td>-35.91</td><td>32.68</td><td>39.96</td><td>20.63</td><td>41.52</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>48.12</td><td>38.09</td><td>25.66</td><td>63.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	52.29	88.20	-35.91	32.68	39.96	20.63	41.52	0.54	--	Peak	2	19305.00	39.00	74.00	-35.00	48.12	38.09	25.66	63.33	-9.54	--	Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	12870.00	51.79	88.20	-36.41	32.18	39.96	20.63	41.52	0.54	--	Peak																																																																																																																
2	19305.00	38.31	74.00	-35.69	47.43	38.09	25.66	63.33	-9.54	--	Peak																																																																																																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	12870.00	52.29	88.20	-35.91	32.68	39.96	20.63	41.52	0.54	--	Peak																																																																																																																
2	19305.00	39.00	74.00	-35.00	48.12	38.09	25.66	63.33	-9.54	--	Peak																																																																																																																



Mode	89	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	90																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>51.82</td><td>88.20</td><td>-36.38</td><td>32.06</td><td>40.10</td><td>20.70</td><td>41.58</td><td>0.54</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.95</td><td>74.00</td><td>-35.05</td><td>47.94</td><td>38.00</td><td>25.74</td><td>63.19</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12950.00	51.82	88.20	-36.38	32.06	40.10	20.70	41.58	0.54	--	-- Peak	2	19425.00	38.95	74.00	-35.05	47.94	38.00	25.74	63.19	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>51.55</td><td>88.20</td><td>-36.65</td><td>31.79</td><td>40.10</td><td>20.70</td><td>41.58</td><td>0.54</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.61</td><td>74.00</td><td>-35.39</td><td>47.60</td><td>38.00</td><td>25.74</td><td>63.19</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12950.00	51.55	88.20	-36.65	31.79	40.10	20.70	41.58	0.54	--	-- Peak	2	19425.00	38.61	74.00	-35.39	47.60	38.00	25.74	63.19	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12950.00	51.82	88.20	-36.38	32.06	40.10	20.70	41.58	0.54	--	-- Peak																																																																																																																			
2	19425.00	38.95	74.00	-35.05	47.94	38.00	25.74	63.19	-9.54	--	-- Peak																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12950.00	51.55	88.20	-36.65	31.79	40.10	20.70	41.58	0.54	--	-- Peak																																																																																																																			
2	19425.00	38.61	74.00	-35.39	47.60	38.00	25.74	63.19	-9.54	--	-- Peak																																																																																																																			





Mode	90	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	91																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>52.00</td><td>88.20</td><td>-36.20</td><td>32.34</td><td>40.04</td><td>20.77</td><td>41.70</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>39.79</td><td>74.00</td><td>-34.21</td><td>48.60</td><td>37.99</td><td>25.81</td><td>63.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	52.00	88.20	-36.20	32.34	40.04	20.77	41.70	0.55	--	Peak	2	19545.00	39.79	74.00	-34.21	48.60	37.99	25.81	63.07	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>52.58</td><td>88.20</td><td>-35.62</td><td>32.92</td><td>40.04</td><td>20.77</td><td>41.70</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>47.87</td><td>37.99</td><td>25.81</td><td>63.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	52.58	88.20	-35.62	32.92	40.04	20.77	41.70	0.55	--	Peak	2	19545.00	39.06	74.00	-34.94	47.87	37.99	25.81	63.07	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	52.00	88.20	-36.20	32.34	40.04	20.77	41.70	0.55	--	Peak																																																																																																															
2	19545.00	39.79	74.00	-34.21	48.60	37.99	25.81	63.07	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	52.58	88.20	-35.62	32.92	40.04	20.77	41.70	0.55	--	Peak																																																																																																															
2	19545.00	39.06	74.00	-34.94	47.87	37.99	25.81	63.07	-9.54	--	Peak																																																																																																															



Mode	91	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	92																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_6445MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>51.77</td><td>88.20</td><td>-36.43</td><td>32.19</td><td>39.92</td><td>20.65</td><td>41.53</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>39.28</td><td>74.00</td><td>-34.72</td><td>48.41</td><td>38.03</td><td>25.68</td><td>63.30</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	51.77	88.20	-36.43	32.19	39.92	20.65	41.53	0.54	--	Peak	2	19335.00	39.28	74.00	-34.72	48.41	38.03	25.68	63.30	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>52.07</td><td>88.20</td><td>-36.13</td><td>32.49</td><td>39.92</td><td>20.65</td><td>41.53</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>38.96</td><td>74.00</td><td>-35.04</td><td>48.09</td><td>38.03</td><td>25.68</td><td>63.30</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	52.07	88.20	-36.13	32.49	39.92	20.65	41.53	0.54	--	Peak	2	19335.00	38.96	74.00	-35.04	48.09	38.03	25.68	63.30	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12890.00	51.77	88.20	-36.43	32.19	39.92	20.65	41.53	0.54	--	Peak																																																																																																															
2	19335.00	39.28	74.00	-34.72	48.41	38.03	25.68	63.30	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12890.00	52.07	88.20	-36.13	32.49	39.92	20.65	41.53	0.54	--	Peak																																																																																																															
2	19335.00	38.96	74.00	-35.04	48.09	38.03	25.68	63.30	-9.54	--	Peak																																																																																																															



Mode	92	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_6445MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	93																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_6485MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12970.00</td><td>52.45</td><td>88.20</td><td>-35.75</td><td>32.70</td><td>40.10</td><td>20.71</td><td>41.60</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>38.55</td><td>74.00</td><td>-35.45</td><td>47.49</td><td>37.99</td><td>25.76</td><td>63.15</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	52.45	88.20	-35.75	32.70	40.10	20.71	41.60	0.54	--	Peak	2	19455.00	38.55	74.00	-35.45	47.49	37.99	25.76	63.15	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12970.00</td><td>51.82</td><td>88.20</td><td>-36.38</td><td>32.07</td><td>40.10</td><td>20.71</td><td>41.60</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>39.64</td><td>74.00</td><td>-34.36</td><td>48.58</td><td>37.99</td><td>25.76</td><td>63.15</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	51.82	88.20	-36.38	32.07	40.10	20.71	41.60	0.54	--	Peak	2	19455.00	39.64	74.00	-34.36	48.58	37.99	25.76	63.15	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	52.45	88.20	-35.75	32.70	40.10	20.71	41.60	0.54	--	Peak																																																																																																															
2	19455.00	38.55	74.00	-35.45	47.49	37.99	25.76	63.15	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12970.00	51.82	88.20	-36.38	32.07	40.10	20.71	41.60	0.54	--	Peak																																																																																																															
2	19455.00	39.64	74.00	-34.36	48.58	37.99	25.76	63.15	-9.54	--	Peak																																																																																																															



Mode	93	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_6485MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	94																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_6525MHz																																																																																																																								
ANT	7+6																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>51.71</td><td>88.20</td><td>-36.49</td><td>32.12</td><td>40.00</td><td>20.79</td><td>41.75</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>48.00</td><td>37.95</td><td>25.83</td><td>63.06</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	51.71	88.20	-36.49	32.12	40.00	20.79	41.75	0.55	--	Peak	2	19575.00	39.18	74.00	-34.82	48.00	37.95	25.83	63.06	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>52.47</td><td>88.20</td><td>-35.73</td><td>32.88</td><td>40.00</td><td>20.79</td><td>41.75</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>48.37</td><td>37.95</td><td>25.83</td><td>63.06</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	52.47	88.20	-35.73	32.88	40.00	20.79	41.75	0.55	--	Peak	2	19575.00	39.55	74.00	-34.45	48.37	37.95	25.83	63.06	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13050.00	51.71	88.20	-36.49	32.12	40.00	20.79	41.75	0.55	--	Peak																																																																																																														
2	19575.00	39.18	74.00	-34.82	48.00	37.95	25.83	63.06	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13050.00	52.47	88.20	-35.73	32.88	40.00	20.79	41.75	0.55	--	Peak																																																																																																														
2	19575.00	39.55	74.00	-34.45	48.37	37.95	25.83	63.06	-9.54	--	Peak																																																																																																														



Mode	94	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_6525MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	95																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_6465MHz																																																																																																																								
ANT	7+6																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>51.24</td><td>88.20</td><td>-36.96</td><td>31.57</td><td>40.02</td><td>20.68</td><td>41.57</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>48.15</td><td>38.00</td><td>25.72</td><td>63.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	51.24	88.20	-36.96	31.57	40.02	20.68	41.57	0.54	--	Peak	2	19395.00	39.10	74.00	-34.90	48.15	38.00	25.72	63.23	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>51.49</td><td>88.20</td><td>-36.71</td><td>31.82</td><td>40.02</td><td>20.68</td><td>41.57</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>39.28</td><td>74.00</td><td>-34.72</td><td>48.33</td><td>38.00</td><td>25.72</td><td>63.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	51.49	88.20	-36.71	31.82	40.02	20.68	41.57	0.54	--	Peak	2	19395.00	39.28	74.00	-34.72	48.33	38.00	25.72	63.23	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	51.24	88.20	-36.96	31.57	40.02	20.68	41.57	0.54	--	Peak																																																																																																														
2	19395.00	39.10	74.00	-34.90	48.15	38.00	25.72	63.23	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12930.00	51.49	88.20	-36.71	31.82	40.02	20.68	41.57	0.54	--	Peak																																																																																																														
2	19395.00	39.28	74.00	-34.72	48.33	38.00	25.72	63.23	-9.54	--	Peak																																																																																																														



Mode	95	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_6465MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	96																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_6505MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>52.01</td><td>88.20</td><td>-36.19</td><td>32.28</td><td>40.00</td><td>20.75</td><td>41.65</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>40.00</td><td>74.00</td><td>-34.00</td><td>48.91</td><td>37.93</td><td>25.79</td><td>63.09</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	52.01	88.20	-36.19	32.28	40.00	20.75	41.65	0.55	--	Peak	2	19515.00	40.00	74.00	-34.00	48.91	37.93	25.79	63.09	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>51.91</td><td>88.20</td><td>-36.29</td><td>32.18</td><td>40.08</td><td>20.75</td><td>41.65</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>48.77</td><td>37.93</td><td>25.79</td><td>63.09</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	51.91	88.20	-36.29	32.18	40.08	20.75	41.65	0.55	--	Peak	2	19515.00	39.86	74.00	-34.14	48.77	37.93	25.79	63.09	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13010.00	52.01	88.20	-36.19	32.28	40.00	20.75	41.65	0.55	--	Peak																																																																																																															
2	19515.00	40.00	74.00	-34.00	48.91	37.93	25.79	63.09	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13010.00	51.91	88.20	-36.29	32.18	40.08	20.75	41.65	0.55	--	Peak																																																																																																															
2	19515.00	39.86	74.00	-34.14	48.77	37.93	25.79	63.09	-9.54	--	Peak																																																																																																															



Mode	96	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_6505MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	97																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>58.39</td><td>88.20</td><td>-29.81</td><td>38.92</td><td>39.92</td><td>20.81</td><td>41.81</td><td>0.55</td><td>302</td><td>34</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>50.05</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	58.39	88.20	-29.81	38.92	39.92	20.81	41.81	0.55	302	34	Peak	2	19605.00	41.22	74.00	-32.78	50.05	37.90	25.85	63.04	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>60.71</td><td>88.20</td><td>-27.49</td><td>41.24</td><td>39.92</td><td>20.81</td><td>41.81</td><td>0.55</td><td>232</td><td>332</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.73</td><td>74.00</td><td>-34.27</td><td>48.56</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	60.71	88.20	-27.49	41.24	39.92	20.81	41.81	0.55	232	332	Peak	2	19605.00	39.73	74.00	-34.27	48.56	37.90	25.85	63.04	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13070.00	58.39	88.20	-29.81	38.92	39.92	20.81	41.81	0.55	302	34	Peak																																																																																																																		
2	19605.00	41.22	74.00	-32.78	50.05	37.90	25.85	63.04	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13070.00	60.71	88.20	-27.49	41.24	39.92	20.81	41.81	0.55	232	332	Peak																																																																																																																		
2	19605.00	39.73	74.00	-34.27	48.56	37.90	25.85	63.04	-9.54	--	--	Peak																																																																																																																		



Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	98																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																																																																					
ANT	7+6																																																																																																																																																																																					
Pol.	Horizontal							Vertical																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>57.70</td><td>74.00</td><td>-16.30</td><td>38.60</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>299</td><td>25</td><td>Peak</td><td></td></tr><tr><td>2</td><td>13390.00</td><td>47.91</td><td>54.00</td><td>-6.09</td><td>28.81</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>299</td><td>25</td><td>Average</td><td></td></tr><tr><td>3</td><td>20805.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>54.40</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>209</td><td>337</td><td>Peak</td><td></td></tr><tr><td>4</td><td>20805.00</td><td>35.87</td><td>54.00</td><td>-18.13</td><td>43.99</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>209</td><td>337</td><td>Average</td><td></td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13390.00	57.70	74.00	-16.30	38.60	40.08	21.11	42.66	0.57	299	25	Peak		2	13390.00	47.91	54.00	-6.09	28.81	40.08	21.11	42.66	0.57	299	25	Average		3	20805.00	46.28	74.00	-27.72	54.40	37.90	26.15	62.63	-9.54	209	337	Peak		4	20805.00	35.87	54.00	-18.13	43.99	37.90	26.15	62.63	-9.54	209	337	Average		Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>39.41</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>142</td><td>268</td><td>Peak</td><td></td></tr><tr><td>2</td><td>13390.00</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>29.26</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>142</td><td>268</td><td>Average</td><td></td></tr><tr><td>3</td><td>20805.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>53.51</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>204</td><td>1</td><td>Peak</td><td></td></tr><tr><td>4</td><td>20805.00</td><td>36.04</td><td>54.00</td><td>-17.96</td><td>44.16</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>204</td><td>1</td><td>Average</td><td></td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13390.00	58.51	74.00	-15.49	39.41	40.08	21.11	42.66	0.57	142	268	Peak		2	13390.00	48.36	54.00	-5.64	29.26	40.08	21.11	42.66	0.57	142	268	Average		3	20805.00	45.39	74.00	-28.61	53.51	37.90	26.15	62.63	-9.54	204	1	Peak		4	20805.00	36.04	54.00	-17.96	44.16	37.90	26.15	62.63	-9.54	204	1	Average	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																									
1	13390.00	57.70	74.00	-16.30	38.60	40.08	21.11	42.66	0.57	299	25	Peak																																																																																																																																																																										
2	13390.00	47.91	54.00	-6.09	28.81	40.08	21.11	42.66	0.57	299	25	Average																																																																																																																																																																										
3	20805.00	46.28	74.00	-27.72	54.40	37.90	26.15	62.63	-9.54	209	337	Peak																																																																																																																																																																										
4	20805.00	35.87	54.00	-18.13	43.99	37.90	26.15	62.63	-9.54	209	337	Average																																																																																																																																																																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																										
1	13390.00	58.51	74.00	-15.49	39.41	40.08	21.11	42.66	0.57	142	268	Peak																																																																																																																																																																										
2	13390.00	48.36	54.00	-5.64	29.26	40.08	21.11	42.66	0.57	142	268	Average																																																																																																																																																																										
3	20805.00	45.39	74.00	-28.61	53.51	37.90	26.15	62.63	-9.54	204	1	Peak																																																																																																																																																																										
4	20805.00	36.04	54.00	-17.96	44.16	37.90	26.15	62.63	-9.54	204	1	Average																																																																																																																																																																										



Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	99																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>63.63</td><td>88.20</td><td>-24.57</td><td>44.52</td><td>40.30</td><td>21.46</td><td>43.24</td><td>0.59</td><td>149 289 Peak</td></tr><tr><td>2 20625.00</td><td>53.94</td><td>74.00</td><td>-20.06</td><td>60.83</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>259 2 Peak</td></tr><tr><td>3 20625.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>50.61</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>259 2 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	63.63	88.20	-24.57	44.52	40.30	21.46	43.24	0.59	149 289 Peak	2 20625.00	53.94	74.00	-20.06	60.83	37.95	26.48	61.78	-9.54	259 2 Peak	3 20625.00	43.72	54.00	-10.28	50.61	37.95	26.48	61.78	-9.54	259 2 Average	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>62.52</td><td>88.20</td><td>-25.68</td><td>43.41</td><td>40.30</td><td>21.46</td><td>43.24</td><td>0.59</td><td>273 0 Peak</td></tr><tr><td>2 20625.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>59.46</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>103 42 Peak</td></tr><tr><td>3 20625.00</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>49.91</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>103 42 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	62.52	88.20	-25.68	43.41	40.30	21.46	43.24	0.59	273 0 Peak	2 20625.00	52.57	74.00	-21.43	59.46	37.95	26.48	61.78	-9.54	103 42 Peak	3 20625.00	43.02	54.00	-10.98	49.91	37.95	26.48	61.78	-9.54	103 42 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	63.63	88.20	-24.57	44.52	40.30	21.46	43.24	0.59	149 289 Peak																																																																																																																	
2 20625.00	53.94	74.00	-20.06	60.83	37.95	26.48	61.78	-9.54	259 2 Peak																																																																																																																	
3 20625.00	43.72	54.00	-10.28	50.61	37.95	26.48	61.78	-9.54	259 2 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	62.52	88.20	-25.68	43.41	40.30	21.46	43.24	0.59	273 0 Peak																																																																																																																	
2 20625.00	52.57	74.00	-21.43	59.46	37.95	26.48	61.78	-9.54	103 42 Peak																																																																																																																	
3 20625.00	43.02	54.00	-10.98	49.91	37.95	26.48	61.78	-9.54	103 42 Average																																																																																																																	



Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-10-26 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	100																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 100 Setting : 20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>57.42</td><td>88.20</td><td>-30.78</td><td>37.95</td><td>39.92</td><td>20.81</td><td>41.81</td><td>0.55</td><td>323</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>49.11</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	57.42	88.20	-30.78	37.95	39.92	20.81	41.81	0.55	323	339	Peak	2	19605.00	40.28	74.00	-33.72	49.11	37.90	25.85	63.04	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-26 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 100 Setting : 20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>57.66</td><td>88.20</td><td>-30.54</td><td>38.19</td><td>39.92</td><td>20.81</td><td>41.81</td><td>0.55</td><td>399</td><td>334</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>49.48</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	57.66	88.20	-30.54	38.19	39.92	20.81	41.81	0.55	399	334	Peak	2	19605.00	40.65	74.00	-33.35	49.48	37.90	25.85	63.04	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13070.00	57.42	88.20	-30.78	37.95	39.92	20.81	41.81	0.55	323	339	Peak																																																																																																																		
2	19605.00	40.28	74.00	-33.72	49.11	37.90	25.85	63.04	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13070.00	57.66	88.20	-30.54	38.19	39.92	20.81	41.81	0.55	399	334	Peak																																																																																																																		
2	19605.00	40.65	74.00	-33.35	49.48	37.90	25.85	63.04	-9.54	--	--	Peak																																																																																																																		



Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 100 Setting : 20	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 100 Setting : 20





Mode	101																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz																																																																																																																																																
ANT	7+6																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 101 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>36.68</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>100</td><td>6 Peak</td></tr><tr><td>2</td><td>13390.00</td><td>47.28</td><td>54.00</td><td>-6.72</td><td>28.18</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>100</td><td>6 Average</td></tr><tr><td>3</td><td>20085.00</td><td>41.46</td><td>74.00</td><td>-32.54</td><td>49.58</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	55.78	74.00	-18.22	36.68	40.08	21.11	42.66	0.57	100	6 Peak	2	13390.00	47.28	54.00	-6.72	28.18	40.08	21.11	42.66	0.57	100	6 Average	3	20085.00	41.46	74.00	-32.54	49.58	37.90	26.15	62.63	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 101 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>38.02</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>142</td><td>272 Peak</td></tr><tr><td>2</td><td>13390.00</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>28.96</td><td>40.08</td><td>21.11</td><td>42.66</td><td>0.57</td><td>142</td><td>272 Average</td></tr><tr><td>3</td><td>20085.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>49.70</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	57.12	74.00	-16.88	38.02	40.08	21.11	42.66	0.57	142	272 Peak	2	13390.00	48.06	54.00	-5.94	28.96	40.08	21.11	42.66	0.57	142	272 Average	3	20085.00	41.58	74.00	-32.42	49.70	37.90	26.15	62.63	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13390.00	55.78	74.00	-18.22	36.68	40.08	21.11	42.66	0.57	100	6 Peak																																																																																																																																						
2	13390.00	47.28	54.00	-6.72	28.18	40.08	21.11	42.66	0.57	100	6 Average																																																																																																																																						
3	20085.00	41.46	74.00	-32.54	49.58	37.90	26.15	62.63	-9.54	--	-- Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13390.00	57.12	74.00	-16.88	38.02	40.08	21.11	42.66	0.57	142	272 Peak																																																																																																																																						
2	13390.00	48.06	54.00	-5.94	28.96	40.08	21.11	42.66	0.57	142	272 Average																																																																																																																																						
3	20085.00	41.58	74.00	-32.42	49.70	37.90	26.15	62.63	-9.54	--	-- Peak																																																																																																																																						



Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 101 Setting : 19.5	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 101 Setting : 19.5



Mode	102																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-10-27  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 102 Setting : 19.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13750.00</td><td>63.99</td><td>88.20</td><td>-24.21</td><td>44.88</td><td>40.30</td><td>21.46</td><td>43.24</td><td>0.59</td><td>148 289 Peak</td></tr><tr><td>2 20625.00</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>61.02</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>297 40 Peak</td></tr><tr><td>3 20625.00</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>50.55</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>297 40 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13750.00	63.99	88.20	-24.21	44.88	40.30	21.46	43.24	0.59	148 289 Peak	2 20625.00	54.13	74.00	-19.87	61.02	37.95	26.48	61.78	-9.54	297 40 Peak	3 20625.00	43.66	54.00	-10.34	50.55	37.95	26.48	61.78	-9.54	297 40 Average	Level (dBuV/m) Date: 2025-10-27  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 102 Setting : 19.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13750.00</td><td>61.07</td><td>88.20</td><td>-27.13</td><td>41.96</td><td>40.30</td><td>21.46</td><td>43.24</td><td>0.59</td><td>275 0 Peak</td></tr><tr><td>2 20625.00</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>61.60</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>104 41 Peak</td></tr><tr><td>3 20625.00</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>50.72</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>104 41 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13750.00	61.07	88.20	-27.13	41.96	40.30	21.46	43.24	0.59	275 0 Peak	2 20625.00	54.71	74.00	-19.29	61.60	37.95	26.48	61.78	-9.54	104 41 Peak	3 20625.00	43.83	54.00	-10.17	50.72	37.95	26.48	61.78	-9.54	104 41 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 13750.00	63.99	88.20	-24.21	44.88	40.30	21.46	43.24	0.59	148 289 Peak																																																																																																																	
2 20625.00	54.13	74.00	-19.87	61.02	37.95	26.48	61.78	-9.54	297 40 Peak																																																																																																																	
3 20625.00	43.66	54.00	-10.34	50.55	37.95	26.48	61.78	-9.54	297 40 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 13750.00	61.07	88.20	-27.13	41.96	40.30	21.46	43.24	0.59	275 0 Peak																																																																																																																	
2 20625.00	54.71	74.00	-19.29	61.60	37.95	26.48	61.78	-9.54	104 41 Peak																																																																																																																	
3 20625.00	43.83	54.00	-10.17	50.72	37.95	26.48	61.78	-9.54	104 41 Average																																																																																																																	



Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 102 Setting : 19.5	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 102 Setting : 19.5



	103																																																																																																																											
Mode	Harmonic																																																																																																																											
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz																																																																																																																											
ANT	7+6																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 103 Setting : 19.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>55.92</td><td>88.20</td><td>-32.28</td><td>36.62</td><td>39.86</td><td>20.86</td><td>41.97</td><td>0.55</td><td>303</td><td>31 Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>48.42</td><td>37.90</td><td>25.91</td><td>62.98</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13130.00	55.92	88.20	-32.28	36.62	39.86	20.86	41.97	0.55	303	31 Peak	2	19695.00	39.71	74.00	-34.29	48.42	37.90	25.91	62.98	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 103 Setting : 19.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>57.59</td><td>88.20</td><td>-30.61</td><td>38.29</td><td>39.86</td><td>20.86</td><td>41.97</td><td>0.55</td><td>143</td><td>258 Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>48.11</td><td>37.90</td><td>25.91</td><td>62.98</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13130.00	57.59	88.20	-30.61	38.29	39.86	20.86	41.97	0.55	143	258 Peak	2	19695.00	39.40	74.00	-34.60	48.11	37.90	25.91	62.98	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	13130.00	55.92	88.20	-32.28	36.62	39.86	20.86	41.97	0.55	303	31 Peak																																																																																																																	
2	19695.00	39.71	74.00	-34.29	48.42	37.90	25.91	62.98	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	13130.00	57.59	88.20	-30.61	38.29	39.86	20.86	41.97	0.55	143	258 Peak																																																																																																																	
2	19695.00	39.40	74.00	-34.60	48.11	37.90	25.91	62.98	-9.54	--	-- Peak																																																																																																																	



Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 103 Setting : 19.5	Level (dBuV/m) Date: 2025-10-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 103 Setting : 19.5



Mode	104																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz																																																																																																																																																						
ANT	7+6																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 104 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>34.79</td><td>40.04</td><td>21.10</td><td>42.60</td><td>0.57</td><td>124</td><td>344</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>25.12</td><td>40.04</td><td>21.10</td><td>42.60</td><td>0.57</td><td>124</td><td>344</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>39.15</td><td>74.00</td><td>-34.85</td><td>47.35</td><td>37.90</td><td>26.13</td><td>62.69</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	53.90	74.00	-20.10	34.79	40.04	21.10	42.60	0.57	124	344	Peak	2	13370.00	44.23	54.00	-9.77	25.12	40.04	21.10	42.60	0.57	124	344	Average	3	20055.00	39.15	74.00	-34.85	47.35	37.90	26.13	62.69	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 104 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13370.00</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>33.87</td><td>40.04</td><td>21.10</td><td>42.60</td><td>0.57</td><td>226</td><td>332</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>25.10</td><td>40.04</td><td>21.10</td><td>42.60</td><td>0.57</td><td>226</td><td>332</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>40.03</td><td>74.00</td><td>-33.97</td><td>48.23</td><td>37.90</td><td>26.13</td><td>62.69</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	52.98	74.00	-21.02	33.87	40.04	21.10	42.60	0.57	226	332	Peak	2	13370.00	44.21	54.00	-9.79	25.10	40.04	21.10	42.60	0.57	226	332	Average	3	20055.00	40.03	74.00	-33.97	48.23	37.90	26.13	62.69	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	13370.00	53.90	74.00	-20.10	34.79	40.04	21.10	42.60	0.57	124	344	Peak																																																																																																																																											
2	13370.00	44.23	54.00	-9.77	25.12	40.04	21.10	42.60	0.57	124	344	Average																																																																																																																																											
3	20055.00	39.15	74.00	-34.85	47.35	37.90	26.13	62.69	-9.54	--	--	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	13370.00	52.98	74.00	-21.02	33.87	40.04	21.10	42.60	0.57	226	332	Peak																																																																																																																																											
2	13370.00	44.21	54.00	-9.79	25.10	40.04	21.10	42.60	0.57	226	332	Average																																																																																																																																											
3	20055.00	40.03	74.00	-33.97	48.23	37.90	26.13	62.69	-9.54	--	--	Peak																																																																																																																																											



Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 104 Setting : 19.5	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 104 Setting : 19.5



Mode	105																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 105 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13770.00</td><td>60.01</td><td>88.20</td><td>-28.19</td><td>40.85</td><td>40.34</td><td>21.48</td><td>43.26</td><td>0.60</td><td>138 289 Peak</td></tr><tr><td>2 20655.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>54.50</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>296 41 Peak</td></tr><tr><td>3 20655.00</td><td>39.05</td><td>54.00</td><td>-14.95</td><td>45.94</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>296 41 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13770.00	60.01	88.20	-28.19	40.85	40.34	21.48	43.26	0.60	138 289 Peak	2 20655.00	47.61	74.00	-26.39	54.50	37.92	26.50	61.77	-9.54	296 41 Peak	3 20655.00	39.05	54.00	-14.95	45.94	37.92	26.50	61.77	-9.54	296 41 Average	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 105 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13770.00</td><td>59.12</td><td>88.20</td><td>-29.08</td><td>39.96</td><td>40.34</td><td>21.48</td><td>43.26</td><td>0.60</td><td>200 188 Peak</td></tr><tr><td>2 20655.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>55.33</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>185 44 Peak</td></tr><tr><td>3 20655.00</td><td>40.11</td><td>54.00</td><td>-13.89</td><td>47.00</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>185 44 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13770.00	59.12	88.20	-29.08	39.96	40.34	21.48	43.26	0.60	200 188 Peak	2 20655.00	48.44	74.00	-25.56	55.33	37.92	26.50	61.77	-9.54	185 44 Peak	3 20655.00	40.11	54.00	-13.89	47.00	37.92	26.50	61.77	-9.54	185 44 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13770.00	60.01	88.20	-28.19	40.85	40.34	21.48	43.26	0.60	138 289 Peak																																																																																																																	
2 20655.00	47.61	74.00	-26.39	54.50	37.92	26.50	61.77	-9.54	296 41 Peak																																																																																																																	
3 20655.00	39.05	54.00	-14.95	45.94	37.92	26.50	61.77	-9.54	296 41 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13770.00	59.12	88.20	-29.08	39.96	40.34	21.48	43.26	0.60	200 188 Peak																																																																																																																	
2 20655.00	48.44	74.00	-25.56	55.33	37.92	26.50	61.77	-9.54	185 44 Peak																																																																																																																	
3 20655.00	40.11	54.00	-13.89	47.00	37.92	26.50	61.77	-9.54	185 44 Average																																																																																																																	



Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 105 Setting : 19.5	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 105 Setting : 19.5



Mode	106																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz																																																																																																																																																							
ANT	7+6																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 106 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>52.62</td><td>74.00</td><td>-21.38</td><td>33.36</td><td>40.00</td><td>20.98</td><td>42.28</td><td>0.56</td><td>303</td><td>15</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>23.50</td><td>40.00</td><td>20.98</td><td>42.28</td><td>0.56</td><td>303</td><td>15</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>40.07</td><td>74.00</td><td>-33.93</td><td>48.57</td><td>37.90</td><td>26.02</td><td>62.88</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 106 Setting : 19.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>34.56</td><td>40.00</td><td>20.98</td><td>42.28</td><td>0.56</td><td>201</td><td>326</td><td>Peak</td></tr><tr><td>2</td><td>13250.00</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>24.85</td><td>40.00</td><td>20.98</td><td>42.28</td><td>0.56</td><td>201</td><td>326</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>47.94</td><td>37.90</td><td>26.02</td><td>62.88</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	52.62	74.00	-21.38	33.36	40.00	20.98	42.28	0.56	303	15	Peak	2	13250.00	42.76	54.00	-11.24	23.50	40.00	20.98	42.28	0.56	303	15	Average	3	19875.00	40.07	74.00	-33.93	48.57	37.90	26.02	62.88	-9.54	--	--	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	53.82	74.00	-20.18	34.56	40.00	20.98	42.28	0.56	201	326	Peak	2	13250.00	44.11	54.00	-9.89	24.85	40.00	20.98	42.28	0.56	201	326	Average	3	19875.00	39.44	74.00	-34.56	47.94	37.90	26.02	62.88	-9.54	--	--	Peak						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	13250.00	52.62	74.00	-21.38	33.36	40.00	20.98	42.28	0.56	303	15	Peak																																																																																																																																												
2	13250.00	42.76	54.00	-11.24	23.50	40.00	20.98	42.28	0.56	303	15	Average																																																																																																																																												
3	19875.00	40.07	74.00	-33.93	48.57	37.90	26.02	62.88	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13250.00	53.82	74.00	-20.18	34.56	40.00	20.98	42.28	0.56	201	326	Peak																																																																																																																																												
2	13250.00	44.11	54.00	-9.89	24.85	40.00	20.98	42.28	0.56	201	326	Average																																																																																																																																												
3	19875.00	39.44	74.00	-34.56	47.94	37.90	26.02	62.88	-9.54	--	--	Peak																																																																																																																																												



Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 106 Setting : 19.5	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 106 Setting : 19.5



Mode	107																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz																																																																																																																																
ANT	7+6																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 107 Setting : 19.5 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>52.53</td><td>88.20</td><td>-35.67</td><td>33.44</td><td>40.10</td><td>21.13</td><td>42.71</td><td>0.57</td><td>106</td><td>2 Peak</td></tr><tr><td>2</td><td>20115.00</td><td>39.50</td><td>74.00</td><td>-34.50</td><td>47.54</td><td>37.90</td><td>26.17</td><td>62.57</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13410.00	52.53	88.20	-35.67	33.44	40.10	21.13	42.71	0.57	106	2 Peak	2	20115.00	39.50	74.00	-34.50	47.54	37.90	26.17	62.57	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 107 Setting : 19.5 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>34.20</td><td>40.10</td><td>21.13</td><td>42.71</td><td>0.57</td><td>200</td><td>330 Peak</td></tr><tr><td>2</td><td>20115.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>48.49</td><td>37.90</td><td>26.17</td><td>62.57</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13410.00	53.29	88.20	-34.91	34.20	40.10	21.13	42.71	0.57	200	330 Peak	2	20115.00	40.45	74.00	-33.55	48.49	37.90	26.17	62.57	-9.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	13410.00	52.53	88.20	-35.67	33.44	40.10	21.13	42.71	0.57	106	2 Peak																																																																																																																						
2	20115.00	39.50	74.00	-34.50	47.54	37.90	26.17	62.57	-9.54	--	-- Peak																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	13410.00	53.29	88.20	-34.91	34.20	40.10	21.13	42.71	0.57	200	330 Peak																																																																																																																						
2	20115.00	40.45	74.00	-33.55	48.49	37.90	26.17	62.57	-9.54	--	-- Peak																																																																																																																						



Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 107 Setting : 19.5	Level (dBuV/m) Date: 2025-10-27 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 107 Setting : 19.5



Mode	108																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_6865MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 108 Setting : 19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7261.20</td><td>58.40</td><td>74.00</td><td>-15.60</td><td>42.96</td><td>36.44</td><td>15.36</td><td>36.36</td><td>0.00</td><td>167</td><td>29</td><td>Peak</td></tr><tr><td>2</td><td>7261.20</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>31.17</td><td>36.44</td><td>15.36</td><td>36.36</td><td>0.00</td><td>167</td><td>29</td><td>Average</td></tr><tr><td>3</td><td>13730.00</td><td>54.27</td><td>88.20</td><td>-33.93</td><td>35.24</td><td>40.22</td><td>21.44</td><td>43.22</td><td>0.59</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>4</td><td>20595.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>51.62</td><td>38.00</td><td>26.46</td><td>61.78</td><td>-9.54</td><td>297</td><td>38</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7261.20	58.40	74.00	-15.60	42.96	36.44	15.36	36.36	0.00	167	29	Peak	2	7261.20	46.61	54.00	-7.39	31.17	36.44	15.36	36.36	0.00	167	29	Average	3	13730.00	54.27	88.20	-33.93	35.24	40.22	21.44	43.22	0.59	100	0	Peak	4	20595.00	44.76	74.00	-29.24	51.62	38.00	26.46	61.78	-9.54	297	38	Peak	Level (dBuV/m) Date: 2025-10-27 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 108 Setting : 19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7290.00</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>36.98</td><td>36.56</td><td>15.39</td><td>36.37</td><td>0.00</td><td>243</td><td>5</td><td>Peak</td></tr><tr><td>2</td><td>7290.00</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>27.05</td><td>36.56</td><td>15.39</td><td>36.37</td><td>0.00</td><td>243</td><td>5</td><td>Average</td></tr><tr><td>3</td><td>13730.00</td><td>53.82</td><td>88.20</td><td>-34.38</td><td>34.79</td><td>40.22</td><td>21.44</td><td>43.22</td><td>0.59</td><td>121</td><td>360</td><td>Peak</td></tr><tr><td>4</td><td>20595.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>51.01</td><td>38.00</td><td>26.46</td><td>61.78</td><td>-9.54</td><td>100</td><td>25</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7290.00	52.56	74.00	-21.44	36.98	36.56	15.39	36.37	0.00	243	5	Peak	2	7290.00	42.63	54.00	-11.37	27.05	36.56	15.39	36.37	0.00	243	5	Average	3	13730.00	53.82	88.20	-34.38	34.79	40.22	21.44	43.22	0.59	121	360	Peak	4	20595.00	44.15	74.00	-29.85	51.01	38.00	26.46	61.78	-9.54	100	25	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	7261.20	58.40	74.00	-15.60	42.96	36.44	15.36	36.36	0.00	167	29	Peak																																																																																																																																																																						
2	7261.20	46.61	54.00	-7.39	31.17	36.44	15.36	36.36	0.00	167	29	Average																																																																																																																																																																						
3	13730.00	54.27	88.20	-33.93	35.24	40.22	21.44	43.22	0.59	100	0	Peak																																																																																																																																																																						
4	20595.00	44.76	74.00	-29.24	51.62	38.00	26.46	61.78	-9.54	297	38	Peak																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	7290.00	52.56	74.00	-21.44	36.98	36.56	15.39	36.37	0.00	243	5	Peak																																																																																																																																																																						
2	7290.00	42.63	54.00	-11.37	27.05	36.56	15.39	36.37	0.00	243	5	Average																																																																																																																																																																						
3	13730.00	53.82	88.20	-34.38	34.79	40.22	21.44	43.22	0.59	121	360	Peak																																																																																																																																																																						
4	20595.00	44.15	74.00	-29.85	51.01	38.00	26.46	61.78	-9.54	100	25	Peak																																																																																																																																																																						



Mode	108	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_6865MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 108 Setting : 19	Level (dBuV/m) Date: 2025-10-27 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 108 Setting : 19



Mode	109																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																											
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_6665MHz																																																																																																																																																																																																											
ANT	7+6																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 109 Setting : 19.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7304.40</td><td>63.81</td><td>74.00</td><td>-10.19</td><td>48.15</td><td>36.63</td><td>15.41</td><td>36.38</td><td>0.00</td><td>133</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>7304.40</td><td>51.01</td><td>54.00</td><td>-2.99</td><td>35.35</td><td>36.63</td><td>15.41</td><td>36.38</td><td>0.00</td><td>133</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>13330.00</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>33.96</td><td>40.00</td><td>21.06</td><td>42.50</td><td>0.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>13330.00</td><td>42.04</td><td>54.00</td><td>-11.96</td><td>22.91</td><td>40.00</td><td>21.06</td><td>42.50</td><td>0.57</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>19995.00</td><td>39.45</td><td>74.00</td><td>-34.55</td><td>47.70</td><td>37.99</td><td>26.10</td><td>62.80</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7304.40	63.81	74.00	-10.19	48.15	36.63	15.41	36.38	0.00	133	360	Peak	2	7304.40	51.01	54.00	-2.99	35.35	36.63	15.41	36.38	0.00	133	360	Average	3	13330.00	53.09	74.00	-20.91	33.96	40.00	21.06	42.50	0.57	--	--	Peak	4	13330.00	42.04	54.00	-11.96	22.91	40.00	21.06	42.50	0.57	--	--	Average	5	19995.00	39.45	74.00	-34.55	47.70	37.99	26.10	62.80	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 109 Setting : 19.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7263.00</td><td>57.61</td><td>74.00</td><td>-16.39</td><td>42.16</td><td>36.45</td><td>15.36</td><td>36.36</td><td>0.00</td><td>241</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>7263.00</td><td>47.42</td><td>54.00</td><td>-6.58</td><td>31.97</td><td>36.45</td><td>15.36</td><td>36.36</td><td>0.00</td><td>241</td><td>0</td><td>Average</td></tr><tr><td>3</td><td>13330.00</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>34.12</td><td>40.00</td><td>21.06</td><td>42.50</td><td>0.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>13330.00</td><td>41.86</td><td>54.00</td><td>-12.14</td><td>22.73</td><td>40.00</td><td>21.06</td><td>42.50</td><td>0.57</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>19995.00</td><td>39.33</td><td>74.00</td><td>-34.67</td><td>47.58</td><td>37.99</td><td>26.10</td><td>62.80</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7263.00	57.61	74.00	-16.39	42.16	36.45	15.36	36.36	0.00	241	0	Peak	2	7263.00	47.42	54.00	-6.58	31.97	36.45	15.36	36.36	0.00	241	0	Average	3	13330.00	53.25	74.00	-20.75	34.12	40.00	21.06	42.50	0.57	--	--	Peak	4	13330.00	41.86	54.00	-12.14	22.73	40.00	21.06	42.50	0.57	--	--	Average	5	19995.00	39.33	74.00	-34.67	47.58	37.99	26.10	62.80	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	7304.40	63.81	74.00	-10.19	48.15	36.63	15.41	36.38	0.00	133	360	Peak																																																																																																																																																																																																
2	7304.40	51.01	54.00	-2.99	35.35	36.63	15.41	36.38	0.00	133	360	Average																																																																																																																																																																																																
3	13330.00	53.09	74.00	-20.91	33.96	40.00	21.06	42.50	0.57	--	--	Peak																																																																																																																																																																																																
4	13330.00	42.04	54.00	-11.96	22.91	40.00	21.06	42.50	0.57	--	--	Average																																																																																																																																																																																																
5	19995.00	39.45	74.00	-34.55	47.70	37.99	26.10	62.80	-9.54	--	--	Peak																																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	7263.00	57.61	74.00	-16.39	42.16	36.45	15.36	36.36	0.00	241	0	Peak																																																																																																																																																																																																
2	7263.00	47.42	54.00	-6.58	31.97	36.45	15.36	36.36	0.00	241	0	Average																																																																																																																																																																																																
3	13330.00	53.25	74.00	-20.75	34.12	40.00	21.06	42.50	0.57	--	--	Peak																																																																																																																																																																																																
4	13330.00	41.86	54.00	-12.14	22.73	40.00	21.06	42.50	0.57	--	--	Average																																																																																																																																																																																																
5	19995.00	39.33	74.00	-34.67	47.58	37.99	26.10	62.80	-9.54	--	--	Peak																																																																																																																																																																																																



Mode	109	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_6665MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 109 Setting : 19.5	Level (dBuV/m) Date: 2025-10-28 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 109 Setting : 19.5



Mode		110																																																																																																																																																																																												
		Harmonic																																																																																																																																																																																												
		U-NII-7_6.525-6.875_802.11be EHT160_CH175_6825MHz																																																																																																																																																																																												
ANT		7+6																																																																																																																																																																																												
Pol.		Horizontal																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 110 Setting : 18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7250.00</td><td>63.48</td><td>74.00</td><td>-10.52</td><td>45.75</td><td>36.40</td><td>16.65</td><td>36.36</td><td>1.04</td><td>192</td><td>26</td><td>Peak</td></tr><tr><td>2</td><td>7250.00</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>30.88</td><td>36.40</td><td>16.65</td><td>36.36</td><td>1.04</td><td>192</td><td>26</td><td>Average</td></tr><tr><td>3</td><td>13650.00</td><td>53.47</td><td>88.20</td><td>-34.73</td><td>34.74</td><td>39.90</td><td>21.36</td><td>43.12</td><td>0.59</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>20475.00</td><td>40.37</td><td>74.00</td><td>-33.63</td><td>47.42</td><td>37.95</td><td>26.39</td><td>61.85</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7250.00	63.48	74.00	-10.52	45.75	36.40	16.65	36.36	1.04	192	26	Peak	2	7250.00	48.61	54.00	-5.39	30.88	36.40	16.65	36.36	1.04	192	26	Average	3	13650.00	53.47	88.20	-34.73	34.74	39.90	21.36	43.12	0.59	--	--	Peak	4	20475.00	40.37	74.00	-33.63	47.42	37.95	26.39	61.85	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 110 Setting : 18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7282.80</td><td>60.71</td><td>74.00</td><td>-13.29</td><td>42.86</td><td>36.53</td><td>16.69</td><td>36.37</td><td>1.00</td><td>293</td><td>319</td><td>Peak</td></tr><tr><td>2</td><td>7282.80</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>27.89</td><td>36.53</td><td>16.69</td><td>36.37</td><td>1.00</td><td>293</td><td>319</td><td>Average</td></tr><tr><td>3</td><td>13650.00</td><td>54.25</td><td>88.20</td><td>-33.95</td><td>35.52</td><td>39.90</td><td>21.36</td><td>43.12</td><td>0.59</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>20475.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>47.04</td><td>37.95</td><td>26.39</td><td>61.85</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7282.80	60.71	74.00	-13.29	42.86	36.53	16.69	36.37	1.00	293	319	Peak	2	7282.80	45.74	54.00	-8.26	27.89	36.53	16.69	36.37	1.00	293	319	Average	3	13650.00	54.25	88.20	-33.95	35.52	39.90	21.36	43.12	0.59	--	--	Peak	4	20475.00	39.99	74.00	-34.01	47.04	37.95	26.39	61.85	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	7250.00	63.48	74.00	-10.52	45.75	36.40	16.65	36.36	1.04	192	26	Peak																																																																																																																																																																																		
2	7250.00	48.61	54.00	-5.39	30.88	36.40	16.65	36.36	1.04	192	26	Average																																																																																																																																																																																		
3	13650.00	53.47	88.20	-34.73	34.74	39.90	21.36	43.12	0.59	--	--	Peak																																																																																																																																																																																		
4	20475.00	40.37	74.00	-33.63	47.42	37.95	26.39	61.85	-9.54	--	--	Peak																																																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	7282.80	60.71	74.00	-13.29	42.86	36.53	16.69	36.37	1.00	293	319	Peak																																																																																																																																																																																		
2	7282.80	45.74	54.00	-8.26	27.89	36.53	16.69	36.37	1.00	293	319	Average																																																																																																																																																																																		
3	13650.00	54.25	88.20	-33.95	35.52	39.90	21.36	43.12	0.59	--	--	Peak																																																																																																																																																																																		
4	20475.00	39.99	74.00	-34.01	47.04	37.95	26.39	61.85	-9.54	--	--	Peak																																																																																																																																																																																		



Mode	110	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_6825MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 110 Setting : 18	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 110 Setting : 18



	111																																																																																																															
Mode	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																															
ANT	7+6																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 111 Setting : 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>34.08</td><td>40.38</td><td>21.50</td><td>43.29</td><td>0.60</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>45.54</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	53.27	88.20	-34.93	34.08	40.38	21.50	43.29	0.60	--	Peak	2	20685.00	38.80	74.00	-35.20	45.54	38.04	26.52	61.76	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 111 Setting : 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>52.89</td><td>88.20</td><td>-35.31</td><td>33.70</td><td>40.38</td><td>21.50</td><td>43.29</td><td>0.60</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>39.36</td><td>74.00</td><td>-34.64</td><td>46.10</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	52.89	88.20	-35.31	33.70	40.38	21.50	43.29	0.60	--	Peak	2	20685.00	39.36	74.00	-34.64	46.10	38.04	26.52	61.76	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	53.27	88.20	-34.93	34.08	40.38	21.50	43.29	0.60	--	Peak																																																																																																					
2	20685.00	38.80	74.00	-35.20	45.54	38.04	26.52	61.76	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	52.89	88.20	-35.31	33.70	40.38	21.50	43.29	0.60	--	Peak																																																																																																					
2	20685.00	39.36	74.00	-34.64	46.10	38.04	26.52	61.76	-9.54	--	Peak																																																																																																					



Mode	111	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 111 Setting : 4.5	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 111 Setting : 4.5







	112																																																																																																																								
Mode	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																								
ANT	7+6																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 112 Setting : 3.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>53.31</td><td>88.20</td><td>-34.89</td><td>33.75</td><td>40.78</td><td>21.69</td><td>43.52</td><td>0.61</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>38.98</td><td>74.00</td><td>-35.02</td><td>45.49</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	53.31	88.20	-34.89	33.75	40.78	21.69	43.52	0.61	--	Peak	2	20985.00	38.98	74.00	-35.02	45.49	38.03	26.70	61.70	-9.54	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 112 Setting : 3.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>53.11</td><td>88.20</td><td>-35.09</td><td>33.55</td><td>40.78</td><td>21.69</td><td>43.52</td><td>0.61</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>38.94</td><td>74.00</td><td>-35.06</td><td>45.45</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	53.11	88.20	-35.09	33.55	40.78	21.69	43.52	0.61	--	Peak	2	20985.00	38.94	74.00	-35.06	45.45	38.03	26.70	61.70	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	53.31	88.20	-34.89	33.75	40.78	21.69	43.52	0.61	--	Peak																																																																																																														
2	20985.00	38.98	74.00	-35.02	45.49	38.03	26.70	61.70	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	53.11	88.20	-35.09	33.55	40.78	21.69	43.52	0.61	--	Peak																																																																																																														
2	20985.00	38.94	74.00	-35.06	45.45	38.03	26.70	61.70	-9.54	--	Peak																																																																																																														



Mode	112	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 112 Setting : 3.5	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 112 Setting : 3.5



		113																																																																																															
Mode		Band Edge																																																																																															
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																															
ANT		7+6																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-28  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.27</td><td>75.14</td><td>88.20</td><td>-13.06</td><td>60.07</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>193</td><td>25 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-10-28  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>102.05</td><td>-----</td><td>-----</td><td>87.05</td><td>36.15</td><td>15.17</td><td>36.32</td><td>0.00</td><td>193</td><td>25 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.27	75.14	88.20	-13.06	60.07	36.20	15.19	36.32	0.00	193	25 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	102.05	-----	-----	87.05	36.15	15.17	36.32	0.00	193	25 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.27	75.14	88.20	-13.06	60.07	36.20	15.19	36.32	0.00	193	25 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	102.05	-----	-----	87.05	36.15	15.17	36.32	0.00	193	25 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-10-28  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>66.88</td><td>68.20</td><td>-1.32</td><td>51.81</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>193</td><td>25 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2025-10-28  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>94.96</td><td>-----</td><td>-----</td><td>79.92</td><td>36.18</td><td>15.18</td><td>36.32</td><td>0.00</td><td>193</td><td>25 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	66.88	68.20	-1.32	51.81	36.20	15.19	36.32	0.00	193	25 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	94.96	-----	-----	79.92	36.18	15.18	36.32	0.00	193	25 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.01	66.88	68.20	-1.32	51.81	36.20	15.19	36.32	0.00	193	25 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	94.96	-----	-----	79.92	36.18	15.18	36.32	0.00	193	25 Average																																																																																						



		113																																																																																											
Mode		Band Edge																																																																																											
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																											
ANT		7+6																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-10-28 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-10-28 PEAK(UNII)_6E																																																																																							
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.27</td><td>71.24</td><td>88.20</td><td>-16.96</td><td>56.17</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>268</td><td>321 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.27	71.24	88.20	-16.96	56.17	36.20	15.19	36.32	0.00	268	321 Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>100.53</td><td>-----</td><td>-----</td><td>85.53</td><td>36.15</td><td>15.17</td><td>36.32</td><td>0.00</td><td>268</td><td>321 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	100.53	-----	-----	85.53	36.15	15.17	36.32	0.00	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7125.27	71.24	88.20	-16.96	56.17	36.20	15.19	36.32	0.00	268	321 Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7115.00	100.53	-----	-----	85.53	36.15	15.17	36.32	0.00	268	321 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-28 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E																																																																																							
	Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>63.77</td><td>68.20</td><td>-4.43</td><td>48.70</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>268</td><td>321 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	63.77	68.20	-4.43	48.70	36.20	15.19	36.32	0.00	268	321 Average	Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto Detector : PEAK Mode : 113 Setting : 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>92.93</td><td>-----</td><td>-----</td><td>77.89</td><td>36.18</td><td>15.18</td><td>36.32</td><td>0.00</td><td>268</td><td>321 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	92.93	-----	-----	77.89	36.18	15.18	36.32	0.00	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7125.01	63.77	68.20	-4.43	48.70	36.20	15.19	36.32	0.00	268	321 Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 7115.00	92.93	-----	-----	77.89	36.18	15.18	36.32	0.00	268	321 Average																																																																																			



	113																																																																																																																																
Mode	Harmonic																																																																																																																																
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																																																
ANT	7+6																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 113 Setting : 4.5 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>52.60</td><td>88.20</td><td>-35.60</td><td>33.17</td><td>41.00</td><td>21.89</td><td>44.06</td><td>0.60</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.76</td><td>74.00</td><td>-34.24</td><td>45.49</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14230.00	52.60	88.20	-35.60	33.17	41.00	21.89	44.06	0.60	--	-- Peak	2	21345.00	39.76	74.00	-34.24	45.49	38.10	26.93	61.22	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 113 Setting : 4.5 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>34.30</td><td>41.00</td><td>21.89</td><td>44.06</td><td>0.60</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>44.76</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14230.00	53.73	88.20	-34.47	34.30	41.00	21.89	44.06	0.60	--	-- Peak	2	21345.00	39.03	74.00	-34.97	44.76	38.10	26.93	61.22	-9.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	14230.00	52.60	88.20	-35.60	33.17	41.00	21.89	44.06	0.60	--	-- Peak																																																																																																																						
2	21345.00	39.76	74.00	-34.24	45.49	38.10	26.93	61.22	-9.54	--	-- Peak																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	14230.00	53.73	88.20	-34.47	34.30	41.00	21.89	44.06	0.60	--	-- Peak																																																																																																																						
2	21345.00	39.03	74.00	-34.97	44.76	38.10	26.93	61.22	-9.54	--	-- Peak																																																																																																																						



Mode	113	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 113 Setting : 4.5	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 113 Setting : 4.5



Mode	114																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_6895MHz																																																																																																					
ANT	7+6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13790.00</td><td>52.92</td><td>88.20</td><td>-35.28</td><td>33.73</td><td>40.38</td><td>21.50</td><td>43.29</td><td>0.60</td><td>-- -- Peak</td></tr><tr><td>2 20685.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>45.49</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13790.00	52.92	88.20	-35.28	33.73	40.38	21.50	43.29	0.60	-- -- Peak	2 20685.00	38.75	74.00	-35.25	45.49	38.04	26.52	61.76	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-11-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 1m 88H49170_1223_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13790.00</td><td>53.11</td><td>88.20</td><td>-35.09</td><td>33.92</td><td>40.38</td><td>21.50</td><td>43.29</td><td>0.60</td><td>-- -- Peak</td></tr><tr><td>2 20685.00</td><td>39.35</td><td>74.00</td><td>-34.65</td><td>46.09</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13790.00	53.11	88.20	-35.09	33.92	40.38	21.50	43.29	0.60	-- -- Peak	2 20685.00	39.35	74.00	-34.65	46.09	38.04	26.52	61.76	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13790.00	52.92	88.20	-35.28	33.73	40.38	21.50	43.29	0.60	-- -- Peak																																																																																													
2 20685.00	38.75	74.00	-35.25	45.49	38.04	26.52	61.76	-9.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13790.00	53.11	88.20	-35.09	33.92	40.38	21.50	43.29	0.60	-- -- Peak																																																																																													
2 20685.00	39.35	74.00	-34.65	46.09	38.04	26.52	61.76	-9.54	-- -- Peak																																																																																													



Mode	114	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_6895MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 114 Setting : 7.5	Level (dBuV/m) Date: 2025-10-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 114 Setting : 7.5



	115																																																																																																																													
Mode	Harmonic																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_6995MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 115 Setting : 6.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>53.61</td><td>88.20</td><td>-34.59</td><td>34.05</td><td>40.78</td><td>21.69</td><td>43.52</td><td>0.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>45.63</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	53.61	88.20	-34.59	34.05	40.78	21.69	43.52	0.61	--	--	Peak	2	20985.00	39.12	74.00	-34.88	45.63	38.03	26.70	61.70	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 115 Setting : 6.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>52.83</td><td>88.20</td><td>-35.37</td><td>33.27</td><td>40.78</td><td>21.69</td><td>43.52</td><td>0.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>38.85</td><td>74.00</td><td>-35.15</td><td>45.36</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	52.83	88.20	-35.37	33.27	40.78	21.69	43.52	0.61	--	--	Peak	2	20985.00	38.85	74.00	-35.15	45.36	38.03	26.70	61.70	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13990.00	53.61	88.20	-34.59	34.05	40.78	21.69	43.52	0.61	--	--	Peak																																																																																																																		
2	20985.00	39.12	74.00	-34.88	45.63	38.03	26.70	61.70	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13990.00	52.83	88.20	-35.37	33.27	40.78	21.69	43.52	0.61	--	--	Peak																																																																																																																		
2	20985.00	38.85	74.00	-35.15	45.36	38.03	26.70	61.70	-9.54	--	--	Peak																																																																																																																		



Mode	115	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_6995MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 115 Setting : 6.5	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 115 Setting : 6.5



		116																																																																																															
Mode	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																
ANT	7+6																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>7125.01</td><td>76.09</td><td>88.20</td><td>-12.11</td><td>61.02</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>188</td><td>59 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7125.01	76.09	88.20	-12.11	61.02	36.20	15.19	36.32	0.00	188	59 Peak	Level (dBuV/m) Date: 2025-10-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>7115.00</td><td>102.82</td><td>-----</td><td>-----</td><td>87.75</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>188</td><td>59 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7115.00	102.82	-----	-----	87.75	36.20	15.19	36.32	0.00	188	59 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	7125.01	76.09	88.20	-12.11	61.02	36.20	15.19	36.32	0.00	188	59 Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	7115.00	102.82	-----	-----	87.75	36.20	15.19	36.32	0.00	188	59 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-10-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>7125.01</td><td>66.20</td><td>68.20</td><td>-2.00</td><td>51.13</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>188</td><td>59 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7125.01	66.20	68.20	-2.00	51.13	36.20	15.19	36.32	0.00	188	59 Average	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>7115.00</td><td>95.26</td><td>-----</td><td>-----</td><td>80.28</td><td>36.13</td><td>15.16</td><td>36.31</td><td>0.00</td><td>188</td><td>59 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7115.00	95.26	-----	-----	80.28	36.13	15.16	36.31	0.00	188	59 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	7125.01	66.20	68.20	-2.00	51.13	36.20	15.19	36.32	0.00	188	59 Average																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	7115.00	95.26	-----	-----	80.28	36.13	15.16	36.31	0.00	188	59 Average																																																																																						



		116																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																										
ANT	7+6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7125.01</td><td>74.99</td><td>88.20</td><td>-13.21</td><td>59.92</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>223 323 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	74.99	88.20	-13.21	59.92	36.20	15.19	36.32	0.00	223 323 Peak	Level (dBuV/m) Date: 2025-10-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7115.00</td><td>101.57</td><td>-----</td><td>-----</td><td>86.59</td><td>36.13</td><td>15.16</td><td>36.31</td><td>0.00</td><td>223 323 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	101.57	-----	-----	86.59	36.13	15.16	36.31	0.00	223 323 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7125.01	74.99	88.20	-13.21	59.92	36.20	15.19	36.32	0.00	223 323 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7115.00	101.57	-----	-----	86.59	36.13	15.16	36.31	0.00	223 323 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-10-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7125.01</td><td>64.65</td><td>68.20</td><td>-3.55</td><td>49.58</td><td>36.20</td><td>15.19</td><td>36.32</td><td>0.00</td><td>223 323 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7125.01	64.65	68.20	-3.55	49.58	36.20	15.19	36.32	0.00	223 323 Average	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7115.00</td><td>92.75</td><td>-----</td><td>-----</td><td>77.77</td><td>36.13</td><td>15.16</td><td>36.31</td><td>0.00</td><td>223 323 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7115.00	92.75	-----	-----	77.77	36.13	15.16	36.31	0.00	223 323 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7125.01	64.65	68.20	-3.55	49.58	36.20	15.19	36.32	0.00	223 323 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7115.00	92.75	-----	-----	77.77	36.13	15.16	36.31	0.00	223 323 Average																																																																																		



	116																																																																																																																							
Mode	Harmonic																																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																																							
ANT	7+6																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 116 Setting : 5 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>53.79</td><td>88.20</td><td>-34.41</td><td>34.36</td><td>41.00</td><td>21.89</td><td>44.06</td><td>0.60</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>44.76</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14230.00	53.79	88.20	-34.41	34.36	41.00	21.89	44.06	0.60	--	-- Peak	2	21345.00	39.03	74.00	-34.97	44.76	38.10	26.93	61.22	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 116 Setting : 5 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>33.35</td><td>41.00</td><td>21.89</td><td>44.06</td><td>0.60</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>45.05</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14230.00	52.78	88.20	-35.42	33.35	41.00	21.89	44.06	0.60	--	-- Peak	2	21345.00	39.32	74.00	-34.68	45.05	38.10	26.93	61.22	-9.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	14230.00	53.79	88.20	-34.41	34.36	41.00	21.89	44.06	0.60	--	-- Peak																																																																																																													
2	21345.00	39.03	74.00	-34.97	44.76	38.10	26.93	61.22	-9.54	--	-- Peak																																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	14230.00	52.78	88.20	-35.42	33.35	41.00	21.89	44.06	0.60	--	-- Peak																																																																																																													
2	21345.00	39.32	74.00	-34.68	45.05	38.10	26.93	61.22	-9.54	--	-- Peak																																																																																																													



Mode	116	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 116 Setting : 5	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 116 Setting : 5



Mode	117																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Partial RU 106/54_7115MHz																																																																																																		
ANT	7+6																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-10-30 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>77.98</td><td>88.20</td><td>-10.22</td><td>60.53</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>187</td><td>68 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	77.98	88.20	-10.22	60.53	36.20	16.50	36.32	1.07	187	68 Peak	Level (dBuV/m) Date: 2025-10-30 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>103.49</td><td>-----</td><td>-----</td><td>86.04</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>187</td><td>68 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	103.49	-----	-----	86.04	36.20	16.50	36.32	1.07	187	68 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7125.01	77.98	88.20	-10.22	60.53	36.20	16.50	36.32	1.07	187	68 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7115.00	103.49	-----	-----	86.04	36.20	16.50	36.32	1.07	187	68 Peak																																																																																									
Avg	Level (dBuV/m) Date: 2025-10-30 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>66.77</td><td>68.20</td><td>-1.43</td><td>49.32</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>187</td><td>68 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	66.77	68.20	-1.43	49.32	36.20	16.50	36.32	1.07	187	68 Average	Level (dBuV/m) Date: 2025-10-30 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>95.72</td><td>-----</td><td>-----</td><td>78.27</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>187</td><td>68 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	95.72	-----	-----	78.27	36.20	16.50	36.32	1.07	187	68 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7125.01	66.77	68.20	-1.43	49.32	36.20	16.50	36.32	1.07	187	68 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 7115.00	95.72	-----	-----	78.27	36.20	16.50	36.32	1.07	187	68 Average																																																																																									



		117																																																																																										
Mode		Band Edge																																																																																										
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Partial RU 106/54_7115MHz																																																																																										
ANT		7+6																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-10-30 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 76.04 88.20 -12.16</td><td>58.59</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>230</td><td>324</td><td>Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7125.01 76.04 88.20 -12.16	58.59	36.20	16.50	36.32	1.07	230	324	Peak	Level (dBuV/m) Date: 2025-10-30 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 101.54 -----</td><td>84.09</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>230</td><td>324</td><td>Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7115.00 101.54 -----	84.09	36.20	16.50	36.32	1.07	230	324	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1 7125.01 76.04 88.20 -12.16	58.59	36.20	16.50	36.32	1.07	230	324	Peak																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1 7115.00 101.54 -----	84.09	36.20	16.50	36.32	1.07	230	324	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-10-30 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 66.22 68.20 -1.98</td><td>48.77</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>230</td><td>324</td><td>Average</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7125.01 66.22 68.20 -1.98	48.77	36.20	16.50	36.32	1.07	230	324	Average	Level (dBuV/m) Date: 2025-10-30 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL RBW:1000.000kHz VBW:0.270kHz SMT:Auto Detector : PEAK Mode : 117 Setting : 2.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 94.34 -----</td><td>76.89</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>230</td><td>324</td><td>Average</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7115.00 94.34 -----	76.89	36.20	16.50	36.32	1.07	230	324	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1 7125.01 66.22 68.20 -1.98	48.77	36.20	16.50	36.32	1.07	230	324	Average																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1 7115.00 94.34 -----	76.89	36.20	16.50	36.32	1.07	230	324	Average																																																																																				



Mode	118																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_6925MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 118 Setting : 11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>52.91</td><td>88.20</td><td>-35.29</td><td>33.71</td><td>40.40</td><td>21.56</td><td>43.36</td><td>0.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>39.42</td><td>74.00</td><td>-34.58</td><td>46.18</td><td>37.95</td><td>26.57</td><td>61.74</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	52.91	88.20	-35.29	33.71	40.40	21.56	43.36	0.60	--	--	Peak	2	20775.00	39.42	74.00	-34.58	46.18	37.95	26.57	61.74	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 118 Setting : 11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>53.60</td><td>88.20</td><td>-34.60</td><td>34.40</td><td>40.40</td><td>21.56</td><td>43.36</td><td>0.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>40.09</td><td>74.00</td><td>-33.91</td><td>46.85</td><td>37.95</td><td>26.57</td><td>61.74</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	53.60	88.20	-34.60	34.40	40.40	21.56	43.36	0.60	--	--	Peak	2	20775.00	40.09	74.00	-33.91	46.85	37.95	26.57	61.74	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13850.00	52.91	88.20	-35.29	33.71	40.40	21.56	43.36	0.60	--	--	Peak																																																																																																																		
2	20775.00	39.42	74.00	-34.58	46.18	37.95	26.57	61.74	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13850.00	53.60	88.20	-34.60	34.40	40.40	21.56	43.36	0.60	--	--	Peak																																																																																																																		
2	20775.00	40.09	74.00	-33.91	46.85	37.95	26.57	61.74	-9.54	--	--	Peak																																																																																																																		



Mode	118	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_6925MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 118 Setting : 11	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 118 Setting : 11



Mode	119																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_7005MHz																																																																																																																													
ANT	7+6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-10-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 119 Setting : 9 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>53.49</td><td>88.20</td><td>-34.71</td><td>33.92</td><td>40.80</td><td>21.71</td><td>43.55</td><td>0.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>39.37</td><td>74.00</td><td>-34.63</td><td>45.90</td><td>37.97</td><td>26.72</td><td>61.68</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	53.49	88.20	-34.71	33.92	40.80	21.71	43.55	0.61	--	--	Peak	2	21015.00	39.37	74.00	-34.63	45.90	37.97	26.72	61.68	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-10-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 119 Setting : 9 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>52.99</td><td>88.20</td><td>-35.21</td><td>33.42</td><td>40.80</td><td>21.71</td><td>43.55</td><td>0.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>38.91</td><td>74.00</td><td>-35.09</td><td>45.44</td><td>37.97</td><td>26.72</td><td>61.68</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	52.99	88.20	-35.21	33.42	40.80	21.71	43.55	0.61	--	--	Peak	2	21015.00	38.91	74.00	-35.09	45.44	37.97	26.72	61.68	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	14010.00	53.49	88.20	-34.71	33.92	40.80	21.71	43.55	0.61	--	--	Peak																																																																																																																		
2	21015.00	39.37	74.00	-34.63	45.90	37.97	26.72	61.68	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	14010.00	52.99	88.20	-35.21	33.42	40.80	21.71	43.55	0.61	--	--	Peak																																																																																																																		
2	21015.00	38.91	74.00	-35.09	45.44	37.97	26.72	61.68	-9.54	--	--	Peak																																																																																																																		



Mode	119	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_7005MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 119 Setting : 9	Level (dBuV/m) Date: 2025-10-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 119 Setting : 9



		120																																																					
Mode	Band Edge																																																						
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																						
ANT	7+6																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
	Date: 2025-10-31																																																						
Peak	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7085 7117 7149 7181 7213 7245 PEAK_BE(UNII)_6E																																																						
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 120 Setting : 9.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 7125.80</td><td>56.45</td><td>88.20</td><td>-31.75</td><td>39.00</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>195</td><td>25 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 7125.80	56.45	88.20	-31.75	39.00	36.20	16.50	36.32	1.07	195	25 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																															
1 7125.80	56.45	88.20	-31.75	39.00	36.20	16.50	36.32	1.07	195	25 Peak																																													
Avg	Date: 2025-10-31																																																						
	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7085 7117 7149 7181 7213 7245 AVG_BE(UNII)_6E																																																						
Avg	Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto Detector : PEAK Mode : 120 Setting : 9.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 7126.44</td><td>46.78</td><td>68.20</td><td>-21.42</td><td>29.32</td><td>36.21</td><td>16.50</td><td>36.32</td><td>1.07</td><td>195</td><td>25 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 7126.44	46.78	68.20	-21.42	29.32	36.21	16.50	36.32	1.07	195	25 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																															
1 7126.44	46.78	68.20	-21.42	29.32	36.21	16.50	36.32	1.07	195	25 Average																																													
Peak	Date: 2025-10-31																																																						
	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 PEAK(UNII)_6E																																																						
Avg	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 AVG(UNII)_6E																																																						
	Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto Detector : PEAK Mode : 120 Setting : 9.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 7085.00</td><td>97.18</td><td>-----</td><td>-----</td><td>79.91</td><td>36.10</td><td>16.43</td><td>36.30</td><td>1.04</td><td>195</td><td>25 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 7085.00	97.18	-----	-----	79.91	36.10	16.43	36.30	1.04	195	25 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																															
1 7085.00	97.18	-----	-----	79.91	36.10	16.43	36.30	1.04	195	25 Average																																													



		120																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																										
ANT	7+6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-31 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 120 Setting : 9.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7149.00</td><td>56.15</td><td>88.20</td><td>-32.05</td><td>38.57</td><td>36.30</td><td>16.53</td><td>36.33</td><td>1.08</td><td>253 319 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7149.00	56.15	88.20	-32.05	38.57	36.30	16.53	36.33	1.08	253 319 Peak	Level (dBuV/m) Date: 2025-10-31 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 120 Setting : 9.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7085.00</td><td>103.61</td><td>-----</td><td>-----</td><td>86.30</td><td>36.10</td><td>16.46</td><td>36.31</td><td>1.06</td><td>253 319 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7085.00	103.61	-----	-----	86.30	36.10	16.46	36.31	1.06	253 319 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 7149.00	56.15	88.20	-32.05	38.57	36.30	16.53	36.33	1.08	253 319 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 7085.00	103.61	-----	-----	86.30	36.10	16.46	36.31	1.06	253 319 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-10-31 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto Detector : PEAK Mode : 120 Setting : 9.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7194.12</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>28.57</td><td>36.39</td><td>16.58</td><td>36.34</td><td>1.11</td><td>253 319 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7194.12	46.31	68.20	-21.89	28.57	36.39	16.58	36.34	1.11	253 319 Average	Level (dBuV/m) Date: 2025-10-31 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto Detector : PEAK Mode : 120 Setting : 9.5 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7085.00</td><td>95.26</td><td>-----</td><td>-----</td><td>77.98</td><td>36.10</td><td>16.43</td><td>36.30</td><td>1.05</td><td>253 319 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7085.00	95.26	-----	-----	77.98	36.10	16.43	36.30	1.05	253 319 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 7194.12	46.31	68.20	-21.89	28.57	36.39	16.58	36.34	1.11	253 319 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 7085.00	95.26	-----	-----	77.98	36.10	16.43	36.30	1.05	253 319 Average																																																																																		



Mode	120																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																																												
ANT	7+6																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-10-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL Mode : 120 Setting : 9.5						Level (dBuV/m) Date: 2025-10-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL Mode : 120 Setting : 9.5																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>54.00</td><td>88.20</td><td>-34.20</td><td>34.48</td><td>41.00</td><td>21.84</td><td>43.92</td><td>0.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>45.92</td><td>38.10</td><td>26.87</td><td>61.34</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	54.00	88.20	-34.20	34.48	41.00	21.84	43.92	0.60	--	--	Peak	2	21255.00	40.01	74.00	-33.99	45.92	38.10	26.87	61.34	-9.54	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>53.58</td><td>88.20</td><td>-34.62</td><td>34.06</td><td>41.00</td><td>21.84</td><td>43.92</td><td>0.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>40.48</td><td>74.00</td><td>-33.52</td><td>46.39</td><td>38.10</td><td>26.87</td><td>61.34</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	53.58	88.20	-34.62	34.06	41.00	21.84	43.92	0.60	--	--	Peak	2	21255.00	40.48	74.00	-33.52	46.39	38.10	26.87	61.34	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	14170.00	54.00	88.20	-34.20	34.48	41.00	21.84	43.92	0.60	--	--	Peak																																																																																																																	
2	21255.00	40.01	74.00	-33.99	45.92	38.10	26.87	61.34	-9.54	--	--	Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	14170.00	53.58	88.20	-34.62	34.06	41.00	21.84	43.92	0.60	--	--	Peak																																																																																																																	
2	21255.00	40.48	74.00	-33.52	46.39	38.10	26.87	61.34	-9.54	--	--	Peak																																																																																																																	