



Mode	8																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth-LE GSKF_CH19_2440MHz																																																																																																																																											
ANT	7+6																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00066584 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>53.90</td><td>34.30</td><td>12.03</td><td>58.25</td><td>0.99</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>48.27</td><td>35.66</td><td>14.70</td><td>57.70</td><td>1.16</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	42.97	74.00	-31.03	53.90	34.30	12.03	58.25	0.99	--	--	Peak	2	7320.00	42.09	74.00	-31.91	48.27	35.66	14.70	57.70	1.16	--	--	Peak	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00066584 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>53.23</td><td>34.30</td><td>12.03</td><td>58.25</td><td>0.99</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>48.96</td><td>35.66</td><td>14.70</td><td>57.70</td><td>1.16</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	42.30	74.00	-31.70	53.23	34.30	12.03	58.25	0.99	--	--	Peak	2	7320.00	42.78	74.00	-31.22	48.96	35.66	14.70	57.70	1.16	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																		
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4880.00	42.97	74.00	-31.03	53.90	34.30	12.03	58.25	0.99	--	--	Peak																																																																																																																																
2	7320.00	42.09	74.00	-31.91	48.27	35.66	14.70	57.70	1.16	--	--	Peak																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																			
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4880.00	42.30	74.00	-31.70	53.23	34.30	12.03	58.25	0.99	--	--	Peak																																																																																																																																
2	7320.00	42.78	74.00	-31.22	48.96	35.66	14.70	57.70	1.16	--	--	Peak																																																																																																																																



	9																																																																																									
Mode	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-12-03 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00066584 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.00</td><td>57.59</td><td>74.00</td><td>-16.41</td><td>41.58</td><td>32.24</td><td>8.52</td><td>34.68</td><td>9.93</td><td>186</td><td>41</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.00	57.59	74.00	-16.41	41.58	32.24	8.52	34.68	9.93	186	41	Peak	Level (dBuV/m) Date: 2025-12-03 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00066584 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>110.63</td><td>-----</td><td>-----</td><td>94.67</td><td>32.20</td><td>8.51</td><td>34.68</td><td>9.93</td><td>186</td><td>41</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	110.63	-----	-----	94.67	32.20	8.51	34.68	9.93	186	41	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2483.00	57.59	74.00	-16.41	41.58	32.24	8.52	34.68	9.93	186	41	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2480.00	110.63	-----	-----	94.67	32.20	8.51	34.68	9.93	186	41	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-12-03 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00066584 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>32.62</td><td>32.24</td><td>8.52</td><td>34.68</td><td>9.93</td><td>186</td><td>41</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.52	48.63	54.00	-5.37	32.62	32.24	8.52	34.68	9.93	186	41	Average	Level (dBuV/m) Date: 2025-12-03 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00066584 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>109.41</td><td>-----</td><td>-----</td><td>93.45</td><td>32.20</td><td>8.51</td><td>34.68</td><td>9.93</td><td>186</td><td>41</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	109.41	-----	-----	93.45	32.20	8.51	34.68	9.93	186	41	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2483.52	48.63	54.00	-5.37	32.62	32.24	8.52	34.68	9.93	186	41	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2480.00	109.41	-----	-----	93.45	32.20	8.51	34.68	9.93	186	41	Average																																																																														



Mode	9																																																																																		
	Band Edge																																																																																		
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																		
ANT	7+6																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-03 PEAK_BE_74						Level (dBuV/m) Date: 2025-12-03 PEAK_74																																																																												
	Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00066584 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.86</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>41.13</td><td>32.24</td><td>8.52</td><td>34.68</td><td>9.93</td><td>400</td><td>16</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.86	57.14	74.00	-16.86	41.13	32.24	8.52	34.68	9.93	400	16	Peak	Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00066584 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>112.72</td><td>-----</td><td>-----</td><td>96.76</td><td>32.20</td><td>8.51</td><td>34.68</td><td>9.93</td><td>400</td><td>16</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	112.72	-----	-----	96.76	32.20	8.51	34.68	9.93	400	16
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2483.86	57.14	74.00	-16.86	41.13	32.24	8.52	34.68	9.93	400	16	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2480.00	112.72	-----	-----	96.76	32.20	8.51	34.68	9.93	400	16	Peak																																																																								
Avg	Level (dBuV/m) Date: 2025-12-03 AVG_BE_54						Level (dBuV/m) Date: 2025-12-03 AVG_54																																																																												
	Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00066584 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.52</td><td>48.51</td><td>54.00</td><td>-5.49</td><td>32.50</td><td>32.24</td><td>8.52</td><td>34.68</td><td>9.93</td><td>400</td><td>16</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.52	48.51	54.00	-5.49	32.50	32.24	8.52	34.68	9.93	400	16	Average	Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00066584 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>111.42</td><td>-----</td><td>-----</td><td>95.46</td><td>32.20</td><td>8.51</td><td>34.68</td><td>9.93</td><td>400</td><td>16</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	111.42	-----	-----	95.46	32.20	8.51	34.68	9.93	400	16
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2483.52	48.51	54.00	-5.49	32.50	32.24	8.52	34.68	9.93	400	16	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2480.00	111.42	-----	-----	95.46	32.20	8.51	34.68	9.93	400	16	Average																																																																								



Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE GSKF_CH39_2480MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00066584 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.91</td><td>74.00</td><td>-32.09</td><td>52.61</td><td>34.32</td><td>12.14</td><td>58.08</td><td>0.92</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>42.01</td><td>74.00</td><td>-31.99</td><td>48.24</td><td>35.70</td><td>14.87</td><td>57.91</td><td>1.11</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.91	74.00	-32.09	52.61	34.32	12.14	58.08	0.92	--	Peak	2	7440.00	42.01	74.00	-31.99	48.24	35.70	14.87	57.91	1.11	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00066584 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>53.32</td><td>34.32</td><td>12.14</td><td>58.08</td><td>0.92</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>42.06</td><td>74.00</td><td>-31.94</td><td>48.29</td><td>35.70</td><td>14.87</td><td>57.91</td><td>1.11</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.62	74.00	-31.38	53.32	34.32	12.14	58.08	0.92	--	Peak	2	7440.00	42.06	74.00	-31.94	48.29	35.70	14.87	57.91	1.11	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	41.91	74.00	-32.09	52.61	34.32	12.14	58.08	0.92	--	Peak																																																																																																															
2	7440.00	42.01	74.00	-31.99	48.24	35.70	14.87	57.91	1.11	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	42.62	74.00	-31.38	53.32	34.32	12.14	58.08	0.92	--	Peak																																																																																																															
2	7440.00	42.06	74.00	-31.94	48.29	35.70	14.87	57.91	1.11	--	Peak																																																																																																															



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
7+6	Bluetooth - LE for 1Mbps	62.88	393	2.54	3kHz
7+6	Bluetooth - LE for 2Mbps	33.28	208	4.81	5.1kHz

<Ant. 7+6>

