







Mode	129	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_6425MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	<p>Level (dBuV/m) Date: 2025-12-13</p>  <p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-12-13</p>  <p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p>



Mode	130																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7273.00</td><td>60.45</td><td>74.00</td><td>-13.55</td><td>42.63</td><td>36.50</td><td>16.68</td><td>36.37</td><td>1.01</td><td>100</td><td>17 Peak</td></tr><tr><td>2</td><td>7273.00</td><td>49.87</td><td>54.00</td><td>-4.13</td><td>32.05</td><td>36.50</td><td>16.68</td><td>36.37</td><td>1.01</td><td>100</td><td>17 Average</td></tr><tr><td>3</td><td>13490.00</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>34.48</td><td>40.02</td><td>22.88</td><td>42.92</td><td>1.81</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>20235.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>48.12</td><td>37.90</td><td>26.24</td><td>62.33</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7273.00	60.45	74.00	-13.55	42.63	36.50	16.68	36.37	1.01	100	17 Peak	2	7273.00	49.87	54.00	-4.13	32.05	36.50	16.68	36.37	1.01	100	17 Average	3	13490.00	56.27	88.20	-31.93	34.48	40.02	22.88	42.92	1.81	--	-- Peak	4	20235.00	40.39	74.00	-33.61	48.12	37.90	26.24	62.33	-9.54	--	-- Peak	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7290.00</td><td>58.25</td><td>74.00</td><td>-15.75</td><td>40.37</td><td>36.56</td><td>16.70</td><td>36.37</td><td>0.99</td><td>298</td><td>34 Peak</td></tr><tr><td>2</td><td>7290.00</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>28.51</td><td>36.56</td><td>16.70</td><td>36.37</td><td>0.99</td><td>298</td><td>34 Average</td></tr><tr><td>3</td><td>13490.00</td><td>56.57</td><td>88.20</td><td>-31.63</td><td>34.78</td><td>40.02</td><td>22.88</td><td>42.92</td><td>1.81</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>20235.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>48.11</td><td>37.90</td><td>26.24</td><td>62.33</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7290.00	58.25	74.00	-15.75	40.37	36.56	16.70	36.37	0.99	298	34 Peak	2	7290.00	46.39	54.00	-7.61	28.51	36.56	16.70	36.37	0.99	298	34 Average	3	13490.00	56.57	88.20	-31.63	34.78	40.02	22.88	42.92	1.81	--	-- Peak	4	20235.00	40.38	74.00	-33.62	48.11	37.90	26.24	62.33	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	7273.00	60.45	74.00	-13.55	42.63	36.50	16.68	36.37	1.01	100	17 Peak																																																																																																																																																															
2	7273.00	49.87	54.00	-4.13	32.05	36.50	16.68	36.37	1.01	100	17 Average																																																																																																																																																															
3	13490.00	56.27	88.20	-31.93	34.48	40.02	22.88	42.92	1.81	--	-- Peak																																																																																																																																																															
4	20235.00	40.39	74.00	-33.61	48.12	37.90	26.24	62.33	-9.54	--	-- Peak																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	7290.00	58.25	74.00	-15.75	40.37	36.56	16.70	36.37	0.99	298	34 Peak																																																																																																																																																															
2	7290.00	46.39	54.00	-7.61	28.51	36.56	16.70	36.37	0.99	298	34 Average																																																																																																																																																															
3	13490.00	56.57	88.20	-31.63	34.78	40.02	22.88	42.92	1.81	--	-- Peak																																																																																																																																																															
4	20235.00	40.38	74.00	-33.62	48.11	37.90	26.24	62.33	-9.54	--	-- Peak																																																																																																																																																															



Mode	130	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-13</p><p>AVG(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-13</p><p>AVG(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p></div>



Mode	131																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																			
ANT	7+6																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5890.56</td><td>74.74</td><td>88.20</td><td>-13.46</td><td>60.31</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.03</td><td>341</td><td>18</td><td>Peak</td></tr></table></div>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5890.56	74.74	88.20	-13.46	60.31	33.70	14.96	35.26	1.03	341	18	Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6265.00</td><td>101.79</td><td>-----</td><td>-----</td><td>86.86</td><td>34.11</td><td>15.25</td><td>35.43</td><td>1.00</td><td>341</td><td>18</td><td>Peak</td></tr></table></div>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6265.00	101.79	-----	-----	86.86	34.11	15.25	35.43	1.00	341	18	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5890.56	74.74	88.20	-13.46	60.31	33.70	14.96	35.26	1.03	341	18	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6265.00	101.79	-----	-----	86.86	34.11	15.25	35.43	1.00	341	18	Peak																																																																									
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto</p><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5891.00</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>50.64</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.03</td><td>341</td><td>18</td><td>Average</td></tr></table></div>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5891.00	65.07	68.20	-3.13	50.64	33.70	14.96	35.26	1.03	341	18	Average	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto</p><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6265.00</td><td>92.51</td><td>-----</td><td>-----</td><td>76.56</td><td>34.95</td><td>15.45</td><td>35.49</td><td>1.04</td><td>341</td><td>18</td><td>Average</td></tr></table></div>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6265.00	92.51	-----	-----	76.56	34.95	15.45	35.49	1.04	341	18	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5891.00	65.07	68.20	-3.13	50.64	33.70	14.96	35.26	1.03	341	18	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6265.00	92.51	-----	-----	76.56	34.95	15.45	35.49	1.04	341	18	Average																																																																									





Mode	131																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5827.20</td><td>73.85</td><td>88.20 -14.35</td><td>59.30</td><td>33.75</td><td>14.86</td><td>35.18</td><td>1.12</td><td>100</td><td>17 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5827.20	73.85	88.20 -14.35	59.30	33.75	14.86	35.18	1.12	100	17 Peak	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6265.00</td><td>98.34</td><td>-----</td><td>83.52</td><td>34.04</td><td>15.23</td><td>35.43</td><td>0.98</td><td>100</td><td>17 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	98.34	-----	83.52	34.04	15.23	35.43	0.98	100	17 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5827.20	73.85	88.20 -14.35	59.30	33.75	14.86	35.18	1.12	100	17 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6265.00	98.34	-----	83.52	34.04	15.23	35.43	0.98	100	17 Peak																																																																																	
Avg	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5891.00</td><td>64.88</td><td>68.20 -3.32</td><td>50.45</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.03</td><td>100</td><td>17 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5891.00	64.88	68.20 -3.32	50.45	33.70	14.96	35.26	1.03	100	17 Average	<div><div>Level (dBuV/m)</div><div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto</div></div></div> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6265.00</td><td>90.19</td><td>-----</td><td>75.33</td><td>34.06</td><td>15.24</td><td>35.43</td><td>0.99</td><td>100</td><td>17 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	90.19	-----	75.33	34.06	15.24	35.43	0.99	100	17 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5891.00	64.88	68.20 -3.32	50.45	33.70	14.96	35.26	1.03	100	17 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6265.00	90.19	-----	75.33	34.06	15.24	35.43	0.99	100	17 Average																																																																																	



Mode	131																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																																													
ANT	7+6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>34.12</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12530.00</td><td>45.14</td><td>54.00</td><td>-8.86</td><td>23.38</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18795.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>50.30</td><td>38.22</td><td>25.33</td><td>63.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	55.88	74.00	-18.12	34.12	39.30	21.98	41.25	1.73	--	--	Peak	2	12530.00	45.14	54.00	-8.86	23.38	39.30	21.98	41.25	1.73	--	--	Average	3	18795.00	40.65	74.00	-33.35	50.30	38.22	25.33	63.66	-9.54	--	--	Peak	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>33.07</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12530.00</td><td>45.25</td><td>54.00</td><td>-8.75</td><td>23.49</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18795.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>50.43</td><td>38.22</td><td>25.33</td><td>63.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	54.83	74.00	-19.17	33.07	39.30	21.98	41.25	1.73	--	--	Peak	2	12530.00	45.25	54.00	-8.75	23.49	39.30	21.98	41.25	1.73	--	--	Average	3	18795.00	40.78	74.00	-33.22	50.43	38.22	25.33	63.66	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12530.00	55.88	74.00	-18.12	34.12	39.30	21.98	41.25	1.73	--	--	Peak																																																																																																																																		
2	12530.00	45.14	54.00	-8.86	23.38	39.30	21.98	41.25	1.73	--	--	Average																																																																																																																																		
3	18795.00	40.65	74.00	-33.35	50.30	38.22	25.33	63.66	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12530.00	54.83	74.00	-19.17	33.07	39.30	21.98	41.25	1.73	--	--	Peak																																																																																																																																		
2	12530.00	45.25	54.00	-8.75	23.49	39.30	21.98	41.25	1.73	--	--	Average																																																																																																																																		
3	18795.00	40.78	74.00	-33.22	50.43	38.22	25.33	63.66	-9.54	--	--	Peak																																																																																																																																		



Mode	131	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	<p>Level (dBuV/m) Date: 2025-12-13</p>  <p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-12-13</p>  <p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p>





	132																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Partial RU 996*2/67_6265MHz																																																																									
ANT	7+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5922.68 58.37 88.20 -29.83 44.04 33.65 15.00 35.30 0.98 100 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 5922.68 58.37 88.20 -29.83 44.04 33.65 15.00 35.30 0.98 100 360 Peak									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6265.00 104.11 ----- 88.32 34.81 15.40 35.48 1.06 100 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 6265.00 104.11 ----- 88.32 34.81 15.40 35.48 1.06 100 360 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 5922.68 58.37 88.20 -29.83 44.04 33.65 15.00 35.30 0.98 100 360 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6265.00 104.11 ----- 88.32 34.81 15.40 35.48 1.06 100 360 Peak																																																																										
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.44 48.61 68.20 -19.59 34.27 33.65 15.01 35.30 0.98 100 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 5924.44 48.61 68.20 -19.59 34.27 33.65 15.01 35.30 0.98 100 360 Average									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6265.00 95.07 ----- 79.32 34.77 15.39 35.47 1.06 100 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dB dB dB dB dB cm deg									1 6265.00 95.07 ----- 79.32 34.77 15.39 35.47 1.06 100 360 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 5924.44 48.61 68.20 -19.59 34.27 33.65 15.01 35.30 0.98 100 360 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6265.00 95.07 ----- 79.32 34.77 15.39 35.47 1.06 100 360 Average																																																																										





Mode	132																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Partial RU 996*2/67_6265MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5876.04</td><td>56.05</td><td>88.20</td><td>-32.15</td><td>41.61</td><td>33.70</td><td>14.93</td><td>35.24</td><td>1.05</td><td>107</td><td>16 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5876.04	56.05	88.20	-32.15	41.61	33.70	14.93	35.24	1.05	107	16 Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>101.05</td><td>-----</td><td>-----</td><td>86.99</td><td>34.06</td><td>15.24</td><td>35.43</td><td>0.99</td><td>107</td><td>16 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	101.05	-----	-----	86.99	34.06	15.24	35.43	0.99	107	16 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5876.04	56.05	88.20	-32.15	41.61	33.70	14.93	35.24	1.05	107	16 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6265.00	101.05	-----	-----	86.99	34.06	15.24	35.43	0.99	107	16 Peak																																																																																							
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.04</td><td>46.81</td><td>68.20</td><td>-21.39</td><td>32.43</td><td>33.68</td><td>14.98</td><td>35.28</td><td>1.00</td><td>107</td><td>16 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.04	46.81	68.20	-21.39	32.43	33.68	14.98	35.28	1.00	107	16 Average	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>93.07</td><td>-----</td><td>-----</td><td>78.21</td><td>34.06</td><td>15.24</td><td>35.43</td><td>0.99</td><td>107</td><td>16 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	93.07	-----	-----	78.21	34.06	15.24	35.43	0.99	107	16 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5909.04	46.81	68.20	-21.39	32.43	33.68	14.98	35.28	1.00	107	16 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6265.00	93.07	-----	-----	78.21	34.06	15.24	35.43	0.99	107	16 Average																																																																																							



	133																																																																																																																																																																									
Mode	Harmonic																																																																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_6585MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7270.20</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>39.07</td><td>36.48</td><td>16.68</td><td>36.37</td><td>1.02</td><td>100</td><td>17 Peak</td></tr><tr><td>2</td><td>7270.20</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>27.91</td><td>36.48</td><td>16.68</td><td>36.37</td><td>1.02</td><td>100</td><td>17 Average</td></tr><tr><td>3</td><td>13170.00</td><td>55.86</td><td>88.20</td><td>-32.34</td><td>33.64</td><td>39.94</td><td>22.57</td><td>42.07</td><td>1.78</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>19755.00</td><td>40.16</td><td>74.00</td><td>-33.84</td><td>48.81</td><td>37.89</td><td>25.95</td><td>62.95</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7270.20	56.88	74.00	-17.12	39.07	36.48	16.68	36.37	1.02	100	17 Peak	2	7270.20	45.72	54.00	-8.28	27.91	36.48	16.68	36.37	1.02	100	17 Average	3	13170.00	55.86	88.20	-32.34	33.64	39.94	22.57	42.07	1.78	--	-- Peak	4	19755.00	40.16	74.00	-33.84	48.81	37.89	25.95	62.95	-9.54	--	-- Peak	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7279.20</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>36.26</td><td>36.52</td><td>16.69</td><td>36.37</td><td>1.00</td><td>100</td><td>341 Peak</td></tr><tr><td>2</td><td>7279.20</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>26.18</td><td>36.52</td><td>16.69</td><td>36.37</td><td>1.00</td><td>100</td><td>341 Average</td></tr><tr><td>3</td><td>13170.00</td><td>56.19</td><td>88.20</td><td>-32.01</td><td>33.97</td><td>39.94</td><td>22.57</td><td>42.07</td><td>1.78</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>19755.00</td><td>40.08</td><td>74.00</td><td>-33.92</td><td>48.73</td><td>37.89</td><td>25.95</td><td>62.95</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7279.20	54.10	74.00	-19.90	36.26	36.52	16.69	36.37	1.00	100	341 Peak	2	7279.20	44.02	54.00	-9.98	26.18	36.52	16.69	36.37	1.00	100	341 Average	3	13170.00	56.19	88.20	-32.01	33.97	39.94	22.57	42.07	1.78	--	-- Peak	4	19755.00	40.08	74.00	-33.92	48.73	37.89	25.95	62.95	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	7270.20	56.88	74.00	-17.12	39.07	36.48	16.68	36.37	1.02	100	17 Peak																																																																																																																																																															
2	7270.20	45.72	54.00	-8.28	27.91	36.48	16.68	36.37	1.02	100	17 Average																																																																																																																																																															
3	13170.00	55.86	88.20	-32.34	33.64	39.94	22.57	42.07	1.78	--	-- Peak																																																																																																																																																															
4	19755.00	40.16	74.00	-33.84	48.81	37.89	25.95	62.95	-9.54	--	-- Peak																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	7279.20	54.10	74.00	-19.90	36.26	36.52	16.69	36.37	1.00	100	341 Peak																																																																																																																																																															
2	7279.20	44.02	54.00	-9.98	26.18	36.52	16.69	36.37	1.00	100	341 Average																																																																																																																																																															
3	13170.00	56.19	88.20	-32.01	33.97	39.94	22.57	42.07	1.78	--	-- Peak																																																																																																																																																															
4	19755.00	40.08	74.00	-33.92	48.73	37.89	25.95	62.95	-9.54	--	-- Peak																																																																																																																																																															



Mode	133	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_6585MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	<p>Level (dBuV/m) Date: 2025-12-13</p>  <p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p>	<p>Level (dBuV/m) Date: 2025-12-13</p>  <p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p>



Mode	134																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_6905MHz																																																																																																																																													
ANT	7+6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7297.20</td><td>58.94</td><td>74.00</td><td>-15.06</td><td>41.04</td><td>36.59</td><td>16.71</td><td>36.38</td><td>0.98</td></tr><tr><td>2</td><td>7297.20</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>32.59</td><td>36.59</td><td>16.71</td><td>36.38</td><td>0.98</td></tr><tr><td>3</td><td>13810.00</td><td>57.10</td><td>88.20</td><td>-31.10</td><td>34.99</td><td>40.40</td><td>23.19</td><td>43.31</td><td>1.83</td></tr><tr><td>4</td><td>20715.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>47.34</td><td>38.04</td><td>26.54</td><td>61.76</td><td>-9.54</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7297.20	58.94	74.00	-15.06	41.04	36.59	16.71	36.38	0.98	2	7297.20	50.49	54.00	-3.51	32.59	36.59	16.71	36.38	0.98	3	13810.00	57.10	88.20	-31.10	34.99	40.40	23.19	43.31	1.83	4	20715.00	40.62	74.00	-33.38	47.34	38.04	26.54	61.76	-9.54	<div><p>Level (dBuV/m) Date: 2025-12-13</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7302.60</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>33.46</td><td>36.62</td><td>16.72</td><td>36.38</td><td>0.97</td></tr><tr><td>2</td><td>7302.60</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>22.90</td><td>36.62</td><td>16.72</td><td>36.38</td><td>0.97</td></tr><tr><td>3</td><td>13810.00</td><td>57.22</td><td>88.20</td><td>-30.98</td><td>35.11</td><td>40.40</td><td>23.19</td><td>43.31</td><td>1.83</td></tr><tr><td>4</td><td>20715.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>46.64</td><td>38.04</td><td>26.54</td><td>61.76</td><td>-9.54</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7302.60	51.39	74.00	-22.61	33.46	36.62	16.72	36.38	0.97	2	7302.60	40.83	54.00	-13.17	22.90	36.62	16.72	36.38	0.97	3	13810.00	57.22	88.20	-30.98	35.11	40.40	23.19	43.31	1.83	4	20715.00	39.92	74.00	-34.08	46.64	38.04	26.54	61.76	-9.54
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																					
1	7297.20	58.94	74.00	-15.06	41.04	36.59	16.71	36.38	0.98																																																																																																																																					
2	7297.20	50.49	54.00	-3.51	32.59	36.59	16.71	36.38	0.98																																																																																																																																					
3	13810.00	57.10	88.20	-31.10	34.99	40.40	23.19	43.31	1.83																																																																																																																																					
4	20715.00	40.62	74.00	-33.38	47.34	38.04	26.54	61.76	-9.54																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																					
1	7302.60	51.39	74.00	-22.61	33.46	36.62	16.72	36.38	0.97																																																																																																																																					
2	7302.60	40.83	54.00	-13.17	22.90	36.62	16.72	36.38	0.97																																																																																																																																					
3	13810.00	57.22	88.20	-30.98	35.11	40.40	23.19	43.31	1.83																																																																																																																																					
4	20715.00	39.92	74.00	-34.08	46.64	38.04	26.54	61.76	-9.54																																																																																																																																					



Mode	134	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_6905MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-13</p><p>AVG(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</p></div>	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-13</p><p>AVG(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</p></div>



	150																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Test 20MHz Channel Puncture Location 1_7025MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7142.92</td><td>74.22</td><td>88.20</td><td>-13.98</td><td>56.68</td><td>36.27</td><td>16.52</td><td>36.33</td><td>1.08</td><td>200</td><td>20 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7142.92	74.22	88.20	-13.98	56.68	36.27	16.52	36.33	1.08	200	20 Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>111.05</td><td>-----</td><td>-----</td><td>93.79</td><td>36.10</td><td>16.42</td><td>36.30</td><td>1.04</td><td>200</td><td>20 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7025.00	111.05	-----	-----	93.79	36.10	16.42	36.30	1.04	200	20 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7142.92	74.22	88.20	-13.98	56.68	36.27	16.52	36.33	1.08	200	20 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7025.00	111.05	-----	-----	93.79	36.10	16.42	36.30	1.04	200	20 Peak																																																																																							
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.32</td><td>64.06</td><td>68.20</td><td>-4.14</td><td>46.61</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>200</td><td>20 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7125.32	64.06	68.20	-4.14	46.61	36.20	16.50	36.32	1.07	200	20 Average	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>102.60</td><td>-----</td><td>-----</td><td>85.34</td><td>36.10</td><td>16.42</td><td>36.30</td><td>1.04</td><td>200</td><td>20 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7025.00	102.60	-----	-----	85.34	36.10	16.42	36.30	1.04	200	20 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7125.32	64.06	68.20	-4.14	46.61	36.20	16.50	36.32	1.07	200	20 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7025.00	102.60	-----	-----	85.34	36.10	16.42	36.30	1.04	200	20 Average																																																																																							



	150																																																																																									
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Test 20MHz Channel Puncture Location 1_7025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>PEAK_BE(UNII)_6E</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.98</td><td>70.08</td><td>88.20 -18.12</td><td>52.61</td><td>36.22</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>354 Peak</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.98	70.08	88.20 -18.12	52.61	36.22	16.50	36.32	1.07	100	354 Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>PEAK(UNII)_6E</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>106.09</td><td>-----</td><td>89.64</td><td>36.10</td><td>16.41</td><td>36.30</td><td>1.04</td><td>100</td><td>354 Peak</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	106.09	-----	89.64	36.10	16.41	36.30	1.04	100	354 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7125.98	70.08	88.20 -18.12	52.61	36.22	16.50	36.32	1.07	100	354 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7025.00	106.09	-----	89.64	36.10	16.41	36.30	1.04	100	354 Peak																																																																																	
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>AVG_BE(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.98</td><td>60.07</td><td>68.20 -8.13</td><td>42.62</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>354 Average</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.98	60.07	68.20 -8.13	42.62	36.20	16.50	36.32	1.07	100	354 Average	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>AVG(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>99.57</td><td>-----</td><td>82.32</td><td>36.10</td><td>16.41</td><td>36.30</td><td>1.04</td><td>100</td><td>354 Average</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	99.57	-----	82.32	36.10	16.41	36.30	1.04	100	354 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7125.98	60.07	68.20 -8.13	42.62	36.20	16.50	36.32	1.07	100	354 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7025.00	99.57	-----	82.32	36.10	16.41	36.30	1.04	100	354 Average																																																																																	



	151																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 20MHz Channel Puncture Location 8_6025MHz																																																																									
ANT	7+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5881.00 74.44 88.20 -13.76 60.01 33.70 14.94 35.25 1.04 200 25</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg							1 5881.00 74.44 88.20 -13.76 60.01 33.70 14.94 35.25 1.04 200 25								Peak	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 104.94 ----- 90.53 33.74 15.16 35.40 0.91 200 25</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg							1 6025.00 104.94 ----- 90.53 33.74 15.16 35.40 0.91 200 25								Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg																																																																								
1 5881.00 74.44 88.20 -13.76 60.01 33.70 14.94 35.25 1.04 200 25								Peak																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg																																																																								
1 6025.00 104.94 ----- 90.53 33.74 15.16 35.40 0.91 200 25								Peak																																																																		
Avg	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5885.00 60.93 68.20 -7.27 46.49 33.70 14.95 35.25 1.04 200 25</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Average</td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg							1 5885.00 60.93 68.20 -7.27 46.49 33.70 14.95 35.25 1.04 200 25								Average	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 96.46 ----- 82.17 33.66 15.14 35.40 0.89 200 25</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Average</td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg							1 6025.00 96.46 ----- 82.17 33.66 15.14 35.40 0.89 200 25								Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg																																																																								
1 5885.00 60.93 68.20 -7.27 46.49 33.70 14.95 35.25 1.04 200 25								Average																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dB/dB/dB/dB/dB	cm	deg																																																																								
1 6025.00 96.46 ----- 82.17 33.66 15.14 35.40 0.89 200 25								Average																																																																		



		151																																																																																									
Mode	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 20MHz Channel Puncture Location 8_6025MHz																																																																																										
ANT	7+6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5833.00</td><td>74.52</td><td>88.20</td><td>-13.68</td><td>60.00</td><td>33.73</td><td>14.87</td><td>35.19</td><td>1.11</td><td>101 17 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5833.00	74.52	88.20	-13.68	60.00	33.73	14.87	35.19	1.11	101 17 Peak	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>104.96</td><td>-----</td><td>-----</td><td>90.73</td><td>33.60</td><td>15.00</td><td>35.36</td><td>0.91</td><td>101 17 Peak</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6025.00	104.96	-----	-----	90.73	33.60	15.00	35.36	0.91	101 17 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5833.00	74.52	88.20	-13.68	60.00	33.73	14.87	35.19	1.11	101 17 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																		
1 6025.00	104.96	-----	-----	90.73	33.60	15.00	35.36	0.91	101 17 Peak																																																																																		
Avg	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5905.40</td><td>62.72</td><td>68.20</td><td>-5.48</td><td>48.31</td><td>33.69</td><td>14.98</td><td>35.27</td><td>1.01</td><td>101 17 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5905.40	62.72	68.20	-5.48	48.31	33.69	14.98	35.27	1.01	101 17 Average	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>96.40</td><td>-----</td><td>-----</td><td>82.19</td><td>33.60</td><td>15.11</td><td>35.38</td><td>0.88</td><td>101 17 Average</td></tr></table></div>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6025.00	96.40	-----	-----	82.19	33.60	15.11	35.38	0.88	101 17 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5905.40	62.72	68.20	-5.48	48.31	33.69	14.98	35.27	1.01	101 17 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																		
1 6025.00	96.40	-----	-----	82.19	33.60	15.11	35.38	0.88	101 17 Average																																																																																		



	152																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Test 20MHz Channel Puncture Location 1_6985MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7139.56</td><td>77.38</td><td>88.20</td><td>-10.82</td><td>59.85</td><td>36.26</td><td>16.51</td><td>36.32</td><td>1.08</td><td>200</td><td>20 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7139.56	77.38	88.20	-10.82	59.85	36.26	16.51	36.32	1.08	200	20 Peak	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>107.96</td><td>-----</td><td>-----</td><td>90.76</td><td>36.13</td><td>16.30</td><td>36.23</td><td>1.00</td><td>200</td><td>20 Peak</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	107.96	-----	-----	90.76	36.13	16.30	36.23	1.00	200	20 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7139.56	77.38	88.20	-10.82	59.85	36.26	16.51	36.32	1.08	200	20 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	107.96	-----	-----	90.76	36.13	16.30	36.23	1.00	200	20 Peak																																																																																							
Avg	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7139.56</td><td>66.81</td><td>68.20</td><td>-1.39</td><td>49.28</td><td>36.26</td><td>16.51</td><td>36.32</td><td>1.08</td><td>200</td><td>20 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7139.56	66.81	68.20	-1.39	49.28	36.26	16.51	36.32	1.08	200	20 Average	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>99.06</td><td>-----</td><td>-----</td><td>81.82</td><td>36.17</td><td>16.32</td><td>36.26</td><td>1.01</td><td>200</td><td>20 Average</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	99.06	-----	-----	81.82	36.17	16.32	36.26	1.01	200	20 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7139.56	66.81	68.20	-1.39	49.28	36.26	16.51	36.32	1.08	200	20 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	99.06	-----	-----	81.82	36.17	16.32	36.26	1.01	200	20 Average																																																																																							







	152																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Test 20MHz Channel Puncture Location 1_6985MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-05</div><div>PEAK_BE(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7179.88</td><td>73.44</td><td>88.20</td><td>-14.76</td><td>55.76</td><td>36.36</td><td>16.56</td><td>36.34</td><td>1.10</td><td>100</td><td>354 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7179.88	73.44	88.20	-14.76	55.76	36.36	16.56	36.34	1.10	100	354 Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-05</div><div>PEAK(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>104.16</td><td>-----</td><td>-----</td><td>86.09</td><td>36.20</td><td>16.34</td><td>36.28</td><td>1.01</td><td>100</td><td>354 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	104.16	-----	-----	86.09	36.20	16.34	36.28	1.01	100	354 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7179.88	73.44	88.20	-14.76	55.76	36.36	16.56	36.34	1.10	100	354 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	104.16	-----	-----	86.09	36.20	16.34	36.28	1.01	100	354 Peak																																																																																							
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-05</div><div>AVG_BE(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.76</td><td>62.58</td><td>68.20</td><td>-5.62</td><td>45.07</td><td>36.24</td><td>16.51</td><td>36.32</td><td>1.08</td><td>100</td><td>354 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7134.76	62.58	68.20	-5.62	45.07	36.24	16.51	36.32	1.08	100	354 Average	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-05</div><div>AVG(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>95.41</td><td>-----</td><td>-----</td><td>78.15</td><td>36.16</td><td>16.37</td><td>36.29</td><td>1.02</td><td>100</td><td>354 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	95.41	-----	-----	78.15	36.16	16.37	36.29	1.02	100	354 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7134.76	62.58	68.20	-5.62	45.07	36.24	16.51	36.32	1.08	100	354 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	95.41	-----	-----	78.15	36.16	16.37	36.29	1.02	100	354 Average																																																																																							



	153																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 40MHz Channel Puncture Location 4_6025MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5868.00</td><td>81.94</td><td>88.20</td><td>-6.26</td><td>67.49</td><td>33.70</td><td>14.92</td><td>35.23</td><td>1.06</td><td>200 27 Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5868.00	81.94	88.20	-6.26	67.49	33.70	14.92	35.23	1.06	200 27 Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>106.19</td><td>-----</td><td>-----</td><td>91.90</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>200 27 Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	106.19	-----	-----	91.90	33.66	15.14	35.40	0.89	200 27 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5868.00	81.94	88.20	-6.26	67.49	33.70	14.92	35.23	1.06	200 27 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6025.00	106.19	-----	-----	91.90	33.66	15.14	35.40	0.89	200 27 Peak																																																																									
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.00</td><td>66.67</td><td>68.20</td><td>-1.53</td><td>52.28</td><td>33.69</td><td>14.98</td><td>35.28</td><td>1.00</td><td>200 27 Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5907.00	66.67	68.20	-1.53	52.28	33.69	14.98	35.28	1.00	200 27 Average	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>97.60</td><td>-----</td><td>-----</td><td>83.31</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>200 27 Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	97.60	-----	-----	83.31	33.66	15.14	35.40	0.89	200 27 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5907.00	66.67	68.20	-1.53	52.28	33.69	14.98	35.28	1.00	200 27 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6025.00	97.60	-----	-----	83.31	33.66	15.14	35.40	0.89	200 27 Average																																																																									



	153																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 40MHz Channel Puncture Location 4_6025MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5869.00</td><td>79.53</td><td>88.20</td><td>-8.67</td><td>65.00</td><td>33.70</td><td>14.92</td><td>35.23</td><td>1.06</td><td>100 19 Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5869.00	79.53	88.20	-8.67	65.00	33.70	14.92	35.23	1.06	100 19 Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>106.56</td><td>-----</td><td>-----</td><td>92.20</td><td>33.71</td><td>15.15</td><td>35.40</td><td>0.90</td><td>100 19 Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	106.56	-----	-----	92.20	33.71	15.15	35.40	0.90	100 19 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5869.00	79.53	88.20	-8.67	65.00	33.70	14.92	35.23	1.06	100 19 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 6025.00	106.56	-----	-----	92.20	33.71	15.15	35.40	0.90	100 19 Peak																																																																									
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5873.00</td><td>66.20</td><td>68.20</td><td>-2.00</td><td>51.76</td><td>33.70</td><td>14.93</td><td>35.24</td><td>1.05</td><td>100 19 Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5873.00	66.20	68.20	-2.00	51.76	33.70	14.93	35.24	1.05	100 19 Average	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>98.00</td><td>-----</td><td>-----</td><td>83.64</td><td>33.71</td><td>15.15</td><td>35.40</td><td>0.90</td><td>100 19 Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	98.00	-----	-----	83.64	33.71	15.15	35.40	0.90	100 19 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5873.00	66.20	68.20	-2.00	51.76	33.70	14.93	35.24	1.05	100 19 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 6025.00	98.00	-----	-----	83.64	33.71	15.15	35.40	0.90	100 19 Average																																																																									



		154																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Test 40MHz Channel Puncture Location 1_6985MHz																																																																																			
ANT	7+6																																																																																			
Pol.	Horizontal																																																																																			
Peak	Fundamental																																																																																			
	Fundamental																																																																																			
Peak	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK_BE(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7189.00</td><td>72.64</td><td>88.20</td><td>-15.56</td><td>54.92</td><td>36.38</td><td>16.58</td><td>36.34</td><td>1.10</td><td>200</td><td>19</td><td>Peak</td></tr></table></div>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7189.00	72.64	88.20	-15.56	54.92	36.38	16.58	36.34	1.10	200	19	Peak	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6985.00</td><td>107.90</td><td>-----</td><td>-----</td><td>90.66</td><td>36.17</td><td>16.32</td><td>36.26</td><td>1.01</td><td>200</td><td>19</td><td>Peak</td></tr></table></div>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6985.00	107.90	-----	-----	90.66	36.17	16.32	36.26	1.01	200	19	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7189.00	72.64	88.20	-15.56	54.92	36.38	16.58	36.34	1.10	200	19	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6985.00	107.90	-----	-----	90.66	36.17	16.32	36.26	1.01	200	19	Peak																																																																									
Avg	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG_BE(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:1.200kHz SMT:Auto</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7139.32</td><td>62.08</td><td>68.20</td><td>-6.12</td><td>44.55</td><td>36.26</td><td>16.51</td><td>36.32</td><td>1.08</td><td>200</td><td>19</td><td>Average</td></tr></table></div>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7139.32	62.08	68.20	-6.12	44.55	36.26	16.51	36.32	1.08	200	19	Average	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:1.200kHz SMT:Auto</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6985.00</td><td>99.90</td><td>-----</td><td>-----</td><td>82.66</td><td>36.17</td><td>16.32</td><td>36.26</td><td>1.01</td><td>200</td><td>19</td><td>Average</td></tr></table></div>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6985.00	99.90	-----	-----	82.66	36.17	16.32	36.26	1.01	200	19	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7139.32	62.08	68.20	-6.12	44.55	36.26	16.51	36.32	1.08	200	19	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6985.00	99.90	-----	-----	82.66	36.17	16.32	36.26	1.01	200	19	Average																																																																									



		154																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Test 40MHz Channel Puncture Location 1_6985MHz																																																																																																			
ANT	7+6																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK_BE(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7146.76</td><td>71.76</td><td>88.20</td><td>-16.44</td><td>54.20</td><td>36.29</td><td>16.52</td><td>36.33</td><td>1.08</td><td>100</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7146.76	71.76	88.20	-16.44	54.20	36.29	16.52	36.33	1.08	100	354	Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>104.56</td><td>-----</td><td>-----</td><td>87.29</td><td>36.19</td><td>16.34</td><td>36.27</td><td>1.01</td><td>100</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	104.56	-----	-----	87.29	36.19	16.34	36.27	1.01	100	354	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7146.76	71.76	88.20	-16.44	54.20	36.29	16.52	36.33	1.08	100	354	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	104.56	-----	-----	87.29	36.19	16.34	36.27	1.01	100	354	Peak																																																																																								
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG_BE(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.16</td><td>58.87</td><td>68.20</td><td>-9.33</td><td>41.39</td><td>36.22</td><td>16.50</td><td>36.32</td><td>1.08</td><td>100</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.16	58.87	68.20	-9.33	41.39	36.22	16.50	36.32	1.08	100	354	Average	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>96.36</td><td>-----</td><td>-----</td><td>79.09</td><td>36.19</td><td>16.34</td><td>36.27</td><td>1.01</td><td>100</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	96.36	-----	-----	79.09	36.19	16.34	36.27	1.01	100	354	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7131.16	58.87	68.20	-9.33	41.39	36.22	16.50	36.32	1.08	100	354	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	96.36	-----	-----	79.09	36.19	16.34	36.27	1.01	100	354	Average																																																																																								



	155																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Test 40MHz Channel Puncture Location 8_6105MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5890.00 74.52 88.20 -13.68 60.09 33.70 14.96 35.26 1.03 100 356 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5890.00 74.52 88.20 -13.68 60.09 33.70 14.96 35.26 1.03 100 356 Peak									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 101.34 ----- 87.10 33.60 15.07 35.35 0.92 100 356 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 101.34 ----- 87.10 33.60 15.07 35.35 0.92 100 356 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5890.00 74.52 88.20 -13.68 60.09 33.70 14.96 35.26 1.03 100 356 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 101.34 ----- 87.10 33.60 15.07 35.35 0.92 100 356 Peak																																																																																		
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5888.84 64.26 68.20 -3.94 49.83 33.70 14.95 35.25 1.03 100 356 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5888.84 64.26 68.20 -3.94 49.83 33.70 14.95 35.25 1.03 100 356 Average									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 93.62 ----- 79.38 33.60 15.07 35.35 0.92 100 356 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 93.62 ----- 79.38 33.60 15.07 35.35 0.92 100 356 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5888.84 64.26 68.20 -3.94 49.83 33.70 14.95 35.25 1.03 100 356 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 93.62 ----- 79.38 33.60 15.07 35.35 0.92 100 356 Average																																																																																		



		155									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Test 40MHz Channel Puncture Location 8_6105MHz										
ANT	7+6										
Pol.	Vertical										
Peak	Fundamental										
	Fundamental										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										

Date: 2025-12-04																																																		
Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																		
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5841.24</td><td>73.04</td><td>88.20</td><td>-15.16</td><td>58.54</td><td>33.72</td><td>14.88</td><td>35.20</td><td>1.10</td><td>100</td><td>13</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5841.24	73.04	88.20	-15.16	58.54	33.72	14.88	35.20	1.10	100	13	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	5841.24	73.04	88.20	-15.16	58.54	33.72	14.88	35.20	1.10	100	13	Peak																																						

Date: 2025-12-04																																																		
Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																		
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6105.00</td><td>100.92</td><td>-----</td><td>-----</td><td>86.51</td><td>33.74</td><td>15.16</td><td>35.40</td><td>0.91</td><td>100</td><td>13</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6105.00	100.92	-----	-----	86.51	33.74	15.16	35.40	0.91	100	13	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6105.00	100.92	-----	-----	86.51	33.74	15.16	35.40	0.91	100	13	Peak																																						

Date: 2025-12-04																																																		
Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto																																																		
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5915.44</td><td>63.19</td><td>68.20</td><td>-5.01</td><td>48.83</td><td>33.67</td><td>14.99</td><td>35.29</td><td>0.99</td><td>100</td><td>13</td><td>Average</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5915.44	63.19	68.20	-5.01	48.83	33.67	14.99	35.29	0.99	100	13	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	5915.44	63.19	68.20	-5.01	48.83	33.67	14.99	35.29	0.99	100	13	Average																																						

Date: 2025-12-04																																																		
Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto																																																		
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6105.00</td><td>91.47</td><td>-----</td><td>-----</td><td>77.21</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>100</td><td>13</td><td>Average</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6105.00	91.47	-----	-----	77.21	33.60	15.04	35.33	0.95	100	13	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6105.00	91.47	-----	-----	77.21	33.60	15.04	35.33	0.95	100	13	Average																																						



		156																																																				
Mode	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Test 80MHz Channel Puncture Location 4_6105MHz																																																					
ANT	7+6																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
	Date: 2025-12-04																																																					
<div><div><div>Level (dBuV/m)</div><div>140</div><div>122.5</div><div>105.0</div><div>87.5</div><div>70.0</div><div>52.5</div><div>35.0</div><div>17.5</div><div>0</div></div><div><div>5825</div><div>5881.</div><div>5937.</div><div>5993.</div><div>6049.</div><div>6105</div></div><div>Frequency (MHz)</div></div> <div>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.28</td><td>74.18</td><td>88.20</td><td>-14.02</td><td>59.82</td><td>33.67</td><td>14.99</td><td>35.29</td><td>0.99</td><td>300</td><td>19 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.28	74.18	88.20	-14.02	59.82	33.67	14.99	35.29	0.99	300	19 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5916.28	74.18	88.20	-14.02	59.82	33.67	14.99	35.29	0.99	300	19 Peak																																											
<div><div><div>Level (dBuV/m)</div><div>140</div><div>122.5</div><div>105.0</div><div>87.5</div><div>70.0</div><div>52.5</div><div>35.0</div><div>17.5</div><div>0</div></div><div><div>1000</div><div>2240.</div><div>3480.</div><div>4720.</div><div>5960.</div><div>7200</div></div><div>Frequency (MHz)</div></div> <div>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>103.49</td><td>-----</td><td>-----</td><td>89.26</td><td>33.60</td><td>15.00</td><td>35.36</td><td>0.91</td><td>300</td><td>19 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	103.49	-----	-----	89.26	33.60	15.00	35.36	0.91	300	19 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6105.00	103.49	-----	-----	89.26	33.60	15.00	35.36	0.91	300	19 Peak																																											
Avg	Date: 2025-12-04																																																					
	Date: 2025-12-04																																																					
<div><div><div>Level (dBuV/m)</div><div>140</div><div>122.5</div><div>105.0</div><div>87.5</div><div>70.0</div><div>52.5</div><div>35.0</div><div>17.5</div><div>0</div></div><div><div>5825</div><div>5881.</div><div>5937.</div><div>5993.</div><div>6049.</div><div>6105</div></div><div>Frequency (MHz)</div></div> <div>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.40</td><td>65.03</td><td>68.20</td><td>-3.17</td><td>50.66</td><td>33.67</td><td>15.00</td><td>35.29</td><td>0.99</td><td>300</td><td>19 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.40	65.03	68.20	-3.17	50.66	33.67	15.00	35.29	0.99	300	19 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5917.40	65.03	68.20	-3.17	50.66	33.67	15.00	35.29	0.99	300	19 Average																																											
<div><div><div>Level (dBuV/m)</div><div>140</div><div>122.5</div><div>105.0</div><div>87.5</div><div>70.0</div><div>52.5</div><div>35.0</div><div>17.5</div><div>0</div></div><div><div>1000</div><div>2240.</div><div>3480.</div><div>4720.</div><div>5960.</div><div>7200</div></div><div>Frequency (MHz)</div></div> <div>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.96</td><td>-----</td><td>-----</td><td>79.33</td><td>33.89</td><td>15.20</td><td>35.41</td><td>0.95</td><td>300</td><td>19 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.96	-----	-----	79.33	33.89	15.20	35.41	0.95	300	19 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6105.00	93.96	-----	-----	79.33	33.89	15.20	35.41	0.95	300	19 Average																																											



	156																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Test 80MHz Channel Puncture Location 4_6105MHz																																																																									
ANT	7+6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5916.84 74.12 88.20 -14.08 59.75 33.67 15.00 35.29 0.99 100 13 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5916.84 74.12 88.20 -14.08 59.75 33.67 15.00 35.29 0.99 100 13 Peak									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 99.89 ----- 85.38 33.81 15.18 35.41 0.93 100 13 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 99.89 ----- 85.38 33.81 15.18 35.41 0.93 100 13 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5916.84 74.12 88.20 -14.08 59.75 33.67 15.00 35.29 0.99 100 13 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 6105.00 99.89 ----- 85.38 33.81 15.18 35.41 0.93 100 13 Peak																																																																										
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5917.40 63.71 68.20 -4.49 49.34 33.67 15.00 35.29 0.99 100 13 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5917.40 63.71 68.20 -4.49 49.34 33.67 15.00 35.29 0.99 100 13 Average									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 92.21 ----- 77.95 33.60 15.05 35.33 0.94 100 13 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 92.21 ----- 77.95 33.60 15.05 35.33 0.94 100 13 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5917.40 63.71 68.20 -4.49 49.34 33.67 15.00 35.29 0.99 100 13 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 6105.00 92.21 ----- 77.95 33.60 15.05 35.33 0.94 100 13 Average																																																																										







Mode	157																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Test 80+40MHz Channel Puncture Location 6_6105MHz																																																																									
ANT	7+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5911.24 73.23 88.20 -14.97 58.84 33.68 14.99 35.28 1.00 100 0 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5911.24 73.23 88.20 -14.97 58.84 33.68 14.99 35.28 1.00 100 0 Peak									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 104.39 ----- 90.15 33.60 15.07 35.35 0.92 100 0 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6105.00 104.39 ----- 90.15 33.60 15.07 35.35 0.92 100 0 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 5911.24 73.23 88.20 -14.97 58.84 33.68 14.99 35.28 1.00 100 0 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6105.00 104.39 ----- 90.15 33.60 15.07 35.35 0.92 100 0 Peak																																																																										
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5910.96 63.43 68.20 -4.77 49.04 33.68 14.99 35.28 1.00 100 0 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5910.96 63.43 68.20 -4.77 49.04 33.68 14.99 35.28 1.00 100 0 Average									<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 95.24 ----- 81.00 33.60 15.07 35.35 0.92 100 0 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6105.00 95.24 ----- 81.00 33.60 15.07 35.35 0.92 100 0 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 5910.96 63.43 68.20 -4.77 49.04 33.68 14.99 35.28 1.00 100 0 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6105.00 95.24 ----- 81.00 33.60 15.07 35.35 0.92 100 0 Average																																																																										



		157																																																				
Mode	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Test 80+40MHz Channel Puncture Location 6_6105MHz																																																					
ANT	7+6																																																					
Pol.																																																						
Peak	Vertical																																																					
	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.24</td><td>70.99</td><td>88.20</td><td>-17.21</td><td>56.60</td><td>33.60</td><td>14.99</td><td>35.28</td><td>1.00</td><td>19 Peak</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.24	70.99	88.20	-17.21	56.60	33.60	14.99	35.28	1.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5911.24	70.99	88.20	-17.21	56.60	33.60	14.99	35.28	1.00	19 Peak																																												
Peak	Fundamental																																																					
	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>102.90</td><td>-----</td><td>-----</td><td>88.69</td><td>33.60</td><td>15.11</td><td>35.38</td><td>0.88</td><td>19 Peak</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	102.90	-----	-----	88.69	33.60	15.11	35.38	0.88
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6105.00	102.90	-----	-----	88.69	33.60	15.11	35.38	0.88	19 Peak																																												
Avg	Vertical																																																					
	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.16</td><td>61.36</td><td>68.20</td><td>-6.84</td><td>47.00</td><td>33.67</td><td>14.99</td><td>35.29</td><td>0.99</td><td>19 Average</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.16	61.36	68.20	-6.84	47.00	33.67	14.99	35.29	0.99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5915.16	61.36	68.20	-6.84	47.00	33.67	14.99	35.29	0.99	19 Average																																												
Avg	Fundamental																																																					
	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto</div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.17</td><td>-----</td><td>-----</td><td>78.94</td><td>33.60</td><td>15.08</td><td>35.36</td><td>0.91</td><td>19 Average</td></tr></table></div>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.17	-----	-----	78.94	33.60	15.08	35.36	0.91
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6105.00	93.17	-----	-----	78.94	33.60	15.08	35.36	0.91	19 Average																																												



		158																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Test 40MHz Channel Puncture Location 1_6905MHz																																																																																																			
ANT	7+6																																																																																																			
Pol.	Horizontal												Fundamental																																																																																							
Peak	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK_BE(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7182.76</td><td>74.42</td><td>88.20</td><td>-13.78</td><td>56.72</td><td>36.37</td><td>16.57</td><td>36.34</td><td>1.10</td><td>200</td><td>22</td><td>Peak</td></tr></table></div>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7182.76	74.42	88.20	-13.78	56.72	36.37	16.57	36.34	1.10	200	22	Peak	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>103.49</td><td>-----</td><td>-----</td><td>86.40</td><td>36.00</td><td>16.19</td><td>36.00</td><td>0.90</td><td>200</td><td>22</td><td>Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	103.49	-----	-----	86.40	36.00	16.19	36.00	0.90	200	22	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7182.76	74.42	88.20	-13.78	56.72	36.37	16.57	36.34	1.10	200	22	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	103.49	-----	-----	86.40	36.00	16.19	36.00	0.90	200	22	Peak																																																																																								
Avg	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG_BE(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7179.88</td><td>64.06</td><td>68.20</td><td>-4.14</td><td>46.38</td><td>36.36</td><td>16.56</td><td>36.34</td><td>1.10</td><td>200</td><td>22</td><td>Average</td></tr></table></div>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7179.88	64.06	68.20	-4.14	46.38	36.36	16.56	36.34	1.10	200	22	Average	<div><div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG(UNII)_6E</div></div><div><div>Site : 03CH21-HY</div><div>Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL</div><div>: RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div></div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>95.47</td><td>-----</td><td>-----</td><td>78.46</td><td>35.91</td><td>16.13</td><td>36.00</td><td>0.97</td><td>200</td><td>22</td><td>Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	95.47	-----	-----	78.46	35.91	16.13	36.00	0.97	200	22	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7179.88	64.06	68.20	-4.14	46.38	36.36	16.56	36.34	1.10	200	22	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	95.47	-----	-----	78.46	35.91	16.13	36.00	0.97	200	22	Average																																																																																								



Mode	158																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Test 40MHz Channel Puncture Location 1_6905MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK_BE(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7159.72</td><td>69.42</td><td>88.20 -18.78</td><td>51.00</td><td>36.32</td><td>16.54</td><td>36.33</td><td>1.09</td><td>100</td><td>352 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7159.72	69.42	88.20 -18.78	51.00	36.32	16.54	36.33	1.09	100	352 Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6905.00</td><td>99.97</td><td>-----</td><td>82.00</td><td>36.08</td><td>16.28</td><td>36.19</td><td>1.00</td><td>100</td><td>352 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6905.00	99.97	-----	82.00	36.08	16.28	36.19	1.00	100	352 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7159.72	69.42	88.20 -18.78	51.00	36.32	16.54	36.33	1.09	100	352 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6905.00	99.97	-----	82.00	36.08	16.28	36.19	1.00	100	352 Peak																																																																																	
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG_BE(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7179.56</td><td>60.62</td><td>68.20 -7.58</td><td>42.94</td><td>36.36</td><td>16.56</td><td>36.34</td><td>1.10</td><td>100</td><td>352 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7179.56	60.62	68.20 -7.58	42.94	36.36	16.56	36.34	1.10	100	352 Average	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG(UNII)_6E</div></div> <div>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6905.00</td><td>90.57</td><td>-----</td><td>73.30</td><td>36.19</td><td>16.34</td><td>36.27</td><td>1.01</td><td>100</td><td>352 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6905.00	90.57	-----	73.30	36.19	16.34	36.27	1.01	100	352 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7179.56	60.62	68.20 -7.58	42.94	36.36	16.56	36.34	1.10	100	352 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6905.00	90.57	-----	73.30	36.19	16.34	36.27	1.01	100	352 Average																																																																																	



Mode	159																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Test 80MHz Channel Puncture Location 1_6905MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7216.68</td><td>74.44</td><td>88.20</td><td>-13.76</td><td>56.69</td><td>36.40</td><td>16.61</td><td>36.35</td><td>1.09</td><td>200</td><td>25</td><td>Peak</td></tr></tbody></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	7216.68	74.44	88.20	-13.76	56.69	36.40	16.61	36.35	1.09	200	25	Peak	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>103.24</td><td>-----</td><td>-----</td><td>86.14</td><td>36.00</td><td>16.22</td><td>36.11</td><td>0.99</td><td>200</td><td>25</td><td>Peak</td></tr></tbody></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	6905.00	103.24	-----	-----	86.14	36.00	16.22	36.11	0.99	200	25	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1	7216.68	74.44	88.20	-13.76	56.69	36.40	16.61	36.35	1.09	200	25	Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1	6905.00	103.24	-----	-----	86.14	36.00	16.22	36.11	0.99	200	25	Peak																																																																						
Avg	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p><table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.16</td><td>63.23</td><td>68.20</td><td>-4.97</td><td>45.78</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>200</td><td>25</td><td>Average</td></tr></tbody></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	7125.16	63.23	68.20	-4.97	45.78	36.20	16.50	36.32	1.07	200	25	Average	<div><p>Level (dBuV/m) Date: 2025-12-04</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p><table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>94.92</td><td>-----</td><td>-----</td><td>77.84</td><td>35.98</td><td>16.17</td><td>36.05</td><td>0.98</td><td>200</td><td>25</td><td>Average</td></tr></tbody></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1	6905.00	94.92	-----	-----	77.84	35.98	16.17	36.05	0.98	200	25	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1	7125.16	63.23	68.20	-4.97	45.78	36.20	16.50	36.32	1.07	200	25	Average																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1	6905.00	94.92	-----	-----	77.84	35.98	16.17	36.05	0.98	200	25	Average																																																																						



		159																																																																																						
Mode	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Test 80MHz Channel Puncture Location 1_6905MHz																																																																																							
ANT	7+6																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK_BE(UNII)_6E</div></div>						<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>PEAK(UNII)_6E</div></div>																																																																																	
	<div>Site : 03CH21-HY</div> <div>Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</div> <div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7200.68</td><td>71.11</td><td>88.20</td><td>-17.09</td><td>53.35</td><td>36.40</td><td>16.59</td><td>36.34</td><td>1.11</td><td>100</td><td>338</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7200.68	71.11	88.20	-17.09	53.35	36.40	16.59	36.34	1.11	100	338	Peak	<div>Site : 03CH21-HY</div> <div>Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</div> <div>: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</div> <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>100.46</td><td>-----</td><td>-----</td><td>83.38</td><td>35.98</td><td>16.17</td><td>36.05</td><td>0.98</td><td>100</td><td>338</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6905.00	100.46	-----	-----	83.38	35.98	16.17	36.05	0.98	100	338
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7200.68	71.11	88.20	-17.09	53.35	36.40	16.59	36.34	1.11	100	338	Peak																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	6905.00	100.46	-----	-----	83.38	35.98	16.17	36.05	0.98	100	338	Peak																																																																												
Avg	<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG_BE(UNII)_6E</div></div>						<div><div>Level (dBuV/m)</div><div>Date: 2025-12-04</div><div>AVG(UNII)_6E</div></div>																																																																																	
	<div>Site : 03CH21-HY</div> <div>Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</div> <div>: RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div> <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7199.08</td><td>61.79</td><td>68.20</td><td>-6.41</td><td>44.03</td><td>36.40</td><td>16.59</td><td>36.34</td><td>1.11</td><td>100</td><td>338</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7199.08	61.79	68.20	-6.41	44.03	36.40	16.59	36.34	1.11	100	338	Average	<div>Site : 03CH21-HY</div> <div>Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL</div> <div>: RBW:1000.000kHz VBW:1.500kHz SMT:Auto</div> <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>91.12</td><td>-----</td><td>-----</td><td>74.03</td><td>36.00</td><td>16.19</td><td>36.08</td><td>0.98</td><td>100</td><td>338</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6905.00	91.12	-----	-----	74.03	36.00	16.19	36.08	0.98	100	338
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7199.08	61.79	68.20	-6.41	44.03	36.40	16.59	36.34	1.11	100	338	Average																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	6905.00	91.12	-----	-----	74.03	36.00	16.19	36.08	0.98	100	338	Average																																																																												



Mode	160																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Test 80+40MHz Channel Puncture Location 7_6905MHz																																																																									
ANT	7+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7191.72 70.05 88.20 -18.15 52.32 36.38 16.58 36.34 1.11 100 20 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7191.72 70.05 88.20 -18.15 52.32 36.38 16.58 36.34 1.11 100 20 Peak									<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6905.00 104.02 ----- 86.76 36.18 16.33 36.26 1.01 100 20 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6905.00 104.02 ----- 86.76 36.18 16.33 36.26 1.01 100 20 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 7191.72 70.05 88.20 -18.15 52.32 36.38 16.58 36.34 1.11 100 20 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 6905.00 104.02 ----- 86.76 36.18 16.33 36.26 1.01 100 20 Peak																																																																										
Avg	<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7132.20 57.50 68.20 -10.70 40.00 36.23 16.51 36.32 1.08 100 20 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7132.20 57.50 68.20 -10.70 40.00 36.23 16.51 36.32 1.08 100 20 Average									<div><p>Level (dBuV/m) Date: 2025-12-05</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6905.00 94.30 ----- 77.20 36.02 16.24 36.15 0.99 100 20 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6905.00 94.30 ----- 77.20 36.02 16.24 36.15 0.99 100 20 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 7132.20 57.50 68.20 -10.70 40.00 36.23 16.51 36.32 1.08 100 20 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 6905.00 94.30 ----- 77.20 36.02 16.24 36.15 0.99 100 20 Average																																																																										



Mode	160																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Test 80+40MHz Channel Puncture Location 7_6905MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-05</p><p>PEAK_BE(UNII)_6E</p><p>Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7160.36</td><td>65.89</td><td>88.20 -22.31</td><td>48.27</td><td>36.32</td><td>16.54</td><td>36.33</td><td>1.09</td><td>100</td><td>345 Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7160.36	65.89	88.20 -22.31	48.27	36.32	16.54	36.33	1.09	100	345 Peak	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-05</p><p>PEAK(UNII)_6E</p><p>Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6905.00</td><td>101.61</td><td>-----</td><td>84.51</td><td>36.00</td><td>16.21</td><td>36.10</td><td>0.99</td><td>100</td><td>345 Peak</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	101.61	-----	84.51	36.00	16.21	36.10	0.99	100	345 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7160.36	65.89	88.20 -22.31	48.27	36.32	16.54	36.33	1.09	100	345 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6905.00	101.61	-----	84.51	36.00	16.21	36.10	0.99	100	345 Peak																																																																									
Avg	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-05</p><p>AVG_BE(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7163.24</td><td>55.81</td><td>68.20 -13.19</td><td>37.38</td><td>36.33</td><td>16.54</td><td>36.33</td><td>1.09</td><td>100</td><td>345 Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7163.24	55.81	68.20 -13.19	37.38	36.33	16.54	36.33	1.09	100	345 Average	<div><p>Level (dBuV/m)</p><p>Date: 2025-12-05</p><p>AVG(UNII)_6E</p><p>Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6905.00</td><td>91.46</td><td>-----</td><td>74.36</td><td>36.00</td><td>16.21</td><td>36.10</td><td>0.99</td><td>100</td><td>345 Average</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	91.46	-----	74.36	36.00	16.21	36.10	0.99	100	345 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7163.24	55.81	68.20 -13.19	37.38	36.33	16.54	36.33	1.09	100	345 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6905.00	91.46	-----	74.36	36.00	16.21	36.10	0.99	100	345 Average																																																																									






Mode	168																																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																
QP/ Peak	<div><p>Level (dBuV/m) Date: 2025-12-18</p><p>Site : 03CH21-HY Condition: QP 3m LF_633038001_251126 HORIZONTAL</p><table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>64.92</td><td>23.10</td><td>40.00</td><td>-16.90</td><td>42.20</td><td>11.93</td><td>1.41</td><td>32.47</td><td>0.03</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>176.47</td><td>28.50</td><td>43.50</td><td>-15.00</td><td>43.23</td><td>15.31</td><td>2.33</td><td>32.43</td><td>0.06</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>336.52</td><td>24.19</td><td>46.00</td><td>-21.81</td><td>33.38</td><td>20.03</td><td>3.22</td><td>32.51</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>552.83</td><td>28.47</td><td>46.00</td><td>-17.53</td><td>31.03</td><td>25.05</td><td>4.16</td><td>32.71</td><td>0.14</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>698.33</td><td>31.28</td><td>46.00</td><td>-14.72</td><td>32.48</td><td>26.74</td><td>4.64</td><td>32.70</td><td>0.12</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>35.45</td><td>46.00</td><td>-10.55</td><td>29.81</td><td>31.15</td><td>5.42</td><td>31.14</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	64.92	23.10	40.00	-16.90	42.20	11.93	1.41	32.47	0.03	--	--	--	Peak	2	176.47	28.50	43.50	-15.00	43.23	15.31	2.33	32.43	0.06	--	--	--	Peak	3	336.52	24.19	46.00	-21.81	33.38	20.03	3.22	32.51	0.07	--	--	--	Peak	4	552.83	28.47	46.00	-17.53	31.03	25.05	4.16	32.71	0.14	--	--	--	Peak	5	698.33	31.28	46.00	-14.72	32.48	26.74	4.64	32.70	0.12	--	--	--	Peak	6	958.29	35.45	46.00	-10.55	29.81	31.15	5.42	31.14	0.21	--	--	--	Peak	<div><p>Level (dBuV/m) Date: 2025-12-18</p><p>Site : 03CH21-HY Condition: QP 3m LF_633038001_251126 VERTICAL</p><table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>47.46</td><td>30.39</td><td>40.00</td><td>-9.61</td><td>46.05</td><td>15.65</td><td>1.15</td><td>32.48</td><td>0.02</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>133.79</td><td>29.28</td><td>43.50</td><td>-14.22</td><td>41.93</td><td>17.69</td><td>2.03</td><td>32.42</td><td>0.05</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>180.35</td><td>29.09</td><td>43.50</td><td>-14.41</td><td>44.02</td><td>15.09</td><td>2.36</td><td>32.44</td><td>0.06</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>420.91</td><td>23.82</td><td>46.00</td><td>-22.18</td><td>30.11</td><td>22.63</td><td>3.61</td><td>32.60</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>725.49</td><td>28.63</td><td>46.00</td><td>-17.37</td><td>28.88</td><td>27.52</td><td>4.72</td><td>32.62</td><td>0.13</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>962.17</td><td>32.51</td><td>54.00</td><td>-21.49</td><td>26.74</td><td>31.23</td><td>5.43</td><td>31.10</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table></div>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	47.46	30.39	40.00	-9.61	46.05	15.65	1.15	32.48	0.02	--	--	--	Peak	2	133.79	29.28	43.50	-14.22	41.93	17.69	2.03	32.42	0.05	--	--	--	Peak	3	180.35	29.09	43.50	-14.41	44.02	15.09	2.36	32.44	0.06	--	--	--	Peak	4	420.91	23.82	46.00	-22.18	30.11	22.63	3.61	32.60	0.07	--	--	--	Peak	5	725.49	28.63	46.00	-17.37	28.88	27.52	4.72	32.62	0.13	--	--	--	Peak	6	962.17	32.51	54.00	-21.49	26.74	31.23	5.43	31.10	0.21	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	64.92	23.10	40.00	-16.90	42.20	11.93	1.41	32.47	0.03	--	--	--	Peak																																																																																																																																																																																																																					
2	176.47	28.50	43.50	-15.00	43.23	15.31	2.33	32.43	0.06	--	--	--	Peak																																																																																																																																																																																																																					
3	336.52	24.19	46.00	-21.81	33.38	20.03	3.22	32.51	0.07	--	--	--	Peak																																																																																																																																																																																																																					
4	552.83	28.47	46.00	-17.53	31.03	25.05	4.16	32.71	0.14	--	--	--	Peak																																																																																																																																																																																																																					
5	698.33	31.28	46.00	-14.72	32.48	26.74	4.64	32.70	0.12	--	--	--	Peak																																																																																																																																																																																																																					
6	958.29	35.45	46.00	-10.55	29.81	31.15	5.42	31.14	0.21	--	--	--	Peak																																																																																																																																																																																																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	47.46	30.39	40.00	-9.61	46.05	15.65	1.15	32.48	0.02	--	--	--	Peak																																																																																																																																																																																																																					
2	133.79	29.28	43.50	-14.22	41.93	17.69	2.03	32.42	0.05	--	--	--	Peak																																																																																																																																																																																																																					
3	180.35	29.09	43.50	-14.41	44.02	15.09	2.36	32.44	0.06	--	--	--	Peak																																																																																																																																																																																																																					
4	420.91	23.82	46.00	-22.18	30.11	22.63	3.61	32.60	0.07	--	--	--	Peak																																																																																																																																																																																																																					
5	725.49	28.63	46.00	-17.37	28.88	27.52	4.72	32.62	0.13	--	--	--	Peak																																																																																																																																																																																																																					
6	962.17	32.51	54.00	-21.49	26.74	31.23	5.43	31.10	0.21	--	--	--	Peak																																																																																																																																																																																																																					




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
7+6	802.11a	86.01	1734	0.58	620Hz
7+6	5GHz 802.11be EHT20 Full RU	86.01	3757	0.27	300Hz
7+6	5GHz 802.11be EHT20 106 RU	85.98	3900	0.26	300Hz
7+6	5GHz 802.11be EHT40 Full RU	85.97	1912	0.52	560Hz
7+6	5GHz 802.11be EHT40 242 RU	85.80	1740	0.57	620Hz
7+6	5GHz 802.11be EHT80 Full RU	85.53	946	1.06	1.1kHz
7+6	5GHz 802.11be80_484 RU	85.57	1328	0.75	1.1kHz
7+6	5GHz 802.11be EHT80_20M Puncture	85.35	909	1.10	1.2kHz
7+6	5GHz 802.11be EHT160 Full RU	85.41	562	1.78	1.8kHz
7+6	5GHz 802.11be EHT160_20M Puncture_CTL	99.73	5455	0.18	10Hz
7+6	5GHz 802.11be EHT160_40M Puncture	85.38	876	1.14	1.2kHz
7+6	5GHz 802.11be EHT160 996 RU	85.67	1255	0.80	820Hz
7+6	5GHz 802.11be EHT320 Full RU	85.59	570	1.75	1.8kHz
7+6	5GHz 802.11be EHT320 996*2 RU	85.62	1250	0.80	820Hz
7+6	5GHz 802.11be EHT320_40M Puncture	85.53	673.9	1.48	1.5kHz
7+6	5GHz 802.11be EHT320_80M Puncture	85.67	771	1.30	1.5kHz
7+6	5GHz 802.11be EHT320_80+40M Puncture	85.71	918	1.09	1.1kHz
7+6	5GHz 802.11be EHT320_80+40M Puncture_CTL	99.45	-	-	10Hz




MIMO <Ant. 7+6>









5GHz 802.11be EHT320 Full RU




5GHz 802.11be EHT320 996*2 RU




5GHz 802.11be EHT320_40M Puncture



5GHz 802.11be EHT320_80M Puncture



5GHz 802.11be EHT320_80+40M Puncture



5GHz 802.11be EHT320_80+40M Puncture_CTL

