




EUT Mode


802.11be EHT320 Puncture40 8

Plot on 6105 MHz




Date: 25.DEC.2025 21:26:22

Plot on 6265 MHz




Date: 25.DEC.2025 22:07:27

Plot on 6425 MHz



Date: 25.DEC.2025 22:40:03

Plot on 6585 MHz




Date: 25.DEC.2025 23:05:16



EUT Mode


802.11be EHT320 Puncture80 4

Plot on 6105 MHz




Date: 25.DEC.2025 21:32:26

Plot on 6265 MHz




Date: 25.DEC.2025 22:18:30

Plot on 6425 MHz



Date: 25.DEC.2025 22:49:28

Plot on 6585 MHz



Date: 25.DEC.2025 23:18:15




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	21.1~23.6°C
		Relative Humidity :	44.7~53.2%

EUT Information

Report NO : 5O3114
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.158000	---	33.26	55.57	22.31	L1	OFF	20.1
0.158000	45.60	---	65.57	19.97	L1	OFF	20.1
0.178000	---	29.74	54.58	24.84	L1	OFF	20.1
0.178000	41.05	---	64.58	23.53	L1	OFF	20.1
0.210000	---	30.26	53.21	22.95	L1	OFF	20.1
0.210000	40.90	---	63.21	22.31	L1	OFF	20.1
0.254000	---	7.97	51.63	43.66	L1	OFF	20.1
0.254000	18.66	---	61.63	42.97	L1	OFF	20.1
0.522000	---	17.04	46.00	28.96	L1	OFF	20.0
0.522000	26.64	---	56.00	29.36	L1	OFF	20.0
0.566000	---	34.61	46.00	11.39	L1	OFF	20.0
0.566000	38.95	---	56.00	17.05	L1	OFF	20.0
0.602000	---	22.90	46.00	23.10	L1	OFF	20.0
0.602000	29.75	---	56.00	26.25	L1	OFF	20.0
2.066000	---	20.74	46.00	25.26	L1	OFF	20.0
2.066000	28.92	---	56.00	27.08	L1	OFF	20.0
7.570000	---	10.87	50.00	39.13	L1	OFF	20.3
7.570000	17.97	---	60.00	42.03	L1	OFF	20.3
10.022000	---	25.14	50.00	24.86	L1	OFF	20.4

10.022000	32.66	---	60.00	27.34	L1	OFF	20.4
-----------	-------	-----	-------	-------	----	-----	------

EUT Information

Report NO : 5O3114
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.158000	---	33.09	55.57	22.48	N	OFF	20.1
0.158000	45.60	---	65.57	19.97	N	OFF	20.1
0.182000	---	32.87	54.39	21.52	N	OFF	20.1
0.182000	43.98	---	64.39	20.41	N	OFF	20.1
0.214000	---	30.11	53.05	22.94	N	OFF	20.1
0.214000	40.02	---	63.05	23.03	N	OFF	20.1
0.242000	---	22.87	52.03	29.16	N	OFF	20.1
0.242000	31.37	---	62.03	30.66	N	OFF	20.1
0.286000	---	23.39	50.64	27.25	N	OFF	20.0
0.286000	32.84	---	60.64	27.80	N	OFF	20.0
0.518000	---	7.12	46.00	38.88	N	OFF	20.0
0.518000	18.09	---	56.00	37.91	N	OFF	20.0
0.562000	---	27.49	46.00	18.51	N	OFF	20.0
0.562000	34.19	---	56.00	21.81	N	OFF	20.0
2.106000	---	25.03	46.00	20.97	N	OFF	20.0
2.106000	34.04	---	56.00	21.96	N	OFF	20.0
7.750000	---	22.22	50.00	27.78	N	OFF	20.3
7.750000	29.36	---	60.00	30.64	N	OFF	20.3
17.950000	---	24.32	50.00	25.68	N	OFF	20.8

17.950000	29.44	---	60.00	30.56	N	OFF	20.8
-----------	-------	-----	-------	-------	---	-----	------



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jack Cheng, Ray Lung and Sky Chang	Temperature :	21.1 ~ 25.7°C
		Relative Humidity :	55.8 ~ 63.2%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-5	5.925-6.425	7+6	802.11a	1	5955	6Mbps	-	-
Mode 68	U-NII-5	5.925-6.425	7+6	802.11a	49	6195	6Mbps	-	-
Mode 69	U-NII-5	5.925-6.425	7+6	802.11a	93	6415	6Mbps	-	-
Mode 70	U-NII-5	5.925-6.425	7+6	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 71	U-NII-5	5.925-6.425	7+6	802.11be EHT20	1	5955	MCS0	Partial RU 106/53	-
Mode 72	U-NII-5	5.925-6.425	7+6	802.11be EHT20	49	6195	MCS0	-	-
Mode 73	U-NII-5	5.925-6.425	7+6	802.11be EHT20	93	6415	MCS0	-	-
Mode 74	U-NII-5	5.925-6.425	7+6	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 75	U-NII-5	5.925-6.425	7+6	802.11be EHT40	3	5965	MCS0	Partial RU 242/61	-
Mode 76	U-NII-5	5.925-6.425	7+6	802.11be EHT40	51	6205	MCS0	-	-
Mode 77	U-NII-5	5.925-6.425	7+6	802.11be EHT40	91	6405	MCS0	-	-

**FCC RADIO TEST REPORT**

Report No. : FR503114G

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 78	U-NII-5	5.925-6.425	7+6	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 79	U-NII-5	5.925-6.425	7+6	802.11be EHT80	7	5985	MCS0	Partial RU 484/65	-
Mode 80	U-NII-5	5.925-6.425	7+6	802.11be EHT80	55	6225	MCS0	-	-
Mode 81	U-NII-5	5.925-6.425	7+6	802.11be EHT80	87	6385	MCS0	-	-
Mode 82	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 83	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Partial RU 996/67	-
Mode 84	U-NII-5	5.925-6.425	7+6	802.11be EHT160	47	6185	MCS0	-	-
Mode 85	U-NII-5	5.925-6.425	7+6	802.11be EHT160	79	6345	MCS0	-	-
Mode 97	U-NII-7	6.525-6.875	7+6	802.11a	117	6535	6Mbps	-	-
Mode 98	U-NII-7	6.525-6.875	7+6	802.11a	149	6695	6Mbps	-	-
Mode 99	U-NII-7	6.525-6.875	7+6	802.11a	185	6875	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 100	U-NII-7	6.525-6.875	7+6	802.11be EHT20	117	6535	MCS0	-	-
Mode 101	U-NII-7	6.525-6.875	7+6	802.11be EHT20	149	6695	MCS0	-	-
Mode 102	U-NII-7	6.525-6.875	7+6	802.11be EHT20	185	6875	MCS0	-	-
Mode 103	U-NII-7	6.525-6.875	7+6	802.11be EHT40	123	6565	MCS0	-	-
Mode 104	U-NII-7	6.525-6.875	7+6	802.11be EHT40	147	6685	MCS0	-	-
Mode 105	U-NII-7	6.525-6.875	7+6	802.11be EHT40	187	6885	MCS0	-	-
Mode 106	U-NII-7	6.525-6.875	7+6	802.11be EHT80	135	6625	MCS0	-	-
Mode 107	U-NII-7	6.525-6.875	7+6	802.11be EHT80	151	6705	MCS0	-	-
Mode 108	U-NII-7	6.525-6.875	7+6	802.11be EHT80	183	6865	MCS0	-	-
Mode 109	U-NII-7	6.525-6.875	7+6	802.11be EHT160	143	6665	MCS0	-	-
Mode 110	U-NII-7	6.525-6.875	7+6	802.11be EHT160	175	6825	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 127	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 128	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Partial RU 996*2/67	-
Mode 129	U-NII-5	5.925-6.425	7+6	802.11be EHT320	95	6425	MCS0	-	-
Mode 130	U-NII-7	6.525-6.875	7+6	802.11be EHT320	159	6745	MCS0	-	-
Mode 131	U-NII-5	5.925-6.425	7+6	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 132	U-NII-5	5.925-6.425	7+6	802.11be EHT320	63	6265	MCS0	Partial RU 996*2/67	-
Mode 133	U-NII-7	6.525-6.875	7+6	802.11be EHT320	127	6585	MCS0	-	-
Mode 149	U-NII-5	5.925-6.425	7+6	802.11be EHT80	7	5985	MCS0	Test 20MHz Channel Puncture Location 4	-
Mode 151	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Test 20MHz Channel Puncture Location 8	-
Mode 153	U-NII-5	5.925-6.425	7+6	802.11be EHT160	15	6025	MCS0	Test 40MHz Channel Puncture Location 4	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 155	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Test 40MHz Channel Puncture Location 8	-
Mode 156	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Test 80MHz Channel Puncture Location 4	-
Mode 157	U-NII-5	5.925-6.425	7+6	802.11be EHT320	31	6105	MCS0	Test 80+40MHz Channel Puncture Location 6	-
Mode 168	U-NII-5	5.925-6.425	7+6	802.11be EHT40	3	5965	MCS0	Partial RU 242/61	LF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
67	802.11a	1	5924.97	65.53	68.20	-2.67	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	46.58	54.00	-7.42	H	Avg.	Pass	-	Harmonic
68	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	44.13	54.00	-9.87	H	Avg.	Pass	-	Harmonic
69	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	55.32	88.20	-32.88	H	Peak	Pass	-	Harmonic
70	802.11be EHT20	1	5924.97	66.43	68.20	-1.77	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	46.75	54.00	-7.25	V	Avg.	Pass	Full RU	Harmonic
71	802.11be EHT20	1	5924.97	60.88	68.20	-7.32	H	Avg.	Pass	Partial RU 106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
72	802.11be EHT20	49	-	-	-	-	-	-	-	-	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
72	802.11be EHT20	49	12390.00	44.07	54.00	-9.93	V	Avg.	Pass	-	Harmonic
73	802.11be EHT20	93	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	93	12830.00	54.70	88.20	-33.50	H	Peak	Pass	-	Harmonic
74	802.11be EHT40	3	5924.96	65.30	68.20	-2.90	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	46.53	54.00	-7.47	H	Avg.	Pass	Full RU	Harmonic
75	802.11be EHT40	3	5920.20	66.92	68.20	-1.28	H	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11be EHT40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
76	802.11be EHT40	51	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	51	12410.00	44.10	54.00	-9.90	V	Avg.	Pass	-	Harmonic
77	802.11be EHT40	91	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	91	12810.00	55.41	88.20	-32.79	H	Peak	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
78	802.11be EHT80	7	5909.48	64.08	68.20	-4.12	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	11970.00	44.07	54.00	-9.93	H	Avg.	Pass	Full RU	Harmonic
79	802.11be EHT80	7	5924.36	65.17	68.20	-3.03	H	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
80	802.11be EHT80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	55	12450.00	44.14	54.00	-9.86	H	Avg.	Pass	-	Harmonic
81	802.11be EHT80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	87	12770.00	54.89	88.20	-33.31	H	Peak	Pass	-	Harmonic
82	802.11be EHT160	15	5886.40	63.29	68.20	-4.91	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	43.96	54.00	-10.04	H	Avg.	Pass	Full RU	Harmonic
83	802.11be EHT160	15	5901.40	65.86	68.20	-2.34	V	Avg.	Pass	Partial RU 996/67	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
83	802.11be EHT160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
84	802.11be EHT160	47	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	47	12370.00	44.61	54.00	-9.39	V	Avg.	Pass	-	Harmonic
85	802.11be EHT160	79	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	79	12690.00	45.44	54.00	-8.56	V	Avg.	Pass	-	Harmonic
97	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	50.36	68.20	-17.84	H	Avg.	Pass	-	Harmonic
98	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	49.81	54.00	-4.19	H	Avg.	Pass	-	Harmonic
99	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	20625.00	48.28	54.00	-5.72	H	Avg.	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
100	802.11be EHT20	117	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	117	13070.00	56.33	88.20	-31.87	H	Peak	Pass	-	Harmonic
101	802.11be EHT20	149	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	149	13390.00	48.60	54.00	-5.40	V	Avg.	Pass	-	Harmonic
102	802.11be EHT20	185	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	185	20625.00	46.59	54.00	-7.41	H	Avg.	Pass	-	Harmonic
103	802.11be EHT40	123	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	123	13130.00	55.51	88.20	-32.69	V	Peak	Pass	-	Harmonic
104	802.11be EHT40	147	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	147	13370.00	44.55	54.00	-9.45	V	Avg.	Pass	-	Harmonic
105	802.11be EHT40	187	-	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
105	802.11be EHT40	187	20655.00	43.59	54.00	-10.41	H	Avg.	Pass	-	Harmonic
106	802.11be EHT80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	135	13250.00	44.85	54.00	-9.15	H	Avg.	Pass	-	Harmonic
107	802.11be EHT80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	151	7255.80	44.37	54.00	-9.63	H	Avg.	Pass	-	Harmonic
108	802.11be EHT80	183	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	183	7277.40	48.88	54.00	-5.12	H	Avg.	Pass	-	Harmonic
109	802.11be EHT160	143	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	143	7252.20	50.03	54.00	-3.97	H	Avg.	Pass	-	Harmonic
110	802.11be EHT160	175	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	175	7250.40	50.37	54.00	-3.63	H	Avg.	Pass	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
127	802.11be EHT320	31	5851.04	65.20	68.20	-3.00	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	31	12210.00	44.15	54.00	-9.85	V	Avg.	Pass	Full RU	Harmonic
128	802.11be EHT320	31	5907.88	64.32	68.20	-3.88	H	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic
129	802.11be EHT320	95	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	95	12850.00	55.87	88.20	-32.33	H	Peak	Pass	-	Harmonic
130	802.11be EHT320	159	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	159	7273.80	49.87	54.00	-4.13	H	Avg.	Pass	-	Harmonic
131	802.11be EHT320	63	5891.00	65.07	68.20	-3.13	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	63	12530.00	45.25	54.00	-8.75	V	Avg.	Pass	Full RU	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
132	802.11be EHT320	63	5924.44	48.61	68.20	-19.59	H	Avg.	Pass	Partial RU 996*2/67	Band Edge
	802.11be EHT320	63	-	-	-	-	-	-	-	Partial RU 996*2/67	Harmonic
133	802.11be EHT320	127	-	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	127	7270.20	45.72	54.00	-8.28	H	Avg.	Pass	-	Harmonic
149	802.11be EHT80	7	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 4	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 4	Harmonic
151	802.11be EHT160	15	5905.40	62.72	68.20	-5.48	V	Avg.	Pass	Test 20MHz Channel Puncture Location 8	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Test 20MHz Channel Puncture Location 8	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
153	802.11be EHT160	15	5907.00	66.67	68.20	-1.53	H	Avg.	Pass	Test 40MHz Channel Puncture Location 4	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 4	Harmonic
155	802.11be EHT320	31	5888.84	64.26	68.20	-3.94	H	Avg.	Pass	Test 40MHz Channel Puncture Location 8	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Test 40MHz Channel Puncture Location 8	Harmonic
156	802.11be EHT320	31	5917.40	65.03	68.20	-3.17	H	Avg.	Pass	Test 80MHz Channel Puncture Location 4	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Test 80MHz Channel Puncture Location 4	Harmonic

**FCC RADIO TEST REPORT**

Report No. : FR5O3114G

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
157	802.11be EHT320	31	5910.96	63.43	68.20	-4.77	H	Avg.	Pass	Test 80+40MHz Channel Puncture Location 6	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Test 80+40MHz Channel Puncture Location 6	Harmonic
168	WLAN LF	3	47.46	30.39	40.00	-9.61	V	Peak	Pass	-	LF



Mode	67																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.45 76.17 88.20 -12.03 61.83 33.65 15.01 35.30 0.98 230 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5924.45 76.17 88.20 -12.03 61.83 33.65 15.01 35.30 0.98 230 360 Peak									Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 113.00 ----- 99.54 33.60 15.04 35.33 0.95 230 360 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5955.00 113.00 ----- 99.54 33.60 15.04 35.33 0.95 230 360 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5924.45 76.17 88.20 -12.03 61.83 33.65 15.01 35.30 0.98 230 360 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5955.00 113.00 ----- 99.54 33.60 15.04 35.33 0.95 230 360 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.97 65.53 68.20 -2.67 51.19 33.65 15.01 35.30 0.98 230 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5924.97 65.53 68.20 -2.67 51.19 33.65 15.01 35.30 0.98 230 360 Average									Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 107.38 ----- 93.13 33.60 15.06 35.34 0.93 230 360 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5955.00 107.38 ----- 93.13 33.60 15.06 35.34 0.93 230 360 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5924.97 65.53 68.20 -2.67 51.19 33.65 15.01 35.30 0.98 230 360 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5955.00 107.38 ----- 93.13 33.60 15.06 35.34 0.93 230 360 Average																																																																																		



Mode	67																																																																																																		
	Band Edge																																																																																																		
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz																																																																																																		
ANT	7+6																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.54</td><td>75.65</td><td>88.20</td><td>-12.55</td><td>61.31</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100 12 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.54	75.65	88.20	-12.55	61.31	33.65	15.01	35.30	0.98	100 12 Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.48</td><td>-----</td><td>-----</td><td>99.22</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>100 12 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.48	-----	-----	99.22	33.60	15.05	35.33	0.94	100 12 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.54	75.65	88.20	-12.55	61.31	33.65	15.01	35.30	0.98	100 12 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	113.48	-----	-----	99.22	33.60	15.05	35.33	0.94	100 12 Peak																																																																																									
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.71</td><td>64.59</td><td>68.20</td><td>-3.61</td><td>50.25</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100 12 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	64.59	68.20	-3.61	50.25	33.65	15.01	35.30	0.98	100 12 Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.50</td><td>-----</td><td>-----</td><td>92.24</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>100 12 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.50	-----	-----	92.24	33.60	15.05	35.33	0.94	100 12 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.71	64.59	68.20	-3.61	50.25	33.65	15.01	35.30	0.98	100 12 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	106.50	-----	-----	92.24	33.60	15.05	35.33	0.94	100 12 Average																																																																																									



		67										
Mode		Harmonic										
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz										
ANT		7+6										
Pol.		Horizontal										
Peak	Avg											





Mode	67	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	68																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12390.00</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>32.87</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Peak</td></tr><tr><td>2 12390.00</td><td>44.13</td><td>54.00</td><td>-9.87</td><td>23.00</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Average</td></tr><tr><td>3 18585.00</td><td>40.26</td><td>74.00</td><td>-33.74</td><td>50.06</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	54.00	74.00	-20.00	32.87	38.82	21.85	41.26	1.72	-- -- Peak	2 12390.00	44.13	54.00	-9.87	23.00	38.82	21.85	41.26	1.72	-- -- Average	3 18585.00	40.26	74.00	-33.74	50.06	38.17	25.19	63.62	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12390.00</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>32.70</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Peak</td></tr><tr><td>2 12390.00</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>22.76</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Average</td></tr><tr><td>3 18585.00</td><td>39.69</td><td>74.00</td><td>-34.31</td><td>49.49</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	53.83	74.00	-20.17	32.70	38.82	21.85	41.26	1.72	-- -- Peak	2 12390.00	43.89	54.00	-10.11	22.76	38.82	21.85	41.26	1.72	-- -- Average	3 18585.00	39.69	74.00	-34.31	49.49	38.17	25.19	63.62	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12390.00	54.00	74.00	-20.00	32.87	38.82	21.85	41.26	1.72	-- -- Peak																																																																																																																	
2 12390.00	44.13	54.00	-9.87	23.00	38.82	21.85	41.26	1.72	-- -- Average																																																																																																																	
3 18585.00	40.26	74.00	-33.74	50.06	38.17	25.19	63.62	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12390.00	53.83	74.00	-20.17	32.70	38.82	21.85	41.26	1.72	-- -- Peak																																																																																																																	
2 12390.00	43.89	54.00	-10.11	22.76	38.82	21.85	41.26	1.72	-- -- Average																																																																																																																	
3 18585.00	39.69	74.00	-34.31	49.49	38.17	25.19	63.62	-9.54	-- -- Peak																																																																																																																	



Mode	68	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	69																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>55.32</td><td>88.20</td><td>-32.88</td><td>32.87</td><td>39.92</td><td>22.26</td><td>41.49</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.08</td><td>74.00</td><td>-34.92</td><td>48.31</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	55.32	88.20	-32.88	32.87	39.92	22.26	41.49	1.76	--	Peak	2	19245.00	39.08	74.00	-34.92	48.31	38.10	25.62	63.41	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.93</td><td>88.20</td><td>-33.27</td><td>32.48</td><td>39.92</td><td>22.26</td><td>41.49</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.75</td><td>74.00</td><td>-34.25</td><td>48.98</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.93	88.20	-33.27	32.48	39.92	22.26	41.49	1.76	--	Peak	2	19245.00	39.75	74.00	-34.25	48.98	38.10	25.62	63.41	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	55.32	88.20	-32.88	32.87	39.92	22.26	41.49	1.76	--	Peak																																																																																																															
2	19245.00	39.08	74.00	-34.92	48.31	38.10	25.62	63.41	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	54.93	88.20	-33.27	32.48	39.92	22.26	41.49	1.76	--	Peak																																																																																																															
2	19245.00	39.75	74.00	-34.25	48.98	38.10	25.62	63.41	-9.54	--	Peak																																																																																																															



Mode	69	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	70																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.04</td><td>76.42</td><td>88.20</td><td>-11.78</td><td>62.00</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>241</td><td>360 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5924.04	76.42	88.20	-11.78	62.00	33.65	15.01	35.30	0.98	241	360 Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.42</td><td>-----</td><td>-----</td><td>102.16</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>241</td><td>360 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5955.00	116.42	-----	-----	102.16	33.60	15.04	35.33	0.95	241	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5924.04	76.42	88.20	-11.78	62.00	33.65	15.01	35.30	0.98	241	360 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5955.00	116.42	-----	-----	102.16	33.60	15.04	35.33	0.95	241	360 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>66.43</td><td>68.20</td><td>-1.77</td><td>52.09</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>241</td><td>360 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5924.97	66.43	68.20	-1.77	52.09	33.65	15.01	35.30	0.98	241	360 Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.66</td><td>-----</td><td>-----</td><td>92.40</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>241</td><td>360 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5955.00	106.66	-----	-----	92.40	33.60	15.04	35.33	0.95	241	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5924.97	66.43	68.20	-1.77	52.09	33.65	15.01	35.30	0.98	241	360 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5955.00	106.66	-----	-----	92.40	33.60	15.04	35.33	0.95	241	360 Average																																																																																							





Mode	70																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>76.83</td><td>88.20 -11.37</td><td>62.49</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100</td><td>11 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	76.83	88.20 -11.37	62.49	33.65	15.01	35.30	0.98	100	11 Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>112.71</td><td>-----</td><td>98.46</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>100</td><td>11 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	112.71	-----	98.46	33.60	15.06	35.34	0.93	100	11 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.97	76.83	88.20 -11.37	62.49	33.65	15.01	35.30	0.98	100	11 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	112.71	-----	98.46	33.60	15.06	35.34	0.93	100	11 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>65.69</td><td>68.20 -2.51</td><td>51.35</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100</td><td>11 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	65.69	68.20 -2.51	51.35	33.65	15.01	35.30	0.98	100	11 Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>105.77</td><td>-----</td><td>91.52</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>100</td><td>11 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	105.77	-----	91.52	33.60	15.06	35.34	0.93	100	11 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.97	65.69	68.20 -2.51	51.35	33.65	15.01	35.30	0.98	100	11 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	105.77	-----	91.52	33.60	15.06	35.34	0.93	100	11 Average																																																																																	



Mode	70																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-09 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>32.53</td><td>38.50</td><td>21.42</td><td>41.27</td><td>1.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>44.26</td><td>54.00</td><td>-9.74</td><td>23.93</td><td>38.50</td><td>21.42</td><td>41.27</td><td>1.68</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>34.13</td><td>40.19</td><td>26.60</td><td>47.50</td><td>1.96</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>25.46</td><td>40.19</td><td>26.60</td><td>47.50</td><td>1.96</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	52.86	74.00	-21.14	32.53	38.50	21.42	41.27	1.68	--	Peak	2	11910.00	44.26	54.00	-9.74	23.93	38.50	21.42	41.27	1.68	--	Average	3	17865.00	55.38	74.00	-18.62	34.13	40.19	26.60	47.50	1.96	--	Peak	4	17865.00	46.71	54.00	-7.29	25.46	40.19	26.60	47.50	1.96	--	Average	Level (dBuV/m) Date: 2025-12-09 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>32.48</td><td>38.50</td><td>21.42</td><td>41.27</td><td>1.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>23.31</td><td>38.50</td><td>21.42</td><td>41.27</td><td>1.68</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>35.49</td><td>40.19</td><td>26.60</td><td>47.50</td><td>1.96</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>25.50</td><td>40.19</td><td>26.60</td><td>47.50</td><td>1.96</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	52.81	74.00	-21.19	32.48	38.50	21.42	41.27	1.68	--	Peak	2	11910.00	43.64	54.00	-10.36	23.31	38.50	21.42	41.27	1.68	--	Average	3	17865.00	56.74	74.00	-17.26	35.49	40.19	26.60	47.50	1.96	--	Peak	4	17865.00	46.75	54.00	-7.25	25.50	40.19	26.60	47.50	1.96	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	52.86	74.00	-21.14	32.53	38.50	21.42	41.27	1.68	--	Peak																																																																																																																																																															
2	11910.00	44.26	54.00	-9.74	23.93	38.50	21.42	41.27	1.68	--	Average																																																																																																																																																															
3	17865.00	55.38	74.00	-18.62	34.13	40.19	26.60	47.50	1.96	--	Peak																																																																																																																																																															
4	17865.00	46.71	54.00	-7.29	25.46	40.19	26.60	47.50	1.96	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	52.81	74.00	-21.19	32.48	38.50	21.42	41.27	1.68	--	Peak																																																																																																																																																															
2	11910.00	43.64	54.00	-10.36	23.31	38.50	21.42	41.27	1.68	--	Average																																																																																																																																																															
3	17865.00	56.74	74.00	-17.26	35.49	40.19	26.60	47.50	1.96	--	Peak																																																																																																																																																															
4	17865.00	46.75	54.00	-7.25	25.50	40.19	26.60	47.50	1.96	--	Average																																																																																																																																																															



Mode	70	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-09  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-09  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	71																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																			
ANT	7+6																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.19</td><td>72.30</td><td>88.20</td><td>-15.90</td><td>57.96</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>228</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5924.19	72.30	88.20	-15.90	57.96	33.65	15.01	35.30	0.98	228	360	Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.50</td><td>-----</td><td>-----</td><td>103.24</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>228</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5955.00	117.50	-----	-----	103.24	33.60	15.04	35.33	0.95	228	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5924.19	72.30	88.20	-15.90	57.96	33.65	15.01	35.30	0.98	228	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	117.50	-----	-----	103.24	33.60	15.04	35.33	0.95	228	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>60.88</td><td>68.20</td><td>-7.32</td><td>46.54</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>228</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5924.97	60.88	68.20	-7.32	46.54	33.65	15.01	35.30	0.98	228	360	Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.75</td><td>-----</td><td>-----</td><td>94.49</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>228</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5955.00	108.75	-----	-----	94.49	33.60	15.04	35.33	0.95	228	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	60.88	68.20	-7.32	46.54	33.65	15.01	35.30	0.98	228	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	108.75	-----	-----	94.49	33.60	15.04	35.33	0.95	228	360	Average																																																																																								



Mode	71																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU 106/53_5955MHz																																																																																																
ANT	7+6																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.19</td><td>72.43</td><td>88.20</td><td>-15.77</td><td>58.09</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>101</td><td>23 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	72.43	88.20	-15.77	58.09	33.65	15.01	35.30	0.98	101	23 Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.51</td><td>-----</td><td>-----</td><td>97.25</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>101</td><td>23 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.51	-----	-----	97.25	33.60	15.04	35.33	0.95	101	23 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.19	72.43	88.20	-15.77	58.09	33.65	15.01	35.30	0.98	101	23 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	111.51	-----	-----	97.25	33.60	15.04	35.33	0.95	101	23 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>59.35</td><td>68.20</td><td>-8.85</td><td>45.01</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>101</td><td>23 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	59.35	68.20	-8.85	45.01	33.65	15.01	35.30	0.98	101	23 Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.68</td><td>-----</td><td>-----</td><td>89.42</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>101</td><td>23 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.68	-----	-----	89.42	33.60	15.04	35.33	0.95	101	23 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.84	59.35	68.20	-8.85	45.01	33.65	15.01	35.30	0.98	101	23 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	103.68	-----	-----	89.42	33.60	15.04	35.33	0.95	101	23 Average																																																																																						



Mode	72																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-09 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12390.00</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>32.50</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Peak</td></tr><tr><td>2 12390.00</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>22.78</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Average</td></tr><tr><td>3 18585.00</td><td>40.26</td><td>74.00</td><td>-33.74</td><td>50.06</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	53.63	74.00	-20.37	32.50	38.82	21.85	41.26	1.72	-- -- Peak	2 12390.00	43.91	54.00	-10.09	22.78	38.82	21.85	41.26	1.72	-- -- Average	3 18585.00	40.26	74.00	-33.74	50.06	38.17	25.19	63.62	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-09 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12390.00</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>32.34</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Peak</td></tr><tr><td>2 12390.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>22.94</td><td>38.82</td><td>21.85</td><td>41.26</td><td>1.72</td><td>-- -- Average</td></tr><tr><td>3 18585.00</td><td>39.76</td><td>74.00</td><td>-34.24</td><td>49.56</td><td>38.17</td><td>25.19</td><td>63.62</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	53.47	74.00	-20.53	32.34	38.82	21.85	41.26	1.72	-- -- Peak	2 12390.00	44.07	54.00	-9.93	22.94	38.82	21.85	41.26	1.72	-- -- Average	3 18585.00	39.76	74.00	-34.24	49.56	38.17	25.19	63.62	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12390.00	53.63	74.00	-20.37	32.50	38.82	21.85	41.26	1.72	-- -- Peak																																																																																																																	
2 12390.00	43.91	54.00	-10.09	22.78	38.82	21.85	41.26	1.72	-- -- Average																																																																																																																	
3 18585.00	40.26	74.00	-33.74	50.06	38.17	25.19	63.62	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12390.00	53.47	74.00	-20.53	32.34	38.82	21.85	41.26	1.72	-- -- Peak																																																																																																																	
2 12390.00	44.07	54.00	-9.93	22.94	38.82	21.85	41.26	1.72	-- -- Average																																																																																																																	
3 18585.00	39.76	74.00	-34.24	49.56	38.17	25.19	63.62	-9.54	-- -- Peak																																																																																																																	



Mode	72	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-09 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-09 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



	73																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-09 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.70</td><td>88.20</td><td>-33.50</td><td>32.25</td><td>39.92</td><td>22.26</td><td>41.49</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>48.81</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.70	88.20	-33.50	32.25	39.92	22.26	41.49	1.76	--	Peak	2	19245.00	39.58	74.00	-34.42	48.81	38.10	25.62	63.41	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-09 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.55</td><td>88.20</td><td>-33.65</td><td>32.10</td><td>39.92</td><td>22.26</td><td>41.49</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>48.90</td><td>38.10</td><td>25.62</td><td>63.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.55	88.20	-33.65	32.10	39.92	22.26	41.49	1.76	--	Peak	2	19245.00	39.67	74.00	-34.33	48.90	38.10	25.62	63.41	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	54.70	88.20	-33.50	32.25	39.92	22.26	41.49	1.76	--	Peak																																																																																																															
2	19245.00	39.58	74.00	-34.42	48.81	38.10	25.62	63.41	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	54.55	88.20	-33.65	32.10	39.92	22.26	41.49	1.76	--	Peak																																																																																																															
2	19245.00	39.67	74.00	-34.33	48.90	38.10	25.62	63.41	-9.54	--	Peak																																																																																																															



Mode	73	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-09 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-09 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	74																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5923.70</td><td>74.00</td><td>88.20</td><td>-14.20</td><td>59.66</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>123</td><td>0</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	5923.70	74.00	88.20	-14.20	59.66	33.65	15.01	35.30	0.98	123	0	Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5965.00</td><td>109.97</td><td>-----</td><td>-----</td><td>95.71</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>123</td><td>0</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	5965.00	109.97	-----	-----	95.71	33.60	15.04	35.33	0.95	123	0	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	5923.70	74.00	88.20	-14.20	59.66	33.65	15.01	35.30	0.98	123	0	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	5965.00	109.97	-----	-----	95.71	33.60	15.04	35.33	0.95	123	0	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5920.90</td><td>62.79</td><td>68.20</td><td>-5.41</td><td>48.44</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.98</td><td>123</td><td>0</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	5920.90	62.79	68.20	-5.41	48.44	33.66	15.00	35.29	0.98	123	0	Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5965.00</td><td>102.34</td><td>-----</td><td>-----</td><td>88.10</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>123</td><td>0</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1	5965.00	102.34	-----	-----	88.10	33.60	15.07	35.35	0.92	123	0	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	5920.90	62.79	68.20	-5.41	48.44	33.66	15.00	35.29	0.98	123	0	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																										
1	5965.00	102.34	-----	-----	88.10	33.60	15.07	35.35	0.92	123	0	Average																																																																														



		74																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																					
ANT	7+6																																																																																																					
Pol.	Vertical																																																																																																					
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.88</td><td>78.06</td><td>88.20 -10.14</td><td>63.71</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.98</td><td>100</td><td>14 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.88	78.06	88.20 -10.14	63.71	33.66	15.00	35.29	0.98	100	14 Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>109.99</td><td>-----</td><td>95.75</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>100</td><td>14 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	109.99	-----	95.75	33.60	15.07	35.35	0.92	100	14 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5921.88	78.06	88.20 -10.14	63.71	33.66	15.00	35.29	0.98	100	14 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5965.00	109.99	-----	95.75	33.60	15.07	35.35	0.92	100	14 Peak																																																																																													
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>65.30</td><td>68.20 -2.90</td><td>50.96</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100</td><td>14 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	65.30	68.20 -2.90	50.96	33.65	15.01	35.30	0.98	100	14 Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>101.52</td><td>-----</td><td>87.29</td><td>33.60</td><td>15.08</td><td>35.36</td><td>0.91</td><td>100</td><td>14 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	101.52	-----	87.29	33.60	15.08	35.36	0.91	100	14 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5924.96	65.30	68.20 -2.90	50.96	33.65	15.01	35.30	0.98	100	14 Average																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5965.00	101.52	-----	87.29	33.60	15.08	35.36	0.91	100	14 Average																																																																																													



	74										
Mode	Harmonic										
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz										
ANT	7+6										
Pol.	Horizontal						Vertical				
Peak Avg	<										



Mode	74	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	75																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																																																
ANT	7+6																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.04</td><td>79.44</td><td>88.20</td><td>-8.76</td><td>65.08</td><td>33.67</td><td>14.99</td><td>35.29</td><td>0.99</td><td>237</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.04	79.44	88.20	-8.76	65.08	33.67	14.99	35.29	0.99	237	0 Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.48</td><td>-----</td><td>-----</td><td>99.23</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>237</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.48	-----	-----	99.23	33.60	15.06	35.34	0.93	237	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5914.04	79.44	88.20	-8.76	65.08	33.67	14.99	35.29	0.99	237	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	113.48	-----	-----	99.23	33.60	15.06	35.34	0.93	237	0 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.20</td><td>66.92</td><td>68.20</td><td>-1.28</td><td>52.56</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.99</td><td>237</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.20	66.92	68.20	-1.28	52.56	33.66	15.00	35.29	0.99	237	0 Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.06</td><td>-----</td><td>-----</td><td>90.81</td><td>33.60</td><td>15.06</td><td>35.34</td><td>0.93</td><td>237</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.06	-----	-----	90.81	33.60	15.06	35.34	0.93	237	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5920.20	66.92	68.20	-1.28	52.56	33.66	15.00	35.29	0.99	237	0 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	105.06	-----	-----	90.81	33.60	15.06	35.34	0.93	237	0 Average																																																																																						





Mode	75																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Partial RU 242/61_5965MHz																																																																									
ANT	7+6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5907.60 78.51 88.20 -9.69</td><td>64.13</td><td>33.60</td><td>14.98</td><td>35.28</td><td>1.00</td><td>100</td><td>22</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5907.60 78.51 88.20 -9.69	64.13	33.60	14.98	35.28	1.00	100	22	Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5965.00 113.20 -----</td><td>98.94</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>100</td><td>22</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5965.00 113.20 -----	98.94	33.60	15.05	35.33	0.94	100	22	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5907.60 78.51 88.20 -9.69	64.13	33.60	14.98	35.28	1.00	100	22	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5965.00 113.20 -----	98.94	33.60	15.05	35.33	0.94	100	22	Peak																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5923.56 66.60 68.20 -1.60</td><td>52.26</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100</td><td>22</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5923.56 66.60 68.20 -1.60	52.26	33.65	15.01	35.30	0.98	100	22	Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5965.00 103.93 -----</td><td>89.67</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>100</td><td>22</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5965.00 103.93 -----	89.67	33.60	15.04	35.33	0.95	100	22	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5923.56 66.60 68.20 -1.60	52.26	33.65	15.01	35.30	0.98	100	22	Average																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5965.00 103.93 -----	89.67	33.60	15.04	35.33	0.95	100	22	Average																																																																		



Mode	76																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz																																																																																																																																							
ANT	7+6																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>32.82</td><td>38.84</td><td>21.87</td><td>41.26</td><td>1.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12410.00</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>22.86</td><td>38.84</td><td>21.87</td><td>41.26</td><td>1.72</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 18615.00</td><td>40.26</td><td>74.00</td><td>-33.74</td><td>50.01</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12410.00	53.99	74.00	-20.01	32.82	38.84	21.87	41.26	1.72	--	--	Peak	2 12410.00	44.03	54.00	-9.97	22.86	38.84	21.87	41.26	1.72	--	--	Average	3 18615.00	40.26	74.00	-33.74	50.01	38.20	25.21	63.62	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>53.94</td><td>74.00</td><td>-20.06</td><td>32.77</td><td>38.84</td><td>21.87</td><td>41.26</td><td>1.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12410.00</td><td>44.10</td><td>54.00</td><td>-9.90</td><td>22.93</td><td>38.84</td><td>21.87</td><td>41.26</td><td>1.72</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 18615.00</td><td>39.73</td><td>74.00</td><td>-34.27</td><td>49.48</td><td>38.20</td><td>25.21</td><td>63.62</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12410.00	53.94	74.00	-20.06	32.77	38.84	21.87	41.26	1.72	--	--	Peak	2 12410.00	44.10	54.00	-9.90	22.93	38.84	21.87	41.26	1.72	--	--	Average	3 18615.00	39.73	74.00	-34.27	49.48	38.20	25.21	63.62	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12410.00	53.99	74.00	-20.01	32.82	38.84	21.87	41.26	1.72	--	--	Peak																																																																																																																													
2 12410.00	44.03	54.00	-9.97	22.86	38.84	21.87	41.26	1.72	--	--	Average																																																																																																																													
3 18615.00	40.26	74.00	-33.74	50.01	38.20	25.21	63.62	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12410.00	53.94	74.00	-20.06	32.77	38.84	21.87	41.26	1.72	--	--	Peak																																																																																																																													
2 12410.00	44.10	54.00	-9.90	22.93	38.84	21.87	41.26	1.72	--	--	Average																																																																																																																													
3 18615.00	39.73	74.00	-34.27	49.48	38.20	25.21	63.62	-9.54	--	--	Peak																																																																																																																													



Mode	76	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_6205MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	77																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>55.41</td><td>88.20</td><td>-32.79</td><td>33.05</td><td>39.84</td><td>22.24</td><td>41.47</td><td>1.75</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.78</td><td>74.00</td><td>-34.22</td><td>49.05</td><td>38.10</td><td>25.61</td><td>63.44</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	55.41	88.20	-32.79	33.05	39.84	22.24	41.47	1.75	--	Peak	2	19215.00	39.78	74.00	-34.22	49.05	38.10	25.61	63.44	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>54.78</td><td>88.20</td><td>-33.42</td><td>32.42</td><td>39.84</td><td>22.24</td><td>41.47</td><td>1.75</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>49.09</td><td>38.10</td><td>25.61</td><td>63.44</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	54.78	88.20	-33.42	32.42	39.84	22.24	41.47	1.75	--	Peak	2	19215.00	39.82	74.00	-34.18	49.09	38.10	25.61	63.44	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12810.00	55.41	88.20	-32.79	33.05	39.84	22.24	41.47	1.75	--	Peak																																																																																																															
2	19215.00	39.78	74.00	-34.22	49.05	38.10	25.61	63.44	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12810.00	54.78	88.20	-33.42	32.42	39.84	22.24	41.47	1.75	--	Peak																																																																																																															
2	19215.00	39.82	74.00	-34.18	49.09	38.10	25.61	63.44	-9.54	--	Peak																																																																																																															



Mode	77	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	78																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>72.82</td><td>88.20 -15.38</td><td>58.48</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100</td><td>360 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5924.68	72.82	88.20 -15.38	58.48	33.65	15.01	35.30	0.98	100	360 Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>100.42</td><td>-----</td><td>94.18</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>100</td><td>360 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5985.00	100.42	-----	94.18	33.60	15.07	35.35	0.92	100	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5924.68	72.82	88.20 -15.38	58.48	33.65	15.01	35.30	0.98	100	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	100.42	-----	94.18	33.60	15.07	35.35	0.92	100	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5906.92</td><td>62.13</td><td>68.20 -6.07</td><td>47.74</td><td>33.69</td><td>14.98</td><td>35.28</td><td>1.00</td><td>100</td><td>360 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5906.92	62.13	68.20 -6.07	47.74	33.69	14.98	35.28	1.00	100	360 Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>99.93</td><td>-----</td><td>85.69</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>100</td><td>360 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 5985.00	99.93	-----	85.69	33.60	15.07	35.35	0.92	100	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5906.92	62.13	68.20 -6.07	47.74	33.69	14.98	35.28	1.00	100	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	99.93	-----	85.69	33.60	15.07	35.35	0.92	100	360 Average																																																																																	



Mode	78																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.36</td><td>73.28</td><td>88.20</td><td>-14.92</td><td>58.89</td><td>33.68</td><td>14.99</td><td>35.28</td><td>1.00</td><td>100</td><td>13 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.36	73.28	88.20	-14.92	58.89	33.68	14.99	35.28	1.00	100	13 Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>106.83</td><td>-----</td><td>-----</td><td>92.62</td><td>33.60</td><td>15.11</td><td>35.38</td><td>0.88</td><td>100</td><td>13 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	106.83	-----	-----	92.62	33.60	15.11	35.38	0.88	100	13 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5912.36	73.28	88.20	-14.92	58.89	33.68	14.99	35.28	1.00	100	13 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	106.83	-----	-----	92.62	33.60	15.11	35.38	0.88	100	13 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.48</td><td>64.08</td><td>68.20</td><td>-4.12</td><td>49.70</td><td>33.68</td><td>14.98</td><td>35.28</td><td>1.00</td><td>100</td><td>13 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.48	64.08	68.20	-4.12	49.70	33.68	14.98	35.28	1.00	100	13 Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>98.58</td><td>-----</td><td>-----</td><td>84.35</td><td>33.60</td><td>15.08</td><td>35.36</td><td>0.91</td><td>100</td><td>13 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	98.58	-----	-----	84.35	33.60	15.08	35.36	0.91	100	13 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5909.48	64.08	68.20	-4.12	49.70	33.68	14.98	35.28	1.00	100	13 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	98.58	-----	-----	84.35	33.60	15.08	35.36	0.91	100	13 Average																																																																																							



Mode	78																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>33.74</td><td>38.50</td><td>21.47</td><td>41.34</td><td>1.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>23.75</td><td>38.50</td><td>21.47</td><td>41.34</td><td>1.69</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	54.06	74.00	-19.94	33.74	38.50	21.47	41.34	1.69	--	Peak	2	11970.00	44.07	54.00	-9.93	23.75	38.50	21.47	41.34	1.69	--	Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>33.88</td><td>38.50</td><td>21.47</td><td>41.34</td><td>1.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>23.49</td><td>38.50</td><td>21.47</td><td>41.34</td><td>1.69</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	54.20	74.00	-19.80	33.88	38.50	21.47	41.34	1.69	--	Peak	2	11970.00	43.81	54.00	-10.19	23.49	38.50	21.47	41.34	1.69	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11970.00	54.06	74.00	-19.94	33.74	38.50	21.47	41.34	1.69	--	Peak																																																																																																															
2	11970.00	44.07	54.00	-9.93	23.75	38.50	21.47	41.34	1.69	--	Average																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11970.00	54.20	74.00	-19.80	33.88	38.50	21.47	41.34	1.69	--	Peak																																																																																																															
2	11970.00	43.81	54.00	-10.19	23.49	38.50	21.47	41.34	1.69	--	Average																																																																																																															







Mode	78	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	79																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																											
ANT	7+6																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.32</td><td>74.52</td><td>88.20 -13.68</td><td>60.17</td><td>33.66</td><td>15.00</td><td>35.29</td><td>0.98</td><td>400</td><td>15 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	74.52	88.20 -13.68	60.17	33.66	15.00	35.29	0.98	400	15 Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>111.12</td><td>-----</td><td>96.09</td><td>33.60</td><td>15.00</td><td>35.36</td><td>0.91</td><td>400</td><td>15 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	111.12	-----	96.09	33.60	15.00	35.36	0.91	400	15 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5921.32	74.52	88.20 -13.68	60.17	33.66	15.00	35.29	0.98	400	15 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	111.12	-----	96.09	33.60	15.00	35.36	0.91	400	15 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.36</td><td>65.17</td><td>68.20 -3.03</td><td>50.83</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>400</td><td>15 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	65.17	68.20 -3.03	50.83	33.65	15.01	35.30	0.98	400	15 Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.30</td><td>-----</td><td>88.04</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>400</td><td>15 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.30	-----	88.04	33.60	15.04	35.33	0.95	400	15 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.36	65.17	68.20 -3.03	50.83	33.65	15.01	35.30	0.98	400	15 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	102.30	-----	88.04	33.60	15.04	35.33	0.95	400	15 Average																																																																																		



Mode	79																																																																																																													
	Band Edge																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Partial RU 484/65_5985MHz																																																																																																													
ANT	7+6																																																																																																													
Pol.	Vertical																																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>73.75</td><td>88.20</td><td>-14.45</td><td>59.41</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100 18 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	73.75	88.20	-14.45	59.41	33.65	15.01	35.30	0.98	100 18 Peak	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>109.01</td><td>-----</td><td>-----</td><td>94.75</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>100 18 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.01	-----	-----	94.75	33.60	15.05	35.33	0.94	100 18 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5923.56	73.75	88.20	-14.45	59.41	33.65	15.01	35.30	0.98	100 18 Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5985.00	109.01	-----	-----	94.75	33.60	15.05	35.33	0.94	100 18 Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.52</td><td>64.29</td><td>68.20</td><td>-3.91</td><td>49.95</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100 18 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.52	64.29	68.20	-3.91	49.95	33.65	15.01	35.30	0.98	100 18 Average	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.91</td><td>-----</td><td>-----</td><td>86.65</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>100 18 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.91	-----	-----	86.65	33.60	15.04	35.33	0.95	100 18 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5924.52	64.29	68.20	-3.91	49.95	33.65	15.01	35.30	0.98	100 18 Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5985.00	100.91	-----	-----	86.65	33.60	15.04	35.33	0.95	100 18 Average																																																																																																				



Mode	80																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12450.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>32.80</td><td>39.00</td><td>21.91</td><td>41.24</td><td>1.73</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12450.00</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>22.74</td><td>39.00</td><td>21.91</td><td>41.24</td><td>1.73</td><td>--</td><td>-- Average</td></tr><tr><td>3 18675.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>49.87</td><td>38.20</td><td>25.25</td><td>63.63</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12450.00	54.20	74.00	-19.80	32.80	39.00	21.91	41.24	1.73	--	-- Peak	2 12450.00	44.14	54.00	-9.86	22.74	39.00	21.91	41.24	1.73	--	-- Average	3 18675.00	40.15	74.00	-33.85	49.87	38.20	25.25	63.63	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12450.00</td><td>54.21</td><td>74.00</td><td>-19.79</td><td>32.81</td><td>39.00</td><td>21.91</td><td>41.24</td><td>1.73</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12450.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>22.45</td><td>39.00</td><td>21.91</td><td>41.24</td><td>1.73</td><td>--</td><td>-- Average</td></tr><tr><td>3 18675.00</td><td>40.33</td><td>74.00</td><td>-33.67</td><td>50.05</td><td>38.20</td><td>25.25</td><td>63.63</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12450.00	54.21	74.00	-19.79	32.81	39.00	21.91	41.24	1.73	--	-- Peak	2 12450.00	43.85	54.00	-10.15	22.45	39.00	21.91	41.24	1.73	--	-- Average	3 18675.00	40.33	74.00	-33.67	50.05	38.20	25.25	63.63	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12450.00	54.20	74.00	-19.80	32.80	39.00	21.91	41.24	1.73	--	-- Peak																																																																																																																								
2 12450.00	44.14	54.00	-9.86	22.74	39.00	21.91	41.24	1.73	--	-- Average																																																																																																																								
3 18675.00	40.15	74.00	-33.85	49.87	38.20	25.25	63.63	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12450.00	54.21	74.00	-19.79	32.81	39.00	21.91	41.24	1.73	--	-- Peak																																																																																																																								
2 12450.00	43.85	54.00	-10.15	22.45	39.00	21.91	41.24	1.73	--	-- Average																																																																																																																								
3 18675.00	40.33	74.00	-33.67	50.05	38.20	25.25	63.63	-9.54	--	-- Peak																																																																																																																								



Mode	80	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_6225MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL







Mode	81																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.89</td><td>88.20</td><td>-33.31</td><td>32.58</td><td>39.80</td><td>22.20</td><td>41.44</td><td>1.75</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.75</td><td>74.00</td><td>-34.25</td><td>48.95</td><td>38.28</td><td>25.57</td><td>63.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.89	88.20	-33.31	32.58	39.80	22.20	41.44	1.75	--	Peak	2	19155.00	39.75	74.00	-34.25	48.95	38.28	25.57	63.51	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.78</td><td>88.20</td><td>-33.42</td><td>32.47</td><td>39.80</td><td>22.20</td><td>41.44</td><td>1.75</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>49.18</td><td>38.28</td><td>25.57</td><td>63.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.78	88.20	-33.42	32.47	39.80	22.20	41.44	1.75	--	Peak	2	19155.00	39.98	74.00	-34.02	49.18	38.28	25.57	63.51	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	54.89	88.20	-33.31	32.58	39.80	22.20	41.44	1.75	--	Peak																																																																																																															
2	19155.00	39.75	74.00	-34.25	48.95	38.28	25.57	63.51	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	54.78	88.20	-33.42	32.47	39.80	22.20	41.44	1.75	--	Peak																																																																																																															
2	19155.00	39.98	74.00	-34.02	49.18	38.28	25.57	63.51	-9.54	--	Peak																																																																																																															



Mode	81	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_6385MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	82																																																																																																															
	Band Edge																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																															
ANT	7+6																																																																																																															
Pol.	Horizontal																																																																																																															
Peak	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5894.60</td><td>75.14</td><td>88.20</td><td>-13.06</td><td>60.72</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.02</td><td>256</td><td>0 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5894.60	75.14	88.20	-13.06	60.72	33.70	14.96	35.26	1.02	256	0 Peak	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>102.17</td><td>-----</td><td>-----</td><td>87.88</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>256</td><td>0 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6025.00	102.17	-----	-----	87.88	33.66	15.14	35.40	0.89	256	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5894.60	75.14	88.20	-13.06	60.72	33.70	14.96	35.26	1.02	256	0 Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	6025.00	102.17	-----	-----	87.88	33.66	15.14	35.40	0.89	256	0 Peak																																																																																																					
Avg	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5886.40</td><td>63.29</td><td>68.20</td><td>-4.91</td><td>48.06</td><td>33.70</td><td>14.95</td><td>35.25</td><td>1.03</td><td>256</td><td>0 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5886.40	63.29	68.20	-4.91	48.06	33.70	14.95	35.25	1.03	256	0 Average	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>94.25</td><td>-----</td><td>-----</td><td>79.96</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>256</td><td>0 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6025.00	94.25	-----	-----	79.96	33.66	15.14	35.40	0.89	256	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5886.40	63.29	68.20	-4.91	48.06	33.70	14.95	35.25	1.03	256	0 Average																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	6025.00	94.25	-----	-----	79.96	33.66	15.14	35.40	0.89	256	0 Average																																																																																																					



	82																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5902.00 75.60 88.20 -12.60 61.19 33.70 14.97 35.27 1.01 100 12 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5902.00 75.60 88.20 -12.60 61.19 33.70 14.97 35.27 1.01 100 12 Peak									Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 102.37 ----- 88.16 33.60 15.11 35.38 0.88 100 12 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 102.37 ----- 88.16 33.60 15.11 35.38 0.88 100 12 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5902.00 75.60 88.20 -12.60 61.19 33.70 14.97 35.27 1.01 100 12 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6025.00 102.37 ----- 88.16 33.60 15.11 35.38 0.88 100 12 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5888.40 63.88 68.20 -5.12 48.65 33.70 14.95 35.25 1.03 100 12 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5888.40 63.88 68.20 -5.12 48.65 33.70 14.95 35.25 1.03 100 12 Average									Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 93.88 ----- 79.62 33.64 15.13 35.39 0.88 100 12 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 93.88 ----- 79.62 33.64 15.13 35.39 0.88 100 12 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5888.40 63.88 68.20 -5.12 48.65 33.70 14.95 35.25 1.03 100 12 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6025.00 93.88 ----- 79.62 33.64 15.13 35.39 0.88 100 12 Average																																																																																		



Mode	82																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																											
ANT	7+6																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>33.24</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12050.00</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>23.49</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 18075.00</td><td>39.24</td><td>74.00</td><td>-34.76</td><td>50.08</td><td>37.70</td><td>24.85</td><td>63.85</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12050.00	53.71	74.00	-20.29	33.24	38.60	21.55	41.37	1.69	--	--	--	Peak	2 12050.00	43.96	54.00	-10.04	23.49	38.60	21.55	41.37	1.69	--	--	--	Average	3 18075.00	39.24	74.00	-34.76	50.08	37.70	24.85	63.85	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>32.86</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12050.00</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>22.76</td><td>38.60</td><td>21.55</td><td>41.37</td><td>1.69</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 18075.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>49.96</td><td>37.70</td><td>24.85</td><td>63.85</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12050.00	53.33	74.00	-20.67	32.86	38.60	21.55	41.37	1.69	--	--	--	Peak	2 12050.00	43.23	54.00	-10.77	22.76	38.60	21.55	41.37	1.69	--	--	--	Average	3 18075.00	39.12	74.00	-34.88	49.96	37.70	24.85	63.85	-9.54	--	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1 12050.00	53.71	74.00	-20.29	33.24	38.60	21.55	41.37	1.69	--	--	--	Peak																																																																																																																																																
2 12050.00	43.96	54.00	-10.04	23.49	38.60	21.55	41.37	1.69	--	--	--	Average																																																																																																																																																
3 18075.00	39.24	74.00	-34.76	50.08	37.70	24.85	63.85	-9.54	--	--	--	Peak																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1 12050.00	53.33	74.00	-20.67	32.86	38.60	21.55	41.37	1.69	--	--	--	Peak																																																																																																																																																
2 12050.00	43.23	54.00	-10.77	22.76	38.60	21.55	41.37	1.69	--	--	--	Average																																																																																																																																																
3 18075.00	39.12	74.00	-34.88	49.96	37.70	24.85	63.85	-9.54	--	--	--	Peak																																																																																																																																																



Mode	82	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Frequency (MHz) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



	83																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5891.40</td><td>75.77</td><td>88.20 -12.43</td><td>61.34</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.03</td><td>100</td><td>6 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5891.40	75.77	88.20 -12.43	61.34	33.70	14.96	35.26	1.03	100	6 Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>100.01</td><td>-----</td><td>93.77</td><td>33.60</td><td>15.07</td><td>35.35</td><td>0.92</td><td>100</td><td>6 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	100.01	-----	93.77	33.60	15.07	35.35	0.92	100	6 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5891.40	75.77	88.20 -12.43	61.34	33.70	14.96	35.26	1.03	100	6 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	100.01	-----	93.77	33.60	15.07	35.35	0.92	100	6 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5913.00</td><td>65.36</td><td>68.20 -2.84</td><td>50.99</td><td>33.67</td><td>14.99</td><td>35.28</td><td>0.99</td><td>100</td><td>6 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5913.00	65.36	68.20 -2.84	50.99	33.67	14.99	35.28	0.99	100	6 Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>98.81</td><td>-----</td><td>84.60</td><td>33.61</td><td>15.12</td><td>35.39</td><td>0.87</td><td>100</td><td>6 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	98.81	-----	84.60	33.61	15.12	35.39	0.87	100	6 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5913.00	65.36	68.20 -2.84	50.99	33.67	14.99	35.28	0.99	100	6 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	98.81	-----	84.60	33.61	15.12	35.39	0.87	100	6 Average																																																																																	



Mode	83																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Partial RU 996/67_6025MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5907.40 76.68 88.20 -11.52 62.29 33.69 14.98 35.28 1.00 100 21 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5907.40 76.68 88.20 -11.52 62.29 33.69 14.98 35.28 1.00 100 21 Peak									Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 106.55 ----- 92.32 33.60 15.08 35.36 0.91 100 21 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 106.55 ----- 92.32 33.60 15.08 35.36 0.91 100 21 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5907.40 76.68 88.20 -11.52 62.29 33.69 14.98 35.28 1.00 100 21 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6025.00 106.55 ----- 92.32 33.60 15.08 35.36 0.91 100 21 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5901.40 65.86 68.20 -2.34 51.45 33.70 14.97 35.27 1.01 100 21 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5901.40 65.86 68.20 -2.34 51.45 33.70 14.97 35.27 1.01 100 21 Average									Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 97.81 ----- 83.55 33.64 15.13 35.39 0.88 100 21 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 97.81 ----- 83.55 33.64 15.13 35.39 0.88 100 21 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5901.40 65.86 68.20 -2.34 51.45 33.70 14.97 35.27 1.01 100 21 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6025.00 97.81 ----- 83.55 33.64 15.13 35.39 0.88 100 21 Average																																																																																		



Mode	84																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>33.32</td><td>38.86</td><td>21.84</td><td>41.27</td><td>1.72</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>22.84</td><td>38.86</td><td>21.84</td><td>41.27</td><td>1.72</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>40.00</td><td>74.00</td><td>-34.00</td><td>49.87</td><td>38.11</td><td>25.17</td><td>63.61</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	54.47	74.00	-19.53	33.32	38.86	21.84	41.27	1.72	-- -- Peak	2 12370.00	43.99	54.00	-10.01	22.84	38.86	21.84	41.27	1.72	-- -- Average	3 18555.00	40.00	74.00	-34.00	49.87	38.11	25.17	63.61	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>33.37</td><td>38.86</td><td>21.84</td><td>41.27</td><td>1.72</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>44.61</td><td>54.00</td><td>-9.39</td><td>23.46</td><td>38.86</td><td>21.84</td><td>41.27</td><td>1.72</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>50.77</td><td>38.11</td><td>25.17</td><td>63.61</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	54.52	74.00	-19.48	33.37	38.86	21.84	41.27	1.72	-- -- Peak	2 12370.00	44.61	54.00	-9.39	23.46	38.86	21.84	41.27	1.72	-- -- Average	3 18555.00	40.90	74.00	-33.10	50.77	38.11	25.17	63.61	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12370.00	54.47	74.00	-19.53	33.32	38.86	21.84	41.27	1.72	-- -- Peak																																																																																																																	
2 12370.00	43.99	54.00	-10.01	22.84	38.86	21.84	41.27	1.72	-- -- Average																																																																																																																	
3 18555.00	40.00	74.00	-34.00	49.87	38.11	25.17	63.61	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12370.00	54.52	74.00	-19.48	33.37	38.86	21.84	41.27	1.72	-- -- Peak																																																																																																																	
2 12370.00	44.61	54.00	-9.39	23.46	38.86	21.84	41.27	1.72	-- -- Average																																																																																																																	
3 18555.00	40.90	74.00	-33.10	50.77	38.11	25.17	63.61	-9.54	-- -- Peak																																																																																																																	



Mode	84	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_6185MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



	85																																																																																																																																	
Mode	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-12-12 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12690.00</td><td>55.52</td><td>74.00</td><td>-18.48</td><td>33.22</td><td>39.80</td><td>22.13</td><td>41.38</td><td>1.75</td><td>-- -- Peak</td></tr><tr><td>2 12690.00</td><td>45.42</td><td>54.00</td><td>-8.58</td><td>23.12</td><td>39.80</td><td>22.13</td><td>41.38</td><td>1.75</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>40.44</td><td>74.00</td><td>-33.56</td><td>49.05</td><td>38.30</td><td>25.49</td><td>63.66</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	55.52	74.00	-18.48	33.22	39.80	22.13	41.38	1.75	-- -- Peak	2 12690.00	45.42	54.00	-8.58	23.12	39.80	22.13	41.38	1.75	-- -- Average	3 19035.00	40.44	74.00	-33.56	49.05	38.30	25.49	63.66	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-12 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12690.00</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>33.27</td><td>39.80</td><td>22.13</td><td>41.38</td><td>1.75</td><td>-- -- Peak</td></tr><tr><td>2 12690.00</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>23.14</td><td>39.80</td><td>22.13</td><td>41.38</td><td>1.75</td><td>-- -- Average</td></tr><tr><td>3 19035.00</td><td>39.65</td><td>74.00</td><td>-34.35</td><td>49.06</td><td>38.30</td><td>25.49</td><td>63.66</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	55.57	74.00	-18.43	33.27	39.80	22.13	41.38	1.75	-- -- Peak	2 12690.00	45.44	54.00	-8.56	23.14	39.80	22.13	41.38	1.75	-- -- Average	3 19035.00	39.65	74.00	-34.35	49.06	38.30	25.49	63.66	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																									
1 12690.00	55.52	74.00	-18.48	33.22	39.80	22.13	41.38	1.75	-- -- Peak																																																																																																																									
2 12690.00	45.42	54.00	-8.58	23.12	39.80	22.13	41.38	1.75	-- -- Average																																																																																																																									
3 19035.00	40.44	74.00	-33.56	49.05	38.30	25.49	63.66	-9.54	-- -- Peak																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																									
1 12690.00	55.57	74.00	-18.43	33.27	39.80	22.13	41.38	1.75	-- -- Peak																																																																																																																									
2 12690.00	45.44	54.00	-8.56	23.14	39.80	22.13	41.38	1.75	-- -- Average																																																																																																																									
3 19035.00	39.65	74.00	-34.35	49.06	38.30	25.49	63.66	-9.54	-- -- Peak																																																																																																																									





Mode	85	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_6345MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-12 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-12 AVG(UNII_6E) Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





	97											
Mode	Harmonic											
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz											
ANT	7+6											
Pol.	Horizontal						Vertical					
Peak Avg	</											



Mode	97	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	98																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																																					
ANT	7+6																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>59.40</td><td>74.00</td><td>-14.60</td><td>37.40</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.00</td><td>203 25 Peak</td></tr><tr><td>2 13390.00</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>27.81</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.00</td><td>203 25 Average</td></tr><tr><td>3 20085.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.15</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>300 240 Peak</td></tr><tr><td>4 26780.00</td><td>47.60</td><td>88.20</td><td>-40.60</td><td>47.79</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	59.40	74.00	-14.60	37.40	40.00	22.78	42.66	1.00	203 25 Peak	2 13390.00	49.81	54.00	-4.19	27.81	40.00	22.78	42.66	1.00	203 25 Average	3 20085.00	46.03	74.00	-27.97	54.15	37.90	26.15	62.63	-9.54	300 240 Peak	4 26780.00	47.60	88.20	-40.60	47.79	40.10	30.42	61.17	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>59.57</td><td>74.00</td><td>-14.43</td><td>37.57</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.00</td><td>210 344 Peak</td></tr><tr><td>2 13390.00</td><td>49.50</td><td>54.00</td><td>-4.42</td><td>27.50</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.00</td><td>210 344 Average</td></tr><tr><td>3 20085.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>53.44</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>200 55 Peak</td></tr><tr><td>4 26780.00</td><td>41.28</td><td>88.20</td><td>-46.92</td><td>41.47</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	59.57	74.00	-14.43	37.57	40.08	22.78	42.66	1.00	210 344 Peak	2 13390.00	49.50	54.00	-4.42	27.50	40.08	22.78	42.66	1.00	210 344 Average	3 20085.00	45.32	74.00	-28.68	53.44	37.90	26.15	62.63	-9.54	200 55 Peak	4 26780.00	41.28	88.20	-46.92	41.47	40.10	30.42	61.17	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1 13390.00	59.40	74.00	-14.60	37.40	40.00	22.78	42.66	1.00	203 25 Peak																																																																																																																																													
2 13390.00	49.81	54.00	-4.19	27.81	40.00	22.78	42.66	1.00	203 25 Average																																																																																																																																													
3 20085.00	46.03	74.00	-27.97	54.15	37.90	26.15	62.63	-9.54	300 240 Peak																																																																																																																																													
4 26780.00	47.60	88.20	-40.60	47.79	40.10	30.42	61.17	-9.54	-- -- Peak																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1 13390.00	59.57	74.00	-14.43	37.57	40.08	22.78	42.66	1.00	210 344 Peak																																																																																																																																													
2 13390.00	49.50	54.00	-4.42	27.50	40.08	22.78	42.66	1.00	210 344 Average																																																																																																																																													
3 20085.00	45.32	74.00	-28.68	53.44	37.90	26.15	62.63	-9.54	200 55 Peak																																																																																																																																													
4 26780.00	41.28	88.20	-46.92	41.47	40.10	30.42	61.17	-9.54	-- -- Peak																																																																																																																																													



Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	99																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>55.82</td><td>88.20</td><td>-32.38</td><td>33.80</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>65.19</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>293 243 Peak</td></tr><tr><td>3 20625.00</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>55.17</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>293 243 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	55.82	88.20	-32.38	33.80	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	58.30	74.00	-15.70	65.19	37.95	26.48	61.78	-9.54	293 243 Peak	3 20625.00	48.28	54.00	-5.72	55.17	37.95	26.48	61.78	-9.54	293 243 Average	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>56.08</td><td>88.20</td><td>-32.12</td><td>34.06</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>61.71</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>172 235 Peak</td></tr><tr><td>3 20625.00</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>51.79</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>172 235 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	56.08	88.20	-32.12	34.06	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	54.82	74.00	-19.18	61.71	37.95	26.48	61.78	-9.54	172 235 Peak	3 20625.00	44.90	54.00	-9.10	51.79	37.95	26.48	61.78	-9.54	172 235 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	55.82	88.20	-32.38	33.80	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	58.30	74.00	-15.70	65.19	37.95	26.48	61.78	-9.54	293 243 Peak																																																																																																																	
3 20625.00	48.28	54.00	-5.72	55.17	37.95	26.48	61.78	-9.54	293 243 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	56.08	88.20	-32.12	34.06	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	54.82	74.00	-19.18	61.71	37.95	26.48	61.78	-9.54	172 235 Peak																																																																																																																	
3 20625.00	44.90	54.00	-9.10	51.79	37.95	26.48	61.78	-9.54	172 235 Average																																																																																																																	



Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





Mode	100																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz																																																																																																																											
ANT	7+6																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-12-10 PEAK(UNII)_6E AVG(UNII)_6E 720013760.20320268803344040000 Frequency (MHz) Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>56.33</td><td>88.20</td><td>-31.87</td><td>33.96</td><td>39.92</td><td>22.48</td><td>41.81</td><td>1.78</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>49.01</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	56.33	88.20	-31.87	33.96	39.92	22.48	41.81	1.78	--	Peak	2	19605.00	40.18	74.00	-33.82	49.01	37.90	25.85	63.04	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-10 PEAK(UNII)_6E AVG(UNII)_6E 720013760.20320268803344040000 Frequency (MHz) Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>33.20</td><td>39.92</td><td>22.48</td><td>41.81</td><td>1.78</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>40.00</td><td>74.00</td><td>-34.00</td><td>48.83</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	55.57	88.20	-32.63	33.20	39.92	22.48	41.81	1.78	--	Peak	2	19605.00	40.00	74.00	-34.00	48.83	37.90	25.85	63.04	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	13070.00	56.33	88.20	-31.87	33.96	39.92	22.48	41.81	1.78	--	Peak																																																																																																																	
2	19605.00	40.18	74.00	-33.82	49.01	37.90	25.85	63.04	-9.54	--	Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	13070.00	55.57	88.20	-32.63	33.20	39.92	22.48	41.81	1.78	--	Peak																																																																																																																	
2	19605.00	40.00	74.00	-34.00	48.83	37.90	25.85	63.04	-9.54	--	Peak																																																																																																																	



Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	101																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz																																																																																																																																																														
ANT	7+6																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>59.20</td><td>74.00</td><td>-14.80</td><td>37.20</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.80</td><td>215</td><td>46 Peak</td></tr><tr><td>2</td><td>13390.00</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>26.53</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.80</td><td>215</td><td>46 Average</td></tr><tr><td>3</td><td>20085.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>53.63</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>26780.00</td><td>45.63</td><td>88.20</td><td>-42.57</td><td>45.82</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table> Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>59.67</td><td>74.00</td><td>-14.33</td><td>37.67</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.80</td><td>204</td><td>339 Peak</td></tr><tr><td>2</td><td>13390.00</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>26.60</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.80</td><td>204</td><td>339 Average</td></tr><tr><td>3</td><td>20085.00</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>50.87</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>26780.00</td><td>40.98</td><td>88.20</td><td>-47.22</td><td>41.17</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	59.20	74.00	-14.80	37.20	40.08	22.78	42.66	1.80	215	46 Peak	2	13390.00	48.53	54.00	-5.47	26.53	40.08	22.78	42.66	1.80	215	46 Average	3	20085.00	45.51	74.00	-28.49	53.63	37.90	26.15	62.63	-9.54	--	-- Peak	4	26780.00	45.63	88.20	-42.57	45.82	40.10	30.42	61.17	-9.54	--	-- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	59.67	74.00	-14.33	37.67	40.08	22.78	42.66	1.80	204	339 Peak	2	13390.00	48.60	54.00	-5.40	26.60	40.08	22.78	42.66	1.80	204	339 Average	3	20085.00	42.75	74.00	-31.25	50.87	37.90	26.15	62.63	-9.54	--	-- Peak	4	26780.00	40.98	88.20	-47.22	41.17	40.10	30.42	61.17	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																					
1	13390.00	59.20	74.00	-14.80	37.20	40.08	22.78	42.66	1.80	215	46 Peak																																																																																																																																																				
2	13390.00	48.53	54.00	-5.47	26.53	40.08	22.78	42.66	1.80	215	46 Average																																																																																																																																																				
3	20085.00	45.51	74.00	-28.49	53.63	37.90	26.15	62.63	-9.54	--	-- Peak																																																																																																																																																				
4	26780.00	45.63	88.20	-42.57	45.82	40.10	30.42	61.17	-9.54	--	-- Peak																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																					
1	13390.00	59.67	74.00	-14.33	37.67	40.08	22.78	42.66	1.80	204	339 Peak																																																																																																																																																				
2	13390.00	48.60	54.00	-5.40	26.60	40.08	22.78	42.66	1.80	204	339 Average																																																																																																																																																				
3	20085.00	42.75	74.00	-31.25	50.87	37.90	26.15	62.63	-9.54	--	-- Peak																																																																																																																																																				
4	26780.00	40.98	88.20	-47.22	41.17	40.10	30.42	61.17	-9.54	--	-- Peak																																																																																																																																																				





Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





Mode	102																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>57.63</td><td>88.20</td><td>-30.57</td><td>35.61</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>57.51</td><td>74.00</td><td>-16.49</td><td>64.40</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>286 245 Peak</td></tr><tr><td>3 20625.00</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>53.48</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>286 245 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	57.63	88.20	-30.57	35.61	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	57.51	74.00	-16.49	64.40	37.95	26.48	61.78	-9.54	286 245 Peak	3 20625.00	46.59	54.00	-7.41	53.48	37.95	26.48	61.78	-9.54	286 245 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>56.68</td><td>88.20</td><td>-31.52</td><td>34.66</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>59.45</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>127 360 Peak</td></tr><tr><td>3 20625.00</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>49.70</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>127 360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	56.68	88.20	-31.52	34.66	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	52.56	74.00	-21.44	59.45	37.95	26.48	61.78	-9.54	127 360 Peak	3 20625.00	42.81	54.00	-11.19	49.70	37.95	26.48	61.78	-9.54	127 360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	57.63	88.20	-30.57	35.61	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	57.51	74.00	-16.49	64.40	37.95	26.48	61.78	-9.54	286 245 Peak																																																																																																																	
3 20625.00	46.59	54.00	-7.41	53.48	37.95	26.48	61.78	-9.54	286 245 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	56.68	88.20	-31.52	34.66	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	52.56	74.00	-21.44	59.45	37.95	26.48	61.78	-9.54	127 360 Peak																																																																																																																	
3 20625.00	42.81	54.00	-11.19	49.70	37.95	26.48	61.78	-9.54	127 360 Average																																																																																																																	



Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	103																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz																																																																																																																																											
ANT	7+6																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>55.24</td><td>88.20</td><td>-32.96</td><td>33.04</td><td>39.06</td><td>22.53</td><td>41.97</td><td>1.78</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>49.46</td><td>37.90</td><td>25.91</td><td>62.98</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13130.00	55.24	88.20	-32.96	33.04	39.06	22.53	41.97	1.78	--	--	Peak	2	19695.00	40.75	74.00	-33.25	49.46	37.90	25.91	62.98	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13130.00</td><td>55.51</td><td>88.20</td><td>-32.69</td><td>33.31</td><td>39.06</td><td>22.53</td><td>41.97</td><td>1.78</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>48.10</td><td>37.90</td><td>25.91</td><td>62.98</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13130.00	55.51	88.20	-32.69	33.31	39.06	22.53	41.97	1.78	--	--	Peak	2	19695.00	39.39	74.00	-34.61	48.10	37.90	25.91	62.98	-9.54	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	13130.00	55.24	88.20	-32.96	33.04	39.06	22.53	41.97	1.78	--	--	Peak																																																																																																																																
2	19695.00	40.75	74.00	-33.25	49.46	37.90	25.91	62.98	-9.54	--	--	Peak																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	13130.00	55.51	88.20	-32.69	33.31	39.06	22.53	41.97	1.78	--	--	Peak																																																																																																																																
2	19695.00	39.39	74.00	-34.61	48.10	37.90	25.91	62.98	-9.54	--	--	Peak																																																																																																																																



Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	104																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>32.64</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>Peak</td></tr><tr><td>2 13370.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>22.54</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>Average</td></tr><tr><td>3 20055.00</td><td>42.39</td><td>74.00</td><td>-31.61</td><td>50.59</td><td>37.90</td><td>26.13</td><td>62.69</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13370.00	54.65	74.00	-19.35	32.64	40.04	22.77	42.60	1.00	--	Peak	2 13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	Average	3 20055.00	42.39	74.00	-31.61	50.59	37.90	26.13	62.69	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>32.22</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>Peak</td></tr><tr><td>2 13370.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>22.54</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>Average</td></tr><tr><td>3 20055.00</td><td>43.04</td><td>74.00</td><td>-30.96</td><td>51.24</td><td>37.90</td><td>26.13</td><td>62.69</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13370.00	54.23	74.00	-19.77	32.22	40.04	22.77	42.60	1.00	--	Peak	2 13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	Average	3 20055.00	43.04	74.00	-30.96	51.24	37.90	26.13	62.69	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13370.00	54.65	74.00	-19.35	32.64	40.04	22.77	42.60	1.00	--	Peak																																																																																																																								
2 13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	Average																																																																																																																								
3 20055.00	42.39	74.00	-31.61	50.59	37.90	26.13	62.69	-9.54	--	Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13370.00	54.23	74.00	-19.77	32.22	40.04	22.77	42.60	1.00	--	Peak																																																																																																																								
2 13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	Average																																																																																																																								
3 20055.00	43.04	74.00	-30.96	51.24	37.90	26.13	62.69	-9.54	--	Peak																																																																																																																								



Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	105																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13770.00</td><td>56.09</td><td>88.20</td><td>-32.11</td><td>34.03</td><td>40.34</td><td>23.15</td><td>43.26</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20655.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>61.18</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>302 244 Peak</td></tr><tr><td>3 20655.00</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>50.48</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>302 244 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13770.00	56.09	88.20	-32.11	34.03	40.34	23.15	43.26	1.83	-- -- Peak	2 20655.00	54.29	74.00	-19.71	61.18	37.92	26.50	61.77	-9.54	302 244 Peak	3 20655.00	43.59	54.00	-10.41	50.48	37.92	26.50	61.77	-9.54	302 244 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13770.00</td><td>55.74</td><td>88.20</td><td>-32.46</td><td>33.68</td><td>40.34</td><td>23.15</td><td>43.26</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20655.00</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>56.69</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>173 235 Peak</td></tr><tr><td>3 20655.00</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>47.74</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>173 235 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13770.00	55.74	88.20	-32.46	33.68	40.34	23.15	43.26	1.83	-- -- Peak	2 20655.00	49.80	74.00	-24.20	56.69	37.92	26.50	61.77	-9.54	173 235 Peak	3 20655.00	40.85	54.00	-13.15	47.74	37.92	26.50	61.77	-9.54	173 235 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13770.00	56.09	88.20	-32.11	34.03	40.34	23.15	43.26	1.83	-- -- Peak																																																																																																																	
2 20655.00	54.29	74.00	-19.71	61.18	37.92	26.50	61.77	-9.54	302 244 Peak																																																																																																																	
3 20655.00	43.59	54.00	-10.41	50.48	37.92	26.50	61.77	-9.54	302 244 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13770.00	55.74	88.20	-32.46	33.68	40.34	23.15	43.26	1.83	-- -- Peak																																																																																																																	
2 20655.00	49.80	74.00	-24.20	56.69	37.92	26.50	61.77	-9.54	173 235 Peak																																																																																																																	
3 20655.00	40.85	54.00	-13.15	47.74	37.92	26.50	61.77	-9.54	173 235 Average																																																																																																																	



Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	106																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz																																																																																																																																	
ANT	7+6																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>32.74</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13250.00</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>22.69</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>--</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>40.44</td><td>74.00</td><td>-33.56</td><td>48.94</td><td>37.90</td><td>26.02</td><td>62.88</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13250.00	54.90	74.00	-19.10	32.74	40.00	22.65	42.28	1.79	--	-- Peak	2 13250.00	44.85	54.00	-9.15	22.69	40.00	22.65	42.28	1.79	--	-- Average	3 19875.00	40.44	74.00	-33.56	48.94	37.90	26.02	62.88	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>54.89</td><td>74.00</td><td>-19.11</td><td>32.73</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13250.00</td><td>44.50</td><td>54.00</td><td>-9.42</td><td>22.42</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>--</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>39.25</td><td>74.00</td><td>-34.75</td><td>47.75</td><td>37.90</td><td>26.02</td><td>62.88</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13250.00	54.89	74.00	-19.11	32.73	40.00	22.65	42.28	1.79	--	-- Peak	2 13250.00	44.50	54.00	-9.42	22.42	40.00	22.65	42.28	1.79	--	-- Average	3 19875.00	39.25	74.00	-34.75	47.75	37.90	26.02	62.88	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13250.00	54.90	74.00	-19.10	32.74	40.00	22.65	42.28	1.79	--	-- Peak																																																																																																																								
2 13250.00	44.85	54.00	-9.15	22.69	40.00	22.65	42.28	1.79	--	-- Average																																																																																																																								
3 19875.00	40.44	74.00	-33.56	48.94	37.90	26.02	62.88	-9.54	--	-- Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 13250.00	54.89	74.00	-19.11	32.73	40.00	22.65	42.28	1.79	--	-- Peak																																																																																																																								
2 13250.00	44.50	54.00	-9.42	22.42	40.00	22.65	42.28	1.79	--	-- Average																																																																																																																								
3 19875.00	39.25	74.00	-34.75	47.75	37.90	26.02	62.88	-9.54	--	-- Peak																																																																																																																								





Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



	107											
Mode	Harmonic											
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz											
ANT	7+6											
Pol.	Horizontal						Vertical					
Peak Avg	<											



Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	108																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_6865MHz																																																																																																																																																																	
ANT	7+6																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7277.40</td><td>60.84</td><td>74.00</td><td>-13.16</td><td>43.00</td><td>36.51</td><td>16.69</td><td>36.37</td><td>1.01</td><td>100 13 Peak</td></tr><tr><td>2 7277.40</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>31.04</td><td>36.51</td><td>16.69</td><td>36.37</td><td>1.01</td><td>100 13 Average</td></tr><tr><td>3 13730.00</td><td>55.00</td><td>88.20</td><td>-32.40</td><td>33.06</td><td>40.22</td><td>23.11</td><td>43.22</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>4 20595.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>58.20</td><td>38.00</td><td>26.46</td><td>61.78</td><td>-9.54</td><td>292 243 Peak</td></tr><tr><td>5 20595.00</td><td>41.36</td><td>54.00</td><td>-12.64</td><td>48.22</td><td>38.00</td><td>26.46</td><td>61.78</td><td>-9.54</td><td>292 243 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7277.40	60.84	74.00	-13.16	43.00	36.51	16.69	36.37	1.01	100 13 Peak	2 7277.40	48.88	54.00	-5.12	31.04	36.51	16.69	36.37	1.01	100 13 Average	3 13730.00	55.00	88.20	-32.40	33.06	40.22	23.11	43.22	1.83	-- -- Peak	4 20595.00	51.34	74.00	-22.66	58.20	38.00	26.46	61.78	-9.54	292 243 Peak	5 20595.00	41.36	54.00	-12.64	48.22	38.00	26.46	61.78	-9.54	292 243 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7261.20</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>41.26</td><td>36.44</td><td>16.67</td><td>36.36</td><td>1.03</td><td>100 338 Peak</td></tr><tr><td>2 7261.20</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>30.06</td><td>36.44</td><td>16.67</td><td>36.36</td><td>1.03</td><td>100 338 Average</td></tr><tr><td>3 13730.00</td><td>57.05</td><td>88.20</td><td>-31.15</td><td>35.11</td><td>40.22</td><td>23.11</td><td>43.22</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>4 20595.00</td><td>46.00</td><td>74.00</td><td>-27.20</td><td>53.66</td><td>38.00</td><td>26.46</td><td>61.78</td><td>-9.54</td><td>171 234 Peak</td></tr><tr><td>5 20595.00</td><td>38.13</td><td>54.00</td><td>-15.87</td><td>44.99</td><td>38.00</td><td>26.46</td><td>61.78</td><td>-9.54</td><td>171 234 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7261.20	59.04	74.00	-14.96	41.26	36.44	16.67	36.36	1.03	100 338 Peak	2 7261.20	47.84	54.00	-6.16	30.06	36.44	16.67	36.36	1.03	100 338 Average	3 13730.00	57.05	88.20	-31.15	35.11	40.22	23.11	43.22	1.83	-- -- Peak	4 20595.00	46.00	74.00	-27.20	53.66	38.00	26.46	61.78	-9.54	171 234 Peak	5 20595.00	38.13	54.00	-15.87	44.99	38.00	26.46	61.78	-9.54	171 234 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1 7277.40	60.84	74.00	-13.16	43.00	36.51	16.69	36.37	1.01	100 13 Peak																																																																																																																																																									
2 7277.40	48.88	54.00	-5.12	31.04	36.51	16.69	36.37	1.01	100 13 Average																																																																																																																																																									
3 13730.00	55.00	88.20	-32.40	33.06	40.22	23.11	43.22	1.83	-- -- Peak																																																																																																																																																									
4 20595.00	51.34	74.00	-22.66	58.20	38.00	26.46	61.78	-9.54	292 243 Peak																																																																																																																																																									
5 20595.00	41.36	54.00	-12.64	48.22	38.00	26.46	61.78	-9.54	292 243 Average																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1 7261.20	59.04	74.00	-14.96	41.26	36.44	16.67	36.36	1.03	100 338 Peak																																																																																																																																																									
2 7261.20	47.84	54.00	-6.16	30.06	36.44	16.67	36.36	1.03	100 338 Average																																																																																																																																																									
3 13730.00	57.05	88.20	-31.15	35.11	40.22	23.11	43.22	1.83	-- -- Peak																																																																																																																																																									
4 20595.00	46.00	74.00	-27.20	53.66	38.00	26.46	61.78	-9.54	171 234 Peak																																																																																																																																																									
5 20595.00	38.13	54.00	-15.87	44.99	38.00	26.46	61.78	-9.54	171 234 Average																																																																																																																																																									



Mode	108	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_6865MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	109																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_6665MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7252.20</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>43.04</td><td>36.41</td><td>16.66</td><td>36.36</td><td>1.04 100 19 Peak</td></tr><tr><td>2</td><td>7252.20</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>32.28</td><td>36.41</td><td>16.66</td><td>36.36</td><td>1.04 100 19 Average</td></tr><tr><td>3</td><td>13330.00</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>33.16</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Peak</td></tr><tr><td>4</td><td>13330.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>23.25</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Average</td></tr><tr><td>5</td><td>19995.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>48.09</td><td>37.99</td><td>26.10</td><td>62.80</td><td>-9.54 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7252.20	60.79	74.00	-13.21	43.04	36.41	16.66	36.36	1.04 100 19 Peak	2	7252.20	50.03	54.00	-3.97	32.28	36.41	16.66	36.36	1.04 100 19 Average	3	13330.00	55.19	74.00	-18.81	33.16	40.00	22.73	42.50	1.80 -- -- Peak	4	13330.00	45.28	54.00	-8.72	23.25	40.00	22.73	42.50	1.80 -- -- Average	5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7304.40</td><td>58.09</td><td>74.00</td><td>-15.11</td><td>40.95</td><td>36.63</td><td>16.72</td><td>36.38</td><td>0.97 100 340 Peak</td></tr><tr><td>2</td><td>7304.40</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>30.11</td><td>36.63</td><td>16.72</td><td>36.38</td><td>0.97 100 340 Average</td></tr><tr><td>3</td><td>13330.00</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>33.20</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Peak</td></tr><tr><td>4</td><td>13330.00</td><td>45.31</td><td>54.00</td><td>-8.69</td><td>23.28</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Average</td></tr><tr><td>5</td><td>19995.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>48.09</td><td>37.99</td><td>26.10</td><td>62.80</td><td>-9.54 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7304.40	58.09	74.00	-15.11	40.95	36.63	16.72	36.38	0.97 100 340 Peak	2	7304.40	48.05	54.00	-5.95	30.11	36.63	16.72	36.38	0.97 100 340 Average	3	13330.00	55.23	74.00	-18.77	33.20	40.00	22.73	42.50	1.80 -- -- Peak	4	13330.00	45.31	54.00	-8.69	23.28	40.00	22.73	42.50	1.80 -- -- Average	5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																	
1	7252.20	60.79	74.00	-13.21	43.04	36.41	16.66	36.36	1.04 100 19 Peak																																																																																																																																																																	
2	7252.20	50.03	54.00	-3.97	32.28	36.41	16.66	36.36	1.04 100 19 Average																																																																																																																																																																	
3	13330.00	55.19	74.00	-18.81	33.16	40.00	22.73	42.50	1.80 -- -- Peak																																																																																																																																																																	
4	13330.00	45.28	54.00	-8.72	23.25	40.00	22.73	42.50	1.80 -- -- Average																																																																																																																																																																	
5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																	
1	7304.40	58.09	74.00	-15.11	40.95	36.63	16.72	36.38	0.97 100 340 Peak																																																																																																																																																																	
2	7304.40	48.05	54.00	-5.95	30.11	36.63	16.72	36.38	0.97 100 340 Average																																																																																																																																																																	
3	13330.00	55.23	74.00	-18.77	33.20	40.00	22.73	42.50	1.80 -- -- Peak																																																																																																																																																																	
4	13330.00	45.31	54.00	-8.69	23.28	40.00	22.73	42.50	1.80 -- -- Average																																																																																																																																																																	
5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak																																																																																																																																																																	



Mode	109	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_6665MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	110																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_6825MHz																																																																																																																																													
ANT	7+6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7250.40</td><td>64.11</td><td>74.00</td><td>-9.89</td><td>46.38</td><td>36.40</td><td>16.65</td><td>36.36</td><td>1.04</td><td>100 19 Peak</td></tr><tr><td>2 7250.40</td><td>50.37</td><td>54.00</td><td>-3.63</td><td>32.64</td><td>36.40</td><td>16.65</td><td>36.36</td><td>1.04</td><td>100 19 Average</td></tr><tr><td>3 13650.00</td><td>56.23</td><td>88.20</td><td>-31.97</td><td>34.60</td><td>39.90</td><td>23.03</td><td>43.12</td><td>1.82</td><td>-- -- Peak</td></tr><tr><td>4 20475.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>47.70</td><td>37.95</td><td>26.39</td><td>61.85</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7250.40	64.11	74.00	-9.89	46.38	36.40	16.65	36.36	1.04	100 19 Peak	2 7250.40	50.37	54.00	-3.63	32.64	36.40	16.65	36.36	1.04	100 19 Average	3 13650.00	56.23	88.20	-31.97	34.60	39.90	23.03	43.12	1.82	-- -- Peak	4 20475.00	40.65	74.00	-33.35	47.70	37.95	26.39	61.85	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7257.60</td><td>61.03</td><td>74.00</td><td>-12.97</td><td>43.27</td><td>36.43</td><td>16.66</td><td>36.36</td><td>1.03</td><td>229 353 Peak</td></tr><tr><td>2 7257.60</td><td>47.64</td><td>54.00</td><td>-6.36</td><td>29.80</td><td>36.43</td><td>16.66</td><td>36.36</td><td>1.03</td><td>229 353 Average</td></tr><tr><td>3 13650.00</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>34.64</td><td>39.90</td><td>23.03</td><td>43.12</td><td>1.82</td><td>-- -- Peak</td></tr><tr><td>4 20475.00</td><td>41.07</td><td>74.00</td><td>-32.93</td><td>48.12</td><td>37.95</td><td>26.39</td><td>61.85</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7257.60	61.03	74.00	-12.97	43.27	36.43	16.66	36.36	1.03	229 353 Peak	2 7257.60	47.64	54.00	-6.36	29.80	36.43	16.66	36.36	1.03	229 353 Average	3 13650.00	56.27	88.20	-31.93	34.64	39.90	23.03	43.12	1.82	-- -- Peak	4 20475.00	41.07	74.00	-32.93	48.12	37.95	26.39	61.85	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 7250.40	64.11	74.00	-9.89	46.38	36.40	16.65	36.36	1.04	100 19 Peak																																																																																																																																					
2 7250.40	50.37	54.00	-3.63	32.64	36.40	16.65	36.36	1.04	100 19 Average																																																																																																																																					
3 13650.00	56.23	88.20	-31.97	34.60	39.90	23.03	43.12	1.82	-- -- Peak																																																																																																																																					
4 20475.00	40.65	74.00	-33.35	47.70	37.95	26.39	61.85	-9.54	-- -- Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 7257.60	61.03	74.00	-12.97	43.27	36.43	16.66	36.36	1.03	229 353 Peak																																																																																																																																					
2 7257.60	47.64	54.00	-6.36	29.80	36.43	16.66	36.36	1.03	229 353 Average																																																																																																																																					
3 13650.00	56.27	88.20	-31.93	34.64	39.90	23.03	43.12	1.82	-- -- Peak																																																																																																																																					
4 20475.00	41.07	74.00	-32.93	48.12	37.95	26.39	61.85	-9.54	-- -- Peak																																																																																																																																					



Mode	110	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_6825MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	127																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5857.48</td><td>73.76</td><td>88.20</td><td>-14.44</td><td>59.29</td><td>33.70</td><td>14.91</td><td>35.22</td><td>1.08</td><td>300</td><td>19</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	5857.48	73.76	88.20	-14.44	59.29	33.70	14.91	35.22	1.08	300	19	Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>6105.00</td><td>101.71</td><td>-----</td><td>-----</td><td>87.45</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>300</td><td>19</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	6105.00	101.71	-----	-----	87.45	33.60	15.04	35.33	0.95	300	19	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	5857.48	73.76	88.20	-14.44	59.29	33.70	14.91	35.22	1.08	300	19	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	6105.00	101.71	-----	-----	87.45	33.60	15.04	35.33	0.95	300	19	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5847.40</td><td>63.60</td><td>68.20</td><td>-4.60</td><td>49.11</td><td>33.71</td><td>14.89</td><td>35.20</td><td>1.09</td><td>300</td><td>19</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	5847.40	63.60	68.20	-4.60	49.11	33.71	14.89	35.20	1.09	300	19	Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>6105.00</td><td>91.43</td><td>-----</td><td>-----</td><td>77.17</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>300</td><td>19</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	6105.00	91.43	-----	-----	77.17	33.60	15.05	35.33	0.94	300	19	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	5847.40	63.60	68.20	-4.60	49.11	33.71	14.89	35.20	1.09	300	19	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	6105.00	91.43	-----	-----	77.17	33.60	15.05	35.33	0.94	300	19	Average																																																																														





Mode	127																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5857.76 74.56 88.20 -13.64 60.09 33.70 14.91 35.22 1.08 100 18</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5857.76 74.56 88.20 -13.64 60.09 33.70 14.91 35.22 1.08 100 18	Peak								Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 99.83 ----- 85.57 33.60 15.05 35.33 0.94 100 18</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 99.83 ----- 85.57 33.60 15.05 35.33 0.94 100 18	Peak							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5857.76 74.56 88.20 -13.64 60.09 33.70 14.91 35.22 1.08 100 18	Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 99.83 ----- 85.57 33.60 15.05 35.33 0.94 100 18	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5851.04 65.20 68.20 -3.00 50.72 33.70 14.90 35.21 1.09 100 18</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5851.04 65.20 68.20 -3.00 50.72 33.70 14.90 35.21 1.09 100 18	Average								Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 91.62 ----- 77.36 33.60 15.05 35.33 0.94 100 18</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 91.62 ----- 77.36 33.60 15.05 35.33 0.94 100 18	Average							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5851.04 65.20 68.20 -3.00 50.72 33.70 14.90 35.21 1.09 100 18	Average																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 91.62 ----- 77.36 33.60 15.05 35.33 0.94 100 18	Average																																																																																	







	127																																																																																																																																													
Mode	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																																																													
ANT	7+6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>34.06</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12210.00</td><td>44.13</td><td>54.00</td><td>-9.87</td><td>23.33</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18315.00</td><td>40.68</td><td>74.00</td><td>-33.32</td><td>50.99</td><td>37.93</td><td>25.01</td><td>63.71</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	54.86	74.00	-19.14	34.06	38.72	21.69	41.32	1.71	--	--	Peak	2	12210.00	44.13	54.00	-9.87	23.33	38.72	21.69	41.32	1.71	--	--	Average	3	18315.00	40.68	74.00	-33.32	50.99	37.93	25.01	63.71	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>33.69</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12210.00</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>23.35</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18315.00</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>51.97</td><td>37.93</td><td>25.01</td><td>63.71</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	54.49	74.00	-19.51	33.69	38.72	21.69	41.32	1.71	--	--	Peak	2	12210.00	44.15	54.00	-9.85	23.35	38.72	21.69	41.32	1.71	--	--	Average	3	18315.00	41.66	74.00	-32.34	51.97	37.93	25.01	63.71	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12210.00	54.86	74.00	-19.14	34.06	38.72	21.69	41.32	1.71	--	--	Peak																																																																																																																																		
2	12210.00	44.13	54.00	-9.87	23.33	38.72	21.69	41.32	1.71	--	--	Average																																																																																																																																		
3	18315.00	40.68	74.00	-33.32	50.99	37.93	25.01	63.71	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12210.00	54.49	74.00	-19.51	33.69	38.72	21.69	41.32	1.71	--	--	Peak																																																																																																																																		
2	12210.00	44.15	54.00	-9.85	23.35	38.72	21.69	41.32	1.71	--	--	Average																																																																																																																																		
3	18315.00	41.66	74.00	-32.34	51.97	37.93	25.01	63.71	-9.54	--	--	Peak																																																																																																																																		



Mode	127	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	128																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Partial RU 996*2/67_6105MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5896.40 73.30 88.20 -14.90 58.88 33.70 14.96 35.26 1.02 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5896.40 73.30 88.20 -14.90 58.88 33.70 14.96 35.26 1.02 100								3 Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 104.92 ----- 90.67 33.60 15.06 35.34 0.93 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6105.00 104.92 ----- 90.67 33.60 15.06 35.34 0.93 100								3 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5896.40 73.30 88.20 -14.90 58.88 33.70 14.96 35.26 1.02 100								3 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 6105.00 104.92 ----- 90.67 33.60 15.06 35.34 0.93 100								3 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5907.88 64.32 68.20 -3.88 49.94 33.68 14.98 35.28 1.00 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5907.88 64.32 68.20 -3.88 49.94 33.68 14.98 35.28 1.00 100								3 Average	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 96.27 ----- 82.03 33.60 15.07 35.35 0.92 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6105.00 96.27 ----- 82.03 33.60 15.07 35.35 0.92 100								3 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5907.88 64.32 68.20 -3.88 49.94 33.68 14.98 35.28 1.00 100								3 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 6105.00 96.27 ----- 82.03 33.60 15.07 35.35 0.92 100								3 Average																																																																										



Mode	128																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Partial RU 996*2/67_6105MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5897.00 72.98 88.20 -15.22 58.56 33.70 14.97 35.27 1.02 100 15 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5897.00 72.98 88.20 -15.22 58.56 33.70 14.97 35.27 1.02 100 15 Peak									Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 103.29 ----- 89.06 33.60 15.08 35.36 0.91 100 15 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 103.29 ----- 89.06 33.60 15.08 35.36 0.91 100 15 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5897.00 72.98 88.20 -15.22 58.56 33.70 14.97 35.27 1.02 100 15 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 103.29 ----- 89.06 33.60 15.08 35.36 0.91 100 15 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5913.76 63.98 68.20 -4.22 49.60 33.67 14.99 35.28 1.00 100 15 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5913.76 63.98 68.20 -4.22 49.60 33.67 14.99 35.28 1.00 100 15 Average									Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 94.53 ----- 80.30 33.60 15.08 35.36 0.91 100 15 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 94.53 ----- 80.30 33.60 15.08 35.36 0.91 100 15 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5913.76 63.98 68.20 -4.22 49.60 33.67 14.99 35.28 1.00 100 15 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 94.53 ----- 80.30 33.60 15.08 35.36 0.91 100 15 Average																																																																																		





Mode	129																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_6425MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>55.87</td><td>88.20</td><td>-32.33</td><td>33.34</td><td>40.00</td><td>22.27</td><td>41.50</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>49.58</td><td>38.10</td><td>25.64</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	55.87	88.20	-32.33	33.34	40.00	22.27	41.50	1.76	--	Peak	2	19275.00	40.41	74.00	-33.59	49.58	38.10	25.64	63.37	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>33.01</td><td>40.00</td><td>22.27</td><td>41.50</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>49.09</td><td>38.10</td><td>25.64</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	55.54	88.20	-32.66	33.01	40.00	22.27	41.50	1.76	--	Peak	2	19275.00	39.92	74.00	-34.08	49.09	38.10	25.64	63.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12850.00	55.87	88.20	-32.33	33.34	40.00	22.27	41.50	1.76	--	Peak																																																																																																															
2	19275.00	40.41	74.00	-33.59	49.58	38.10	25.64	63.37	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12850.00	55.54	88.20	-32.66	33.01	40.00	22.27	41.50	1.76	--	Peak																																																																																																															
2	19275.00	39.92	74.00	-34.08	49.09	38.10	25.64	63.37	-9.54	--	Peak																																																																																																															



Mode	129	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_6425MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	130																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz																																																																																																																																																																									
ANT	7+6																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-13  Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7273.00</td><td>60.45</td><td>74.00</td><td>-13.55</td><td>42.63</td><td>36.50</td><td>16.68</td><td>36.37</td><td>1.01</td><td>100</td><td>17 Peak</td></tr><tr><td>2</td><td>7273.00</td><td>49.87</td><td>54.00</td><td>-4.13</td><td>32.05</td><td>36.50</td><td>16.68</td><td>36.37</td><td>1.01</td><td>100</td><td>17 Average</td></tr><tr><td>3</td><td>13490.00</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>34.48</td><td>40.02</td><td>22.88</td><td>42.92</td><td>1.81</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>20235.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>48.12</td><td>37.90</td><td>26.24</td><td>62.33</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7273.00	60.45	74.00	-13.55	42.63	36.50	16.68	36.37	1.01	100	17 Peak	2	7273.00	49.87	54.00	-4.13	32.05	36.50	16.68	36.37	1.01	100	17 Average	3	13490.00	56.27	88.20	-31.93	34.48	40.02	22.88	42.92	1.81	--	-- Peak	4	20235.00	40.39	74.00	-33.61	48.12	37.90	26.24	62.33	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-12-13  Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7290.00</td><td>58.25</td><td>74.00</td><td>-15.75</td><td>40.37</td><td>36.56</td><td>16.70</td><td>36.37</td><td>0.99</td><td>298</td><td>34 Peak</td></tr><tr><td>2</td><td>7290.00</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>28.51</td><td>36.56</td><td>16.70</td><td>36.37</td><td>0.99</td><td>298</td><td>34 Average</td></tr><tr><td>3</td><td>13490.00</td><td>56.57</td><td>88.20</td><td>-31.63</td><td>34.78</td><td>40.02</td><td>22.88</td><td>42.92</td><td>1.81</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>20235.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>48.11</td><td>37.90</td><td>26.24</td><td>62.33</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7290.00	58.25	74.00	-15.75	40.37	36.56	16.70	36.37	0.99	298	34 Peak	2	7290.00	46.39	54.00	-7.61	28.51	36.56	16.70	36.37	0.99	298	34 Average	3	13490.00	56.57	88.20	-31.63	34.78	40.02	22.88	42.92	1.81	--	-- Peak	4	20235.00	40.38	74.00	-33.62	48.11	37.90	26.24	62.33	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	7273.00	60.45	74.00	-13.55	42.63	36.50	16.68	36.37	1.01	100	17 Peak																																																																																																																																																															
2	7273.00	49.87	54.00	-4.13	32.05	36.50	16.68	36.37	1.01	100	17 Average																																																																																																																																																															
3	13490.00	56.27	88.20	-31.93	34.48	40.02	22.88	42.92	1.81	--	-- Peak																																																																																																																																																															
4	20235.00	40.39	74.00	-33.61	48.12	37.90	26.24	62.33	-9.54	--	-- Peak																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	7290.00	58.25	74.00	-15.75	40.37	36.56	16.70	36.37	0.99	298	34 Peak																																																																																																																																																															
2	7290.00	46.39	54.00	-7.61	28.51	36.56	16.70	36.37	0.99	298	34 Average																																																																																																																																																															
3	13490.00	56.57	88.20	-31.63	34.78	40.02	22.88	42.92	1.81	--	-- Peak																																																																																																																																																															
4	20235.00	40.38	74.00	-33.62	48.11	37.90	26.24	62.33	-9.54	--	-- Peak																																																																																																																																																															



Mode	130	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL