







Mode	98																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>59.40</td><td>74.00</td><td>-14.60</td><td>37.40</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.00</td><td>203</td><td>25</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>27.81</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.00</td><td>203</td><td>25</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.15</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>300</td><td>240</td><td>Peak</td></tr><tr><td>4</td><td>26780.00</td><td>47.60</td><td>88.20</td><td>-40.60</td><td>47.79</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	59.40	74.00	-14.60	37.40	40.00	22.78	42.66	1.00	203	25	Peak	2	13390.00	49.81	54.00	-4.19	27.81	40.00	22.78	42.66	1.00	203	25	Average	3	20085.00	46.03	74.00	-27.97	54.15	37.90	26.15	62.63	-9.54	300	240	Peak	4	26780.00	47.60	88.20	-40.60	47.79	40.10	30.42	61.17	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>59.57</td><td>74.00</td><td>-14.43</td><td>37.57</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.00</td><td>210</td><td>344</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>49.50</td><td>54.00</td><td>-4.42</td><td>27.50</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.00</td><td>210</td><td>344</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>53.44</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>200</td><td>55</td><td>Peak</td></tr><tr><td>4</td><td>26780.00</td><td>41.28</td><td>88.20</td><td>-46.92</td><td>41.47</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	59.57	74.00	-14.43	37.57	40.00	22.78	42.66	1.00	210	344	Peak	2	13390.00	49.50	54.00	-4.42	27.50	40.00	22.78	42.66	1.00	210	344	Average	3	20085.00	45.32	74.00	-28.68	53.44	37.90	26.15	62.63	-9.54	200	55	Peak	4	26780.00	41.28	88.20	-46.92	41.47	40.10	30.42	61.17	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	13390.00	59.40	74.00	-14.60	37.40	40.00	22.78	42.66	1.00	203	25	Peak																																																																																																																																																																						
2	13390.00	49.81	54.00	-4.19	27.81	40.00	22.78	42.66	1.00	203	25	Average																																																																																																																																																																						
3	20085.00	46.03	74.00	-27.97	54.15	37.90	26.15	62.63	-9.54	300	240	Peak																																																																																																																																																																						
4	26780.00	47.60	88.20	-40.60	47.79	40.10	30.42	61.17	-9.54	--	--	Peak																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	13390.00	59.57	74.00	-14.43	37.57	40.00	22.78	42.66	1.00	210	344	Peak																																																																																																																																																																						
2	13390.00	49.50	54.00	-4.42	27.50	40.00	22.78	42.66	1.00	210	344	Average																																																																																																																																																																						
3	20085.00	45.32	74.00	-28.68	53.44	37.90	26.15	62.63	-9.54	200	55	Peak																																																																																																																																																																						
4	26780.00	41.28	88.20	-46.92	41.47	40.10	30.42	61.17	-9.54	--	--	Peak																																																																																																																																																																						





Mode	98	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





Mode	99																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>55.82</td><td>88.20</td><td>-32.38</td><td>33.00</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>65.19</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>293 243 Peak</td></tr><tr><td>3 20625.00</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>55.17</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>293 243 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	55.82	88.20	-32.38	33.00	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	58.30	74.00	-15.70	65.19	37.95	26.48	61.78	-9.54	293 243 Peak	3 20625.00	48.28	54.00	-5.72	55.17	37.95	26.48	61.78	-9.54	293 243 Average	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>56.08</td><td>88.20</td><td>-32.12</td><td>34.06</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>61.71</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>172 235 Peak</td></tr><tr><td>3 20625.00</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>51.79</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>172 235 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	56.08	88.20	-32.12	34.06	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	54.82	74.00	-19.18	61.71	37.95	26.48	61.78	-9.54	172 235 Peak	3 20625.00	44.90	54.00	-9.10	51.79	37.95	26.48	61.78	-9.54	172 235 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	55.82	88.20	-32.38	33.00	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	58.30	74.00	-15.70	65.19	37.95	26.48	61.78	-9.54	293 243 Peak																																																																																																																	
3 20625.00	48.28	54.00	-5.72	55.17	37.95	26.48	61.78	-9.54	293 243 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	56.08	88.20	-32.12	34.06	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	54.82	74.00	-19.18	61.71	37.95	26.48	61.78	-9.54	172 235 Peak																																																																																																																	
3 20625.00	44.90	54.00	-9.10	51.79	37.95	26.48	61.78	-9.54	172 235 Average																																																																																																																	





Mode	99	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





Mode	100																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>56.33</td><td>88.20</td><td>-31.87</td><td>33.96</td><td>39.92</td><td>22.48</td><td>41.81</td><td>1.78</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>49.01</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	56.33	88.20	-31.87	33.96	39.92	22.48	41.81	1.78	--	Peak	2	19605.00	40.18	74.00	-33.82	49.01	37.90	25.85	63.04	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>33.20</td><td>39.92</td><td>22.48</td><td>41.81</td><td>1.78</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>40.00</td><td>74.00</td><td>-34.00</td><td>48.83</td><td>37.90</td><td>25.85</td><td>63.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	55.57	88.20	-32.63	33.20	39.92	22.48	41.81	1.78	--	Peak	2	19605.00	40.00	74.00	-34.00	48.83	37.90	25.85	63.04	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	56.33	88.20	-31.87	33.96	39.92	22.48	41.81	1.78	--	Peak																																																																																																															
2	19605.00	40.18	74.00	-33.82	49.01	37.90	25.85	63.04	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	55.57	88.20	-32.63	33.20	39.92	22.48	41.81	1.78	--	Peak																																																																																																															
2	19605.00	40.00	74.00	-34.00	48.83	37.90	25.85	63.04	-9.54	--	Peak																																																																																																															





Mode	100	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_6535MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	101																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz																																																																																																																																																					
ANT	7+6																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>59.20</td><td>74.00</td><td>-14.80</td><td>37.20</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.80</td><td>215 46 Peak</td></tr><tr><td>2 13390.00</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>26.53</td><td>40.00</td><td>22.78</td><td>42.66</td><td>1.80</td><td>215 46 Average</td></tr><tr><td>3 20085.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>53.63</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 26780.00</td><td>45.63</td><td>88.20</td><td>-42.57</td><td>45.82</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	59.20	74.00	-14.80	37.20	40.00	22.78	42.66	1.80	215 46 Peak	2 13390.00	48.53	54.00	-5.47	26.53	40.00	22.78	42.66	1.80	215 46 Average	3 20085.00	45.51	74.00	-28.49	53.63	37.90	26.15	62.63	-9.54	-- -- Peak	4 26780.00	45.63	88.20	-42.57	45.82	40.10	30.42	61.17	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>59.67</td><td>74.00</td><td>-14.33</td><td>37.67</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.80</td><td>204 339 Peak</td></tr><tr><td>2 13390.00</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>26.60</td><td>40.08</td><td>22.78</td><td>42.66</td><td>1.80</td><td>204 339 Average</td></tr><tr><td>3 20085.00</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>50.87</td><td>37.90</td><td>26.15</td><td>62.63</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 26780.00</td><td>40.98</td><td>88.20</td><td>-47.22</td><td>41.17</td><td>40.10</td><td>30.42</td><td>61.17</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	59.67	74.00	-14.33	37.67	40.08	22.78	42.66	1.80	204 339 Peak	2 13390.00	48.60	54.00	-5.40	26.60	40.08	22.78	42.66	1.80	204 339 Average	3 20085.00	42.75	74.00	-31.25	50.87	37.90	26.15	62.63	-9.54	-- -- Peak	4 26780.00	40.98	88.20	-47.22	41.17	40.10	30.42	61.17	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1 13390.00	59.20	74.00	-14.80	37.20	40.00	22.78	42.66	1.80	215 46 Peak																																																																																																																																													
2 13390.00	48.53	54.00	-5.47	26.53	40.00	22.78	42.66	1.80	215 46 Average																																																																																																																																													
3 20085.00	45.51	74.00	-28.49	53.63	37.90	26.15	62.63	-9.54	-- -- Peak																																																																																																																																													
4 26780.00	45.63	88.20	-42.57	45.82	40.10	30.42	61.17	-9.54	-- -- Peak																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1 13390.00	59.67	74.00	-14.33	37.67	40.08	22.78	42.66	1.80	204 339 Peak																																																																																																																																													
2 13390.00	48.60	54.00	-5.40	26.60	40.08	22.78	42.66	1.80	204 339 Average																																																																																																																																													
3 20085.00	42.75	74.00	-31.25	50.87	37.90	26.15	62.63	-9.54	-- -- Peak																																																																																																																																													
4 26780.00	40.98	88.20	-47.22	41.17	40.10	30.42	61.17	-9.54	-- -- Peak																																																																																																																																													





Mode	101	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_6695MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



	102																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13750.00</td><td>57.63</td><td>88.20</td><td>-30.57</td><td>35.61</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>57.51</td><td>74.00</td><td>-16.49</td><td>64.40</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>286 245 Peak</td></tr><tr><td>3 20625.00</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>53.48</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>286 245 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	57.63	88.20	-30.57	35.61	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	57.51	74.00	-16.49	64.40	37.95	26.48	61.78	-9.54	286 245 Peak	3 20625.00	46.59	54.00	-7.41	53.48	37.95	26.48	61.78	-9.54	286 245 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13750.00</td><td>56.68</td><td>88.20</td><td>-31.52</td><td>34.66</td><td>40.30</td><td>23.13</td><td>43.24</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>59.45</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>127 360 Peak</td></tr><tr><td>3 20625.00</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>49.70</td><td>37.95</td><td>26.48</td><td>61.78</td><td>-9.54</td><td>127 360 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	56.68	88.20	-31.52	34.66	40.30	23.13	43.24	1.83	-- -- Peak	2 20625.00	52.56	74.00	-21.44	59.45	37.95	26.48	61.78	-9.54	127 360 Peak	3 20625.00	42.81	54.00	-11.19	49.70	37.95	26.48	61.78	-9.54	127 360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	57.63	88.20	-30.57	35.61	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	57.51	74.00	-16.49	64.40	37.95	26.48	61.78	-9.54	286 245 Peak																																																																																																																	
3 20625.00	46.59	54.00	-7.41	53.48	37.95	26.48	61.78	-9.54	286 245 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13750.00	56.68	88.20	-31.52	34.66	40.30	23.13	43.24	1.83	-- -- Peak																																																																																																																	
2 20625.00	52.56	74.00	-21.44	59.45	37.95	26.48	61.78	-9.54	127 360 Peak																																																																																																																	
3 20625.00	42.81	54.00	-11.19	49.70	37.95	26.48	61.78	-9.54	127 360 Average																																																																																																																	





Mode	102	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_6875MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	103																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>55.24</td><td>88.20</td><td>-32.96</td><td>33.04</td><td>39.06</td><td>22.53</td><td>41.97</td><td>1.78</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>49.46</td><td>37.90</td><td>25.91</td><td>62.98</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	55.24	88.20	-32.96	33.04	39.06	22.53	41.97	1.78	--	Peak	2	19695.00	40.75	74.00	-33.25	49.46	37.90	25.91	62.98	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>55.51</td><td>88.20</td><td>-32.69</td><td>33.31</td><td>39.06</td><td>22.53</td><td>41.97</td><td>1.78</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>48.10</td><td>37.90</td><td>25.91</td><td>62.98</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	55.51	88.20	-32.69	33.31	39.06	22.53	41.97	1.78	--	Peak	2	19695.00	39.39	74.00	-34.61	48.10	37.90	25.91	62.98	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13130.00	55.24	88.20	-32.96	33.04	39.06	22.53	41.97	1.78	--	Peak																																																																																																															
2	19695.00	40.75	74.00	-33.25	49.46	37.90	25.91	62.98	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13130.00	55.51	88.20	-32.69	33.31	39.06	22.53	41.97	1.78	--	Peak																																																																																																															
2	19695.00	39.39	74.00	-34.61	48.10	37.90	25.91	62.98	-9.54	--	Peak																																																																																																															



Mode	103	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_6565MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	104																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz																																																																																																																																																							
ANT	7+6																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>32.64</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>22.54</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>42.39</td><td>74.00</td><td>-31.61</td><td>50.59</td><td>37.90</td><td>26.13</td><td>62.69</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	54.65	74.00	-19.35	32.64	40.04	22.77	42.60	1.00	--	--	Peak	2	13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	--	Average	3	20055.00	42.39	74.00	-31.61	50.59	37.90	26.13	62.69	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>32.22</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13370.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>22.54</td><td>40.04</td><td>22.77</td><td>42.60</td><td>1.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20055.00</td><td>43.04</td><td>74.00</td><td>-30.96</td><td>51.24</td><td>37.90</td><td>26.13</td><td>62.69</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	54.23	74.00	-19.77	32.22	40.04	22.77	42.60	1.00	--	--	Peak	2	13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	--	Average	3	20055.00	43.04	74.00	-30.96	51.24	37.90	26.13	62.69	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13370.00	54.65	74.00	-19.35	32.64	40.04	22.77	42.60	1.00	--	--	Peak																																																																																																																																												
2	13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	--	Average																																																																																																																																												
3	20055.00	42.39	74.00	-31.61	50.59	37.90	26.13	62.69	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13370.00	54.23	74.00	-19.77	32.22	40.04	22.77	42.60	1.00	--	--	Peak																																																																																																																																												
2	13370.00	44.55	54.00	-9.45	22.54	40.04	22.77	42.60	1.00	--	--	Average																																																																																																																																												
3	20055.00	43.04	74.00	-30.96	51.24	37.90	26.13	62.69	-9.54	--	--	Peak																																																																																																																																												



Mode	104	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_6685MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	105																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13770.00</td><td>56.09</td><td>88.20</td><td>-32.11</td><td>34.03</td><td>40.34</td><td>23.15</td><td>43.26</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20655.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>61.18</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>302 244 Peak</td></tr><tr><td>3 20655.00</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>50.48</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>302 244 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13770.00	56.09	88.20	-32.11	34.03	40.34	23.15	43.26	1.83	-- -- Peak	2 20655.00	54.29	74.00	-19.71	61.18	37.92	26.50	61.77	-9.54	302 244 Peak	3 20655.00	43.59	54.00	-10.41	50.48	37.92	26.50	61.77	-9.54	302 244 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13770.00</td><td>55.74</td><td>88.20</td><td>-32.46</td><td>33.68</td><td>40.34</td><td>23.15</td><td>43.26</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20655.00</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>56.69</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>173 235 Peak</td></tr><tr><td>3 20655.00</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>47.74</td><td>37.92</td><td>26.50</td><td>61.77</td><td>-9.54</td><td>173 235 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13770.00	55.74	88.20	-32.46	33.68	40.34	23.15	43.26	1.83	-- -- Peak	2 20655.00	49.80	74.00	-24.20	56.69	37.92	26.50	61.77	-9.54	173 235 Peak	3 20655.00	40.85	54.00	-13.15	47.74	37.92	26.50	61.77	-9.54	173 235 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13770.00	56.09	88.20	-32.11	34.03	40.34	23.15	43.26	1.83	-- -- Peak																																																																																																																	
2 20655.00	54.29	74.00	-19.71	61.18	37.92	26.50	61.77	-9.54	302 244 Peak																																																																																																																	
3 20655.00	43.59	54.00	-10.41	50.48	37.92	26.50	61.77	-9.54	302 244 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13770.00	55.74	88.20	-32.46	33.68	40.34	23.15	43.26	1.83	-- -- Peak																																																																																																																	
2 20655.00	49.80	74.00	-24.20	56.69	37.92	26.50	61.77	-9.54	173 235 Peak																																																																																																																	
3 20655.00	40.85	54.00	-13.15	47.74	37.92	26.50	61.77	-9.54	173 235 Average																																																																																																																	



Mode	105	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_6885MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





Mode	106																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>32.74</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>-- -- Peak</td></tr><tr><td>2 13250.00</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>22.69</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>-- -- Average</td></tr><tr><td>3 19875.00</td><td>40.44</td><td>74.00</td><td>-33.56</td><td>48.94</td><td>37.90</td><td>26.02</td><td>62.88</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	54.90	74.00	-19.10	32.74	40.00	22.65	42.28	1.79	-- -- Peak	2 13250.00	44.85	54.00	-9.15	22.69	40.00	22.65	42.28	1.79	-- -- Average	3 19875.00	40.44	74.00	-33.56	48.94	37.90	26.02	62.88	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>54.89</td><td>74.00</td><td>-19.11</td><td>32.73</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>-- -- Peak</td></tr><tr><td>2 13250.00</td><td>44.50</td><td>54.00</td><td>-9.42</td><td>22.42</td><td>40.00</td><td>22.65</td><td>42.28</td><td>1.79</td><td>-- -- Average</td></tr><tr><td>3 19875.00</td><td>39.25</td><td>74.00</td><td>-34.75</td><td>47.75</td><td>37.90</td><td>26.02</td><td>62.88</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	54.89	74.00	-19.11	32.73	40.00	22.65	42.28	1.79	-- -- Peak	2 13250.00	44.50	54.00	-9.42	22.42	40.00	22.65	42.28	1.79	-- -- Average	3 19875.00	39.25	74.00	-34.75	47.75	37.90	26.02	62.88	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	54.90	74.00	-19.10	32.74	40.00	22.65	42.28	1.79	-- -- Peak																																																																																																																	
2 13250.00	44.85	54.00	-9.15	22.69	40.00	22.65	42.28	1.79	-- -- Average																																																																																																																	
3 19875.00	40.44	74.00	-33.56	48.94	37.90	26.02	62.88	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	54.89	74.00	-19.11	32.73	40.00	22.65	42.28	1.79	-- -- Peak																																																																																																																	
2 13250.00	44.50	54.00	-9.42	22.42	40.00	22.65	42.28	1.79	-- -- Average																																																																																																																	
3 19875.00	39.25	74.00	-34.75	47.75	37.90	26.02	62.88	-9.54	-- -- Peak																																																																																																																	



Mode	106	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_6625MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	107																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz																																																																																																																																																																																	
ANT	7+6																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7255.00</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>36.66</td><td>36.42</td><td>16.66</td><td>36.36</td><td>1.03</td><td>100</td><td>18</td><td>Peak</td></tr><tr><td>2</td><td>7255.00</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>26.62</td><td>36.42</td><td>16.66</td><td>36.36</td><td>1.03</td><td>100</td><td>18</td><td>Average</td></tr><tr><td>3</td><td>13410.00</td><td>55.15</td><td>88.20</td><td>-33.05</td><td>33.16</td><td>40.10</td><td>22.80</td><td>42.71</td><td>1.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>20115.00</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>49.67</td><td>37.90</td><td>26.17</td><td>62.57</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7255.00	54.41	74.00	-19.59	36.66	36.42	16.66	36.36	1.03	100	18	Peak	2	7255.00	44.37	54.00	-9.63	26.62	36.42	16.66	36.36	1.03	100	18	Average	3	13410.00	55.15	88.20	-33.05	33.16	40.10	22.80	42.71	1.80	--	--	Peak	4	20115.00	41.63	74.00	-32.37	49.67	37.90	26.17	62.57	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(U-NII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7281.00</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>36.32</td><td>36.52</td><td>16.69</td><td>36.37</td><td>1.00</td><td>100</td><td>338</td><td>Peak</td></tr><tr><td>2</td><td>7281.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>25.60</td><td>36.52</td><td>16.69</td><td>36.37</td><td>1.00</td><td>100</td><td>338</td><td>Average</td></tr><tr><td>3</td><td>13410.00</td><td>55.91</td><td>88.20</td><td>-32.29</td><td>33.92</td><td>40.10</td><td>22.80</td><td>42.71</td><td>1.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>20115.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>48.21</td><td>37.90</td><td>26.17</td><td>62.57</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7281.00	54.16	74.00	-19.84	36.32	36.52	16.69	36.37	1.00	100	338	Peak	2	7281.00	43.44	54.00	-10.56	25.60	36.52	16.69	36.37	1.00	100	338	Average	3	13410.00	55.91	88.20	-32.29	33.92	40.10	22.80	42.71	1.80	--	--	Peak	4	20115.00	40.17	74.00	-33.83	48.21	37.90	26.17	62.57	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	7255.00	54.41	74.00	-19.59	36.66	36.42	16.66	36.36	1.03	100	18	Peak																																																																																																																																																																						
2	7255.00	44.37	54.00	-9.63	26.62	36.42	16.66	36.36	1.03	100	18	Average																																																																																																																																																																						
3	13410.00	55.15	88.20	-33.05	33.16	40.10	22.80	42.71	1.80	--	--	Peak																																																																																																																																																																						
4	20115.00	41.63	74.00	-32.37	49.67	37.90	26.17	62.57	-9.54	--	--	Peak																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	7281.00	54.16	74.00	-19.84	36.32	36.52	16.69	36.37	1.00	100	338	Peak																																																																																																																																																																						
2	7281.00	43.44	54.00	-10.56	25.60	36.52	16.69	36.37	1.00	100	338	Average																																																																																																																																																																						
3	13410.00	55.91	88.20	-32.29	33.92	40.10	22.80	42.71	1.80	--	--	Peak																																																																																																																																																																						
4	20115.00	40.17	74.00	-33.83	48.21	37.90	26.17	62.57	-9.54	--	--	Peak																																																																																																																																																																						



Mode	107	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_6705MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



		108									
Mode	Harmonic										
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_6865MHz										
ANT	7+6										
Pol.	Horizontal										
Peak Avg	<										



Mode	108	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_6865MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	109																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_6665MHz																																																																																																																																																																	
ANT	7+6																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7252.20</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>43.04</td><td>36.41</td><td>16.66</td><td>36.36</td><td>1.04 100 19 Peak</td></tr><tr><td>2</td><td>7252.20</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>32.28</td><td>36.41</td><td>16.66</td><td>36.36</td><td>1.04 100 19 Average</td></tr><tr><td>3</td><td>13330.00</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>33.16</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Peak</td></tr><tr><td>4</td><td>13330.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>23.25</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Average</td></tr><tr><td>5</td><td>19995.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>48.09</td><td>37.99</td><td>26.10</td><td>62.80</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7252.20	60.79	74.00	-13.21	43.04	36.41	16.66	36.36	1.04 100 19 Peak	2	7252.20	50.03	54.00	-3.97	32.28	36.41	16.66	36.36	1.04 100 19 Average	3	13330.00	55.19	74.00	-18.81	33.16	40.00	22.73	42.50	1.80 -- -- Peak	4	13330.00	45.28	54.00	-8.72	23.25	40.00	22.73	42.50	1.80 -- -- Average	5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7304.40</td><td>58.09</td><td>74.00</td><td>-15.11</td><td>40.95</td><td>36.63</td><td>16.72</td><td>36.38</td><td>0.97 100 340 Peak</td></tr><tr><td>2</td><td>7304.40</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>30.11</td><td>36.63</td><td>16.72</td><td>36.38</td><td>0.97 100 340 Average</td></tr><tr><td>3</td><td>13330.00</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>33.20</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Peak</td></tr><tr><td>4</td><td>13330.00</td><td>45.31</td><td>54.00</td><td>-8.69</td><td>23.28</td><td>40.00</td><td>22.73</td><td>42.50</td><td>1.80 -- -- Average</td></tr><tr><td>5</td><td>19995.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>48.09</td><td>37.99</td><td>26.10</td><td>62.80</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7304.40	58.09	74.00	-15.11	40.95	36.63	16.72	36.38	0.97 100 340 Peak	2	7304.40	48.05	54.00	-5.95	30.11	36.63	16.72	36.38	0.97 100 340 Average	3	13330.00	55.23	74.00	-18.77	33.20	40.00	22.73	42.50	1.80 -- -- Peak	4	13330.00	45.31	54.00	-8.69	23.28	40.00	22.73	42.50	1.80 -- -- Average	5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																									
1	7252.20	60.79	74.00	-13.21	43.04	36.41	16.66	36.36	1.04 100 19 Peak																																																																																																																																																									
2	7252.20	50.03	54.00	-3.97	32.28	36.41	16.66	36.36	1.04 100 19 Average																																																																																																																																																									
3	13330.00	55.19	74.00	-18.81	33.16	40.00	22.73	42.50	1.80 -- -- Peak																																																																																																																																																									
4	13330.00	45.28	54.00	-8.72	23.25	40.00	22.73	42.50	1.80 -- -- Average																																																																																																																																																									
5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																									
1	7304.40	58.09	74.00	-15.11	40.95	36.63	16.72	36.38	0.97 100 340 Peak																																																																																																																																																									
2	7304.40	48.05	54.00	-5.95	30.11	36.63	16.72	36.38	0.97 100 340 Average																																																																																																																																																									
3	13330.00	55.23	74.00	-18.77	33.20	40.00	22.73	42.50	1.80 -- -- Peak																																																																																																																																																									
4	13330.00	45.31	54.00	-8.69	23.28	40.00	22.73	42.50	1.80 -- -- Average																																																																																																																																																									
5	19995.00	39.84	74.00	-34.16	48.09	37.99	26.10	62.80	-9.54 -- -- Peak																																																																																																																																																									



Mode	109	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_6665MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	110										
	Harmonic										
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_6825MHz										
ANT	7+6										
Pol.	Horizontal						Vertical				
Peak Avg											



Mode	110	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_6825MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	111																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13790.00</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>34.18</td><td>40.38</td><td>23.17</td><td>43.29</td><td>1.83</td><td>100 336 Peak</td></tr><tr><td>2 20685.00</td><td>59.45</td><td>74.00</td><td>-14.55</td><td>66.19</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>205 251 Peak</td></tr><tr><td>3 20685.00</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>56.87</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>205 251 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13790.00	56.27	88.20	-31.93	34.18	40.38	23.17	43.29	1.83	100 336 Peak	2 20685.00	59.45	74.00	-14.55	66.19	38.04	26.52	61.76	-9.54	205 251 Peak	3 20685.00	50.13	54.00	-3.87	56.87	38.04	26.52	61.76	-9.54	205 251 Average	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13790.00</td><td>56.41</td><td>88.20</td><td>-31.79</td><td>34.32</td><td>40.38</td><td>23.17</td><td>43.29</td><td>1.83</td><td>100 15 Peak</td></tr><tr><td>2 20685.00</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>62.79</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>106 238 Peak</td></tr><tr><td>3 20685.00</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>53.10</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>106 238 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13790.00	56.41	88.20	-31.79	34.32	40.38	23.17	43.29	1.83	100 15 Peak	2 20685.00	56.05	74.00	-17.95	62.79	38.04	26.52	61.76	-9.54	106 238 Peak	3 20685.00	46.36	54.00	-7.64	53.10	38.04	26.52	61.76	-9.54	106 238 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13790.00	56.27	88.20	-31.93	34.18	40.38	23.17	43.29	1.83	100 336 Peak																																																																																																																	
2 20685.00	59.45	74.00	-14.55	66.19	38.04	26.52	61.76	-9.54	205 251 Peak																																																																																																																	
3 20685.00	50.13	54.00	-3.87	56.87	38.04	26.52	61.76	-9.54	205 251 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13790.00	56.41	88.20	-31.79	34.32	40.38	23.17	43.29	1.83	100 15 Peak																																																																																																																	
2 20685.00	56.05	74.00	-17.95	62.79	38.04	26.52	61.76	-9.54	106 238 Peak																																																																																																																	
3 20685.00	46.36	54.00	-7.64	53.10	38.04	26.52	61.76	-9.54	106 238 Average																																																																																																																	



Mode	111	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	112																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13990.00</td><td>55.30</td><td>88.20</td><td>-32.90</td><td>32.83</td><td>40.78</td><td>23.36</td><td>43.52</td><td>1.85</td><td>200 266 Peak</td></tr><tr><td>2 20985.00</td><td>59.43</td><td>74.00</td><td>-14.57</td><td>65.94</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>287 248 Peak</td></tr><tr><td>3 20985.00</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>54.97</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>287 248 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13990.00	55.30	88.20	-32.90	32.83	40.78	23.36	43.52	1.85	200 266 Peak	2 20985.00	59.43	74.00	-14.57	65.94	38.03	26.70	61.70	-9.54	287 248 Peak	3 20985.00	48.46	54.00	-5.54	54.97	38.03	26.70	61.70	-9.54	287 248 Average	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13990.00</td><td>57.14</td><td>88.20</td><td>-31.06</td><td>34.67</td><td>40.78</td><td>23.36</td><td>43.52</td><td>1.85</td><td>100 325 Peak</td></tr><tr><td>2 20985.00</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>61.54</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>400 11 Peak</td></tr><tr><td>3 20985.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>51.77</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>400 11 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13990.00	57.14	88.20	-31.06	34.67	40.78	23.36	43.52	1.85	100 325 Peak	2 20985.00	55.03	74.00	-18.97	61.54	38.03	26.70	61.70	-9.54	400 11 Peak	3 20985.00	45.26	54.00	-8.74	51.77	38.03	26.70	61.70	-9.54	400 11 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13990.00	55.30	88.20	-32.90	32.83	40.78	23.36	43.52	1.85	200 266 Peak																																																																																																																	
2 20985.00	59.43	74.00	-14.57	65.94	38.03	26.70	61.70	-9.54	287 248 Peak																																																																																																																	
3 20985.00	48.46	54.00	-5.54	54.97	38.03	26.70	61.70	-9.54	287 248 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13990.00	57.14	88.20	-31.06	34.67	40.78	23.36	43.52	1.85	100 325 Peak																																																																																																																	
2 20985.00	55.03	74.00	-18.97	61.54	38.03	26.70	61.70	-9.54	400 11 Peak																																																																																																																	
3 20985.00	45.26	54.00	-8.74	51.77	38.03	26.70	61.70	-9.54	400 11 Average																																																																																																																	



Mode	112	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	113																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.53</td><td>74.77</td><td>88.20</td><td>-13.43</td><td>57.32</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>14</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7125.53	74.77	88.20	-13.43	57.32	36.20	16.50	36.32	1.07	100	14	Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>102.22</td><td>-----</td><td>-----</td><td>84.00</td><td>36.18</td><td>16.49</td><td>36.32</td><td>1.07</td><td>100</td><td>14</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7115.00	102.22	-----	-----	84.00	36.18	16.49	36.32	1.07	100	14	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	7125.53	74.77	88.20	-13.43	57.32	36.20	16.50	36.32	1.07	100	14	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	7115.00	102.22	-----	-----	84.00	36.18	16.49	36.32	1.07	100	14	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>66.56</td><td>68.20</td><td>-1.64</td><td>49.11</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>14</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7125.01	66.56	68.20	-1.64	49.11	36.20	16.50	36.32	1.07	100	14	Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>94.78</td><td>-----</td><td>-----</td><td>77.36</td><td>36.18</td><td>16.49</td><td>36.32</td><td>1.07</td><td>100</td><td>14</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7115.00	94.78	-----	-----	77.36	36.18	16.49	36.32	1.07	100	14	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	7125.01	66.56	68.20	-1.64	49.11	36.20	16.50	36.32	1.07	100	14	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	7115.00	94.78	-----	-----	77.36	36.18	16.49	36.32	1.07	100	14	Average																																																																														





Mode	113																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 71.83 88.20 -16.37 54.38 36.20 16.50 36.32 1.07 100 281 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7125.01 71.83 88.20 -16.37 54.38 36.20 16.50 36.32 1.07 100 281 Peak									Level (dBuV/m) Date: 2025-11-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 98.42 ----- 81.07 36.13 16.47 36.31 1.06 100 281 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7115.00 98.42 ----- 81.07 36.13 16.47 36.31 1.06 100 281 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7125.01 71.83 88.20 -16.37 54.38 36.20 16.50 36.32 1.07 100 281 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7115.00 98.42 ----- 81.07 36.13 16.47 36.31 1.06 100 281 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 63.83 68.20 -4.37 46.38 36.20 16.50 36.32 1.07 100 281 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7125.01 63.83 68.20 -4.37 46.38 36.20 16.50 36.32 1.07 100 281 Average									Level (dBuV/m) Date: 2025-11-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 91.43 ----- 74.01 36.18 16.49 36.32 1.07 100 281 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7115.00 91.43 ----- 74.01 36.18 16.49 36.32 1.07 100 281 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7125.01 63.83 68.20 -4.37 46.38 36.20 16.50 36.32 1.07 100 281 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7115.00 91.43 ----- 74.01 36.18 16.49 36.32 1.07 100 281 Average																																																																																		



Mode	113																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>56.23</td><td>88.20</td><td>-31.97</td><td>33.86</td><td>41.00</td><td>23.59</td><td>44.06</td><td>1.84</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.33</td><td>74.00</td><td>-34.67</td><td>45.06</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	56.23	88.20	-31.97	33.86	41.00	23.59	44.06	1.84	--	Peak	2	21345.00	39.33	74.00	-34.67	45.06	38.10	26.93	61.22	-9.54	--	Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>56.85</td><td>88.20</td><td>-31.35</td><td>34.48</td><td>41.00</td><td>23.59</td><td>44.06</td><td>1.84</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>45.54</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	56.85	88.20	-31.35	34.48	41.00	23.59	44.06	1.84	--	Peak	2	21345.00	39.81	74.00	-34.19	45.54	38.10	26.93	61.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	56.23	88.20	-31.97	33.86	41.00	23.59	44.06	1.84	--	Peak																																																																																																															
2	21345.00	39.33	74.00	-34.67	45.06	38.10	26.93	61.22	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	56.85	88.20	-31.35	34.48	41.00	23.59	44.06	1.84	--	Peak																																																																																																															
2	21345.00	39.81	74.00	-34.19	45.54	38.10	26.93	61.22	-9.54	--	Peak																																																																																																															





Mode	113	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-05  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	114																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_6895MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13790.00</td><td>58.39</td><td>88.20</td><td>-29.81</td><td>36.30</td><td>40.38</td><td>23.17</td><td>43.29</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20685.00</td><td>62.79</td><td>74.00</td><td>-11.21</td><td>69.53</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>214 249 Peak</td></tr><tr><td>3 20685.00</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>57.47</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>214 249 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13790.00	58.39	88.20	-29.81	36.30	40.38	23.17	43.29	1.83	-- -- Peak	2 20685.00	62.79	74.00	-11.21	69.53	38.04	26.52	61.76	-9.54	214 249 Peak	3 20685.00	50.73	54.00	-3.27	57.47	38.04	26.52	61.76	-9.54	214 249 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13790.00</td><td>57.48</td><td>88.20</td><td>-30.72</td><td>35.39</td><td>40.38</td><td>23.17</td><td>43.29</td><td>1.83</td><td>-- -- Peak</td></tr><tr><td>2 20685.00</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>60.13</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>200 55 Peak</td></tr><tr><td>3 20685.00</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>51.20</td><td>38.04</td><td>26.52</td><td>61.76</td><td>-9.54</td><td>200 55 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13790.00	57.48	88.20	-30.72	35.39	40.38	23.17	43.29	1.83	-- -- Peak	2 20685.00	53.39	74.00	-20.61	60.13	38.04	26.52	61.76	-9.54	200 55 Peak	3 20685.00	44.46	54.00	-9.54	51.20	38.04	26.52	61.76	-9.54	200 55 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13790.00	58.39	88.20	-29.81	36.30	40.38	23.17	43.29	1.83	-- -- Peak																																																																																																																	
2 20685.00	62.79	74.00	-11.21	69.53	38.04	26.52	61.76	-9.54	214 249 Peak																																																																																																																	
3 20685.00	50.73	54.00	-3.27	57.47	38.04	26.52	61.76	-9.54	214 249 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13790.00	57.48	88.20	-30.72	35.39	40.38	23.17	43.29	1.83	-- -- Peak																																																																																																																	
2 20685.00	53.39	74.00	-20.61	60.13	38.04	26.52	61.76	-9.54	200 55 Peak																																																																																																																	
3 20685.00	44.46	54.00	-9.54	51.20	38.04	26.52	61.76	-9.54	200 55 Average																																																																																																																	



Mode	114	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_6895MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	115																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_6995MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13990.00</td><td>59.48</td><td>88.20</td><td>-28.72</td><td>37.01</td><td>40.78</td><td>23.36</td><td>43.52</td><td>1.85</td><td>-- -- Peak</td></tr><tr><td>2 20985.00</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>65.86</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>300 255 Peak</td></tr><tr><td>3 20985.00</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>53.41</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>300 255 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13990.00	59.48	88.20	-28.72	37.01	40.78	23.36	43.52	1.85	-- -- Peak	2 20985.00	59.35	74.00	-14.65	65.86	38.03	26.70	61.70	-9.54	300 255 Peak	3 20985.00	46.90	54.00	-7.10	53.41	38.03	26.70	61.70	-9.54	300 255 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13990.00</td><td>57.44</td><td>88.20</td><td>-30.76</td><td>34.97</td><td>40.78</td><td>23.36</td><td>43.52</td><td>1.85</td><td>-- -- Peak</td></tr><tr><td>2 20985.00</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>62.28</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>264 45 Peak</td></tr><tr><td>3 20985.00</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>51.86</td><td>38.03</td><td>26.70</td><td>61.70</td><td>-9.54</td><td>264 45 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13990.00	57.44	88.20	-30.76	34.97	40.78	23.36	43.52	1.85	-- -- Peak	2 20985.00	55.77	74.00	-18.23	62.28	38.03	26.70	61.70	-9.54	264 45 Peak	3 20985.00	45.35	54.00	-8.65	51.86	38.03	26.70	61.70	-9.54	264 45 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13990.00	59.48	88.20	-28.72	37.01	40.78	23.36	43.52	1.85	-- -- Peak																																																																																																																	
2 20985.00	59.35	74.00	-14.65	65.86	38.03	26.70	61.70	-9.54	300 255 Peak																																																																																																																	
3 20985.00	46.90	54.00	-7.10	53.41	38.03	26.70	61.70	-9.54	300 255 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13990.00	57.44	88.20	-30.76	34.97	40.78	23.36	43.52	1.85	-- -- Peak																																																																																																																	
2 20985.00	55.77	74.00	-18.23	62.28	38.03	26.70	61.70	-9.54	264 45 Peak																																																																																																																	
3 20985.00	45.35	54.00	-8.65	51.86	38.03	26.70	61.70	-9.54	264 45 Average																																																																																																																	



Mode	115	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_6995MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	116																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																		
ANT	7+6																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.14</td><td>76.95</td><td>88.20</td><td>-11.25</td><td>59.50</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td></td><td>3 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.14	76.95	88.20	-11.25	59.50	36.20	16.50	36.32	1.07	100		3 Peak	Level (dBuV/m) Date: 2025-11-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>101.34</td><td>-----</td><td>-----</td><td>83.92</td><td>36.18</td><td>16.49</td><td>36.32</td><td>1.07</td><td>100</td><td></td><td>3 Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	101.34	-----	-----	83.92	36.18	16.49	36.32	1.07	100		3 Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7125.14	76.95	88.20	-11.25	59.50	36.20	16.50	36.32	1.07	100		3 Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7115.00	101.34	-----	-----	83.92	36.18	16.49	36.32	1.07	100		3 Peak																																																																								
Avg	Level (dBuV/m) Date: 2025-11-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>66.46</td><td>68.20</td><td>-1.74</td><td>49.01</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td></td><td>3 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	66.46	68.20	-1.74	49.01	36.20	16.50	36.32	1.07	100		3 Average	Level (dBuV/m) Date: 2025-11-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>93.88</td><td>-----</td><td>-----</td><td>76.46</td><td>36.18</td><td>16.49</td><td>36.32</td><td>1.07</td><td>100</td><td></td><td>3 Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	93.88	-----	-----	76.46	36.18	16.49	36.32	1.07	100		3 Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7125.01	66.46	68.20	-1.74	49.01	36.20	16.50	36.32	1.07	100		3 Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7115.00	93.88	-----	-----	76.46	36.18	16.49	36.32	1.07	100		3 Average																																																																								



Mode	116																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																			
ANT	7+6																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-11-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>75.01</td><td>88.20</td><td>-13.19</td><td>57.56</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>268</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	75.01	88.20	-13.19	57.56	36.20	16.50	36.32	1.07	100	268	Peak	Level (dBuV/m) Date: 2025-11-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>99.17</td><td>-----</td><td>-----</td><td>81.82</td><td>36.13</td><td>16.47</td><td>36.31</td><td>1.06</td><td>100</td><td>268</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	99.17	-----	-----	81.82	36.13	16.47	36.31	1.06	100	268	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	75.01	88.20	-13.19	57.56	36.20	16.50	36.32	1.07	100	268	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	99.17	-----	-----	81.82	36.13	16.47	36.31	1.06	100	268	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-11-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>64.38</td><td>68.20</td><td>-3.82</td><td>46.93</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>268</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	64.38	68.20	-3.82	46.93	36.20	16.50	36.32	1.07	100	268	Average	Level (dBuV/m) Date: 2025-11-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>91.26</td><td>-----</td><td>-----</td><td>73.91</td><td>36.13</td><td>16.47</td><td>36.31</td><td>1.06</td><td>100</td><td>268</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	91.26	-----	-----	73.91	36.13	16.47	36.31	1.06	100	268	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	64.38	68.20	-3.82	46.93	36.20	16.50	36.32	1.07	100	268	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	91.26	-----	-----	73.91	36.13	16.47	36.31	1.06	100	268	Average																																																																									



Mode	116																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																																								
ANT	7+6																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.79</td><td>88.20</td><td>-32.41</td><td>33.42</td><td>41.00</td><td>23.59</td><td>44.06</td><td>1.84</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>44.09</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.79	88.20	-32.41	33.42	41.00	23.59	44.06	1.84	--	Peak	2	21345.00	39.16	74.00	-34.84	44.09	38.10	26.93	61.22	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.76</td><td>88.20</td><td>-32.44</td><td>33.39</td><td>41.00</td><td>23.59</td><td>44.06</td><td>1.84</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>44.87</td><td>38.10</td><td>26.93</td><td>61.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.76	88.20	-32.44	33.39	41.00	23.59	44.06	1.84	--	Peak	2	21345.00	39.14	74.00	-34.86	44.87	38.10	26.93	61.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	14230.00	55.79	88.20	-32.41	33.42	41.00	23.59	44.06	1.84	--	Peak																																																																																																														
2	21345.00	39.16	74.00	-34.84	44.09	38.10	26.93	61.22	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	14230.00	55.76	88.20	-32.44	33.39	41.00	23.59	44.06	1.84	--	Peak																																																																																																														
2	21345.00	39.14	74.00	-34.86	44.87	38.10	26.93	61.22	-9.54	--	Peak																																																																																																														



Mode	116	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	117																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Partial RU 106/54_7115MHz																																																																																											
ANT	7+6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7125.01</td><td>79.02</td><td>88.20</td><td>-9.18</td><td>61.57</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>360</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7125.01	79.02	88.20	-9.18	61.57	36.20	16.50	36.32	1.07	100	360	Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7115.00</td><td>103.47</td><td>-----</td><td>-----</td><td>86.02</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>360</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7115.00	103.47	-----	-----	86.02	36.20	16.50	36.32	1.07	100	360	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1	7125.01	79.02	88.20	-9.18	61.57	36.20	16.50	36.32	1.07	100	360	Peak																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1	7115.00	103.47	-----	-----	86.02	36.20	16.50	36.32	1.07	100	360	Peak																																																																																
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7125.01</td><td>66.89</td><td>68.20</td><td>-1.31</td><td>49.44</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>360</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7125.01	66.89	68.20	-1.31	49.44	36.20	16.50	36.32	1.07	100	360	Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7115.00</td><td>94.40</td><td>-----</td><td>-----</td><td>76.95</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>360</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7115.00	94.40	-----	-----	76.95	36.20	16.50	36.32	1.07	100	360	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1	7125.01	66.89	68.20	-1.31	49.44	36.20	16.50	36.32	1.07	100	360	Average																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																												
1	7115.00	94.40	-----	-----	76.95	36.20	16.50	36.32	1.07	100	360	Average																																																																																





Mode	117																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Partial RU 106/54_7115MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 75.10 88.20 -13.10 57.65 36.20 16.50 36.32 1.07 110 264 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7125.01 75.10 88.20 -13.10 57.65 36.20 16.50 36.32 1.07 110 264 Peak									Level (dBuV/m) Date: 2025-11-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 99.58 ----- 82.16 36.18 16.49 36.32 1.07 110 264 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7115.00 99.58 ----- 82.16 36.18 16.49 36.32 1.07 110 264 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 7125.01 75.10 88.20 -13.10 57.65 36.20 16.50 36.32 1.07 110 264 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 7115.00 99.58 ----- 82.16 36.18 16.49 36.32 1.07 110 264 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.01 63.83 68.20 -4.37 46.38 36.20 16.50 36.32 1.07 110 264 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7125.01 63.83 68.20 -4.37 46.38 36.20 16.50 36.32 1.07 110 264 Average									Level (dBuV/m) Date: 2025-11-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7115.00 91.85 ----- 74.40 36.20 16.50 36.32 1.07 110 264 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 7115.00 91.85 ----- 74.40 36.20 16.50 36.32 1.07 110 264 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 7125.01 63.83 68.20 -4.37 46.38 36.20 16.50 36.32 1.07 110 264 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 7115.00 91.85 ----- 74.40 36.20 16.50 36.32 1.07 110 264 Average																																																																																		



Mode	118																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_6925MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13850.00</td><td>56.92</td><td>88.20</td><td>-31.28</td><td>34.81</td><td>40.40</td><td>23.23</td><td>43.36</td><td>1.84</td><td>-- -- Peak</td></tr><tr><td>2 20775.00</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>63.56</td><td>37.95</td><td>26.57</td><td>61.74</td><td>-9.54</td><td>198 246 Peak</td></tr><tr><td>3 20775.00</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>53.30</td><td>37.95</td><td>26.57</td><td>61.74</td><td>-9.54</td><td>198 246 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13850.00	56.92	88.20	-31.28	34.81	40.40	23.23	43.36	1.84	-- -- Peak	2 20775.00	56.80	74.00	-17.20	63.56	37.95	26.57	61.74	-9.54	198 246 Peak	3 20775.00	46.54	54.00	-7.46	53.30	37.95	26.57	61.74	-9.54	198 246 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13850.00</td><td>56.95</td><td>88.20</td><td>-31.25</td><td>34.84</td><td>40.40</td><td>23.23</td><td>43.36</td><td>1.84</td><td>-- -- Peak</td></tr><tr><td>2 20775.00</td><td>53.37</td><td>74.00</td><td>-20.63</td><td>60.13</td><td>37.95</td><td>26.57</td><td>61.74</td><td>-9.54</td><td>167 238 Peak</td></tr><tr><td>3 20775.00</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>49.35</td><td>37.95</td><td>26.57</td><td>61.74</td><td>-9.54</td><td>167 238 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13850.00	56.95	88.20	-31.25	34.84	40.40	23.23	43.36	1.84	-- -- Peak	2 20775.00	53.37	74.00	-20.63	60.13	37.95	26.57	61.74	-9.54	167 238 Peak	3 20775.00	42.59	54.00	-11.41	49.35	37.95	26.57	61.74	-9.54	167 238 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13850.00	56.92	88.20	-31.28	34.81	40.40	23.23	43.36	1.84	-- -- Peak																																																																																																																	
2 20775.00	56.80	74.00	-17.20	63.56	37.95	26.57	61.74	-9.54	198 246 Peak																																																																																																																	
3 20775.00	46.54	54.00	-7.46	53.30	37.95	26.57	61.74	-9.54	198 246 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13850.00	56.95	88.20	-31.25	34.84	40.40	23.23	43.36	1.84	-- -- Peak																																																																																																																	
2 20775.00	53.37	74.00	-20.63	60.13	37.95	26.57	61.74	-9.54	167 238 Peak																																																																																																																	
3 20775.00	42.59	54.00	-11.41	49.35	37.95	26.57	61.74	-9.54	167 238 Average																																																																																																																	





Mode	118	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_6925MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL







Mode	119																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_7005MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 14010.00</td><td>57.08</td><td>88.20</td><td>-31.12</td><td>34.60</td><td>40.80</td><td>23.38</td><td>43.55</td><td>1.85</td><td>-- -- Peak</td></tr><tr><td>2 21015.00</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>61.83</td><td>37.97</td><td>26.72</td><td>61.68</td><td>-9.54</td><td>198 248 Peak</td></tr><tr><td>3 21015.00</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>51.57</td><td>37.97</td><td>26.72</td><td>61.68</td><td>-9.54</td><td>198 248 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14010.00	57.08	88.20	-31.12	34.60	40.80	23.38	43.55	1.85	-- -- Peak	2 21015.00	55.30	74.00	-18.70	61.83	37.97	26.72	61.68	-9.54	198 248 Peak	3 21015.00	45.04	54.00	-8.96	51.57	37.97	26.72	61.68	-9.54	198 248 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 14010.00</td><td>56.77</td><td>88.20</td><td>-31.43</td><td>34.29</td><td>40.80</td><td>23.38</td><td>43.55</td><td>1.85</td><td>-- -- Peak</td></tr><tr><td>2 21015.00</td><td>51.60</td><td>74.00</td><td>-22.40</td><td>58.13</td><td>37.97</td><td>26.72</td><td>61.68</td><td>-9.54</td><td>188 356 Peak</td></tr><tr><td>3 21015.00</td><td>40.66</td><td>54.00</td><td>-13.34</td><td>47.19</td><td>37.97</td><td>26.72</td><td>61.68</td><td>-9.54</td><td>188 356 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14010.00	56.77	88.20	-31.43	34.29	40.80	23.38	43.55	1.85	-- -- Peak	2 21015.00	51.60	74.00	-22.40	58.13	37.97	26.72	61.68	-9.54	188 356 Peak	3 21015.00	40.66	54.00	-13.34	47.19	37.97	26.72	61.68	-9.54	188 356 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14010.00	57.08	88.20	-31.12	34.60	40.80	23.38	43.55	1.85	-- -- Peak																																																																																																																	
2 21015.00	55.30	74.00	-18.70	61.83	37.97	26.72	61.68	-9.54	198 248 Peak																																																																																																																	
3 21015.00	45.04	54.00	-8.96	51.57	37.97	26.72	61.68	-9.54	198 248 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 14010.00	56.77	88.20	-31.43	34.29	40.80	23.38	43.55	1.85	-- -- Peak																																																																																																																	
2 21015.00	51.60	74.00	-22.40	58.13	37.97	26.72	61.68	-9.54	188 356 Peak																																																																																																																	
3 21015.00	40.66	54.00	-13.34	47.19	37.97	26.72	61.68	-9.54	188 356 Average																																																																																																																	



Mode	119	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_7005MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





Mode	120																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-27  PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7131.56</td><td>75.36</td><td>88.20</td><td>-12.84</td><td>57.87</td><td>36.23</td><td>16.50</td><td>36.32</td><td>1.08</td><td>100 6 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7131.56	75.36	88.20	-12.84	57.87	36.23	16.50	36.32	1.08	100 6 Peak	Level (dBuV/m) Date: 2025-11-27  PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>110.03</td><td>-----</td><td>-----</td><td>92.75</td><td>36.10</td><td>16.43</td><td>36.30</td><td>1.05</td><td>100 6 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	110.03	-----	-----	92.75	36.10	16.43	36.30	1.05	100 6 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7131.56	75.36	88.20	-12.84	57.87	36.23	16.50	36.32	1.08	100 6 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7085.00	110.03	-----	-----	92.75	36.10	16.43	36.30	1.05	100 6 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-11-27  AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7129.00</td><td>64.21</td><td>68.20</td><td>-3.99</td><td>46.74</td><td>36.22</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100 6 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7129.00	64.21	68.20	-3.99	46.74	36.22	16.50	36.32	1.07	100 6 Average	Level (dBuV/m) Date: 2025-11-27  AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>101.83</td><td>-----</td><td>-----</td><td>84.56</td><td>36.10</td><td>16.43</td><td>36.30</td><td>1.04</td><td>100 6 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	101.83	-----	-----	84.56	36.10	16.43	36.30	1.04	100 6 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7129.00	64.21	68.20	-3.99	46.74	36.22	16.50	36.32	1.07	100 6 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7085.00	101.83	-----	-----	84.56	36.10	16.43	36.30	1.04	100 6 Average																																																																																	



Mode	120																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																		
ANT	7+6																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.64</td><td>75.30</td><td>88.20</td><td>-12.90</td><td>57.85</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>300</td><td>352</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.64	75.30	88.20	-12.90	57.85	36.20	16.50	36.32	1.07	300	352	Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7085.00</td><td>105.81</td><td>-----</td><td>-----</td><td>88.52</td><td>36.10</td><td>16.45</td><td>36.31</td><td>1.05</td><td>300</td><td>352</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7085.00	105.81	-----	-----	88.52	36.10	16.45	36.31	1.05	300	352	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7125.64	75.30	88.20	-12.90	57.85	36.20	16.50	36.32	1.07	300	352	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7085.00	105.81	-----	-----	88.52	36.10	16.45	36.31	1.05	300	352	Peak																																																																								
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.96</td><td>63.70</td><td>68.20</td><td>-4.50</td><td>46.25</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>300</td><td>352</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.96	63.70	68.20	-4.50	46.25	36.20	16.50	36.32	1.07	300	352	Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7085.00</td><td>97.34</td><td>-----</td><td>-----</td><td>80.05</td><td>36.10</td><td>16.45</td><td>36.31</td><td>1.05</td><td>300</td><td>352</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7085.00	97.34	-----	-----	80.05	36.10	16.45	36.31	1.05	300	352	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7125.96	63.70	68.20	-4.50	46.25	36.20	16.50	36.32	1.07	300	352	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7085.00	97.34	-----	-----	80.05	36.10	16.45	36.31	1.05	300	352	Average																																																																								



Mode	120																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																																																							
ANT	7+6																																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 14170.00</td><td>56.91</td><td>88.20</td><td>-31.29</td><td>34.46</td><td>41.00</td><td>23.53</td><td>43.92</td><td>1.84</td><td>-- -- Peak</td></tr><tr><td>2 21255.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>54.74</td><td>38.10</td><td>26.87</td><td>61.34</td><td>-9.54</td><td>197 249 Peak</td></tr><tr><td>3 21255.00</td><td>37.90</td><td>54.00</td><td>-16.10</td><td>43.81</td><td>38.10</td><td>26.87</td><td>61.34</td><td>-9.54</td><td>197 249 Average</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14170.00	56.91	88.20	-31.29	34.46	41.00	23.53	43.92	1.84	-- -- Peak	2 21255.00	48.83	74.00	-25.17	54.74	38.10	26.87	61.34	-9.54	197 249 Peak	3 21255.00	37.90	54.00	-16.10	43.81	38.10	26.87	61.34	-9.54	197 249 Average	Level (dBuV/m) Date: 2025-12-10  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 14170.00</td><td>56.17</td><td>88.20</td><td>-32.03</td><td>33.72</td><td>41.00</td><td>23.53</td><td>43.92</td><td>1.84</td><td>-- -- Peak</td></tr><tr><td>2 21255.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>53.77</td><td>38.10</td><td>26.87</td><td>61.34</td><td>-9.54</td><td>214 0 Peak</td></tr><tr><td>3 21255.00</td><td>35.96</td><td>54.00</td><td>-18.04</td><td>41.87</td><td>38.10</td><td>26.87</td><td>61.34</td><td>-9.54</td><td>214 0 Average</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 14170.00	56.17	88.20	-32.03	33.72	41.00	23.53	43.92	1.84	-- -- Peak	2 21255.00	47.86	74.00	-26.14	53.77	38.10	26.87	61.34	-9.54	214 0 Peak	3 21255.00	35.96	54.00	-18.04	41.87	38.10	26.87	61.34	-9.54	214 0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																															
1 14170.00	56.91	88.20	-31.29	34.46	41.00	23.53	43.92	1.84	-- -- Peak																																																																																																																															
2 21255.00	48.83	74.00	-25.17	54.74	38.10	26.87	61.34	-9.54	197 249 Peak																																																																																																																															
3 21255.00	37.90	54.00	-16.10	43.81	38.10	26.87	61.34	-9.54	197 249 Average																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																															
1 14170.00	56.17	88.20	-32.03	33.72	41.00	23.53	43.92	1.84	-- -- Peak																																																																																																																															
2 21255.00	47.86	74.00	-26.14	53.77	38.10	26.87	61.34	-9.54	214 0 Peak																																																																																																																															
3 21255.00	35.96	54.00	-18.04	41.87	38.10	26.87	61.34	-9.54	214 0 Average																																																																																																																															



Mode	120	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	121																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Partial RU 242/62_7085MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.20</td><td>79.26</td><td>88.20</td><td>-8.94</td><td>61.00</td><td>36.21</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>16 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7128.20	79.26	88.20	-8.94	61.00	36.21	16.50	36.32	1.07	100	16 Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>114.62</td><td>-----</td><td>-----</td><td>97.33</td><td>36.10</td><td>16.45</td><td>36.31</td><td>1.05</td><td>100</td><td>16 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7085.00	114.62	-----	-----	97.33	36.10	16.45	36.31	1.05	100	16 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7128.20	79.26	88.20	-8.94	61.00	36.21	16.50	36.32	1.07	100	16 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7085.00	114.62	-----	-----	97.33	36.10	16.45	36.31	1.05	100	16 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.68</td><td>66.84</td><td>68.20</td><td>-1.36</td><td>49.38</td><td>36.21</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>16 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7128.68	66.84	68.20	-1.36	49.38	36.21	16.50	36.32	1.07	100	16 Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>107.35</td><td>-----</td><td>-----</td><td>90.06</td><td>36.10</td><td>16.45</td><td>36.31</td><td>1.05</td><td>100</td><td>16 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7085.00	107.35	-----	-----	90.06	36.10	16.45	36.31	1.05	100	16 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7128.68	66.84	68.20	-1.36	49.38	36.21	16.50	36.32	1.07	100	16 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7085.00	107.35	-----	-----	90.06	36.10	16.45	36.31	1.05	100	16 Average																																																																																							



Mode	121																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Partial RU 242/62_7085MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.44 73.38 88.20 -14.82 55.92 36.21 16.50 36.32 1.07 300 30 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7126.44 73.38 88.20 -14.82 55.92 36.21 16.50 36.32 1.07 300 30 Peak									Level (dBuV/m) Date: 2025-11-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 109.78 ----- 92.46 36.10 16.47 36.31 1.06 300 30 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7085.00 109.78 ----- 92.46 36.10 16.47 36.31 1.06 300 30 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7126.44 73.38 88.20 -14.82 55.92 36.21 16.50 36.32 1.07 300 30 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7085.00 109.78 ----- 92.46 36.10 16.47 36.31 1.06 300 30 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.48 62.43 68.20 -5.77 44.98 36.20 16.50 36.32 1.07 300 30 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7125.48 62.43 68.20 -5.77 44.98 36.20 16.50 36.32 1.07 300 30 Average									Level (dBuV/m) Date: 2025-11-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 102.19 ----- 84.87 36.10 16.47 36.31 1.06 300 30 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7085.00 102.19 ----- 84.87 36.10 16.47 36.31 1.06 300 30 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7125.48 62.43 68.20 -5.77 44.98 36.20 16.50 36.32 1.07 300 30 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7085.00 102.19 ----- 84.87 36.10 16.47 36.31 1.06 300 30 Average																																																																																		



Mode	122																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_6945MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13890.00</td><td>56.37</td><td>88.20</td><td>-31.83</td><td>34.11</td><td>40.56</td><td>23.26</td><td>43.40</td><td>1.84</td><td>-- -- Peak</td></tr><tr><td>2 20835.00</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>60.95</td><td>38.07</td><td>26.61</td><td>61.73</td><td>-9.54</td><td>201 245 Peak</td></tr><tr><td>3 20835.00</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>50.38</td><td>38.07</td><td>26.61</td><td>61.73</td><td>-9.54</td><td>201 245 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13890.00	56.37	88.20	-31.83	34.11	40.56	23.26	43.40	1.84	-- -- Peak	2 20835.00	54.36	74.00	-19.64	60.95	38.07	26.61	61.73	-9.54	201 245 Peak	3 20835.00	43.79	54.00	-10.21	50.38	38.07	26.61	61.73	-9.54	201 245 Average	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13890.00</td><td>56.22</td><td>88.20</td><td>-31.98</td><td>33.96</td><td>40.56</td><td>23.26</td><td>43.40</td><td>1.84</td><td>-- -- Peak</td></tr><tr><td>2 20835.00</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>55.94</td><td>38.07</td><td>26.61</td><td>61.73</td><td>-9.54</td><td>166 237 Peak</td></tr><tr><td>3 20835.00</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>46.90</td><td>38.07</td><td>26.61</td><td>61.73</td><td>-9.54</td><td>166 237 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13890.00	56.22	88.20	-31.98	33.96	40.56	23.26	43.40	1.84	-- -- Peak	2 20835.00	49.35	74.00	-24.65	55.94	38.07	26.61	61.73	-9.54	166 237 Peak	3 20835.00	40.31	54.00	-13.69	46.90	38.07	26.61	61.73	-9.54	166 237 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13890.00	56.37	88.20	-31.83	34.11	40.56	23.26	43.40	1.84	-- -- Peak																																																																																																																	
2 20835.00	54.36	74.00	-19.64	60.95	38.07	26.61	61.73	-9.54	201 245 Peak																																																																																																																	
3 20835.00	43.79	54.00	-10.21	50.38	38.07	26.61	61.73	-9.54	201 245 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13890.00	56.22	88.20	-31.98	33.96	40.56	23.26	43.40	1.84	-- -- Peak																																																																																																																	
2 20835.00	49.35	74.00	-24.65	55.94	38.07	26.61	61.73	-9.54	166 237 Peak																																																																																																																	
3 20835.00	40.31	54.00	-13.69	46.90	38.07	26.61	61.73	-9.54	166 237 Average																																																																																																																	



Mode	122	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_6945MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	123																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.98</td><td>67.46</td><td>88.20</td><td>-20.74</td><td>50.01</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>19 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.98	67.46	88.20	-20.74	50.01	36.20	16.50	36.32	1.07	100	19 Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>110.01</td><td>-----</td><td>-----</td><td>92.76</td><td>36.15</td><td>16.37</td><td>36.29</td><td>1.02</td><td>100</td><td>19 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	110.01	-----	-----	92.76	36.15	16.37	36.29	1.02	100	19 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7125.98	67.46	88.20	-20.74	50.01	36.20	16.50	36.32	1.07	100	19 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7025.00	110.01	-----	-----	92.76	36.15	16.37	36.29	1.02	100	19 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.04</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>39.28</td><td>36.22</td><td>16.50</td><td>36.32</td><td>1.08</td><td>100</td><td>19 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.04	56.76	68.20	-11.44	39.28	36.22	16.50	36.32	1.08	100	19 Average	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>101.29</td><td>-----</td><td>-----</td><td>84.03</td><td>36.18</td><td>16.35</td><td>36.28</td><td>1.01</td><td>100</td><td>19 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	101.29	-----	-----	84.03	36.18	16.35	36.28	1.01	100	19 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7131.04	56.76	68.20	-11.44	39.28	36.22	16.50	36.32	1.08	100	19 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7025.00	101.29	-----	-----	84.03	36.18	16.35	36.28	1.01	100	19 Average																																																																																							



Mode	123																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																			
ANT	7+6																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-05 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.08</td><td>61.09</td><td>88.20</td><td>-27.11</td><td>43.63</td><td>36.21</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>356</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.08	61.09	88.20	-27.11	43.63	36.21	16.50	36.32	1.07	100	356	Peak	Level (dBuV/m) Date: 2025-12-05 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>105.33</td><td>-----</td><td>-----</td><td>88.06</td><td>36.17</td><td>16.36</td><td>36.28</td><td>1.02</td><td>100</td><td>356</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	105.33	-----	-----	88.06	36.17	16.36	36.28	1.02	100	356	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7127.08	61.09	88.20	-27.11	43.63	36.21	16.50	36.32	1.07	100	356	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	105.33	-----	-----	88.06	36.17	16.36	36.28	1.02	100	356	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-05 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.96</td><td>51.70</td><td>68.20</td><td>-16.50</td><td>34.24</td><td>36.21</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>356</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.96	51.70	68.20	-16.50	34.24	36.21	16.50	36.32	1.07	100	356	Average	Level (dBuV/m) Date: 2025-12-05 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>96.91</td><td>-----</td><td>-----</td><td>79.64</td><td>36.17</td><td>16.36</td><td>36.28</td><td>1.02</td><td>100</td><td>356</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	96.91	-----	-----	79.64	36.17	16.36	36.28	1.02	100	356	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7127.96	51.70	68.20	-16.50	34.24	36.21	16.50	36.32	1.07	100	356	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	96.91	-----	-----	79.64	36.17	16.36	36.28	1.02	100	356	Average																																																																																								



Mode	123																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																																											
ANT	7+6																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7257.60</td><td>60.58</td><td>74.00</td><td>-13.42</td><td>42.82</td><td>36.43</td><td>16.66</td><td>36.36</td><td>1.03</td><td>100</td><td>15</td><td>Peak</td></tr><tr><td>2</td><td>7257.60</td><td>49.94</td><td>54.00</td><td>-4.06</td><td>32.18</td><td>36.43</td><td>16.66</td><td>36.36</td><td>1.03</td><td>100</td><td>15</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7257.60	60.58	74.00	-13.42	42.82	36.43	16.66	36.36	1.03	100	15	Peak	2	7257.60	49.94	54.00	-4.06	32.18	36.43	16.66	36.36	1.03	100	15	Average	Level (dBuV/m) Date: 2025-11-29 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7250.40</td><td>57.41</td><td>74.00</td><td>-16.59</td><td>39.68</td><td>36.40</td><td>16.65</td><td>36.36</td><td>1.04</td><td>100</td><td>334</td><td>Peak</td></tr><tr><td>2</td><td>7250.40</td><td>47.12</td><td>54.00</td><td>-6.88</td><td>29.39</td><td>36.40</td><td>16.65</td><td>36.36</td><td>1.04</td><td>100</td><td>334</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7250.40	57.41	74.00	-16.59	39.68	36.40	16.65	36.36	1.04	100	334	Peak	2	7250.40	47.12	54.00	-6.88	29.39	36.40	16.65	36.36	1.04	100	334	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																																			
1	7257.60	60.58	74.00	-13.42	42.82	36.43	16.66	36.36	1.03	100	15	Peak																																																																																																																
2	7257.60	49.94	54.00	-4.06	32.18	36.43	16.66	36.36	1.03	100	15	Average																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																																			
1	7250.40	57.41	74.00	-16.59	39.68	36.40	16.65	36.36	1.04	100	334	Peak																																																																																																																
2	7250.40	47.12	54.00	-6.88	29.39	36.40	16.65	36.36	1.04	100	334	Average																																																																																																																



Mode	123	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-10 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	124																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Partial RU 484/66_7025MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.42 73.77 88.20 -14.43 56.31 36.21 16.50 36.32 1.07 101 11 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7126.42 73.77 88.20 -14.43 56.31 36.21 16.50 36.32 1.07 101 11 Peak									Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 114.16 ----- 96.92 36.10 16.40 36.30 1.04 101 11 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7025.00 114.16 ----- 96.92 36.10 16.40 36.30 1.04 101 11 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7126.42 73.77 88.20 -14.43 56.31 36.21 16.50 36.32 1.07 101 11 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7025.00 114.16 ----- 96.92 36.10 16.40 36.30 1.04 101 11 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7131.04 63.68 68.20 -4.52 46.20 36.22 16.50 36.32 1.08 101 11 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7131.04 63.68 68.20 -4.52 46.20 36.22 16.50 36.32 1.08 101 11 Average									Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 105.31 ----- 88.07 36.10 16.40 36.30 1.04 101 11 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7025.00 105.31 ----- 88.07 36.10 16.40 36.30 1.04 101 11 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7131.04 63.68 68.20 -4.52 46.20 36.22 16.50 36.32 1.08 101 11 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7025.00 105.31 ----- 88.07 36.10 16.40 36.30 1.04 101 11 Average																																																																																		







Mode	124																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Partial RU 484/66_7025MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7135.34 76.63 88.20 -11.57 58.95 36.36 16.56 36.34 1.10 128 351</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7135.34 76.63 88.20 -11.57 58.95 36.36 16.56 36.34 1.10 128 351	Peak								Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 110.19 ----- 92.94 36.12 16.39 36.29 1.03 128 351</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7025.00 110.19 ----- 92.94 36.12 16.39 36.29 1.03 128 351	Peak							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7135.34 76.63 88.20 -11.57 58.95 36.36 16.56 36.34 1.10 128 351	Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7025.00 110.19 ----- 92.94 36.12 16.39 36.29 1.03 128 351	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7135.00 65.44 68.20 -2.76 47.93 36.24 16.51 36.32 1.08 128 351</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7135.00 65.44 68.20 -2.76 47.93 36.24 16.51 36.32 1.08 128 351	Average								Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 101.15 ----- 83.90 36.10 16.41 36.30 1.04 128 351</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7025.00 101.15 ----- 83.90 36.10 16.41 36.30 1.04 128 351	Average							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7135.00 65.44 68.20 -2.76 47.93 36.24 16.51 36.32 1.08 128 351	Average																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7025.00 101.15 ----- 83.90 36.10 16.41 36.30 1.04 128 351	Average																																																																																	



Mode	125																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																			
ANT	7+6																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-11-28 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7130.20</td><td>67.41</td><td>88.20</td><td>-20.79</td><td>49.93</td><td>36.22</td><td>16.50</td><td>36.32</td><td>1.08</td><td>100</td><td>16</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7130.20	67.41	88.20	-20.79	49.93	36.22	16.50	36.32	1.08	100	16	Peak	Level (dBuV/m) Date: 2025-11-28 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6985.00</td><td>106.14</td><td>-----</td><td>-----</td><td>88.88</td><td>36.18</td><td>16.33</td><td>36.26</td><td>1.01</td><td>100</td><td>16</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6985.00	106.14	-----	-----	88.88	36.18	16.33	36.26	1.01	100	16	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7130.20	67.41	88.20	-20.79	49.93	36.22	16.50	36.32	1.08	100	16	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6985.00	106.14	-----	-----	88.88	36.18	16.33	36.26	1.01	100	16	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-11-28 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7135.96</td><td>56.38</td><td>68.20</td><td>-11.82</td><td>38.87</td><td>36.24</td><td>16.51</td><td>36.32</td><td>1.08</td><td>100</td><td>16</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7135.96	56.38	68.20	-11.82	38.87	36.24	16.51	36.32	1.08	100	16	Average	Level (dBuV/m) Date: 2025-11-28 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6985.00</td><td>96.90</td><td>-----</td><td>-----</td><td>79.64</td><td>36.18</td><td>16.33</td><td>36.26</td><td>1.01</td><td>100</td><td>16</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6985.00	96.90	-----	-----	79.64	36.18	16.33	36.26	1.01	100	16	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7135.96	56.38	68.20	-11.82	38.87	36.24	16.51	36.32	1.08	100	16	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6985.00	96.90	-----	-----	79.64	36.18	16.33	36.26	1.01	100	16	Average																																																																									



Mode	125																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7217.32</td><td>62.65</td><td>88.20 -25.55</td><td>44.90</td><td>36.40</td><td>16.61</td><td>36.35</td><td>1.09</td><td>100</td><td>244 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7217.32	62.65	88.20 -25.55	44.90	36.40	16.61	36.35	1.09	100	244 Peak	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6985.00</td><td>100.18</td><td>-----</td><td>82.95</td><td>36.15</td><td>16.32</td><td>36.25</td><td>1.01</td><td>100</td><td>244 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	100.18	-----	82.95	36.15	16.32	36.25	1.01	100	244 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7217.32	62.65	88.20 -25.55	44.90	36.40	16.61	36.35	1.09	100	244 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6985.00	100.18	-----	82.95	36.15	16.32	36.25	1.01	100	244 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7142.44</td><td>54.00</td><td>68.20 -14.20</td><td>36.46</td><td>36.27</td><td>16.52</td><td>36.33</td><td>1.08</td><td>100</td><td>244 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7142.44	54.00	68.20 -14.20	36.46	36.27	16.52	36.33	1.08	100	244 Average	Level (dBuV/m) Date: 2025-11-28  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6985.00</td><td>92.29</td><td>-----</td><td>75.02</td><td>36.19</td><td>16.34</td><td>36.27</td><td>1.01</td><td>100</td><td>244 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	92.29	-----	75.02	36.19	16.34	36.27	1.01	100	244 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7142.44	54.00	68.20 -14.20	36.46	36.27	16.52	36.33	1.08	100	244 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6985.00	92.29	-----	75.02	36.19	16.34	36.27	1.01	100	244 Average																																																																																	



		125										
Mode		Harmonic										
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz										
ANT		7+6										
Pol.		Horizontal										
Peak Avg												



Mode	125	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL







Mode	126																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Partial RU 996/68_6985MHz																																																																																								
ANT	7+6																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-11-28 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-11-28 PEAK(UNII)_6E																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7209.88</td><td>73.40</td><td>88.20 -14.80</td><td>55.65</td><td>36.40</td><td>16.60</td><td>36.35</td><td>1.10</td><td>100</td><td>12 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7209.88	73.40	88.20 -14.80	55.65	36.40	16.60	36.35	1.10	100	12 Peak	Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6985.00</td><td>110.45</td><td>-----</td><td>93.21</td><td>36.10</td><td>16.40</td><td>36.30</td><td>1.04</td><td>100</td><td>12 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	110.45	-----	93.21	36.10	16.40	36.30	1.04	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7209.88	73.40	88.20 -14.80	55.65	36.40	16.60	36.35	1.10	100	12 Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6985.00	110.45	-----	93.21	36.10	16.40	36.30	1.04	100	12 Peak																																																																																
Avg	Level (dBuV/m) Date: 2025-11-28 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-11-28 AVG(UNII)_6E																																																																																			
	Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7130.20</td><td>64.59</td><td>68.20 -3.61</td><td>47.11</td><td>36.22</td><td>16.50</td><td>36.32</td><td>1.08</td><td>100</td><td>12 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7130.20	64.59	68.20 -3.61	47.11	36.22	16.50	36.32	1.08	100	12 Average	Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6985.00</td><td>102.45</td><td>-----</td><td>85.19</td><td>36.18</td><td>16.33</td><td>36.26</td><td>1.01</td><td>100</td><td>12 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	102.45	-----	85.19	36.18	16.33	36.26	1.01	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 7130.20	64.59	68.20 -3.61	47.11	36.22	16.50	36.32	1.08	100	12 Average																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6985.00	102.45	-----	85.19	36.18	16.33	36.26	1.01	100	12 Average																																																																																



Mode	126																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Partial RU 996/68_6985MHz																																																																																			
ANT	7+6																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7178.20</td><td>69.75</td><td>88.20</td><td>-18.45</td><td>52.07</td><td>36.36</td><td>16.56</td><td>36.34</td><td>1.10</td><td>100</td><td>339</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7178.20	69.75	88.20	-18.45	52.07	36.36	16.56	36.34	1.10	100	339	Peak	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6985.00</td><td>105.43</td><td>-----</td><td>-----</td><td>88.17</td><td>36.16</td><td>16.37</td><td>36.29</td><td>1.02</td><td>100</td><td>339</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6985.00	105.43	-----	-----	88.17	36.16	16.37	36.29	1.02	100	339	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7178.20	69.75	88.20	-18.45	52.07	36.36	16.56	36.34	1.10	100	339	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6985.00	105.43	-----	-----	88.17	36.16	16.37	36.29	1.02	100	339	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7137.64</td><td>60.38</td><td>68.20</td><td>-7.82</td><td>42.06</td><td>36.25</td><td>16.51</td><td>36.32</td><td>1.08</td><td>100</td><td>339</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7137.64	60.38	68.20	-7.82	42.06	36.25	16.51	36.32	1.08	100	339	Average	Level (dBuV/m) Date: 2025-11-28 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6985.00</td><td>97.55</td><td>-----</td><td>-----</td><td>80.29</td><td>36.16</td><td>16.37</td><td>36.29</td><td>1.02</td><td>100</td><td>339</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6985.00	97.55	-----	-----	80.29	36.16	16.37	36.29	1.02	100	339	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7137.64	60.38	68.20	-7.82	42.06	36.25	16.51	36.32	1.08	100	339	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6985.00	97.55	-----	-----	80.29	36.16	16.37	36.29	1.02	100	339	Average																																																																									



Mode	127																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5857.48</td><td>73.76</td><td>88.20</td><td>-14.44</td><td>59.29</td><td>33.70</td><td>14.91</td><td>35.22</td><td>1.08</td><td>300</td><td>19</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5857.48	73.76	88.20	-14.44	59.29	33.70	14.91	35.22	1.08	300	19	Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>101.71</td><td>-----</td><td>-----</td><td>87.45</td><td>33.60</td><td>15.04</td><td>35.33</td><td>0.95</td><td>300</td><td>19</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6105.00	101.71	-----	-----	87.45	33.60	15.04	35.33	0.95	300	19	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5857.48	73.76	88.20	-14.44	59.29	33.70	14.91	35.22	1.08	300	19	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	6105.00	101.71	-----	-----	87.45	33.60	15.04	35.33	0.95	300	19	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5847.40</td><td>63.60</td><td>68.20</td><td>-4.60</td><td>49.11</td><td>33.71</td><td>14.89</td><td>35.20</td><td>1.09</td><td>300</td><td>19</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5847.40	63.60	68.20	-4.60	49.11	33.71	14.89	35.20	1.09	300	19	Average	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>91.43</td><td>-----</td><td>-----</td><td>77.17</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>300</td><td>19</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6105.00	91.43	-----	-----	77.17	33.60	15.05	35.33	0.94	300	19	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5847.40	63.60	68.20	-4.60	49.11	33.71	14.89	35.20	1.09	300	19	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	6105.00	91.43	-----	-----	77.17	33.60	15.05	35.33	0.94	300	19	Average																																																																														



		127																																																																																																										
Mode		Band Edge																																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																										
ANT		7+6																																																																																																										
Pol.		Vertical																																																																																																										
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5857.76</td><td>74.56</td><td>88.20</td><td>-13.64</td><td>60.09</td><td>33.70</td><td>14.91</td><td>35.22</td><td>1.08</td><td>100</td><td>18 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5857.76	74.56	88.20	-13.64	60.09	33.70	14.91	35.22	1.08	100	18 Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>99.83</td><td>-----</td><td>-----</td><td>85.57</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>100</td><td>18 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	99.83	-----	-----	85.57	33.60	15.05	35.33	0.94	100	18 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5857.76	74.56	88.20	-13.64	60.09	33.70	14.91	35.22	1.08	100	18 Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6105.00	99.83	-----	-----	85.57	33.60	15.05	35.33	0.94	100	18 Peak																																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.04</td><td>65.20</td><td>68.20</td><td>-3.00</td><td>50.72</td><td>33.70</td><td>14.90</td><td>35.21</td><td>1.09</td><td>100</td><td>18 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5851.04	65.20	68.20	-3.00	50.72	33.70	14.90	35.21	1.09	100	18 Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>91.62</td><td>-----</td><td>-----</td><td>77.36</td><td>33.60</td><td>15.05</td><td>35.33</td><td>0.94</td><td>100</td><td>18 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.62	-----	-----	77.36	33.60	15.05	35.33	0.94	100	18 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5851.04	65.20	68.20	-3.00	50.72	33.70	14.90	35.21	1.09	100	18 Average																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6105.00	91.62	-----	-----	77.36	33.60	15.05	35.33	0.94	100	18 Average																																																																																																	



Mode	127																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12210.00</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>34.06</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>-- -- Peak</td></tr><tr><td>2 12210.00</td><td>44.13</td><td>54.00</td><td>-9.87</td><td>23.33</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>-- -- Average</td></tr><tr><td>3 18315.00</td><td>40.68</td><td>74.00</td><td>-33.32</td><td>50.99</td><td>37.93</td><td>25.01</td><td>63.71</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12210.00	54.86	74.00	-19.14	34.06	38.72	21.69	41.32	1.71	-- -- Peak	2 12210.00	44.13	54.00	-9.87	23.33	38.72	21.69	41.32	1.71	-- -- Average	3 18315.00	40.68	74.00	-33.32	50.99	37.93	25.01	63.71	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12210.00</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>33.69</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>-- -- Peak</td></tr><tr><td>2 12210.00</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>23.35</td><td>38.72</td><td>21.69</td><td>41.32</td><td>1.71</td><td>-- -- Average</td></tr><tr><td>3 18315.00</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>51.97</td><td>37.93</td><td>25.01</td><td>63.71</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12210.00	54.49	74.00	-19.51	33.69	38.72	21.69	41.32	1.71	-- -- Peak	2 12210.00	44.15	54.00	-9.85	23.35	38.72	21.69	41.32	1.71	-- -- Average	3 18315.00	41.66	74.00	-32.34	51.97	37.93	25.01	63.71	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12210.00	54.86	74.00	-19.14	34.06	38.72	21.69	41.32	1.71	-- -- Peak																																																																																																																	
2 12210.00	44.13	54.00	-9.87	23.33	38.72	21.69	41.32	1.71	-- -- Average																																																																																																																	
3 18315.00	40.68	74.00	-33.32	50.99	37.93	25.01	63.71	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12210.00	54.49	74.00	-19.51	33.69	38.72	21.69	41.32	1.71	-- -- Peak																																																																																																																	
2 12210.00	44.15	54.00	-9.85	23.35	38.72	21.69	41.32	1.71	-- -- Average																																																																																																																	
3 18315.00	41.66	74.00	-32.34	51.97	37.93	25.01	63.71	-9.54	-- -- Peak																																																																																																																	



Mode	127	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	128																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Partial RU 996*2/67_6105MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5896.40 73.30 88.20 -14.90 58.88 33.70 14.96 35.26 1.02 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5896.40 73.30 88.20 -14.90 58.88 33.70 14.96 35.26 1.02 100								3 Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 104.92 ----- 90.67 33.60 15.06 35.34 0.93 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6105.00 104.92 ----- 90.67 33.60 15.06 35.34 0.93 100								3 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5896.40 73.30 88.20 -14.90 58.88 33.70 14.96 35.26 1.02 100								3 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 6105.00 104.92 ----- 90.67 33.60 15.06 35.34 0.93 100								3 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5907.88 64.32 68.20 -3.88 49.94 33.68 14.98 35.28 1.00 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5907.88 64.32 68.20 -3.88 49.94 33.68 14.98 35.28 1.00 100								3 Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 96.27 ----- 82.03 33.60 15.07 35.35 0.92 100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6105.00 96.27 ----- 82.03 33.60 15.07 35.35 0.92 100								3 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 5907.88 64.32 68.20 -3.88 49.94 33.68 14.98 35.28 1.00 100								3 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 6105.00 96.27 ----- 82.03 33.60 15.07 35.35 0.92 100								3 Average																																																																										



Mode	128																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Partial RU 996*2/67_6105MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5897.00 72.98 88.20 -15.22 58.56 33.70 14.97 35.27 1.02 100 15 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5897.00 72.98 88.20 -15.22 58.56 33.70 14.97 35.27 1.02 100 15 Peak									Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 103.29 ----- 89.06 33.60 15.08 35.36 0.91 100 15 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 103.29 ----- 89.06 33.60 15.08 35.36 0.91 100 15 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5897.00 72.98 88.20 -15.22 58.56 33.70 14.97 35.27 1.02 100 15 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 103.29 ----- 89.06 33.60 15.08 35.36 0.91 100 15 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5913.76 63.98 68.20 -4.22 49.60 33.67 14.99 35.28 1.00 100 15 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5913.76 63.98 68.20 -4.22 49.60 33.67 14.99 35.28 1.00 100 15 Average									Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 94.53 ----- 80.30 33.60 15.08 35.36 0.91 100 15 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6105.00 94.53 ----- 80.30 33.60 15.08 35.36 0.91 100 15 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 5913.76 63.98 68.20 -4.22 49.60 33.67 14.99 35.28 1.00 100 15 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																		
1 6105.00 94.53 ----- 80.30 33.60 15.08 35.36 0.91 100 15 Average																																																																																		



Mode	129																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_6425MHz																																																																																																																									
ANT	7+6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>55.87</td><td>88.20</td><td>-32.33</td><td>33.34</td><td>40.00</td><td>22.27</td><td>41.50</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>49.58</td><td>38.10</td><td>25.64</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	55.87	88.20	-32.33	33.34	40.00	22.27	41.50	1.76	--	Peak	2	19275.00	40.41	74.00	-33.59	49.58	38.10	25.64	63.37	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>33.01</td><td>40.00</td><td>22.27</td><td>41.50</td><td>1.76</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>49.09</td><td>38.10</td><td>25.64</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	55.54	88.20	-32.66	33.01	40.00	22.27	41.50	1.76	--	Peak	2	19275.00	39.92	74.00	-34.08	49.09	38.10	25.64	63.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12850.00	55.87	88.20	-32.33	33.34	40.00	22.27	41.50	1.76	--	Peak																																																																																																															
2	19275.00	40.41	74.00	-33.59	49.58	38.10	25.64	63.37	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12850.00	55.54	88.20	-32.66	33.01	40.00	22.27	41.50	1.76	--	Peak																																																																																																															
2	19275.00	39.92	74.00	-34.08	49.09	38.10	25.64	63.37	-9.54	--	Peak																																																																																																															



Mode	129	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_6425MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	130																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz																																																																																																																																																					
ANT	7+6																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7273.00</td><td>60.45</td><td>74.00</td><td>-13.55</td><td>42.63</td><td>36.50</td><td>16.68</td><td>36.37</td><td>1.01</td><td>100 17 Peak</td></tr><tr><td>2 7273.00</td><td>49.87</td><td>54.00</td><td>-4.13</td><td>32.05</td><td>36.50</td><td>16.68</td><td>36.37</td><td>1.01</td><td>100 17 Average</td></tr><tr><td>3 13490.00</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>34.48</td><td>40.02</td><td>22.88</td><td>42.92</td><td>1.81</td><td>-- -- Peak</td></tr><tr><td>4 20235.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>48.12</td><td>37.90</td><td>26.24</td><td>62.33</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7273.00	60.45	74.00	-13.55	42.63	36.50	16.68	36.37	1.01	100 17 Peak	2 7273.00	49.87	54.00	-4.13	32.05	36.50	16.68	36.37	1.01	100 17 Average	3 13490.00	56.27	88.20	-31.93	34.48	40.02	22.88	42.92	1.81	-- -- Peak	4 20235.00	40.39	74.00	-33.61	48.12	37.90	26.24	62.33	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7290.00</td><td>58.25</td><td>74.00</td><td>-15.75</td><td>40.37</td><td>36.56</td><td>16.70</td><td>36.37</td><td>0.99</td><td>298 34 Peak</td></tr><tr><td>2 7290.00</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>28.51</td><td>36.56</td><td>16.70</td><td>36.37</td><td>0.99</td><td>298 34 Average</td></tr><tr><td>3 13490.00</td><td>56.57</td><td>88.20</td><td>-31.63</td><td>34.78</td><td>40.02</td><td>22.88</td><td>42.92</td><td>1.81</td><td>-- -- Peak</td></tr><tr><td>4 20235.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>48.11</td><td>37.90</td><td>26.24</td><td>62.33</td><td>-9.54</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7290.00	58.25	74.00	-15.75	40.37	36.56	16.70	36.37	0.99	298 34 Peak	2 7290.00	46.39	54.00	-7.61	28.51	36.56	16.70	36.37	0.99	298 34 Average	3 13490.00	56.57	88.20	-31.63	34.78	40.02	22.88	42.92	1.81	-- -- Peak	4 20235.00	40.38	74.00	-33.62	48.11	37.90	26.24	62.33	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1 7273.00	60.45	74.00	-13.55	42.63	36.50	16.68	36.37	1.01	100 17 Peak																																																																																																																																													
2 7273.00	49.87	54.00	-4.13	32.05	36.50	16.68	36.37	1.01	100 17 Average																																																																																																																																													
3 13490.00	56.27	88.20	-31.93	34.48	40.02	22.88	42.92	1.81	-- -- Peak																																																																																																																																													
4 20235.00	40.39	74.00	-33.61	48.12	37.90	26.24	62.33	-9.54	-- -- Peak																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1 7290.00	58.25	74.00	-15.75	40.37	36.56	16.70	36.37	0.99	298 34 Peak																																																																																																																																													
2 7290.00	46.39	54.00	-7.61	28.51	36.56	16.70	36.37	0.99	298 34 Average																																																																																																																																													
3 13490.00	56.57	88.20	-31.63	34.78	40.02	22.88	42.92	1.81	-- -- Peak																																																																																																																																													
4 20235.00	40.38	74.00	-33.62	48.11	37.90	26.24	62.33	-9.54	-- -- Peak																																																																																																																																													



Mode	130	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_6745MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	131																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																			
ANT	7+6																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5891.56</td><td>74.74</td><td>88.20</td><td>-13.46</td><td>60.31</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.03</td><td>341</td><td>18</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5891.56	74.74	88.20	-13.46	60.31	33.70	14.96	35.26	1.03	341	18	Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6265.00</td><td>101.79</td><td>-----</td><td>-----</td><td>86.86</td><td>34.11</td><td>15.25</td><td>35.43</td><td>1.00</td><td>341</td><td>18</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6265.00	101.79	-----	-----	86.86	34.11	15.25	35.43	1.00	341	18	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5891.56	74.74	88.20	-13.46	60.31	33.70	14.96	35.26	1.03	341	18	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6265.00	101.79	-----	-----	86.86	34.11	15.25	35.43	1.00	341	18	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5891.00</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>50.64</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.03</td><td>341</td><td>18</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5891.00	65.07	68.20	-3.13	50.64	33.70	14.96	35.26	1.03	341	18	Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6265.00</td><td>92.51</td><td>-----</td><td>-----</td><td>76.56</td><td>34.95</td><td>15.45</td><td>35.49</td><td>1.04</td><td>341</td><td>18</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6265.00	92.51	-----	-----	76.56	34.95	15.45	35.49	1.04	341	18	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5891.00	65.07	68.20	-3.13	50.64	33.70	14.96	35.26	1.03	341	18	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6265.00	92.51	-----	-----	76.56	34.95	15.45	35.49	1.04	341	18	Average																																																																									



Mode	131																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5827.20</td><td>73.85</td><td>88.20 -14.35</td><td>59.30</td><td>33.75</td><td>14.86</td><td>35.18</td><td>1.12</td><td>100</td><td>17 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5827.20	73.85	88.20 -14.35	59.30	33.75	14.86	35.18	1.12	100	17 Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6265.00</td><td>98.34</td><td>-----</td><td>83.52</td><td>34.04</td><td>15.23</td><td>35.43</td><td>0.98</td><td>100</td><td>17 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	98.34	-----	83.52	34.04	15.23	35.43	0.98	100	17 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5827.20	73.85	88.20 -14.35	59.30	33.75	14.86	35.18	1.12	100	17 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6265.00	98.34	-----	83.52	34.04	15.23	35.43	0.98	100	17 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5891.00</td><td>64.88</td><td>68.20 -3.32</td><td>50.45</td><td>33.70</td><td>14.96</td><td>35.26</td><td>1.03</td><td>100</td><td>17 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5891.00	64.88	68.20 -3.32	50.45	33.70	14.96	35.26	1.03	100	17 Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.800kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6265.00</td><td>90.19</td><td>-----</td><td>75.33</td><td>34.06</td><td>15.24</td><td>35.43</td><td>0.99</td><td>100</td><td>17 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	90.19	-----	75.33	34.06	15.24	35.43	0.99	100	17 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5891.00	64.88	68.20 -3.32	50.45	33.70	14.96	35.26	1.03	100	17 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6265.00	90.19	-----	75.33	34.06	15.24	35.43	0.99	100	17 Average																																																																																	







Mode	131																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																																																							
ANT	7+6																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>34.12</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12530.00</td><td>45.14</td><td>54.00</td><td>-8.86</td><td>23.38</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18795.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>50.30</td><td>38.22</td><td>25.33</td><td>63.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	55.88	74.00	-18.12	34.12	39.30	21.98	41.25	1.73	--	--	Peak	2	12530.00	45.14	54.00	-8.86	23.38	39.30	21.98	41.25	1.73	--	--	Average	3	18795.00	40.65	74.00	-33.35	50.30	38.22	25.33	63.66	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>33.07</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12530.00</td><td>45.25</td><td>54.00</td><td>-8.75</td><td>23.49</td><td>39.30</td><td>21.98</td><td>41.25</td><td>1.73</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18795.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>50.43</td><td>38.22</td><td>25.33</td><td>63.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	54.83	74.00	-19.17	33.07	39.30	21.98	41.25	1.73	--	--	Peak	2	12530.00	45.25	54.00	-8.75	23.49	39.30	21.98	41.25	1.73	--	--	Average	3	18795.00	40.78	74.00	-33.22	50.43	38.22	25.33	63.66	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12530.00	55.88	74.00	-18.12	34.12	39.30	21.98	41.25	1.73	--	--	Peak																																																																																																																																												
2	12530.00	45.14	54.00	-8.86	23.38	39.30	21.98	41.25	1.73	--	--	Average																																																																																																																																												
3	18795.00	40.65	74.00	-33.35	50.30	38.22	25.33	63.66	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12530.00	54.83	74.00	-19.17	33.07	39.30	21.98	41.25	1.73	--	--	Peak																																																																																																																																												
2	12530.00	45.25	54.00	-8.75	23.49	39.30	21.98	41.25	1.73	--	--	Average																																																																																																																																												
3	18795.00	40.78	74.00	-33.22	50.43	38.22	25.33	63.66	-9.54	--	--	Peak																																																																																																																																												



Mode	131	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL





Mode	132																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Partial RU 996*2/67_6265MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5922.68</td><td>58.37</td><td>88.20 -29.83</td><td>44.04</td><td>33.65</td><td>15.00</td><td>35.30</td><td>0.98</td><td>100</td><td>360 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5922.68	58.37	88.20 -29.83	44.04	33.65	15.00	35.30	0.98	100	360 Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6265.00</td><td>104.11</td><td>-----</td><td>88.32</td><td>34.81</td><td>15.40</td><td>35.48</td><td>1.06</td><td>100</td><td>360 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	104.11	-----	88.32	34.81	15.40	35.48	1.06	100	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5922.68	58.37	88.20 -29.83	44.04	33.65	15.00	35.30	0.98	100	360 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6265.00	104.11	-----	88.32	34.81	15.40	35.48	1.06	100	360 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.44</td><td>48.61</td><td>68.20 -19.59</td><td>34.27</td><td>33.65</td><td>15.01</td><td>35.30</td><td>0.98</td><td>100</td><td>360 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.44	48.61	68.20 -19.59	34.27	33.65	15.01	35.30	0.98	100	360 Average	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6265.00</td><td>95.07</td><td>-----</td><td>79.32</td><td>34.77</td><td>15.39</td><td>35.47</td><td>1.06</td><td>100</td><td>360 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	95.07	-----	79.32	34.77	15.39	35.47	1.06	100	360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.44	48.61	68.20 -19.59	34.27	33.65	15.01	35.30	0.98	100	360 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6265.00	95.07	-----	79.32	34.77	15.39	35.47	1.06	100	360 Average																																																																																	



Mode	132																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Partial RU 996*2/67_6265MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5876.04</td><td>56.05</td><td>88.20</td><td>-32.15</td><td>41.61</td><td>33.70</td><td>14.93</td><td>35.24</td><td>1.05</td><td>107</td><td>16 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5876.04	56.05	88.20	-32.15	41.61	33.70	14.93	35.24	1.05	107	16 Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>101.05</td><td>-----</td><td>-----</td><td>86.99</td><td>34.06</td><td>15.24</td><td>35.43</td><td>0.99</td><td>107</td><td>16 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	101.05	-----	-----	86.99	34.06	15.24	35.43	0.99	107	16 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5876.04	56.05	88.20	-32.15	41.61	33.70	14.93	35.24	1.05	107	16 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6265.00	101.05	-----	-----	86.99	34.06	15.24	35.43	0.99	107	16 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.04</td><td>46.81</td><td>68.20</td><td>-21.39</td><td>32.43</td><td>33.68</td><td>14.98</td><td>35.28</td><td>1.00</td><td>107</td><td>16 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.04	46.81	68.20	-21.39	32.43	33.68	14.98	35.28	1.00	107	16 Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>93.07</td><td>-----</td><td>-----</td><td>78.21</td><td>34.06</td><td>15.24</td><td>35.43</td><td>0.99</td><td>107</td><td>16 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	93.07	-----	-----	78.21	34.06	15.24	35.43	0.99	107	16 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5909.04	46.81	68.20	-21.39	32.43	33.68	14.98	35.28	1.00	107	16 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6265.00	93.07	-----	-----	78.21	34.06	15.24	35.43	0.99	107	16 Average																																																																																							



Mode	133																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_6585MHz																																																																																																																																																																								
ANT	7+6																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-13  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7270.20</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>39.07</td><td>36.48</td><td>16.68</td><td>36.37</td><td>1.02</td><td>100</td><td>17 Peak</td></tr><tr><td>2</td><td>7270.20</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>27.91</td><td>36.48</td><td>16.68</td><td>36.37</td><td>1.02</td><td>100</td><td>17 Average</td></tr><tr><td>3</td><td>13170.00</td><td>55.86</td><td>88.20</td><td>-32.34</td><td>33.64</td><td>39.94</td><td>22.57</td><td>42.07</td><td>1.78</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>19755.00</td><td>40.16</td><td>74.00</td><td>-33.84</td><td>48.81</td><td>37.89</td><td>25.95</td><td>62.95</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7270.20	56.88	74.00	-17.12	39.07	36.48	16.68	36.37	1.02	100	17 Peak	2	7270.20	45.72	54.00	-8.28	27.91	36.48	16.68	36.37	1.02	100	17 Average	3	13170.00	55.86	88.20	-32.34	33.64	39.94	22.57	42.07	1.78	--	-- Peak	4	19755.00	40.16	74.00	-33.84	48.81	37.89	25.95	62.95	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-12-13  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7279.20</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>36.26</td><td>36.52</td><td>16.69</td><td>36.37</td><td>1.00</td><td>100</td><td>341 Peak</td></tr><tr><td>2</td><td>7279.20</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>26.18</td><td>36.52</td><td>16.69</td><td>36.37</td><td>1.00</td><td>100</td><td>341 Average</td></tr><tr><td>3</td><td>13170.00</td><td>56.19</td><td>88.20</td><td>-32.01</td><td>33.97</td><td>39.94</td><td>22.57</td><td>42.07</td><td>1.78</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>19755.00</td><td>40.08</td><td>74.00</td><td>-33.92</td><td>48.73</td><td>37.89</td><td>25.95</td><td>62.95</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7279.20	54.10	74.00	-19.90	36.26	36.52	16.69	36.37	1.00	100	341 Peak	2	7279.20	44.02	54.00	-9.98	26.18	36.52	16.69	36.37	1.00	100	341 Average	3	13170.00	56.19	88.20	-32.01	33.97	39.94	22.57	42.07	1.78	--	-- Peak	4	19755.00	40.08	74.00	-33.92	48.73	37.89	25.95	62.95	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	7270.20	56.88	74.00	-17.12	39.07	36.48	16.68	36.37	1.02	100	17 Peak																																																																																																																																																														
2	7270.20	45.72	54.00	-8.28	27.91	36.48	16.68	36.37	1.02	100	17 Average																																																																																																																																																														
3	13170.00	55.86	88.20	-32.34	33.64	39.94	22.57	42.07	1.78	--	-- Peak																																																																																																																																																														
4	19755.00	40.16	74.00	-33.84	48.81	37.89	25.95	62.95	-9.54	--	-- Peak																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	7279.20	54.10	74.00	-19.90	36.26	36.52	16.69	36.37	1.00	100	341 Peak																																																																																																																																																														
2	7279.20	44.02	54.00	-9.98	26.18	36.52	16.69	36.37	1.00	100	341 Average																																																																																																																																																														
3	13170.00	56.19	88.20	-32.01	33.97	39.94	22.57	42.07	1.78	--	-- Peak																																																																																																																																																														
4	19755.00	40.08	74.00	-33.92	48.73	37.89	25.95	62.95	-9.54	--	-- Peak																																																																																																																																																														



Mode	133	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_6585MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	134																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_6905MHz																																																																																																																																																					
ANT	7+6																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7297.20</td><td>58.94</td><td>74.00</td><td>-15.06</td><td>41.04</td><td>36.59</td><td>16.71</td><td>36.38</td><td>0.98 100 19 Peak</td></tr><tr><td>2</td><td>7297.20</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>32.59</td><td>36.59</td><td>16.71</td><td>36.38</td><td>0.98 100 19 Average</td></tr><tr><td>3</td><td>13810.00</td><td>57.10</td><td>88.20</td><td>-31.10</td><td>34.99</td><td>40.40</td><td>23.19</td><td>43.31</td><td>1.83 -- -- Peak</td></tr><tr><td>4</td><td>20715.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>47.34</td><td>38.04</td><td>26.54</td><td>61.76</td><td>-9.54 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7297.20	58.94	74.00	-15.06	41.04	36.59	16.71	36.38	0.98 100 19 Peak	2	7297.20	50.49	54.00	-3.51	32.59	36.59	16.71	36.38	0.98 100 19 Average	3	13810.00	57.10	88.20	-31.10	34.99	40.40	23.19	43.31	1.83 -- -- Peak	4	20715.00	40.62	74.00	-33.38	47.34	38.04	26.54	61.76	-9.54 -- -- Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7302.60</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>33.46</td><td>36.62</td><td>16.72</td><td>36.38</td><td>0.97 100 336 Peak</td></tr><tr><td>2</td><td>7302.60</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>22.90</td><td>36.62</td><td>16.72</td><td>36.38</td><td>0.97 100 336 Average</td></tr><tr><td>3</td><td>13810.00</td><td>57.22</td><td>88.20</td><td>-30.98</td><td>35.11</td><td>40.40</td><td>23.19</td><td>43.31</td><td>1.83 -- -- Peak</td></tr><tr><td>4</td><td>20715.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>46.64</td><td>38.04</td><td>26.54</td><td>61.76</td><td>-9.54 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7302.60	51.39	74.00	-22.61	33.46	36.62	16.72	36.38	0.97 100 336 Peak	2	7302.60	40.83	54.00	-13.17	22.90	36.62	16.72	36.38	0.97 100 336 Average	3	13810.00	57.22	88.20	-30.98	35.11	40.40	23.19	43.31	1.83 -- -- Peak	4	20715.00	39.92	74.00	-34.08	46.64	38.04	26.54	61.76	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1	7297.20	58.94	74.00	-15.06	41.04	36.59	16.71	36.38	0.98 100 19 Peak																																																																																																																																													
2	7297.20	50.49	54.00	-3.51	32.59	36.59	16.71	36.38	0.98 100 19 Average																																																																																																																																													
3	13810.00	57.10	88.20	-31.10	34.99	40.40	23.19	43.31	1.83 -- -- Peak																																																																																																																																													
4	20715.00	40.62	74.00	-33.38	47.34	38.04	26.54	61.76	-9.54 -- -- Peak																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																													
1	7302.60	51.39	74.00	-22.61	33.46	36.62	16.72	36.38	0.97 100 336 Peak																																																																																																																																													
2	7302.60	40.83	54.00	-13.17	22.90	36.62	16.72	36.38	0.97 100 336 Average																																																																																																																																													
3	13810.00	57.22	88.20	-30.98	35.11	40.40	23.19	43.31	1.83 -- -- Peak																																																																																																																																													
4	20715.00	39.92	74.00	-34.08	46.64	38.04	26.54	61.76	-9.54 -- -- Peak																																																																																																																																													



Mode	134	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_6905MHz	
ANT	7+6	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL



Mode	150																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Test 20MHz Channel Puncture Location 1_7025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7142.92</td><td>74.22</td><td>88.20</td><td>-13.98</td><td>56.68</td><td>36.27</td><td>16.52</td><td>36.33</td><td>1.08</td><td>200</td><td>20</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg									1	7142.92	74.22	88.20	-13.98	56.68	36.27	16.52	36.33	1.08	200	20	Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>111.05</td><td>-----</td><td>-----</td><td>93.79</td><td>36.10</td><td>16.42</td><td>36.30</td><td>1.04</td><td>200</td><td>20</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg									1	7025.00	111.05	-----	-----	93.79	36.10	16.42	36.30	1.04	200	20	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg																																																																																										
1	7142.92	74.22	88.20	-13.98	56.68	36.27	16.52	36.33	1.08	200	20	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg																																																																																										
1	7025.00	111.05	-----	-----	93.79	36.10	16.42	36.30	1.04	200	20	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7125.32</td><td>64.06</td><td>68.20</td><td>-4.14</td><td>46.61</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>200</td><td>20</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg									1	7125.32	64.06	68.20	-4.14	46.61	36.20	16.50	36.32	1.07	200	20	Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>102.60</td><td>-----</td><td>-----</td><td>85.34</td><td>36.10</td><td>16.42</td><td>36.30</td><td>1.04</td><td>200</td><td>20</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg									1	7025.00	102.60	-----	-----	85.34	36.10	16.42	36.30	1.04	200	20	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg																																																																																										
1	7125.32	64.06	68.20	-4.14	46.61	36.20	16.50	36.32	1.07	200	20	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz dBuV/m dBuV/m dB dB/dBm dB dB dB cm deg																																																																																										
1	7025.00	102.60	-----	-----	85.34	36.10	16.42	36.30	1.04	200	20	Average																																																																														



Mode	150																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Test 20MHz Channel Puncture Location 1_7025MHz																																																																																															
ANT	7+6																																																																																															
Pol.	Vertical					Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-12-04 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.84</td><td>70.08</td><td>88.20</td><td>-18.12</td><td>52.61</td><td>36.22</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>354</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.84	70.08	88.20	-18.12	52.61	36.22	16.50	36.32	1.07	100	354	Peak	Level (dBuV/m) Date: 2025-12-04 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>106.89</td><td>-----</td><td>-----</td><td>89.64</td><td>36.10</td><td>16.41</td><td>36.30</td><td>1.04</td><td>100</td><td>354</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	106.89	-----	-----	89.64	36.10	16.41	36.30	1.04	100	354	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7128.84	70.08	88.20	-18.12	52.61	36.22	16.50	36.32	1.07	100	354	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	106.89	-----	-----	89.64	36.10	16.41	36.30	1.04	100	354	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-12-04 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.98</td><td>60.07</td><td>68.20</td><td>-8.13</td><td>42.62</td><td>36.20</td><td>16.50</td><td>36.32</td><td>1.07</td><td>100</td><td>354</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.98	60.07	68.20	-8.13	42.62	36.20	16.50	36.32	1.07	100	354	Average	Level (dBuV/m) Date: 2025-12-04 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>99.57</td><td>-----</td><td>-----</td><td>82.32</td><td>36.10</td><td>16.41</td><td>36.30</td><td>1.04</td><td>100</td><td>354</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	99.57	-----	-----	82.32	36.10	16.41	36.30	1.04	100	354	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.98	60.07	68.20	-8.13	42.62	36.20	16.50	36.32	1.07	100	354	Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	99.57	-----	-----	82.32	36.10	16.41	36.30	1.04	100	354	Average																																																																																				



Mode	151																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 20MHz Channel Puncture Location 8_6025MHz																																																																																			
ANT	7+6																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5881.00</td><td>74.44</td><td>88.20</td><td>-13.76</td><td>60.01</td><td>33.70</td><td>14.94</td><td>35.25</td><td>1.04</td><td>200</td><td>25</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5881.00	74.44	88.20	-13.76	60.01	33.70	14.94	35.25	1.04	200	25	Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6025.00</td><td>104.94</td><td>-----</td><td>-----</td><td>90.53</td><td>33.74</td><td>15.16</td><td>35.40</td><td>0.91</td><td>200</td><td>25</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6025.00	104.94	-----	-----	90.53	33.74	15.16	35.40	0.91	200	25	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5881.00	74.44	88.20	-13.76	60.01	33.70	14.94	35.25	1.04	200	25	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6025.00	104.94	-----	-----	90.53	33.74	15.16	35.40	0.91	200	25	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5885.00</td><td>60.93</td><td>68.20</td><td>-7.27</td><td>46.49</td><td>33.70</td><td>14.95</td><td>35.25</td><td>1.04</td><td>200</td><td>25</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5885.00	60.93	68.20	-7.27	46.49	33.70	14.95	35.25	1.04	200	25	Average	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6025.00</td><td>96.46</td><td>-----</td><td>-----</td><td>82.17</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>200</td><td>25</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6025.00	96.46	-----	-----	82.17	33.66	15.14	35.40	0.89	200	25	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5885.00	60.93	68.20	-7.27	46.49	33.70	14.95	35.25	1.04	200	25	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6025.00	96.46	-----	-----	82.17	33.66	15.14	35.40	0.89	200	25	Average																																																																									



Mode	151																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 20MHz Channel Puncture Location 8_6025MHz																																																																																																
ANT	7+6																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.00</td><td>74.52</td><td>88.20</td><td>-13.68</td><td>60.00</td><td>33.73</td><td>14.87</td><td>35.19</td><td>1.11</td><td>101</td><td>17 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5833.00	74.52	88.20	-13.68	60.00	33.73	14.87	35.19	1.11	101	17 Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>104.96</td><td>-----</td><td>-----</td><td>90.73</td><td>33.60</td><td>15.08</td><td>35.36</td><td>0.91</td><td>101</td><td>17 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6025.00	104.96	-----	-----	90.73	33.60	15.08	35.36	0.91	101	17 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5833.00	74.52	88.20	-13.68	60.00	33.73	14.87	35.19	1.11	101	17 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6025.00	104.96	-----	-----	90.73	33.60	15.08	35.36	0.91	101	17 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.40</td><td>62.72</td><td>68.20</td><td>-5.48</td><td>48.31</td><td>33.69</td><td>14.98</td><td>35.27</td><td>1.01</td><td>101</td><td>17 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5905.40	62.72	68.20	-5.48	48.31	33.69	14.98	35.27	1.01	101	17 Average	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>96.40</td><td>-----</td><td>-----</td><td>82.19</td><td>33.60</td><td>15.11</td><td>35.38</td><td>0.88</td><td>101</td><td>17 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6025.00	96.40	-----	-----	82.19	33.60	15.11	35.38	0.88	101	17 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5905.40	62.72	68.20	-5.48	48.31	33.69	14.98	35.27	1.01	101	17 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6025.00	96.40	-----	-----	82.19	33.60	15.11	35.38	0.88	101	17 Average																																																																																						



Mode	152																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Test 20MHz Channel Puncture Location 1_6985MHz																																																																																	
ANT	7+6																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7139.56 77.38 88.20 -10.82 59.85 36.26 16.51 36.32 1.08 200 20 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 7139.56 77.38 88.20 -10.82 59.85 36.26 16.51 36.32 1.08 200 20 Peak									Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6985.00 107.96 ----- 90.76 36.13 16.30 36.23 1.00 200 20 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 6985.00 107.96 ----- 90.76 36.13 16.30 36.23 1.00 200 20 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 7139.56 77.38 88.20 -10.82 59.85 36.26 16.51 36.32 1.08 200 20 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 6985.00 107.96 ----- 90.76 36.13 16.30 36.23 1.00 200 20 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7139.56 66.81 68.20 -1.39 49.28 36.26 16.51 36.32 1.08 200 20 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 7139.56 66.81 68.20 -1.39 49.28 36.26 16.51 36.32 1.08 200 20 Average									Level (dBuV/m) Date: 2025-12-05 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6985.00 99.06 ----- 81.82 36.17 16.32 36.26 1.01 200 20 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 6985.00 99.06 ----- 81.82 36.17 16.32 36.26 1.01 200 20 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 7139.56 66.81 68.20 -1.39 49.28 36.26 16.51 36.32 1.08 200 20 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																																		
1 6985.00 99.06 ----- 81.82 36.17 16.32 36.26 1.01 200 20 Average																																																																																		







		152																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Test 20MHz Channel Puncture Location 1_6985MHz																																																																																																	
ANT	7+6																																																																																																	
Pol.	Vertical																																																																																																	
Peak	Fundamental																																																																																																	
	Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-12-05 PEAK_BE(UNII)_6E Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7179.88</td><td>73.44</td><td>88.20</td><td>-14.76</td><td>55.76</td><td>36.36</td><td>16.56</td><td>36.34</td><td>1.10</td><td>100</td><td>354 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7179.88	73.44	88.20	-14.76	55.76	36.36	16.56	36.34	1.10	100	354 Peak	Level (dBuV/m) Date: 2025-12-05 PEAK(UNII)_6E Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>104.16</td><td>-----</td><td>-----</td><td>86.09</td><td>36.20</td><td>16.34</td><td>36.28</td><td>1.01</td><td>100</td><td>354 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	104.16	-----	-----	86.09	36.20	16.34	36.28	1.01	100	354 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7179.88	73.44	88.20	-14.76	55.76	36.36	16.56	36.34	1.10	100	354 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	104.16	-----	-----	86.09	36.20	16.34	36.28	1.01	100	354 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-12-05 AVG_BE(UNII)_6E Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.76</td><td>62.58</td><td>68.20</td><td>-5.62</td><td>45.07</td><td>36.24</td><td>16.51</td><td>36.32</td><td>1.08</td><td>100</td><td>354 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7134.76	62.58	68.20	-5.62	45.07	36.24	16.51	36.32	1.08	100	354 Average	Level (dBuV/m) Date: 2025-12-05 AVG(UNII)_6E Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>95.41</td><td>-----</td><td>-----</td><td>78.15</td><td>36.16</td><td>16.37</td><td>36.29</td><td>1.02</td><td>100</td><td>354 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	95.41	-----	-----	78.15	36.16	16.37	36.29	1.02	100	354 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7134.76	62.58	68.20	-5.62	45.07	36.24	16.51	36.32	1.08	100	354 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	95.41	-----	-----	78.15	36.16	16.37	36.29	1.02	100	354 Average																																																																																							



Mode	153																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 40MHz Channel Puncture Location 4_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.00</td><td>81.94</td><td>88.20</td><td>-6.26</td><td>67.49</td><td>33.70</td><td>14.92</td><td>35.23</td><td>1.06</td><td>200 27 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5907.00	81.94	88.20	-6.26	67.49	33.70	14.92	35.23	1.06	200 27 Peak	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>106.19</td><td>-----</td><td>-----</td><td>91.90</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>200 27 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	106.19	-----	-----	91.90	33.66	15.14	35.40	0.89	200 27 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5907.00	81.94	88.20	-6.26	67.49	33.70	14.92	35.23	1.06	200 27 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	106.19	-----	-----	91.90	33.66	15.14	35.40	0.89	200 27 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.00</td><td>66.67</td><td>68.20</td><td>-1.53</td><td>52.28</td><td>33.69</td><td>14.98</td><td>35.28</td><td>1.00</td><td>200 27 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5907.00	66.67	68.20	-1.53	52.28	33.69	14.98	35.28	1.00	200 27 Average	Level (dBuV/m) Date: 2025-12-04 Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 HORIZONTAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>97.60</td><td>-----</td><td>-----</td><td>83.31</td><td>33.66</td><td>15.14</td><td>35.40</td><td>0.89</td><td>200 27 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	97.60	-----	-----	83.31	33.66	15.14	35.40	0.89	200 27 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5907.00	66.67	68.20	-1.53	52.28	33.69	14.98	35.28	1.00	200 27 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	97.60	-----	-----	83.31	33.66	15.14	35.40	0.89	200 27 Average																																																																																	



Mode	153																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Test 40MHz Channel Puncture Location 4_6025MHz																																																																																									
ANT	7+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5869.00</td><td>79.53</td><td>88.20</td><td>-8.67</td><td>65.08</td><td>33.70</td><td>14.92</td><td>35.23</td><td>1.06</td><td>100 19 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5869.00	79.53	88.20	-8.67	65.08	33.70	14.92	35.23	1.06	100 19 Peak	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>106.56</td><td>-----</td><td>-----</td><td>92.20</td><td>33.71</td><td>15.15</td><td>35.40</td><td>0.90</td><td>100 19 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	106.56	-----	-----	92.20	33.71	15.15	35.40	0.90	100 19 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5869.00	79.53	88.20	-8.67	65.08	33.70	14.92	35.23	1.06	100 19 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	106.56	-----	-----	92.20	33.71	15.15	35.40	0.90	100 19 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5873.00</td><td>66.20</td><td>68.20</td><td>-2.00</td><td>51.76</td><td>33.70</td><td>14.93</td><td>35.24</td><td>1.05</td><td>100 19 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5873.00	66.20	68.20	-2.00	51.76	33.70	14.93	35.24	1.05	100 19 Average	Level (dBuV/m) Date: 2025-12-04  Site : 03CH21-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C03A18EN_250807 VERTICAL : RBW:1000.000kHz VBW:1.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>98.00</td><td>-----</td><td>-----</td><td>83.64</td><td>33.71</td><td>15.15</td><td>35.40</td><td>0.90</td><td>100 19 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	98.00	-----	-----	83.64	33.71	15.15	35.40	0.90	100 19 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5873.00	66.20	68.20	-2.00	51.76	33.70	14.93	35.24	1.05	100 19 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	98.00	-----	-----	83.64	33.71	15.15	35.40	0.90	100 19 Average																																																																																	