

Ant 7 Test Results										
Test position	Test Distance (mm)	Mode	Ch./Freq. (MHz)	SAR (W/kg) 1g	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power (dBm)	Tune up Limit (dBm)	Scaling Factor	Reported 1g SAR (W/kg)
U-NII-2A Head										
Left cheek	0	802.11a	52/5260	0.534	95.00%	1.053	18.34	19.00	1.164	0.655
Left tilted	0	802.11a	52/5260	0.435	95.00%	1.053	18.34	19.00	1.164	0.533
Right cheek	0	802.11a	52/5260	0.229	95.00%	1.053	18.34	19.00	1.164	0.281
Right tilted	0	802.11a	52/5260	0.250	95.00%	1.053	18.34	19.00	1.164	0.306
U-NII-2C Head										
Left cheek	0	802.11a	140/5700	0.740	95.00%	1.053	18.99	19.50	1.125	0.876
Left tilted	0	802.11a	140/5700	0.374	95.00%	1.053	18.99	19.50	1.125	0.443
Right cheek	0	802.11a	140/5700	0.182	95.00%	1.053	18.99	19.50	1.125	0.216
Right tilted	0	802.11a	140/5700	0.204	95.00%	1.053	18.99	19.50	1.125	0.242
Left cheek	0	802.11a	100/5500	0.539	95.00%	1.053	18.86	19.50	1.159	0.658
Left cheek	0	802.11a	120/5600	0.714	95.00%	1.053	18.97	19.50	1.130	0.849
U-NII-3 Head										
Left cheek	0	802.11a	149/5745	0.927	95.00%	1.053	20.07	21.00	1.239	1.209
Left tilted	0	802.11a	149/5745	0.727	95.00%	1.053	20.07	21.00	1.239	0.948
Right cheek	0	802.11a	149/5745	0.348	95.00%	1.053	20.07	21.00	1.239	0.454
Right tilted	0	802.11a	149/5745	0.387	95.00%	1.053	20.07	21.00	1.239	0.505
Left cheek	0	802.11a	157/5785	1.080	95.00%	1.053	20.06	21.00	1.242	1.412
Left cheek Repeat	0	802.11a	157/5785	1.010	95.00%	1.053	20.06	21.00	1.242	1.321
Left cheek	0	802.11a	165/5825	0.919	95.00%	1.053	19.92	21.00	1.282	1.241
Left tilted	0	802.11a	157/5785	0.821	95.00%	1.053	20.06	21.00	1.242	1.073
Left tilted	0	802.11a	165/5825	0.889	95.00%	1.053	19.92	21.00	1.282	1.200
U-NII-2A Head Simultaneous										
Left cheek	0	802.11a	52/5260	0.205	95.00%	1.053	14.45	15.00	1.135	0.245
Left tilted	0	802.11a	52/5260	0.169	95.00%	1.053	14.45	15.00	1.135	0.202
Right cheek	0	802.11a	52/5260	0.096	95.00%	1.053	14.45	15.00	1.135	0.115
Right tilted	0	802.11a	52/5260	0.104	95.00%	1.053	14.45	15.00	1.135	0.124
U-NII-2C Head Simultaneous										
Left cheek	0	802.11a	140/5700	0.256	95.00%	1.053	14.57	15.00	1.104	0.298
Left tilted	0	802.11a	140/5700	0.135	95.00%	1.053	14.57	15.00	1.104	0.157
Right cheek	0	802.11a	140/5700	0.068	95.00%	1.053	14.57	15.00	1.104	0.079
Right tilted	0	802.11a	140/5700	0.077	95.00%	1.053	14.57	15.00	1.104	0.090
U-NII-3 Head Simultaneous										
Left cheek	0	802.11a	149/5745	0.369	95.00%	1.053	16.11	17.00	1.227	0.477
Left tilted	0	802.11a	149/5745	0.288	95.00%	1.053	16.11	17.00	1.227	0.372
Right cheek	0	802.11a	149/5745	0.135	95.00%	1.053	16.11	17.00	1.227	0.174
Right tilted	0	802.11a	149/5745	0.153	95.00%	1.053	16.11	17.00	1.227	0.198
U-NII-1 Body										
Front side	5	802.11ac 80M	42/5210	0.154	95.00%	1.053	14.85	16.00	1.303	0.211
Back side	5	802.11ac 80M	42/5210	0.988	95.00%	1.053	14.85	16.00	1.303	1.356
Right side	5	802.11ac 80M	42/5210	0.476	95.00%	1.053	14.85	16.00	1.303	0.653
Top side	5	802.11ac 80M	42/5210	0.189	95.00%	1.053	14.85	16.00	1.303	0.259
U-NII-2A Body										
Front side	5	802.11ac 80M	58/5290	0.176	95.00%	1.053	14.63	15.50	1.222	0.226
Back side	5	802.11ac 80M	58/5290	0.984	95.00%	1.053	14.63	15.50	1.222	1.266
Right side	5	802.11ac 80M	58/5290	0.440	95.00%	1.053	14.63	15.50	1.222	0.566
Top side	5	802.11ac 80M	58/5290	0.254	95.00%	1.053	14.63	15.50	1.222	0.327
U-NII-2C Body										
Front side	5	802.11ac 80M	122/5610	0.129	95.00%	1.053	15.04	15.50	1.112	0.151
Back side	5	802.11ac 80M	122/5610	1.050	95.00%	1.053	15.04	15.50	1.112	1.229
Back side Repeat	5	802.11ac 80M	122/5610	1.020	95.00%	1.053	15.04	15.50	1.112	1.194
Right side	5	802.11ac 80M	122/5610	0.679	95.00%	1.053	15.04	15.50	1.112	0.795
Top side	5	802.11ac 80M	122/5610	0.332	95.00%	1.053	15.04	15.50	1.112	0.389
Back side	5	802.11ac 80M	106/5530	0.738	95.00%	1.053	14.99	15.50	1.125	0.874
Back side	5	802.11ac 80M	138/5690	0.837	95.00%	1.053	15.01	15.50	1.119	0.987
U-NII-3 Body										
Front side	5	802.11ac 80M	155/5775	0.140	95.00%	1.053	14.06	14.50	1.107	0.163
Back side	5	802.11ac 80M	155/5775	0.986	95.00%	1.053	14.06	14.50	1.107	1.149
Right side	5	802.11ac 80M	155/5775	0.663	95.00%	1.053	14.06	14.50	1.107	0.773
Top side	5	802.11ac 80M	155/5775	0.369	95.00%	1.053	14.06	14.50	1.107	0.430
U-NII-1 Body Simultaneous										
Front side	5	802.11ac 80M	42/5210	0.047	95.00%	1.053	9.97	11.00	1.268	0.063
Back side	5	802.11ac 80M	42/5210	0.303	95.00%	1.053	9.97	11.00	1.268	0.404
Right side	5	802.11ac 80M	42/5210	0.149	95.00%	1.053	9.97	11.00	1.268	0.199
Top side	5	802.11ac 80M	42/5210	0.058	95.00%	1.053	9.97	11.00	1.268	0.077

U-NII-2A Body Simultaneous										
Front side	5	802.11ac 80M	58/5290	0.061	95.00%	1.053	10.29	11.00	1.178	0.076
Back side	5	802.11ac 80M	58/5290	0.332	95.00%	1.053	10.29	11.00	1.178	0.412
Right side	5	802.11ac 80M	58/5290	0.159	95.00%	1.053	10.29	11.00	1.178	0.197
Top side	5	802.11ac 80M	58/5290	0.094	95.00%	1.053	10.29	11.00	1.178	0.117
U-NII-2C Body Simultaneous										
Front side	5	802.11ac 80M	122/5610	0.045	95.00%	1.053	10.65	11.00	1.084	0.051
Back side	5	802.11ac 80M	122/5610	0.362	95.00%	1.053	10.65	11.00	1.084	0.413
Right side	5	802.11ac 80M	122/5610	0.242	95.00%	1.053	10.65	11.00	1.084	0.276
Top side	5	802.11ac 80M	122/5610	0.121	95.00%	1.053	10.65	11.00	1.084	0.138
U-NII-3 Body Simultaneous										
Front side	5	802.11ac 80M	155/5775	0.059	95.00%	1.053	10.13	10.50	1.089	0.068
Back side	5	802.11ac 80M	155/5775	0.364	95.00%	1.053	10.13	10.50	1.089	0.417
Right side	5	802.11ac 80M	155/5775	0.262	95.00%	1.053	10.13	10.50	1.089	0.300
Top side	5	802.11ac 80M	155/5775	0.147	95.00%	1.053	10.13	10.50	1.089	0.169

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Left cheek	157/5785	1.080	1.010	1.069	N/A	N/A
Back side	122/5610	1.050	1.020	1.029	N/A	N/A
Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.						
2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).						
3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .						
4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg						

MIMO Test Results										
Test position	Test Distance (mm)	Mode	Ch./Freq. (MHz)	SAR (W/kg) 1g	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power (dBm)	Tune up Limit (dBm)	Scaling Factor	Reported 1g SAR (W/kg)
U-NII-1 Head										
Left cheek	0	802.11ax 80M	42/5210	0.556	95.00%	1.053	20.82	21.50	1.169	0.685
Left tilted	0	802.11ax 80M	42/5210	1.010	95.00%	1.053	20.82	21.50	1.169	1.244
Right cheek	0	802.11ax 80M	42/5210	0.477	95.00%	1.053	20.82	21.50	1.169	0.587
Right tilted	0	802.11ax 80M	42/5210	0.528	95.00%	1.053	20.82	21.50	1.169	0.650
U-NII-2A Head										
Left cheek	0	802.11n 20M	52/5260	0.803	95.00%	1.053	21.11	22.00	1.227	1.038
Left tilted	0	802.11n 20M	52/5260	1.070	95.00%	1.053	21.11	22.00	1.227	1.383
Right cheek	0	802.11n 20M	52/5260	0.611	95.00%	1.053	21.11	22.00	1.227	0.790
Right tilted	0	802.11n 20M	52/5260	0.712	95.00%	1.053	21.11	22.00	1.227	0.920
Left cheek	0	802.11n 20M	60/5300	0.942	95.00%	1.053	21.09	22.00	1.233	1.223
Left cheek	0	802.11n 20M	64/5320	0.913	95.00%	1.053	21.00	22.00	1.259	1.210
Left tilted	0	802.11n 20M	60/5300	0.821	95.00%	1.053	21.09	22.00	1.233	1.066
Left tilted	0	802.11n 20M	64/5320	0.815	95.00%	1.053	21.00	22.00	1.259	1.080
Right tilted	0	802.11n 20M	60/5300	0.786	95.00%	1.053	21.09	22.00	1.233	1.021
Right tilted	0	802.11n 20M	64/5320	0.802	95.00%	1.053	21.00	22.00	1.259	1.063
U-NII-2C Head										
Left cheek	0	802.11ac 80M	122/5610	0.704	95.00%	1.053	16.51	17.00	1.119	0.830
Left tilted	0	802.11ac 80M	122/5610	0.821	95.00%	1.053	16.51	17.00	1.119	0.968
Right cheek	0	802.11ac 80M	122/5610	0.748	95.00%	1.053	16.51	17.00	1.119	0.882
Right tilted	0	802.11ac 80M	122/5610	0.779	95.00%	1.053	16.51	17.00	1.119	0.918
Left tilted	0	802.11ac 80M	106/5530	0.763	95.00%	1.053	16.48	17.00	1.127	0.906
Left tilted	0	802.11ac 80M	138/5690	0.976	95.00%	1.053	16.46	17.00	1.132	1.164
Left cheek	0	802.11ac 80M	106/5530	0.723	95.00%	1.053	16.48	17.00	1.127	0.858
Left cheek	0	802.11ac 80M	138/5690	0.930	95.00%	1.053	16.46	17.00	1.132	1.109
Right cheek	0	802.11ac 80M	106/5530	0.851	95.00%	1.053	16.48	17.00	1.127	1.010
Right cheek	0	802.11ac 80M	138/5690	0.902	95.00%	1.053	16.46	17.00	1.132	1.076
Right tilted	0	802.11ac 80M	106/5530	0.911	95.00%	1.053	16.48	17.00	1.127	1.081
Right tilted	0	802.11ac 80M	138/5690	1.100	95.00%	1.053	16.46	17.00	1.132	1.312
Right tilted Repeat	0	802.11ac 80M	138/5690	1.060	95.00%	1.053	16.46	17.00	1.132	1.264
U-NII-3 Head										
Left cheek	0	802.11ac 80M	155/5775	0.818	95.00%	1.053	16.67	17.00	1.079	0.929
Left tilted	0	802.11ac 80M	155/5775	0.964	95.00%	1.053	16.67	17.00	1.079	1.095


Right cheek	0	802.11ac 80M	155/5775	0.843	95.00%	1.053	16.67	17.00	1.079	0.958
Right tilted	0	802.11ac 80M	155/5775	1.100	95.00%	1.053	16.67	17.00	1.079	1.250
U-NII-1 Head Simultaneous										
Left cheek	0	802.11ax 80M	42/5210	0.221	95.00%	1.053	16.88	17.50	1.153	0.268
Left tilted	0	802.11ax 80M	42/5210	0.375	95.00%	1.053	16.88	17.50	1.153	0.455
Right cheek	0	802.11ax 80M	42/5210	0.193	95.00%	1.053	16.88	17.50	1.153	0.234
Right tilted	0	802.11ax 80M	42/5210	0.212	95.00%	1.053	16.88	17.50	1.153	0.257
U-NII-2A Head Simultaneous										
Left cheek	0	802.11n 20M	52/5260	0.313	95.00%	1.053	17.18	18.00	1.208	0.398
Left tilted	0	802.11n 20M	52/5260	0.406	95.00%	1.053	17.18	18.00	1.208	0.516
Right cheek	0	802.11n 20M	52/5260	0.242	95.00%	1.053	17.18	18.00	1.208	0.308
Right tilted	0	802.11n 20M	52/5260	0.278	95.00%	1.053	17.18	18.00	1.208	0.354
U-NII-2C Head Simultaneous										
Left cheek	0	802.11ac 80M	122/5610	0.271	95.00%	1.053	12.59	13.00	1.099	0.314
Left tilted	0	802.11ac 80M	122/5610	0.332	95.00%	1.053	12.59	13.00	1.099	0.384
Right cheek	0	802.11ac 80M	122/5610	0.291	95.00%	1.053	12.59	13.00	1.099	0.337
Right tilted	0	802.11ac 80M	122/5610	0.312	95.00%	1.053	12.59	13.00	1.099	0.361
U-NII-3 Head Simultaneous										
Left cheek	0	802.11ac 80M	155/5775	0.327	95.00%	1.053	12.71	13.00	1.069	0.368
Left tilted	0	802.11ac 80M	155/5775	0.384	95.00%	1.053	12.71	13.00	1.069	0.432
Right cheek	0	802.11ac 80M	155/5775	0.336	95.00%	1.053	12.71	13.00	1.069	0.378
Right tilted	0	802.11ac 80M	155/5775	0.435	95.00%	1.053	12.71	13.00	1.069	0.490
U-NII-1 Body										
Front side	5	802.11ac 80M	42/5210	0.176	95.00%	1.053	16.44	17.50	1.276	0.237
Back side	5	802.11ac 80M	42/5210	1.110	95.00%	1.053	16.44	17.50	1.276	1.492
Right side	5	802.11ac 80M	42/5210	0.426	95.00%	1.053	16.44	17.50	1.276	0.573
Top side	5	802.11ac 80M	42/5210	0.629	95.00%	1.053	16.44	17.50	1.276	0.845
U-NII-2A Body										
Front side	5	802.11ac 80M	58/5290	0.187	95.00%	1.053	16.64	17.50	1.219	0.240
Back side	5	802.11ac 80M	58/5290	1.170	95.00%	1.053	16.64	17.50	1.219	1.502
Back side Repeat	5	802.11ac 80M	58/5290	1.110	95.00%	1.053	16.64	17.50	1.219	1.425
Right side	5	802.11ac 80M	58/5290	0.400	95.00%	1.053	16.64	17.50	1.219	0.513
Top side	5	802.11ac 80M	58/5290	0.696	95.00%	1.053	16.64	17.50	1.219	0.893
U-NII-2C Body										
Front side		802.11ac 80M	122/5610	0.180	95.00%	1.053	14.53	15.00	1.114	0.211
Back side	5	802.11ac 80M	122/5610	0.972	95.00%	1.053	14.53	15.00	1.114	1.140
Right side	5	802.11ac 80M	122/5610	0.539	95.00%	1.053	14.53	15.00	1.114	0.632
Top side	5	802.11ac 80M	122/5610	0.629	95.00%	1.053	14.53	15.00	1.114	0.738
Back side	5	802.11ac 80M	106/5530	0.843	95.00%	1.053	14.50	15.00	1.122	0.996
Back side	5	802.11ac 80M	138/5690	0.947	95.00%	1.053	14.48	15.00	1.127	1.124
U-NII-3 Body										
Front side	5	802.11ac 80M	155/5775	0.271	95.00%	1.053	14.70	15.50	1.202	0.343
Back side	5	802.11ac 80M	155/5775	1.090	95.00%	1.053	14.70	15.50	1.202	1.380
Right side	5	802.11ac 80M	155/5775	0.597	95.00%	1.053	14.70	15.50	1.202	0.756
Top side	5	802.11ac 80M	155/5775	0.705	95.00%	1.053	14.70	15.50	1.202	0.893
U-NII-1 Body Simultaneous										
Front side	5	802.11ac 80M	42/5210	0.057	95.00%	1.053	11.63	12.50	1.222	0.073
Back side	5	802.11ac 80M	42/5210	0.346	95.00%	1.053	11.63	12.50	1.222	0.445
Right side	5	802.11ac 80M	42/5210	0.132	95.00%	1.053	11.63	12.50	1.222	0.170
Top side	5	802.11ac 80M	42/5210	0.200	95.00%	1.053	11.63	12.50	1.222	0.257
U-NII-2A Body Simultaneous										
Front side	5	802.11ac 80M	58/5290	0.359	95.00%	1.053	11.77	12.50	1.183	0.447
Back side	5	802.11ac 80M	58/5290	0.126	95.00%	1.053	11.77	12.50	1.183	0.157
Right side	5	802.11ac 80M	58/5290	0.221	95.00%	1.053	11.77	12.50	1.183	0.275
Top side		802.11ac 80M	58/5290	0.278	95.00%	1.053	11.77	12.50	1.183	0.346
U-NII-2C Body Simultaneous										
Front side	5	802.11ac 80M	122/5610	0.069	95.00%	1.053	10.63	11.00	1.089	0.079
Back side	5	802.11ac 80M	122/5610	0.385	95.00%	1.053	10.63	11.00	1.089	0.441
Right side	5	802.11ac 80M	122/5610	0.216	95.00%	1.053	10.63	11.00	1.089	0.248
Top side		802.11ac 80M	122/5610	0.252	95.00%	1.053	10.63	11.00	1.089	0.289
U-NII-3 Body Simultaneous										
Front side	5	802.11ac 80M	155/5775	0.096	95.00%	1.053	10.35	11.00	1.161	0.117
Back side	5	802.11ac 80M	155/5775	0.388	95.00%	1.053	10.35	11.00	1.161	0.475
Right side	5	802.11ac 80M	155/5775	0.212	95.00%	1.053	10.35	11.00	1.161	0.259
Top side		802.11ac 80M	155/5775	0.242	95.00%	1.053	10.35	11.00	1.161	0.296

Table 2: SAR of WIFI 5G.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right tilted	138/5690	1.100	1.060	1.038	N/A	N/A
Back side	58/5290	1.170	1.110	1.054	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
 2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
 3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
 4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

Duty Cycle=380/400=95.0%




16.30 SAR Measurement Result of WIFI 6G

Ant 6 Test Results												
Test position	Test Distance (mm)	Mode	Ch./Freq. (MHz)	SAR (W/kg) 1g	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power (dBm)	Tune up Limit (dBm)	Scaling Factor	Reported 1g SAR (W/kg)	Measured APD (W/m^2)	Reported APD (W/m^2)
Head												
Left cheek	0	802.11ax 160M	175/6825	0.203	99.06%	1.010	7.91	8.50	1.146	0.235	1.150	1.331
Left tilted	0	802.11ax 160M	175/6825	0.205	99.06%	1.010	7.91	8.50	1.146	0.237	1.200	1.388
Right cheek	0	802.11ax 160M	175/6825	0.208	99.06%	1.010	7.91	8.50	1.146	0.241	1.270	1.469
Right tilted	0	802.11ax 160M	175/6825	0.232	99.06%	1.010	7.91	8.50	1.146	0.268	1.480	1.712
Right tilted	0	802.11ax 160M	207/6985	0.215	99.06%	1.010	7.87	8.50	1.156	0.251	1.410	1.646
Right tilted	0	802.11ax 160M	111/6505	0.212	99.06%	1.010	6.36	7.00	1.159	0.248	1.360	1.592
Right tilted	0	802.11ax 160M	15/6025	0.276	99.06%	1.010	6.87	7.50	1.156	0.322	1.950	2.277
Right tilted	0	802.11ax 160M	79/6345	0.235	99.06%	1.010	6.65	7.50	1.216	0.289	1.770	2.174
Body												
Front side	5	802.11ax 160M	175/6825	0.122	99.06%	1.010	7.91	8.50	1.146	0.141	0.834	0.965
Back side	5	802.11ax 160M	175/6825	0.041	99.06%	1.010	7.91	8.50	1.146	0.047	0.170	0.197
Right side	5	802.11ax 160M	175/6825	0.018	99.06%	1.010	7.91	8.50	1.146	0.021	0.112	0.130
Top side	5	802.11ax 160M	175/6825	0.143	99.06%	1.010	7.91	8.50	1.146	0.165	0.905	1.047
Top side	5	802.11ax 160M	207/6985	0.169	99.06%	1.010	7.87	8.50	1.156	0.197	1.030	1.203
Top side	5	802.11ax 160M	111/6505	0.143	99.06%	1.010	6.36	7.00	1.159	0.167	0.911	1.066
Top side	5	802.11ax 160M	15/6025	0.163	99.06%	1.010	6.87	7.50	1.156	0.190	0.986	1.151
Top side	5	802.11ax 160M	79/6345	0.208	99.06%	1.010	6.65	7.50	1.216	0.255	1.390	1.707
Ant7 Test Results												
Test position	Test Distance (mm)	Mode	Ch./Freq. (MHz)	SAR (W/kg) 1g	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power (dBm)	Tune up Limit (dBm)	Scaling Factor	Reported 1g SAR (W/kg)	Measured APD (W/m^2)	Reported APD (W/m^2)
Head												
Left cheek	0	802.11ax 160M	175/6825	0.105	99.06%	1.010	7.77	8.50	1.183	0.125	0.577	0.689
Left tilted	0	802.11ax 160M	175/6825	0.037	99.06%	1.010	7.77	8.50	1.183	0.044	0.113	0.135
Right cheek	0	802.11ax 160M	175/6825	0.050	99.06%	1.010	7.77	8.50	1.183	0.060	0.165	0.197
Right tilted	0	802.11ax 160M	175/6825	0.030	99.06%	1.010	7.77	8.50	1.183	0.036	0.108	0.129
Left cheek	0	802.11ax 160M	207/6985	0.091	99.06%	1.010	7.62	8.50	1.225	0.113	0.462	0.571
Left cheek	0	802.11ax 160M	111/6505	0.071	99.06%	1.010	6.56	7.50	1.242	0.089	0.315	0.395
Left cheek	0	802.11ax 160M	15/6025	0.048	99.06%	1.010	7.36	8.00	1.159	0.056	0.158	0.185
Left cheek	0	802.11ax 160M	79/6345	0.062	99.06%	1.010	6.97	8.00	1.268	0.079	0.276	0.353
Body												
Front side	5	802.11ax 160M	175/6825	0.040	99.06%	1.010	7.77	8.50	1.183	0.048	0.173	0.207
Back side	5	802.11ax 160M	175/6825	0.038	99.06%	1.010	7.77	8.50	1.183	0.045	0.168	0.201
Right side	5	802.11ax 160M	175/6825	0.137	99.06%	1.010	7.77	8.50	1.183	0.164	0.889	1.062
Top side	5	802.11ax 160M	175/6825	0.022	99.06%	1.010	7.77	8.50	1.183	0.026	0.103	0.123
Right side	5	802.11ax 160M	207/6985	0.100	99.06%	1.010	7.62	8.50	1.225	0.124	0.863	1.067
Right side	5	802.11ax 160M	111/6505	0.153	99.06%	1.010	6.56	7.50	1.242	0.192	0.997	1.250
Right side	5	802.11ax 160M	15/6025	0.099	99.06%	1.010	7.36	8.00	1.159	0.116	0.854	0.999
Right side	5	802.11ax 160M	79/6345	0.119	99.06%	1.010	6.97	8.00	1.268	0.152	0.871	1.115

MIMO Test Results												
Test position	Test Distance (mm)	Mode	Ch./Freq. (MHz)	SAR (W/kg) 1g	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power (dBm)	Tune up Limit (dBm)	Scaling Factor	Reported 1g SAR (W/kg)	Measured APD (W/m^2)	Reported APD (W/m^2)
Head												
Left cheek	0	802.11ax 160M	175/6825	0.235	99.06%	1.010	10.85	11.50	1.161	0.276	1.320	1.548
Left tilted	0	802.11ax 160M	175/6825	0.263	99.06%	1.010	10.85	11.50	1.161	0.309	1.470	1.724
Right cheek	0	802.11ax 160M	175/6825	0.200	99.06%	1.010	10.85	11.50	1.161	0.235	1.170	1.372
Right tilted	0	802.11ax 160M	175/6825	0.228	99.06%	1.010	10.85	11.50	1.161	0.267	1.250	1.466
Left tilted	0	802.11ax 160M	207/6985	0.272	99.06%	1.010	10.76	11.50	1.186	0.326	1.610	1.928
Left tilted	0	802.11ax 160M	111/6505	0.253	99.06%	1.010	9.47	10.30	1.211	0.309	1.460	1.785
Left tilted	0	802.11ax 160M	15/6025	0.270	99.06%	1.010	10.13	10.80	1.167	0.318	1.530	1.803
Left tilted	0	802.11ax 160M	79/6345	0.287	99.06%	1.010	9.82	10.80	1.253	0.363	1.720	2.177
Body												
Front side	5	802.11ax 160M	175/6825	0.125	99.06%	1.010	10.85	11.50	1.161	0.147	0.920	1.079
Back side	5	802.11ax 160M	175/6825	0.070	99.06%	1.010	10.85	11.50	1.161	0.082	0.220	0.258
Right side	5	802.11ax 160M	175/6825	0.119	99.06%	1.010	10.85	11.50	1.161	0.140	0.810	0.950
Top side	5	802.11ax 160M	175/6825	0.138	99.06%	1.010	10.85	11.50	1.161	0.162	0.970	1.138
Top side	5	802.11ax 160M	207/6985	0.141	99.06%	1.010	10.76	11.50	1.186	0.169	1.010	1.210
Top side	5	802.11ax 160M	111/6505	0.145	99.06%	1.010	9.47	10.30	1.211	0.177	1.080	1.321
Top side	5	802.11ax 160M	15/6025	0.140	99.06%	1.010	10.13	10.80	1.167	0.165	0.990	1.167
Top side	5	802.11ax 160M	79/6345	0.195	99.06%	1.010	9.82	10.80	1.253	0.247	1.310	1.658

Table 3: SAR of WIFI 6G.

Duty Cycle=2.1/2.12=99.06%



16.31 PD Measurement Result of WIFI 6G

Test position	Mode	Ch./Freq. (MHz)	Gap (mm)	Grid Step (A)	Conducted Power(dBm)	Tune up Limit(dBm)	iPDn	iPD ratio (≥ -1)	Normal psPD (W/m ²)	Total psPD (W/m ²)
Right side	802.11ax 160M	79/6345	2.0	0.0625	9.82	10.80	18.9	0.309	2.260	3.570
Right side	802.11ax 160M	79/6345	9.5	0.125	9.82	10.80	17.6		1.250	1.400

ANT6 Test Results														
Test position	Mode	Ch./Freq. (MHz)	Gap (mm)	Grid Step (A)	Normal psPD (W/m ²)	Total psPD (W/m ²)	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power(dBm)	Tune up Limit(dBm)	Scaling Factor	Scaling Factor for Measurement Uncertainty	Reported Normal psPD (W/m ²)	Reported Total psPD (W/m ²)
Front side	802.11ax 160M	175/6825	2.000	0.0625	1.660	2.590	99.06%	1.010	7.91	8.50	1.146	1.5493	2.976	4.643
Back side	802.11ax 160M	175/6825	2.000	0.0625	1.140	1.960	99.06%	1.010	7.91	8.50	1.146	1.5493	2.043	3.513
Left side	802.11ax 160M	175/6825	2.000	0.0625	0.037	0.054	99.06%	1.010	7.91	8.50	1.146	1.5493	0.066	0.097
Right side	802.11ax 160M	175/6825	2.000	0.0625	0.227	0.333	99.06%	1.010	7.91	8.50	1.146	1.5493	0.407	0.597
Top side	802.11ax 160M	175/6825	2.000	0.0625	2.210	3.710	99.06%	1.010	7.91	8.50	1.146	1.5493	3.961	6.650
Top side	802.11ax 160M	207/6985	2.000	0.0625	2.250	3.730	99.06%	1.010	7.87	8.50	1.156	1.5493	4.070	6.748
Top side	802.11ax 160M	111/6505	2.000	0.0625	2.010	3.410	99.06%	1.010	6.26	7.50	1.330	1.5493	4.185	7.099
Top side	802.11ax 160M	15/6025	2.000	0.0625	2.550	3.740	99.06%	1.010	6.87	7.50	1.156	1.5493	4.613	6.766
Top side	802.11ax 160M	79/6345	2.000	0.0625	2.640	3.770	99.06%	1.010	6.65	7.50	1.216	1.5493	5.024	7.175
ANT7 Test Results														
Test position	Mode	Ch./Freq. (MHz)	Gap (mm)	Grid Step (A)	Normal psPD (W/m ²)	Total psPD (W/m ²)	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power(dBm)	Tune up Limit(dBm)	Scaling Factor	Scaling Factor for Measurement Uncertainty	Reported Normal psPD (W/m ²)	Reported Total psPD (W/m ²)
Front side	802.11ax 160M	175/6825	2.000	0.0625	0.516	0.889	99.06%	1.010	7.77	8.50	1.183	1.5493	0.955	1.646
Back side	802.11ax 160M	175/6825	2.000	0.0625	0.708	1.280	99.06%	1.010	7.77	8.50	1.183	1.5493	1.311	2.370
Left side	802.11ax 160M	175/6825	2.000	0.0625	0.044	0.077	99.06%	1.010	7.77	8.50	1.183	1.5493	0.081	0.143
Right side	802.11ax 160M	175/6825	2.000	0.0625	2.410	4.700	99.06%	1.010	7.77	8.50	1.183	1.5493	4.461	8.701
Top side	802.11ax 160M	175/6825	2.000	0.0625	1.350	1.570	99.06%	1.010	7.77	8.50	1.183	1.5493	2.499	2.906
Right side	802.11ax 160M	207/6985	2.000	0.0625	1.900	4.110	99.06%	1.010	7.62	8.50	1.225	1.5493	3.641	7.876
Right side	802.11ax 160M	111/6505	2.000	0.0625	2.340	4.100	99.06%	1.010	6.56	7.50	1.242	1.5493	4.546	7.966
Right side	802.11ax 160M	15/6025	2.000	0.0625	1.780	2.880	99.06%	1.010	7.36	8.00	1.159	1.5493	3.228	5.222
Right side	802.11ax 160M	79/6345	2.000	0.0625	1.890	3.310	99.06%	1.010	6.97	8.00	1.268	1.5493	3.749	6.566
MIMO Test Results														
Test position	Mode	Ch./Freq. (MHz)	Gap (mm)	Grid Step (A)	Normal psPD (W/m ²)	Total psPD (W/m ²)	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power(dBm)	Tune up Limit(dBm)	Scaling Factor	Scaling Factor for Measurement Uncertainty	Reported Normal psPD (W/m ²)	Reported Total psPD (W/m ²)
Front side	802.11ax 160M	175/6825	2.000	0.0625	1.880	2.890	99.06%	1.010	10.85	11.50	1.161	1.5493	3.417	5.252
Back side	802.11ax 160M	175/6825	2.000	0.0625	1.650	3.140	99.06%	1.010	10.85	11.50	1.161	1.5493	2.999	5.707
Left side	802.11ax 160M	175/6825	2.000	0.0625	0.089	0.164	99.06%	1.010	10.85	11.50	1.161	1.5493	0.162	0.298
Right side	802.11ax 160M	175/6825	2.000	0.0625	2.740	4.820	99.06%	1.010	10.85	11.50	1.161	1.5493	4.980	8.760
Top side	802.11ax 160M	175/6825	2.000	0.0625	2.800	4.660	99.06%	1.010	10.85	11.50	1.161	1.5493	5.089	8.469
Right side	802.11ax 160M	207/6985	2.000	0.0625	2.300	4.350	99.06%	1.010	10.76	11.50	1.186	1.5493	4.268	8.071
Right side	802.11ax 160M	111/6505	2.000	0.0625	2.940	5.210	99.06%	1.010	9.47	10.30	1.211	1.5493	5.569	9.869
Right side	802.11ax 160M	15/6025	2.000	0.0625	2.420	4.070	99.06%	1.010	10.13	10.80	1.167	1.5493	4.418	7.431
Right side	802.11ax 160M	79/6345	2.000	0.0625	2.260	3.570	99.06%	1.010	9.82	10.80	1.253	1.5493	4.432	7.000


Table 4: PD of WIFI 6G.

16.32 SAR Measurement Result of BT

Test Results										
Test position	Test Distance (mm)	Mode	Ch./Freq. (MHz)	SAR (W/kg) 1-g	Duty Cycle	Duty Cycle Scaling Factor	Conducted Power (dBm)	Tune up Limit (dBm)	Scaling Factor	Reported 1g SAR (W/kg)
Head										
Left cheek	0	DH5	0/2402	0.031	77.07%	1.298	8.37	9.00	1.157	0.047
Left tilted	0	DH5	0/2402	0.022	77.07%	1.298	8.37	9.00	1.157	0.033
Right cheek	0	DH5	0/2402	0.014	77.07%	1.298	8.37	9.00	1.157	0.021
Right tilted	0	DH5	0/2402	0.013	77.07%	1.298	8.37	9.00	1.157	0.020
Body										
Front side	5	DH5	0/2402	0.009	77.07%	1.298	8.37	9.00	1.157	0.014
Back side	5	DH5	0/2402	0.015	77.07%	1.298	8.37	9.00	1.157	0.023
Right side	5	DH5	0/2402	0.005	77.07%	1.298	8.37	9.00	1.157	0.008
Top side	5	DH5	0/2402	0.009	77.07%	1.298	8.37	9.00	1.157	0.014

Table 5: SAR of BT.

Duty Cycle=2.89/3.75=77.07%



16.33 SAR Measurement Result of NFC

Test position	Test Distance (mm)	Mode	Ch./Freq. (MHz)	SAR (W/kg) 1-g	SAR (W/kg) 10-g
Body					
Front side	0	NFC	13.56MHz	0.023	0.006
Back side	0	NFC	13.56MHz	0.002	0.001
Left side	0	NFC	13.56MHz	0.002	0.001
Right side	0	NFC	13.56MHz	0.000	0.000
Top side	0	NFC	13.56MHz	0.000	0.000
Bottom side	0	NFC	13.56MHz	0.000	0.000

Table 6: SAR of NFC.

17 Simultaneous Transmission Analysis

The Simultaneous Transmission Possibilities of this device are as below:

NO.	Simultaneous TX Combination	Head	Body
1	WWAN+WLAN 5GHz(chain 0) + BT(chain 0)	Y	Y
2	WWAN+WLAN 5GHz(chain 1) + BT(chain 0)	Y	Y
3	WWAN+WLAN 5GHz MIMO+ BT(chain 0)	Y	Y
4	WWAN+WLAN 2.4GHz (chain 0)+ WLAN 5GHz (chain 1)	Y	Y
5	WWAN+WLAN 2.4GHz (chain 1)+ WLAN 5GHz (chain 0)	Y	Y
6	WWAN+WLAN 2.4GHz (chain 1)+ WLAN 5GHz (chain 1)	Y	Y
7	WWAN+WLAN 5GHz MIMO+ WLAN 2.4GHz (chain 1)	Y	Y
8	WWAN+WLAN 2.4GHz MIMO+ WLAN 5GHz (chain 1)	Y	Y

ENDC Head:

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n2 Ant4	EN_DC Summed SAR
Band 5	Left cheek	0.218	/	/	/	/	0.445	0.663
	Left tilted	0.121	/	/	/	/	0.339	0.460
	Right cheek	0.278	/	/	/	/	1.015	1.293
	Right tilted	0.133	/	/	/	/	0.749	0.882
Band 12	Left cheek	0.251	/	/	/	/	0.445	0.696
	Left tilted	0.131	/	/	/	/	0.339	0.470
	Right cheek	0.279	/	/	/	/	1.015	1.294
	Right tilted	0.148	/	/	/	/	0.749	0.897
Band 13	Left cheek	0.159	/	/	/	/	0.445	0.604
	Left tilted	0.087	/	/	/	/	0.339	0.426
	Right cheek	0.191	/	/	/	/	1.015	1.206
	Right tilted	0.099	/	/	/	/	0.749	0.848
Band 14	Left cheek	0.157	/	/	/	/	0.445	0.602
	Left tilted	0.085	/	/	/	/	0.339	0.424
	Right cheek	0.189	/	/	/	/	1.015	1.204
	Right tilted	0.095	/	/	/	/	0.749	0.844
Band 66	Left cheek	/	0.285	/	/	/	0.445	0.730
	Left tilted	/	0.099	/	/	/	0.339	0.438
	Right cheek	/	0.092	/	/	/	1.015	1.107
	Right tilted	/	0.049	/	/	/	0.749	0.798
Band 71	Left cheek	0.218	/	/	/	/	0.445	0.663
	Left tilted	0.105	/	/	/	/	0.339	0.444
	Right cheek	0.278	/	/	/	/	1.015	1.293
	Right tilted	0.118	/	/	/	/	0.749	0.867

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n25 Ant4	EN_DC Summed SAR
Band 66	Left cheek	/	0.285	/	/	/	0.445	0.730
	Left tilted	/	0.099	/	/	/	0.339	0.438
	Right cheek	/	0.092	/	/	/	1.015	1.107
	Right tilted	/	0.049	/	/	/	0.749	0.798
Band 12	Left cheek	0.251	/	/	/	/	0.445	0.696
	Left tilted	0.131	/	/	/	/	0.339	0.470
	Right cheek	0.279	/	/	/	/	1.015	1.294
	Right tilted	0.148	/	/	/	/	0.749	0.897

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n5 Ant0	EN_DC Summed SAR
Band 2	Left cheek	/	/	/	/	0.386	0.176	0.562
	Left tilted	/	/	/	/	0.250	0.122	0.372
	Right cheek	/	/	/	/	1.045	0.184	1.229
	Right tilted	/	/	/	/	0.873	0.143	1.016
Band 7	Left cheek	/	/	/	/	0.683	0.176	0.859
	Left tilted	/	/	/	/	0.743	0.122	0.865
	Right cheek	/	/	/	/	1.023	0.184	1.207
	Right tilted	/	/	/	/	1.142	0.143	1.285
Band 66	Left cheek	/	/	/	/	0.625	0.176	0.801
	Left tilted	/	/	/	/	0.358	0.122	0.480
	Right cheek	/	/	/	/	1.006	0.184	1.190
	Right tilted	/	/	/	/	0.612	0.143	0.755
Band 48	Left cheek	/	/	/	0.484	/	0.176	0.660

	Left tilted	/	/	/	0.488	/	0.122	0.610
	Right cheek	/	/	/	0.794	/	0.184	0.978
	Right tilted	/	/	/	0.732	/	0.143	0.875

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n7	EN_DC Summed SAR
							Ant4	
Band 5	Left cheek	0.218	/	/	/	/	0.588	0.806
	Left tilted	0.121	/	/	/	/	0.645	0.766
	Right cheek	0.278	/	/	/	/	1.200	1.478
	Right tilted	0.133	/	/	/	/	1.195	1.328
Band 12	Left cheek	0.251	/	/	/	/	0.588	0.839
	Left tilted	0.131	/	/	/	/	0.645	0.776
	Right cheek	0.279	/	/	/	/	1.200	1.479
	Right tilted	0.148	/	/	/	/	1.195	1.343
Band 66	Left cheek	/	0.285	/	/	/	0.588	0.873
	Left tilted	/	0.099	/	/	/	0.645	0.744
	Right cheek	/	0.092	/	/	/	1.200	1.292
	Right tilted	/	0.049	/	/	/	1.195	1.244
Band 13	Left cheek	0.159	/	/	/	/	0.588	0.747
	Left tilted	0.087	/	/	/	/	0.645	0.732
	Right cheek	0.191	/	/	/	/	1.200	1.391
	Right tilted	0.099	/	/	/	/	1.195	1.294

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n12	EN_DC Summed SAR
							Ant0	
Band 66	Left cheek	/	/	/	/	0.625	0.072	0.697
	Left tilted	/	/	/	/	0.358	0.058	0.416
	Right cheek	/	/	/	/	1.006	0.097	1.103
	Right tilted	/	/	/	/	0.612	0.091	0.703

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n38	EN_DC Summed SAR
							Ant4	
Band 66	Left cheek	/	0.285	/	/	/	0.565	0.850
	Left tilted	/	0.099	/	/	/	0.638	0.737
	Right cheek	/	0.092	/	/	/	0.944	1.036
	Right tilted	/	0.049	/	/	/	0.898	0.947
Band 2	Left cheek	/	0.333	/	/	/	0.565	0.898
	Left tilted	/	0.156	/	/	/	0.638	0.794
	Right cheek	/	0.215	/	/	/	0.944	1.159
	Right tilted	/	0.146	/	/	/	0.898	1.044
Band 12	Left cheek	0.251	/	/	/	/	0.565	0.816
	Left tilted	0.131	/	/	/	/	0.638	0.769
	Right cheek	0.279	/	/	/	/	0.944	1.223
	Right tilted	0.148	/	/	/	/	0.898	1.046
Band 5	Left cheek	0.218	/	/	/	/	0.565	0.783
	Left tilted	0.121	/	/	/	/	0.638	0.759
	Right cheek	0.278	/	/	/	/	0.944	1.222
	Right tilted	0.133	/	/	/	/	0.898	1.031
Band 71	Left cheek	0.218	/	/	/	/	0.565	0.783
	Left tilted	0.105	/	/	/	/	0.638	0.743
	Right cheek	0.278	/	/	/	/	0.944	1.222
	Right tilted	0.118	/	/	/	/	0.898	1.016

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n41	EN_DC Summed SAR
							Ant4	
Band 2	Left cheek	/	0.333	/	/	/	0.565	0.898
	Left tilted	/	0.156	/	/	/	0.638	0.794
	Right cheek	/	0.215	/	/	/	1.191	1.406
	Right tilted	/	0.146	/	/	/	1.141	1.287
Band 25	Left cheek	/	0.333	/	/	/	0.565	0.898
	Left tilted	/	0.156	/	/	/	0.638	0.794
	Right cheek	/	0.215	/	/	/	1.191	1.406
	Right tilted	/	0.146	/	/	/	1.141	1.287
Band 66	Left cheek	/	0.285	/	/	/	0.565	0.850
	Left tilted	/	0.099	/	/	/	0.638	0.737
	Right cheek	/	0.092	/	/	/	1.191	1.283
	Right tilted	/	0.049	/	/	/	1.141	1.190
Band 12	Left cheek	0.251	/	/	/	/	0.565	0.816
	Left tilted	0.131	/	/	/	/	0.638	0.769
	Right cheek	0.279	/	/	/	/	1.191	1.470
	Right tilted	0.148	/	/	/	/	1.141	1.289

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n66		EN_DC Summed SAR
							Ant1	Ant4	
Band 2	Left cheek	/	0.333	/	/	/	/	0.513	0.846
	Left tilted	/	0.156	/	/	/	/	0.311	0.467
	Right cheek	/	0.215	/	/	/	/	1.046	1.261
	Right tilted	/	0.146	/	/	/	/	0.676	0.822
Band 5	Left cheek	0.218	/	/	/	/	/	0.513	0.731
	Left tilted	0.121	/	/	/	/	/	0.311	0.432
	Right cheek	0.278	/	/	/	/	/	1.046	1.324
	Right tilted	0.133	/	/	/	/	/	0.676	0.809
Band 7	Left cheek	0.130	/	/	/	/	/	0.513	0.643
	Left tilted	0.107	/	/	/	/	/	0.311	0.418
	Right cheek	0.143	/	/	/	/	/	1.046	1.189
	Right tilted	0.062	/	/	/	/	/	0.676	0.738
Band 12	Left cheek	0.251	/	/	/	/	/	0.513	0.764
	Left tilted	0.131	/	/	/	/	/	0.311	0.442
	Right cheek	0.279	/	/	/	/	/	1.046	1.325
	Right tilted	0.148	/	/	/	/	/	0.676	0.824
Band 13	Left cheek	0.159	/	/	/	/	/	0.513	0.672
	Left tilted	0.087	/	/	/	/	/	0.311	0.398
	Right cheek	0.191	/	/	/	/	/	1.046	1.237
	Right tilted	0.099	/	/	/	/	/	0.676	0.775
Band 14	Left cheek	0.157	/	/	/	/	/	0.513	0.670
	Left tilted	0.085	/	/	/	/	/	0.311	0.396
	Right cheek	0.189	/	/	/	/	/	1.046	1.235
	Right tilted	0.095	/	/	/	/	/	0.676	0.771
Band 48	Left cheek	/	/	/	0.303	/	0.401	/	0.704
	Left tilted	/	/	/	0.488	/	0.070	/	0.558
	Right cheek	/	/	/	0.794	/	0.137	/	0.931
	Right tilted	/	/	/	0.732	/	0.095	/	0.827
Band 71	Left cheek	0.218	/	/	/	/	/	0.513	0.731
	Left tilted	0.105	/	/	/	/	/	0.311	0.416
	Right cheek	0.278	/	/	/	/	/	1.046	1.324
	Right tilted	0.118	/	/	/	/	/	0.676	0.794

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n71	EN_DC Summed SAR
							Ant0	
Band 2	Left cheek	/	/	/	/	0.386	0.256	0.642
	Left tilted	/	/	/	/	0.250	0.127	0.377
	Right cheek	/	/	/	/	1.045	0.331	1.376
	Right tilted	/	/	/	/	0.873	0.161	1.034
Band 7	Left cheek	/	/	/	/	0.683	0.256	0.939
	Left tilted	/	/	/	/	0.743	0.127	0.870
	Right cheek	/	/	/	/	1.023	0.331	1.354
	Right tilted	/	/	/	/	1.142	0.161	1.303
Band 66	Left cheek	/	/	/	/	0.625	0.256	0.881
	Left tilted	/	/	/	/	0.358	0.127	0.485
	Right cheek	/	/	/	/	1.006	0.331	1.337
	Right tilted	/	/	/	/	0.612	0.161	0.773

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n77	EN_DC Summed SAR
							Ant3	
Band 2	Left cheek	/	0.333	/	/	/	0.316	0.649
	Left tilted	/	0.156	/	/	/	0.395	0.551
	Right cheek	/	0.215	/	/	/	0.990	1.205
	Right tilted	/	0.146	/	/	/	0.666	0.812
Band 5	Left cheek	0.218	/	/	/	/	0.316	0.534
	Left tilted	0.121	/	/	/	/	0.395	0.516
	Right cheek	0.278	/	/	/	/	0.990	1.268
	Right tilted	0.133	/	/	/	/	0.666	0.799
Band 7	Left cheek	0.130	/	/	/	/	0.316	0.446
	Left tilted	0.107	/	/	/	/	0.395	0.502
	Right cheek	0.143	/	/	/	/	0.990	1.133
	Right tilted	0.062	/	/	/	/	0.666	0.728
Band 12	Left cheek	0.251	/	/	/	/	0.316	0.567
	Left tilted	0.131	/	/	/	/	0.395	0.526
	Right cheek	0.279	/	/	/	/	0.990	1.269
	Right tilted	0.148	/	/	/	/	0.666	0.814
Band 13	Left cheek	0.159	/	/	/	/	0.316	0.475
	Left tilted	0.087	/	/	/	/	0.395	0.482
	Right cheek	0.191	/	/	/	/	0.990	1.181
	Right tilted	0.099	/	/	/	/	0.666	0.765

Band 14	Left cheek	0.157	/	/	/	/	0.316	0.473
	Left tilted	0.085	/	/	/	/	0.395	0.480
	Right cheek	0.189	/	/	/	/	0.990	1.179
	Right tilted	0.095	/	/	/	/	0.666	0.761
Band 66	Left cheek	/	0.285	/	/	/	0.316	0.601
	Left tilted	/	0.099	/	/	/	0.395	0.494
	Right cheek	/	0.092	/	/	/	0.990	1.082
	Right tilted	/	0.049	/	/	/	0.666	0.715

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n78	EN_DC Summed SAR
							Ant3	
Band 2	Left cheek	/	0.333	/	/	/	0.316	0.649
	Left tilted	/	0.156	/	/	/	0.395	0.551
	Right cheek	/	0.215	/	/	/	0.990	1.205
	Right tilted	/	0.146	/	/	/	0.666	0.812
Band 5	Left cheek	0.218	/	/	/	/	0.316	0.534
	Left tilted	0.121	/	/	/	/	0.395	0.516
	Right cheek	0.278	/	/	/	/	0.990	1.268
	Right tilted	0.133	/	/	/	/	0.666	0.799
Band 7	Left cheek	0.130	/	/	/	/	0.316	0.446
	Left tilted	0.107	/	/	/	/	0.395	0.502
	Right cheek	0.143	/	/	/	/	0.990	1.133
	Right tilted	0.062	/	/	/	/	0.666	0.728
Band 12	Left cheek	0.251	/	/	/	/	0.316	0.567
	Left tilted	0.131	/	/	/	/	0.395	0.526
	Right cheek	0.279	/	/	/	/	0.990	1.269
	Right tilted	0.148	/	/	/	/	0.666	0.814
Band 38	Left cheek	0.100	/	/	/	/	0.316	0.416
	Left tilted	0.075	/	/	/	/	0.395	0.470
	Right cheek	0.162	/	/	/	/	0.990	1.152
	Right tilted	0.068	/	/	/	/	0.666	0.734
Band 66	Left cheek	/	0.285	/	/	/	0.316	0.601
	Left tilted	/	0.099	/	/	/	0.395	0.494
	Right cheek	/	0.092	/	/	/	0.990	1.082
	Right tilted	/	0.049	/	/	/	0.666	0.715
Band 13	Left cheek	0.159	/	/	/	/	0.316	0.475
	Left tilted	0.087	/	/	/	/	0.395	0.482
	Right cheek	0.191	/	/	/	/	0.990	1.181
	Right tilted	0.099	/	/	/	/	0.666	0.765
Band 71	Left cheek	0.218	/	/	/	/	0.316	0.534
	Left tilted	0.105	/	/	/	/	0.395	0.500
	Right cheek	0.278	/	/	/	/	0.990	1.268
	Right tilted	0.118	/	/	/	/	0.666	0.784

ENDC Body:

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n2	EN_DC Summed SAR
							Ant4	
Band 5	Front side	0.445	/	/	/	/	0.429	0.874
	Back side	0.683	/	/	/	/	0.792	1.475
	Left side	0.118	/	/	/	/	0.415	0.533
	Right side	0.415	/	/	/	/	0.000	0.415
	Top side	0.000	/	/	/	/	0.159	0.159
	Bottom side	0.511	/	/	/	/	0.000	0.511
Band 12	Front side	0.298	/	/	/	/	0.429	0.727
	Back side	0.674	/	/	/	/	0.792	1.466
	Left side	0.249	/	/	/	/	0.415	0.664
	Right side	0.530	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	0.159	0.159
	Bottom side	0.443	/	/	/	/	0.000	0.443
Band 13	Front side	0.247	/	/	/	/	0.429	0.676
	Back side	0.607	/	/	/	/	0.792	1.399
	Left side	0.081	/	/	/	/	0.415	0.496
	Right side	0.245	/	/	/	/	0.000	0.245
	Top side	0.000	/	/	/	/	0.159	0.159
	Bottom side	0.436	/	/	/	/	0.000	0.436
Band 14	Front side	0.254	/	/	/	/	0.429	0.683
	Back side	0.673	/	/	/	/	0.792	1.465
	Left side	0.071	/	/	/	/	0.415	0.486
	Right side	0.206	/	/	/	/	0.000	0.206
	Top side	0.000	/	/	/	/	0.159	0.159
	Bottom side	0.466	/	/	/	/	0.000	0.466
Band 66	Front side	/	0.329	/	/	/	0.429	0.758
	Back side	/	0.793	/	/	/	0.792	1.585

	Left side	/	0.297				0.415	0.712
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.159	0.159
	Bottom side	/	0.141	/	/	/	0.000	0.141
Band 71	Front side	0.207	/	/	/	/	0.429	0.636
	Back side	0.551	/	/	/	/	0.792	1.343
	Left side	0.155	/	/	/	/	0.415	0.570
	Right side	0.344	/	/	/	/	0.000	0.344
	Top side	0.000	/	/	/	/	0.159	0.159
	Bottom side	0.363	/	/	/	/	0.000	0.363

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n25	EN_DC Summed SAR
							Ant4	
Band 66	Front side	/	0.329	/	/	/	0.429	0.758
	Back side	/	0.793	/	/	/	0.792	1.585
	Left side	/	0.297	/	/	/	0.415	0.712
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.159	0.159
	Bottom side	/	0.141	/	/	/	0.000	0.141
Band 12	Front side	0.298	/	/	/	/	0.429	0.727
	Back side	0.674	/	/	/	/	0.792	1.466
	Left side	0.249	/	/	/	/	0.415	0.664
	Right side	0.530	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	0.159	0.159
	Bottom side	0.443	/	/	/	/	0.000	0.443

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n5	EN_DC Summed SAR
							Ant0	
Band 2	Front side	/	/	/	/	0.470	0.341	0.811
	Back side	/	/	/	/	0.699	0.785	1.484
	Left side	/	/	/	/	0.415	0.050	0.465
	Right side	/	/	/	/	0.000	0.271	0.271
	Top side	/	/	/	/	0.169	0.000	0.169
	Bottom side	/	/	/	/	0.000	0.622	0.622
Band 7	Front side	/	/	/	/	0.209	0.341	0.550
	Back side	/	/	/	/	0.772	0.785	1.557
	Left side	/	/	/	/	0.354	0.050	0.404
	Right side	/	/	/	/	0.000	0.271	0.271
	Top side	/	/	/	/	0.560	0.000	0.560
	Bottom side	/	/	/	/	0.000	0.622	0.622
Band 66	Front side	/	/	/	/	0.578	0.341	0.919
	Back side	/	/	/	/	0.737	0.785	1.522
	Left side	/	/	/	/	0.490	0.050	0.540
	Right side	/	/	/	/	0.000	0.271	0.271
	Top side	/	/	/	/	0.338	0.000	0.338
	Bottom side	/	/	/	/	0.000	0.622	0.622
Band 48	Front side	/	/	/	0.426	/	0.341	0.767
	Back side	/	/	/	0.681	/	0.785	1.466
	Left side	/	/	/	1.201	/	0.050	1.251
	Right side	/	/	/	0.000	/	0.271	0.271
	Top side	/	/	/	0.460	/	0.000	0.460
	Bottom side	/	/	/	0.000	/	0.622	0.622

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n7	EN_DC Summed SAR
							Ant4	
Band 5	Front side	0.445	/	/	/	/	0.206	0.651
	Back side	0.683	/	/	/	/	0.772	1.455
	Left side	0.118	/	/	/	/	0.300	0.418
	Right side	0.415	/	/	/	/	0.000	0.415
	Top side	0.000	/	/	/	/	0.563	0.563
	Bottom side	0.511	/	/	/	/	0.000	0.511
Band 12	Front side	0.298	/	/	/	/	0.206	0.504
	Back side	0.674	/	/	/	/	0.772	1.446
	Left side	0.249	/	/	/	/	0.300	0.549
	Right side	0.530	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	0.563	0.563
	Bottom side	0.443	/	/	/	/	0.000	0.443
Band 66	Front side	/	0.329	/	/	/	0.206	0.535
	Back side	/	0.793	/	/	/	0.772	1.565
	Left side	/	0.297	/	/	/	0.300	0.597
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.563	0.563
	Bottom side	/	0.141	/	/	/	0.000	0.141
Band 13	Front side	0.247	/	/	/	/	0.206	0.453
	Back side	0.607	/	/	/	/	0.772	1.379
	Left side	0.081	/	/	/	/	0.300	0.381
	Right side	0.245	/	/	/	/	0.000	0.245
	Top side	0.000	/	/	/	/	0.563	0.563
	Bottom side	0.436	/	/	/	/	0.000	0.436

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n12	EN_DC Summed SAR
							Ant0	
Band 66	Front side	/	/	/	/	0.578	0.266	0.844
	Back side	/	/	/	/	0.737	0.794	1.531
	Left side	/	/	/	/	0.490	0.066	0.556
	Right side	/	/	/	/	0.000	0.360	0.360
	Top side	/	/	/	/	0.338	0.000	0.338
	Bottom side	/	/	/	/	0.000	0.592	0.592

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n38	EN_DC Summed SAR
							Ant4	
Band 66	Front side	/	0.329	/	/	/	0.185	0.514
	Back side	/	0.793	/	/	/	0.721	1.514
	Left side	/	0.297	/	/	/	0.270	0.567
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.530	0.530
	Bottom side	/	0.141	/	/	/	0.000	0.141
Band 2	Front side	/	0.487	/	/	/	0.185	0.672
	Back side	/	0.737	/	/	/	0.721	1.458
	Left side	/	0.447	/	/	/	0.270	0.717
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.530	0.530
	Bottom side	/	0.396	/	/	/	0.000	0.396
Band 12	Front side	0.298	/	/	/	/	0.185	0.483
	Back side	0.674	/	/	/	/	0.721	1.395
	Left side	0.249	/	/	/	/	0.270	0.519
	Right side	0.530	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	0.530	0.530
	Bottom side	0.443	/	/	/	/	0.000	0.443
Band 5	Front side	0.445	/	/	/	/	0.185	0.630
	Back side	0.683	/	/	/	/	0.721	1.404
	Left side	0.118	/	/	/	/	0.270	0.388
	Right side	0.415	/	/	/	/	0.000	0.415
	Top side	0.000	/	/	/	/	0.530	0.530
	Bottom side	0.511	/	/	/	/	0.000	0.511
Band 71	Front side	0.207	/	/	/	/	0.185	0.392
	Back side	0.551	/	/	/	/	0.721	1.272
	Left side	0.155	/	/	/	/	0.270	0.425
	Right side	0.344	/	/	/	/	0.000	0.344
	Top side	0.000	/	/	/	/	0.530	0.530
	Bottom side	0.363	/	/	/	/	0.000	0.363

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n41	EN_DC Summed SAR
							Ant4	
Band 2	Front side	/	0.487	/	/	/	0.185	0.672
	Back side	/	0.737	/	/	/	0.721	1.458
	Left side	/	0.447	/	/	/	0.270	0.717
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.530	0.530
	Bottom side	/	0.396	/	/	/	0.000	0.396
Band 25	Front side	/	0.487	/	/	/	0.185	0.672
	Back side	/	0.737	/	/	/	0.721	1.458
	Left side	/	0.447	/	/	/	0.270	0.717
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.530	0.530
	Bottom side	/	0.396	/	/	/	0.000	0.396
Band 66	Front side	/	0.329	/	/	/	0.185	0.514
	Back side	/	0.793	/	/	/	0.721	1.514
	Left side	/	0.297	/	/	/	0.270	0.567
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.530	0.530
	Bottom side	/	0.141	/	/	/	0.000	0.141
Band 12	Front side	0.298	/	/	/	/	0.185	0.483
	Back side	0.674	/	/	/	/	0.721	1.395
	Left side	0.249	/	/	/	/	0.270	0.519
	Right side	0.530	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	0.530	0.530
	Bottom side	0.443	/	/	/	/	0.000	0.443

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n66		EN_DC Summed SAR
							Ant1	Ant4	
Band 2	Front side	/	0.487	/	/	/	/	0.584	1.071
	Back side	/	0.737	/	/	/	/	0.732	1.469
	Left side	/	0.447	/	/	/	/	0.533	0.980
	Right side	/	0.000	/	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	/	0.290	0.290
	Bottom side	/	0.396	/	/	/	/	0.000	0.396
Band 5	Front side	0.445	/	/	/	/	/	0.584	1.029
	Back side	0.683	/	/	/	/	/	0.732	1.415
	Left side	0.118	/	/	/	/	/	0.533	0.651
	Right side	0.415	/	/	/	/	/	0.000	0.415
	Top side	0.000	/	/	/	/	/	0.290	0.290
	Bottom side	0.511	/	/	/	/	/	0.000	0.511
Band 7	Front side	0.366	/	/	/	/	/	0.584	0.950
	Back side	0.727	/	/	/	/	/	0.732	1.459
	Left side	0.061	/	/	/	/	/	0.533	0.594
	Right side	0.331	/	/	/	/	/	0.000	0.331
	Top side	0.000	/	/	/	/	/	0.290	0.290
	Bottom side	0.610	/	/	/	/	/	0.000	0.610
Band 12	Front side	0.298	/	/	/	/	/	0.584	0.882
	Back side	0.674	/	/	/	/	/	0.732	1.406
	Left side	0.249	/	/	/	/	/	0.533	0.782
	Right side	0.530	/	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	/	0.290	0.290
	Bottom side	0.443	/	/	/	/	/	0.000	0.443
Band 13	Front side	0.247	/	/	/	/	/	0.584	0.831
	Back side	0.607	/	/	/	/	/	0.732	1.339
	Left side	0.081	/	/	/	/	/	0.533	0.614
	Right side	0.245	/	/	/	/	/	0.000	0.245
	Top side	0.000	/	/	/	/	/	0.290	0.290
	Bottom side	0.436	/	/	/	/	/	0.000	0.436
Band 14	Front side	0.254	/	/	/	/	/	0.584	0.838
	Back side	0.673	/	/	/	/	/	0.732	1.405
	Left side	0.071	/	/	/	/	/	0.533	0.604
	Right side	0.206	/	/	/	/	/	0.000	0.206
	Top side	0.000	/	/	/	/	/	0.290	0.290
	Bottom side	0.466	/	/	/	/	/	0.000	0.466
Band 48	Front side	/	/	/	0.426	/	0.396	/	0.822
	Back side	/	/	/	0.681	/	0.772	/	1.453
	Left side	/	/	/	1.201	/	0.294	/	1.495
	Right side	/	/	/	0.000	/	0.000	/	0.000
	Top side	/	/	/	0.460	/	0.000	/	0.460
	Bottom side	/	/	/	0.000	/	0.189	/	0.189
Band 71	Front side	0.207	/	/	/	/	/	0.584	0.791
	Back side	0.551	/	/	/	/	/	0.732	1.283
	Left side	0.155	/	/	/	/	/	0.533	0.688

	Right side	0.344	/	/	/	/	/	0.000	0.344
	Top side	0.000	/	/	/	/	/	0.290	0.290
	Bottom side	0.363	/	/	/	/	/	0.000	0.363

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n71	EN_DC Summed SAR
							Ant0	
Band 2	Front side	/	/	/	/	0.470	0.260	0.730
	Back side	/	/	/	/	0.699	0.666	1.365
	Left side	/	/	/	/	0.415	0.087	0.502
	Right side	/	/	/	/	0.000	0.308	0.308
	Top side	/	/	/	/	0.169	0.000	0.169
	Bottom side	/	/	/	/	0.000	0.477	0.477
Band 7	Front side	/	/	/	/	0.209	0.260	0.469
	Back side	/	/	/	/	0.772	0.666	1.438
	Left side	/	/	/	/	0.354	0.087	0.441
	Right side	/	/	/	/	0.000	0.308	0.308
	Top side	/	/	/	/	0.560	0.000	0.560
	Bottom side	/	/	/	/	0.000	0.477	0.477
Band 66	Front side	/	/	/	/	0.578	0.260	0.838
	Back side	/	/	/	/	0.737	0.666	1.403
	Left side	/	/	/	/	0.490	0.087	0.577
	Right side	/	/	/	/	0.000	0.308	0.308
	Top side	/	/	/	/	0.338	0.000	0.338
	Bottom side	/	/	/	/	0.000	0.477	0.477

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n77	EN_DC Summed SAR
							Ant3	
Band 2	Front side	/	0.487	/	/	/	0.486	0.973
	Back side	/	0.737	/	/	/	0.775	1.512
	Left side	/	0.447	/	/	/	0.608	1.055
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.756	0.756
	Bottom side	/	0.396	/	/	/	0.000	0.396
Band 5	Front side	0.445	/	/	/	/	0.486	0.931
	Back side	0.683	/	/	/	/	0.775	1.458
	Left side	0.118	/	/	/	/	0.608	0.726
	Right side	0.415	/	/	/	/	0.000	0.415
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.511	/	/	/	/	0.000	0.511
Band 7	Front side	0.366	/	/	/	/	0.486	0.852
	Back side	0.727	/	/	/	/	0.775	1.502
	Left side	0.061	/	/	/	/	0.608	0.669
	Right side	0.331	/	/	/	/	0.000	0.331
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.610	/	/	/	/	0.000	0.610
Band 12	Front side	0.298	/	/	/	/	0.486	0.784
	Back side	0.674	/	/	/	/	0.775	1.449
	Left side	0.249	/	/	/	/	0.608	0.857
	Right side	0.530	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.443	/	/	/	/	0.000	0.443
Band 13	Front side	0.247	/	/	/	/	0.486	0.733
	Back side	0.607	/	/	/	/	0.775	1.382
	Left side	0.081	/	/	/	/	0.608	0.689
	Right side	0.245	/	/	/	/	0.000	0.245
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.436	/	/	/	/	0.000	0.436
Band 14	Front side	0.254	/	/	/	/	0.486	0.740
	Back side	0.673	/	/	/	/	0.775	1.448
	Left side	0.071	/	/	/	/	0.608	0.679
	Right side	0.206	/	/	/	/	0.000	0.206
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.466	/	/	/	/	0.000	0.466
Band 66	Front side	/	0.329	/	/	/	0.486	0.815
	Back side	/	0.793	/	/	/	0.775	1.568
	Left side	/	0.297	/	/	/	0.608	0.905
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.756	0.756
	Bottom side	/	0.141	/	/	/	0.000	0.141

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n78	EN_DC Summed SAR
							Ant3	
Band 2	Front side	/	0.487	/	/	/	0.486	0.973
	Back side	/	0.737	/	/	/	0.775	1.512
	Left side	/	0.447	/	/	/	0.608	1.055
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.756	0.756
	Bottom side	/	0.396	/	/	/	0.000	0.396
Band 5	Front side	0.445	/	/	/	/	0.486	0.931
	Back side	0.683	/	/	/	/	0.775	1.458
	Left side	0.118	/	/	/	/	0.608	0.726
	Right side	0.415	/	/	/	/	0.000	0.415
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.511	/	/	/	/	0.000	0.511
Band 7	Front side	0.366	/	/	/	/	0.486	0.852
	Back side	0.727	/	/	/	/	0.775	1.502
	Left side	0.061	/	/	/	/	0.608	0.669
	Right side	0.331	/	/	/	/	0.000	0.331
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.610	/	/	/	/	0.000	0.610
Band 12	Front side	0.298	/	/	/	/	0.486	0.784
	Back side	0.674	/	/	/	/	0.775	1.449
	Left side	0.249	/	/	/	/	0.608	0.857
	Right side	0.530	/	/	/	/	0.000	0.530
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.443	/	/	/	/	0.000	0.443
Band 38	Front side	0.226	/	/	/	/	0.486	0.712
	Back side	0.714	/	/	/	/	0.775	1.489
	Left side	0.066	/	/	/	/	0.608	0.674
	Right side	0.189	/	/	/	/	0.000	0.189
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.308	/	/	/	/	0.000	0.308
Band 66	Front side	/	0.329	/	/	/	0.486	0.815
	Back side	/	0.793	/	/	/	0.775	1.568
	Left side	/	0.297	/	/	/	0.608	0.905
	Right side	/	0.000	/	/	/	0.000	0.000
	Top side	/	0.000	/	/	/	0.756	0.756
	Bottom side	/	0.141	/	/	/	0.000	0.141
Band 13	Front side	0.247	/	/	/	/	0.486	0.733
	Back side	0.607	/	/	/	/	0.775	1.382
	Left side	0.081	/	/	/	/	0.608	0.689
	Right side	0.245	/	/	/	/	0.000	0.245
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.436	/	/	/	/	0.000	0.436
Band 71	Front side	0.207	/	/	/	/	0.486	0.693
	Back side	0.551	/	/	/	/	0.775	1.326
	Left side	0.155	/	/	/	/	0.608	0.763
	Right side	0.344	/	/	/	/	0.000	0.344
	Top side	0.000	/	/	/	/	0.756	0.756
	Bottom side	0.363	/	/	/	/	0.000	0.363

ENDC(WIFI) Head:

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n2	EN_DC Summed SAR
							Ant4	
Band 5	Left cheek	0.218	/	/	/	/	0.352	0.570
	Left tilted	0.121	/	/	/	/	0.339	0.460
	Right cheek	0.278	/	/	/	/	0.764	1.042
	Right tilted	0.133	/	/	/	/	0.749	0.882
Band 12	Left cheek	0.251	/	/	/	/	0.352	0.603
	Left tilted	0.131	/	/	/	/	0.339	0.470
	Right cheek	0.279	/	/	/	/	0.764	1.043
	Right tilted	0.148	/	/	/	/	0.749	0.897
Band 13	Left cheek	0.159	/	/	/	/	0.352	0.511
	Left tilted	0.087	/	/	/	/	0.339	0.426
	Right cheek	0.191	/	/	/	/	0.764	0.955
	Right tilted	0.099	/	/	/	/	0.749	0.848
Band 14	Left cheek	0.157	/	/	/	/	0.352	0.509
	Left tilted	0.085	/	/	/	/	0.339	0.424
	Right cheek	0.189	/	/	/	/	0.764	0.953
	Right tilted	0.095	/	/	/	/	0.749	0.844
Band 66	Left cheek	/	0.285	/	/	/	0.352	0.637
	Left tilted	/	0.099	/	/	/	0.339	0.438
	Right cheek	/	0.092	/	/	/	0.764	0.856
	Right tilted	/	0.049	/	/	/	0.749	0.798
Band 71	Left cheek	0.218	/	/	/	/	0.352	0.570
	Left tilted	0.105	/	/	/	/	0.339	0.444
	Right cheek	0.278	/	/	/	/	0.764	1.042
	Right tilted	0.118	/	/	/	/	0.749	0.867

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n25	EN_DC Summed SAR
							Ant4	
Band 66	Left cheek	/	0.285	/	/	/	0.352	0.637
	Left tilted	/	0.099	/	/	/	0.339	0.438
	Right cheek	/	0.092	/	/	/	0.764	0.856
	Right tilted	/	0.049	/	/	/	0.749	0.798
Band 12	Left cheek	0.251	/	/	/	/	0.352	0.603
	Left tilted	0.131	/	/	/	/	0.339	0.470
	Right cheek	0.279	/	/	/	/	0.764	1.043
	Right tilted	0.148	/	/	/	/	0.749	0.897

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n5	EN_DC Summed SAR
							Ant0	
Band 2	Left cheek	/	/	/	/	0.216	0.176	0.392
	Left tilted	/	/	/	/	0.250	0.122	0.372
	Right cheek	/	/	/	/	0.707	0.184	0.891
	Right tilted	/	/	/	/	0.455	0.143	0.598
Band 7	Left cheek	/	/	/	/	0.299	0.176	0.475
	Left tilted	/	/	/	/	0.743	0.122	0.865
	Right cheek	/	/	/	/	0.493	0.184	0.677
	Right tilted	/	/	/	/	0.484	0.143	0.627
Band 66	Left cheek	/	/	/	/	0.271	0.176	0.447
	Left tilted	/	/	/	/	0.358	0.122	0.480
	Right cheek	/	/	/	/	0.540	0.184	0.724
	Right tilted	/	/	/	/	0.612	0.143	0.755
Band 48	Left cheek	/	/	/	0.484	/	0.176	0.660
	Left tilted	/	/	/	0.488	/	0.122	0.610
	Right cheek	/	/	/	0.794	/	0.184	0.978
	Right tilted	/	/	/	0.732	/	0.143	0.875

LTE Band (EN_DC)	Exposure position	Ant0	Ant1	Ant2	Ant3	Ant4	n7	EN_DC Summed SAR
							Ant4	
Band 5	Left cheek	0.218	/	/	/	/	0.373	0.591
	Left tilted	0.121	/	/	/	/	0.645	0.766
	Right cheek	0.278	/	/	/	/	0.732	1.010
	Right tilted	0.133	/	/	/	/	0.729	0.862
Band 12	Left cheek	0.251	/	/	/	/	0.373	0.624
	Left tilted	0.131	/	/	/	/	0.645	0.776
	Right cheek	0.279	/	/	/	/	0.732	1.011
	Right tilted	0.148	/	/	/	/	0.729	0.877
Band 66	Left cheek	/	0.285	/	/	/	0.373	0.658
	Left tilted	/	0.099	/	/	/	0.645	0.744