



Occupied Bandwidth

TM 1 & 2 462




Occupied Bandwidth

TM 2 & 2 412




Occupied Bandwidth

TM 2 & 2 437




Occupied Bandwidth

TM 2 & 2 462




Occupied Bandwidth

TM 3 & 2 412




Occupied Bandwidth

TM 3 & 2 437




Occupied Bandwidth

TM 3 & 2 462




Occupied Bandwidth

TM 4 & 2422




Occupied Bandwidth

TM 4 & 2437



Occupied Bandwidth

TM 4 & 2 452



4. Antenna Requirements

■ According to Part 15.203

“An intentional radiator antenna shall be designed to ensure that no antenna other than that furnished by the responsible party can be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.”


The antenna is permanently attached on the device.

Therefore this E.U.T complies with the requirement of Part 15.203


APPENDIX I

Test set up diagrams

▪ Radiated Measurement




▪ Conducted Measurement




Duty Cycle

TM 2 & 2 437 MHz




Duty Cycle

TM 3 & 2 437 MHz



Duty Cycle

TM 4 & 2 437 MHz




APPENDIX III

Unwanted Emissions (Radiated) Test Plot


TM 1 & 2 412 & X axis & Hor

Detector Mode : PK




TM 1 & 2 412 & X axis & Hor

Detector Mode : AV




TM 1 & 2 462 & X axis & Hor

Detector Mode : PK




TM 1 & 2 462 & X axis & Hor

Detector Mode : AV




TM 2 & 2 412 & X axis & Hor

Detector Mode : PK




TM 2 & 2 412 & X axis & Hor

Detector Mode : AV




TM 2 & 2 462 & X axis & Hor

Detector Mode : PK




TM 2 & 2 462 & X axis & Hor

Detector Mode : AV




TM 3 & 2 412 & X axis & Hor

Detector Mode : PK




TM 3 & 2 412 & X axis & Hor

Detector Mode : AV




TM 3 & 2 462 & X axis & Hor

Detector Mode : PK




TM 3 & 2 462 & X axis & Hor

Detector Mode : AV




TM 4 & 2 422 & X axis & Hor

Detector Mode : PK




TM 4 & 2 422 & X axis & Hor

Detector Mode : AV




TM 4 & 2 452 & X axis & Hor

Detector Mode : PK




TM 4 & 2 452 & X axis & Hor

Detector Mode : AV




TM 1 & 2 437 & X axis & Hor

Detector Mode : AV




TM 2 & 2 437 & X axis & Hor

Detector Mode : AV




TM 3 & 2 437 & X axis & Hor

Detector Mode : AV



TM 4 & 2 437 & X axis & Hor


Detector Mode : AV



Unwanted Emissions (Radiated) Test Plot_With Wireless Charging


TM 3 & 2 462 & X axis & Hor

Detector Mode : PK



TM 3 & 2 462 & X axis & Hor

Detector Mode : AV



TM 3 & 2 462 & X axis & Hor

Detector Mode : AV

