







NTNV-11A-Ant3-5500




NTNV-11A-Ant3-5580




NTNV-11A-Ant3-5700




NTNV-11A-Ant3-5745




NTNV-11A-Ant3-5785




NTNV-11A-Ant3-5825




NTNV-11N20SISO-Ant3-5180




NTNV-11N20SISO-Ant3-5200




NTNV-11N20SISO-Ant3-5240




NTNV-11N20SISO-Ant3-5260




NTNV-11N20SISO-Ant3-5280




NTNV-11N20SISO-Ant3-5320




NTNV-11N20SISO-Ant3-5500




NTNV-11N20SISO-Ant3-5580




NTNV-11N20SISO-Ant3-5700




NTNV-11N20SISO-Ant3-5745




NTNV-11N20SISO-Ant3-5785




NTNV-11N20SISO-Ant3-5825




NTNV-11N40SISO-Ant3-5190




NTNV-11N40SISO-Ant3-5230




NTNV-11N40SISO-Ant3-5270




NTNV-11N40SISO-Ant3-5310




NTNV-11N40SISO-Ant3-5510




NTNV-11N40SISO-Ant3-5590




NTNV-11N40SISO-Ant3-5670




NTNV-11N40SISO-Ant3-5755




NTNV-11N40SISO-Ant3-5795




NTNV-11AC20SISO-Ant3-5180




NTNV-11AC20SISO-Ant3-5200




NTNV-11AC20SISO-Ant3-5240




NTNV-11AC20SISO-Ant3-5260




NTNV-11AC20SISO-Ant3-5280




NTNV-11AC20SISO-Ant3-5320




NTNV-11AC20SISO-Ant3-5500




NTNV-11AC20SISO-Ant3-5580




NTNV-11AC20SISO-Ant3-5700




NTNV-11AC20SISO-Ant3-5745




NTNV-11AC20SISO-Ant3-5785




NTNV-11AC20SISO-Ant3-5825




NTNV-11AC40SISO-Ant3-5190




NTNV-11AC40SISO-Ant3-5230




NTNV-11AC40SISO-Ant3-5270




NTNV-11AC40SISO-Ant3-5310




NTNV-11AC40SISO-Ant3-5510




NTNV-11AC40SISO-Ant3-5590




NTNV-11AC40SISO-Ant3-5670




NTNV-11AC40SISO-Ant3-5755




NTNV-11AC40SISO-Ant3-5795




NTNV-11AC80SISO-Ant3-5210




NTNV-11AC80SISO-Ant3-5290




NTNV-11AC80SISO-Ant3-5530




NTNV-11AC80SISO-Ant3-5610




NTNV-11AC80SISO-Ant3-5775




NTNV-11AX20SISO-Ant3-5180




NTNV-11AX20SISO-Ant3-5200




NTNV-11AX20SISO-Ant3-5240




NTNV-11AX20SISO-Ant3-5260




NTNV-11AX20SISO-Ant3-5280




NTNV-11AX20SISO-Ant3-5320




NTNV-11AX20SISO-Ant3-5500




NTNV-11AX20SISO-Ant3-5580




NTNV-11AX20SISO-Ant3-5700




NTNV-11AX20SISO-Ant3-5745




NTNV-11AX20SISO-Ant3-5785




NTNV-11AX20SISO-Ant3-5825




NTNV-11AX40SISO-Ant3-5190




NTNV-11AX40SISO-Ant3-5230




NTNV-11AX40SISO-Ant3-5270




NTNV-11AX40SISO-Ant3-5310




NTNV-11AX40SISO-Ant3-5510




NTNV-11AX40SISO-Ant3-5590




NTNV-11AX40SISO-Ant3-5670




NTNV-11AX40SISO-Ant3-5755




NTNV-11AX40SISO-Ant3-5795




NTNV-11AX80SISO-Ant3-5210



NTNV-11AX80SISO-Ant3-5290



NTNV-11AX80SISO-Ant3-5530



NTNV-11AX80SISO-Ant3-5610

Appendix F: Power Output

Mode	Channel	Test Frequency (MHz)	Conducted Power(dBm)			Conducted Power Limit (dBm)	Result
			Ant2	Ant3	Ant2+3		
802.11a	36	5180	15.91	16.29	N/A	≤24	Pass
	44	5220	15.89	16.40	N/A	≤24	Pass
	48	5240	16.01	16.35	N/A	≤24	Pass
	52	5260	15.92	16.27	N/A	≤24	Pass
	60	5300	16.04	16.40	N/A	≤24	Pass
	64	5320	15.98	16.23	N/A	≤24	Pass
	100	5500	15.98	16.24	N/A	≤24	Pass
	116	5580	15.99	16.32	N/A	≤24	Pass
	140	5700	15.88	16.46	N/A	≤24	Pass
	149	5745	16.05	16.30	N/A	≤30	Pass
	157	5785	16.11	16.23	N/A	≤30	Pass
	165	5825	15.91	16.24	N/A	≤30	Pass
802.11n20	36	5180	16.10	16.43	19.28	≤24	Pass
	44	5220	16.02	16.29	19.17	≤24	Pass
	48	5240	16.13	16.33	19.24	≤24	Pass
	52	5260	16.06	16.36	19.22	≤24	Pass
	60	5300	15.90	16.25	19.09	≤24	Pass
	64	5320	16.03	16.26	19.16	≤24	Pass
	100	5500	16.13	16.27	19.21	≤24	Pass
	116	5580	16.06	16.42	19.25	≤24	Pass
	140	5700	15.93	16.27	19.11	≤24	Pass
	149	5745	16.02	16.34	19.19	≤30	Pass
	157	5785	15.95	16.39	19.19	≤30	Pass
	165	5825	15.90	16.36	19.15	≤30	Pass
802.11n40	38	5190	15.87	16.23	19.06	≤24	Pass
	46	5230	15.97	16.26	19.13	≤24	Pass
	54	5270	15.96	16.26	19.12	≤24	Pass
	62	5310	16.01	16.46	19.25	≤24	Pass
	102	5510	15.89	16.45	19.19	≤24	Pass
	118	5590	15.97	16.33	19.16	≤24	Pass
	134	5670	15.96	16.26	19.12	≤24	Pass
	151	5755	15.96	16.27	19.13	≤30	Pass
	159	5795	15.93	16.33	19.14	≤30	Pass

802.11ac20	36	5180	16.02	16.45	19.25	≤24	Pass
	44	5220	16.02	16.32	19.18	≤24	Pass
	48	5240	16.10	16.34	19.23	≤24	Pass
	52	5260	15.94	16.45	19.21	≤24	Pass
	60	5300	16.04	16.32	19.19	≤24	Pass
	64	5320	16.08	16.27	19.19	≤24	Pass
	100	5500	15.90	16.22	19.07	≤24	Pass
	116	5580	16.08	16.30	19.20	≤24	Pass
	140	5700	15.91	16.21	19.07	≤24	Pass
	149	5745	16.12	16.45	19.30	≤30	Pass
	157	5785	15.93	16.36	19.16	≤30	Pass
	165	5825	16.02	16.47	19.26	≤30	Pass
802.11ac40	38	5190	16.29	16.56	19.44	≤24	Pass
	46	5230	16.21	16.45	19.34	≤24	Pass
	54	5270	16.27	16.42	19.36	≤24	Pass
	62	5310	16.19	16.41	19.31	≤24	Pass
	102	5510	16.29	16.33	19.32	≤24	Pass
	118	5590	16.17	16.55	19.37	≤24	Pass
	134	5670	16.27	16.57	19.43	≤24	Pass
	151	5755	16.12	16.57	19.36	≤30	Pass
	159	5795	16.26	16.60	19.44	≤30	Pass
802.11ac80	42	5210	15.11	15.58	18.36	≤24	Pass
	58	5290	15.22	15.56	18.40	≤24	Pass
	106	5530	15.25	15.62	18.45	≤24	Pass
	122	5610	15.14	15.46	18.31	≤24	Pass
	155	5775	15.10	15.58	18.36	≤30	Pass
802.11ax20	36	5180	15.19	15.42	18.32	≤24	Pass
	44	5220	15.31	15.42	18.38	≤24	Pass
	48	5240	15.19	15.58	18.40	≤24	Pass
	52	5260	15.10	15.41	18.27	≤24	Pass
	60	5300	15.25	15.63	18.45	≤24	Pass
	64	5320	15.10	15.49	18.31	≤24	Pass
	100	5500	15.13	15.52	18.34	≤24	Pass
	116	5580	15.12	15.56	18.36	≤24	Pass
	140	5700	15.30	15.64	18.48	≤24	Pass
	149	5745	15.18	15.47	18.34	≤30	Pass
	157	5785	15.25	15.65	18.46	≤30	Pass
	165	5825	15.14	15.52	18.34	≤30	Pass

802.11ax40	38	5190	15.19	15.42	18.32	≤24	Pass
	46	5230	15.31	15.42	18.38	≤24	Pass
	54	5270	15.19	15.58	18.40	≤24	Pass
	62	5310	15.10	15.41	18.27	≤24	Pass
	102	5510	15.25	15.63	18.45	≤24	Pass
	118	5590	15.10	15.49	18.31	≤24	Pass
	134	5670	15.14	15.61	18.39	≤24	Pass
	151	5755	15.29	15.49	18.40	≤30	Pass
	159	5795	15.08	15.43	18.27	≤30	Pass
802.11ax80	42	5210	15.23	15.56	18.41	≤24	Pass
	58	5290	15.18	15.66	18.44	≤24	Pass
	106	5530	15.11	15.54	18.34	≤24	Pass
	122	5610	15.30	15.61	18.47	≤24	Pass
	155	5775	15.22	15.51	18.38	≤30	Pass

<Partial RU>:

Mode	Channel	Test Frequency (MHz)	Conducted Power(dBm)			Conducted Power Limit (dBm)	Result
			Ant2	Ant3	Ant2+3		
802.11ax20 26RU-0	36	5180	4.65	4.10	7.39	≤24	Pass
	44	5220	3.64	4.04	6.85	≤24	Pass
	48	5240	4.43	4.10	7.28	≤24	Pass
	52	5260	3.66	4.13	6.91	≤24	Pass
	60	5300	4.72	4.54	7.64	≤24	Pass
	64	5320	3.48	3.54	6.52	≤24	Pass
	100	5500	3.62	3.96	6.80	≤24	Pass
	116	5580	3.82	3.67	6.76	≤24	Pass
	140	5700	3.60	3.81	6.72	≤24	Pass
	149	5745	3.80	4.63	7.25	≤30	Pass
	157	5785	3.72	3.52	6.63	≤30	Pass
	165	5825	3.29	3.37	6.34	≤30	Pass
802.11ax20 26RU-8	36	5180	4.75	5.00	7.89	≤24	Pass
	44	5220	4.24	4.15	7.21	≤24	Pass
	48	5240	3.79	3.47	6.64	≤24	Pass
	52	5260	4.37	4.51	7.45	≤24	Pass
	60	5300	4.39	3.97	7.20	≤24	Pass
	64	5320	4.67	4.61	7.65	≤24	Pass
	100	5500	3.25	3.88	6.59	≤24	Pass
	116	5580	2.64	2.52	5.59	≤24	Pass

	140	5700	3.35	3.22	6.30	≤24	Pass
	149	5745	4.00	3.74	6.88	≤30	Pass
	157	5785	2.95	3.20	6.09	≤30	Pass
	165	5825	3.94	4.10	7.03	≤30	Pass
802.11ax20 52RU-37	36	5180	6.64	6.52	9.59	≤24	Pass
	44	5220	6.75	6.92	9.85	≤24	Pass
	48	5240	6.39	6.01	9.21	≤24	Pass
	52	5260	6.73	6.83	9.79	≤24	Pass
	60	5300	6.69	6.82	9.77	≤24	Pass
	64	5320	6.06	5.98	9.03	≤24	Pass
	100	5500	6.58	6.32	9.46	≤24	Pass
	116	5580	6.23	6.03	9.14	≤24	Pass
	140	5700	5.93	6.54	9.26	≤24	Pass
	149	5745	7.50	7.20	10.36	≤30	Pass
	157	5785	6.13	6.54	9.35	≤30	Pass
	165	5825	7.03	6.79	9.92	≤30	Pass
802.11ax20 52RU-40	36	5180	5.60	6.00	8.81	≤24	Pass
	44	5220	6.58	6.68	9.64	≤24	Pass
	48	5240	5.44	5.57	8.52	≤24	Pass
	52	5260	6.39	6.18	9.30	≤24	Pass
	60	5300	7.17	7.26	10.23	≤24	Pass
	64	5320	6.87	6.78	9.84	≤24	Pass
	100	5500	7.02	7.24	10.14	≤24	Pass
	116	5580	5.60	5.96	8.79	≤24	Pass
	140	5700	6.00	5.79	8.91	≤24	Pass
	149	5745	6.99	6.76	9.89	≤30	Pass
	157	5785	6.07	5.98	9.04	≤30	Pass
	165	5825	7.14	7.12	10.14	≤30	Pass
802.11ax20 106RU-53	36	5180	9.88	10.14	13.02	≤24	Pass
	44	5220	10.38	10.15	13.28	≤24	Pass
	48	5240	9.63	9.95	12.80	≤24	Pass
	52	5260	9.05	9.52	12.30	≤24	Pass
	60	5300	10.27	9.94	13.12	≤24	Pass
	64	5320	9.68	9.85	12.78	≤24	Pass
	100	5500	10.22	10.02	13.13	≤24	Pass
	116	5580	9.63	9.33	12.49	≤24	Pass
	140	5700	8.75	8.80	11.79	≤24	Pass
	149	5745	10.10	10.28	13.20	≤30	Pass
	157	5785	9.46	9.92	12.71	≤30	Pass

	165	5825	9.51	9.39	12.46	≤30	Pass
802.11ax20 106RU-54	36	5180	9.80	10.19	13.01	≤24	Pass
	44	5220	9.86	10.16	13.02	≤24	Pass
	48	5240	8.63	9.05	11.86	≤24	Pass
	52	5260	9.98	9.41	12.71	≤24	Pass
	60	5300	9.97	10.31	13.15	≤24	Pass
	64	5320	10.66	10.74	13.71	≤24	Pass
	100	5500	10.36	10.42	13.40	≤24	Pass
	116	5580	8.79	8.85	11.83	≤24	Pass
	140	5700	8.75	8.97	11.87	≤24	Pass
	149	5745	8.14	8.29	11.23	≤30	Pass
	157	5785	9.75	9.75	12.76	≤30	Pass
	165	5825	9.36	9.25	12.32	≤30	Pass

Appendix G: Maximum Power Spectral Density


TestMode	Frequency[MHz]	Result [dBm/MHz]		Limit[dBm/MHz]	Verdict
		SISO	CDD		
11A	5180	7.44	N/A	≤11.00	PASS
11A	5200	7.97	N/A	≤11.00	PASS
11A	5240	6.85	N/A	≤11.00	PASS
11A	5260	7.39	N/A	≤11.00	PASS
11A	5280	8.00	N/A	≤11.00	PASS
11A	5320	7.58	N/A	≤11.00	PASS
11A	5500	7.11	N/A	≤11.00	PASS
11A	5580	6.74	N/A	≤11.00	PASS
11A	5700	7.17	N/A	≤11.00	PASS
11A	5745	3.91	N/A	≤30.00	PASS
11A	5785	3.26	N/A	≤30.00	PASS
11A	5825	3.66	N/A	≤30.00	PASS
11N20SISO	5180	7.47	10.48	≤11.00	PASS
11N20SISO	5200	7.87	10.88	≤11.00	PASS
11N20SISO	5240	6.58	9.59	≤11.00	PASS
11N20SISO	5260	7.07	10.08	≤11.00	PASS
11N20SISO	5280	7.81	10.82	≤11.00	PASS
11N20SISO	5320	6.80	9.81	≤11.00	PASS
11N20SISO	5500	6.72	9.73	≤11.00	PASS
11N20SISO	5580	6.50	9.51	≤11.00	PASS
11N20SISO	5700	6.26	9.27	≤11.00	PASS
11N20SISO	5745	3.53	6.54	≤30.00	PASS
11N20SISO	5785	2.75	5.76	≤30.00	PASS
11N20SISO	5825	3.43	6.44	≤30.00	PASS
11N40SISO	5190	4.78	7.79	≤11.00	PASS
11N40SISO	5230	4.52	7.53	≤11.00	PASS
11N40SISO	5270	4.81	7.82	≤11.00	PASS
11N40SISO	5310	4.44	7.45	≤11.00	PASS
11N40SISO	5510	3.79	6.8	≤11.00	PASS
11N40SISO	5590	4.06	7.07	≤11.00	PASS
11N40SISO	5670	4.64	7.65	≤11.00	PASS
11N40SISO	5755	0.31	3.32	≤30.00	PASS
11N40SISO	5795	0.77	3.78	≤30.00	PASS
11AC20SISO	5180	7.23	10.24	≤11.00	PASS
11AC20SISO	5200	7.61	10.62	≤11.00	PASS
11AC20SISO	5240	6.46	9.47	≤11.00	PASS
11AC20SISO	5260	6.95	9.96	≤11.00	PASS
11AC20SISO	5280	7.64	10.65	≤11.00	PASS
11AC20SISO	5320	7.47	10.48	≤11.00	PASS
11AC20SISO	5500	7.04	10.05	≤11.00	PASS
11AC20SISO	5580	6.47	9.48	≤11.00	PASS
11AC20SISO	5700	6.06	9.07	≤11.00	PASS
11AC20SISO	5745	3.71	6.72	≤30.00	PASS
11AC20SISO	5785	3.11	6.12	≤30.00	PASS
11AC20SISO	5825	3.36	6.37	≤30.00	PASS
11AC40SISO	5190	4.77	7.78	≤11.00	PASS

11AC40SISO	5230	4.76	7.77	≤11.00	PASS
11AC40SISO	5270	4.88	7.89	≤11.00	PASS
11AC40SISO	5310	3.15	6.16	≤11.00	PASS
11AC40SISO	5510	4.11	7.12	≤11.00	PASS
11AC40SISO	5590	4.09	7.1	≤11.00	PASS
11AC40SISO	5670	4.14	7.15	≤11.00	PASS
11AC40SISO	5755	0.38	3.39	≤30.00	PASS
11AC40SISO	5795	0.69	3.7	≤30.00	PASS
11AC80SISO	5210	0.10	3.11	≤11.00	PASS
11AC80SISO	5290	-0.65	2.36	≤11.00	PASS
11AC80SISO	5530	-0.01	3.00	≤11.00	PASS
11AC80SISO	5610	0.44	3.45	≤11.00	PASS
11AC80SISO	5775	-4.03	-1.02	≤30.00	PASS
11AX20SISO	5180	6.19	9.2	≤11.00	PASS
11AX20SISO	5200	6.24	9.25	≤11.00	PASS
11AX20SISO	5240	5.48	8.49	≤11.00	PASS
11AX20SISO	5260	5.86	8.87	≤11.00	PASS
11AX20SISO	5280	6.65	9.66	≤11.00	PASS
11AX20SISO	5320	5.68	8.69	≤11.00	PASS
11AX20SISO	5500	5.79	8.8	≤11.00	PASS
11AX20SISO	5580	5.15	8.16	≤11.00	PASS
11AX20SISO	5700	4.96	7.97	≤11.00	PASS
11AX20SISO	5745	2.72	5.73	≤30.00	PASS
11AX20SISO	5785	2.28	5.29	≤30.00	PASS
11AX20SISO	5825	2.72	5.73	≤30.00	PASS
11AX40SISO	5190	3.66	6.67	≤11.00	PASS
11AX40SISO	5230	3.10	6.11	≤11.00	PASS
11AX40SISO	5270	3.93	6.94	≤11.00	PASS
11AX40SISO	5310	3.06	6.07	≤11.00	PASS
11AX40SISO	5510	3.59	6.6	≤11.00	PASS
11AX40SISO	5590	1.86	4.87	≤11.00	PASS
11AX40SISO	5670	2.67	5.68	≤11.00	PASS
11AX40SISO	5755	-1.00	2.01	≤30.00	PASS
11AX40SISO	5795	-0.36	2.65	≤30.00	PASS
11AX80SISO	5210	0.82	3.83	≤11.00	PASS
11AX80SISO	5290	-1.05	1.96	≤11.00	PASS
11AX80SISO	5530	-0.42	2.59	≤11.00	PASS
11AX80SISO	5610	0.32	3.33	≤11.00	PASS
11AX80SISO	5775	-4.07	-1.06	≤30.00	PASS


Note1: The Duty Cycle Factor and RBW Factor is compensated in the graph.

Note2: For SISO mode, we evaluated Ant2 and Ant3. Because Ant3 has higher RF output power, the test data for the worst-performing Ant3 is shown in the report.


Note3: CDD PSD = SISO PSD + 10*Log(N), N = Antenna number.




11A-Ant3-5180-PASS




11A-Ant3-5200-PASS




11A-Ant3-5240-PASS




11A-Ant3-5260-PASS




11A-Ant3-5280-PASS




11A-Ant3-5320-PASS




11A-Ant3-5500-PASS



11A-Ant3-5580-PASS



11A-Ant3-5700-PASS




11A-Ant3-5745-PASS




11A-Ant3-5785-PASS




11A-Ant3-5825-PASS



11N20SISO-Ant3-5180-PASS




11N20SISO-Ant3-5200-PASS




11N20SISO-Ant3-5240-PASS



11N20SISO-Ant3-5260-PASS




11N20SISO-Ant3-5280-PASS




11N20SISO-Ant3-5320-PASS




11N20SISO-Ant3-5500-PASS




11N20SISO-Ant3-5580-PASS




11N20SISO-Ant3-5700-PASS




11N20SISO-Ant3-5745-PASS




11N20SISO-Ant3-5785-PASS




11N20SISO-Ant3-5825-PASS




11N40SISO-Ant3-5190-PASS



11N40SISO-Ant3-5230-PASS



11N40SISO-Ant3-5270-PASS



11N40SISO-Ant3-5310-PASS