



Transmit at 5670MHz by 802.11ax(40MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5470.00         | 37.52          | 55.05          | 17.53         | 68.30          | 13.25       | PK  | Horizo | PASS    |
| 2  | 5725.00         | 39.86          | 58.15          | 18.29         | 68.30          | 10.15       | PK  | Horizo | PASS    |


Transmit at 5670MHz by 802.11ax(40MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5450.59         | 27.80          | 45.15          | 17.35         | 54.00          | 8.85        | AV  | Horizo | PASS    |
| 2  | 5460.00         | 27.69          | 45.13          | 17.44         | 54.00          | 8.87        | AV  | Horizo | PASS    |


Transmit at 5670MHz by 802.11ax(40MHz) with Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5470.00         | 37.63          | 55.16          | 17.53         | 68.30          | 13.14       | PK  | Vertic | PASS    |
| 2  | 5725.00         | 38.26          | 56.55          | 18.29         | 68.30          | 11.75       | PK  | Vertic | PASS    |

Transmit at 5670MHz by 802.11ax(40MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5451.99         | 27.98          | 45.34          | 17.36         | 54.00          | 8.66        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 27.25          | 44.69          | 17.44         | 54.00          | 9.31        | AV  | Vertic | PASS    |

Transmit at 5210MHz by 802.11ax(80MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5141.44         | 42.05          | 58.45          | 16.40         | 74.00          | 15.55       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 38.72          | 55.10          | 16.38         | 74.00          | 18.90       | PK  | Horizo | PASS    |

Transmit at 5210MHz by 802.11ax(80MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5143.03         | 33.34          | 49.73          | 16.39         | 54.00          | 4.27        | AV  | Horizo | PASS    |
| 2         | 5150.00         | 32.03          | 48.41          | 16.38         | 54.00          | 5.59        | AV  | Horizo | PASS    |


Transmit at 5210MHz by 802.11ax(80MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5136.38         | 39.65          | 56.05          | 16.40         | 74.00          | 17.95       | PK  | Vertic | PASS    |
| 2  | 5150.00         | 39.89          | 56.27          | 16.38         | 74.00          | 17.73       | PK  | Vertic | PASS    |


Transmit at 5210MHz by 802.11ax(80MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5145.19         | 31.29          | 47.68          | 16.39         | 54.00          | 6.32        | AV  | Vertic | PASS    |
| 2  | 5150.00         | 31.33          | 47.71          | 16.38         | 54.00          | 6.29        | AV  | Vertic | PASS    |


Transmit at 5290MHz by 802.11ax(80MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 38.29          | 55.02          | 16.73         | 74.00          | 18.98       | PK  | Horizo | PASS    |
| 2  | 5353.43         | 42.11          | 58.85          | 16.74         | 74.00          | 15.15       | PK  | Horizo | PASS    |


Transmit at 5290MHz by 802.11ax(80MHz) with Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 33.70          | 50.43          | 16.73         | 54.00          | 3.57        | AV  | Horizo | PASS    |
| 2  | 5354.55         | 34.18          | 50.92          | 16.74         | 54.00          | 3.08        | AV  | Horizo | PASS    |

Transmit at 5290MHz by 802.11ax(80MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 37.00          | 53.73          | 16.73         | 74.00          | 20.27       | PK  | Vertic | PASS    |
| 2         | 5363.90         | 37.96          | 54.73          | 16.77         | 74.00          | 19.27       | PK  | Vertic | PASS    |


Transmit at 5290MHz by 802.11ax(80MHz) with Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 31.32          | 48.05          | 16.73         | 54.00          | 5.95        | AV  | Vertic | PASS    |
| 2  | 5356.37         | 31.64          | 48.39          | 16.75         | 54.00          | 5.61        | AV  | Vertic | PASS    |

Transmit at 5530MHz by 802.11ax(80MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 42.20          | 59.64          | 17.44         | 68.30          | 8.66        | PK  | Horizo | PASS    |
| 2         | 5463.45         | 46.18          | 63.66          | 17.48         | 68.30          | 4.64        | PK  | Horizo | PASS    |

Transmit at 5530MHz by 802.11ax(80MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5455.05         | 34.85          | 52.25          | 17.40         | 54.00          | 1.75        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 33.68          | 51.12          | 17.44         | 54.00          | 2.88        | AV  | Horizo | PASS    |

Transmit at 5530MHz by 802.11ax(80MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 40.20          | 57.64          | 17.44         | 68.30          | 10.66       | PK  | Vertic | PASS    |
| 2         | 5465.13         | 43.06          | 60.55          | 17.49         | 68.30          | 7.75        | PK  | Vertic | PASS    |

Transmit at 5530MHz by 802.11ax(80MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5457.22         | 32.37          | 49.78          | 17.41         | 54.00          | 4.22        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 30.83          | 48.27          | 17.44         | 54.00          | 5.73        | AV  | Vertic | PASS    |


Transmit at 5610MHz by 802.11ax(80MHz) with Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5464.96         | 38.98          | 56.47          | 17.49         | 68.30          | 11.83       | PK  | Horizo | PASS    |
| 2  | 5725.00         | 38.04          | 56.33          | 18.29         | 68.30          | 11.97       | PK  | Horizo | PASS    |

Transmit at 5610MHz by 802.11ax(80MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5456.86         | 27.84          | 45.25          | 17.41         | 54.00          | 8.75        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.40          | 44.84          | 17.44         | 54.00          | 9.16        | AV  | Horizo | PASS    |

Transmit at 5610MHz by 802.11ax(80MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5466.20         | 38.68          | 56.18          | 17.50         | 68.30          | 12.12       | PK  | Vertic | PASS    |
| 2         | 5725.00         | 36.75          | 55.04          | 18.29         | 68.30          | 13.26       | PK  | Vertic | PASS    |


Transmit at 5610MHz by 802.11ax(80MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5453.70         | 28.07          | 45.45          | 17.38         | 54.00          | 8.55        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 27.60          | 45.04          | 17.44         | 54.00          | 8.96        | AV  | Vertic | PASS    |

## Transmit at 5745MHz by 802.11a with Ant3


Test Graph



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5639.95         | 38.11          | 56.13          | 18.02         | 68.30          | 12.17       | PK  | Horizo | PASS    |
| 2  | 5669.85         | 37.67          | 55.78          | 18.11         | 83.03          | 27.25       | PK  | Horizo | PASS    |
| 3  | 5712.43         | 46.32          | 64.56          | 18.24         | 108.78         | 44.22       | PK  | Horizo | PASS    |
| 4  | 5722.01         | 51.37          | 69.64          | 18.27         | 115.49         | 45.85       | PK  | Horizo | PASS    |
| 5  | 5866.64         | 38.93          | 57.84          | 18.91         | 107.64         | 49.80       | PK  | Horizo | PASS    |
| 6  | 5890.20         | 38.47          | 57.52          | 19.05         | 94.02          | 36.50       | PK  | Horizo | PASS    |
| 7  | 5931.48         | 38.41          | 57.66          | 19.25         | 68.30          | 10.64       | PK  | Horizo | PASS    |
| 8  | 5944.64         | 38.88          | 58.20          | 19.32         | 68.30          | 10.10       | PK  | Horizo | PASS    |

Transmit at 5745MHz by 802.11a with Ant3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5634.59         | 37.44          | 55.44          | 18.00         | 68.30          | 12.86       | PK  | Vertic | PASS    |
| 2         | 5653.60         | 37.82          | 55.88          | 18.06         | 70.97          | 15.09       | PK  | Vertic | PASS    |
| 3         | 5694.88         | 38.92          | 57.11          | 18.19         | 101.52         | 44.41       | PK  | Vertic | PASS    |
| 4         | 5724.13         | 48.56          | 66.84          | 18.28         | 120.31         | 53.47       | PK  | Vertic | PASS    |
| 5         | 5855.75         | 38.71          | 57.56          | 18.85         | 110.69         | 53.13       | PK  | Vertic | PASS    |
| 6         | 5865.99         | 38.80          | 57.70          | 18.90         | 107.82         | 50.12       | PK  | Vertic | PASS    |
| 7         | 5904.34         | 38.17          | 57.29          | 19.12         | 83.55          | 26.26       | PK  | Vertic | PASS    |
| 8         | 5936.35         | 38.35          | 57.63          | 19.28         | 68.30          | 10.67       | PK  | Vertic | PASS    |


Transmit at 5825MHz by 802.11a with Ant3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5633.45         | 38.04          | 56.04          | 18.00         | 68.30          | 12.26       | PK  | Horizo | PASS    |
| 2         | 5657.66         | 37.12          | 55.19          | 18.07         | 73.99          | 18.80       | PK  | Horizo | PASS    |
| 3         | 5702.35         | 37.78          | 55.99          | 18.21         | 105.96         | 49.97       | PK  | Horizo | PASS    |
| 4         | 5713.73         | 37.86          | 56.10          | 18.24         | 109.15         | 53.05       | PK  | Horizo | PASS    |
| 5         | 5852.34         | 47.91          | 66.74          | 18.83         | 116.97         | 50.23       | PK  | Horizo | PASS    |
| 6         | 5878.34         | 40.43          | 59.41          | 18.98         | 102.82         | 43.41       | PK  | Horizo | PASS    |
| 7         | 5901.09         | 38.58          | 57.68          | 19.10         | 85.96          | 28.28       | PK  | Horizo | PASS    |
| 8         | 5938.30         | 38.52          | 57.81          | 19.29         | 68.30          | 10.49       | PK  | Horizo | PASS    |

**Transmit at 5825MHz by 802.11a with Ant3****Test Graph****Data List**


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5633.45         | 36.88          | 54.88          | 18.00         | 68.30          | 13.42       | PK  | Vertic | PASS    |
| 2  | 5666.28         | 37.11          | 55.21          | 18.10         | 80.38          | 25.17       | PK  | Vertic | PASS    |
| 3  | 5688.54         | 37.37          | 55.53          | 18.16         | 96.85          | 41.32       | PK  | Vertic | PASS    |
| 4  | 5714.54         | 37.75          | 55.99          | 18.24         | 109.37         | 53.38       | PK  | Vertic | PASS    |
| 5  | 5851.36         | 44.65          | 63.47          | 18.82         | 119.19         | 55.72       | PK  | Vertic | PASS    |
| 6  | 5887.28         | 39.34          | 58.37          | 19.03         | 96.19          | 37.82       | PK  | Vertic | PASS    |
| 7  | 5918.48         | 38.86          | 58.05          | 19.19         | 73.11          | 15.06       | PK  | Vertic | PASS    |
| 8  | 5942.85         | 39.37          | 58.69          | 19.32         | 68.30          | 9.61        | PK  | Vertic | PASS    |

**Transmit at 5745MHz by 802.11n(20MHz) with Ant2+3****Test Graph****Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5632.64         | 37.41          | 55.41          | 18.00         | 68.30          | 12.89       | PK  | Horizo | PASS    |
| 2  | 5650.51         | 37.56          | 55.62          | 18.06         | 68.68          | 13.06       | PK  | Horizo | PASS    |
| 3  | 5691.14         | 38.02          | 56.19          | 18.17         | 98.77          | 42.58       | PK  | Horizo | PASS    |
| 4  | 5721.20         | 49.41          | 67.68          | 18.27         | 113.64         | 45.96       | PK  | Horizo | PASS    |
| 5  | 5872.98         | 39.08          | 58.03          | 18.95         | 105.87         | 47.84       | PK  | Horizo | PASS    |
| 6  | 5884.84         | 39.00          | 58.02          | 19.02         | 98.00          | 39.98       | PK  | Horizo | PASS    |
| 7  | 5919.78         | 38.24          | 57.44          | 19.20         | 72.15          | 14.71       | PK  | Horizo | PASS    |
| 8  | 5938.79         | 38.80          | 58.09          | 19.29         | 68.30          | 10.21       | PK  | Horizo | PASS    |

## Transmit at 5745MHz by 802.11n(20MHz) with Ant2+3

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5638.33         | 37.27          | 55.29          | 18.02         | 68.30          | 13.01       | PK  | Vertic | PASS    |
| 2  | 5680.09         | 37.90          | 56.04          | 18.14         | 90.60          | 34.56       | PK  | Vertic | PASS    |
| 3  | 5698.78         | 40.62          | 58.82          | 18.20         | 104.40         | 45.58       | PK  | Vertic | PASS    |
| 4  | 5722.18         | 47.79          | 66.06          | 18.27         | 115.86         | 49.80       | PK  | Vertic | PASS    |
| 5  | 5860.30         | 38.85          | 57.73          | 18.88         | 109.41         | 51.68       | PK  | Vertic | PASS    |
| 6  | 5876.39         | 39.47          | 58.44          | 18.97         | 104.27         | 45.83       | PK  | Vertic | PASS    |
| 7  | 5914.74         | 38.61          | 57.78          | 19.17         | 75.87          | 18.09       | PK  | Vertic | PASS    |
| 8  | 5922.54         | 38.76          | 57.97          | 19.21         | 70.11          | 12.14       | PK  | Vertic | PASS    |

## Transmit at 5825MHz by 802.11n(20MHz) with Ant2+3

Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5644.66         | 38.02          | 56.05          | 18.03         | 68.30          | 12.25       | PK  | Horizo | PASS    |
| 2  | 5673.10         | 36.94          | 55.06          | 18.12         | 85.43          | 30.37       | PK  | Horizo | PASS    |
| 3  | 5706.41         | 37.56          | 55.78          | 18.22         | 107.10         | 51.32       | PK  | Horizo | PASS    |
| 4  | 5719.25         | 37.75          | 56.01          | 18.26         | 110.69         | 54.68       | PK  | Horizo | PASS    |
| 5  | 5856.24         | 46.59          | 65.44          | 18.85         | 110.55         | 45.11       | PK  | Horizo | PASS    |
| 6  | 5884.35         | 39.19          | 58.20          | 19.01         | 98.36          | 40.16       | PK  | Horizo | PASS    |
| 7  | 5913.44         | 38.41          | 57.58          | 19.17         | 76.83          | 19.25       | PK  | Horizo | PASS    |
| 8  | 5949.35         | 38.66          | 58.00          | 19.34         | 68.30          | 10.30       | PK  | Horizo | PASS    |

## Transmit at 5825MHz by 802.11n(20MHz) with Ant2+3


Test Graph




## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5630.04         | 37.19          | 55.18          | 17.99         | 68.30          | 13.12       | PK  | Vertic | PASS    |
| 2  | 5673.26         | 37.04          | 55.16          | 18.12         | 85.55          | 30.39       | PK  | Vertic | PASS    |
| 3  | 5692.93         | 37.76          | 55.94          | 18.18         | 100.08         | 44.14       | PK  | Vertic | PASS    |
| 4  | 5713.08         | 38.47          | 56.71          | 18.24         | 108.96         | 52.25       | PK  | Vertic | PASS    |
| 5  | 5852.83         | 45.36          | 64.19          | 18.83         | 115.86         | 51.67       | PK  | Vertic | PASS    |
| 6  | 5885.16         | 39.21          | 58.23          | 19.02         | 97.75          | 39.52       | PK  | Vertic | PASS    |
| 7  | 5903.53         | 38.47          | 57.59          | 19.12         | 84.15          | 26.56       | PK  | Vertic | PASS    |
| 8  | 5948.05         | 38.79          | 58.13          | 19.34         | 68.30          | 10.17       | PK  | Vertic | PASS    |

Transmit at 5755MHz by 802.11n(40MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5646.45         | 37.41          | 55.45          | 18.04         | 68.30          | 12.85       | PK  | Horizo | PASS    |
| 2         | 5673.75         | 39.19          | 57.31          | 18.12         | 85.92          | 28.61       | PK  | Horizo | PASS    |
| 3         | 5684.64         | 40.16          | 58.31          | 18.15         | 93.97          | 35.66       | PK  | Horizo | PASS    |
| 4         | 5721.20         | 48.19          | 66.46          | 18.27         | 113.64         | 47.18       | PK  | Horizo | PASS    |
| 5         | 5851.69         | 38.97          | 57.80          | 18.83         | 118.45         | 60.65       | PK  | Horizo | PASS    |
| 6         | 5904.34         | 38.57          | 57.69          | 19.12         | 83.55          | 25.86       | PK  | Horizo | PASS    |
| 7         | 5911.65         | 38.62          | 57.78          | 19.16         | 78.15          | 20.37       | PK  | Horizo | PASS    |
| 8         | 5945.45         | 38.84          | 58.16          | 19.32         | 68.30          | 10.14       | PK  | Horizo | PASS    |

**Transmit at 5755MHz by 802.11n(40MHz) with Ant2+3****Test Graph****Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5634.26         | 37.10          | 55.10          | 18.00         | 68.30          | 13.20       | PK  | Vertic | PASS    |
| 2  | 5676.35         | 38.09          | 56.22          | 18.13         | 87.84          | 31.62       | PK  | Vertic | PASS    |
| 3  | 5717.46         | 46.07          | 64.33          | 18.26         | 110.19         | 45.86       | PK  | Vertic | PASS    |
| 4  | 5723.31         | 46.85          | 65.12          | 18.27         | 118.45         | 53.33       | PK  | Vertic | PASS    |
| 5  | 5861.93         | 39.40          | 58.28          | 18.88         | 108.96         | 50.68       | PK  | Vertic | PASS    |
| 6  | 5903.85         | 38.23          | 57.35          | 19.12         | 83.91          | 26.56       | PK  | Vertic | PASS    |
| 7  | 5912.95         | 38.86          | 58.02          | 19.16         | 77.19          | 19.17       | PK  | Vertic | PASS    |
| 8  | 5932.29         | 39.06          | 58.32          | 19.26         | 68.30          | 9.98        | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11n(40MHz) with Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5633.29         | 37.66          | 55.66          | 18.00         | 68.30          | 12.64       | PK  | Horizo | PASS    |
| 2  | 5676.19         | 37.62          | 55.75          | 18.13         | 87.72          | 31.97       | PK  | Horizo | PASS    |
| 3  | 5701.54         | 37.67          | 55.87          | 18.20         | 105.73         | 49.86       | PK  | Horizo | PASS    |
| 4  | 5720.71         | 40.18          | 58.45          | 18.27         | 112.53         | 54.08       | PK  | Horizo | PASS    |
| 5  | 5852.34         | 42.96          | 61.79          | 18.83         | 116.97         | 55.18       | PK  | Horizo | PASS    |
| 6  | 5889.55         | 38.69          | 57.73          | 19.04         | 94.50          | 36.77       | PK  | Horizo | PASS    |
| 7  | 5898.98         | 38.89          | 57.99          | 19.10         | 87.52          | 29.53       | PK  | Horizo | PASS    |
| 8  | 5928.55         | 38.38          | 57.63          | 19.25         | 68.30          | 10.67       | PK  | Horizo | PASS    |

Transmit at 5795MHz by 802.11n(40MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5635.08         | 37.30          | 55.30          | 18.00         | 68.30          | 13.00       | PK  | Vertic | PASS    |
| 2         | 5654.90         | 37.57          | 55.64          | 18.07         | 71.94          | 16.30       | PK  | Vertic | PASS    |
| 3         | 5689.35         | 37.44          | 55.61          | 18.17         | 97.45          | 41.84       | PK  | Vertic | PASS    |
| 4         | 5717.79         | 39.40          | 57.66          | 18.26         | 110.28         | 52.62       | PK  | Vertic | PASS    |
| 5         | 5853.48         | 41.68          | 60.51          | 18.83         | 114.38         | 53.87       | PK  | Vertic | PASS    |
| 6         | 5868.59         | 39.28          | 58.20          | 18.92         | 107.09         | 48.89       | PK  | Vertic | PASS    |
| 7         | 5899.30         | 38.42          | 57.52          | 19.10         | 87.28          | 29.76       | PK  | Vertic | PASS    |
| 8         | 5919.13         | 38.66          | 57.85          | 19.19         | 72.63          | 14.78       | PK  | Vertic | PASS    |


Transmit at 5745MHz by 802.11ac(20MHz) with Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5628.74         | 37.23          | 55.22          | 17.99         | 68.30          | 13.08       | PK  | Horizo | PASS    |
| 2  | 5664.49         | 37.42          | 55.52          | 18.10         | 79.05          | 23.53       | PK  | Horizo | PASS    |
| 3  | 5697.64         | 40.57          | 58.76          | 18.19         | 103.56         | 44.80       | PK  | Horizo | PASS    |
| 4  | 5721.36         | 50.85          | 69.12          | 18.27         | 114.01         | 44.89       | PK  | Horizo | PASS    |
| 5  | 5851.36         | 39.21          | 58.03          | 18.82         | 119.19         | 61.16       | PK  | Horizo | PASS    |
| 6  | 5895.73         | 39.26          | 58.34          | 19.08         | 89.93          | 31.59       | PK  | Horizo | PASS    |
| 7  | 5905.96         | 39.15          | 58.28          | 19.13         | 82.35          | 24.07       | PK  | Horizo | PASS    |
| 8  | 5930.83         | 39.10          | 58.35          | 19.25         | 68.30          | 9.95        | PK  | Horizo | PASS    |

Transmit at 5745MHz by 802.11ac(20MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5640.11         | 37.56          | 55.58          | 18.02         | 68.30          | 12.72       | PK  | Vertic | PASS    |
| 2         | 5683.99         | 37.34          | 55.49          | 18.15         | 93.49          | 38.00       | PK  | Vertic | PASS    |
| 3         | 5704.63         | 40.45          | 58.66          | 18.21         | 106.60         | 47.94       | PK  | Vertic | PASS    |
| 4         | 5720.71         | 49.43          | 67.70          | 18.27         | 112.53         | 44.83       | PK  | Vertic | PASS    |
| 5         | 5870.21         | 38.46          | 57.39          | 18.93         | 106.64         | 49.25       | PK  | Vertic | PASS    |
| 6         | 5887.76         | 38.53          | 57.56          | 19.03         | 95.83          | 38.27       | PK  | Vertic | PASS    |
| 7         | 5919.29         | 38.79          | 57.98          | 19.19         | 72.51          | 14.53       | PK  | Vertic | PASS    |
| 8         | 5946.26         | 38.41          | 57.74          | 19.33         | 68.30          | 10.56       | PK  | Vertic | PASS    |

Transmit at 5825MHz by 802.11ac(20MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5637.19         | 37.58          | 55.60          | 18.02         | 68.30          | 12.70       | PK  | Horizo | PASS    |
| 2         | 5658.31         | 37.53          | 55.60          | 18.07         | 74.47          | 18.87       | PK  | Horizo | PASS    |
| 3         | 5692.93         | 37.71          | 55.89          | 18.18         | 100.08         | 44.19       | PK  | Horizo | PASS    |
| 4         | 5721.20         | 37.63          | 55.90          | 18.27         | 113.64         | 57.74       | PK  | Horizo | PASS    |
| 5         | 5853.48         | 46.95          | 65.78          | 18.83         | 114.38         | 48.60       | PK  | Horizo | PASS    |
| 6         | 5871.68         | 39.29          | 58.22          | 18.93         | 106.23         | 48.01       | PK  | Horizo | PASS    |
| 7         | 5893.13         | 38.32          | 57.38          | 19.06         | 91.85          | 34.47       | PK  | Horizo | PASS    |
| 8         | 5939.76         | 39.02          | 58.32          | 19.30         | 68.30          | 9.98        | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ac(20MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5633.94         | 37.67          | 55.67          | 18.00         | 68.30          | 12.63       | PK  | Vertic | PASS    |
| 2         | 5653.76         | 38.16          | 56.22          | 18.06         | 71.10          | 14.88       | PK  | Vertic | PASS    |
| 3         | 5695.36         | 37.26          | 55.45          | 18.19         | 101.88         | 46.43       | PK  | Vertic | PASS    |
| 4         | 5717.95         | 37.83          | 56.09          | 18.26         | 110.33         | 54.24       | PK  | Vertic | PASS    |
| 5         | 5852.18         | 44.78          | 63.61          | 18.83         | 117.34         | 53.73       | PK  | Vertic | PASS    |
| 6         | 5865.18         | 39.25          | 58.15          | 18.90         | 108.05         | 49.90       | PK  | Vertic | PASS    |
| 7         | 5889.23         | 38.64          | 57.68          | 19.04         | 94.74          | 37.06       | PK  | Vertic | PASS    |
| 8         | 5947.73         | 38.60          | 57.94          | 19.34         | 68.30          | 10.36       | PK  | Vertic | PASS    |

Transmit at 5755MHz by 802.11ac(40MHz) with Ant2+3




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5642.88         | 37.57          | 55.60          | 18.03         | 68.30          | 12.70       | PK  | Horizo | PASS    |
| 2  | 5665.95         | 38.63          | 56.73          | 18.10         | 80.14          | 23.41       | PK  | Horizo | PASS    |
| 3  | 5696.83         | 40.95          | 59.14          | 18.19         | 102.96         | 43.82       | PK  | Horizo | PASS    |
| 4  | 5723.64         | 49.85          | 68.12          | 18.27         | 119.19         | 51.07       | PK  | Horizo | PASS    |
| 5  | 5855.26         | 39.17          | 58.02          | 18.85         | 110.83         | 52.81       | PK  | Horizo | PASS    |
| 6  | 5880.45         | 39.33          | 58.32          | 18.99         | 101.25         | 42.93       | PK  | Horizo | PASS    |
| 7  | 5923.35         | 38.23          | 57.44          | 19.21         | 69.52          | 12.08       | PK  | Horizo | PASS    |
| 8  | 5932.61         | 38.66          | 57.93          | 19.27         | 68.30          | 10.37       | PK  | Horizo | PASS    |


**Transmit at 5755MHz by 802.11ac(40MHz) with Ant2+3****Test Graph****Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5635.08         | 37.29          | 55.29          | 18.00         | 68.30          | 13.01       | PK  | Vertic | PASS    |
| 2  | 5684.96         | 39.82          | 57.98          | 18.16         | 94.21          | 36.23       | PK  | Vertic | PASS    |
| 3  | 5695.04         | 40.72          | 58.91          | 18.19         | 101.64         | 42.73       | PK  | Vertic | PASS    |
| 4  | 5719.74         | 45.82          | 64.09          | 18.27         | 110.83         | 46.74       | PK  | Vertic | PASS    |
| 5  | 5859.98         | 39.71          | 58.58          | 18.87         | 109.51         | 50.93       | PK  | Vertic | PASS    |
| 6  | 5877.04         | 38.90          | 57.87          | 18.97         | 103.79         | 45.92       | PK  | Vertic | PASS    |
| 7  | 5916.04         | 38.51          | 57.69          | 19.18         | 74.91          | 17.22       | PK  | Vertic | PASS    |
| 8  | 5944.80         | 38.52          | 57.84          | 19.32         | 68.30          | 10.46       | PK  | Vertic | PASS    |

**Transmit at 5795MHz by 802.11ac(40MHz) with Ant2+3****Test Graph****Data List**


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5637.35         | 37.58          | 55.60          | 18.02         | 68.30          | 12.70       | PK  | Horizo | PASS    |
| 2  | 5672.61         | 37.30          | 55.42          | 18.12         | 85.07          | 29.65       | PK  | Horizo | PASS    |
| 3  | 5701.05         | 38.07          | 56.27          | 18.20         | 105.59         | 49.32       | PK  | Horizo | PASS    |
| 4  | 5721.53         | 41.89          | 60.16          | 18.27         | 114.38         | 54.22       | PK  | Horizo | PASS    |
| 5  | 5851.53         | 43.04          | 61.87          | 18.83         | 118.82         | 56.95       | PK  | Horizo | PASS    |
| 6  | 5881.75         | 39.10          | 58.10          | 19.00         | 100.29         | 42.19       | PK  | Horizo | PASS    |
| 7  | 5913.76         | 38.72          | 57.89          | 19.17         | 76.59          | 18.70       | PK  | Horizo | PASS    |
| 8  | 5937.16         | 38.84          | 58.13          | 19.29         | 68.30          | 10.17       | PK  | Horizo | PASS    |

Transmit at 5795MHz by 802.11ac(40MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5653.28         | 37.67          | 55.73          | 18.06         | 70.73          | 15.00       | PK  | Vertic | PASS    |
| 2         | 5680.58         | 37.40          | 55.55          | 18.15         | 90.96          | 35.41       | PK  | Vertic | PASS    |
| 3         | 5703.00         | 38.65          | 56.86          | 18.21         | 106.14         | 49.28       | PK  | Vertic | PASS    |
| 4         | 5718.93         | 39.04          | 57.30          | 18.26         | 110.60         | 53.30       | PK  | Vertic | PASS    |
| 5         | 5852.34         | 41.41          | 60.24          | 18.83         | 116.97         | 56.73       | PK  | Vertic | PASS    |
| 6         | 5866.96         | 39.96          | 58.87          | 18.91         | 107.55         | 48.68       | PK  | Vertic | PASS    |
| 7         | 5915.23         | 39.02          | 58.20          | 19.18         | 75.51          | 17.31       | PK  | Vertic | PASS    |
| 8         | 5930.83         | 38.56          | 57.81          | 19.25         | 68.30          | 10.49       | PK  | Vertic | PASS    |


Transmit at 5775MHz by 802.11ac(80MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5630.53         | 37.88          | 55.87          | 17.99         | 68.30          | 12.43       | PK  | Horizo | PASS    |
| 2  | 5672.45         | 38.41          | 56.53          | 18.12         | 84.95          | 28.42       | PK  | Horizo | PASS    |
| 3  | 5698.94         | 40.93          | 59.13          | 18.20         | 104.52         | 45.39       | PK  | Horizo | PASS    |
| 4  | 5713.40         | 42.89          | 61.13          | 18.24         | 109.05         | 47.92       | PK  | Horizo | PASS    |
| 5  | 5854.61         | 40.75          | 59.60          | 18.85         | 111.78         | 52.18       | PK  | Horizo | PASS    |
| 6  | 5871.35         | 40.42          | 59.35          | 18.93         | 106.32         | 46.97       | PK  | Horizo | PASS    |
| 7  | 5920.26         | 39.12          | 58.32          | 19.20         | 71.79          | 13.47       | PK  | Horizo | PASS    |
| 8  | 5938.46         | 38.96          | 58.25          | 19.29         | 68.30          | 10.05       | PK  | Horizo | PASS    |


Transmit at 5775MHz by 802.11ac(80MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5642.39         | 37.04          | 55.07          | 18.03         | 68.30          | 13.23       | PK  | Vertic | PASS    |
| 2  | 5674.40         | 37.73          | 55.85          | 18.12         | 86.40          | 30.55       | PK  | Vertic | PASS    |
| 3  | 5696.99         | 39.31          | 57.50          | 18.19         | 103.08         | 45.58       | PK  | Vertic | PASS    |
| 4  | 5718.44         | 41.14          | 59.40          | 18.26         | 110.46         | 51.06       | PK  | Vertic | PASS    |
| 5  | 5862.41         | 39.46          | 58.34          | 18.88         | 108.82         | 50.48       | PK  | Vertic | PASS    |
| 6  | 5871.03         | 39.09          | 58.02          | 18.93         | 106.41         | 48.39       | PK  | Vertic | PASS    |
| 7  | 5908.73         | 39.41          | 58.55          | 19.14         | 80.31          | 21.76       | PK  | Vertic | PASS    |
| 8  | 5946.59         | 38.49          | 57.83          | 19.34         | 68.30          | 10.47       | PK  | Vertic | PASS    |


Transmit at 5745MHz by 802.11ax(20MHz) with Ant2+3



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5643.04         | 37.28          | 55.31          | 18.03         | 68.30          | 12.99       | PK  | Horizo | PASS    |
| 2  | 5662.38         | 37.34          | 55.42          | 18.08         | 77.49          | 22.07       | PK  | Horizo | PASS    |
| 3  | 5703.98         | 40.58          | 58.79          | 18.21         | 106.41         | 47.62       | PK  | Horizo | PASS    |
| 4  | 5720.71         | 46.74          | 65.01          | 18.27         | 112.53         | 47.52       | PK  | Horizo | PASS    |
| 5  | 5861.44         | 38.88          | 57.76          | 18.88         | 109.10         | 51.34       | PK  | Horizo | PASS    |
| 6  | 5891.83         | 38.07          | 57.12          | 19.05         | 92.81          | 35.69       | PK  | Horizo | PASS    |
| 7  | 5916.20         | 39.72          | 58.90          | 19.18         | 74.79          | 15.89       | PK  | Horizo | PASS    |
| 8  | 5945.45         | 39.59          | 58.91          | 19.32         | 68.30          | 9.39        | PK  | Horizo | PASS    |


Transmit at 5745MHz by 802.11ax(20MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5630.69         | 37.77          | 55.76          | 17.99         | 68.30          | 12.54       | PK  | Vertic | PASS    |
| 2         | 5664.00         | 37.59          | 55.68          | 18.09         | 78.69          | 23.01       | PK  | Vertic | PASS    |
| 3         | 5696.01         | 38.27          | 56.46          | 18.19         | 102.36         | 45.90       | PK  | Vertic | PASS    |
| 4         | 5722.01         | 43.27          | 61.54          | 18.27         | 115.49         | 53.95       | PK  | Vertic | PASS    |
| 5         | 5863.39         | 38.67          | 57.57          | 18.90         | 108.55         | 50.98       | PK  | Vertic | PASS    |
| 6         | 5878.18         | 38.17          | 57.15          | 18.98         | 102.94         | 45.79       | PK  | Vertic | PASS    |
| 7         | 5904.66         | 38.72          | 57.84          | 19.12         | 83.31          | 25.47       | PK  | Vertic | PASS    |
| 8         | 5938.79         | 38.59          | 57.88          | 19.29         | 68.30          | 10.42       | PK  | Vertic | PASS    |

## Transmit at 5825MHz by 802.11ax(20MHz) with Ant2+3


Test Graph



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5637.51         | 37.37          | 55.39          | 18.02         | 68.30          | 12.91       | PK  | Horizo | PASS    |
| 2  | 5664.81         | 38.05          | 56.15          | 18.10         | 79.30          | 23.15       | PK  | Horizo | PASS    |
| 3  | 5692.28         | 37.57          | 55.74          | 18.17         | 99.60          | 43.86       | PK  | Horizo | PASS    |
| 4  | 5708.20         | 38.69          | 56.92          | 18.23         | 107.60         | 50.68       | PK  | Horizo | PASS    |
| 5  | 5852.18         | 45.17          | 64.00          | 18.83         | 117.34         | 53.34       | PK  | Horizo | PASS    |
| 6  | 5870.54         | 40.29          | 59.22          | 18.93         | 106.55         | 47.33       | PK  | Horizo | PASS    |
| 7  | 5907.91         | 39.09          | 58.23          | 19.14         | 80.91          | 22.68       | PK  | Horizo | PASS    |
| 8  | 5930.99         | 38.80          | 58.05          | 19.25         | 68.30          | 10.25       | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ax(20MHz) with Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5626.14         | 37.47          | 55.45          | 17.98         | 68.30          | 12.85       | PK  | Vertic | PASS    |
| 2  | 5664.98         | 37.02          | 55.12          | 18.10         | 79.42          | 24.30       | PK  | Vertic | PASS    |
| 3  | 5703.98         | 37.90          | 56.11          | 18.21         | 106.41         | 50.30       | PK  | Vertic | PASS    |
| 4  | 5718.93         | 37.82          | 56.08          | 18.26         | 110.60         | 54.52       | PK  | Vertic | PASS    |
| 5  | 5853.31         | 42.87          | 61.70          | 18.83         | 114.75         | 53.05       | PK  | Vertic | PASS    |
| 6  | 5874.76         | 38.27          | 57.22          | 18.95         | 105.37         | 48.15       | PK  | Vertic | PASS    |
| 7  | 5897.84         | 39.16          | 58.25          | 19.09         | 88.36          | 30.11       | PK  | Vertic | PASS    |
| 8  | 5938.79         | 39.67          | 58.96          | 19.29         | 68.30          | 9.34        | PK  | Vertic | PASS    |

**Transmit at 5755MHz by 802.11ax(40MHz) with Ant2+3****Test Graph****Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5644.83         | 37.41          | 55.44          | 18.03         | 68.30          | 12.86       | PK  | Horizo | PASS    |
| 2  | 5677.65         | 38.03          | 56.16          | 18.13         | 88.80          | 32.64       | PK  | Horizo | PASS    |
| 3  | 5706.09         | 39.40          | 57.62          | 18.22         | 107.01         | 49.39       | PK  | Horizo | PASS    |
| 4  | 5718.60         | 44.92          | 63.18          | 18.26         | 110.51         | 47.33       | PK  | Horizo | PASS    |
| 5  | 5866.31         | 39.11          | 58.02          | 18.91         | 107.73         | 49.71       | PK  | Horizo | PASS    |
| 6  | 5886.63         | 38.69          | 57.71          | 19.02         | 96.67          | 38.96       | PK  | Horizo | PASS    |
| 7  | 5907.59         | 38.50          | 57.64          | 19.14         | 81.15          | 23.51       | PK  | Horizo | PASS    |
| 8  | 5933.75         | 38.77          | 58.04          | 19.27         | 68.30          | 10.26       | PK  | Horizo | PASS    |

## Transmit at 5755MHz by 802.11ax(40MHz) with Ant2+3


Test Graph



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5638.49         | 36.84          | 54.86          | 18.02         | 68.30          | 13.44       | PK  | Vertic | PASS    |
| 2  | 5665.79         | 37.43          | 55.53          | 18.10         | 80.02          | 24.49       | PK  | Vertic | PASS    |
| 3  | 5687.73         | 38.11          | 56.27          | 18.16         | 96.25          | 39.98       | PK  | Vertic | PASS    |
| 4  | 5723.80         | 42.15          | 60.42          | 18.27         | 119.56         | 59.14       | PK  | Vertic | PASS    |
| 5  | 5864.69         | 39.24          | 58.14          | 18.90         | 108.19         | 50.05       | PK  | Vertic | PASS    |
| 6  | 5886.30         | 38.93          | 57.95          | 19.02         | 96.91          | 38.96       | PK  | Vertic | PASS    |
| 7  | 5905.31         | 38.42          | 57.54          | 19.12         | 82.83          | 25.29       | PK  | Vertic | PASS    |
| 8  | 5941.55         | 38.38          | 57.69          | 19.31         | 68.30          | 10.61       | PK  | Vertic | PASS    |

Transmit at 5795MHz by 802.11ax(40MHz) with Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5634.75         | 37.75          | 55.75          | 18.00         | 68.30          | 12.55       | PK  | Horizo | PASS    |
| 2         | 5649.54         | 37.47          | 55.51          | 18.04         | 68.30          | 12.79       | PK  | Horizo | PASS    |
| 3         | 5670.83         | 37.80          | 55.91          | 18.11         | 83.75          | 27.84       | PK  | Horizo | PASS    |
| 4         | 5722.50         | 38.15          | 56.42          | 18.27         | 116.60         | 60.18       | PK  | Horizo | PASS    |
| 5         | 5851.85         | 40.61          | 59.44          | 18.83         | 118.08         | 58.64       | PK  | Horizo | PASS    |
| 6         | 5884.03         | 38.34          | 57.35          | 19.01         | 98.60          | 41.25       | PK  | Horizo | PASS    |
| 7         | 5905.31         | 38.46          | 57.58          | 19.12         | 82.83          | 25.25       | PK  | Horizo | PASS    |
| 8         | 5933.91         | 38.65          | 57.92          | 19.27         | 68.30          | 10.38       | PK  | Horizo | PASS    |

Transmit at 5795MHz by 802.11ax(40MHz) with Ant2+3




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5646.61         | 36.96          | 55.00          | 18.04         | 68.30          | 13.30       | PK  | Vertic | PASS    |
| 2  | 5670.50         | 37.64          | 55.75          | 18.11         | 83.51          | 27.76       | PK  | Vertic | PASS    |
| 3  | 5708.20         | 37.73          | 55.96          | 18.23         | 107.60         | 51.64       | PK  | Vertic | PASS    |
| 4  | 5715.51         | 38.09          | 56.35          | 18.26         | 109.65         | 53.30       | PK  | Vertic | PASS    |
| 5  | 5855.75         | 39.19          | 58.04          | 18.85         | 110.69         | 52.65       | PK  | Vertic | PASS    |
| 6  | 5870.86         | 38.70          | 57.63          | 18.93         | 106.46         | 48.83       | PK  | Vertic | PASS    |
| 7  | 5908.89         | 38.18          | 57.32          | 19.14         | 80.19          | 22.87       | PK  | Vertic | PASS    |
| 8  | 5946.10         | 38.72          | 58.05          | 19.33         | 68.30          | 10.25       | PK  | Vertic | PASS    |

## Transmit at 5775MHz by 802.11ax(80MHz) with Ant2+3


Test Graph



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5633.94         | 37.87          | 55.87          | 18.00         | 68.30          | 12.43       | PK  | Horizo | PASS    |
| 2  | 5661.40         | 38.40          | 56.48          | 18.08         | 76.76          | 20.28       | PK  | Horizo | PASS    |
| 3  | 5697.96         | 40.59          | 58.79          | 18.20         | 103.80         | 45.01       | PK  | Horizo | PASS    |
| 4  | 5717.30         | 43.01          | 61.27          | 18.26         | 110.15         | 48.88       | PK  | Horizo | PASS    |
| 5  | 5852.34         | 40.72          | 59.55          | 18.83         | 116.97         | 57.42       | PK  | Horizo | PASS    |
| 6  | 5871.19         | 41.30          | 60.23          | 18.93         | 106.37         | 46.14       | PK  | Horizo | PASS    |
| 7  | 5911.65         | 38.18          | 57.34          | 19.16         | 78.15          | 20.81       | PK  | Horizo | PASS    |
| 8  | 5923.03         | 38.84          | 58.05          | 19.21         | 69.76          | 11.71       | PK  | Horizo | PASS    |

Transmit at 5775MHz by 802.11ax(80MHz) with Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5647.75         | 37.20          | 55.24          | 18.04         | 68.30          | 13.06       | PK  | Vertic | PASS    |
| 2         | 5678.30         | 37.85          | 55.98          | 18.13         | 89.28          | 33.30       | PK  | Vertic | PASS    |
| 3         | 5698.61         | 39.26          | 57.46          | 18.20         | 104.28         | 46.82       | PK  | Vertic | PASS    |
| 4         | 5721.04         | 41.18          | 59.45          | 18.27         | 113.27         | 53.82       | PK  | Vertic | PASS    |
| 5         | 5856.73         | 39.31          | 58.16          | 18.85         | 110.42         | 52.26       | PK  | Vertic | PASS    |
| 6         | 5874.93         | 39.31          | 58.26          | 18.95         | 105.32         | 47.06       | PK  | Vertic | PASS    |
| 7         | 5900.60         | 38.53          | 57.63          | 19.10         | 86.32          | 28.69       | PK  | Vertic | PASS    |
| 8         | 5933.26         | 38.70          | 57.97          | 19.27         | 68.30          | 10.33       | PK  | Vertic | PASS    |

<Partial RU> :  
Transmit at 5180MHz by 802.11ax(20MHz) with RU26-0 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5136.78         | 45.70          | 62.10          | 16.40         | 74.00          | 11.90       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 40.60          | 56.98          | 16.38         | 74.00          | 17.02       | PK  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU26-0 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5147.91         | 33.25          | 49.64          | 16.39         | 54.00          | 4.36        | AV  | Horizo | PASS    |
| 2         | 5150.00         | 31.16          | 47.54          | 16.38         | 54.00          | 6.46        | AV  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5135.15         | 41.04          | 57.44          | 16.40         | 74.00          | 16.56       | PK  | Vertic | PASS    |
| 2         | 5150.00         | 37.97          | 54.35          | 16.38         | 74.00          | 19.65       | PK  | Vertic | PASS    |


Transmit at 5180MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5146.53         | 31.31          | 47.70          | 16.39         | 54.00          | 6.30        | AV  | Vertic | PASS    |
| 2  | 5150.00         | 29.21          | 45.59          | 16.38         | 54.00          | 8.41        | AV  | Vertic | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU52-37 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5146.88         | 42.34          | 58.73          | 16.39         | 74.00          | 15.27       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 37.81          | 54.19          | 16.38         | 74.00          | 19.81       | PK  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU52-37 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5147.05         | 32.35          | 48.74          | 16.39         | 54.00          | 5.26        | AV  | Horizo | PASS    |
| 2         | 5150.00         | 29.91          | 46.29          | 16.38         | 54.00          | 7.71        | AV  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5149.89         | 41.38          | 57.77          | 16.39         | 74.00          | 16.23       | PK  | Vertic | PASS    |
| 2         | 5150.00         | 38.84          | 55.22          | 16.38         | 74.00          | 18.78       | PK  | Vertic | PASS    |


Transmit at 5180MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5149.55         | 31.47          | 47.86          | 16.39         | 54.00          | 6.14        | AV  | Vertic | PASS    |
| 2  | 5150.00         | 28.46          | 44.84          | 16.38         | 54.00          | 9.16        | AV  | Vertic | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5146.53         | 42.30          | 58.69          | 16.39         | 74.00          | 15.31       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 41.16          | 57.54          | 16.38         | 74.00          | 16.46       | PK  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 4992.92         | 28.58          | 44.80          | 16.22         | 54.00          | 9.20        | AV  | Horizo | PASS    |
| 2         | 5150.00         | 30.72          | 47.10          | 16.38         | 54.00          | 6.90        | AV  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5146.01         | 40.99          | 57.38          | 16.39         | 74.00          | 16.62       | PK  | Vertic | PASS    |
| 2         | 5150.00         | 39.15          | 55.53          | 16.38         | 74.00          | 18.47       | PK  | Vertic | PASS    |

Transmit at 5180MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5114.88         | 28.48          | 44.90          | 16.42         | 54.00          | 9.10        | AV  | Vertic | PASS    |
| 2         | 5150.00         | 29.09          | 45.47          | 16.38         | 54.00          | 8.53        | AV  | Vertic | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 32.29          | 49.02          | 16.73         | 74.00          | 24.98       | PK  | Horizo | PASS    |
| 2         | 5350.58         | 38.15          | 54.88          | 16.73         | 74.00          | 19.12       | PK  | Horizo | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 25.77          | 42.50          | 16.73         | 54.00          | 11.50       | AV  | Horizo | PASS    |
| 2         | 5353.16         | 26.93          | 43.67          | 16.74         | 54.00          | 10.33       | AV  | Horizo | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 33.97          | 50.70          | 16.73         | 74.00          | 23.30       | PK  | Vertic | PASS    |
| 2         | 5377.71         | 36.06          | 52.86          | 16.80         | 74.00          | 21.14       | PK  | Vertic | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU26-8 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 26.06          | 42.79          | 16.73         | 54.00          | 11.21       | AV  | Vertic | PASS    |
| 2         | 5423.19         | 28.52          | 45.61          | 17.09         | 54.00          | 8.39        | AV  | Vertic | PASS    |


Transmit at 5320MHz by 802.11ax(20MHz) with RU52-40 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 33.91          | 50.64          | 16.73         | 74.00          | 23.36       | PK  | Horizo | PASS    |
| 2  | 5367.71         | 36.64          | 53.42          | 16.78         | 74.00          | 20.58       | PK  | Horizo | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 26.06          | 42.79          | 16.73         | 54.00          | 11.21       | AV  | Horizo | PASS    |
| 2         | 5350.44         | 28.90          | 45.63          | 16.73         | 54.00          | 8.37        | AV  | Horizo | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 32.20          | 48.93          | 16.73         | 74.00          | 25.07       | PK  | Vertic | PASS    |
| 2         | 5351.10         | 36.78          | 53.51          | 16.73         | 74.00          | 20.49       | PK  | Vertic | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU52-40 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 26.22          | 42.95          | 16.73         | 54.00          | 11.05       | AV  | Vertic | PASS    |
| 2         | 5368.09         | 26.80          | 43.58          | 16.78         | 54.00          | 10.42       | AV  | Vertic | PASS    |


Transmit at 5320MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 33.34          | 50.07          | 16.73         | 74.00          | 23.93       | PK  | Horizo | PASS    |
| 2  | 5353.52         | 38.73          | 55.47          | 16.74         | 74.00          | 18.53       | PK  | Horizo | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 26.91          | 43.64          | 16.73         | 54.00          | 10.36       | AV  | Horizo | PASS    |
| 2         | 5351.44         | 27.84          | 44.57          | 16.73         | 54.00          | 9.43        | AV  | Horizo | PASS    |


Transmit at 5320MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 33.91          | 50.64          | 16.73         | 74.00          | 23.36       | PK  | Vertic | PASS    |
| 2  | 5378.83         | 35.99          | 52.79          | 16.80         | 74.00          | 21.21       | PK  | Vertic | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 25.84          | 42.57          | 16.73         | 54.00          | 11.43       | AV  | Vertic | PASS    |
| 2         | 5370.17         | 26.93          | 43.71          | 16.78         | 54.00          | 10.29       | AV  | Vertic | PASS    |


Transmit at 5500MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5460.00         | 37.62          | 55.06          | 17.44         | 68.30          | 13.24       | PK  | Horizo | PASS    |
| 2  | 5468.99         | 44.11          | 61.64          | 17.53         | 68.30          | 6.66        | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5439.98         | 28.10          | 45.35          | 17.25         | 54.00          | 8.65        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.62          | 45.06          | 17.44         | 54.00          | 8.94        | AV  | Horizo | PASS    |


Transmit at 5500MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5460.00         | 38.08          | 55.52          | 17.44         | 68.30          | 12.78       | PK  | Vertic | PASS    |
| 2  | 5469.31         | 40.51          | 58.04          | 17.53         | 68.30          | 10.26       | PK  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU26-0 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5458.24         | 28.36          | 45.78          | 17.42         | 54.00          | 8.22        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 27.73          | 45.17          | 17.44         | 54.00          | 8.83        | AV  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU52-37 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 37.23          | 54.67          | 17.44         | 68.30          | 13.63       | PK  | Horizo | PASS    |
| 2         | 5468.40         | 41.98          | 59.50          | 17.52         | 68.30          | 8.80        | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5438.58         | 28.01          | 45.25          | 17.24         | 54.00          | 8.75        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.57          | 45.01          | 17.44         | 54.00          | 8.99        | AV  | Horizo | PASS    |


Transmit at 5500MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5460.00         | 37.30          | 54.74          | 17.44         | 68.30          | 13.56       | PK  | Vertic | PASS    |
| 2  | 5467.76         | 40.93          | 58.45          | 17.52         | 68.30          | 9.85        | PK  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU52-37 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5454.26         | 28.32          | 45.70          | 17.38         | 54.00          | 8.30        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 27.57          | 45.01          | 17.44         | 54.00          | 8.99        | AV  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 37.42          | 54.86          | 17.44         | 68.30          | 13.44       | PK  | Horizo | PASS    |
| 2         | 5466.85         | 44.05          | 61.55          | 17.50         | 68.30          | 6.75        | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU106-53 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5451.06         | 28.33          | 45.69          | 17.36         | 54.00          | 8.31        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.45          | 44.89          | 17.44         | 54.00          | 9.11        | AV  | Horizo | PASS    |


Transmit at 5500MHz by 802.11ax(20MHz) with RU106-53 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5460.00         | 37.11          | 54.55          | 17.44         | 68.30          | 13.75       | PK  | Vertic | PASS    |
| 2  | 5468.35         | 40.93          | 58.45          | 17.52         | 68.30          | 9.85        | PK  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5451.20         | 28.15          | 45.51          | 17.36         | 54.00          | 8.49        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 27.70          | 45.14          | 17.44         | 54.00          | 8.86        | AV  | Vertic | PASS    |

Transmit at 5700MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 37.00          | 55.28          | 18.28         | 68.30          | 13.02       | PK  | Horizo | PASS    |
| 2         | 5736.60         | 38.27          | 56.59          | 18.32         | 68.30          | 11.71       | PK  | Horizo | PASS    |

Transmit at 5700MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 36.50          | 54.78          | 18.28         | 68.30          | 13.52       | PK  | Vertic | PASS    |
| 2         | 5732.20         | 38.68          | 56.98          | 18.30         | 68.30          | 11.32       | PK  | Vertic | PASS    |

Transmit at 5700MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 37.25          | 55.53          | 18.28         | 68.30          | 12.77       | PK  | Horizo | PASS    |
| 2         | 5734.20         | 38.88          | 57.19          | 18.31         | 68.30          | 11.11       | PK  | Horizo | PASS    |

Transmit at 5700MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 36.02          | 54.30          | 18.28         | 68.30          | 14.00       | PK  | Vertic | PASS    |
| 2         | 5740.05         | 38.45          | 56.78          | 18.33         | 68.30          | 11.52       | PK  | Vertic | PASS    |

Transmit at 5700MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 36.97          | 55.25          | 18.28         | 68.30          | 13.05       | PK  | Horizo | PASS    |
| 2         | 5752.50         | 39.22          | 57.59          | 18.37         | 68.30          | 10.71       | PK  | Horizo | PASS    |


Transmit at 5700MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5725.00         | 36.08          | 54.36          | 18.28         | 68.30          | 13.94       | PK  | Vertic | PASS    |
| 2  | 5743.10         | 38.21          | 56.55          | 18.34         | 68.30          | 11.75       | PK  | Vertic | PASS    |

Transmit at 5745MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5640.28         | 37.12          | 55.14          | 18.02         | 68.30          | 13.16       | PK  | Horizo | PASS    |
| 2         | 5696.01         | 47.56          | 65.75          | 18.19         | 102.36         | 36.61       | PK  | Horizo | PASS    |
| 3         | 5709.01         | 52.82          | 71.05          | 18.23         | 107.83         | 36.78       | PK  | Horizo | PASS    |
| 4         | 5723.15         | 58.42          | 76.69          | 18.27         | 118.08         | 41.39       | PK  | Horizo | PASS    |
| 5         | 5854.29         | 39.31          | 58.14          | 18.83         | 112.52         | 54.38       | PK  | Horizo | PASS    |
| 6         | 5874.28         | 38.36          | 57.31          | 18.95         | 105.50         | 48.19       | PK  | Horizo | PASS    |
| 7         | 5922.70         | 38.70          | 57.91          | 19.21         | 70.00          | 12.09       | PK  | Horizo | PASS    |
| 8         | 5948.38         | 39.80          | 59.14          | 19.34         | 68.30          | 9.16        | PK  | Horizo | PASS    |


Transmit at 5745MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5626.63         | 37.96          | 55.94          | 17.98         | 68.30          | 12.36       | PK  | Vertic | PASS    |
| 2         | 5702.35         | 43.89          | 62.10          | 18.21         | 105.96         | 43.86       | PK  | Vertic | PASS    |
| 3         | 5709.34         | 51.11          | 69.34          | 18.23         | 107.92         | 38.58       | PK  | Vertic | PASS    |
| 4         | 5722.99         | 56.22          | 74.49          | 18.27         | 117.71         | 43.22       | PK  | Vertic | PASS    |
| 5         | 5872.16         | 38.67          | 57.62          | 18.95         | 106.09         | 48.47       | PK  | Vertic | PASS    |
| 6         | 5885.98         | 38.71          | 57.73          | 19.02         | 97.15          | 39.42       | PK  | Vertic | PASS    |
| 7         | 5912.46         | 38.78          | 57.94          | 19.16         | 77.55          | 19.61       | PK  | Vertic | PASS    |
| 8         | 5943.34         | 38.51          | 57.83          | 19.32         | 68.30          | 10.47       | PK  | Vertic | PASS    |

## Transmit at 5745MHz by 802.11ax(20MHz) with RU52-37 Ant2+3


Test Graph



## Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5642.06         | 37.80          | 55.83          | 18.03         | 68.30          | 12.47       | PK  | Horizo | PASS    |
| 2  | 5689.35         | 41.15          | 59.32          | 18.17         | 97.45          | 38.13       | PK  | Horizo | PASS    |
| 3  | 5710.48         | 49.84          | 68.07          | 18.23         | 108.24         | 40.17       | PK  | Horizo | PASS    |
| 4  | 5723.48         | 57.10          | 75.37          | 18.27         | 118.82         | 43.45       | PK  | Horizo | PASS    |
| 5  | 5859.98         | 38.86          | 57.73          | 18.87         | 109.51         | 51.78       | PK  | Horizo | PASS    |
| 6  | 5877.53         | 39.35          | 58.32          | 18.97         | 103.42         | 45.10       | PK  | Horizo | PASS    |
| 7  | 5912.95         | 38.57          | 57.73          | 19.16         | 77.19          | 19.46       | PK  | Horizo | PASS    |
| 8  | 5945.94         | 38.62          | 57.95          | 19.33         | 68.30          | 10.35       | PK  | Horizo | PASS    |

Transmit at 5745MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5626.14         | 37.66          | 55.64          | 17.98         | 68.30          | 12.66       | PK  | Vertic | PASS    |
| 2         | 5657.18         | 37.90          | 55.97          | 18.07         | 73.63          | 17.66       | PK  | Vertic | PASS    |
| 3         | 5709.66         | 47.11          | 65.34          | 18.23         | 108.01         | 42.67       | PK  | Vertic | PASS    |
| 4         | 5723.80         | 53.09          | 71.36          | 18.27         | 119.56         | 48.20       | PK  | Vertic | PASS    |
| 5         | 5870.05         | 38.73          | 57.66          | 18.93         | 106.68         | 49.02       | PK  | Vertic | PASS    |
| 6         | 5900.93         | 38.30          | 57.40          | 19.10         | 86.08          | 28.68       | PK  | Vertic | PASS    |
| 7         | 5912.95         | 38.54          | 57.70          | 19.16         | 77.19          | 19.49       | PK  | Vertic | PASS    |
| 8         | 5936.68         | 38.83          | 58.11          | 19.28         | 68.30          | 10.19       | PK  | Vertic | PASS    |


Transmit at 5745MHz by 802.11ax(20MHz) with RU106-53 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5664.49         | 39.17          | 57.27          | 18.10         | 79.05          | 21.78       | PK  | Horizo | PASS    |
| 2         | 5689.84         | 46.64          | 64.81          | 18.17         | 97.81          | 33.00       | PK  | Horizo | PASS    |
| 3         | 5710.96         | 52.34          | 70.58          | 18.24         | 108.37         | 37.79       | PK  | Horizo | PASS    |
| 4         | 5722.83         | 58.12          | 76.39          | 18.27         | 117.34         | 40.95       | PK  | Horizo | PASS    |
| 5         | 5853.96         | 38.61          | 57.44          | 18.83         | 113.26         | 55.82       | PK  | Horizo | PASS    |
| 6         | 5889.71         | 38.44          | 57.49          | 19.05         | 94.38          | 36.89       | PK  | Horizo | PASS    |
| 7         | 5906.78         | 38.45          | 57.59          | 19.14         | 81.75          | 24.16       | PK  | Horizo | PASS    |
| 8         | 5949.51         | 38.53          | 57.87          | 19.34         | 68.30          | 10.43       | PK  | Horizo | PASS    |

## Transmit at 5745MHz by 802.11ax(20MHz) with RU106-53 Ant2+3


Test Graph



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5626.14         | 37.48          | 55.46          | 17.98         | 68.30          | 12.84       | PK  | Vertic | PASS    |
| 2  | 5680.09         | 40.94          | 59.08          | 18.14         | 90.60          | 31.52       | PK  | Vertic | PASS    |
| 3  | 5695.20         | 43.75          | 61.94          | 18.19         | 101.76         | 39.82       | PK  | Vertic | PASS    |
| 4  | 5724.13         | 54.19          | 72.47          | 18.28         | 120.31         | 47.84       | PK  | Vertic | PASS    |
| 5  | 5862.58         | 39.11          | 57.99          | 18.88         | 108.78         | 50.79       | PK  | Vertic | PASS    |
| 6  | 5878.18         | 38.70          | 57.68          | 18.98         | 102.94         | 45.26       | PK  | Vertic | PASS    |
| 7  | 5899.95         | 38.87          | 57.97          | 19.10         | 86.80          | 28.83       | PK  | Vertic | PASS    |
| 8  | 5929.20         | 38.59          | 57.84          | 19.25         | 68.30          | 10.46       | PK  | Vertic | PASS    |


Transmit at 5825MHz by 802.11ax(20MHz) with RU26-8 Ant2+3



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5651.00         | 37.55          | 55.61          | 18.06         | 69.04          | 13.43       | PK  | Horizo | PASS    |
| 2  | 5681.23         | 37.20          | 55.35          | 18.15         | 91.44          | 36.09       | PK  | Horizo | PASS    |
| 3  | 5692.93         | 37.48          | 55.66          | 18.18         | 100.08         | 44.42       | PK  | Horizo | PASS    |
| 4  | 5713.24         | 37.58          | 55.82          | 18.24         | 109.01         | 53.19       | PK  | Horizo | PASS    |
| 5  | 5853.64         | 51.89          | 70.72          | 18.83         | 114.01         | 43.29       | PK  | Horizo | PASS    |
| 6  | 5869.40         | 46.26          | 65.19          | 18.93         | 106.87         | 41.68       | PK  | Horizo | PASS    |
| 7  | 5887.44         | 40.40          | 59.43          | 19.03         | 96.07          | 36.64       | PK  | Horizo | PASS    |
| 8  | 5940.90         | 39.24          | 58.54          | 19.30         | 68.30          | 9.76        | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5642.39         | 37.20          | 55.23          | 18.03         | 68.30          | 13.07       | PK  | Vertic | PASS    |
| 2         | 5679.93         | 36.98          | 55.12          | 18.14         | 90.48          | 35.36       | PK  | Vertic | PASS    |
| 3         | 5704.79         | 38.56          | 56.77          | 18.21         | 106.64         | 49.87       | PK  | Vertic | PASS    |
| 4         | 5716.65         | 38.87          | 57.13          | 18.26         | 109.96         | 52.83       | PK  | Vertic | PASS    |
| 5         | 5852.01         | 48.69          | 67.52          | 18.83         | 117.71         | 50.19       | PK  | Vertic | PASS    |
| 6         | 5874.60         | 41.91          | 60.86          | 18.95         | 105.41         | 44.55       | PK  | Vertic | PASS    |
| 7         | 5893.13         | 38.64          | 57.70          | 19.06         | 91.85          | 34.15       | PK  | Vertic | PASS    |
| 8         | 5917.18         | 38.77          | 57.96          | 19.19         | 74.07          | 16.11       | PK  | Vertic | PASS    |

Transmit at 5825MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5635.89         | 37.07          | 55.08          | 18.01         | 68.30          | 13.22       | PK  | Horizo | PASS    |
| 2  | 5654.74         | 38.02          | 56.09          | 18.07         | 71.82          | 15.73       | PK  | Horizo | PASS    |
| 3  | 5670.50         | 37.67          | 55.78          | 18.11         | 83.51          | 27.73       | PK  | Horizo | PASS    |
| 4  | 5709.99         | 37.79          | 56.02          | 18.23         | 108.10         | 52.08       | PK  | Horizo | PASS    |
| 5  | 5851.20         | 53.98          | 72.80          | 18.82         | 119.56         | 46.76       | PK  | Horizo | PASS    |
| 6  | 5866.15         | 45.21          | 64.11          | 18.90         | 107.78         | 43.67       | PK  | Horizo | PASS    |
| 7  | 5880.29         | 43.27          | 62.25          | 18.98         | 101.37         | 39.12       | PK  | Horizo | PASS    |
| 8  | 5925.95         | 39.14          | 58.37          | 19.23         | 68.30          | 9.93        | PK  | Horizo | PASS    |

**Transmit at 5825MHz by 802.11ax(20MHz) with RU52-40 Ant2+3****Test Graph****Data List**


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5634.91         | 37.26          | 55.26          | 18.00         | 68.30          | 13.04       | PK  | Vertic | PASS    |
| 2  | 5671.31         | 37.26          | 55.37          | 18.11         | 84.11          | 28.74       | PK  | Vertic | PASS    |
| 3  | 5705.60         | 37.83          | 56.05          | 18.22         | 106.87         | 50.82       | PK  | Vertic | PASS    |
| 4  | 5719.58         | 38.04          | 56.31          | 18.27         | 110.78         | 54.47       | PK  | Vertic | PASS    |
| 5  | 5851.53         | 49.45          | 68.28          | 18.83         | 118.82         | 50.54       | PK  | Vertic | PASS    |
| 6  | 5868.59         | 42.97          | 61.89          | 18.92         | 107.09         | 45.20       | PK  | Vertic | PASS    |
| 7  | 5886.30         | 39.29          | 58.31          | 19.02         | 96.91          | 38.60       | PK  | Vertic | PASS    |
| 8  | 5946.59         | 38.62          | 57.96          | 19.34         | 68.30          | 10.34       | PK  | Vertic | PASS    |

**Transmit at 5825MHz by 802.11ax(20MHz) with RU106-54 Ant2+3**



| Data List |                        |                   |                   |                  |                   |                |     |        |         |
|-----------|------------------------|-------------------|-------------------|------------------|-------------------|----------------|-----|--------|---------|
| NO        | Frequenc<br>y<br>[MHz] | Reading<br>[dBμV] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Det | Pol    | Verdict |
| 1         | 5641.74                | 38.00             | 56.03             | 18.03            | 68.30             | 12.27          | PK  | Horizo | PASS    |
| 2         | 5678.95                | 37.54             | 55.68             | 18.14            | 89.76             | 34.08          | PK  | Horizo | PASS    |
| 3         | 5694.71                | 38.36             | 56.55             | 18.19            | 101.40            | 44.85          | PK  | Horizo | PASS    |
| 4         | 5718.28                | 37.96             | 56.22             | 18.26            | 110.42            | 54.20          | PK  | Horizo | PASS    |
| 5         | 5852.83                | 53.67             | 72.50             | 18.83            | 115.86            | 43.36          | PK  | Horizo | PASS    |
| 6         | 5870.21                | 45.78             | 64.71             | 18.93            | 106.64            | 41.93          | PK  | Horizo | PASS    |
| 7         | 5884.84                | 40.65             | 59.67             | 19.02            | 98.00             | 38.33          | PK  | Horizo | PASS    |
| 8         | 5899.63                | 39.23             | 58.33             | 19.10            | 87.04             | 28.71          | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5626.63         | 37.48          | 55.46          | 17.98         | 68.30          | 12.84       | PK  | Vertic | PASS    |
| 2         | 5662.54         | 37.55          | 55.63          | 18.08         | 77.61          | 21.98       | PK  | Vertic | PASS    |
| 3         | 5687.89         | 37.29          | 55.45          | 18.16         | 96.37          | 40.92       | PK  | Vertic | PASS    |
| 4         | 5722.01         | 37.65          | 55.92          | 18.27         | 115.49         | 59.57       | PK  | Vertic | PASS    |
| 5         | 5853.31         | 51.70          | 70.53          | 18.83         | 114.75         | 44.22       | PK  | Vertic | PASS    |
| 6         | 5869.89         | 42.74          | 61.67          | 18.93         | 106.73         | 45.06       | PK  | Vertic | PASS    |
| 7         | 5897.84         | 38.94          | 58.03          | 19.09         | 88.36          | 30.33       | PK  | Vertic | PASS    |
| 8         | 5933.43         | 38.59          | 57.86          | 19.27         | 68.30          | 10.44       | PK  | Vertic | PASS    |

Note:

1.Level=Reading+Factor .

2. Margin=Limit-Level.

The End