

记录编号：

惠州硕贝德无线科技股份有限公司
Huizhou Speed Wireless Technology Co., Ltd
No. 138 Huize Avenue, Dongjiang High-Tech Industrial Park, Zhongkai High-Tech Zone, Huizhou City

承 认 书
Letter of Acknowledgment

Applicable Models: PM84PW-NFC

Material Code:

Material Model: F-0W-A0-1479-000-K0


Date: 2023-12-11

Supplier: Huizhou Speed Wireless Technology Co., Ltd

Customer Confirmation Section		

1. Cover.....	1
2. Table of Contents.....	2
3. 2D Drawing.....	3
4.FAI Report.....	4
5. CPK Report.....	5
6. Electrical Performance Report.....	6

0	1	0	0	0
标记	处数	更改内容	签名	日期
				备注



A面

- 技术要求:
- 图中“*”为重点管控尺寸;
 - 产品整洁,不得有油污、划痕、变形、损伤等;
 - NFC贴合时注意压合平整,不得出现平面起翘现象。组装后无气泡、皱折等不良缺陷。
 - 符合我司《产品中有毒有害物质管理标准》(包括但不限于欧盟RoHS2.0)。

序号	料号	名称	材质	用量	备注
1	S-26-XX-0XXX-001-K0	铁氧体	厚度0.11mm	1pcs	
2	M-23-XX-0XXX-001-K0	NFC-FPC	PI半对半	1pcs	

名称	NFC天线			设计	肖勇兵	日期	23. 7. 11
机种	PM84-NFC			审核		日期	
料号	F-0W-A0-1479-000-K0			批准		日期	
材质	铁氧体+FPC			版本号	S01		
比例	F1T	第三角			惠州硕贝德无线科技股份有限公司 Huizhou speed wireless technology co., ltd.		
单位	mm						

惠州硕贝德无线科技股份有限公司
Huizhou speed wireless technology co.,ltd.



惠州硕贝德无线科技股份有限公司
Huizhou speed wireless technology co., ltd.
Dimensional Inspection Report

PM84PW-NFC Antenna				Part Number: F-OW-A0-1479-000-K0						Number of acupoints measured:5				
Version: S01				Surveyor: Cai Peixia				Reviewed by: Hu Xiaoqun		Measurement Date: 2023/12/7				
NO	Specification			Measurement value						Determining deviation				
	Nominal value	Upper tolerance	Lower tolerance	1	2	3	4	5	Measuring tool					
1	71.38	0.15	-0.15	71.398	71.442	71.385	71.427	71.437	2D world	OK	OK	OK	OK	OK
2	55.00	0.15	-0.15	54.918	54.978	55.008	54.976	55.004	2D world	OK	OK	OK	OK	OK
3	0.22	0.03	-0.03	0.236	0.234	0.231	0.245	0.216	Caliper	OK	OK	OK	OK	OK
4	1.80	0.30	-0.30	1.820	1.840	1.860	1.890	1.810	2D world	OK	OK	OK	OK	OK
5	0.37	0.03	-0.03	0.354	0.384	0.360	0.394	0.385	Caliper	OK	OK	OK	OK	OK

CPK Report

Part Number(料号)	F-0W-A0-1479-000-K0						Vendor(供应商)	SPEED	
Description(零件名称)	PM84PW-NFC						Inspected(确认者)		
Tool Number(模号)							Inches/MM(英寸/毫米)	mm	
Cavity(穴号)							Material Name(材质名称)		
							Material Code(材质牌号)		
Revision(版本)	S01						Date(日期)	2023/11/21	
Dim. Designator(尺寸序号)	1*	2*							
Nominal(公称尺寸)	71.3800	55.0000							
+ Tolerance(正公差)	0.1500	0.1500							
- Tolerance(负公差)	-0.1500	-0.1500							
Upper Limit(规格上限)	71.53	55.15							
Lower Limit(规格下限)	71.23	54.85							
1	71.3800	55.0000							
2	71.3900	54.9300							
3	71.4200	54.9700							
4	71.4300	54.9800							
5	71.4400	55.0100							
6	71.3830	55.0200							
7	71.3800	55.0000							
8	71.3900	54.9300							
9	71.4200	54.9700							
10	71.4300	54.9800							
11	71.4400	55.0100							
12	71.3830	55.0200							
13	71.3800	54.9700							
14	71.3900	54.9800							
15	71.4200	55.0100							
16	71.4300	55.0200							
17	71.4400	55.0000							
18	71.3830	54.9300							
19	71.4300	54.9700							
20	71.4400	54.9800							
21	71.3830	55.0100							
22	71.3800	54.9700							
23	71.3900	54.9800							
24	71.4200	55.0100							
25	71.4300	55.0200							
26	71.4300	55.0000							
27	71.4400	54.9300							
28	71.3830	54.9700							
29	71.3800	54.9800							
30	71.3900	55.0100							
31	71.4200	54.9800							
32	71.4300	55.0100							
MAX.	62.9470	55.02							
MIN.	71.38	54.93							
AVERAGE	71.41	54.99							
STDEV	0.02	0.03							
CP	2.08	1.77							
Cpk	1.70	1.60							
TOOLING(测量工具)	二次元	二次元							

审核：胡小群

制表：

制作：蔡佩霞

4.distance

type	NFC Type 2 Tag,R/W Free	NFC Type 4 Tag,R/W Free(A)	NFC Type 4 Tag,R/W Free(B)	NFC Type 4 Tag,8K Bytes,R/W Free	NFC Type 4 Tag,32K Bytes,R/W Free	Mifare Tag,R/W Free
						
Spec(mm)	40	20	20	20	20	40
DVT1(mm)	58	36	28	45	36	46
DVT2 (mm)	58	36	28	49	35	48