





11AX80SISO-Ant3-6945-PASS



11AX80SISO-Ant3-7025-PASS

<Partial RU>:

TestMode	Frequency [MHz]	Ru Size	Ru Index	Result [dBm/MHz]		Gain [dBi]		EIRP [dBm/MHz]		Limit [dBm/MHz]	Verdict
				SISO	CDD	SISO	CDD	SISO	CDD		
11AX20SISO	5955	26Tone	RU0	-8.57	-5.56	0.8	3.14	-7.77	-2.42	≤-1.00	PASS
11AX20SISO	5955	26Tone	RU8	-8.51	-5.5	0.8	3.14	-7.71	-2.36	≤-1.00	PASS
11AX20SISO	5955	52Tone	RU37	-8.61	-5.6	0.8	3.14	-7.81	-2.46	≤-1.00	PASS
11AX20SISO	5955	52Tone	RU40	-8.73	-5.72	0.8	3.14	-7.93	-2.58	≤-1.00	PASS
11AX20SISO	5955	106Tone	RU53	-8.2	-5.19	0.8	3.14	-7.4	-2.05	≤-1.00	PASS
11AX20SISO	5955	106Tone	RU54	-8.61	-5.6	0.8	3.14	-7.81	-2.46	≤-1.00	PASS
11AX20SISO	6175	26Tone	RU0	-9.38	-6.37	0.8	3.14	-8.58	-3.23	≤-1.00	PASS
11AX20SISO	6175	26Tone	RU8	-9.65	-6.64	0.8	3.14	-8.85	-3.5	≤-1.00	PASS
11AX20SISO	6175	52Tone	RU37	-9.3	-6.29	0.8	3.14	-8.5	-3.15	≤-1.00	PASS
11AX20SISO	6175	52Tone	RU40	-9.68	-6.67	0.8	3.14	-8.88	-3.53	≤-1.00	PASS
11AX20SISO	6175	106Tone	RU53	-9	-5.99	0.8	3.14	-8.2	-2.85	≤-1.00	PASS
11AX20SISO	6175	106Tone	RU54	-9.22	-6.21	0.8	3.14	-8.42	-3.07	≤-1.00	PASS
11AX20SISO	6415	26Tone	RU0	-9	-5.99	0.8	3.14	-8.2	-2.85	≤-1.00	PASS
11AX20SISO	6415	26Tone	RU8	-8.8	-5.79	0.8	3.14	-8.0	-2.65	≤-1.00	PASS
11AX20SISO	6415	52Tone	RU37	-8.98	-5.97	0.8	3.14	-8.18	-2.83	≤-1.00	PASS
11AX20SISO	6415	52Tone	RU40	-8.64	-5.63	0.8	3.14	-7.84	-2.49	≤-1.00	PASS
11AX20SISO	6415	106Tone	RU53	-8.46	-5.45	0.8	3.14	-7.66	-2.31	≤-1.00	PASS
11AX20SISO	6415	106Tone	RU54	-8.43	-5.42	0.8	3.14	-7.63	-2.28	≤-1.00	PASS
11AX20SISO	6435	26Tone	RU0	-8.54	-5.53	0.3	2.64	-8.24	-2.89	≤-1.00	PASS
11AX20SISO	6435	26Tone	RU8	-8.94	-5.93	0.3	2.64	-8.64	-3.29	≤-1.00	PASS
11AX20SISO	6435	52Tone	RU37	-8.37	-5.36	0.3	2.64	-8.07	-2.72	≤-1.00	PASS
11AX20SISO	6435	52Tone	RU40	-8.68	-5.67	0.3	2.64	-8.38	-3.03	≤-1.00	PASS
11AX20SISO	6435	106Tone	RU53	-7.9	-4.89	0.3	2.64	-7.6	-2.25	≤-1.00	PASS
11AX20SISO	6435	106Tone	RU54	-8.3	-5.29	0.3	2.64	-8	-2.65	≤-1.00	PASS
11AX20SISO	6475	26Tone	RU0	-8.81	-5.8	0.3	2.64	-8.51	-3.16	≤-1.00	PASS
11AX20SISO	6475	26Tone	RU8	-8.24	-5.23	0.3	2.64	-7.94	-2.59	≤-1.00	PASS
11AX20SISO	6475	52Tone	RU37	-8.11	-5.1	0.3	2.64	-7.81	-2.46	≤-1.00	PASS
11AX20SISO	6475	52Tone	RU40	-8.74	-5.73	0.3	2.64	-8.44	-3.09	≤-1.00	PASS
11AX20SISO	6475	106Tone	RU53	-8.9	-5.89	0.3	2.64	-8.6	-3.25	≤-1.00	PASS
11AX20SISO	6475	106Tone	RU54	-8.45	-5.44	0.3	2.64	-8.15	-2.8	≤-1.00	PASS
11AX20SISO	6515	26Tone	RU0	-8.34	-5.33	0.3	2.64	-8.04	-2.69	≤-1.00	PASS
11AX20SISO	6515	26Tone	RU8	-9.11	-6.1	0.3	2.64	-8.81	-3.46	≤-1.00	PASS
11AX20SISO	6515	52Tone	RU37	-8.7	-5.69	0.3	2.64	-8.4	-3.05	≤-1.00	PASS
11AX20SISO	6515	52Tone	RU40	-9.29	-6.28	0.3	2.64	-8.99	-3.64	≤-1.00	PASS
11AX20SISO	6515	106Tone	RU53	-8.75	-5.74	0.3	2.64	-8.45	-3.1	≤-1.00	PASS
11AX20SISO	6515	106Tone	RU54	-8.82	-5.81	0.3	2.64	-8.52	-3.17	≤-1.00	PASS
11AX20SISO	6535	26Tone	RU0	-8.02	-5.01	0.6	3.08	-7.42	-1.93	≤-1.00	PASS
11AX20SISO	6535	26Tone	RU8	-8.5	-5.49	0.6	3.08	-7.9	-2.41	≤-1.00	PASS
11AX20SISO	6535	52Tone	RU37	-8.34	-5.33	0.6	3.08	-7.74	-2.25	≤-1.00	PASS
11AX20SISO	6535	52Tone	RU40	-8.85	-5.84	0.6	3.08	-8.25	-2.76	≤-1.00	PASS
11AX20SISO	6535	106Tone	RU53	-8.37	-5.36	0.6	3.08	-7.77	-2.28	≤-1.00	PASS
11AX20SISO	6535	106Tone	RU54	-8.57	-5.56	0.6	3.08	-7.97	-2.48	≤-1.00	PASS
11AX20SISO	6695	26Tone	RU0	-9.11	-6.1	0.6	3.08	-8.51	-3.02	≤-1.00	PASS
11AX20SISO	6695	26Tone	RU8	-9.08	-6.07	0.6	3.08	-8.48	-2.99	≤-1.00	PASS
11AX20SISO	6695	52Tone	RU37	-9.02	-6.01	0.6	3.08	-8.42	-2.93	≤-1.00	PASS
11AX20SISO	6695	52Tone	RU40	-9.21	-6.2	0.6	3.08	-8.61	-3.12	≤-1.00	PASS


11AX20SISO	6695	106Tone	RU53	-8.79	-5.78	0.6	3.08	-8.19	-2.7	≤-1.00	PASS
11AX20SISO	6695	106Tone	RU54	-8.76	-5.75	0.6	3.08	-8.16	-2.67	≤-1.00	PASS
11AX20SISO	6855	26Tone	RU0	-10.2	-7.19	0.6	3.08	-9.6	-4.11	≤-1.00	PASS
11AX20SISO	6855	26Tone	RU8	-9.95	-6.94	0.6	3.08	-9.35	-3.86	≤-1.00	PASS
11AX20SISO	6855	52Tone	RU37	-10.24	-7.23	0.6	3.08	-9.64	-4.15	≤-1.00	PASS
11AX20SISO	6855	52Tone	RU40	-10.05	-7.04	0.6	3.08	-9.45	-3.96	≤-1.00	PASS
11AX20SISO	6855	106Tone	RU53	-9.65	-6.64	0.6	3.08	-9.05	-3.56	≤-1.00	PASS
11AX20SISO	6855	106Tone	RU54	-9.57	-6.56	0.6	3.08	-8.97	-3.48	≤-1.00	PASS
11AX20SISO	6875	26Tone	RU0	-9.05	-6.04	0.7	3.22	-8.35	-2.82	≤-1.00	PASS
11AX20SISO	6875	26Tone	RU8	-9.78	-6.77	0.7	3.22	-9.08	-3.55	≤-1.00	PASS
11AX20SISO	6875	52Tone	RU37	-8.53	-5.52	0.7	3.22	-7.83	-2.3	≤-1.00	PASS
11AX20SISO	6875	52Tone	RU40	-9.16	-6.15	0.7	3.22	-8.46	-2.93	≤-1.00	PASS
11AX20SISO	6875	106Tone	RU53	-8.36	-5.35	0.7	3.22	-7.66	-2.13	≤-1.00	PASS
11AX20SISO	6875	106Tone	RU54	-8.83	-5.82	0.7	3.22	-8.13	-2.6	≤-1.00	PASS
11AX20SISO	6895	26Tone	RU0	-9.73	-6.72	0.7	3.22	-9.03	-3.5	≤-1.00	PASS
11AX20SISO	6895	26Tone	RU8	-9.51	-6.5	0.7	3.22	-8.81	-3.28	≤-1.00	PASS
11AX20SISO	6895	52Tone	RU37	-9.86	-6.85	0.7	3.22	-9.16	-3.63	≤-1.00	PASS
11AX20SISO	6895	52Tone	RU40	-9.78	-6.77	0.7	3.22	-9.08	-3.55	≤-1.00	PASS
11AX20SISO	6895	106Tone	RU53	-9.56	-6.55	0.7	3.22	-8.86	-3.33	≤-1.00	PASS
11AX20SISO	6895	106Tone	RU54	-9.19	-6.18	0.7	3.22	-8.49	-2.96	≤-1.00	PASS
11AX20SISO	6995	26Tone	RU0	-10.09	-7.08	0.7	3.22	-9.39	-3.86	≤-1.00	PASS
11AX20SISO	6995	26Tone	RU8	-10.52	-7.51	0.7	3.22	-9.82	-4.29	≤-1.00	PASS
11AX20SISO	6995	52Tone	RU37	-9.03	-6.02	0.7	3.22	-8.33	-2.8	≤-1.00	PASS
11AX20SISO	6995	52Tone	RU40	-9.93	-6.92	0.7	3.22	-9.23	-3.7	≤-1.00	PASS
11AX20SISO	6995	106Tone	RU53	-8.84	-5.83	0.7	3.22	-8.14	-2.61	≤-1.00	PASS
11AX20SISO	6995	106Tone	RU54	-9.05	-6.04	0.7	3.22	-8.35	-2.82	≤-1.00	PASS
11AX20SISO	7095	26Tone	RU0	-9.96	-6.95	0.7	3.22	-9.26	-3.73	≤-1.00	PASS
11AX20SISO	7095	26Tone	RU8	-10.27	-7.26	0.7	3.22	-9.57	-4.04	≤-1.00	PASS
11AX20SISO	7095	52Tone	RU37	-9.82	-6.81	0.7	3.22	-9.12	-3.59	≤-1.00	PASS
11AX20SISO	7095	52Tone	RU40	-10.01	-7	0.7	3.22	-9.31	-3.78	≤-1.00	PASS
11AX20SISO	7095	106Tone	RU53	-9.71	-6.7	0.7	3.22	-9.01	-3.48	≤-1.00	PASS
11AX20SISO	7095	106Tone	RU54	-9.67	-6.66	0.7	3.22	-8.97	-3.44	≤-1.00	PASS
11AX20SISO	7115	26Tone	RU0	-9.09	-6.08	0.7	3.22	-8.39	-2.86	≤-1.00	PASS
11AX20SISO	7115	26Tone	RU8	-9.35	-6.34	0.7	3.22	-8.65	-3.12	≤-1.00	PASS
11AX20SISO	7115	52Tone	RU37	-8.98	-5.97	0.7	3.22	-8.28	-2.75	≤-1.00	PASS
11AX20SISO	7115	52Tone	RU40	-9.6	-6.59	0.7	3.22	-8.9	-3.37	≤-1.00	PASS
11AX20SISO	7115	106Tone	RU53	-8.67	-5.66	0.7	3.22	-7.97	-2.44	≤-1.00	PASS
11AX20SISO	7115	106Tone	RU54	-8.59	-5.58	0.7	3.22	-7.89	-2.36	≤-1.00	PASS

Note1: CDD PSD = SISO PSD + 10*Log(N), N = Antenna number.


Note2: For SISO mode, we evaluated Ant2 and Ant3. Because Ant2 has higher RF output power, the test data for the worst-performing Ant2 is shown in the report.

Note3: EIRP PSD = PSD + Gain.


Note4: The Duty Cycle Factor and RBW Factor is compensated in the graph.




11AX20SISO-Ant2-5955-26Tone-RU0-PASS




11AX20SISO-Ant2-5955-26Tone-RU8-PASS




11AX20SISO-Ant2-5955-52Tone-RU37-PASS




11AX20SISO-Ant2-5955-52Tone-RU40-PASS




11AX20SISO-Ant2-5955-106Tone-RU53-PASS




11AX20SISO-Ant2-5955-106Tone-RU54-PASS




11AX20SISO-Ant2-6175-26Tone-RU0-PASS




11AX20SISO-Ant2-6175-26Tone-RU8-PASS




11AX20SISO-Ant2-6175-52Tone-RU37-PASS




11AX20SISO-Ant2-6175-52Tone-RU40-PASS




11AX20SISO-Ant2-6175-106Tone-RU53-PASS




11AX20SISO-Ant2-6175-106Tone-RU54-PASS




11AX20SISO-Ant2-6415-26Tone-RU0-PASS




11AX20SISO-Ant2-6415-26Tone-RU8-PASS




11AX20SISO-Ant2-6415-52Tone-RU37-PASS




11AX20SISO-Ant2-6415-52Tone-RU40-PASS




11AX20SISO-Ant2-6415-106Tone-RU53-PASS




11AX20SISO-Ant2-6415-106Tone-RU54-PASS




11AX20SISO-Ant2-6435-26Tone-RU0-PASS




11AX20SISO-Ant2-6435-26Tone-RU8-PASS




11AX20SISO-Ant2-6435-52Tone-RU37-PASS




11AX20SISO-Ant2-6435-52Tone-RU40-PASS




11AX20SISO-Ant2-6435-106Tone-RU53-PASS




11AX20SISO-Ant2-6435-106Tone-RU54-PASS




11AX20SISO-Ant2-6475-26Tone-RU0-PASS




11AX20SISO-Ant2-6475-26Tone-RU8-PASS




11AX20SISO-Ant2-6475-52Tone-RU37-PASS




11AX20SISO-Ant2-6475-52Tone-RU40-PASS




11AX20SISO-Ant2-6475-106Tone-RU53-PASS




11AX20SISO-Ant2-6475-106Tone-RU54-PASS




11AX20SISO-Ant2-6515-26Tone-RU0-PASS




11AX20SISO-Ant2-6515-26Tone-RU8-PASS




11AX20SISO-Ant2-6515-52Tone-RU37-PASS




11AX20SISO-Ant2-6515-52Tone-RU40-PASS




11AX20SISO-Ant2-6515-106Tone-RU53-PASS




11AX20SISO-Ant2-6515-106Tone-RU54-PASS




11AX20SISO-Ant2-6535-26Tone-RU0-PASS




11AX20SISO-Ant2-6535-26Tone-RU8-PASS




11AX20SISO-Ant2-6535-52Tone-RU37-PASS




11AX20SISO-Ant2-6535-52Tone-RU40-PASS




11AX20SISO-Ant2-6535-106Tone-RU53-PASS




11AX20SISO-Ant2-6535-106Tone-RU54-PASS




11AX20SISO-Ant2-6695-26Tone-RU0-PASS




11AX20SISO-Ant2-6695-26Tone-RU8-PASS




11AX20SISO-Ant2-6695-52Tone-RU37-PASS




11AX20SISO-Ant2-6695-52Tone-RU40-PASS




11AX20SISO-Ant2-6695-106Tone-RU53-PASS




11AX20SISO-Ant2-6695-106Tone-RU54-PASS




11AX20SISO-Ant2-6855-26Tone-RU0-PASS




11AX20SISO-Ant2-6855-26Tone-RU8-PASS




11AX20SISO-Ant2-6855-52Tone-RU37-PASS




11AX20SISO-Ant2-6855-52Tone-RU40-PASS




11AX20SISO-Ant2-6855-106Tone-RU53-PASS




11AX20SISO-Ant2-6855-106Tone-RU54-PASS




11AX20SISO-Ant2-6875-26Tone-RU0-PASS




11AX20SISO-Ant2-6875-26Tone-RU8-PASS




11AX20SISO-Ant2-6875-52Tone-RU37-PASS




11AX20SISO-Ant2-6875-52Tone-RU40-PASS




11AX20SISO-Ant2-6875-106Tone-RU53-PASS




11AX20SISO-Ant2-6875-106Tone-RU54-PASS




11AX20SISO-Ant2-6895-26Tone-RU0-PASS




11AX20SISO-Ant2-6895-26Tone-RU8-PASS




11AX20SISO-Ant2-6895-52Tone-RU37-PASS




11AX20SISO-Ant2-6895-52Tone-RU40-PASS




11AX20SISO-Ant2-6895-106Tone-RU53-PASS




11AX20SISO-Ant2-6895-106Tone-RU54-PASS




11AX20SISO-Ant2-6995-26Tone-RU0-PASS




11AX20SISO-Ant2-6995-26Tone-RU8-PASS




11AX20SISO-Ant2-6995-52Tone-RU37-PASS




11AX20SISO-Ant2-6995-52Tone-RU40-PASS




11AX20SISO-Ant2-6995-106Tone-RU53-PASS




11AX20SISO-Ant2-6995-106Tone-RU54-PASS




11AX20SISO-Ant2-7095-26Tone-RU0-PASS




11AX20SISO-Ant2-7095-26Tone-RU8-PASS




11AX20SISO-Ant2-7095-52Tone-RU37-PASS




11AX20SISO-Ant2-7095-52Tone-RU40-PASS




11AX20SISO-Ant2-7095-106Tone-RU53-PASS




11AX20SISO-Ant2-7095-106Tone-RU54-PASS




11AX20SISO-Ant2-7115-26Tone-RU0-PASS




11AX20SISO-Ant2-7115-26Tone-RU8-PASS




11AX20SISO-Ant2-7115-52Tone-RU37-PASS



11AX20SISO-Ant2-7115-52Tone-RU40-PASS



11AX20SISO-Ant2-7115-106Tone-RU53-PASS



11AX20SISO-Ant2-7115-106Tone-RU54-PASS

Under control of standard power AP:


TestMode	Frequency [MHz]	Max PSD [dBm/MHz]		Max Gain[dBi]		Max EIRP PSD[dBm/MHz]		Limit [dBm/MHz]	Verdict
		SISO	CDD	SISO	CDD	SISO	CDD		
11AX20SISO	5955	4.60	7.61	0.80	3.14	5.40	10.75	≤17.00	PASS
11AX20SISO	6175	5.33	8.34	0.80	3.14	6.13	11.48	≤17.00	PASS
11AX20SISO	6415	4.51	7.52	0.80	3.14	5.31	10.66	≤17.00	PASS
11AX20SISO	6535	4.84	7.85	0.70	3.08	5.54	10.93	≤17.00	PASS
11AX20SISO	6695	4.69	7.7	0.70	3.08	5.39	10.78	≤17.00	PASS
11AX20SISO	6855	4.15	7.16	0.70	3.08	4.85	10.24	≤17.00	PASS
11AX20SISO	6875	4.44	7.45	0.70	3.08	5.14	10.53	≤17.00	PASS
11AX40SISO	5965	1.56	4.57	0.80	3.14	2.36	7.71	≤17.00	PASS
11AX40SISO	6165	2.23	5.24	0.80	3.14	3.03	8.38	≤17.00	PASS
11AX40SISO	6405	1.40	4.41	0.80	3.14	2.20	7.55	≤17.00	PASS
11AX40SISO	6565	1.24	4.25	0.70	3.08	1.94	7.33	≤17.00	PASS
11AX40SISO	6685	1.42	4.43	0.70	3.08	2.12	7.51	≤17.00	PASS
11AX40SISO	6845	0.95	3.96	0.70	3.08	1.65	7.04	≤17.00	PASS
11AX40SISO	6885	2.80	5.81	0.70	3.08	3.50	8.89	≤17.00	PASS
11AX80SISO	5985	-1.71	1.30	0.80	3.14	-0.91	4.44	≤17.00	PASS
11AX80SISO	6145	-1.86	1.15	0.80	3.14	-1.06	4.29	≤17.00	PASS
11AX80SISO	6385	-2.56	0.45	0.80	3.14	-1.76	3.59	≤17.00	PASS
11AX80SISO	6625	-2.52	0.49	0.70	3.08	-1.82	3.57	≤17.00	PASS
11AX80SISO	6705	-2.62	0.39	0.70	3.08	-1.92	3.47	≤17.00	PASS
11AX80SISO	6785	-2.96	0.05	0.70	3.08	-2.26	3.13	≤17.00	PASS

Note1: CDD PSD = SISO PSD + 10*Log(N), N = Antenna number.


Note2: For SISO mode, we evaluated Ant2 and Ant3. Because Ant3 has higher RF output power, the test data for the worst-performing Ant3 is shown in the report.

Note3: EIRP PSD = PSD + Gain.


Note4: The Duty Cycle Factor and RBW Factor is compensated in the graph.




11AX20SISO-Ant3-5955-PASS




11AX20SISO-Ant3-6175-PASS




11AX20SISO-Ant3-6415-PASS




11AX20SISO-Ant3-6535-PASS



11AX20SISO-Ant3-6695-PASS




11AX20SISO-Ant3-6855-PASS




11AX20SISO-Ant3-6875-PASS




11AX40SISO-Ant3-5965-PASS




11AX40SISO-Ant3-6165-PASS




11AX40SISO-Ant3-6405-PASS




11AX40SISO-Ant3-6565-PASS




11AX40SISO-Ant3-6685-PASS




11AX40SISO-Ant3-6845-PASS




11AX40SISO-Ant3-6885-PASS




11AX80SISO-Ant3-5985-PASS




11AX80SISO-Ant3-6145-PASS



11AX80SISO-Ant3-6385-PASS



11AX80SISO-Ant3-6625-PASS



11AX80SISO-Ant3-6705-PASS



11AX80SISO-Ant3-6785-PASS

<Partial RU>:


TestMode	Frequency [MHz]	Ru Size	Ru Index	Max PSD [dBm/MHz]		Max Gain[dBi]		Max EIRP PSD[dBm/MHz]		Limit [dBm/MHz]	Verdict
				SISO	CDD	SISO	CDD	SISO	CDD		
11AX20SISO	5955	26Tone	RU0	3.05	6.06	0.8	3.14	3.85	9.20	≤17.00	PASS
11AX20SISO	5955	26Tone	RU8	2.77	5.78	0.8	3.14	3.57	8.92	≤17.00	PASS
11AX20SISO	5955	52Tone	RU37	2.94	5.95	0.8	3.14	3.74	9.09	≤17.00	PASS
11AX20SISO	5955	52Tone	RU40	2.94	5.95	0.8	3.14	3.74	9.09	≤17.00	PASS
11AX20SISO	5955	106Tone	RU53	2.87	5.88	0.8	3.14	3.67	9.02	≤17.00	PASS
11AX20SISO	5955	106Tone	RU54	3.39	6.4	0.8	3.14	4.19	9.54	≤17.00	PASS
11AX20SISO	6175	26Tone	RU0	3.49	6.5	0.8	3.14	4.29	9.64	≤17.00	PASS
11AX20SISO	6175	26Tone	RU8	2.92	5.93	0.8	3.14	3.72	9.07	≤17.00	PASS
11AX20SISO	6175	52Tone	RU37	3.6	6.61	0.8	3.14	4.4	9.75	≤17.00	PASS
11AX20SISO	6175	52Tone	RU40	3.37	6.38	0.8	3.14	4.17	9.52	≤17.00	PASS
11AX20SISO	6175	106Tone	RU53	3.4	6.41	0.8	3.14	4.2	9.55	≤17.00	PASS
11AX20SISO	6175	106Tone	RU54	3.61	6.62	0.8	3.14	4.41	9.76	≤17.00	PASS
11AX20SISO	6415	26Tone	RU0	2.96	5.97	0.8	3.14	3.76	9.11	≤17.00	PASS
11AX20SISO	6415	26Tone	RU8	3.22	6.23	0.8	3.14	4.02	9.37	≤17.00	PASS
11AX20SISO	6415	52Tone	RU37	2.89	5.9	0.8	3.14	3.69	9.04	≤17.00	PASS
11AX20SISO	6415	52Tone	RU40	3.54	6.55	0.8	3.14	4.34	9.69	≤17.00	PASS
11AX20SISO	6415	106Tone	RU53	3.37	6.38	0.8	3.14	4.17	9.52	≤17.00	PASS
11AX20SISO	6415	106Tone	RU54	3.53	6.54	0.8	3.14	4.33	9.68	≤17.00	PASS
11AX20SISO	6535	26Tone	RU0	3.09	6.1	0.6	3.08	3.69	9.18	≤17.00	PASS
11AX20SISO	6535	26Tone	RU8	3.03	6.04	0.6	3.08	3.63	9.12	≤17.00	PASS
11AX20SISO	6535	52Tone	RU37	3.52	6.53	0.6	3.08	4.12	9.61	≤17.00	PASS
11AX20SISO	6535	52Tone	RU40	3.64	6.65	0.6	3.08	4.24	9.73	≤17.00	PASS
11AX20SISO	6535	106Tone	RU53	3.71	6.72	0.6	3.08	4.31	9.80	≤17.00	PASS
11AX20SISO	6535	106Tone	RU54	3.37	6.38	0.6	3.08	3.97	9.46	≤17.00	PASS
11AX20SISO	6695	26Tone	RU0	2.55	5.56	0.6	3.08	3.15	8.64	≤17.00	PASS
11AX20SISO	6695	26Tone	RU8	2.27	5.28	0.6	3.08	2.87	8.36	≤17.00	PASS
11AX20SISO	6695	52Tone	RU37	2.72	5.73	0.6	3.08	3.32	8.81	≤17.00	PASS
11AX20SISO	6695	52Tone	RU40	2.85	5.86	0.6	3.08	3.45	8.94	≤17.00	PASS
11AX20SISO	6695	106Tone	RU53	3.31	6.32	0.6	3.08	3.91	9.40	≤17.00	PASS
11AX20SISO	6695	106Tone	RU54	3.19	6.2	0.6	3.08	3.79	9.28	≤17.00	PASS
11AX20SISO	6855	26Tone	RU0	2.52	5.53	0.6	3.08	3.12	8.61	≤17.00	PASS
11AX20SISO	6855	26Tone	RU8	2.99	6	0.6	3.08	3.59	9.08	≤17.00	PASS
11AX20SISO	6855	52Tone	RU37	2.85	5.86	0.6	3.08	3.45	8.94	≤17.00	PASS
11AX20SISO	6855	52Tone	RU40	3.02	6.03	0.6	3.08	3.62	9.11	≤17.00	PASS
11AX20SISO	6855	106Tone	RU53	2.98	5.99	0.6	3.08	3.58	9.07	≤17.00	PASS
11AX20SISO	6855	106Tone	RU54	3.26	6.27	0.6	3.08	3.86	9.35	≤17.00	PASS
11AX20SISO	6875	26Tone	RU0	2.69	5.7	0.6	3.08	3.39	8.78	≤17.00	PASS
11AX20SISO	6875	26Tone	RU8	2.32	5.33	0.6	3.08	3.02	8.41	≤17.00	PASS
11AX20SISO	6875	52Tone	RU37	3.14	6.15	0.6	3.08	3.84	9.23	≤17.00	PASS
11AX20SISO	6875	52Tone	RU40	2.67	5.68	0.6	3.08	3.37	8.76	≤17.00	PASS
11AX20SISO	6875	106Tone	RU53	3.3	6.31	0.6	3.08	4	9.39	≤17.00	PASS
11AX20SISO	6875	106Tone	RU54	3.04	6.05	0.6	3.08	3.74	9.13	≤17.00	PASS

Note1: CDD PSD = SISO PSD + 10*Log(N), N = Antenna number.


Note2: For SISO mode, we evaluated Ant2 and Ant3. Because Ant2 has higher RF output power, the test data for the worst-performing Ant2 is shown in the report.

Note3: EIRP PSD = PSD + Gain.


Note4: The Duty Cycle Factor and RBW Factor is compensated in the graph.




11AX20SISO-Ant2-5955-26Tone-RU0-PASS




11AX20SISO-Ant2-5955-26Tone-RU8-PASS




11AX20SISO-Ant2-5955-52Tone-RU37-PASS




11AX20SISO-Ant2-5955-52Tone-RU40-PASS




11AX20SISO-Ant2-5955-106Tone-RU53-PASS




11AX20SISO-Ant2-5955-106Tone-RU54-PASS




11AX20SISO-Ant2-6175-26Tone-RU0-PASS



11AX20SISO-Ant2-6175-26Tone-RU8-PASS



11AX20SISO-Ant2-6175-52Tone-RU37-PASS



11AX20SISO-Ant2-6175-52Tone-RU40-PASS