



Transmit at 5775MHz by 802.11ax(80MHz) with Ant2+3



Data List									
NO	Frequeuncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	33.77	44.42	10.65	74.00	29.58	PK	Vertic	PASS
2	11550.00	25.40	36.05	10.65	54.00	17.95	AV	Vertic	PASS
3	17325.00	30.94	50.18	19.24	68.30	18.12	PK	Vertic	PASS


<Partial RU> :

Transmit at 5180MHz by 802.11ax(20MHz) with RU26-0 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10342.44	46.09	53.69	7.60	68.30	14.61	PK	Horizo	PASS
2	15513.60	35.32	51.88	16.56	74.00	22.12	PK	Horizo	PASS
3	15540.00	22.44	38.97	16.53	54.00	15.03	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10343.40	41.51	49.11	7.60	68.30	19.19	PK	Vertic	PASS
2	15514.56	26.26	42.82	16.56	54.00	11.18	AV	Vertic	PASS
3	15514.56	36.46	53.02	16.56	74.00	20.98	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10344.83	42.87	50.47	7.60	68.30	17.83	PK	Horizo	PASS
2	15517.44	37.21	53.76	16.55	74.00	20.24	PK	Horizo	PASS
3	15540.00	22.25	38.78	16.53	54.00	15.22	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU52-37 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10346.27	40.22	47.82	7.60	68.30	20.48	PK	Vertic	PASS
2	15516.48	37.21	53.76	16.55	74.00	20.24	PK	Vertic	PASS
3	15540.00	21.77	38.30	16.53	54.00	15.70	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU106-53 Ant2+3



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10347.23	40.57	48.18	7.61	68.30	20.12	PK	Horizo	PASS
2	15540.00	30.22	46.75	16.53	74.00	27.25	PK	Horizo	PASS
3	15540.00	21.81	38.34	16.53	54.00	15.66	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with RU106-53 Ant2+3



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10351.54	38.19	45.81	7.62	68.30	22.49	PK	Vertic	PASS
2	15540.00	31.58	48.11	16.53	74.00	25.89	PK	Vertic	PASS
3	15540.00	23.39	39.92	16.53	54.00	14.08	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with RU26-8 Ant2+3



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10657.73	37.97	46.40	8.43	74.00	27.60	PK	Horizo	PASS
2	10658.21	28.66	37.09	8.43	54.00	16.91	AV	Horizo	PASS
3	15960.00	22.23	39.50	17.27	54.00	14.50	AV	Horizo	PASS
4	15999.48	33.25	50.69	17.44	74.00	23.31	PK	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with RU26-8 Ant2+3



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	33.55	41.98	8.43	74.00	32.02	PK	Vertic	PASS
2	10640.00	24.53	32.96	8.43	54.00	21.04	AV	Vertic	PASS
3	15960.00	30.66	47.93	17.27	74.00	26.07	PK	Vertic	PASS
4	15960.00	22.38	39.65	17.27	54.00	14.35	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with RU52-40 Ant2+3



Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10655.81	29.08	37.51	8.43	54.00	16.49	AV	Horizo	PASS
2	10656.29	37.45	45.88	8.43	74.00	28.12	PK	Horizo	PASS
3	15960.00	21.92	39.19	17.27	54.00	14.81	AV	Horizo	PASS
4	15960.00	29.96	47.23	17.27	74.00	26.77	PK	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with RU52-40 Ant2+3



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	32.52	40.95	8.43	74.00	33.05	PK	Vertic	PASS
2	10640.00	24.86	33.29	8.43	54.00	20.71	AV	Vertic	PASS
3	15960.00	30.06	47.33	17.27	74.00	26.67	PK	Vertic	PASS
4	15960.00	22.61	39.88	17.27	54.00	14.12	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	32.98	41.41	8.43	74.00	32.59	PK	Horizo	PASS
2	10640.00	26.04	34.47	8.43	54.00	19.53	AV	Horizo	PASS
3	15960.00	29.98	47.25	17.27	74.00	26.75	PK	Horizo	PASS
4	15960.00	22.25	39.52	17.27	54.00	14.48	AV	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	32.66	41.09	8.43	74.00	32.91	PK	Vertic	PASS
2	10640.00	24.79	33.22	8.43	54.00	20.78	AV	Vertic	PASS
3	15960.00	29.95	47.22	17.27	74.00	26.78	PK	Vertic	PASS
4	15960.00	22.06	39.33	17.27	54.00	14.67	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with RU26-0 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10982.60	37.18	46.47	9.29	74.00	27.53	PK	Horizo	PASS
2	10983.08	27.98	37.28	9.30	54.00	16.72	AV	Horizo	PASS
3	16500.00	28.80	46.31	17.51	68.30	21.99	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with RU26-0 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10983.56	38.78	48.08	9.30	74.00	25.92	PK	Vertic	PASS
2	10983.56	29.14	38.44	9.30	54.00	15.56	AV	Vertic	PASS
3	16500.00	29.43	46.94	17.51	68.30	21.36	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with RU52-37 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10986.44	26.71	36.04	9.33	54.00	17.96	AV	Horizo	PASS
2	11000.00	32.21	41.70	9.49	74.00	32.30	PK	Horizo	PASS
3	16500.00	29.28	46.79	17.51	68.30	21.51	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10986.44	28.01	37.34	9.33	54.00	16.66	AV	Vertic	PASS
2	11000.00	31.73	41.22	9.49	74.00	32.78	PK	Vertic	PASS
3	16500.00	29.32	46.83	17.51	68.30	21.47	PK	Vertic	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with RU106-53 Ant2+3



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	24.43	33.92	9.49	54.00	20.08	AV	Horizo	PASS
2	11000.00	32.03	41.52	9.49	74.00	32.48	PK	Horizo	PASS
3	16500.00	29.08	46.59	17.51	68.30	21.71	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with RU106-53 Ant2+3



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	31.83	41.32	9.49	74.00	32.68	PK	Vertic	PASS
2	11000.00	23.96	33.45	9.49	54.00	20.55	AV	Vertic	PASS
3	16500.00	31.27	48.78	17.51	68.30	19.52	PK	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	31.85	41.99	10.14	74.00	32.01	PK	Horizo	PASS
2	11400.00	23.01	33.15	10.14	54.00	20.85	AV	Horizo	PASS
3	17100.00	29.67	48.75	19.08	68.30	19.55	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	31.91	42.05	10.14	74.00	31.95	PK	Vertic	PASS
2	11400.00	23.49	33.63	10.14	54.00	20.37	AV	Vertic	PASS
3	17100.00	31.16	50.24	19.08	68.30	18.06	PK	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	32.09	42.23	10.14	74.00	31.77	PK	Horizo	PASS
2	11400.00	23.66	33.80	10.14	54.00	20.20	AV	Horizo	PASS
3	17100.00	30.17	49.25	19.08	68.30	19.05	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	32.08	42.22	10.14	74.00	31.78	PK	Vertic	PASS
2	11400.00	24.03	34.17	10.14	54.00	19.83	AV	Vertic	PASS
3	17100.00	29.45	48.53	19.08	68.30	19.77	PK	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with RU106-54 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	32.69	42.83	10.14	74.00	31.17	PK	Horizo	PASS
2	11400.00	24.05	34.19	10.14	54.00	19.81	AV	Horizo	PASS
3	17100.00	29.06	48.14	19.08	68.30	20.16	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	32.07	42.21	10.14	74.00	31.79	PK	Vertic	PASS
2	11400.00	23.68	33.82	10.14	54.00	20.18	AV	Vertic	PASS
3	17100.00	29.50	48.58	19.08	68.30	19.72	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with RU26-0 Ant2+3



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11472.79	37.34	47.59	10.25	74.00	26.41	PK	Horizo	PASS
2	11473.27	28.75	39.00	10.25	54.00	15.00	AV	Horizo	PASS
3	17235.00	28.88	47.55	18.67	68.30	20.75	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU26-0 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11473.27	36.90	47.15	10.25	74.00	26.85	PK	Vertic	PASS
2	11473.27	29.30	39.55	10.25	54.00	14.45	AV	Vertic	PASS
3	17235.00	29.02	47.69	18.67	68.30	20.61	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11474.71	27.46	37.71	10.25	54.00	16.29	AV	Horizo	PASS
2	11490.00	33.20	43.48	10.28	74.00	30.52	PK	Horizo	PASS
3	17235.00	29.55	48.22	18.67	68.30	20.08	PK	Horizo	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with RU52-37 Ant2+3



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11476.15	29.03	39.29	10.26	54.00	14.71	AV	Vertic	PASS
2	11490.00	33.09	43.37	10.28	74.00	30.63	PK	Vertic	PASS
3	17235.00	30.03	48.70	18.67	68.30	19.60	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	32.69	42.97	10.28	74.00	31.03	PK	Horizo	PASS
2	11490.00	25.10	35.38	10.28	54.00	18.62	AV	Horizo	PASS
3	17235.00	29.55	48.22	18.67	68.30	20.08	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU106-53 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	31.88	42.16	10.28	74.00	31.84	PK	Vertic	PASS
2	11490.00	24.67	34.95	10.28	54.00	19.05	AV	Vertic	PASS
3	17235.00	29.43	48.10	18.67	68.30	20.20	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11665.90	36.87	47.91	11.04	74.00	26.09	PK	Horizo	PASS
2	11667.33	27.52	38.56	11.04	54.00	15.44	AV	Horizo	PASS
3	17475.00	30.20	50.24	20.04	68.30	18.06	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with RU26-8 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11667.33	38.25	49.29	11.04	74.00	24.71	PK	Vertic	PASS
2	11667.81	28.82	39.86	11.04	54.00	14.14	AV	Vertic	PASS
3	17475.00	28.47	48.51	20.04	68.30	19.79	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11663.98	37.11	48.15	11.04	74.00	25.85	PK	Horizo	PASS
2	11665.90	27.58	38.62	11.04	54.00	15.38	AV	Horizo	PASS
3	17475.00	30.19	50.23	20.04	68.30	18.07	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with RU52-40 Ant2+3




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	31.83	42.86	11.03	74.00	31.14	PK	Vertic	PASS
2	11664.94	26.89	37.93	11.04	54.00	16.07	AV	Vertic	PASS
3	17475.00	28.63	48.67	20.04	68.30	19.63	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with RU106-54 Ant2+3



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	32.24	43.27	11.03	74.00	30.73	PK	Horizo	PASS
2	11650.00	23.06	34.09	11.03	54.00	19.91	AV	Horizo	PASS
3	17475.00	29.40	49.44	20.04	68.30	18.86	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with RU106-54 Ant2+3




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	30.63	41.66	11.03	74.00	32.34	PK	Vertic	PASS
2	11659.19	27.83	38.86	11.03	54.00	15.14	AV	Vertic	PASS
3	17475.00	29.12	49.16	20.04	68.30	19.14	PK	Vertic	PASS

Note :


- 1.Level=Reading+Factor .
2. Margin=Limit-Level.
3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
4. The test frequency range, 18GHz~40GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz:**Transmit at 5180MHz by 802.11a***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.52	12.0	25.49	13.530	40.00	14.51	PK	Horizo	PASS
2	65.41	13.7	25.12	11.420	40.00	14.88	PK	Horizo	PASS
3	114.15	13.6	25.29	11.680	43.50	18.21	PK	Horizo	PASS
4	160.22	13.5	22.99	9.530	43.50	20.51	PK	Horizo	PASS
5	267.89	14.7	28.31	13.620	46.00	17.69	PK	Horizo	PASS
6	483.72	14.9	32.27	17.390	46.00	13.73	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	40.43	13.6	27.57	13.940	40.00	12.43	PK	Vertic	PASS
2	71.23	13.8	24.00	10.190	40.00	16.00	PK	Vertic	PASS
3	116.57	13.4	24.80	11.360	43.50	18.70	PK	Vertic	PASS
4	185.44	14.1	25.05	10.930	43.50	18.45	PK	Vertic	PASS
5	434.49	14.3	30.84	16.580	46.00	15.16	PK	Vertic	PASS
6	796.54	16.1	37.75	21.690	46.00	8.25	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

Appendix C: Emission bandwidth and occupied bandwidth

Emission Bandwidth:

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant3	5180	21.360	5169.360	5190.720	---	---
11A	Ant3	5200	21.600	5189.160	5210.760	---	---
11A	Ant3	5240	21.560	5229.080	5250.640	---	---
11A	Ant3	5260	21.800	5249.160	5270.960	---	---
11A	Ant3	5280	21.480	5269.200	5290.680	---	---
11A	Ant3	5320	21.640	5309.160	5330.800	---	---
11A	Ant3	5500	26.000	5489.160	5515.160	---	---
11A	Ant3	5580	30.240	5564.840	5595.080	---	---
11A	Ant3	5700	29.000	5684.800	5713.800	---	---
11A	Ant3	5745	21.680	5734.080	5755.760	---	---
11A	Ant3	5785	21.520	5774.280	5795.800	---	---
11A	Ant3	5825	21.600	5814.240	5835.840	---	---
11N20SISO	Ant3	5180	21.840	5169.080	5190.920	---	---
11N20SISO	Ant3	5200	21.680	5189.160	5210.840	---	---
11N20SISO	Ant3	5240	21.920	5229.000	5250.920	---	---
11N20SISO	Ant3	5260	21.880	5249.200	5271.080	---	---
11N20SISO	Ant3	5280	21.560	5269.200	5290.760	---	---
11N20SISO	Ant3	5320	21.680	5309.160	5330.840	---	---
11N20SISO	Ant3	5500	26.360	5488.760	5515.120	---	---
11N20SISO	Ant3	5580	30.240	5564.960	5595.200	---	---
11N20SISO	Ant3	5700	26.000	5689.000	5715.000	---	---
11N20SISO	Ant3	5745	21.760	5734.080	5755.840	---	---
11N20SISO	Ant3	5785	21.880	5774.040	5795.920	---	---
11N20SISO	Ant3	5825	21.600	5814.200	5835.800	---	---
11N40SISO	Ant3	5190	40.560	5169.760	5210.320	---	---
11N40SISO	Ant3	5230	41.520	5209.840	5251.360	---	---
11N40SISO	Ant3	5270	40.080	5249.920	5290.000	---	---
11N40SISO	Ant3	5310	40.960	5289.520	5330.480	---	---
11N40SISO	Ant3	5510	40.720	5489.760	5530.480	---	---
11N40SISO	Ant3	5590	60.960	5564.960	5625.920	---	---
11N40SISO	Ant3	5670	61.200	5644.960	5706.160	---	---
11N40SISO	Ant3	5755	40.800	5734.680	5775.480	---	---
11N40SISO	Ant3	5795	40.800	5774.520	5815.320	---	---
11AC20SISO	Ant3	5180	22.040	5168.880	5190.920	---	---
11AC20SISO	Ant3	5200	21.520	5189.160	5210.680	---	---
11AC20SISO	Ant3	5240	21.760	5229.160	5250.920	---	---
11AC20SISO	Ant3	5260	21.840	5249.160	5271.000	---	---
11AC20SISO	Ant3	5280	21.560	5269.200	5290.760	---	---
11AC20SISO	Ant3	5320	21.560	5309.280	5330.840	---	---
11AC20SISO	Ant3	5500	21.920	5489.160	5511.080	---	---
11AC20SISO	Ant3	5580	29.040	5566.120	5595.160	---	---
11AC20SISO	Ant3	5700	22.480	5688.520	5711.000	---	---
11AC20SISO	Ant3	5745	21.960	5734.120	5756.080	---	---
11AC20SISO	Ant3	5785	21.800	5773.960	5795.760	---	---
11AC20SISO	Ant3	5825	21.680	5814.160	5835.840	---	---
11AC40SISO	Ant3	5190	40.480	5169.840	5210.320	---	---
11AC40SISO	Ant3	5230	42.240	5209.280	5251.520	---	---

11AC40SISO	Ant3	5270	40.080	5249.840	5289.920	---	---
11AC40SISO	Ant3	5310	40.400	5289.840	5330.240	---	---
11AC40SISO	Ant3	5510	40.160	5490.000	5530.160	---	---
11AC40SISO	Ant3	5590	40.960	5569.440	5610.400	---	---
11AC40SISO	Ant3	5670	41.520	5648.640	5690.160	---	---
11AC40SISO	Ant3	5755	40.800	5734.520	5775.320	---	---
11AC40SISO	Ant3	5795	40.320	5774.760	5815.080	---	---
11AC80SISO	Ant3	5210	82.240	5168.880	5251.120	---	---
11AC80SISO	Ant3	5290	82.080	5249.200	5331.280	---	---
11AC80SISO	Ant3	5530	81.760	5489.360	5571.120	---	---
11AC80SISO	Ant3	5610	82.080	5569.040	5651.120	---	---
11AC80SISO	Ant3	5775	82.560	5733.720	5816.280	---	---
11AX20SISO	Ant3	5180	21.640	5169.160	5190.800	---	---
11AX20SISO	Ant3	5200	21.440	5189.280	5210.720	---	---
11AX20SISO	Ant3	5240	21.840	5229.160	5251.000	---	---
11AX20SISO	Ant3	5260	21.480	5249.280	5270.760	---	---
11AX20SISO	Ant3	5280	21.880	5268.960	5290.840	---	---
11AX20SISO	Ant3	5320	21.840	5309.120	5330.960	---	---
11AX20SISO	Ant3	5500	21.960	5489.000	5510.960	---	---
11AX20SISO	Ant3	5580	22.480	5568.360	5590.840	---	---
11AX20SISO	Ant3	5700	22.040	5689.040	5711.080	---	---
11AX20SISO	Ant3	5745	21.680	5734.160	5755.840	---	---
11AX20SISO	Ant3	5785	21.680	5774.040	5795.720	---	---
11AX20SISO	Ant3	5825	21.600	5814.240	5835.840	---	---
11AX40SISO	Ant3	5190	40.480	5169.760	5210.240	---	---
11AX40SISO	Ant3	5230	40.400	5209.920	5250.320	---	---
11AX40SISO	Ant3	5270	40.240	5249.840	5290.080	---	---
11AX40SISO	Ant3	5310	40.640	5289.840	5330.480	---	---
11AX40SISO	Ant3	5510	40.320	5489.920	5530.240	---	---
11AX40SISO	Ant3	5590	40.320	5569.920	5610.240	---	---
11AX40SISO	Ant3	5670	40.720	5649.600	5690.320	---	---
11AX40SISO	Ant3	5755	40.480	5734.680	5775.160	---	---
11AX40SISO	Ant3	5795	40.080	5774.920	5815.000	---	---
11AX80SISO	Ant3	5210	82.560	5168.720	5251.280	---	---
11AX80SISO	Ant3	5290	82.720	5249.040	5331.760	---	---
11AX80SISO	Ant3	5530	82.400	5488.880	5571.280	---	---
11AX80SISO	Ant3	5610	82.400	5568.720	5651.120	---	---
11AX80SISO	Ant3	5775	82.240	5733.720	5815.960	---	---



11A-Ant3-5180



11A-Ant3-5200



11A-Ant3-5240



11A-Ant3-5260



11A-Ant3-5280



11A-Ant3-5320



11A-Ant3-5500



11A-Ant3-5580



11A-Ant3-5700



11A-Ant3-5745



11A-Ant3-5785




11A-Ant3-5825



11N20SISO-Ant3-5180



11N20SISO-Ant3-5200



11N20SISO-Ant3-5240



11N20SISO-Ant3-5260




11N20SISO-Ant3-5280



11N20SISO-Ant3-5320



11N20SISO-Ant3-5500




11N20SISO-Ant3-5580



11N20SISO-Ant3-5700




11N20SISO-Ant3-5745



11N20SISO-Ant3-5785



11N20SISO-Ant3-5825



11N40SISO-Ant3-5190



11N40SISO-Ant3-5230



11N40SISO-Ant3-5270



11N40SISO-Ant3-5310



11N40SISO-Ant3-5510




11N40SISO-Ant3-5590




11N40SISO-Ant3-5670



11N40SISO-Ant3-5755



11N40SISO-Ant3-5795



11AC20SISO-Ant3-5180




11AC20SISO-Ant3-5200



11AC20SISO-Ant3-5240



11AC20SISO-Ant3-5260



11AC20SISO-Ant3-5280



11AC20SISO-Ant3-5320



11AC20SISO-Ant3-5500




11AC20SISO-Ant3-5580



11AC20SISO-Ant3-5700



11AC20SISO-Ant3-5745




11AC20SISO-Ant3-5785



11AC20SISO-Ant3-5825



11AC40SISO-Ant3-5190



11AC40SISO-Ant3-5230



11AC40SISO-Ant3-5270



11AC40SISO-Ant3-5310



11AC40SISO-Ant3-5510



11AC40SISO-Ant3-5590



11AC40SISO-Ant3-5670



11AC40SISO-Ant3-5755



11AC40SISO-Ant3-5795



11AC80SISO-Ant3-5210



11AC80SISO-Ant3-5290




11AC80SISO-Ant3-5530




11AC80SISO-Ant3-5610




11AC80SISO-Ant3-5775



11AX20SISO-Ant3-5180



11AX20SISO-Ant3-5200



11AX20SISO-Ant3-5240