







11AC40SISO-Ant3-5755-PASS




11AC40SISO-Ant3-5795-PASS




11AC80SISO-Ant3-5775-PASS




11AX20SISO-Ant3-5745-PASS




11AX20SISO-Ant3-5785-PASS




11AX20SISO-Ant3-5825-PASS



11AX40SISO-Ant3-5755-PASS



11AX40SISO-Ant3-5795-PASS




11AX80SISO-Ant3-5775-PASS


Appendix E: Duty cycle

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant3	5180	1.42	1.52	93.42
11A	Ant3	5200	1.43	1.53	93.46
11A	Ant3	5240	1.43	1.53	93.46
11A	Ant3	5260	1.43	1.53	93.46
11A	Ant3	5280	1.43	1.53	93.46
11A	Ant3	5320	1.43	1.53	93.46
11A	Ant3	5500	1.43	1.53	93.46
11A	Ant3	5580	1.43	1.53	93.46
11A	Ant3	5700	1.43	1.53	93.46
11A	Ant3	5745	1.43	1.53	93.46
11A	Ant3	5785	1.43	1.53	93.46
11A	Ant3	5825	1.42	1.52	93.42
11N20SISO	Ant3	5180	1.33	1.43	93.01
11N20SISO	Ant3	5200	1.33	1.43	93.01
11N20SISO	Ant3	5240	1.34	1.44	93.06
11N20SISO	Ant3	5260	1.33	1.43	93.01
11N20SISO	Ant3	5280	1.34	1.44	93.06
11N20SISO	Ant3	5320	1.33	1.43	93.01
11N20SISO	Ant3	5500	1.34	1.44	93.06
11N20SISO	Ant3	5580	1.34	1.44	93.06
11N20SISO	Ant3	5700	1.34	1.47	91.16
11N20SISO	Ant3	5745	1.34	1.44	93.06
11N20SISO	Ant3	5785	1.33	1.43	93.01
11N20SISO	Ant3	5825	1.34	1.44	93.06
11N40SISO	Ant3	5190	0.66	0.76	86.84
11N40SISO	Ant3	5230	0.66	0.76	86.84
11N40SISO	Ant3	5270	0.66	0.76	86.84
11N40SISO	Ant3	5310	0.67	0.77	87.01
11N40SISO	Ant3	5510	0.67	0.77	87.01
11N40SISO	Ant3	5590	0.67	0.77	87.01
11N40SISO	Ant3	5670	0.67	0.77	87.01
11N40SISO	Ant3	5755	0.67	0.77	87.01
11N40SISO	Ant3	5795	0.66	0.76	86.84
11AC20SISO	Ant3	5180	1.34	1.44	93.06
11AC20SISO	Ant3	5200	1.35	1.45	93.10
11AC20SISO	Ant3	5240	1.34	1.44	93.06
11AC20SISO	Ant3	5260	1.35	1.45	93.10
11AC20SISO	Ant3	5280	1.35	1.45	93.10
11AC20SISO	Ant3	5320	1.34	1.44	93.06
11AC20SISO	Ant3	5500	1.34	1.44	93.06
11AC20SISO	Ant3	5580	1.34	1.44	93.06
11AC20SISO	Ant3	5700	1.34	1.44	93.06
11AC20SISO	Ant3	5745	1.34	1.44	93.06
11AC20SISO	Ant3	5785	1.35	1.45	93.10
11AC20SISO	Ant3	5825	1.35	1.45	93.10
11AC40SISO	Ant3	5190	0.67	0.77	87.01
11AC40SISO	Ant3	5230	0.66	0.76	86.84


11AC40SISO	Ant3	5270	0.66	0.76	86.84
11AC40SISO	Ant3	5310	0.67	0.77	87.01
11AC40SISO	Ant3	5510	0.66	0.76	86.84
11AC40SISO	Ant3	5590	0.67	0.77	87.01
11AC40SISO	Ant3	5670	0.67	0.77	87.01
11AC40SISO	Ant3	5755	0.67	0.77	87.01
11AC40SISO	Ant3	5795	0.67	0.80	83.75
11AC80SISO	Ant3	5210	0.33	0.43	76.74
11AC80SISO	Ant3	5290	0.33	0.43	76.74
11AC80SISO	Ant3	5530	0.33	0.44	75.00
11AC80SISO	Ant3	5610	0.33	0.43	76.74
11AC80SISO	Ant3	5775	0.33	0.43	76.74
11AX20SISO	Ant3	5180	1.04	1.14	91.23
11AX20SISO	Ant3	5200	1.04	1.14	91.23
11AX20SISO	Ant3	5240	1.04	1.14	91.23
11AX20SISO	Ant3	5260	1.04	1.14	91.23
11AX20SISO	Ant3	5280	1.05	1.15	91.30
11AX20SISO	Ant3	5320	1.05	1.15	91.30
11AX20SISO	Ant3	5500	1.04	1.14	91.23
11AX20SISO	Ant3	5580	1.04	1.14	91.23
11AX20SISO	Ant3	5700	1.05	1.15	91.30
11AX20SISO	Ant3	5745	1.04	1.14	91.23
11AX20SISO	Ant3	5785	1.05	1.15	91.30
11AX20SISO	Ant3	5825	1.04	1.14	91.23
11AX40SISO	Ant3	5190	0.55	0.65	84.62
11AX40SISO	Ant3	5230	0.55	0.65	84.62
11AX40SISO	Ant3	5270	0.55	0.65	84.62
11AX40SISO	Ant3	5310	0.55	0.65	84.62
11AX40SISO	Ant3	5510	0.55	0.65	84.62
11AX40SISO	Ant3	5590	0.55	0.65	84.62
11AX40SISO	Ant3	5670	0.55	0.65	84.62
11AX40SISO	Ant3	5755	0.55	0.65	84.62
11AX40SISO	Ant3	5795	0.55	0.65	84.62
11AX80SISO	Ant3	5210	0.30	0.40	75.00
11AX80SISO	Ant3	5290	0.30	0.40	75.00
11AX80SISO	Ant3	5530	0.30	0.40	75.00
11AX80SISO	Ant3	5610	0.29	0.39	74.36
11AX80SISO	Ant3	5775	0.30	0.40	75.00




NTNV-11A-Ant3-5180




NTNV-11A-Ant3-5200




NTNV-11A-Ant3-5240




NTNV-11A-Ant3-5260




NTNV-11A-Ant3-5280




NTNV-11A-Ant3-5320




NTNV-11A-Ant3-5500




NTNV-11A-Ant3-5580




NTNV-11A-Ant3-5700




NTNV-11A-Ant3-5745




NTNV-11A-Ant3-5785




NTNV-11A-Ant3-5825




NTNV-11N20SISO-Ant3-5180




NTNV-11N20SISO-Ant3-5200




NTNV-11N20SISO-Ant3-5240




NTNV-11N20SISO-Ant3-5260




NTNV-11N20SISO-Ant3-5280




NTNV-11N20SISO-Ant3-5320




NTNV-11N20SISO-Ant3-5500




NTNV-11N20SISO-Ant3-5580




NTNV-11N20SISO-Ant3-5700




NTNV-11N20SISO-Ant3-5745




NTNV-11N20SISO-Ant3-5785




NTNV-11N20SISO-Ant3-5825




NTNV-11N40SISO-Ant3-5190




NTNV-11N40SISO-Ant3-5230




NTNV-11N40SISO-Ant3-5270




NTNV-11N40SISO-Ant3-5310




NTNV-11N40SISO-Ant3-5510




NTNV-11N40SISO-Ant3-5590




NTNV-11N40SISO-Ant3-5670




NTNV-11N40SISO-Ant3-5755




NTNV-11N40SISO-Ant3-5795




NTNV-11AC20SISO-Ant3-5180




NTNV-11AC20SISO-Ant3-5200




NTNV-11AC20SISO-Ant3-5240




NTNV-11AC20SISO-Ant3-5260




NTNV-11AC20SISO-Ant3-5280




NTNV-11AC20SISO-Ant3-5320




NTNV-11AC20SISO-Ant3-5500




NTNV-11AC20SISO-Ant3-5580




NTNV-11AC20SISO-Ant3-5700




NTNV-11AC20SISO-Ant3-5745




NTNV-11AC20SISO-Ant3-5785




NTNV-11AC20SISO-Ant3-5825




NTNV-11AC40SISO-Ant3-5190




NTNV-11AC40SISO-Ant3-5230




NTNV-11AC40SISO-Ant3-5270




NTNV-11AC40SISO-Ant3-5310




NTNV-11AC40SISO-Ant3-5510




NTNV-11AC40SISO-Ant3-5590




NTNV-11AC40SISO-Ant3-5670




NTNV-11AC40SISO-Ant3-5755




NTNV-11AC40SISO-Ant3-5795




NTNV-11AC80SISO-Ant3-5210




NTNV-11AC80SISO-Ant3-5290




NTNV-11AC80SISO-Ant3-5530




NTNV-11AC80SISO-Ant3-5610




NTNV-11AC80SISO-Ant3-5775




NTNV-11AX20SISO-Ant3-5180




NTNV-11AX20SISO-Ant3-5200




NTNV-11AX20SISO-Ant3-5240




NTNV-11AX20SISO-Ant3-5260




NTNV-11AX20SISO-Ant3-5280




NTNV-11AX20SISO-Ant3-5320




NTNV-11AX20SISO-Ant3-5500




NTNV-11AX20SISO-Ant3-5580




NTNV-11AX20SISO-Ant3-5700




NTNV-11AX20SISO-Ant3-5745




NTNV-11AX20SISO-Ant3-5785




NTNV-11AX20SISO-Ant3-5825




NTNV-11AX40SISO-Ant3-5190




NTNV-11AX40SISO-Ant3-5230




NTNV-11AX40SISO-Ant3-5270




NTNV-11AX40SISO-Ant3-5310




NTNV-11AX40SISO-Ant3-5510




NTNV-11AX40SISO-Ant3-5590




NTNV-11AX40SISO-Ant3-5670




NTNV-11AX40SISO-Ant3-5755




NTNV-11AX40SISO-Ant3-5795




NTNV-11AX80SISO-Ant3-5210




NTNV-11AX80SISO-Ant3-5290



NTNV-11AX80SISO-Ant3-5530



NTNV-11AX80SISO-Ant3-5610



NTNV-11AX80SISO-Ant3-5775

Appendix F: Power Output

Mode	Channel	Test Frequency (MHz)	Conducted Power(dBm)			Conducted Power Limit (dBm)	Result
			Ant2	Ant3	Ant2+3		
802.11a	36	5180	15.91	16.29	N/A	≤24	Pass
	44	5220	15.89	16.40	N/A	≤24	Pass
	48	5240	16.01	16.35	N/A	≤24	Pass
	52	5260	15.92	16.27	N/A	≤24	Pass
	60	5300	16.04	16.40	N/A	≤24	Pass
	64	5320	15.98	16.23	N/A	≤24	Pass
	100	5500	15.98	16.24	N/A	≤24	Pass
	116	5580	15.99	16.32	N/A	≤24	Pass
	140	5700	15.88	16.46	N/A	≤24	Pass
	149	5745	16.05	16.30	N/A	≤30	Pass
	157	5785	16.11	16.23	N/A	≤30	Pass
	165	5825	15.91	16.24	N/A	≤30	Pass
802.11n20	36	5180	16.10	16.43	19.28	≤24	Pass
	44	5220	16.02	16.29	19.17	≤24	Pass
	48	5240	16.13	16.33	19.24	≤24	Pass
	52	5260	16.06	16.36	19.22	≤24	Pass
	60	5300	15.90	16.25	19.09	≤24	Pass
	64	5320	16.03	16.26	19.16	≤24	Pass
	100	5500	16.13	16.27	19.21	≤24	Pass
	116	5580	16.06	16.42	19.25	≤24	Pass
	140	5700	15.93	16.27	19.11	≤24	Pass
	149	5745	16.02	16.34	19.19	≤30	Pass
	157	5785	15.95	16.39	19.19	≤30	Pass
	165	5825	15.90	16.36	19.15	≤30	Pass
802.11n40	38	5190	15.87	16.23	19.06	≤24	Pass
	46	5230	15.97	16.26	19.13	≤24	Pass
	54	5270	15.96	16.26	19.12	≤24	Pass
	62	5310	16.01	16.46	19.25	≤24	Pass
	102	5510	15.89	16.45	19.19	≤24	Pass
	118	5590	15.97	16.33	19.16	≤24	Pass
	134	5670	15.96	16.26	19.12	≤24	Pass
	151	5755	15.96	16.27	19.13	≤30	Pass
	159	5795	15.93	16.33	19.14	≤30	Pass

802.11ac20	36	5180	16.02	16.45	19.25	≤24	Pass
	44	5220	16.02	16.32	19.18	≤24	Pass
	48	5240	16.10	16.34	19.23	≤24	Pass
	52	5260	15.94	16.45	19.21	≤24	Pass
	60	5300	16.04	16.32	19.19	≤24	Pass
	64	5320	16.08	16.27	19.19	≤24	Pass
	100	5500	15.90	16.22	19.07	≤24	Pass
	116	5580	16.08	16.30	19.20	≤24	Pass
	140	5700	15.91	16.21	19.07	≤24	Pass
	149	5745	16.12	16.45	19.30	≤30	Pass
	157	5785	15.93	16.36	19.16	≤30	Pass
	165	5825	16.02	16.47	19.26	≤30	Pass
802.11ac40	38	5190	16.29	16.56	19.44	≤24	Pass
	46	5230	16.21	16.45	19.34	≤24	Pass
	54	5270	16.27	16.42	19.36	≤24	Pass
	62	5310	16.19	16.41	19.31	≤24	Pass
	102	5510	16.29	16.33	19.32	≤24	Pass
	118	5590	16.17	16.55	19.37	≤24	Pass
	134	5670	16.27	16.57	19.43	≤24	Pass
	151	5755	16.12	16.57	19.36	≤30	Pass
	159	5795	16.26	16.60	19.44	≤30	Pass
802.11ac80	42	5210	15.11	15.58	18.36	≤24	Pass
	58	5290	15.22	15.56	18.40	≤24	Pass
	106	5530	15.25	15.62	18.45	≤24	Pass
	122	5610	15.14	15.46	18.31	≤24	Pass
	155	5775	15.10	15.58	18.36	≤30	Pass
802.11ax20	36	5180	15.19	15.42	18.32	≤24	Pass
	44	5220	15.31	15.42	18.38	≤24	Pass
	48	5240	15.19	15.58	18.40	≤24	Pass
	52	5260	15.10	15.41	18.27	≤24	Pass
	60	5300	15.25	15.63	18.45	≤24	Pass
	64	5320	15.10	15.49	18.31	≤24	Pass
	100	5500	15.13	15.52	18.34	≤24	Pass
	116	5580	15.12	15.56	18.36	≤24	Pass
	140	5700	15.30	15.64	18.48	≤24	Pass
	149	5745	15.18	15.47	18.34	≤30	Pass
	157	5785	15.25	15.65	18.46	≤30	Pass
	165	5825	15.14	15.52	18.34	≤30	Pass

802.11ax40	38	5190	15.19	15.42	18.32	≤24	Pass
	46	5230	15.31	15.42	18.38	≤24	Pass
	54	5270	15.19	15.58	18.40	≤24	Pass
	62	5310	15.10	15.41	18.27	≤24	Pass
	102	5510	15.25	15.63	18.45	≤24	Pass
	118	5590	15.10	15.49	18.31	≤24	Pass
	134	5670	15.14	15.61	18.39	≤24	Pass
	151	5755	15.29	15.49	18.40	≤30	Pass
	159	5795	15.08	15.43	18.27	≤30	Pass
802.11ax80	42	5210	15.23	15.56	18.41	≤24	Pass
	58	5290	15.18	15.66	18.44	≤24	Pass
	106	5530	15.11	15.54	18.34	≤24	Pass
	122	5610	15.30	15.61	18.47	≤24	Pass
	155	5775	15.22	15.51	18.38	≤30	Pass

<Partial RU>:

Mode	Channel	Test Frequency (MHz)	Conducted Power(dBm)			Conducted Power Limit (dBm)	Result
			Ant2	Ant3	Ant2+3		
802.11ax20 26RU-0	36	5180	4.65	4.10	7.39	≤24	Pass
	44	5220	3.64	4.04	6.85	≤24	Pass
	48	5240	4.43	4.10	7.28	≤24	Pass
	52	5260	3.66	4.13	6.91	≤24	Pass
	60	5300	4.72	4.54	7.64	≤24	Pass
	64	5320	3.48	3.54	6.52	≤24	Pass
	100	5500	3.62	3.96	6.80	≤24	Pass
	116	5580	3.82	3.67	6.76	≤24	Pass
	140	5700	3.60	3.81	6.72	≤24	Pass
	149	5745	3.80	4.63	7.25	≤30	Pass
	157	5785	3.72	3.52	6.63	≤30	Pass
	165	5825	3.29	3.37	6.34	≤30	Pass
802.11ax20 26RU-8	36	5180	4.75	5.00	7.89	≤24	Pass
	44	5220	4.24	4.15	7.21	≤24	Pass
	48	5240	3.79	3.47	6.64	≤24	Pass
	52	5260	4.37	4.51	7.45	≤24	Pass
	60	5300	4.39	3.97	7.20	≤24	Pass
	64	5320	4.67	4.61	7.65	≤24	Pass
	100	5500	3.25	3.88	6.59	≤24	Pass
	116	5580	2.64	2.52	5.59	≤24	Pass

	140	5700	3.35	3.22	6.30	≤24	Pass
	149	5745	4.00	3.74	6.88	≤30	Pass
	157	5785	2.95	3.20	6.09	≤30	Pass
	165	5825	3.94	4.10	7.03	≤30	Pass
802.11ax20 52RU-37	36	5180	6.64	6.52	9.59	≤24	Pass
	44	5220	6.75	6.92	9.85	≤24	Pass
	48	5240	6.39	6.01	9.21	≤24	Pass
	52	5260	6.73	6.83	9.79	≤24	Pass
	60	5300	6.69	6.82	9.77	≤24	Pass
	64	5320	6.06	5.98	9.03	≤24	Pass
	100	5500	6.58	6.32	9.46	≤24	Pass
	116	5580	6.23	6.03	9.14	≤24	Pass
	140	5700	5.93	6.54	9.26	≤24	Pass
	149	5745	7.50	7.20	10.36	≤30	Pass
	157	5785	6.13	6.54	9.35	≤30	Pass
	165	5825	7.03	6.79	9.92	≤30	Pass
802.11ax20 52RU-40	36	5180	5.60	6.00	8.81	≤24	Pass
	44	5220	6.58	6.68	9.64	≤24	Pass
	48	5240	5.44	5.57	8.52	≤24	Pass
	52	5260	6.39	6.18	9.30	≤24	Pass
	60	5300	7.17	7.26	10.23	≤24	Pass
	64	5320	6.87	6.78	9.84	≤24	Pass
	100	5500	7.02	7.24	10.14	≤24	Pass
	116	5580	5.60	5.96	8.79	≤24	Pass
	140	5700	6.00	5.79	8.91	≤24	Pass
	149	5745	6.99	6.76	9.89	≤30	Pass
	157	5785	6.07	5.98	9.04	≤30	Pass
	165	5825	7.14	7.12	10.14	≤30	Pass
802.11ax20 106RU-53	36	5180	9.88	10.14	13.02	≤24	Pass
	44	5220	10.38	10.15	13.28	≤24	Pass
	48	5240	9.63	9.95	12.80	≤24	Pass
	52	5260	9.05	9.52	12.30	≤24	Pass
	60	5300	10.27	9.94	13.12	≤24	Pass
	64	5320	9.68	9.85	12.78	≤24	Pass
	100	5500	10.22	10.02	13.13	≤24	Pass
	116	5580	9.63	9.33	12.49	≤24	Pass
	140	5700	8.75	8.80	11.79	≤24	Pass
	149	5745	10.10	10.28	13.20	≤30	Pass
	157	5785	9.46	9.92	12.71	≤30	Pass

	165	5825	9.51	9.39	12.46	≤30	Pass
802.11ax20 106RU-54	36	5180	9.80	10.19	13.01	≤24	Pass
	44	5220	9.86	10.16	13.02	≤24	Pass
	48	5240	8.63	9.05	11.86	≤24	Pass
	52	5260	9.98	9.41	12.71	≤24	Pass
	60	5300	9.97	10.31	13.15	≤24	Pass
	64	5320	10.66	10.74	13.71	≤24	Pass
	100	5500	10.36	10.42	13.40	≤24	Pass
	116	5580	8.79	8.85	11.83	≤24	Pass
	140	5700	8.75	8.97	11.87	≤24	Pass
	149	5745	8.14	8.29	11.23	≤30	Pass
	157	5785	9.75	9.75	12.76	≤30	Pass
	165	5825	9.36	9.25	12.32	≤30	Pass

Appendix G: Maximum Power Spectral Density


TestMode	Frequency[MHz]	Result [dBm/MHz]		Limit[dBm/MHz]	Verdict
		SISO	CDD		
11A	5180	7.44	N/A	≤11.00	PASS
11A	5200	7.97	N/A	≤11.00	PASS
11A	5240	6.85	N/A	≤11.00	PASS
11A	5260	7.39	N/A	≤11.00	PASS
11A	5280	8.00	N/A	≤11.00	PASS
11A	5320	7.58	N/A	≤11.00	PASS
11A	5500	7.11	N/A	≤11.00	PASS
11A	5580	6.74	N/A	≤11.00	PASS
11A	5700	7.17	N/A	≤11.00	PASS
11A	5745	3.91	N/A	≤30.00	PASS
11A	5785	3.26	N/A	≤30.00	PASS
11A	5825	3.66	N/A	≤30.00	PASS
11N20SISO	5180	7.47	10.48	≤11.00	PASS
11N20SISO	5200	7.87	10.88	≤11.00	PASS
11N20SISO	5240	6.58	9.59	≤11.00	PASS
11N20SISO	5260	7.07	10.08	≤11.00	PASS
11N20SISO	5280	7.81	10.82	≤11.00	PASS
11N20SISO	5320	6.80	9.81	≤11.00	PASS
11N20SISO	5500	6.72	9.73	≤11.00	PASS
11N20SISO	5580	6.50	9.51	≤11.00	PASS
11N20SISO	5700	6.26	9.27	≤11.00	PASS
11N20SISO	5745	3.53	6.54	≤30.00	PASS
11N20SISO	5785	2.75	5.76	≤30.00	PASS
11N20SISO	5825	3.43	6.44	≤30.00	PASS
11N40SISO	5190	4.78	7.79	≤11.00	PASS
11N40SISO	5230	4.52	7.53	≤11.00	PASS
11N40SISO	5270	4.81	7.82	≤11.00	PASS
11N40SISO	5310	4.44	7.45	≤11.00	PASS
11N40SISO	5510	3.79	6.8	≤11.00	PASS
11N40SISO	5590	4.06	7.07	≤11.00	PASS
11N40SISO	5670	4.64	7.65	≤11.00	PASS
11N40SISO	5755	0.31	3.32	≤30.00	PASS
11N40SISO	5795	0.77	3.78	≤30.00	PASS
11AC20SISO	5180	7.23	10.24	≤11.00	PASS
11AC20SISO	5200	7.61	10.62	≤11.00	PASS
11AC20SISO	5240	6.46	9.47	≤11.00	PASS
11AC20SISO	5260	6.95	9.96	≤11.00	PASS
11AC20SISO	5280	7.64	10.65	≤11.00	PASS
11AC20SISO	5320	7.47	10.48	≤11.00	PASS
11AC20SISO	5500	7.04	10.05	≤11.00	PASS
11AC20SISO	5580	6.47	9.48	≤11.00	PASS
11AC20SISO	5700	6.06	9.07	≤11.00	PASS
11AC20SISO	5745	3.71	6.72	≤30.00	PASS
11AC20SISO	5785	3.11	6.12	≤30.00	PASS
11AC20SISO	5825	3.36	6.37	≤30.00	PASS
11AC40SISO	5190	4.77	7.78	≤11.00	PASS

11AC40SISO	5230	4.76	7.77	≤11.00	PASS
11AC40SISO	5270	4.88	7.89	≤11.00	PASS
11AC40SISO	5310	3.15	6.16	≤11.00	PASS
11AC40SISO	5510	4.11	7.12	≤11.00	PASS
11AC40SISO	5590	4.09	7.1	≤11.00	PASS
11AC40SISO	5670	4.14	7.15	≤11.00	PASS
11AC40SISO	5755	0.38	3.39	≤30.00	PASS
11AC40SISO	5795	0.69	3.7	≤30.00	PASS
11AC80SISO	5210	0.10	3.11	≤11.00	PASS
11AC80SISO	5290	-0.65	2.36	≤11.00	PASS
11AC80SISO	5530	-0.01	3.00	≤11.00	PASS
11AC80SISO	5610	0.44	3.45	≤11.00	PASS
11AC80SISO	5775	-4.03	-1.02	≤30.00	PASS
11AX20SISO	5180	6.19	9.2	≤11.00	PASS
11AX20SISO	5200	6.24	9.25	≤11.00	PASS
11AX20SISO	5240	5.48	8.49	≤11.00	PASS
11AX20SISO	5260	5.86	8.87	≤11.00	PASS
11AX20SISO	5280	6.65	9.66	≤11.00	PASS
11AX20SISO	5320	5.68	8.69	≤11.00	PASS
11AX20SISO	5500	5.79	8.8	≤11.00	PASS
11AX20SISO	5580	5.15	8.16	≤11.00	PASS
11AX20SISO	5700	4.96	7.97	≤11.00	PASS
11AX20SISO	5745	2.72	5.73	≤30.00	PASS
11AX20SISO	5785	2.28	5.29	≤30.00	PASS
11AX20SISO	5825	2.72	5.73	≤30.00	PASS
11AX40SISO	5190	3.66	6.67	≤11.00	PASS
11AX40SISO	5230	3.10	6.11	≤11.00	PASS
11AX40SISO	5270	3.93	6.94	≤11.00	PASS
11AX40SISO	5310	3.06	6.07	≤11.00	PASS
11AX40SISO	5510	3.59	6.6	≤11.00	PASS
11AX40SISO	5590	1.86	4.87	≤11.00	PASS
11AX40SISO	5670	2.67	5.68	≤11.00	PASS
11AX40SISO	5755	-1.00	2.01	≤30.00	PASS
11AX40SISO	5795	-0.36	2.65	≤30.00	PASS
11AX80SISO	5210	0.82	3.83	≤11.00	PASS
11AX80SISO	5290	-1.05	1.96	≤11.00	PASS
11AX80SISO	5530	-0.42	2.59	≤11.00	PASS
11AX80SISO	5610	0.32	3.33	≤11.00	PASS
11AX80SISO	5775	-4.07	-1.06	≤30.00	PASS


Note1: The Duty Cycle Factor and RBW Factor is compensated in the graph.

Note2: For SISO mode, we evaluated Ant2 and Ant3. Because Ant3 has higher RF output power, the test data for the worst-performing Ant3 is shown in the report.


Note3: CDD PSD = SISO PSD + 10*Log(N), N = Antenna number.



11A-Ant3-5180-PASS



11A-Ant3-5200-PASS



11A-Ant3-5240-PASS



11A-Ant3-5260-PASS