



11AX40SISO-Ant1-6565



11AX40SISO-Ant1-6685




11AX40SISO-Ant1-6845



11AX40SISO-Ant1-6885



11AX40SISO-Ant1-6925



11AX40SISO-Ant1-6965



11AX40SISO-Ant1-7085



11AX80SISO-Ant1-5985



11AX80SISO-Ant1-6145



11AX80SISO-Ant1-6385



11AX80SISO-Ant1-6465



11AX80SISO-Ant1-6545



11AX80SISO-Ant1-6625



11AX80SISO-Ant1-6705



11AX80SISO-Ant1-6785



11AX80SISO-Ant1-6865



11AX80SISO-Ant1-6945



11AX80SISO-Ant1-7025



11AX160SISO-Ant1-6025



11AX160SISO-Ant1-6185



11AX160SISO-Ant1-6345




11AX160SISO-Ant1-6505



11AX160SISO-Ant1-6665



11AX160SISO-Ant1-6825




11AX160SISO-Ant1-6985




Occupied channel bandwidth:

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11AX20SISO	Ant1	5955	18.976	5945.4856	5964.4616	≤320	PASS
11AX20SISO	Ant1	6175	18.953	6165.4804	6184.4334	≤320	PASS
11AX20SISO	Ant1	6415	18.999	6405.4768	6424.4758	≤320	PASS
11AX20SISO	Ant1	6435	18.931	6425.5109	6444.4419	≤320	PASS
11AX20SISO	Ant1	6475	18.954	6465.5074	6484.4614	≤320	PASS
11AX20SISO	Ant1	6515	18.957	6505.4891	6524.4461	≤320	PASS
11AX20SISO	Ant1	6535	18.997	6525.4692	6544.4662	≤320	PASS
11AX20SISO	Ant1	6695	18.963	6685.4825	6704.4455	≤320	PASS
11AX20SISO	Ant1	6855	18.967	6845.4993	6864.4663	≤320	PASS
11AX20SISO	Ant1	6875	18.964	6865.4629	6884.4269	≤320	PASS
11AX20SISO	Ant1	6895	18.991	6885.4977	6904.4887	≤320	PASS
11AX20SISO	Ant1	6995	18.937	6985.5180	7004.4550	≤320	PASS
11AX20SISO	Ant1	7115	18.986	7105.4765	7124.4625	≤320	PASS
11AX40SISO	Ant1	5965	37.615	5946.1627	5983.7777	≤320	PASS
11AX40SISO	Ant1	6165	37.567	6146.1580	6183.7250	≤320	PASS
11AX40SISO	Ant1	6405	37.544	6386.1965	6423.7405	≤320	PASS
11AX40SISO	Ant1	6445	37.650	6426.1356	6463.7856	≤320	PASS
11AX40SISO	Ant1	6485	37.586	6466.2600	6503.8460	≤320	PASS
11AX40SISO	Ant1	6525	37.617	6506.1767	6543.7937	≤320	PASS
11AX40SISO	Ant1	6565	37.641	6546.1998	6583.8408	≤320	PASS
11AX40SISO	Ant1	6685	37.640	6666.1766	6703.8166	≤320	PASS
11AX40SISO	Ant1	6845	37.590	6826.2123	6863.8023	≤320	PASS
11AX40SISO	Ant1	6885	37.686	6866.1025	6903.7885	≤320	PASS
11AX40SISO	Ant1	6925	37.479	6906.2185	6943.6975	≤320	PASS
11AX40SISO	Ant1	6965	37.541	6946.2012	6983.7422	≤320	PASS
11AX40SISO	Ant1	7085	37.622	7066.0725	7103.6945	≤320	PASS
11AX80SISO	Ant1	5985	76.878	5946.5306	6023.4086	≤320	PASS
11AX80SISO	Ant1	6145	76.524	6106.6822	6183.2062	≤320	PASS
11AX80SISO	Ant1	6385	76.899	6346.5005	6423.3995	≤320	PASS
11AX80SISO	Ant1	6465	76.927	6426.5073	6503.4343	≤320	PASS
11AX80SISO	Ant1	6545	76.585	6506.7235	6583.3085	≤320	PASS
11AX80SISO	Ant1	6625	76.804	6586.5109	6663.3149	≤320	PASS
11AX80SISO	Ant1	6705	76.851	6666.6426	6743.4936	≤320	PASS
11AX80SISO	Ant1	6785	76.677	6746.6079	6823.2849	≤320	PASS
11AX80SISO	Ant1	6865	76.923	6826.4517	6903.3747	≤320	PASS
11AX80SISO	Ant1	6945	76.690	6906.5806	6983.2706	≤320	PASS
11AX80SISO	Ant1	7025	76.849	6986.7220	7063.5710	≤320	PASS
11AX160SISO	Ant1	6025	155.69	5947.2244	6102.9144	≤320	PASS
11AX160SISO	Ant1	6185	155.71	6107.0566	6262.7666	≤320	PASS
11AX160SISO	Ant1	6345	155.27	6267.0341	6422.3041	≤320	PASS
11AX160SISO	Ant1	6505	155.48	6427.1992	6582.6792	≤320	PASS
11AX160SISO	Ant1	6665	156.33	6586.9773	6743.3073	≤320	PASS
11AX160SISO	Ant1	6825	155.58	6747.1594	6902.7394	≤320	PASS
11AX160SISO	Ant1	6985	156.11	6907.0304	7063.1404	≤320	PASS


11AX20SISO-Ant1-5955-PASS




11AX20SISO-Ant1-6175-PASS




11AX20SISO-Ant1-6415-PASS




11AX20SISO-Ant1-6435-PASS




11AX20SISO-Ant1-6475-PASS




11AX20SISO-Ant1-6515-PASS




11AX20SISO-Ant1-6535-PASS




11AX20SISO-Ant1-6695-PASS




11AX20SISO-Ant1-6855-PASS




11AX20SISO-Ant1-6875-PASS




11AX20SISO-Ant1-6895-PASS




11AX20SISO-Ant1-6995-PASS




11AX20SISO-Ant1-7115-PASS




11AX40SISO-Ant1-5965-PASS




11AX40SISO-Ant1-6165-PASS




11AX40SISO-Ant1-6405-PASS




11AX40SISO-Ant1-6445-PASS



11AX40SISO-Ant1-6485-PASS




11AX40SISO-Ant1-6525-PASS




11AX40SISO-Ant1-6565-PASS




11AX40SISO-Ant1-6685-PASS




11AX40SISO-Ant1-6845-PASS




11AX40SISO-Ant1-6885-PASS




11AX40SISO-Ant1-6925-PASS



11AX40SISO-Ant1-6965-PASS




11AX40SISO-Ant1-7085-PASS




11AX80SISO-Ant1-5985-PASS




11AX80SISO-Ant1-6145-PASS




11AX80SISO-Ant1-6385-PASS




11AX80SISO-Ant1-6465-PASS




11AX80SISO-Ant1-6545-PASS




11AX80SISO-Ant1-6625-PASS




11AX80SISO-Ant1-6705-PASS




11AX80SISO-Ant1-6785-PASS



11AX80SISO-Ant1-6865-PASS




11AX80SISO-Ant1-6945-PASS




11AX80SISO-Ant1-7025-PASS




11AX160SISO-Ant1-6025-PASS




11AX160SISO-Ant1-6185-PASS




11AX160SISO-Ant1-6345-PASS




11AX160SISO-Ant1-6505-PASS




11AX160SISO-Ant1-6665-PASS



11AX160SISO-Ant1-6825-PASS




11AX160SISO-Ant1-6985-PASS




Appendix D: Duty cycle

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11AX20SISO	Ant1	5955	1.01	1.04	97.12	N/A	PASS
11AX40SISO	Ant1	5965	0.53	0.56	94.64	N/A	PASS
11AX80SISO	Ant1	5985	0.29	0.32	90.63	N/A	PASS
11AX160SISO	Ant1	6025	0.17	0.20	85.00	N/A	PASS


NTNV-11AX20SISO-Ant1-5955




NTNV-11AX40SISO-Ant1-5965



NTNV-11AX80SISO-Ant1-5985



NTNV-11AX160SISO-Ant1-6025



Appendix E: Power Output

Mode	Channel	Test Frequency (MHz)	Conducted Power (dBm)	EIRP Power (dBm)	EIRP Limit (dBm)	Result
802.11ax20	1	5955	6.22	8.70	24	PASS
	45	6175	7.02	9.50	24	PASS
	93	6415	6.17	8.65	24	PASS
	97	6435	6.20	8.64	24	PASS
	105	6475	6.87	9.31	24	PASS
	113	6515	6.32	8.76	24	PASS
	117	6535	6.38	9.05	24	PASS
	149	6695	6.27	8.94	24	PASS
	181	6855	5.95	8.62	24	PASS
	185	6875	6.08	8.75	24	PASS
	189	6895	6.71	9.38	24	PASS
	209	6995	6.68	9.35	24	PASS
	233	7115	6.34	9.01	24	PASS
802.11ax40	3	5965	9.58	12.06	24	PASS
	43	6165	8.97	11.45	24	PASS
	91	6405	9.41	11.89	24	PASS
	99	6445	9.28	11.72	24	PASS
	107	6485	9.19	11.63	24	PASS
	115	6525	9.51	11.95	24	PASS
	123	6565	9.24	11.91	24	PASS
	147	6685	9.10	11.77	24	PASS
	179	6845	8.96	11.63	24	PASS
	187	6885	8.93	11.60	24	PASS
	195	6925	8.68	11.35	24	PASS
	203	6965	8.44	11.11	24	PASS
	227	7085	8.63	11.30	24	PASS
802.11ax80	7	5985	11.61	14.09	24	PASS
	39	6145	12.20	14.68	24	PASS
	87	6385	11.39	13.87	24	PASS
	103	6465	11.20	13.64	24	PASS
	119	6545	11.24	13.91	24	PASS
	135	6625	11.03	13.70	24	PASS
	151	6705	11.80	14.47	24	PASS
	167	6785	10.99	13.66	24	PASS
	183	6865	10.46	13.13	24	PASS
	199	6945	11.36	14.03	24	PASS
	215	7025	11.63	14.30	24	PASS

802.11ax160	15	6025	13.91	16.39	24	PASS
	47	6185	14.59	17.07	24	PASS
	79	6345	13.63	16.11	24	PASS
	111	6505	13.35	15.79	24	PASS
	143	6665	13.32	15.99	24	PASS
	175	6825	13.31	15.98	24	PASS
	207	6985	13.25	15.92	24	PASS

<Partial RU>

Mode	Channel	Test Frequency (MHz)	Conducted Power (dBm)	EIRP Power (dBm)	EIRP Limit (dBm)	Result
802.11ax20 (RU26-0)	1	5955	-2.32	0.16	24	PASS
	45	6175	-2.67	-0.19	24	PASS
	93	6415	-2.78	-0.30	24	PASS
	97	6435	-2.53	-0.09	24	PASS
	105	6475	-2.75	-0.31	24	PASS
	113	6515	-2.39	0.05	24	PASS
	117	6535	-2.43	0.24	24	PASS
	149	6695	-2.57	0.10	24	PASS
	181	6855	-2.55	0.12	24	PASS
	185	6875	-2.45	0.22	24	PASS
	189	6895	-2.36	0.31	24	PASS
	209	6995	-2.73	-0.06	24	PASS
	233	7115	-2.59	0.08	24	PASS
802.11ax20 (RU26-8)	1	5955	-2.41	0.07	24	PASS
	45	6175	-2.66	-0.18	24	PASS
	93	6415	-2.86	-0.38	24	PASS
	97	6435	-2.59	-0.15	24	PASS
	105	6475	-2.85	-0.41	24	PASS
	113	6515	-2.49	-0.05	24	PASS
	117	6535	-2.49	0.18	24	PASS
	149	6695	-2.58	0.09	24	PASS
	181	6855	-2.60	0.07	24	PASS
	185	6875	-2.43	0.24	24	PASS
	189	6895	-2.43	0.24	24	PASS
	209	6995	-2.67	0.00	24	PASS
	233	7115	-2.50	0.17	24	PASS
802.11ax20 (RU52-37)	1	5955	0.15	2.63	24	PASS
	45	6175	0.47	2.95	24	PASS
	93	6415	0.17	2.65	24	PASS
	97	6435	0.07	2.51	24	PASS
	105	6475	0.09	2.53	24	PASS

	113	6515	0.28	2.72	24	PASS
	117	6535	0.24	2.91	24	PASS
	149	6695	0.21	2.88	24	PASS
	181	6855	-0.13	2.54	24	PASS
	185	6875	-0.36	2.31	24	PASS
	189	6895	-0.23	2.44	24	PASS
	209	6995	-0.18	2.49	24	PASS
	233	7115	0.15	2.63	24	PASS
802.11ax20 (RU52-40)	1	5955	0.13	2.61	24	PASS
	45	6175	0.42	2.90	24	PASS
	93	6415	0.25	2.73	24	PASS
	97	6435	0.07	2.51	24	PASS
	105	6475	0.01	2.45	24	PASS
	113	6515	0.22	2.66	24	PASS
	117	6535	0.15	2.82	24	PASS
	149	6695	0.14	2.81	24	PASS
	181	6855	-0.10	2.57	24	PASS
	185	6875	-0.35	2.32	24	PASS
	189	6895	-0.20	2.47	24	PASS
	209	6995	-0.26	2.41	24	PASS
	233	7115	-0.45	2.22	24	PASS
802.11ax20 (RU106-53)	1	5955	1.84	4.32	24	PASS
	45	6175	1.93	4.41	24	PASS
	93	6415	2.41	4.89	24	PASS
	97	6435	2.09	4.53	24	PASS
	105	6475	2.12	4.56	24	PASS
	113	6515	2.15	4.59	24	PASS
	117	6535	2.02	4.69	24	PASS
	149	6695	2.03	4.70	24	PASS
	181	6855	1.74	4.41	24	PASS
	185	6875	1.72	4.39	24	PASS
	189	6895	1.78	4.45	24	PASS
	209	6995	1.67	4.34	24	PASS
	233	7115	1.55	4.22	24	PASS
802.11ax20 (RU106-54)	1	5955	1.87	4.35	24	PASS
	45	6175	1.86	4.34	24	PASS
	93	6415	2.46	4.94	24	PASS
	97	6435	2.09	4.53	24	PASS
	105	6475	2.11	4.55	24	PASS
	113	6515	2.24	4.68	24	PASS
	117	6535	2.07	4.74	24	PASS
	149	6695	2.00	4.67	24	PASS
	181	6855	1.70	4.37	24	PASS
	185	6875	1.78	4.45	24	PASS

	189	6895	1.75	4.42	24	PASS
	209	6995	1.69	4.36	24	PASS
	233	7115	1.57	4.24	24	PASS


Note: EIRP Power = Conducted Power + Antenna Gain.


Appendix F: Maximum Power Spectral Density

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant1	5955	-4.42	2.48	-1.94	≤-1.00	PASS
11AX20SISO	Ant1	6175	-4.53	2.48	-2.05	≤-1.00	PASS
11AX20SISO	Ant1	6415	-4.53	2.48	-2.05	≤-1.00	PASS
11AX20SISO	Ant1	6435	-4.40	2.44	-1.96	≤-1.00	PASS
11AX20SISO	Ant1	6475	-3.72	2.44	-1.28	≤-1.00	PASS
11AX20SISO	Ant1	6515	-4.48	2.44	-2.04	≤-1.00	PASS
11AX20SISO	Ant1	6535	-4.13	2.67	-1.46	≤-1.00	PASS
11AX20SISO	Ant1	6695	-4.36	2.67	-1.69	≤-1.00	PASS
11AX20SISO	Ant1	6855	-4.67	2.67	-2.00	≤-1.00	PASS
11AX20SISO	Ant1	6875	-4.56	2.67	-1.89	≤-1.00	PASS
11AX20SISO	Ant1	6895	-4.09	2.67	-1.42	≤-1.00	PASS
11AX20SISO	Ant1	6995	-4.04	2.67	-1.37	≤-1.00	PASS
11AX20SISO	Ant1	7115	-4.35	2.67	-1.68	≤-1.00	PASS
11AX40SISO	Ant1	5965	-3.67	2.48	-1.19	≤-1.00	PASS
11AX40SISO	Ant1	6165	-4.06	2.48	-1.58	≤-1.00	PASS
11AX40SISO	Ant1	6405	-3.94	2.48	-1.46	≤-1.00	PASS
11AX40SISO	Ant1	6445	-3.89	2.44	-1.45	≤-1.00	PASS
11AX40SISO	Ant1	6485	-4.17	2.44	-1.73	≤-1.00	PASS
11AX40SISO	Ant1	6525	-4.07	2.67	-1.40	≤-1.00	PASS
11AX40SISO	Ant1	6565	-3.92	2.67	-1.25	≤-1.00	PASS
11AX40SISO	Ant1	6685	-4.27	2.67	-1.60	≤-1.00	PASS
11AX40SISO	Ant1	6845	-4.47	2.67	-1.80	≤-1.00	PASS
11AX40SISO	Ant1	6885	-4.51	2.67	-1.84	≤-1.00	PASS
11AX40SISO	Ant1	6925	-4.53	2.67	-1.86	≤-1.00	PASS
11AX40SISO	Ant1	6965	-4.88	2.67	-2.21	≤-1.00	PASS
11AX40SISO	Ant1	7085	-4.74	2.67	-2.07	≤-1.00	PASS
11AX80SISO	Ant1	5985	-4.20	2.48	-1.72	≤-1.00	PASS
11AX80SISO	Ant1	6145	-4.15	2.48	-1.67	≤-1.00	PASS
11AX80SISO	Ant1	6385	-4.01	2.48	-1.53	≤-1.00	PASS
11AX80SISO	Ant1	6465	-4.38	2.44	-1.94	≤-1.00	PASS
11AX80SISO	Ant1	6545	-4.48	2.67	-1.81	≤-1.00	PASS
11AX80SISO	Ant1	6625	-4.07	2.67	-1.40	≤-1.00	PASS
11AX80SISO	Ant1	6705	-1.10	2.67	1.57	≤-1.00	PASS
11AX80SISO	Ant1	6785	-4.38	2.67	-1.71	≤-1.00	PASS
11AX80SISO	Ant1	6865	-4.88	2.67	-2.21	≤-1.00	PASS
11AX80SISO	Ant1	6945	-4.28	2.67	-1.61	≤-1.00	PASS
11AX80SISO	Ant1	7025	-3.98	2.67	-1.31	≤-1.00	PASS
11AX160SISO	Ant1	6025	-4.42	2.48	-1.94	≤-1.00	PASS
11AX160SISO	Ant1	6185	-3.95	2.48	-1.47	≤-1.00	PASS
11AX160SISO	Ant1	6345	-4.65	2.48	-2.17	≤-1.00	PASS
11AX160SISO	Ant1	6505	-4.86	2.67	-2.19	≤-1.00	PASS
11AX160SISO	Ant1	6665	-5.44	2.67	-2.77	≤-1.00	PASS
11AX160SISO	Ant1	6825	-4.32	2.67	-1.65	≤-1.00	PASS
11AX160SISO	Ant1	6985	-5.19	2.67	-2.52	≤-1.00	PASS


Note :1.The Duty Cycle Factor and RBW Factor is compensated in the graph.

2. EIRP = Result + Gain.







11AX20SISO-Ant1-6435-PASS




11AX20SISO-Ant1-6475-PASS




11AX20SISO-Ant1-6515-PASS




11AX20SISO-Ant1-6535-PASS




11AX20SISO-Ant1-6695-PASS




11AX20SISO-Ant1-6855-PASS




11AX20SISO-Ant1-6875-PASS




11AX20SISO-Ant1-6895-PASS




11AX20SISO-Ant1-6995-PASS




11AX20SISO-Ant1-7115-PASS




11AX40SISO-Ant1-5965-PASS




11AX40SISO-Ant1-6165-PASS




11AX40SISO-Ant1-6405-PASS




11AX40SISO-Ant1-6445-PASS




11AX40SISO-Ant1-6485-PASS




11AX40SISO-Ant1-6525-PASS




11AX40SISO-Ant1-6565-PASS




11AX40SISO-Ant1-6685-PASS




11AX40SISO-Ant1-6845-PASS




11AX40SISO-Ant1-6885-PASS




11AX40SISO-Ant1-6925-PASS



11AX40SISO-Ant1-6965-PASS




11AX40SISO-Ant1-7085-PASS




11AX80SISO-Ant1-5985-PASS




11AX80SISO-Ant1-6145-PASS




11AX80SISO-Ant1-6385-PASS




11AX80SISO-Ant1-6465-PASS




11AX80SISO-Ant1-6545-PASS




11AX80SISO-Ant1-6625-PASS



11AX80SISO-Ant1-6705-PASS



11AX80SISO-Ant1-6785-PASS



11AX80SISO-Ant1-6865-PASS




11AX80SISO-Ant1-6945-PASS




11AX80SISO-Ant1-7025-PASS




11AX160SISO-Ant1-6025-PASS




11AX160SISO-Ant1-6185-PASS



11AX160SISO-Ant1-6345-PASS



11AX160SISO-Ant1-6505-PASS



11AX160SISO-Ant1-6665-PASS



11AX160SISO-Ant1-6825-PASS



11AX160SISO-Ant1-6985-PASS



<Partial RU>:

TestMode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant1	5955	26Tone	RU0	-4.83	2.48	-2.35	≤-1.00	PASS
11AX20SISO	Ant1	5955	52Tone	RU37	-4.83	2.48	-2.35	≤-1.00	PASS
11AX20SISO	Ant1	5955	106Tone	RU53	-4.75	2.48	-2.27	≤-1.00	PASS
11AX20SISO	Ant1	6175	26Tone	RU0	-4.61	2.48	-2.13	≤-1.00	PASS
11AX20SISO	Ant1	6175	52Tone	RU37	-4.57	2.48	-2.09	≤-1.00	PASS
11AX20SISO	Ant1	6175	106Tone	RU53	-5.05	2.48	-2.57	≤-1.00	PASS
11AX20SISO	Ant1	6415	26Tone	RU8	-6.73	2.48	-4.25	≤-1.00	PASS
11AX20SISO	Ant1	6415	52Tone	RU40	-4.98	2.48	-2.50	≤-1.00	PASS
11AX20SISO	Ant1	6415	106Tone	RU54	-4.91	2.48	-2.43	≤-1.00	PASS
11AX20SISO	Ant1	6435	26Tone	RU0	-4.93	2.44	-2.49	≤-1.00	PASS
11AX20SISO	Ant1	6435	52Tone	RU37	-5.06	2.44	-2.62	≤-1.00	PASS
11AX20SISO	Ant1	6435	106Tone	RU53	-5.59	2.44	-3.15	≤-1.00	PASS
11AX20SISO	Ant1	6475	26Tone	RU8	-4.39	2.44	-1.95	≤-1.00	PASS
11AX20SISO	Ant1	6475	52Tone	RU40	-5.21	2.44	-2.77	≤-1.00	PASS
11AX20SISO	Ant1	6475	106Tone	RU54	-6	2.44	-3.56	≤-1.00	PASS
11AX20SISO	Ant1	6515	26Tone	RU8	-5.89	2.44	-3.45	≤-1.00	PASS
11AX20SISO	Ant1	6515	52Tone	RU40	-5.32	2.44	-2.88	≤-1.00	PASS
11AX20SISO	Ant1	6515	106Tone	RU54	-5.04	2.44	-2.60	≤-1.00	PASS
11AX20SISO	Ant1	6535	26Tone	RU0	-4.47	2.67	-1.80	≤-1.00	PASS
11AX20SISO	Ant1	6535	52Tone	RU37	-5.41	2.67	-2.74	≤-1.00	PASS
11AX20SISO	Ant1	6535	106Tone	RU53	-5.38	2.67	-2.71	≤-1.00	PASS
11AX20SISO	Ant1	6695	26Tone	RU0	-5.87	2.67	-3.20	≤-1.00	PASS
11AX20SISO	Ant1	6695	52Tone	RU37	-5.77	2.67	-3.10	≤-1.00	PASS
11AX20SISO	Ant1	6695	106Tone	RU53	-5.74	2.67	-3.07	≤-1.00	PASS
11AX20SISO	Ant1	6855	26Tone	RU8	-4.77	2.67	-2.10	≤-1.00	PASS
11AX20SISO	Ant1	6855	52Tone	RU40	-5.12	2.67	-2.45	≤-1.00	PASS

11AX20SISO	Ant1	6855	106Tone	RU54	-5.95	2.67	-3.28	≤-1.00	PASS
11AX20SISO	Ant1	6875	26Tone	RU8	-5.5	2.67	-2.83	≤-1.00	PASS
11AX20SISO	Ant1	6875	52Tone	RU40	-4.83	2.67	-2.16	≤-1.00	PASS
11AX20SISO	Ant1	6875	106Tone	RU54	-5.95	2.67	-3.28	≤-1.00	PASS
11AX20SISO	Ant1	6895	26Tone	RU0	-5.48	2.67	-2.81	≤-1.00	PASS
11AX20SISO	Ant1	6895	52Tone	RU37	-4.96	2.67	-2.29	≤-1.00	PASS
11AX20SISO	Ant1	6895	106Tone	RU53	-6.14	2.67	-3.47	≤-1.00	PASS
11AX20SISO	Ant1	6995	26Tone	RU0	-6.72	2.67	-4.05	≤-1.00	PASS
11AX20SISO	Ant1	6995	52Tone	RU37	-5.94	2.67	-3.27	≤-1.00	PASS
11AX20SISO	Ant1	6995	106Tone	RU53	-6.62	2.67	-3.95	≤-1.00	PASS
11AX20SISO	Ant1	7115	26Tone	RU8	-6.33	2.67	-3.66	≤-1.00	PASS
11AX20SISO	Ant1	7115	52Tone	RU40	-5.64	2.67	-2.97	≤-1.00	PASS
11AX20SISO	Ant1	7115	106Tone	RU54	-6.32	2.67	-3.65	≤-1.00	PASS


Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.

2. EIRP = Result + Gain.


11AX20SISO-Ant1-5955-26Tone-RU0-PASS



11AX20SISO-Ant1-5955-52Tone-RU37-PASS



11AX20SISO-Ant1-5955-106Tone-RU53-PASS



11AX20SISO-Ant1-6175-26Tone-RU0-PASS